

McCurt. 1830
SWEET'S HORTUS BRITANNICUS;

OR,

A CATALOGUE OF PLANTS,

INDIGENOUS, OR CULTIVATED IN THE GARDENS

OF

GREAT BRITAIN;

ARRANGED ACCORDING TO THEIR

NATURAL ORDERS,

WITH

REFERENCES TO THE LINNEAN CLASS AND ORDER TO WHICH EACH GENUS BELONGS;

THE WHOLE BROUGHT UP TO THE PRESENT TIME,

AND CONTAINS

Above 34,000 Plants;

By far the greatest Number ever before published in any Garden Catalogue of this or any other Country; with their Generic and Specific Names, Habitats, when introduced to this Country, Times of Flowering, Colours of the Flowers, Accentuations; and numerous other Arrangements, for the first Time introduced, with all the most useful Synonyms.

SECOND EDITION.

BY ROBERT SWEET, F.L.S.

*Author of Hortus Suburbanus Londinensis; Botanical Cultivator; Geraniaceæ; Cistineæ;
British Flower Garden; Flora Australasica; Florist's Guide; the British Warblers, &c.*

LONDON:

JAMES RIDGWAY, 169, PICCADILLY.

1830.

MISSOURI BOTANICAL
GARDEN LIBRARY

PREFACE.

THE rapid sale of the last edition, at once shows the preference given to the superiority of the Natural Arrangement, over that of the Linnean, for a Garden Catalogue, as it brings together all the plants that are nearest related to each other, and which have a general similarity by which any person, who already has a tolerable knowledge of plants, may give a good guess at first sight to what family, or Order, any plant or specimen they possess may belong to, or is related; this gives a pleasing idea, that is not to be met with by the Linnean Botanist, as he only looks at the Stamens and Styles to see what Class and Order it belongs to, without ever thinking to what else it is allied; but we still consider the addition of the Linnean Classes and Orders, of great use, as they are so readily attained by the young Botanist, though he should always keep the natural arrangement in view.

The pains we have taken with the present edition may be readily supposed, by the length of time it has taken us to get through it; and had it not been for the kindness and liberality of A. B. Lambert, Esq. who always admitted us to his Library with pleasure, we should certainly not have been able to have made it so complete; he is also so kind as to give us information of any new plants or importations that he hears or knows of, for which we now return him our sincere thanks.

To Mr. David Don, Librarian of the Linnean Society, we feel much obliged for his readiness in procuring us any books or specimens we wish to examine, and also inform us of any new publications that we may not have heard of.

The Linnean collection of specimens being now in the Linnean Society's collection, has enabled us to clear up many doubts and mistakes, by examining Linnaeus's original specimens, several of which we intend setting to rights by publishing figures of them in our British Flower Garden, many of the very common plants having been confused with others, or were considered in a doubtful state.

To Robert Barclay, Esq. of Bury Hill, we also feel greatly obliged for his kindness in sending us specimens of the numerous new plants that are continually flowering in his delightful garden, where rarities are without end; and we must not forget his gardener, Mr. D. Cameron, to whose merit may be attached the highly cultivated state of the plants, and to whom we are indebted for the names of many that have not yet flowered, and that we should not have otherwise known were in the country.

We have also to return our thanks to A. H. Haworth, Esq. for his liberality in presenting us with all his papers as soon as published, of the new and rare succulent plants and bulbs, published in Taylor's Philosophical Magazine.

To the Honourable and Reverend William Herbert we are indebted for the arrangement of the genus *Crinum*, and for the names of the hybrid species of *Amaryllideæ* raised by him, and those that he possesses, which have been raised in other collections, and the references by whom, or at what place they were raised, which is added in the column of Native, and the two parents from which they originated is given, where known: the whole of which are marked with W. H.; he has also been so kind as to furnish us with a list of many other new plants, that have flowered with him, and that had not before been known in our collections.

We also return our thanks to Mr. G. Charlwood, for his readiness in lending us any Botanical publications that we did not ourselves possess, his collection consisting of many rare and valuable botanical works.

To Mr. William Anderson, the worthy Curator of the Apothecaries' Company's Garden, at Chelsea, we are also much indebted, for his kindness in allowing us to copy his catalogues of newly introduced plants, and for his observations on their habit and culture; and to numerous other Gardeners and Nurserymen we return our best thanks, for their kindness and attention to forward our researches.

We flatter ourselves that our Subscribers will be well satisfied with the present edition, as it contains all the new arrangements and improvements up to the present time, that no other Catalogue, however new, can boast of; we have also been careful what we have inserted, not to put in thousands of plants that were never in the country, nor likely ever to be, a plan sometimes resorted to, to swell the size of the book, and to show a great number of names, but we believe there would be a difficulty to find the plants, should they be sought for. As for its being entirely free from errors, we will not assert, as we have no doubt but some may be found, but none, we believe, of much consequence. We now conclude, with our sincerest thanks to our numerous Subscribers, and hope we shall continue to merit their favour and approbation, as we shall always do our utmost endeavours to give them satisfaction.

October, 1830.

REFERENCE TO THE BOOKS,

IN WHICH THE FIGURES REFERRED TO, ARE PUBLISHED.

- Abb. ins.* The Natural History of the rarer Lepidopterous Insects of Georgia, collected from the observations of J. Abbott, by J. E. Smith, 1797. 4to.
- Act. Stock.* Kongl. Vetenskaps Academiens Handlingar. Stockholm, 1739. 8vo.
- A.D.C.* Decandolle (Alphonso.) Monographie des Campanulees. Paris. 1830.
- All. auct.* Allioni (Carolus.) Auctuarium ad floram Pedemontanam. 4to. Taurini. 1789.
- All. m. taur.* Car. Allionii Miscellanea Philosophico-mathematica Societatis privatae Taurinensis.
- All. ped.* Car. Allionii Flora Pedemontana.
- Alp. Egypt.* Alpinus (Prosper.) De Plantis Egypti liber. 1 vol. 4to.
- Alp. ex.* Alpinus (Prosper.) De Plantis Exoticis, libri duo. 4to. 1629.
- Amm. ruth.* Amman (Johan.) Stirpium rariorum in imperio Rutheno sponte provenientium Icones et Descriptiones. 4to. Petropoli. 1739.
- Amoen. ac.* Caroli Linnæi Amoenitates academicae. 8vo.
- And. bot. rep.* Andrews (Henry.) The Botanist's repository for new and rare plants. 4to. 1797. et seq.
- And. geran.* Andrews (Henry.) Geraniums, or a monograph of the genus Geranium. 1805. seq. 4to.
- And. heaths.* Andrews (Henry.) Coloured engravings of Heaths, with botanical descriptions. fol. and 8vo. 1802, 1809, et seq.
- Ann. bot.* Annals of Botany, by C. König and J. Sims. 1805. 8vo.
- Ann. mus.* Annales du Museum d'Histoire naturelle, par les Professeurs de cet établissement. 1802. seq. 4to.
- Ap. to B. Field's trav.* Appendix to Baron Field's Travels. 4to.
- Ard. mem.* Memorie di osservazioni, e di sperienze sopra la coltura, e gli usi di varie piante, da P. Arduino. Padova. 1766. 4to.
- Ard. sag. pad.* Arduino (Pietro.) Saggi di Padova.
- Ard. spec.* Arduino (Pietro.) Animadversionum botanicarum Specimen. 4to. Patavii. 1759.
- Asso. arrag.* De Asso (Ignatius.) Synopsis Stirpium indigenarum Arragoniæ. 4to. Marsiliæ. 1779.
- Aub. Thou. obs.* Aubert Du Petit Thouars Plantes des îles de l'Afrique australe. 4to. 1804.
- Aub. gui.* Histoire des plantes de la Guiane Françoise, par M. Fusée Aublet. 1775. 4to.
- Balb. act. taur.* } Miscellanea Botanica. 4to.
Balb. misc. taur. } ex Actis Academiae Taurinensis exserta. 1804.
- Balb. h. taur.* Horti Academici Taurinensis stirpium minus cognitarum aut forte novarum icones et descriptiones. Taurini. 1811.
- Banks ic. Kæmp.* Banks (Josephus.) icones selectæ Plantarum quas in Japonia collegit et delineavit E. Kæmpfer. fol. 1791.
- Banks. rel. Hous.* Reliquia Houstounianæ. 4to. 1781.
- Barr. ic.* } Plantæ per Galliam, Hispaniam, et Italiam, observatæ, Iconibus
Barr. rar. } æneis exhibitæ a Jac. Barreliero. 1714. fol.
- Bart. med. bot.* Barton (Benj. Smith.) Collections for an essay towards a materia medica of the United States. 1 fasc. in 8vo. Philadelphia. 1798.
- Bartr. it.* } Bartram (William.) Travels through North and South Carolina, Georgia, and Florida. 8vo. Philadelphia. 1791.
Bartr. trav. }
- Bauer. n. hol.* Bauer (Ferdinand.) Illustrationes floræ novæ Hollandiæ. fol. 1813.
- Bauh. hist.* Bauhin (Johannes.) Historia Plantarum universalis. fol. 1651.
- Bauh. prodr.* Caspar Bauhini προδρομος Theatri Botanici. Basileæ. 1671. 4to.
- Beau. fl. ow.* Palisot de Beauvois flore des royaumes d'Oware et de Benin. fol. 1805.
- Bell. act. taur.* Bellardi (Ludovico.) Memoires de l'Academie Royale des Sciences de Turin. 4to. 1782.
- Berg. act. holm.* Bergius (Pehr. Jonas.) Kongl. Vetenskaps Academiens Handlingar. 8vo. 1739.
- Berg. cap.* Petr. Jon. Bergii descriptiones Plantarum ex Capite bonæ spei. 1769. 8vo.
- Berg. phyt.* Bergeret Phytomatotechnie universelle. fol.
- Berr. in As. res.* Berry in Asiatic Researches, or Transactions of the Society instituted in Bengal. 4to. 1788.
- Besl. eyst.* Besler (Basilius.) Hortus Eystettensis. fol. 1612.
- Bieb. cent.* Bieberstein (Marshall von.) Centuriæ plantarum rariorum Rossia meridionalis. Charkoviæ.
- Big. med. bot.* Bigelow (Jac.) American Medical Botany. 4to. 1817.
- Biv. Bern. st. rar.* Bivona Bernardi. Stirpium rariorum minusque cognitarum in Sicilia provenientium Descriptiones. 4to. 1813.
- Biv. cent. pl.* Bivona Bernardi (Antonin.) Sicularum Plantarum Centuria prima. 8vo. 1806.

- Blackw.* Blackwell (Elizabeth.) A curious Herbal, containing 500 Cuts of the useful Plants. fol. 1737.
- Blum. fl. jav.* Blume (C. L.) Flora Java, &c. fol. 1829.
- Boc. Mus.* Boccone (Paolo.) Museo di Piante rare della Sicilia, Malta, Corsica, Italia, Piemonte e Germania. 4to. 1697.
- Boc. sic. rar.* Boccone (Paolo.) Icones et Descriptiones rariorum Plantarum Siciliae, Melitæ, Galiaë et Italiae. 4to. 1674.
- Boer. lugd. Herm.* Boerhaave Index alter Plantarum quæ in horto Academiae Lugduno Batavae aluntur. 4to. 1720.
- Boiss. fl. eur.* De Boissieu (C. V.) Flore d'Europe. 8vo. 1805.
- Bolt. fil.* Bolton (James.) Filices Britanniaë. 4to. 1785.
- Bonp. mon.* Bonpland (Aimé.) Monographie des Melastomes et autres Plantes de cet ordre. fol. 1809.
- Bonp. nav.* Bonpland (Aimé.) Description des Plantes rares cultivés a Malmaison et a Navarre. fol. 1813.
- Bory. it.* } Bory de St. Vincent (J. B. M.)
A Voyage en Espagne a tra-
Bory. voy. } vers les royaumes de Galice,
Leon, etc. 8vo.
- Bot. mag.* Curtis's Botanical Magazine, continued by J. Sims, J. Bellenden Ker, and W. J. Hooker. 8vo.
- Bot. reg.* Edwards (Sydenham.) The Botanical Register. descr. by J. Bellenden Ker. 8vo. 1815. continued by J. Lindley.
- Bot. rep.* Andrews (Henry.) The Botanist's Repository for new and rare Plants. 4to. 1797.
- Braam ic. chin.* Braam's Icones Chinensis.
- Bradl. Suc.* Bradley (Richard.) Historia Plantarum succulentarum. 4to. 1716.
- Braun. Salz.* De Braune (Franz. Ant.) Salzburgerische flora. 8vo. 1791.
- Breyn. cent.* Breynius (Jacobus.) Exoticarum Plantarum centuria. fol. 1678.
- Breyn. ic.* Breynii (J.) Icones rariorum et exoticarum Plantarum. 4to. 1739.
- Brong. rham.* Brongniart (Adolph.) Dissertatione des Rhamnees. 4to. Paris.
- Brot. phyt.* Brotero (Felix Avellar.) Phytographia Lusitaniae selectior. fol. 1801.
- Brown. gen. rem.* Brown (Robert.) General Remarks, Geographical and Systematical, on the Botany of Terra Australis. 4to. 1814.
- Br. Jam.* } Browne (Patrick.) The Civil
Brown. Jam. } and Natural History of Ja-
maica. fol. 1756.
- Bruces. tr.* Bruce (James.) Travels to discover the source of the Nile. 4to. 1790.
- Buchoz. ic. col.* Buchoz (Pierre Joseph.) Collection des fleurs qui se cultivent tant dans les Jardins de la chine que dans ceux d'Europe. fol.
- Bull. herb.* Bulliard. Herbar de la France. fol. 1780.
- Burm. afr.* } Burmann (Johannes.) Rariorum
Burm. dec. } Africanarum Plantarum. 4to.
1738.
- Burm. Ind. Nic. Laur.* Burmanni Flora Indica. 4to. 1768.
- Burm. zeyl.* Burmann (Johannes.) Thesaurus Zeylanicus. 4to. 1737.
- Buxb. cent.* Buxbaum (Joh. Christ.) Plantarum minus cognitarum Centuria quinque. 4to. 1728.
- Camer. hort.* Camerarius (Alexander.) Hortus Medicus et Philosophicus. 4to. 1588.
- Cates. car.* Catesby (Mark.) The Natural History of Carolina & Florida. fol. 1741.
- Cav. diss.* Cavanilles (Ant. Jos.) Monadelphiae classis Dissertationes decem. 4to. 1785.
- Cav. ic.* Cavanilles (Ant. Jos.) Icones et Descriptiones Plantarum quæ aut sponte in Hispania crescunt aut in hortis hospitantur. fol. 1791.
- Chabr. sci.* Chabrey (Dominicus.) Omnium Stirpium Sciagraphia. fol. 1677.
- Chois. p. hyp.* } Choisy (J. D.) Prodromus d'
Chois. m. h. } une monographie de la fa-
mille des Hypericinees. 4to.
1821.
- Chois. selag.* Choisy (J. D.) Memoire sur la famille des Selaginees. 4to. Geneva. 1823.
- Clus. hist.* Clusius seu l'Ecluse (Charles de.) Rariorum Plantarum Historia. fol. 1601.
- Col. ecphr.* Columna (Fabius.) Minus cognitarum stirpium Ecphrasis. 4to. 1616.
- Col. phyt.* Columna (Fabius.) Phytobasanos. 4to. 1592.
- Col. h. rip.* Colla Hortus Ripulensis. 4to.
- Com. hort.* Commelyn (Casp.) Horti Medici Amstelodamensis rariorum Plantarum descriptio et icones. fol. 1703.
- Comm. petrop.* Commelyn (Casp.) Commentarii Academiae Scientiarum imperialis Petropolitanae. 4to. 1728.
- Comm. prael.* Commelyn (Casp.) Praeludia Botanica ad publicas Plantarum demonstrationes. 4to. 1703.
- Comm. rar.* Commelyn (Casp.) Horti Medici Amstelodamensis Plantæ rariores et exoticæ. 4to. 1706.
- Cook. et.* Cook (J.) Voyages, 2 vols. 4to. 1777.
- Corn. can.* Cornuti (Jacob.) Canadensium Plantarum aliarumque nondum editarum historia. 4to. 1635.
- Crantz. Aust.* Crantz (Hen. Joh. Nepom.) Stirpium austriacarum. 8vo. 1762.
- Cup. pan.* Cupani (Franciscus.) Catalogus plantarum Sicularum noviter detectarum. Panormi, 1652.
- Curt. lond.* Curtis (William.) A catalogue of the plants growing wild in the environs of London. fol. 1774. et seq.
- Cyril. ic. fasc.* } Cyrilli (Dom.) Plantarum ra-
Cyr. neap. } riorum regni Neapolitani
fasciculus. 1778. fol.
- Dalech. lug.* Dalechamps (Jacques.) Historia generalis plantarum. fol. 1586.
- Dard. trait. ren.* D'ardenne (Jean Paul Rome.) Traite des Renoncules. 8vo. 1746.
- DC. an. mus.* De Candolle (Augustin Pyramus.) Annales du Museum d'histoire naturelle. 4to. 1802.

- DC. astr.* De Candolle (Augustin Pyramus.) Astragalogia. 4to. et fol. 1802.
- DC. dis. cact.* De Candolle (Aug. Pyr.) Revue de la famille des Cactees. 4to. Paris. 1829.
- DC. h. mons.* De Candolle (Augustin Pyramus.) Catalogus plantarum horti botanici Monspeliensis addito observationum circa species novas aut non satis cognitatas fasciculo. 8vo. 1813.
- DC. ic. gall. rar.* De Candolle (Augustin Pyramus.) Icones plantarum Galliae rariorum. 4to. 1808.
- DC. leg. mem.* De Candolle (Augustin Pyramus.) Memoires sur la famille des Legumineuses. 4to. 1826.
- DC. mem. mus.* De Candolle (Augustin Pyramus.) Memoires du Museum d'histoire naturelle. 4to. 1815.
- DC. mem. umb.* De Candolle (Aug. Pyr.) Memoire sur la famille des Ombelliferes. 4to. Paris. 1829.
- DC. plant. grass.* De Candolle (Augustin Pyramus.) Plantarum historia succulentarum. Fasc. 28. 1799.
- Debr. flor. nov.* De Bry (Joannes Theodor.) Florilegium novum. fol. 1612.
- Delil. aegy.* } Delile (Alire Rafeneau.) Memoires botaniques extraits de la Description de l'Egypte. fol. 1813.
- Del. fl. aeg.* }
- De la Roch. dis.* De La Roche (Daniel.) Specimens botanicum inaugurale sistens descriptiones plantarum aliquot novarum. 4to. 1766.
- Deless. ic. sel.* Delessert (Benj.) Icones selectae plantarum in system. univers. descriptarum. 4to. 1820.
- Descrip. de Egypt.* Description de l'Egypte on Recueil des observations et des recherches faites pendant l'expédition de l'armée Française. 4to. et fol. 1810.
- Desf. act. par.* Desfontaines (Rene Louiche.) Memoires de l'Académie Royale des Sciences. 4to. 1666.
- Desf. atl.* Desfontaines (Rene Louiche.) Flora atlantica. 4to. 1798.
- Desv. j. bot.* Desvaux. Journal de Botanique. 8vo. 1808.
- D. et H.* Dreves et Hayne. Choix de Plantes de l'Europe. fasc. 4. 1802.
- Dill. elt.* Dillenius (Joh. Jac.) Hortus elthamensis. fol. 1732.
- Dill. musc.* Dillenius (Joh. Jac.) Historia muscorum. 4to. 1741.
- Dodart mem.* Dodart (Denys.) Memoires pour servir a l'Histoire des Plantes. fol. 1676.
- Dod. pemp.* Dodart (Denys.) Stirpium historiae pemptades. fol. 1583.
- Du Fresn. Val.* Dufresne (Pierre.) Histoire naturelle et medicale de la famille des Valerianeas. 4to. 1811.
- Duh. arb.* Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui cultivent en France en pleine terre. 4to. 1755.
- Duham. ed. nov.* Duhamel du Monceau (Henry Louis.) Traites des arbres et arbustes qui se cultivent en pleine terre en France. fol. 1801.
- Dun. mon.* Dunal (Michel Felix.) Monographie de la Famille des Anonaceas. 4to. 1817.
- Dunal. solan.* Dunal (Michel Felix.) Histoire naturelle medicale et economique des Solanum et des genres qui ont ete confondus avec eux. 4to. 1813.
- Ehret pict.* Ehret (Georg. Dion.) Planta et Papiliones rariores. fol. 1748.
- Eng. bot.* English Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Exot. bot.* Exotic Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Ferr. hesp.* Ferrari (Joh. Bapt.) Hesperides, sive de malorum aureorum cultura et usu. fol. 1646.
- Feuil. obs.* } Feuillee (Louis.) Journal des observations Physiques, Mathematiques et Botaniques faites dans l'Amerique meridionale. 4to. 1814.
- Feuill. per.* }
- Fl. dan.* Icones plantarum sponte nascentium in regnis Daniae et Norvegiae, etc. fol. 1761.
- Fl. lap.* Linnæus s. von Linne (Carolus.) Flora Laponica. 8vo. 1737.
- Flor. græ.* Flora Græca J. E. Smith. fol. 1552.
- Flor. mex. ic. ined.* Sesse et Mocinno. Flora Mexicana Icones ineditae.
- Fl. per.* Ruiz (Hippol.) et Pavon (Jos.) Flora Peruviana et Chilensis. 8vo. 1798.
- Flugg. an. mus.* Flugge (Johan.) Annales du Museum d'Histoire naturelle. 4to.
- Fraser mon.* Fraser (John.) A short history of the Agrostis cornucopiae. fol. 1784.
- Forsk. egypt.* } Forskaol (Petrus.) Flora Ægyptiaco arabica. 4to. 1775.
- Forsk. dis.* }
- Forst. gen.* Forster (George.) Characteres generum Plantarum quas in itinere ad insulas maris australis, etc. 4to. 1776.
- Fourc. j. bot.* Fourcroy (Ant. Franc.) La Médecine eclairee par les Sciences physiques, ou Journal des Deconvertes, etc. 8vo. 1791.
- Froel. gent.* Froelich (Jos. Aloys.) De Gentiana libellus. 8vo. 1796.
- Fuchs. hist.* Fuchs (Leonhard.) De historia Stirpium commentarii insignes. fol. 1542.
- Gaert. carp.* Gaertner (Car. Frid.) Supplementum Carpologiae. 4to. 1805.
- Gaert. fr.* } Gaertner (Josephus.) De fructibus et seminibus plantarum. 4to. 1788.
- Gaert. sem.* }
- Garid. aix.* } Garidel (Pierre Joseph.) Histoire des Plantes qui naissent en Province et principalement aux Environs d'Aix. fol. 1715.
- Garid. prov.* }
- Gay dis. las.* Gay dissertatio Lasiopetalæ.
- Gerard. gal.* } Gerard (John.) Flora Gallo-provincialis. 8vo. 1761.
- Ger. prov.* }
- Ger. emac.* Gerard (John.) The Herbal, enlarged by Th. Johnson. fol. 1633.
- Ger. herb.* Gerard (John.) The Herbal, or general history of Plants. fol. 1797.
- Gilib. h. pl.* Gilibert (Joh. Em.) Histoire des plantes d'Europe, ou elemens de botanique pratique. 3 vol. in 8vo. Lyon. 1806.
- Giorn. pis.* Giornale Pisano. 8vo. 1801.
- Giseck. ic.* Giseke (Paul Dieter.) et Schulze (J. Dom.) Icones plantarum. 1777.

- Gmel. fl. bad.* Gmelin (Carol. Christ.) Flora Badensis-Alsatica. 8vo. 1808.
- Gmel. sib.* Gmelin (Joh. Georg.) Flora sibirica. 4to. 1747.
- Gou. fl. mons.* Gouan (Anton.) Flora Mons-peliaca. 8vo. 1765.
- Gouan. ill.* Gouan (Anton.) Illustrationes botanicæ. fol. 1773.
- Hacq. pl. alp. car.* Hacquet (Balth.) Plantæ alpinae Carniolicæ. 4to. 1782.
- Hall. all.* Haller (Albert.) Allii genus naturale constitutum. 4to. 1745.
- Hall. helv.* } Haller (Albert.) Historia Stir-
Hall. hist. } pium indigenarum Helvetiæ.
fol. 1768.
- Hayn. term. bot.* Hayne (Fried. Gottl.) et Willdenow (Carl. Ludv.) Termini botanici iconibus illustrati. 4to. 1799.
- Hayne in ust. an.* Hayne (Fried. Gottl.) in Usteri Annalen der Botanik. 8vo. 1791.
- H. et B. n. gen.* Humboldt, Bonpland et Kunth Nova Plantarum genera et species, etc. 4to. 1815.
- H. et B. pl. aeq.* Von Humboldt (Alexand. Fr. Henr.) et Bonpland (Amie) Plantes equinoxiales. fol. 1808.
- Herbert. append.* Herbert (William.) A Botanical arrangement of bulbous roots. 8vo. 1821.
- Herm. lugd.* Hermann (Paulus.) Floræ Lugduno-Batavæ flores. 8vo. 1690.
- Herm. parad.* Hermann (Paulus.) Paradisi Batavi prodromus. 12mo. 1689.
- Hills. veg. syst.* Hill (John.) Outlines of a system of vegetable generation. 8vo. 1758.
- Hoff. c. gott.* Hoffmann (Georg. Franz.) Programmata Hortus Goettingensis. fol. 1793.
- Hoff. deut. fl.* Hoffmann (Georg. Franz.) Deutschlands flora, ou Flore de l'Allemagne. 12mo. 1791.
- Hoff. phyt.* Hoffmann (Georg. Franz.) Phyto-graphische Blätter. 8vo.
- Hoffm. salic.* Hoffmann (Georg. Franz.) Historia salicum iconibus illustro. fol. 1785.
- Hoff. umb.* Hoffmann (Georg. Franz.) Plantarum umbelliferarum genera. 8vo. 1816.
- Hoff. et Lk. fl. lus.* } Hoffmansegg et Link.
Hoff. f. port. } Flore portugaise. fol. 1806.
- Hook. ex. flor.* Hooker (W. J.) Exotic flora. 8vo.
- H. et G. fil.* Hooker (W. J.) and Greville (W. K.) Icones Filicum. fol. London. 1827. et seq.
- Hop. in. sturm. fl. fas.* Hoppe in Sturm Deutschland flora. 4to. 1798.
- Horn. fl. dan.* Hornemann (J. W.) Icones Plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol. 1761.
- Hort. Kew.* Aiton (Willam.) Hortus Kewensis, editio prima. 8vo. 1789.
- Hort. trans.* Transactions of the Horticultural Society of London. 4to.
- Host. gram.* Host (Nicol. Thomas.) Icones et descriptiones Graminum austriacorum. fol. 1801.
- Hout. pflanz.* Houttuyn (Mart.) Des ritters von Linne Pflanzen system nach der anleitung des Houttuynschen werks. 8vo. 1777.
- Hout. syst.* Houttuyn (Mart.) Des ritters von Linne Pflanzen system nach der anleitung des Houttuynschen werks. 14 vol. 8vo. 1777—1788.
- Icon. Kæmpf.* } Kæmpfer (Engelbert.) Ico-
Kæmpf. Icon. } nes selectæ plantarum. fol.
1791.
- Icon. Hort. Kew.* Delineations of exotic Plants cultivated in the Royal Garden at Kew. Published by W. T. Aiton.
- Isn. act. par.* Isnard. Histoire de l'Academie Royale des Sciences, avec les Mémoires de Mathématique et de Physique.
- Jacq. amer.* Jacquin (Nic. Jos.) selectarum Stirpium Americanarum Historia. fol. 1763.
- Jacq. am. pict.* Jacquin (N. J.) Stirpium Americanarum Historia.
- Jacq. aust.* Von Jacquin (Nicol. Jos.) Floræ Austriacæ Icones. fol. 1773.
- Jacq. coll.* Von Jacquin (Nicol. Jos.) Collectanea ad Botanicam, etc. Spectantia. 4to. 1786.
- Jacq. f. ecl.* Von Jacquin (Jos. Franc.) Eclogæ Botanicæ. fol. 1811.
- Jacq. frag.* Von Jacquin (Nicol. Jos.) Fragmenta Botanica. fol. 1809.
- Jacq. h. vind.* Von Jacquin (Nicol. Jos.) Hortus Botanicus vindobonensis. fol. 1770.
- Jacq. ic.* Von Jacquin (Nicol. Jos.) Icones Plantarum rariorum. fol. 1781.
- Jacq. misc.* Von Jacquin (Nicol. Jos.) Miscellanea Austriaca ad Botanicam, etc. Spectantia. 4to. 1778.
- Jacq. obs.* Von Jacquin (Nicol. Jos.) Observationes botanicæ. fol. 1764.
- Jacq. ox.* Von Jacquin (Nicol. Jos.) Oxalis monographia iconibus illustrata. 4to. 1792.
- Jacq. schoenb.* Von Jacquin (Nicol. Jos.) Plantarum rariorum horti cæsari Schönbrunnensis. fol. 1797.
- Jacq. stap.* Von Jacquin (Nicol. Jos.) Stapeliæ cultæ. fol. 1806.
- J. mem. ac. sci. par.* Jussieu, Mémoires de la Société d'Histoire Naturelle de Paris. 4to. 1799.
- Journ. sc.* Ker (J. B.) Journal of Science and the Arts. 8vo.
- Jung. ic. rar.* Junghans (Phil. Casp.) Icones Plantarum ad vitam impressæ. fol. 1787.
- Juss. an.* Jussieu, Annales du Museum d'Histoire Naturelle. 4to. 1802.
- Juss. rut.* Jussieu (Adrien.) Mémoires sur les Rutacées. Paris. 1825. 4to.
- Kæmp. am.* Kæmpfer (Engelbert.) Amœnitates exoticæ. 4to. 1712.
- Kalm. it.* Kalm (Pehr.) Resatil norra America. 8vo. 1753.
- Ker's review.* Ker (J. B.) Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts. 8vo.
- Ker's strelitz.* Ker (H. B.) Coloured Figures of the Genus Strelitzia. fol.
- Knight's prot.* Knight (Joseph.) Horticultural Essays on the natural order of Proteæ. 4to. 1809.
- Knorr. del.* Knorr (Georg. Wolfgang.) Deliciæ naturæ selectæ oder auserlesene. fol. 1766.
- Knorr. thes.* Knorr (Georg. Wolfgang.) The-

- saurus rei herbariæ hortensisque unversalis.* fol. 1770.
- Kon. an. bot.* Annals of Botany, by C. König and J. Sims. 2 vol. 8vo. I. 1805. II. 1806.
- Krock. siles.* Krocker (Ant. Joh.) Flora Silesiaca renovata. 2 vol. 8vo.
- Kth. mim.* Kunth (Car. Sig.) Mimoses et autres plantes legumineuses du nouveau continent. fol. 1819.
- Lab. nov. hol.* Labillardiere (Jac. Jul.) Novæ Hollandiæ plantarum specimen. fol. 1804.
- Lab. ic. pl. Syr.* } Labillardiere (Jac. Jul.) Icones plantarum Syriæ rariorum. 4to. 1791.
- Labil. Syr.* }
- Lab. voy.* Labillardiere (Jac. Jul.) Relation du Voyage a la recherche de La Peyrouse. 4to. 1798.
- Lamb. cinch.* Lambert (Aylm. Bourk.) Description of the Cinchona. 4to. 1797.
- Lamb. pin.* Lambert (Aylm. Bourk.) A Description of the genus Pinus. fol. 1803.
- Lam. ill.* Monet De La Mark (Jean Bapt.) Illustration des Genres. 1791.
- Lap. pyr. ic. ined.* Picot De La Peyrouse (Philippe.) Figures de la Flore des Pyrenees. fol. 1795.
- Laroch. eryng.* De La Roche (Francois.) Eryngiorum nec non generis novi alepideæ historia. fol. 1808.
- Ledeb. fl. alt.* Ledebour. Flora Altaica. fol. 1829.
- Leers. fl. herb.* Leers (Joh. Dan.) Flora Herbornensis. 8vo. 1789.
- Lehm. nicot.* Lehman (Joh. Georg. Chr.) Generis Nicotianarum historia. 4to. 1818.
- L. Herit. ger.* L'Heritier (Charles Louis.) Geraniologia sive Erodii, etc. historia. fol. 1787.
- L. Her. sert. ang.* L'Heritier (Charles Louis.) Sertum anglicum seu Plantæ rariores, etc. fol. 1788.
- L. Her. stirp.* L'Heritier (Charles Louis.) Stirpes novæ aut minus cognitæ. fol. 1784.
- Lind. als.* Von Lindern (Fr. Balth.) Hortus Alsaticus Plantas in Alsatia, nobili designans. 12mo. 1747.
- Lindl. coll.* Lindley (John.) Collectanea Botanica. fol.
- Lind. digit.* Lindley (John.) Digitalium Monographia. fol.
- Lindl. ros.* Lindley (John.) Rosarum Monographia, or a Botanical History of Roses. 8vo. 1820.
- Lin. amæn. ac.* Linnæus s. Von Linne (Carolus.) Amœnitates academicæ seu dissertionum seorsim editæ. 8vo. 1749.
- Lin. fl. lap.* Linnæus (Carolus.) Flora Laponica. 1 vol. 8vo. 1737.
- Linn. hort. cliff.* Linnæus (Carolus.) Hortus Cliffortianus. 1 vol. fol. 1737.
- Lin. f. dec.* Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis decas 1. 1762. fol. 1763.
- Linn. fil. fasc.* Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis. fasc. 1. fol. 1767.
- Linn. sup.* Linnæus Filius (Carolus.) Supplementum Plantarum. 1 vol. 8vo. 1781.
- Linn. trans.* Transactions of the Linnean Society of London. vol. 1. to 16. 4to.
- Lk. et Ott. abb.* Link et Otto. Abbildungen und Beschreibungen seltener Pflanzen im Berl. Garten. Berlin. 1821 et seq.
- Lk. et Ott. dis. cac.* Link et Otto. Cacti et Echinocacti. icones.
- Link. et Ot. h. ber.* Link et Otto. Hortus Berolinensis. fol.
- Lobel. adv.* De Lobel seu Lobelius (Mathias.) Adversariorum altera pars. 1 vol. fol. 1605.
- Lob. ic.* Lobelius (Mathias.) Stirpium Icones. 1 vol. 4to. 1591.
- Lodd. bot. cab.* Botanical Cabinet, by Messrs. Loddiges'. 4to.
- Loef. it. rar.* } Loeffling (Petr.) Iter Hispanicum, eller Resa til spanska, etc. 1 vol. 8vo. 1758.
- Loef. hisp.* }
- Loes. prus.* Loeselius (Joh.) Flora Prussica. 1 vol. 4to. 1703.
- Loisel. gal.* Loiseleur-Deslonchamps (J. L. A.) Flora Gallica. 2 vol. 12mo. I. 1806, II. 1807.
- Magn. b. mons.* Magnol (Petrus.) Botanicon Monspeliense. 1 vol. 12mo. 1686.
- Marcg. bras.* Marcgravius (Georg.) Historia rerum naturalium Brasilie. 1 vol. fol. 1648.
- Mart. cent.* } Martyn (John.) Historia Plantarum rariorum centuriæ 1 decas 1-5. fol. 1728.
- Mart. dec.* }
- Mart. fl. rust.* Martyn (Thomas.) Flora rustica. 4 vol. 8vo. 1792-4.
- Mart. n. pl. bras.* Martius (C. F. P.) Nova Genera et Species Plantarum quas in itinere, par Brasiliam. ann. 1817-1820. 4to.
- Mass. Stap.* Masson (Francis.) Stapeliæ novæ fasc. fol. 1796.
- Math. com.* Mathiolus (P. Andr.) Commentarii in libros Dioscoridis de Medica Materia.
- Meerb. ic.* Meerburg (Nicol.) Plantarum selectarum Icones pictæ. fol. 1798.
- Mentz. pug.* Mentzel (Christ.) Pugillus Plantarum rariorum. fol. 1682.
- Merian. surin.* Merian (Maria Sibylla.) De metamorphosis insectorum Surinamensium. 1 vol. fol. 1726.
- Mich. amer.* Michaux (André.) Flora Boreali Americana. 2 vol. 8vo. 1803.
- Mich. arb.* Michaux fils (André Franc.) Histoire des arbres forestiers de l'Amérique septentrionale. 3 vol. 4to. 1810-1813.
- Mich. querc.* Michaux (André.) Histoire des chênes de l'Amérique septentrionale. 1 vol. fol. 1801.
- Mich. gen.* Micheli (Petr. Anto.) Nova Plantarum genera. 1 vol. fol. 1729.
- Mill. ic.* Figures of Plants described in the Gardener's Dictionary, by Philip Miller. 2 vol. fol. 1760.
- J. Mill. ic.* Seven coloured Plates of Plants, by John Miller.
- J. F. Mill. ic.* Sixty coloured Plates of Plants and Animals, by Joh. Fred. Miller. fol.
- Miss Laur. ros.* } A Collection of Roses from Nature, by Miss Lawrence (now Mrs. Kearsse). 90 plates.
- M. L. R.* }
- Moret. fl. vicent.* Moretti (Gius.) Notizia

- supra diverse piante da aggiungiarsi alla flora Vicentina. 4to. 1813.
- Moris. hist.* } Morison (Robert J.) Plantarum
Moris. s. } historia universalis Oxoniensis.
Moris. ox. } 2 vol. fol. 1680.
- Moris. umb.* Morison (Robert.) Plantarum umbelliferarum distributio nova. 1 vol. fol. 1672.
- Munt. phyt. cur.* Munting (Abrah.) Phytographia curiosa. 1 vol. fol. 1702, 1713, 1727.
- Murr. com.* } Murray (Joh. Andr.) Com-
Mur. c. got. } mentarii Societatis regiae
Scientiarum Gœttingensis. 4to.
- Nectoux voy.* Nectoux (H.) Voyage dans la haute Egypte, avec des observations sur les diverses espèces de sené. fol. 1808.
- N. et Mart. ac. b.* Nees et Martius, in Mémoires de l'Académie royale des Sciences de Berlin. 4to. ab ann. 1770 ad 1816.
- Nees. hor. ber.* Nees von Esembeck (G. G.) Horæ physicæ Berolinensis collectæ ex symbolis virorum doctorum Link, Rudolphi, etc. 1 vol. fol. 1820.
- Niss. act. par.* Nissolle in Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique. 4to.
- Nois. jard. fr.* Noisette (Louis.) Le Jardin fruitier. 2 fasc. in 4to. Paris. 1813.
- Nov. act. pet.* Nova Acta Academiae Scientiarum Imperialis Petropolitanae.
- Nov. com. pet.* Novi Commentarii Academiae Scientiarum Imperialis Petropolitanae.
- Oed. fl. dan.* Von Oeder (Georg. Christ.) Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol.
- Ort. dec.* De Ortega (Cas Gomez.) Novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades. 4to.
- Osbeck. it.* Osbeck (Pehr.) Dagbock œf'er en ostendyck resa. 1 vol. 8vo.
- Palisot d'owar.* } Palisot de Beauvois. Flore
Pal. fl. d'ow. } des royaumes d'Oware et
de Benin. fol. 1805 et seq.
- Pall. act. pet.* Pallas (Peter Simon.) In Acta Academiae scientiarum imperialis Petropolitanae. 4to.
- Pall. it. ed. gal.* Voyage dans l'Empire Russe. 8 vol. 8vo.
- Pall. it. ed. germ.* Pallas (P. S.) Reise durch verschiedene provinzen des Russischen Reichs. 3 vol. 4to. 1771—1776.
- Pall. ross.* Pallas (P. S.) Flora Rossica. fol. 2 vol. 1784, 1788.
- Par. lond.* } Salisbury (Rich. Anth.) Para-
Sal. par. lond. } disus Londinensis. 2 vol. 4to.
- Park. par.* Parkinson (John.) Paradisi in sole paradisi terrestri, or a garden of flowers. 1 vol. fol. 1629.
- Park. theat.* Parkinson (John.) Theatrum botanicum. 1 vol. fol. 1640.
- Patters. iter.* A Narrative of four journeys into the country of the Hottentots and Caffraria. By Will. Patterson. 4to. 1789.
- Pet. eng. herb.* } Petiver (James.) Herbarii
Pet. h. brit. } Britannici Catalogus. fol.
- Pet. gaz.* Petiver (James.) Gazophylacium naturæ et artis. fol. 1702, 1704.
- Pet. Th. veg. afr.* Aubert du Petit Thouars. Plantes des îles de l'Afrique australe. 3 fasc. in 4to. Paris. 1804—6.
- Pio viol.* Pio (Joh. Bapt.) De Viola specimen. 4to. 1813.
- Pis. bras.* Piso (Guil.) Historia naturalis Brasiliæ. 1 vol. fol. 1648.
- Piso. lib.* Pisonis (Guil.) De Indiæ utriusque re naturali et medica libri 14. fol. 1658.
- Plenck. ic.* Plenck (Jos. Jac.) Icones plantarum medicinalium. fasc. fol. 1803 et seq.
- Pl. rar. hung.* } Waldstein (Franc.) et Kitai-
W. et K. hung. } bel (Paul.) Descriptiones et
Icones plantarum rariorum
Hungariæ. 3 vol. fol.
- Pluk. alm.* Plukenett (Leonard.) Almagestum botanicum sive phyt. onomasticon. 1 vol. 4to. 1796.
- Pluk. am.* Plukenett (L.) Amaltheum botanicum. 1 vol. 4to. 1705.
- Pluk. mant.* Plukenett (L.) Almagesti botanici Mantissa. 1 vol. 4to. 1700.
- Pluk. phyt.* Plukenett (L.) Phytographia sive Stirpium illustriorum, etc. 4 vol. 4to. 1691.
- Plum. amer.* Plumier (Charles.) Description des Plantes de l'Amérique. 1 vol. fol. 1693 et 1713.
- Plum. ed. B.* } Plantæ Americanæ à C. Plu-
Pl. ed. Burm. } mier detectæ et à J. Bur-
manno editæ. 5 fasc. fol. 1755.
- Plum. fil.* Plumier (C.) Traité des fougères de l'Amérique. 1 vol. fol. 1705.
- Plum. gen.* Plumier (C.) Nova plantarum Americanarum genera. 1 vol. 4to. 1703.
- Plum. ic.* Plumier (C.) Plantarum Americanarum fasc. 10, continentes plantas quas olim C. Plumierius detexit et depinxit, Edidit Jo. Burmannus.
- Pohl. pl. bras.* Pohl Plantæ Brasiliæ. 4to. 1830.
- Pollich Palat.* Pollich (Joh. Adam.) Historia plantarum in Palatinatu spontè nascentium. 3 vol. 8vo. 1776.
- Poit. et T. fl.* Poiteau et Turpin. Flore Parisienne. 6 livr. fol. 1808.
- Pursh amer.* Flora Americae Septentrionalis; or a systematic arrangement and description of the plants of North America. By Frederick Pursh. 2 vol. 8vo.
- Quer. hisp.* Query Martiner (Joseph.) Flora Espanola. 4 vol. 4to. 1762—1764.
- Raii syn.* } Ray (Joh.) Synopsis Stirpium Bri-
Ray. syn. } tannicarum. 1 vol. 8vo.
- Rauw. it.* Rauwolf (Leonh.) Etlicher Schoner Ausländischer Kreuter, deren in Seiner Rayss, in die Morgenlander Gethon, Gedacht wirt, lebendige Contrafactur.
- Red. lil.* } Redoute (P. J.) Les Liliacées.
Redoute lil. } 8 vol. fol. 1802—1816.
- Redout. ros.* Redoute (P. J.) Les Roses. 4to. et fol. 1817 et seq.
- Reich. ac.* Reichenbach (Ludov.) Monographia generis Aconiti et Delphinii. Lipsiæ. 1820. fol.
- Reich. ic.* Reichenbach (Ludov.) Icones et descriptiones plantarum. 4to. Lipsiæ. 1822 et seq.
- Reliq. Houst.* Reliquiæ Houstounianæ, in Bibliotheca Jos. Banks asservatis. 4to. 1781.

- Renealm. spec.* Pauli Renealmi Specimen Historiæ Plantarum. 1 vol. 4to. 1611.
- Retz. obs.* Retzius (And. Joh.) Observationes Botanicæ. 6 fasc. fol. 1774—1791.
- Rheed. mal.* } Van Rheedee (Henricus.) Hortus Indicus Malabaricus. 12
Rhe.hort.mal. } vol. fol.
- Rivin. monop.* Rivinus (Aug. Quirinus.) Ordo Plantarum flore irregulari monopetalo. 1 vol. fol. 1690.
- Riv. tetr.* Rivinus (A. Q.) Ordo Plantarum flore irregulari tetrapetalo. 1 vol. fol. 1691.
- Riv. pent.* Rivinus (A. Q.) Ordo Plantarum flore irregulari pentapetalo. 1 vol. fol. 1699.
- Rob. ic.* Three hundred and nineteen plates of plants; engraved by Nic. Robert. A. Bosse, and Lud. de Chatillon. fol.
- Rod. Scub. cer.* Scubler (Gust.) Diss. sistens descriptiones cerealium cultorum. Tubing. 1818. 4to.
- Rœm. arch.* Rœmer (Joh. Jac.) Archiv für de Botanik. 3 vol. 4to. 1796, 1799, 1805.
- Rœm. script.* Rœmer (J. J.) Scriptorum de Plantis Hispanicis, Lusitanicis, et Brasiliensis. 1 vol. 8vo. 1796.
- Rœm. et Ust. mag.* Rœmer (Joh. Jac.) et Usteri (Paul.) Magazin für die Botanik. 4to. 1789—1790. Zurich.
- Rosc. scitam.* Roscoe's Figures of the order of Scitamineæ. fol.
- Rosc. fl. ill. sea.* Roscoe (Mrs. M.) Floral Illustrations of the Seasons. Liverpool. Royal 4to. 1829 et seq.
- Roth. abh.* Roth (Alb. Wilh.) Botanische abhandlungen und beobachtungen. 4to. 1787.
- Rottb. gram.* } Descriptiones et Icones
Rottb. desc. rar. } Plantarum rariorum, etc.
I vol. fol. 1773.
- Roxb. corom.* Roxburgh (William.) Plants of the coast of Coromandel, published under the direction of Sir Joseph Banks. fol.
- Rudg. gui.* Rudge (Edward.) Plantarum Guianæ rariorum Icones et desc. fol. 1805.
- Ruiz. et P. prod.* Ruiz (Hippol.) et Pavon (Jos.) Floræ Peruvianæ et Chilensis prodromus. fol.
- Rumph. amb.* Rumphius (Georg. Everh.) Herbarium Amboinense. 6 vol. fol. 1750-1755.
- Russ. alep.* Russell (Alex.) Natural History of Aleppo. 1 vol. 4to. 1756. ed. 2. 1794.
- Sabb. hort.* } Sabbati (Liberatus.) Hortus
Sabb. h. rom. } Romanus. fol. vol. 3. 8vo.
1772, 1774, 1805.
- Sal. stirp. rar.* Salisbury (R. A.) Icones stirpium rariorum. 1 fasc. fol. 1791.
- San. viag.* Santi (Georg.) Viaggi al mont Amiata. 1 vol. 8vo. 1795. II. 1798. III. 1806.
- Savi fl. pis.* Savi (Gaetano.) Flora Pisana. 2 vol. 8vo. 1798.
- Scheuch. gram.* Scheuchzer (Johan.) Agrostographia, sive Graminum, Juncorum, Cyperorum, iisque affinium historia.
- Scheuch. it.* Scheuchzer (Joh. Jac.) Itinera Alpina. 4to. ed. 1. 1702—1708. Ed. 2; 1 vol. 4to. 1723.
- Schk. caric.* Schkuhr (Christ.) Histoire des Carex ou Laiches. 1 vol. 8vo. 1802.
- Schkuhr filic.* Schkuhr (Christ.) Abbildungen der Farrnkräuter. 4to.
- Schk. hand.* Schkuhr (C.) Botanisches handbuch. 3 vol. 8vo.
- Schm. arb.* } Schmidt (Franz.) Oesterreichs
Schmid. arb. } allegemeine Baumzucht 2
Band. fol. 1792—1794.
- Schm. ic.* Schmiedel (Cas. Christ.) Icones Plantarum. 1 vol. fol. 1762.
- Schousb. maroc.* Schousboe (P. K. A.) Jagttagelser over voextriget i Marocco. 1 vol. 4to. 1800.
- Schrad. d. hal.* Schrader (Henr. Adolph.) De Halophytis Pallasii. 4to. 1810.
- Schrad. gen. nov.* Schrader (H.A.) Nova Plantarum genera. 1 fasc. fol. 1797.
- Schrad. germ.* Schrader (H.A.) Flora Germanica. 8vo. 1806.
- Schr. s. han.* Schrader (H.A.) Sertum Hannoveranum. 4 fasc. fol. 1795, 1796.
- Schrad. verb.* Schrader (H.A.) Monographia generis verbasci. 4to. 1813.
- Schrad. ver.* Schrader (H.A.) Commentatis de Veronicis spicatis. 8vo. 1803.
- Schrank h. mon.* } Schrank (Fr. von Paula.)
Schrank pl. rar. } Plantæ rariores horti Monacensis. 1817, 1818, 1819.
- Schreb. a. ups.* Von Schreber (Joh. Christ. Dan.) Acta litteraria et scientiarum Upsaliæ aut ab academia Upsaliensi publicata. 2 vol. 1720, 1816.
- Sch. gram.* Schreber (J. C. D.) Beschreibung der Græser. fol. 1769—1779.
- Scop. carn.* Scopoli (Joh. Ant.) Flora Carniolica. 8vo. 1760. ed. 2. 2 vol. 8vo. 1772.
- Scop. del.* } Scopoli (J.A.) Deliciæ floræ Insu-
Scop. ins. } bricæ. 3 vol. fol. 1786, 1788.
- Seb. mus.* } Seba (Alb.) Locupletissimi Rerum
Seb. thes. } naturalium Thesauri Descriptio.
4 vol. fol. 1734—1765.
- Second. d. chen.* De Secondat (M.) Mémoires sur l'Histoire naturelle du Chêne. 1785. fol.
- Segu. ver.* Seguiet (Joh. Franc.) Plantæ Veronenses. 3 vol. 8vo. 1745.
- Ser. m. helv.* Seringe (N. C.) Musée Helvétique d'histoire naturelle. 4to. 1818, 1820.
- Shaw afric.* } Shaw (Thomas.) Travels in Bar-
Shaw barb. } bary and the Levant. 1 vol.
fol. 1738.—Supplement.
1746.
- Sinc. gr. wob.* Sinclair (George.) Hortus gramineus Woburnensis. 1 vol. 8vo. 1825.
- Slo. hist.* } Sloane (Hans.) A Voyage to the
Sloan. j. } Islands Madeira, Barbadoes,
Nieves, St. Christopher's, and
Jamaica; with the Natural His-
tory of the last of those Islands.
2 vol. fol. 1707.
- Sm. exot. bot.* Smith (J. Edward.) Exotic Botany. 8vo. 1804—1808.
- Sm. ic. ined.* Smith (J. E.) Plantarum Icones hactenus ineditæ. fasc. 1-3. 1789, 1791. fol.
- Smith ic. pict.* Smith (J. E.) Icones pictæ Plantarum rariorum. 3 fasc. fol. 1790—1793.
- Sm. nov. hol.* Smith (J. E.) A specimen of the Botany of New Holland. 1 vol. 4to. 1793.

- Smith spic.* Smith (J. E.) *Spiclegium Botanicum*. 2 fasc. fol. 1791, 1792.
- Smith. tracts.* Smith (J. E.) *Tracts relating to Natural History*. 1 vol. 8vo. 1798.
- Sole's mints.* Sole (William.) *Menthæ Britannicæ*; being a new botanical arrangement of all the British Mints hitherto discovered. 1 vol. fol. 1798.
- Sonner. it.* Sonnerat (P.) *Voyage aux Indes orientales et à la Chine*. 2 vol. 4to.
- Sonner. n. guin.* *Voyage à la nouvelle Guinée*. 1 vol. 4to. 1776.
- Sparm. a. st.* Sparrman (Andr.) *Kongl. Vetenskaps Academiens Handlingar*. Stockholm. 1739. seq. 8vo.
- Spr. anl.* Sprengel (Kurt.) *Anleitung zur Kentmiss der Gewachse*. 2 theil. 8vo. 1817, 1818.
- Spreng. crypt.* Sprengel (K.) *Introduction to the study of Cryptogamous Plants*, translated from the German. 8vo. 1813.
- Spr. fl. hall.* Sprengel (K.) *Floræ halensis Tentamen novum*. 1 vol. 8vo. 1806.
- Spreng. umb.* Sprengel (K.) *Species umbelliferarum minùs cognitarum illustratæ*. 1 vol. 4to. 1818.
- Sternb. saxif.* Sternberg (Graf. Casp.) *Revisio Saxifragarum Iconibus illustrata*. 1 vol. fol. 1810.
- Stær. lib. de. stram.* Stærck (Ant.) *Libellus de Stramonio, Hyosciamo. Aconito*. 8vo. 1763.
- Sturm. deut.* Sturm (Jacob.) *Deutschland flora*. 4to.
- Swartz ic.* Swartz (Olof.) *Icones Plantarum Indiæ occidentalis*. 1 fasc. fol. 1794.
- Swart. obs.* Swartz (O.) *Observationes botanicæ*. 1 vol. 8vo. 1791.
- Sw. syn. fil.* Swartz (O.) *Synopsis filicum earum genera et species compl.* 1 vol. 8vo. 1806.
- Swt. br. fl. gar.* Sweet (Robert.) *The British Flower Garden*, published in monthly numbers, containing full and accurate coloured figures and descriptions, with the best mode of cultivation, of the most choice and curious plants, that may be cultivated in the open air of Great Britain. 3 vol. royal 8vo.
- Swt. br. fl. gar. s. 2.* Sweet (R.) *British Flower Garden*, series 2, number 1 to 17, et seq.
- Swt. cist.* Sweet (R.) *Cistineæ*. The natural Order of *Cistus*, or *Rock-Rose*, complete in one volume, containing 112 beautifully coloured figures of the different species and varieties of this handsome family of plants.
- Swt. flor. aust.* Sweet (R.) *Flora Australasica*, or a selection of the most beautiful and interesting plants, natives of New Holland, and the South Sea Islands, containing 56 beautifully coloured figures from the living plants. 1 vol. royal 8vo. London, 1827-1828.
- Swt. flor. guid.* Sweet (R.) *The Florist's Guide, or Cultivator's Directory*, containing elegantly coloured figures of the choicest flowers cultivated by Florists, including Tulips, Hyacinths, Ranunculus', Carnations, Pinks, Auriculas, Polyanthus's, Georgina's, and Roses. 1827 et seq. royal 8vo. London.
- Sweet ger.* Sweet (R.) *Geraniaceæ*, or the natural Order of Geraniums, published in monthly parts, with accurate coloured figures and descriptions of the different kinds, and their mode of culture. royal 8vo. Five volumes complete.
- Swert. flor.* Swertius (Eman.) *Florilegium tractans de variis floribus*. 1 vol. fol. 1612.
- Tab. ic.* Tabernæmontanus (Jac. Theod.) *Eicones Plantarum cur N. Bassæo*. 4to. 1590.
- Tabern. kraut.* Tabernæmontanus (Jac. Theod.) *Kræuterbuch*. fol. 1588.
- Ten. flor. med.* Tenore (Michel.) *Saggio sulle qualita medicinali delle piante Napolitanæ*. 8vo. Napoli. 1808.
- Tenor. fl. nap.* Tenore (Michel.) *Flora Napolitana*. fol. 1811.
- Ten. mem. croc.* Tenore (M.) *Memoires sui Crochi*. Naples.
- Thunb. eric.* Thunberg (Car. Petr.) *de Erica*. 4to.
- Thunb. ir.* Thunberg (Car. Petr.) *Dissertatis de Iris*. 4to. 1782.
- Thunb. jap.* Thunberg (Car. Petr.) *Flora Japonica*. 8vo. 1784.
- Thunb. voy.* Thunberg (Car. Petr.) *Voyage au Japon, etc.* 8vo. 1796.
- Till. pis.* Tilli (Mich. Ang.) *Catalogus horti Pisani*. fol. 1723.
- Tourn. voy.* Pitton De Tournefort (Joseph.) *Relation d'un voyage du Levant*. 4to. 1717.
- Trat. arch.* Trattinick (Leop.) *Archiv der Gewæchskunde*. 4to. 1811.
- Trattin. fl. aust.* Trattinick (Leop.) *Flora Austriaca sicca*. fol. 1792.
- Tratt. tab.* Trattinick (Leop.) *Observationes botanicæ Tabularium rei herbariæ illustrates*. 4to. 1811.
- Tratt. thes. bot.* Trattinick (Leop.) *Thesaurus Botanicus*. fol. 1819.
- Trev. delph.* Treviranus (Lud. Christ.) *De Delphinio et Aquilegia observationes*. 4to. 1817.
- Trew. ehret.* Trew (Christ. Jac.) *Plantæ selectæ ab Ehret pictæ*. fol. 1750.
- Trew. pl. rar.* Trew (Christ. Jac.) *Plantæ rariores*, ed. J. C. Keller. fol. 1763.
- Trin. ic. gram.* Trinius (Car. Bern.) *Icones Graminiæ*.
- Triumpf. obs.* Triumpfetti (Joh. Bapt.) *Observationes de ortu et vegetatione Plantarum*. 4to. 1635.
- Ust. N. ann.* Usteri (Paul.) *Neue annalen der Botanik*. 8vo. 1794.
- Vahl. ecl.* Vahl (Martinus.) *Eclogæ Americanæ*. fol. 1796.
- Vahl. ic. rar.* Vahl (Martinus.) *Icones Plantarum in eclogis descriptarum*. fol. 1798.
- Vahl. symb.* Vahl (Martinus.) *Symbolæ botanicæ*. fol. 1790.
- Vail. par.* Vaillant (Sebastien.) *Botanicon Parisiense*. fol. 1727.

- Vent. cels.* Ventenat (Etienne Pierre.) Description des plantes nouvelles ou peu connues du jardin de J. M. Cels. fol. 1800.
- Vent. choix.* Ventenat (Etienne Pierre.) Choix des plantes. fol. 1803.
- Vent. malm.* Ventenat (Etienne Pierre.) Jardin de la Malmaison. fol. 1803.
- Vill. c. Stras.* Villars (D.) Catalogue methodique du jardin de Strasbourg. 8vo. 1807.
- Vill. dauph.* } Villars (D.) Histoire des Plantes
Vill. delph. } du Dauphine. 8vo. 1786.
- Viv. frag.* } Viviani (Dom.) Floræ Ita-
Vician. fr. fl. it. } licæ fragmenta. 4to. 1808.
- Volk. norib.* Volkamer (Jo. Georg.) Flora Noribergensis. 4to. 1700.
- Wahl. helv.* Wahlenberg (Georg.) De vegetatione et clymate Helvetiæ septentrionalis specimen. 8vo. 1813.
- Wahl. lap.* Wahlenberg (Georg.) Flora Lapponica. 8vo. 1812.
- Wal. as. res.* Wallich in Asiatic Researches, or Transactions of the Society instituted in Bengal. 4to. 1788.
- Wall. pl. as.* } Wallich (Nathanael.) Plantæ
— *ind. pl.* } asiaticæ rariores, ou description et figures d'un choix de plantes inédites de l'Inde orientale. fol. 1829 et seq.
- Walth. hort.* Walther (Aug. Frid.) Designatio plantarum horti ejus. 8vo. 1735.
- Wang. amer.* Von Wangenheim (Fried Ad. Jul.) Anpflanzung North Amerikanischer Holzarten.
- Wats. dend. brit.* Watson (W.) Dendrologia Britannica. 2 vol. 8vo.
- Weig. obs.* Weigel (Christ. Ehret.) Observationes Botanicae. 4to. 1772.
- Wei. et N. rub.* Weihe (Aug.) et Nees (C. G.) Rubi germanici.
- Weinm. phyt.* Weinmann (Joh. Guil.) Phytanthoza Iconographica. fol. 1737.
- Wend. ac.* Wendland (H. Lud.) Commentatis de Acaciis aphyllis. 4to. 1820.
- Wendl. col.* Wendland (H. Lud.) Collectio Plantarum tum exoticarum quam indigenarum. 4to. 1805.
- Wendl. er.* Wendland (Joh. Christ.) Ericarum Icones et descriptiones. 4to. 1798.
- Wend. h. herr.* Wendland (Joh. Christ.) Hortus Herrenhusanus. fol. 1798.
- Wend. s. han.* Wendland. (J. C.) Sertum Hannoveranum. 4 fasc. fol.
- Willd. arb.* Willdenow (Car. Lud.) Berlinische Baumzucht. 8vo. 1797.
- W. ber. mag.* Willdenow (Car. Lud.) Berlinischer magazin oder gesammlete schriften, etc. 4to. 1765.
- Willd. hort. ber.* Willdenow (Car. Lud.) Hortus Berolinensis. fol. 1806.
- Woodv. med. bot.* Woodville (William.) Medical Botany. 3 vol. 4to. 1790.
- Zanon. hist.* Zanoni (Jacobus.) Rariorum stirpium historia. Ed. C. Monti. 1 vol. fol. 1742.
- Zorn. ic.* Zorn (Joh.) Icones Plantarum medicinalium. 8vo. 1779.

ABBREVIATIONS.

- A. B. Annals of Botany.
 A. DC. Alphonso De Caudolle. Monographie des Campanulees.
 Afz. Afzelius, a Swedish Professor.
 A. G. Andrews's Geraniums.
 A. H. Andrews's Heaths.
 A. R. Andrews's Botanist's Repository.
 All. Allioni, an Italian Botanist.
 Aub. Aublet, a French Traveller in Guiana.
 B. Mr. Robert Brown, a celebrated English Botanist.
 B. A. Barton's Flora Boreali Americana. 2 vol. 4to.
 Bal. Balbis, a French Botanist.
 Bau. Baumgarten.
 B. C. Loddiges's Botanical Cabinet.
 B. D. Bartling. Diosmeæ descriptæ et illustrate. 1824. 8vo.
 Be. Bertoloni, an Italian Botanist.
 Bes. Besser, a Russian Botanist.
 BF. Bancroft.
 B. F. G. Sweet's British Flower Garden.
 Bhi. Bernhardt, a German Botanist.
 B. M. Curtis's Botanical Magazine.
 B. O. Beauvois. Flora d'Oware et de Benin.
 Boj. Bojer, Professor of Botany in the Isle of France.
 B. P. Brown's Prodrômus Floræ novæ Hollandiæ.
 B. R. Botanical Register.
 Bro. Brogniart's Rhamneæ.
 B. T. Burchell's Travels in Africa.
 C. (Cav.) Cavanille's, a Spanish Botanist.
 C. C. Colvill's Catalogue.
 C. I. Cavanille's Icones.
 C. L. T. Colebrooke, in Linnean Transactions.
 C. S. Choisy. Memoire sur la Famille des Selaginees.
 Cyr. Cyrilli, an Italian Botanist.
 D. David Douglas, on the Plants of the West Coast of America.
 DC. Decandolle (Augustin Pyramus.)
 D. D. David Don, Librarian of the Linnean Society, Soho Square.
 Desf. Desfontaines, a French Botanist.
 Desv. (Dv.) Desvaux, a French Botanist.
 DF. Dufresne's Valerianeæ.
 D. L. (Lht.) David Lockhart, Botanical Gardener at Trinidad.
 Dod. Dodonaeus, a Dutch Botanist.
 D. P. David Don's Prodrômus Floræ Nepalensis.
 E. Ehrenberg, a Traveller in Egypt, &c.
 E. B. Smith's English Botany.
 E. C. Elliott's Flora of Carolina.
 E. F. Smith's English Flora.
 Ex. B. Smith's Exotic Botany.
 F. Fischer, Curator of the Botanic Garden at St. Petersburg.
 F. D. Flora Danica.
 F. E. Forskaol Flora Ægyptiaco-Arabica.
 F. G. Flora Græca.
 F. I. Flora Indica.
 G. Gærtner, a celebrated German Carpolo-gist.
 G. B. Gray's Flora Britannica.
 G. D. George Don, an English Botanist.
 Gm. Gmelin, a Russian Botanist.
 Gr. Graham, Regius Professor of Botany at Edinburgh.
 G. R. Georgi, Geographische, etc. Beschreibung des Russichen Reichs.
 H. Hornemann, a Danish Botanist.
 H. A. Hooker's Flora Boreali Americana.
 H. B. Hortus Bengalensis.
 H. E. Hortus Epsomensis.
 H. E. F. Hooker's Exotic Flora.
 H. F. Hooker and Greville's Ferns.
 H. G. Hoare's Geraniaceæ.
 H. K. Hortus Kewensis.
 H. M. Hooker's Miscellany.
 H. M. N. Haworth's Miscellanea Naturalia.
 H. P. Idem, in Taylor's Philosophical Magazine.
 H. R. Idem, Saxifrages and Revisions of Succulent Plants.
 H. S. Idem, Synopsis Plantarum Succulentarum.
 H. S. S. Idem, Supplementum Plantarum Succulentarum.
 H. S. L. Hortus Suburbanus Londinensis.
 H. T. Transactions of the Horticultural Society.
 H. U. Hoffman's Umbelliferæ.
 J. Jussieu.
 Jac. Jacquin.
 J. E. (J. F.) Jacquin (Filius) Eclogæ Botanicae.
 J. I. Jacquin's Icones.
 J. S. Jacquin's Stapeliæ.
 K. F. Kaulfuss. Filices.
 K. S. Kunth's Synopsis Plantarum.
 L. Linnaeus.
 L. A. Lehman's Asperifoliæ.
 L. A. Ledebour's Flora Altaica.
 Lam. Lamarek.
 L. C. Loddiges's Catalogue.
 L. col. Lindley's Collectanea Botanica.
 Led. Ledebour, a Russian Botanist.
 L. en. Link's Enumeratio Plantarum.
 LG. et Lag. Lagasca, a Spanish Botanist.
 L'H. L'Heritier.
 L. O. Link et Otto, Abbildungen et Beschreibungen seltener Pflanzen in Berlin Garten.
 L. P. Lehman's Potentillæ.
 L. R. Lindley, Rosarum Monographia.
 L. T. Transactions of the Linnean Society.
 M. Michaux. Flora Boreali Americana.
 M. B. Marschall de Bieberstein, Flora Taurico-Caucasica.
 M. C. Mackay's Catalogue.
 Med. Medicus, a German Botanist of the last Century.
 Mh. Mönch, a German Botanist.

Mil. Miller, an English Gardener and Botanist.
 M. N. Martius. Flora of Brazil.
 M. P. Martius. Genera et Species Palmarum.
 N. Nuttall's Genera of North American Plants.
 N. A. Nee's Asters.
 N. L. F. News of Literature and Fashion.
 N. P. Nestler's Potentillæ.
 Ot. Otto, Curator of the Botanic Garden at Berlin.
 P. B. Pohl's Flora Brasiliana.
 Ph. Pursh. Flora Americana Septentrionalis.
 P. L. Salisbury in Paradisus Londinensis.
 Poir. Poiret, a French Botanist.
 Pr. Presl, a Bohemian Botanist.
 P. S. Persoon's Synopsis Plantarum.
 R. (Rox.) Roxburgh.
 R. A. Reichenbach. Monographie Generis Aconiti et Delphinii.
 Raf. Rafinesque Schmalz.
 R. B. Roth's neue Beitrage zur Botanik.
 R. C. Roxburgh's Plants of the Coast of Comandel.
 R. O. Richard's Orchideæ.
 R. P. Ruiz et Pavon. Flora Peruviana.
 R. S. Rœmer et Schultes Systema Vegetabilium.
 R. U. (Rech.) Reichenbach Ubersicht der gattung Aconitum.
 S. Schulte's Systema Vegetabilium.
 S. C. Sweet's Cistineæ.
 Sch. (Schl.) Schleicher, a Swiss Collector.
 Schk. Schrank, a Bavarian Botanist.
 Scop. Scopoli, an Italian Botanist.
 Ser. Schrader, a German Botanist.
 Set. Schott, a Traveller in Brazil.
 S. F. A. Sweet's Flora Australasica.
 S. F. G. Sweet's Florist's Guide.
 S. G. Sweet's Geraniaceæ.
 Sie. Sieber, a Botanical Collector.
 S. M. Sole's Mints.
 S. O. Seidl et Opiz.
 S. P. Salisbury's Prodromus.
 S. S. Sprengel's Systema Vegetabilium.
 S. T. Savi. Observationes in varias Trifoliorum Species.
 Sw. Swartz, a Swedish Botanist.
 T. C. Tenore. Catalogus Plantarum Horti Regii Neapolitani.
 T. N. Idem, Flora Neapolitana.
 T. P. Idem, Floræ Neapolitanæ Prodromi.
 T. S. Idem Synopsis Floræ Neapolitanæ.
 Th. Thunberg, a Swedish Botanical Traveller.
 Tv. Treviranus, a German Botanist.
 V. Ventenat, a French Botanist.
 V. M. Ventenat's Jardin de Malmaison.
 Viv. Viviani, an Italian Botanist.
 W. Willdenow. Species Plantarum.
 W. A. Idem, Historia Amaranthorum.
 W. en. Idem, Enumeratio Plantarum Horti Bot. Berolinensis.
 Wall. Wallich, Curator of the Botanic Garden at Calcutta.
 W. C. Wendland. Collectio Plantarum.
 W. D. Watson's Dendrologia Britannica.
 W. H. William Herbert. Observations on the Amaryllidæ, &c.
 W. K. Waldstein and Kitaibel. Descriptiones et icones plantarum rariorum Hungariæ.

1. 2. Flowering the first and second month of the year.
 3. 6. Flowering from the third to the sixth month, and so on according to the different figures.
 1. 12. Flowering all the year round, or at various seasons of the year, not having any settled period.
 — Denotes the same as the line above it.
 Uncertain, or not properly known.
 H. 5. Hardy large tree.
 H. h. Hardy Shrub, or small tree.
 H. h̄. Hardy Evergreen Shrub.
 F. h. Frame Shrub, or requiring the protection of a Frame or Mats in severe frosty weather, but to be exposed when the weather is mild.
 G. h. Greenhouse Shrub, requiring the protection of a Greenhouse in Winter.
 S. h. Shrubs requiring to be kept in the Stove or Hothouse in Winter, but may be removed to the Greenhouse in Summer.
 D. S. h. Dry Stove Shrub, a plant requiring very little water.
 D. G. h. Dry Greenhouse Shrub, or a plant that requires but little water in Winter; many of which will succeed well in a good frame or pit, with the covering of a mat or two on the lights in severe frost, but to be continually exposed to the air in mild weather.
 h̄. Suffruticose, a dwarf Shrub, or a soft wooded Shrub.
 4. Herbaceous, perennial, dying down in Winter, and shooting up afresh the following Spring.
 h̄. ∪. Climbing Shrub, a Shrub that requires support, either with a trellis, stick, or line, or any other convenient support.
 4. ∪. Climbing, perennial, herbaceous plant, requiring the same sort of support as the last.
 w. h. Water Shrub, or one that prefers growing in water, or in moist situations.
 w. 4. Perennial herbaceous plant, requiring to be grown in water, or in a moist situation.
 ♂. Biennial, seldom surviving more than two years.
 ⊙. Annual, requiring to be sown yearly.
 b. Bulbous-rooted.
 H. Hardy, surviving through the Winter without protection.
 F. Frame, not quite hardy, but requiring the protection of a frame or mats in severe weather.
 G. Greenhouse, requiring the protection of a Greenhouse in Winter, but to be well supplied with air in mild weather.
 I. Intermediate between Stove and Greenhouse.
 S. Stove, those require the protection of a Stove or Hothouse in Winter; the temperature should never be allowed to get below 60 degrees of Fahrenheit's Thermometer.
 C. B. S. Cape of Good Hope.
 N. S. W. New South Wales.
 N. Holl. New Holland.
 V. Diem. Isl. Van Dieman's Island.

THE BRITISH FLOWER GARDEN, & ORNAMENTAL SHRUBBERY.
Series the Second.

Publishing, in Monthly Numbers, at *Three Shillings* each; and each Number containing Four full and highly coloured Figures, with Dissections of the most essential parts, of the most beautiful, rare, curious, or interesting Herbaceous Plants, or Flowering Shrubs, that may be cultivated in the open Borders, Shrubberies, or by the side of Walls, or Fences, in the Gardens of this Country; with a full account of the best and most successful mode of Management in Culture and Propagation; the Soils and Situations most suitable for them; the Protection necessary, if any be required in Winter; their Scientific and English Names, with full Descriptions; Natural and Linnean Classes and Orders; Derivations of the Generic Names; and all other information that may be considered of importance to the Botanist, Cultivator, or Amateur; and the most beautiful and interesting subjects are chosen. Twenty-five Numbers form each Volume, and Three Volumes complete each Series.

Sets of the First Series of SWEET'S BRITISH FLOWER GARDEN, complete, in Three Volumes, may still be obtained, each Volume containing One Hundred elegantly coloured Figures; with a Systematical, Alphabetical, and English Index to each, List of Books quoted, &c. Price 3*l.* 16*s.* each. Single Numbers, at 3*s.* each; any back Numbers may be obtained to complete Sets.

The First Series is published by W. SIMPKIN and R. MARSHALL, Stationers'-hall-court, Ludgate Street; and may be procured, by Order, from all Booksellers.

"The British Flower Garden ought to be in the hands of all Cultivators of Hardy Flowering Plants." *Loudon's Gardener's Magazine.*

"The Figures, drawn and coloured from living specimens, by E. D. Smith, under the Author's inspection, are correct portraits of the subjects intended, and the plates are full and well executed. At the bottom of the plates are given coloured dissections of the different parts of the flower, so that, by that means, the parts of fructification are well explained."—"We recommend the British Flower Garden to the Cultivators and admirers of hardy Flowering plants; and we have no doubt but they will feel themselves much interested by its perusal." *News of Literature and Fashion.*

SWEET'S GERANIACEÆ.

Now complete, in Five Volumes, each containing One Hundred beautifully coloured Figures of the choicest and most distinct Species and Hybrid Productions of this greatly admired Tribe. From this Work may be selected a collection of the sorts most suited to the taste of any Lady or Gentleman, who wishes to make a collection of this beautiful Family.

SWEET'S CISTINEÆ.

An Account of the Family of CISTUS, or ROCK-ROSE; illustrated with handsomely coloured Figures; now complete, in Twenty-eight Numbers, at 3*s.* each; containing One Hundred and Twelve Figures and Descriptions of this handsome and generally admired Tribe of Plants, with Descriptions of the other Species that could not be obtained; with a full account of the best Method for their Cultivation and Propagation; or any thing else belonging to them, considered of importance.

THE FLORIST'S GUIDE; or CULTIVATOR'S DIRECTORY.

Publishing, in Monthly Numbers, at 3*s.* each; and Two Volumes will complete the Work. Each Number contains Four highly finished coloured Figures, drawn from the living Plants of the Flowers most esteemed by Florists—as Tulips, Ranunculus', Auriculas, Hyacinths, Carnations, Pinks, Roses, &c.; with the most approved Methods of Cultivation, Directions for raising new Varieties from Seeds, &c.

FLORA AUSTRALASICA.

Published in one handsome Royal Octavo Volume; containing Fifty-six elegantly coloured Figures, of the most beautiful and curious Plants, Natives of New Holland, and the South Sea Islands, (generally called Botany Bay Plants.) They are well adapted for a Greenhouse, or Conservatory; and many will survive the Winters, in the open ground, with a very little protection. Price 2*l.* 2*s.* 6*d.* in Fourteen Numbers, Index, &c.; or single Numbers, at 3*s.* each.

In the Press, and soon will be published, a New Edition of
SWEET'S HOTHOUSE AND GREENHOUSE MANUAL;
Or BOTANICAL CULTIVATOR.

Containing numerous Genera not before enumerated in any former edition; with Directions for their Treatment in Cultivation and Propagation; Treatment of Plants in Rooms, and all those grown in the Hothouses, Greenhouses, Frames, or in the open Ground of the Gardens, or Plantations in this Country; with a full account of the Management of Bulbs, and the Parasitical and other Orchideous Plants.

SWEET'S BRITISH WARBLERS;

Or an Account of the Summer Birds of Passage belonging to the Family of Sylvia; illustrated with beautiful coloured Figures of the natural size, chiefly taken from living Birds in the Author's collection; with full Directions for their Treatment, as practised by the Author, showing how all the fine singing Birds belonging to this tribe, may be kept in confinement in as good health as any common birds whatever, and will continue in full song nearly all the year; with an account of the best Method of catching them, or rearing them from the nest; and numerous other observations concerning their migration, food, habit when wild, or any thing relating to their history, that may be considered of importance. Published in Three Parts, and containing Sixteen Figures. Part 1, containing Six Figures, 6*s.* 6*d.*; Part 2, Five Figures, 5*s.*; and Part 3, Five Figures, 5*s.* The Figures are of the Nightingale, Blackcap, Larger and Lesser Whitethroats, Greater Pettychaps, or Garden Warbler; Willow and Wood Wrens; Dartford, Reed, and Sedge Warblers; Winchat, Stonechat, Wheatear, Redstart, &c.

CLASSIS I.

DICOTYLEDONEÆ seu EXOGENÆ.

* SUBCLASSIS I. THALAMIFLORÆ.

ORDO I.

RANUNCULACEÆ. DC. syst. nat. 127.

Tribus 1. CLEMATIDEÆ.

Syst. Name.	Color.	Eng. Name.	Native.	Introd.	Flower.	Habit.	Ref. to Figures.
CLEMATIS. W.		VIRGIN'S BOWER.	Polyandria Polygynia. L.				
1 erécta. DC.	(wh.)	upright.	Austria.	1597.	6. 8.	H. 4.	Jacq. aust. 3. t. 291.
γ hispànica.	(wh.)	Spanish.					
2 flámmula. DC.	(wh.)	sweet-scented.	S. Europe.	1596.	7. 10.	H. h. ∪.	Lob. ic. 627. f. 1.
α rotundifòlia.	(wh.)	round-leaved.	—————	—————	—————	H. h. ∪.	Ten. fl. neap. v. 1. t. 48.
β vulgàris.	(wh.)	oblong-leaved.	—————	—————	—————	H. h. ∪.	
γ marítima.	(wh.)	narrow-leaved.	—————	—————	—————	H. h. ∪.	Zanic. ist. 69. t. 129.
3 Massoniàna. DC.	(wh.)	Masson's.	C. B. S.	G. h. ∪.	
4 orientàlis. DC.	(ye.)	oriental.	Levant.	1731.	7. 10.	H. h. ∪.	Dill. elt. t. 119. f. 145.
5 glàuca. w.	(ye.)	glaucous.	Siberia.	7. 8.	H. h. ∪.	Willd. arb. 65. t. 4. f. 1.
6 paniculàta. DC.	(wh.)	panicled.	Japan.	1789.	6. 8.	H. h. ∪.	Houtt. pflanz. 7. f. 2.
7 chinénsis. DC.	(wh.)	Chinese.	China.	1820.	H. h. ∪.	Retz. obs. 2. n. 53. t. 2.
8 terniflòra. DC.	(wh.)	three-flowered.	—————	1826.	H. h. ∪.	
9 Vitálba. DC.	(wh.)	Traveller's Joy.	England.	7. 9.	H. h. ∪.	Eng. bot. 612.
10 virginiàna. DC.	(wh.)	Virginian.	N. America.	1767.	6. 8.	H. h. ∪.	Wats. dend. brit. t. 74.
11 brasiliàna. DC.	(wh.)	Brazilian.	Brazil.	1820.	S. h. ∪.	Deless. ic. sel. 1. t. 1.
12 dioica. DC.	(wh.)	Jamaica.	Jamaica.	1733.	5. 6.	S. h. ∪.	Slo. hist. 1. t. 128. f. 1.
13 americàna. DC.	(wh.)	West-Indian.	W. Indies.	S. h. ∪.	
14 coriàcea. DC.	(wh.)	leathery-ld.	N. S. W.	1821.	G. h. ∪.	
15 stenosèpala. DC.	(wh.)	narrow-sepaled.	—————	1826.	5. 8.	G. h. ∪.	
16 aristàta. DC.	(wh.)	awned-anther'd.	—————	1812.	5. 8.	G. h. ∪.	Bot. reg. 238.
17 hedysarifòlia. DC.	(wh.)	Hedysarum-ld.	Nepaul.	1819.	7. 2.	G. h. ∪.	Bot. reg. 599.
18 biternàta. DC.	(wh.)	biternate.	Japan.	1825.	7. 9.	H. h. ∪.	
19 triternàta. DC.	(wh.)	triternate-ld.	1806.	H. h. ∪.	
20 domínica. DC.	(wh.)	St. Domingo.	St. Domingo.	S. h. ∪.	Jac. am.p.2.t.261.f.244.
21 brachiàta. DC.	(wh.)	armed.	C. B. S.	1804.	10. 12.	G. h. ∪.	Bot. reg. 97.
22 grandiflòra. DC.	(wh.)	great-flowered.	Sierra Leon.	1822.	S. h. ∪.	
23 dahùrica. DC.	(pu.)	Dahurian.	Dahuria.	1822.	6. 8.	H. h. ∪.	
24 zanzibàrica.	(wh.)	Zanzibar.	Africa.	1826.	S. h. ∪.	
25 angustifòlia. DC.	(wh.)	narrow-leaved.	Siberia.	1787.	5. 9.	H. 4.	Jacq. ic. 1. t. 104.
26 diversifòlia. DC.	(pu.)	various-leaved.	9. 10.	H. h. ∪.	Deless. ic. sel. 1. t. 4.
27 Viórna. DC.	(pu.)	leathery-flow'd.	N. America.	1730.	6. 9.	H. h. ∪.	Jacq. ecl. 1. t. 32.
28 cylíndrica. DC.	(bl.)	long-flowered.	—————	1802.	7. 9.	H. h. ∪.	Bot. mag. 1160.
Viórna. A. R. 71. nec aliorum.							
29 Simsii.	(pu.)	Sims's.	—————	1812.	6. 9.	H. h. ∪.	Bot. mag. 1816.
cordàta. B.M. nec aliorum.							
30 reticulàta. DC.	(pu.)	netted.	—————	—————	—————	H. h. ∪.	Wats. dend. brit. t. 72.
31 japónica. DC.	(pu.)	Japan.	Japan.	1826.	H. h. ∪.	
32 integrifòlia. DC.	(bl.)	entire-leaved.	Hungary.	1596.	6. 8.	H. 4.	Bot. mag. 65.
β ? angustifòlia.	(bl.)	narrow entire l ^t .	Siberia.	—————	H. 4.	
γ ? elongàta. DC.	(bl.)	long-leaved.	—————	1823.	—————	H. 4.	Tratt. tab. 4. t. 178.

33	<i>ochroleuca</i> . DC.	(st.) silky.	N. America.	1767.	6. 7.	H. 2.	Bot. mag. 1175.
34	<i>gentianoïdes</i> . DC.	(wh.) gentian-like.	V. Diem. Isl.	1825.	G. 2.	Deless. ic. sel. 1. t. 5.
35	<i>florida</i> . DC.	(wh.) large-flowered.	Japan.	1776.	4. 9.	H. 2.	Bot. mag. 834.
	β <i>flöre pleno</i>	(wh.) double-flowered.	—	—	—	H. 2.	—
36	<i>Viticella</i> . DC.	(pu.) smooth-seeded.	Spain.	1569.	6. 9.	H. 2.	Bot. mag. 565.
	<i>a purpurea</i> .	(pu.) purple-flowered.	—	—	—	—	—
	β <i>cærulea</i> .	(bl.) blue-flowered.	—	—	—	—	—
	γ <i>pulchella</i> . P.S.	(bl.) double-flowered.	—	—	—	H. 2.	Chabr. sci. p. 117. f. 5.
37	<i>crispa</i> . B.M.	(pu.) curled-flower'd.	N. America.	1726.	7. 9.	H. 2.	Bot. mag. 1892.
38	<i>parviflora</i> . DC.	(wh.) small-flowered.	1822.	6. 8.	H. 2.	Dc. pl. rar. gen. t. 12.
	<i>campaniflora</i> . Lodd.	bot. cab. 987. non DC.	—	—	—	—	—
39	<i>cirrhosa</i> . DC.	(pu.) tendriled.	S. Europe.	1596.	3. 4.	H. 2.	Flor. græc. t. 517.
40	<i>pedicellata</i> .	(st.) pedicled.	Majorca.	—	H. 2.	Bot. mag. 1070.
	<i>cirrhosa</i> . B.M. nec aliorum.	<i>cirrhosa β. <i>pedicellata</i>. DC.</i>	—	—	—	—	—
41	<i>semitriloba</i> . DC.	(st.) three-lobed.	Spain.	9. 11.	H. 2.	—
42	<i>calycina</i> . H.K.	(st.) evergreen.	Minorca.	1783.	4. 6.	H. 2.	Bot. mag. 959.
	<i>baleàrica</i> . DC.	—	—	—	—	—	—
ATRAG'ENE. W.		ATRAG'ENE.		Polyandria Polygynia. L.			
1	<i>austriaca</i> . B.M.	(bl.) Austrian.	Austria.	1792.	5. 7.	H. 2.	Bot. rep. 180.
	<i>alpina</i> . s.s. <i>Clématis alpina</i> . DC.	—	—	—	—	—	—
2	<i>sibírica</i> . B.M.	(wh.) Siberian.	Siberia.	1753.	3. 5.	H. 2.	Bot. mag. 1951.
	<i>Clématis sibírica</i> . DC.	—	—	—	—	—	—
3	<i>ochoténsis</i> . s.s.	(wh.) linear-petaled.	—	1822.	—	H. 2.	—
	<i>Clématis ochoténsis</i> . DC.	—	—	—	—	—	—
4	<i>americàna</i> . B.M.	(pu.) American.	N. America.	1797.	5. 6.	H. 2.	Bot. mag. 887.
	<i>Clématis verticillàris</i> . DC.	—	—	—	—	—	—
5	<i>occidentàlis</i> . s.s.	shining-leaved.	1824.	H. 2.	—
NARAV'ELIA. DC.		NARAV'ELIA.		Polyandria Polygynia. L.			
	<i>zeylànica</i> . DC.	Ceylon.	1796.	S. 2.	—
	β <i>Roxbúrghii</i> . DC.	(ye.) Roxburgh's.	Coromandel.	—	S. 2.	Roxb cor. 2. t. 188.

Tribus II. ANEMONÆ.

THALI'CTRUM. DC.		MEADOW-RUE.		Polyandria Polygynia. L.			
1	<i>contórtum</i> . DC.	(wh.) crook-seeded.	Siberia.	1796.	6. 7.	H. 2.	—
2	<i>aquilegífolium</i> . DC.	.. Columbine-ld.	Europe.	1731.	5. 7.	H. 2.	—
	<i>a álbum</i> .	(wh.) white-stamened.	—	—	—	H. 2.	Jacq. aust. t. 318.
	β <i>atropurpureum</i> .	(pu.) purple.	—	—	—	H. 2.	Bot. mag. 1818.
	γ <i>formosum</i> . B.M.	(pu.) Sabine's.	—	—	—	H. 2.	Bot. mag. 2025.
3	<i>clavátum</i> . DC.	(wh.) club-stamened.	N. America.	1812.	6. 8.	H. 2.	—
4	<i>mexicànum</i> . DC.	(gr.) Mexican.	Mexico.	1826.	7. 9.	H. 2.	Hern. mex. 236. ic.
5	<i>corynéllum</i> . DC.	(wh.) purple-stemm'd.	N. America.	—	H. 2.	—
6	<i>polygànum</i> . s.s.	(ye.) polygamous.	—	5. 7.	H. 2.	—
7	<i>revolútum</i> . DC.	(ye.) revolute	—	1806.	6. 7.	H. 2.	—
	<i>pubéscens</i> . Ph. non. DC.	—	—	—	—	—	—
8	<i>dioicum</i> . DC.	(ye.) dioecious.	—	1759.	—	H. 2.	Deles. ic. sel. 1. t. 8.
9	<i>caroliniànum</i> . DC.	(ye.) Carolina.	—	—	H. 2.	—
10	<i>purpuráscens</i> . DC.	(pu.) dwarf purple.	—	1699.	—	H. 2.	—
11	<i>petaloídeum</i> . DC.	(wh.) Dahurian.	Dahuria.	1799.	—	H. 2.	Deles. ic. sel. 1. t. 9.
12	<i>alpinum</i> . DC.	(gr.) Alpine.	Britain.	5. 7.	H. 2.	Eng. bot. 262.
13	<i>fo'etidum</i> . DC.	(wh.) foetid.	Europe.	1640.	—	H. 2.	W. et K. hung. 2. t. 174.
14	<i>pubéscens</i> . DC.	(ye.) pubescent.	—	—	—	H. 2.	—
15	<i>acutilòbum</i> . DC.	(ye.) acute-lobed.	Siberia.	—	H. 2.	Deles. ic. sel. 1. t. 10.
16	<i>divérgens</i> . s.s.	(gr.) divergent.	—	1820.	6. 7.	H. 2.	—
17	<i>Schweíggeri</i> . s.s.	(ye.) Schweigger's.	1826.	—	H. 2.	—
18	<i>calàbriicum</i> . s.s.	(ye.) Calabrian.	Sicily.	1802.	6. 8.	H. 2.	Moris. 1. s. 9. t. 20. f. 16.
19	<i>squarròsum</i> . DC.	(ye.) squarrose	Siberia.	1806.	—	H. 2.	—
20	<i>sibíricum</i> . DC.	(ye.) Siberian.	—	1775.	—	H. 2.	Gart. fruct. 1. t. 74.
21	<i>minus</i> . DC.	(ye.) lesser.	Britain.	6. 7.	H. 2.	Eng. bot. t. 11.
22	<i>collinum</i> . DC.	(ye.) hill.	Germany.	1823.	—	H. 2.	—
23	<i>saxátile</i> . DC.	(ye.) rock.	Europe.	5. 7.	H. 2.	—
24	<i>ambíguum</i> . s.s.	(ye.) ambiguous.	Switzerland.	1820.	—	H. 2.	—
25	<i>elàtum</i> . DC.	(ye.) tall.	Hungary.	1791.	6. 8.	H. 2.	Jacq. vind. 3. t. 95.
26	<i>màjus</i> . DC.	(ye.) greater.	England.	—	H. 2.	Eng. bot. 611.
27	<i>nùtans</i> . DC.	(ye.) nodding.	Italy.	—	H. 2.	—
28	<i>mèdium</i> . DC.	(ye.) middle.	Hungary.	1789.	—	H. 2.	Jacq. vind. 3. t. 96.

29	<i>concinnum</i> . DC.	(wh.) neat.	6.	H. 4.	
30	<i>flexuosum</i> . Jac.	(ye.) flexuose.	6. 8.	H. 4.	
31	<i>trigynum</i> . DC.	(ye.) three-styled.	Dahuria.	1823.	—	H. 4.	
32	<i>glaucescens</i> . DC.	(pu.) loose-flowered.	Russia.	—	6.	H. 4.	
33	<i>galioïdes</i> . DC.	(ye.) Galium-leaved.	Europe.	1816.	5. 7.	H. 4.	Deles. ic. sel. 1. t. 11.
34	<i>angustifolium</i> . DC.	(ye.) narrow-leaved.	Germany.	1739.	6. 7.	H. 4.	Jacq. vind. 3. t. 43.
35	<i>divaricatum</i> . S.S.	(ye.) spreading.	—	—	H. 4.	
36	<i>cynapiifolium</i> . F.	(ye.) Fool's-parsley ^d	Siberia.	1821.	—	H. 4.	
37	<i>oligospermum</i> . F.	(ye.) few-seeded.	—	—	H. 4.	
38	<i>diffusum</i> . Sch.	(ye.) diffuse.	—	—	H. 4.	
39	<i>lucidum</i> . DC.	(ye.) shining.	Spain.	1739.	5. 7.	H. 4.	Pluk. alm. t. 65. f. 5.
40	<i>rosmarinifolium</i> . S.S.	(ye.) Rosemary-1 ^d	Italy.	1826.	6. 7.	H. 4.	
41	<i>nigricans</i> . DC.	(ye.) black.	Austria.	1798.	5. 7.	H. 4.	Jacq. aust. 5. t. 421.
42	<i>flavum</i> . DC.	(ye.) common.	Britain.	—	H. 4.	Eng. bot. 367.
43	<i>vaginatum</i> . Desf.	(ye.) sheathed.	Europe.	—	H. 4.	
44	<i>simplex</i> . DC.	(ye.) simple-stalked.	Sweden.	1778.	5. 6.	H. 4.	Flor. dan. t. 244.
45	<i>cinereum</i> . DC.	(ye.) ash-coloured.	—	H. 4.	
46	<i>glaucum</i> . DC.	(ye.) glaucous	S. Europe.	1798.	6. 7.	H. 4.	
47	<i>rugosum</i> . DC.	(ye.) rugged.	N. America.	1774.	7.	H. 4.	
48	<i>ranunculinum</i> . DC.	(ye.) Ranunculus-1 ^d	1806.	6. 7.	H. 4.	
49	<i>tuberosum</i> . DC.	(wh.) tuberous-rooted.	Spain.	1713.	6.	H. 4.	Mill. ic. t. 265. f. 2.
50	<i>anemonoides</i> . DC.	(wh.) Anemone-like.	N. America.	1768.	4. 5.	H. 4.	Bot. mag. 866.
	<i>Anemone thalictroides</i> . W.						
	β <i>flöre plëno</i> .	double-flowered.	1822.	—	H. 4.	
	PULSATILLA . W.en.	PASQUE-FLOWER . Polyandria Polygynia.					
1	<i>vernalis</i> . S.S.	(pu.) spring.	N. Europe.	1752.	4.	H. 4.	Swt. br. fl. gar. 205.
2	<i>Halleri</i> . S.S.	(bl.) Haller's.	Switzerland.	1816.	4. 5.	H. 4.	All. ped. t. 80. f. 2.
3	<i>cœruua</i> . S.S.	(bl.) drooping.	Japan.	1806.	4. 6.	H. 4.	
4	<i>pätens</i> . S.S.	(ra.) spreading.	Siberia.	1752.	6. 7.	H. 4.	Breyn. ic. t. 61.
	β <i>ochrolœuca</i> .	(st.) straw-coloured.	—	5. 7.	H. 4.	Bot. mag. 1994.
5	<i>vulgäris</i> . S.S.	(bl.) common.	England.	—	H. 4.	Eng. bot. 51.
	β <i>rùbra</i> . DC.	(re.) red-flowered.	Europe.	—	H. 4.	Lob. ic. 282. f. 1.
6	<i>intermedia</i> .	(bl.) long-petal ^d .	Switzerland.	1820.	—	H. 4.	
	<i>Anemone intermedia</i> . Schult.	<i>longipétala</i> . Schleich.					
7	<i>pratensis</i> . S.S.	(pu.) meadow.	Germany.	1731.	5.	H. 4.	Flor. dan. t. 611.
8	<i>obsoleta</i> .	(bl.) pale-flowered.	—	—	H. 4.	Bot. mag. 1863.
9	<i>albana</i> . S.S.	(wh.) white-flowered.	Caucasus.	1827.	—	H. 4.	
10	<i>dahurica</i> . DC.	(fl.) Dahurian.	Dahuria.	1823.	H. 4.	
11	<i>alpina</i> . S.S.	(wh.) Alpine.	Europe.	1658.	7.	H. 4.	Bot. mag. 2097.
12	<i>micrantha</i> .	(wh.) small-flowered.	1827.	—	H. 4.	Jacq. aust. t. 85.
	<i>Anemone alpina</i> . Jacq.	<i>alpina</i> β <i>micrantha</i> . DC.					
13	<i>apiifolia</i> .	(ye.) Parsley-leaved.	—	H. 4.	Jacq. misc. 2. t. 4.
	<i>Anemone alpina</i> δ <i>flavescens</i> . DC.						
14	<i>sulphurea</i> .	(st.) sulphur-coloured.	—	H. 4.	Cam. epit. 393. ic.
	<i>Anemone sulphurea</i> . L.	<i>apiifolia</i> . W.					
	ANEMONE . W.en.	ANEMONE . Polyandria Polygynia. L.					
1	<i>capensis</i> . DC.	(pu.) Cape.	C.B.S.	1795.	3. 7.	G. 7.	Bot. mag. 716.
	<i>Atragène capensis</i> . W.						
2	<i>coronaria</i> . DC.	(ra.) Poppy.	Levant.	1596.	1. 12.	H. 4.	Bot. mag. 841.
	β <i>flöre-plëno</i> .	(ra.) double flowered.	—	—	—	
3	<i>pavonina</i> . DC.	(re.) acute-petaled.	4. 5.	H. 4.	
	α <i>coccinea</i> .	(sc.) scarlet.	—	H. 4.	
	β <i>lilacina</i> .	(li.) lilac.	—	H. 4.	
	γ <i>flöre-plëno</i> .	(sc.) double scarlet.	—	H. 4.	Clus. hist. 1. p. 261. ic.
4	<i>stellata</i> . DC.	(pu.) star.	Italy.	1597.	—	H. 4.	Chabr. sciagr. 461. f. 3.
	<i>hortensis</i> . E.M. 123.						
	α <i>versicolor</i> .	(v.) various-coloured.	—	—	H. 4.	Bot. mag. 123.
	β <i>purpurea</i> .	(pu.) purple.	—	—	H. 4.	Swt. br. fl. gar. 112.
5	<i>palmata</i> . DC.	(ye.) palmated.	Portugal.	1597.	5. 6.	H. 4.	Bot. reg. 200.
	β <i>flöre-plëno</i> .	(ye.) double-flowered.	—	—	H. 4.	Chabr. sciagr. 461. f. 2.
6	<i>parviflora</i> . DC.	(wh.) small-flowered.	Labrador.	1823.	3. 5.	H. 4.	Juss. ann. mus. 3. t. 21. f. 1.
	<i>cuneifolia</i> . Ph.						
7	<i>caroliniana</i> . DC.	(pu.) slender.	Carolina.	—	5.	H. 4.	
	<i>tenella</i> . Ph.						
8	<i>apennina</i> . DC.	(bl.) blue mountain.	England.	3. 4.	H. 4.	Eng. bot. 1062.
9	<i>cœrulea</i> . DC.	(bl.) blue.	Siberia.	1827.	—	H. 4.	Deless. ic. sel. 1. t. 14.
10	<i>uralensis</i> . DC.	(bl.) Uralian.	—	—	H. 4.	
11	<i>baldensis</i> . DC.	(wh.) Strawberry-like.	Switzerland.	1792.	5.	H. 4.	Jacq. ic. 1. t. 103.
12	<i>fragifera</i> . Jacq.						

12	nemorosa. DC.	(wh.) wood.	Britain.	3. 5.	H. 2.	Eng. bot. 355.
	β flore-pleno.	(wh.) double-flowered.	—————	—	H. 2.	Debry. fl. nov. t. 29 et 56.
	γ quinquefolia. DC.	(w.) five-leaved.	N. America.	1812.	—	H. 2.	
13	Fischeriana. DC.	(wh.) Fischer's.	Siberia.	1827.	4. 5.	H. 2.	
14	lanceifolia. DC.	(wh.) lance-leaved.	N. America.	1823.	5. 7.	H. 2.	
15	trifolia. DC.	(wh.) three-leaved.	France.	1597.	4. 5.	H. 2.	Lob. ic. 281. f. 1.
16	ranunculoïdes. DC.	(ye.) yellow wood.	England.	3. 4.	H. 2.	Eng. bot. 1484.
17	reflexa. DC.	(wh.) reflex-flowered.	Siberia.	1824.	4. 5.	H. 2.	Deless. ic. sel. 1. t. 15.
18	sylvestris. DC.	(wh.) Snowdrop.	Europe.	1596.	4. 5.	H. 2.	Bot. mag. 54.
19	alba. DC.	(wh.) five-sepaled.	Dahuria.	1818.	4. 5.	H. 2.	————— 2167.
	ochotensis. F.						
20	virginiana. DC.	(wh.) Virginian.	N. America.	1722.	5. 6.	H. 2.	Herm. par. t. 18.
21	pensylvanica. DC.	(wh.) Pennsylvanian.	—————	1766.	—	H. 2.	
22	dichotoma. DC.	(wh.) forked.	—————	1768.	—	H. 2.	Lin. f. dec. 29. t. 15.
23	narcissiflora. DC.	(wh.) Narcissus-fl'd.	Europe.	1773.	5.	H. 2.	Bot. mag. 1120.
24	umbellata. DC.	(wh.) umbel flower'd.	Levant.	1824.	—	H. 2.	Deless. ic. sel. 1. t. 18.
25	sibirica. DC.	(wh.) Siberian.	Siberia.	1804.	6.	H. 2.	
	HEPATICA. DC.	HEPATICA. Polyandria Polygynia. L.					
1	acutiloba. DC.	(bl.) acute-lobed.	N. America.	1826.	3. 4.	H. 2.	
2	americana. DC.	(bl.) American.	—————	1819.	3. 4.	H. 2.	Bot. reg 387.
3	triloba. DC.	(va.) three-lobed.	Europe.	1573.	2. 4.	H. 2.	Eng. bot. t. 51.
	α carulea.	(bl.) blue.					
	β caruleo-plena.	(bl.) double-blue.					
	γ rubra.	(re.) red.	—————	—————	—————	—————	Bot. mag. 10.
	δ rubro-plena.	(re.) double-red.					
	ϵ alba.	(wh.) red-anthered white.					
	ζ nivea.	(wh.) snowy-white.					
	HYDRASTIS. DC.	YELLOW-ROOT. Polyandria Polygynia. L.					
	canadensis. DC.	(wh.) Canadian.	Canada.	1759.	5. 6.	H. 2.	Pict. hort. par. 37. t. 17.
	KNOWLTONIA. DC.	KNOWLTONIA. Polyandria Polygynia. L.					
1	rigida. DC.	(gr.) thick-leaved.	C. B. S.	1780.	3. 5.	G. 2.	Vent. malm. p. 22. t. 22.
2	vesicatoria. DC.	(gr.) blistering.	—————	1691.	2. 4.	G. 2.	Bot. mag. 775.
3	gracilis. DC.	(gr.) slender.	—————	1820.	—	G. 2.	Deles. ic. sel. 1. t. 19.
4	hirsuta. DC.	(gr.) hairy-leaved.	—————	—	—	G. 2.	Burm. afr. t. 51.
5	daucifolia. DC.	(gr.) Carrot-leaved.	—————	1822.	G. 2.	
	ADONIS. DC.	ADONIS. Polyandria Polygynia. L.					
1	autumnalis. DC.	(sc.) Pheasant's-eye.	Britain.	5. 10.	H. \odot .	Eng. bot. 308.
2	flava. DC.	(ye.) yellow.	France.	6. 7.	H. \odot .	Tab. ic. 790. f. 1.
3	micrantha. DC.	(ye.) small-flowered.	S. France.	1826.	5. 6.	H. \odot .	
4	citrina. DC.	(st.) Citron-colour'd.	—————	1822.	5. 6.	H. \odot .	
5	flammea. DC.	(fl.) flame-coloured.	Austria.	1800.	6. 7.	H. \odot .	Jac. aust. 4. t. 355.
6	æstivalis. DC.	(sc.) tall.	S. Europe.	1629.	—	H. \odot .	Weinm. phyt. t. 27.
	miniata. Jac. aust. t. 354.						
7	vernalis. DC.	(ye.) vernal.	Europe.	1629.	3. 4.	H. 2.	Bot. mag. 134.
8	apennina. w. en.	(ye.) Apennine.	—————	—	H. 2.	Mentz. pug. t. 3. f. 1.
	vernalis β Mentzelii. DC.						
9	pyrenæica. DC.	(ye.) Pyrenean.	Pyrenees.	1820.	6. 7.	H. 2.	Deless. ic. sel. 1. t. 21.
10	sibirica. s.s.	(ye.) Siberian.	Siberia.	1827.	4. 5.	H. 2.	
11	davurica. s.s.	(ye.) Davurian.	—————	—	—	H. 2.	Reich. ic. t. 321.
12	distorta. T.F.	(ye.) distorted.	Naples.	—	—	H. 2.	Ten. fl. med. p. 448. t. 1.

Tribus III. RANUNCULÆ.

	MYOSURUS. DC.	MOUSE-TAIL. Pentandria Polygynia. L.					
	minus. DC.	(gr.) small.	Britain.	4. 5.	H. \odot .	Eng. bot. 435.
	CERATOCEPHALUS. DC.	CERATOCEPHALUS. Pentandria Polygynia.					
1	falcatus. DC.	(ye.) sickle-seeded.	S. Europe.	1739.	5.	H. \odot .	Jac. aust. t. 48.
2	orthoceras. DC.	(ye.) straight-seeded.	Siberia.	1823.	—	H. \odot .	Deles. ic. sel. 1. t. 23.
	RANUNCULUS. DC.	CROW-FOOT. Polyandria Polygynia. L.					
1	hederaceus. DC.	(wh.) Ivy-leaved.	Britain.	5. 8.	H. w. 2.	Eng. bot. 2003.
2	tripartitus. DC.	(wh.) three-parted.	—————	—	H. w. 2.	DC. ic. g. rar. 1. t. 49.
	β obtusiflorus. DC.	(w.) blunt-flowered.	—————	—	H. w. 2.	Pet. eng. herb. t. 39. f. 1.
3	aquatilis. DC.	(wh.) water.	—————	4. 8.	H. w. 2.	Eng. bot. 101.
	α heterophyllus. DC.	(w.) various-leaved.	—————	—	H. w. 2.	Tab. ic. 54. f. 2.
	β peltatus. DC.	(wh.) peltate-leaved.	—————	—	H. w. 2.	Lob. ic. 2. p. 35. f. 2.

RANUNCULACEÆ.

4	<i>pantothrix</i> . DC. (wh.)	divided-leaved.	Britain.	4. 8.	H.w. 4.	Lob. ic 791. f. 1.
	<i>a capillaceus</i> . DC. (wh.)	<i>fine-leaved</i> .	-----	---	H.w. 4.	Pet. eng. herb. t. 39. f. 4.
	<i>β cæspitosus</i> . DC. (wh.)	<i>tufted</i> .	-----	---	H.w. 4.	----- t. 39. f. 3.
	<i>γ peucedanifolius</i> . DC. (wh.)	<i>Fennel-ld.</i>	-----	---	H.w. 4.	----- t. 39. f. 2.
	<i>fluriatilis</i> . W.						
5	<i>rutæfolius</i> . DC. (wh.)	<i>Rue-leaved</i> .	Austria.	1759.	5. 7.	H. 4.	Jac. coll. 1. t. 6 et 7.
6	<i>glaciælis</i> . DC. (wh.)	<i>two-flowered</i> .	Lapland.	1775.	6. 8.	H. 4.	Flor. dan. t. 19.
7	<i>Seguieri</i> . DC. (wh.)	<i>Seguier's</i> .	Switzerland.	1820.	---	H. 4.	Vill. dauph. 4. t. 49.
8	<i>alpestris</i> . DC. (wh.)	<i>Alpine</i> .	Scotland.	---	H. 4.	Eng. bot. 2390.
9	<i>crenatus</i> . DC. (wh.)	<i>crenate-leaved</i> .	Hungary.	1822.	---	H. 4.	W. et K. hung. 1. t. 10.
10	<i>aconitifolius</i> . DC. (wh.)	<i>Aconite-leaved</i> .	Europe.	1596.	5. 6.	H. 4.	J. Ger. hist. 951. f. 4.
	<i>a humilis</i> . DC. (wh.)	<i>dwarf</i> .	-----	---	H. 4.	Lob. adv. 300. f. 2.
	<i>β crassicaulis</i> . DC. (w.)	<i>thick-stalked</i> .	-----	---	H. 4.	
11	<i>platanifolius</i> . W. (wh.)	<i>Plane-tree-ld.</i>	Germany.	1769.	6. 7.	H. 4.	Flor. dan. t. 111.
	<i>β flore-pleno</i> . (wh.)	<i>double-flowered</i> .	-----	---	---	H. 4.	Bot. mag. 204.
	<i>aconitifolius</i> . B.M.						
12	<i>lacerus</i> . DC. (wh.)	<i>torn-leaved</i> .	Piedmont.	---	H. 4.	Bell. act. taur. 5. t. 8.
13	<i>pallidus</i> . DC. (st.)	<i>pale-yellow</i> .	Hybrid.	---	H. 4.	Schrank. hort. mon. t. 57.
14	<i>pyrenæus</i> . DC. (wh.)	<i>Pyrenean</i> .	Pyrenees.	4. 6.	H. 4.	Deles. ic. sel. 1. t. 27. f. B.
	<i>β bupleurifolius</i> . DC. (w.)	<i>one-flowered</i> .	-----	---	H. 4.	Jac. misc. 1. t. 18. f. 1.
	<i>γ plantagineus</i> . DC. (wh.)	<i>many-flowered</i> .	-----	---	H. 4.	All ped. n. 1445. t. 76. f. 1.
15	<i>angustifolius</i> . DC. (wh.)	<i>narrow-leaved</i> .	-----	1822.	---	H. 4.	Deles. ic. sel. 1. t. 27. f. C.
16	<i>amplexicaulis</i> . DC. (w.)	<i>Plantain-leav'd</i> .	-----	1633.	4. 5.	H. 4.	Bot. mag. 266.
17	<i>parnassifolius</i> . DC. (w.)	<i>Parnassia-leav'd</i> .	-----	1769.	6. 7.	H. 4.	----- 386.
18	<i>gramineus</i> . DC. (ye.)	<i>grass-leaved</i> .	Wales.	4. 6.	H. 4.	Eng. bot. 2306.
	<i>β flore-pleno</i> . (ye.)	<i>double-flowered</i>	---	H. 4.	Lob. ic. 671. f. 2.
19	<i>bupleuroides</i> . DC. (ye.)	<i>Hare's-ear-ld.</i>	Portugal.	1826.	---	H. 4.	
20	<i>Lingua</i> . DC. (ye.)	<i>greatspear-wort</i> .	Britain.	6. 8.	H.w. 4.	Eng. bot. 100.
21	<i>Flammula</i> . DC. (ye.)	<i>less. spear-wort</i> .	-----	6. 9.	H.w. 4.	----- 387.
	<i>β serrata</i> . DC. (ye.)	<i>saw-leaved</i> .	-----	---	H.w. 4.	Lob. ic. 670. f. 2.
	<i>γ ovata</i> . DC. (ye.)	<i>oval-leaved</i> .	-----	---	H.w. 4.	
22	<i>réptans</i> . DC. (ye.)	<i>least-spear-wort</i> .	-----	---	H.w. 4.	Flor. dan. t. 108.
23	<i>filiformis</i> . M. (ye.)	<i>filiform</i> .	N. America.	1816.	---	H.w. 4.	
24	<i>uliginosus</i> . DC. (ye.)	<i>marsh</i> .	Teneriffe.	1826.	6. 7.	H.w. ⊙.	
25	<i>bonariensis</i> . DC. (ye.)	<i>Buenos Ayres</i> .	S. America.	1819.	---	H.w. ⊙.	Deles. ic. sel. 1. t. 29.
26	<i>polyphyllus</i> . DC. (ye.)	<i>many-leaved</i> .	Hungary.	---	5. 6.	H.w. ⊙.	W. et K. pl. hung. 1. t. 45.
27	<i>ophioglossifolius</i> . (ye.)	<i>fistulous-stalk'd</i> .	S. Europe.	1822.	6.	H.w. ⊙.	Vill. dauph. 4. t. 49.
28	<i>nodiflorus</i> . DC. (ye.)	<i>knot-flowered</i> .	France.	1714.	5. 7.	H.w. ⊙.	
	<i>β dentatus</i> . DC. (ye.)	<i>toothed</i> .	Hungary.	---	---	H.w. ⊙.	Bot. mag. 2171.
29	<i>salsuginosus</i> . DC. (ye.)	<i>Russian</i> .	Russia.	1821.	---	H. 4.	Jac. vind. 3. t. 31.
	<i>ruthenicus</i> . Jac. vind.						
30	<i>Cymbalariae</i> . Ph. (ye.)	<i>Ivy-like</i> .	N. America.	1823.	---	H.w. 4.	
31	<i>bullatus</i> . DC. (ye.)	<i>blistered</i> .	S. Europe.	1640.	5. 8.	H. 4.	Clus. hist. 1. f. 2.
	<i>a parviflorus</i> . DC. (ye.)	<i>small-flowered</i> .	-----	---	---	H. 4.	----- 1. f. 1.
	<i>β grandiflorus</i> . DC. (ye.)	<i>large-flowered</i> .	-----	---	---	H. 4.	Corn. can. 95. ic.
	<i>γ flore-pleno</i> . (ye.)	<i>double-flowered</i> .	-----	---	---	H. 4.	Barr. ic. t. 581.
32	<i>chærophyllus</i> . DC. (ye.)	<i>Chervil-leaved</i> .	-----	4. 6.	H. 4.	
	<i>a vulgaris</i> . DC. (ye.)	<i>common</i> .	-----	---	H. 4.	
	<i>β gregarius</i> . DC. (ye.)	<i>villous</i> .	-----	---	H. 4.	
33	<i>adscendens</i> . DC. (ye.)	<i>ascending</i> .	Portugal.	1826.	5. 6.	H. 4.	
34	<i>millefoliatus</i> . DC. (ye.)	<i>numerous-ld.</i>	Sicily.	1824.	4. 7.	H. 4.	Flor. græc. t. 521.
35	<i>fumariæfolius</i> . DC. (ye.)	<i>Fumitory-leav'd</i>	---	H. 4.	Desf. ic. pict. h. par. t. 74.
36	<i>oxyspermus</i> . DC. (ye.)	<i>awned-seeded</i> .	Tauria.	1822.	5. 6.	H. 4.	
37	<i>pedatus</i> . DC. (ye.)	<i>pedate</i> .	Hungary.	1806.	5. 6.	H. 4.	Bot. mag. 2229.
38	<i>illyricus</i> . DC. (ye.)	<i>Illyrian</i> .	Europe.	1596.	---	H. 4.	Jacq. aust. t. 222.
39	<i>monspeliacus</i> . DC. (ye.)	<i>Montpelier</i> .	Montpelier.	1816.	---	H. 4.	Swt. br fl. gar. 94.
	<i>a angustilobus</i> . DC. (y.)	<i>narrow-lobed</i> .	-----	---	H. 4.	Besl. eyst. 1. t. 13. f. 1.
	<i>β cuneatus</i> . DC. (ye.)	<i>wedge-lobed</i> .	-----	---	H. 4.	DC. ic. gall. rar. t. 50.
	<i>γ rotundifolius</i> . DC. (y.)	<i>round-leaved</i> .	-----	---	H. 4.	
40	<i>asiaticus</i> . DC. (va.)	<i>garden</i> .	Levant.	1596.	---	H. 4.	Dard. trait. ren. 1. t. 6.
	<i>A vulgaris</i> . DC. (va.)	<i>common</i> .	-----	---	---	H. 4.	Mill. ic. t. 216.
	<i>a pictus</i> . S.F.G. (r.w.)	<i>Quillajila</i>	---	H. 4.	Swt. flor. guid. 61.
	<i>β incomparabilis</i> . (r.w.)	<i>Rose incomparable</i>	---	H. 4.	----- 54.
	<i>γ Victoriæ</i> . (bh.)	<i>Princess Alexandrina Victoria</i>	---	H. 4.	----- 12.
	<i>δ mixtus</i> . (r.y.)	<i>Melange des beautés</i>	---	H. 4.	----- 28.
	<i>ε Julusiæ</i> . (p.y.)	<i>Julius</i>	---	H. 4.	----- 68.
	<i>ζ Galitzini</i> . (p.y.)	<i>Prince Galitzin</i>	---	H. 4.	----- 6.
	<i>η Douglâsii</i> . (p.y.)	<i>Gadwin Douglas</i>	---	H. 4.	----- 34.
	<i>θ aureus</i> . (ye.)	<i>Berth</i>	---	H. 4.	----- 37.
	<i>i Burnsii</i> . (p.w.)	<i>Burns the Poet</i>	---	H. 4.	----- 18.

κ <i>ater</i> .	(d.p.)	<i>Vereatre</i>	5. 6.	H. 4.	Swt. flor. guid. 43.
λ <i>hæmânthus</i> .	(cr.)	<i>Xanthus</i>	—	H. 4.	————— 78.
μ <i>Agricoli</i> .	(s.p.)	<i>Agricola</i>	—	H. 4.	————— 73.
ν <i>Clarenceanus</i> .	(s.p.)	<i>Duke of Clarence</i>	—	H. 4.	————— 83.
ξ <i>Carlosianus</i> .	(s.p.)	<i>Carlos</i>	—	H. 4.	————— 90.
B <i>sanguineus</i> . DC.	(va.)	<i>Turban</i> .	Levant.	1596.	—	H. 4.	Lob. ic. 672. f. 2.
C <i>tenuilobus</i> . DC.	(va.)	<i>slender-lobed</i> .	—————	—————	—	H. 4.	Debr. flor. nov. t. 31.
α <i>aterrimus</i> .	(da.)	<i>Viola le trai noir</i>	—	H. 4.	Swt. flor. guid. 60.
β <i>Nomiâsi</i> .	(pu.)	<i>Nomias</i>	—	H. 4.	————— 24.
γ <i>variegatus</i> .	(w.r.)	<i>Oeillet parfait</i>	—	H. 4.	————— 40.
δ <i>cârus</i> .	(w.r.)	<i>Cara</i>	—	H. 4.	————— 86.
41 <i>crêticus</i> . DC.	(ye.)	<i>Cretan</i> .	Candia.	1659.	4. 5.	H. 4.	Clus. hist. 1. p. 239. f. 1.
42 <i>cortusæfolius</i> . DC.	(ye.)	<i>Cortusa-leaved</i> .	Canaries.	1826.	4. 6.	H. 4.	Deless. ic. sel. 1. t. 36.
43 <i>Thôra</i> . DC.	(ye.)	<i>kidney-leaved</i> .	Alps Europe.	1710.	5. 6.	H. 4.	Jacq. aust. 5. t. 442.
44 <i>scutatus</i> . DC.	(ye.)	<i>shield-leaved</i> .	Hungary.	1822.	4. 5.	H. 4.	Pl. rar. hung. 2. t. 187.
45 <i>brevifolius</i> . DC.	(ye.)	<i>short-leaved</i> .	Naples.	1826.	—	H. 4.	
46 <i>hybridus</i> . DC.	(ye.)	<i>hybrid</i> .	Austria.	1822.	6. 7.	H. 4.	Sturm. deutsch. fl. ic.
47 <i>auricomus</i> . DC.	(ye.)	<i>Goldilocks</i> .	Britain.	3. 5.	H. 4.	Eng. bot. 624.
48 <i>cassubicus</i> . DC.	(ye.)	<i>Cassubian</i> .	Siberia.	1791.	6. 7.	H. 4.	Bot. mag. 2267.
49 <i>abortivus</i> . DC.	(ye.)	<i>three-flowered</i> .	N. America.	1713.	5. 8.	H. 4.	
50 <i>sceleratus</i> . DC.	(ye.)	<i>Celery-leaved</i> .	Britain.	—	H.w. ⊙.	Eng. bot. 681.
51 <i>lapponeus</i> . DC.	(ye.)	<i>Lapland</i> .	Lapland.	1827.	4. 6.	H. 4.	Sm. fl. lapp. ed. 2. t. 3. f. 5.
52 <i>hyperboreus</i> . DC.	(ye.)	<i>northern</i> .	Siberia.	1822.	6. 8.	H. 4.	Flor. dan. t. 31.
53 <i>frigidus</i> . DC.	(ye.)	<i>frigid</i> .	—————	1826.	—	H. 4.	Lax. n. c. ac. pet. v. 18. t. 8.
54 <i>nivalis</i> . DC.	(ye.)	<i>snowy</i> .	Lapland.	1775.	—	H. 4.	Fl. lap. ed. 1. t. 3. f. 2.
55 <i>Sabini</i> . s.s.	(ye.)	<i>Sabine's</i> .	N. America.	1827.	—	H. 4.	
56 <i>arcticus</i> . s.s.	(ye.)	<i>arctic</i> .	—————	—————	—	H. 4.	
57 <i>Purshii</i> . s.s.	(ye.)	<i>Pursh's</i> .	—————	—————	—	H. 4.	
58 <i>affinis</i> . s.s.	(ye.)	<i>likened</i> .	—————	—————	—	H. 4.	
59 <i>montanus</i> . DC.	(ye.)	<i>mountain</i> .	Austria.	—————	—	H. 4.	Jacq. aust. t. 325 et 6.
60 <i>Villarsii</i> . DC.	(ye.)	<i>Villars's</i> .	France.	5. 7.	H. 4.	Crantz. aust. 2. t. 4. f. 2?
61 <i>Gouani</i> . DC.	(ye.)	<i>Gouan's</i> .	Pyrenees.	1818.	—	H. 4.	Gouan ill. t. 17. f. 1. 2.
62 <i>âcris</i> . DC.	(ye.)	<i>upright</i> .	Britain.	6. 7.	H. 4.	Eng. bot. 652.
β <i>flôre plêno</i> .	(ye.)	<i>double-flowered</i> .	—————	—	H. 4.	Bot. mag. 215.
γ <i>sylvaticus</i> . DC.	(ye.)	<i>wood</i> .	—————	—	H. 4.	
δ <i>multifidus</i> . DC.	(ye.)	<i>multifid</i> .	—————	—	H. 4.	
63 <i>Brutius</i> . DC.	(ye.)	<i>Neapolitan</i> .	Naples.	1828.	—	H. 4.	Ten. fl. nap. 1. t. 50.
64 <i>Stevèni</i> . DC.	(ye.)	<i>Steven's</i> .	Poland.	1825.	—	H. 4.	
65 <i>caucasicus</i> . DC.	(ye.)	<i>Caucasian</i> .	Caucasus.	—	6. 8.	H. 4.	
66 <i>rufulus</i> . DC.	(ye.)	<i>rufous-haired</i> .	Portugal.	—	—	H. 4.	
67 <i>polyanthemos</i> . DC.	(ye.)	<i>many-flowered</i> .	N. Europe.	1596.	5. 6.	H. 4.	Cran. aus. 2. t. 4. f. 1. s.
68 <i>nemorosus</i> . DC.	(ye.)	<i>wood</i> .	Switzerland.	1818.	5. 7.	H. 4.	
69 <i>Breynianus</i> . s.s.	(ye.)	<i>Breynius's</i> .	—————	—————	—	H. 4.	
<i>âureus</i> . Schl. <i>villôsus</i> .		<i>St. Am. fl. ag.</i>	227. bon. t. 5.				
70 <i>lanuginosus</i> . DC.	(ye.)	<i>woolly-leaved</i> .	S. Europe.	1683.	6. 7.	H. 4.	Flor. dan. t. 397.
71 <i>obtusifolius</i> . DC.	(ye.)	<i>blunt-leaved</i> .	Spain.	1825.	—	H. 4.	
72 <i>tuberosus</i> . DC.	(ye.)	<i>tuberous</i> .	Pyrenees.	1824.	5. 7.	H. 4.	
73 <i>napellifolius</i> . DC.	(ye.)	<i>Napellus-leav'd</i> .	Greece.	1825.	—	H. 4.	
74 <i>platyspermus</i> . DC.	(ye.)	<i>flat-seeded</i> .	Siberia.	1827.	—	H. 4.	
75 <i>dissectus</i> . DC.	(ye.)	<i>cut-leaved</i> .	—————	1823.	—	H. 4.	
76 <i>repens</i> . DC.	(ye.)	<i>creeping</i> .	Britain.	5. 9.	H. 4.	Eng. bot. 516.
β <i>flôre-plêno</i> .	(ye.)	<i>double-flowered</i> .	—————	—	H. 4.	Tab. ic. 53. f. 1.
γ <i>glâbratus</i> . DC.	(ye.)	<i>shining-leaved</i> .	—————	—	H.w. 4.	
77 <i>lappaceus</i> . DC.	(ye.)	<i>New Holland</i> .	N. S. W.	1822.	—	G. 4.	
78 <i>plebeius</i> . DC.	(ye.)	<i>plebeian</i> .	—————	1823.	5. 7.	G. 4.	
79 <i>hirtus</i> . DC.	(ye.)	<i>hairy</i> .	N. Zealand.	—	—	H. 4.	
80 <i>pensylvanicus</i> . DC.	(ye.)	<i>Pensylvanian</i> .	N. America.	1785.	6. 7.	H. 4.	Jacq. ic. 1. t. 105.
<i>canadensis</i> . Jac.							
81 <i>fascicularis</i> . DC.	(ye.)	<i>fascicled</i> .	—————	1823.	4. 5.	H. 4.	
82 <i>marylandicus</i> . DC.	(ye.)	<i>Maryland</i> .	—————	1811.	5. 7.	H. 4.	
83 <i>caroliniânus</i> . DC.	(ye.)	<i>Carolina</i> .	—————	1826.	5. 7.	H. 4.	
84 <i>tomentosus</i> . DC.	(ye.)	<i>tomentose</i> .	—————	1820.	—	H. 4.	
85 <i>bulbosus</i> . DC.	(ye.)	<i>bulbous</i> .	Britain.	4. 6.	H. ⊙.	Eng. bot. 515.
β <i>flôre-plêno</i> .	(ye.)	<i>double-flowered</i> .	—————	—	H. 4.	Lob. ic. 666. f. 2.
86 <i>bracteatus</i> . Sch.	(ye.)	<i>bracted</i> .	Switzerland.	1817.	—	H. 4.	
87 <i>Philonôtis</i> . DC.	(ye.)	<i>pale hairy</i> .	Britain.	6. 10.	H. ⊙.	Curt. lond. 2. t. 40.
α <i>hirsutus</i> . E.B.	(ye.)	<i>hairy upright</i> .	—————	—	H. ⊙.	Eng. bot. t. 1504.
β <i>intermedius</i> . DC.	(ye.)	<i>intermediate</i> .	France.	—	H. ⊙.	
γ <i>pârvulus</i> . DC.	(ye.)	<i>little upright</i> .	England.	—	H. ⊙.	Col. ecphr. t. 316.
88 <i>tuberculatus</i> . DC.	(ye.)	<i>tuberled</i>	1821.	5. 6.	H. 4.	

RANUNCULACEÆ.

89	Hornemanni. DC. (ye.)	Hornemann's.	N. America.	1820.	5. 7.	H. 4.	
	tuberösus. Horn. non.	Lapeyr.					
90	arvensis. DC. (ye.)	corn.	Britain.	—	H. 0.	Eng. bot. 135.
91	muricatus. DC. (ye.)	prickly seeded.	S. Europe.	1683.	7. 8.	H. 0.	Lam. ill. t. 498.
92	echinatus. V. (ye.)	American.	N. America.	6. 7.	H. 0.	Vent. cels. t. 73.
93	parviflorus. DC. (ye.)	small-flowered.	England.	5. 6.	H. 0.	Eng. bot. 120.
94	trilobus. DC. (ye.)	three-lobed.	S. Europe.	1824.	5. 7.	H. 0.	Desf. atl. 1. t. 113.
95	sessiliflorus. DC. (ye.)	sessile-flowered.	N. S. W.	1822.	—	H. 0.	
96	laciniatus. DC. (ye.)	jagged.	Transylvania.	1826.	6. 7.	H. 4.	
97	crassicaulis. H. (ye.)	thick-stemmed.	—	—	H. 4.	
FICARIA. DC.		PILEWORT.		Polyandria Polygynia.		L.	
	ranunculoides. DC. (ye.)	vernal.	Britain.	3. 5.	H. 4.	Eng. bot. 584.
	vérna. P. S. Ranunculus	Ficaria. W.					
	β flore-pleno. (ye.)	double-flowered.	—	—	H. 4.	

Tribus IV. HELLEBOREÆ.

CALTHA. DC.		MARSH-MARYGOLD.		Polyandria Polygynia		L.	
1	palustris. DC. (ye.)	common.	Britain.	3. 5.	H. w. 4.	Eng. bot. 506.
	β flore-pleno. (ye.)	double-flowered.	—	—	H. w. 4.	Tab. ic. 751. f. 1.
2	minor. Mill. (ye.)	small.	—	—	H. w. 4.	— 750. f. 2.
3	radicans. DC. (ye.)	creeping.	Scotland.	—	H. w. 4.	Linn. trans. 8. t. 17.
4	integerrima. DC. (ye.)	entire-leaved.	N. America.	1827.	5. 7.	H. w. 4.	
5	parnassifolia. DC. (ye.)	Parnassia-leavd.	—	1825.	—	H. w. 4.	
	ficarioides. Ph.						
6	arctica. s. s. (ye.)	northern.	—	1827.	—	H. w. 4.	
7	flabellifolia. DC. (ye.)	fan-leaved.	1818.	7. 8.	H. w. 4.	Pur. fl. am. sept. 2. t. 17.
8	nátans. DC. (wh.)	floating.	Siberia.	1823.	4. 5.	H. w. 4.	Gmel. sib. 4. t. 82.
TROLLIUS. DC.		GLOBE-FLOWER.		Polyandria Polygynia.		L.	
1	europæus. DC. (ye.)	European.	Britain.	5. 6.	H. 4.	Eng. bot. t. 28.
	α altissimus. DC. (ye.)	tall.	—	—	H. 4.	
	β humilis. DC. (ye.)	dwarf.	—	—	H. 4.	
2	napellifolius. DC. (ye.)	intermediate.	—	H. 4.	
3	caucasicus. DC. (ye.)	Caucasian.	Caucasus.	—	H. 4.	
4	pátulus. DC. (ye.)	spreading.	Siberia.	5. 7.	H. 4.	Deless. ic. sel. 1. t. 44.
5	Ledebourii. s. s. (ye.)	Ledebour's.	—	1827.	—	H. 4.	Reich. ic. t. 272.
6	asiaticus. DC. (ye.)	Asiatic.	—	1759.	—	H. 4.	Bot. mag. 235.
7	americanus. DC. (ye.)	American.	N. America.	1805.	5. 7.	H. 4.	— 1988.
	lárus. Ph. Gaissènia	vérna. Raf.					
ERANTHIS. DC.		WINTER-ACONITE.		Polyandria Polygynia.		L.	
1	hyemalis. DC. (ye.)	common.	Europe.	1596.	1. 3.	H. 4.	Bot. mag. 3.
2	sibirica. DC. (ye.)	Siberian.	Siberia.	1824.	2. 4.	H. 4.	
HELLEBORUS. DC.		HELLEBORE.		Polyandria Polygynia.		L.	
1	niger. DC. (wh.)	Christmas-Rose.	Europe.	1596.	1. 3.	H. 4.	
	α latifolius. (wh.)	broad-leaved.	—	—	—	H. 4.	Bot. mag. 8.
	β angustifolius. (wh.)	narrow-leaved.	—	—	—	H. 4.	
2	purpurascens. (pu.)	purplish.	Hungary.	1817.	3. 4.	H. 4.	Pl. rar. hung. 2. t. 101.
3	Bocconi. T. P. (gr.)	Boccone's.	Sicily.	1826.	—	H. 4.	Bocc. mus. 2. t. 11. f. 2.
4	odorus. DC. (gr.)	sweet-scented.	Hungary.	—	—	H. 4.	
5	viridis. DC. (gr.)	green-flowered.	Britain.	4. 6.	H. 4.	Eng. bot. 200.
6	atrorubens. DC. (pu.)	dark-red.	Hungary.	1822.	1. 3.	H. 4.	Pl. rar. hung. 3. t. 271.
7	dometorum. DC. (gr.)	bush.	—	1817.	3. 4.	H. 4.	Swt. br. fl. gar. 109.
8	foetidus. DC. (gr.)	Bear's-foot.	England.	2. 4.	H. 4.	Eng. bot. 613.
9	lividus. DC. (br.)	three-leaved.	Corsica.	1710.	1. 5.	H. 4.	Bot. mag. 72.
	β integrilobus. DC. (br.)	entire-lobed.	—	—	—	H. 4.	
COPTIS. DC.		COPTIS.		Polyandria Polygynia.		L.	
	trifolia. DC. (wh.)	three-leaved.	N. America.	1782.	6. 7.	H. 4.	Lodd. bot. cab. t. 173.
ISOPYRUM. DC.		ISOPYRUM.		Polyandria Polygynia.		L.	
1	thalictroides. DC. (wh.)	Meadow-Rueld.	Italy.	1759.	3. 4.	H. 4.	Jac. aust. 2. t. 105.
2	fumarioides. DC. (wh.)	Fumitory-l'd.	Siberia.	1741.	6. 7.	H. 0.	Schkuhr hand. 2. t. 153.
3	grandiflorum. F. (wh.)	large-flowered.	Altay.	1804.	—	H. 4.	

GARIDE'LLA. DC.	GARIDE'LLA. Decandria Trigynia. L.							
<i>Nigellastrum. DC. (wh.)</i>	Nigella-leaved.	S. Europe.	1736.	6. 7.	H. ⊙		Bot. mag. 1266.	
NIGE'LLA. DC.	FENNEL-FLOWER. Polyandria Pentagynia. L.							
1 <i>corniculata. DC. (st.)</i>	horned.	1822.	6. 9.	H. ⊙.		Bot. mag. 1264.	
2 <i>orientalis. DC. (ye.)</i>	yellow.	Syria.	1699.	—	H. ⊙.		— 1265.	
3 <i>hispanica. DC. (bl.)</i>	Spanish.	Spain.	1629.	—	H. ⊙.		Bull. herb. t. 126.	
4 <i>arvensis. DC. (wh.)</i>	field.	Europe.	1683.	—	H. ⊙.		Flor. græc. t. 511.	
5 <i>sativa. DC. (wh.)</i>	small.	Egypt.	1548.	—	H. ⊙.		Math. com. 581. f. iv.	
<i>β crætica. DC. (wh.)</i>	Cretan.	Crete.	—	—	H. ⊙.		Lob. ic. 741. f. 1.	
<i>γ citrina. DC. (wh.)</i>	yellow-seeded.	—	—	H. ⊙.		Bot. mag. 22.	
6 <i>damascena. DC. (wh.)</i>	common.	S. Europe.	1570.	—	H. ⊙.		Clus. hist. 2. p. 208. f. 1.	
<i>β flore-pleno. (wh.)</i>	double-flowered.	—	—	—	H. ⊙.			
7 <i>coarctata. DC. (wh.)</i>	dwarf.	1793.	—	H. ⊙.			
AQUIL'EGIA. DC.	COLUMBINE. Polyandria Pentagynia. L.							
1 <i>vulgaris. DC. (va.)</i>	common.	Britain.	5. 7.	H. 4.		Eng. bot. 297.	
<i>β corniculata. DC. (va.)</i>	downward-spur'd	—	H. 4.		Barr. ic. 614. 615. 616. &c.	
<i>γ inversa. DC. (va.)</i>	upward-spurred.	—	H. 4.		— 613.	
<i>δ stellata. DC. (va.)</i>	starry.	—	H. 4.		— 619. 620. &c.	
<i>ε degener. DC. (gr.)</i>	green-flowered.	—	H. 4.		— 608.	
2 <i>viscosa. DC. (bl.)</i>	clammy.	S. Europe.	1752.	5. 6.	H. 4.		Gouan. ill. t. 19.	
3 <i>sibirica. DC. (bl.)</i>	Siberian.	Siberia.	—	H. 4.		Deles. ic. sel. 1. t. 47.	
4 <i>glandulosa. F. (bl.)</i>	glandulous.	Altay.	1818.	—	H. 4.			
<i>α discolor. DC. (b.w.)</i>	two-coloured.	—	—	—	H. 4.			
<i>β concolor. DC. (bl.)</i>	one-coloured.	—	—	—	H. 4.			
5 <i>alpina. DC. (bl.)</i>	Alpine.	Switzerland.	1731.	—	H. 4.		Swt. br. fl. gar. 3. t. 218.	
6 <i>pyrenaica. DC. (bl.)</i>	Pyrenean.	Pyrenees.	1821.	—	H. 4.		Trev. delph. 23. t. 2.	
7 <i>canadensis. DC. (re.)</i>	Canadian.	N. America.	1640.	4. 5.	H. 4.		Bot. mag. 246.	
8 <i>formosa. F. (re.)</i>	handsome.	Kamtschatka.	1824.	—	H. 4.			
9 <i>viridiflora. DC. (gr.)</i>	green-flowered.	Siberia.	1780.	5. 6.	H. 4.		Jac. ic. 1. t. 102.	
10 <i>dahurica. DC. (pu.)</i>	Dahurian.	Dahuria.	1821.	—	H. 4.		Deless. ic. sel. 1. t. 49.	
11 <i>Fischeriana. DC. (pu.)</i>	Fischer's.	—	—	—	H. 4.			
12 <i>atropurpurea. DC. (pu.)</i>	dark-purple.	Siberia.	5. 6.	H. 4.		Botan. regist. 922.	
13 <i>hybrida. DC. (p.y.)</i>	hybrid.	—	H. 4.		Bot. mag. 1221.	
DELPHINIUM. DC.	LARKSPUR. Polyandria Trigynia. L.							
1 <i>Ajácis. DC. (va.)</i>	Rocket.	Tauria.	1573.	6. 9.	H. ⊙.		Spreng. geh. 1. t. 24. f. 1. 5.	
<i>β flore-pleno. (va.)</i>	double-flowered.	—	—	—	H. ⊙.		Clus. hist. 2. f. 2.	
2 <i>Consólida. DC. (va.)</i>	field.	England.	—	H. ⊙.		Eng. bot. 1839.	
<i>β flore-pleno. (va.)</i>	double-flowered.	—	—	H. ⊙.		Besl. eyst. 2. t. 14. f. 1.	
3 <i>pubescens. DC. (bl.)</i>	pubescent	S. France.	—	H. ⊙.		Flor. græc. t. 504.	
4 <i>Aconiti. DC. (pu.)</i>	Aconite-like.	Levant.	1801.	—	H. ⊙.		Vahl symb. 1. 40. t. 13.	
5 <i>ambiguum. DC. (bl.)</i>	doubtful.	Barbary.	1759.	7. 9.	H. ⊙.			
6 <i>junceum. DC. (bl.)</i>	Rush-like.	Italy.	1629.	—	H. ⊙.		Flor. græc. t. 506.	
<i>peregrinum. Lin. non</i>	Lam.							
7 <i>grácile. DC. (re.)</i>	slender.	Spain.	1826.	—	H. ⊙.			
8 <i>cardiopetalum. DC. (bl.)</i>	heart-petaled.	Pyrenees.	1822.	—	H. ⊙.		Math. com. 557. ic.	
<i>peregrinum. Lam. non</i>	Lin.							
9 <i>virgatum. DC. (bl.)</i>	twiggy.	Syria.	1824.	6. 9.	H. ⊙.		Deless. ic. sel. 1. t. 55.	
10 <i>grandiflorum. DC. (bl.)</i>	great-flowered.	Siberia.	1741.	6. 9.	H. 4.		Bot. mag. 1686.	
<i>β chinense. F. (bl.)</i>	Chinese.	China.	1816.	—	H. 4.		Bot. reg. 472.	
<i>γ album. (wh.)</i>	white-flowered.	—	—	—	H. 4.			
<i>δ flore-pleno. (bl.)</i>	double-flowered.	—	—	—	H. 4.			
11 <i>cheilanthum. DC. (bl.)</i>	hairy-leaved.	Dahuria.	1818.	—	H. 4.		Bot. reg. 473.	
12 <i>virescens. N. (wh.)</i>	greenish.	N. America.	1827.	—	H. 4.			
13 <i>punicum. DC. (pu.)</i>	dark-purple.	Tartary.	1785.	7. 9.	H. 4.			
14 <i>albiflorum. DC. (wh.)</i>	white-flowered.	Armenia.	1823.	—	H. 4.		Deless. ic. sel. 1. t. 58.	
15 <i>ochroleucum. DC. (st.)</i>	sulphur-colour'd.	Iberia.	1817.	—	H. 4.			
16 <i>hybridum. DC. (bl.)</i>	hairy.	Siberia.	1794.	6. 9.	H. 4.			
17 <i>fissum. P. S. (bl.)</i>	cloven.	Hungary.	1816.	—	H. 4.		Pl. rar. hung. 1. t. 81.	
18 <i>velutinum. DC. (bl.)</i>	velvetty.	Italy.	1824.	—	H. 4.			
19 <i>pentagynum. DC. (bl.)</i>	five-styled.	Portugal.	1820.	—	H. 4.		Pic. hort. par. t. 30.	
20 <i>Menziesii. DC. (bl.)</i>	Menzies'.	N. America.	1826.	6. 8.	H. 4.		Bot. reg. 1192.	
21 <i>élegans. DC. (bl.)</i>	elegant.	—	1741.	—	H. 4.			
<i>β multipléx. (bl.)</i>	common-double.	—	—	—	H. 4.			
22 <i>tricorné. DC. (bl.)</i>	three-horned.	—	1806.	4. 6.	H. 4.		Lodd. bot. cab. 306.	
23 <i>amœnum. DC. (bl.)</i>	pretty.	Siberia.	—	H. 4.		Gmel. sib. 4. t. 77.	
24 <i>azúreum. DC. (bl.)</i>	azure.	Carolina.	1805.	5. 7.	H. 4.		Deless. ic. sel. 1. t. 60.	
25 <i>exaltatum. DC. (bl.)</i>	tall.	N. America.	1758.	7. 8.	H. 4.		Mill. ic. t. 250. f. 2?	
26 <i>urceolatum. DC. (bl.)</i>	hollow-leaved.	—	1806.	6. 7.	H. 4.		Jac. ic. 1. t. 101.	

17	revolūtum. DC.	(bl.) revolute.	7. 9.	H. 2.	
28	mesoleucum. DC.	(bl.) white-lipped.	1824.	—	H. 2.	Swt. br. fl. gar. ic.
29	palmatifidum. DC.	(bl.) palmate.	Siberia.	6. 9.	H. 2.	
	α hispidum. DC.	(bl.) hispid.	—————	—	H. 2.	Gmel. sib. 4. t. 79?
	β glabellum. DC.	(bl.) smooth.	—————	—	H. 2.	————— 4. t. 75?
30	intermedium. DC.	(bl.) intermediate.	Europe.	1710	7. 8.	H. 2.	
	α pilosissimum. DC.	(bl.) villous.	—————	—	H. 2.	Gmel. sib. 4. t. 80?
	β alpinum. DC.	(bl.) Alpine.	—————	1819.	—	H. 2.	Pl. rar. hung. 3. t. 246.
	γ leptostachyum. DC.	(bl.) slender-spiked.	—————	—	H. 2.	
	δ ranunculifolium. DC.	Ranunculus-l.	—————	—	H. 2.	
	ε laxum. DC.	(bl.) loose-flowered.	—————	—	H. 2.	Mill. ic. t. 119?
31	cuneatum. DC.	(bl.) wedge-leaved.	Siberia.	1815.	—	H. 2.	Bot. reg. 327.
32	villosum. DC.	(bl.) villous.	1819.	—	H. 2.	
33	dyctiocarpum. DC.	(bl.) netted-capsuled.	Siberia.	—	—	H. 2.	
34	laxiflorum. DC.	(bl.) loose-flowered.	—————	—	6. 8.	H. 2.	
35	montanum. DC.	(bl.) mountain.	Pyrenees.	—	—	H. 2.	
	β bracteosum. DC.	(bl.) large-bracted.	Switzerland.	—	—	H. 2.	
36	dasycarpum. DC.	(bl.) thick-capsuled.	Caucasus.	1824.	—	H. 2.	
37	speciosum. DC.	(bl.) large-flowered.	—————	1817.	8. 10.	H. 2.	Deless. ic. sel. 1. t. 62.
38	spurium. F.	(bl.) spurious.	Siberia.	1817.	6. 9.	H. 2.	
39	ucranicum. Bes.	(bl.) Ucranian.	—————	1818.	—	H. 2.	
40	pseudoperegrinum. F.	(bl.) Fischer's.	—————	—	—	H. 2.	
41	crassicaule. Gm.	(bl.) thick-stemmed.	1822.	—	H. 2.	
42	pallidum. F.	(pa.) pale-flowered.	Siberia.	1818.	—	H. 2.	
43	flexuosum. DC.	(bl.) flexuose.	Caucasus.	1817.	7. 9.	H. 2.	Trev. delph. t. 1. et 2.
44	discolor. F.	(v.) two-coloured.	Siberia.	1819.	6. 8.	H. 2.	
45	triste. DC.	(da.) dark-flowered.	—————	1822.	—	H. 2.	
46	Requienii. DC.	(pa.) Requien's.	S. Europe.	1819.	6. 7.	F. ♂.	Deles. ic. sel. 1 t 63.
47	pictum. DC.	(pa.) painted.	—————	1816.	—	H. ♂.	Swt. br. fl. gar. 2. 123.
48	Stasphysàgria. DC.	(bl.) Stavesacre.	—————	1596.	5. 6.	F. ♂.	Flor. græc. t. 508.
ACONTIUM. DC. MONKSHOOD. Polyandria Trigynia.							
1	A'nthora. L.	(st.) wholesome.	Pyrenees.	1596.	6. 8.	H. 2.	Rch. ac. p. 61. t. 1. f. A.
	β grandiflorum. R.U.	(st.) large-flower'd.	—————	—	H. 2.	— p. 63. t. 1. f. B.
	γ glabriflorum. R.U.	(st.) smooth-flow'd.	—————	—	H. 2.	
2	eulophum. R.U.	(st.) eatable.	Switzerland.	1824.	—	H. 2.	Rch. ac. p. 69. t. 5.
	anthoroidum. DC.	non R.U.					
3	nemorosum. R.U.	(ye.) wood.	Caucasus.	1822.	—	H. 2.	— p. 71. t. 6.
4	Decandollii. R.U.	(ye.) Decandolle's.	Pyrenees.	—	—	H. 2.	— p. 67. t. 3.
5	Jacquini. R.U.	(ye.) Jacquin's.	Austria.	—	H. 2.	— p. 65. t. 2.
	A'nthora. Jacq.	aust. t. 382.					
6	Pallasii. R.U.	(st.) Pallas's.	Siberia.	1824.	—	H. 2.	— p. 72. t. 6. f. A. B.
7	inclinatum.	(st.) inclined.	—————	—	H. 2.	Ser. m. helv. 1. t. 15. f. 2.
	anthoroidum. Rch.	ac. 68. t. 4. non DC.					
8	Koelleanum. R.U.	(bl.) Koelle's.	Germany.	5. 7.	H. 2.	Rch. ac. t. 11. f. 1.
9	tauricum. R.U.	(bl.) Taurian.	Tauria.	1752.	6. 8.	H. 2.	— t. 12. f. 2—3.
10	firmum. R.U.	(bl.) firm.	Germany.	1822.	—	H. 2.	— t. 14. f. 2.
11	acutum. R.U.	(bl.) acute.	—————	—	—	H. 2.	— t. 14. f. 1.
12	laetum. R.U.	(bl.) great-flowered.	Sweden.	1823.	—	H. 2.	— t. 13. f. 2.
13	Clusii. R.U.	(bl.) Chusius's.	Austria.	6. 7.	H. 2.	Mor. his. 3.s.12.t.3.f.17.
14	amœnum. R.U.	(bl.) delightful.	Sweden.	1824.	6. 8.	H. 2.	Rch. ac. 93. t. 14. f. 1.
15	Höppii. R.U.	(bl.) Hoppe's.	Carinthia.	—	—	H. 2.	
16	oligocarpum. R.U.	(bl.) two-podded.	Styria.	1823.	—	H. 2.	
17	callibotrys. R.U.	(bl.) long-spiked.	Moravia.	1824.	6. 7.	H. 2.	Rch. ac. 98. t. 16. f. 1.
18	tenuifolium. R.U.	(bl.) slender-leaved.	Styria.	—	—	H. 2.	
19	angustifolium. R.U.	(bl.) narrow-leaved.	Siberia.	—	—	H. 2.	Rch. ac. 95. t. 15. f. 2.
20	eustachyum. R.U.	(bl.) loose-spiked.	M. Baldo.	—	—	H. 2.	— t. 15. f. 3.
21	Napellus. R.U.	(bl.) common.	Europe.	5. 7.	H. 2.	Lob. ic. 679. f. 1.
22	compactum. R.U.	(bl.) compact.	Switzerland.	1823.	—	H. 2.	
	β rubellum. R.U.	(re.) red-flowered.	—————	—	—	H. 2.	
23	Halleri. R.U.	(bl.) Haller's.	—————	1824.	6. 7.	H. 2.	Chabr. sci. p. 531. f. 2.
	β humile. R.U.	(bl.) dwarf.	—————	—	—	H. 2.	
	γ ramosum. R.U.	(bl.) branching.	—————	1822.	—	H. 2.	
	δ bicolor. R.U.	(w. b.) two-coloured.	—————	—	—	H. 2.	
24	virgatum. R.U.	(bl.) slender-branch'd.	—————	1824.	—	H. 2.	
25	venustum. R.U.	(bl.) beautiful.	—————	1823.	6. 8.	H. 2.	
26	laxiflorum. R.U.	(bl.) loose-flowered.	—————	1824.	—	H. 2.	
27	Funckii. R.U.	(bl.) Funck's.	Germany	—	—	H. 2.	
28	Braunii. R.U.	(bl.) Braune's	—————	—	6. 7.	H. 2.	
29	trichocarpum. R.U.	(bl.) three-podded.	—————	—	—	H. 2.	

30	<i>pubescens</i> . R.U.	(bl.) pubescent.	Switzerland.	5. 7.	H. 2.	
31	<i>Mielichóferi</i> . R.U.	(bl.) Mielichofer's.	Germany.	1823.	6. 8.	H. 2.	
32	<i>plicatum</i> . R.U.	(bl.) plaited.	Sweden.	1824.	—	H. 2.	
33	<i>Kœhlèri</i> . R.U.	(bl.) Koehler's	—	1823.	—	H. 2.	
34	<i>elatum</i> . R.U.	(bl.) tall.	Germany.	—	H. 2.	
35	<i>albidum</i> . R.U.	(wh.) whitish.	1824.	—	H. 2.	
36	<i>neubergense</i> . R.U.	(bl.) Styrian.	Styria.	—	H. 2.	Clus. hist. 2. p. 96. f. 1.
	<i>Napellus</i> . Jacq.	aust. 4. t. 381.					
37	<i>Meyèri</i> . R.U.	(bl.) Meyer's.	Germany.	1824.	—	H. 2.	
38	<i>Bernhardianum</i> . (bl.)	Bernhardi's.	1823.	—	H. 2.	
39	<i>strictum</i> . R.U.	(bl.) straight.	Siberia.	—	H. 2.	Rch. ac. t. 17. f. 1.
	<i>spicatum</i> . Donn.	h. cant. ed. 10. p. 209.					
40	<i>Sprengèlii</i> . R.U.	(bl.) Sprengel's.	1823.	6. 8.	H. 2.	
41	<i>Willdenowii</i> . R.U.	(bl.) Willdenow's.	Carniola.	—	—	H. 2.	
42	<i>eminens</i> . R.U.	(bl.) eminent.	1822.	—	H. 2.	
43	<i>Schleichèri</i> . R.U.	(bl.) Schleicher's.	Switzerland.	5. 6.	H. 2.	
	<i>β comosum</i> . R.U.	(bl.) tufted.	—	—	H. 2.	Mor. his. 3.s.12.t.3.f.19.
44	<i>microstachyum</i> . R.U.	(b.) small-spiked.	Hungary.	1822.	6. 8.	H. 2.	
45	<i>formosum</i> . R.U.	(bl.) handsome.	Germany.	1824.	—	H. 2.	Rch. ac. t. 18. f. 2.
46	<i>rigidum</i> . R.U.	(bl.) rigid.	Sweden.	—	—	H. 2.	
47	<i>commutatum</i> . R.U.	(bl.) changed.	Switzerland.	—	—	H. 2.	Rch. ac. t. 18. f. 3.
48	<i>laxum</i> . R.A.	(bl.) loose.	Germany.	1823.	6. 8.	H. 2.	Rch. ac. 97. t. 15. f. 4.
49	<i>autumnale</i> . R.A.	(bl.) autumnal.	—	—	—	H. 2.	— t. 17. f. 2.
50	<i>ampliflorum</i> . R.U.	(bl.) large-flowered.	Austria.	1823.	—	H. 2.	
51	<i>maximum</i> . DC.	(bl.) large.	Kamtschatka.	—	7. 8.	H. 2.	Ser. mus. 1.t.15.f.31.32.
52	<i>biflorum</i> . DC.	(ra.) two-flowered.	Altay.	1826.	6. 8.	H. ♂.	— 1. t. 15.f.45.46.
	<i>α lutéo-cæruleum</i> (y.b.)	blue and yellow.	—	—	—	H. ♂.	
	<i>β cæruleum</i> . (bl.)	blue-flowered.	—	—	—	H. ♂.	Rch. ac. 74. t. 7. f. 1. 2.
53	<i>ferox</i> . DC.	(pu.) poison-rooted.	Nepaul.	1820.	—	H. 2.	Ser. mus. 1.t.15.f.43.44.
	<i>viridum</i> . D.P.						
54	<i>productum</i> . R.U.	(bl.) long-lipped.	Siberia.	1824.	7. 8.	H. 2.	Rch. ac. 75. t. 7. f. 3.
55	<i>semigaleatum</i> . R.U.	(bl.) half-helmeted.	Kamtschatka.	—	—	H. 2.	— 77. t. 8.
56	<i>uncinatum</i> . DC.	(pu.) American,	N. America.	1768.	—	H. 2.	
	<i>β Michauxianum</i> . (pu.)	Michaux's	—	—	—	H. 2.	Bot. mag. 1119.
57	<i>villosum</i> . R.U.	(bl.) villous.	Siberia.	1825.	—	H. 2.	
58	<i>flaccidum</i> . R.U.	(bl.) flaccid.	—	—	H. 2.	Deles. ic. sel. 1. t. 65.
	<i>ciliare β polytrichum</i> . DC.						
59	<i>volubile</i> . R.U.	(bl.) twining.	—	1799.	—	H. 2.	
60	<i>tortuosum</i> . DC.	(bl.) twisting.	1812.	—	H. 2.	Ser. mus. 1.t.15.f.28.29.
61	<i>eristemum</i> . DC.	(bl.) woolly-stamen'd.	Siberia.	1824.	6. 8.	H. 2.	
62	<i>recognitum</i> . R.U.	(bl.) recognised.	—	—	H. 2.	
63	<i>ambiguum</i> . R.U.	(bl.) ambiguous.	Siberia.	1826.	—	H. 2.	
64	<i>toxicum</i> . R.U.	(bl.) poisonous.	Germany.	—	—	H. 2.	
65	<i>reflexum</i> . R.U.	(bl.) reflexed.	Carniola.	1826.	6. 8.	H. 2.	
66	<i>cernuum</i> . R.U.	(bl.) drooping-flow'd.	Germany.	1824.	6. 7.	H. 2.	Chabr. sci. 531. f. 6.
67	<i>acuminatum</i> . R.U.	(bl.) acuminate.	M. Baldo.	1824.	—	H. 2.	
68	<i>parviflorum</i> . R.U.	(bl.) small-flowered.	Switzerland.	—	—	H. 2.	
69	<i>hebegynum</i> . DC.	(bl.) downy-podded.	—	—	—	H. 2.	
70	<i>paniculatum</i> . R.U.	(bl.) panicked.	—	5. 7.	H. 2.	Chabr. sci. 531. f. 3.
71	<i>laciniösium</i> . Sch.	(bl.) jagged.	—	1822.	—	H. 2.	
72	<i>molle</i> . R.U.	(bl.) soft.	—	1824.	—	H. 2.	Ser. m. 1. t. 15. f. 35. 36.
73	<i>gibbosum</i> . DC.	(bl.) gibbous.	Caucasus.	1823.	—	H. 2.	— 1. t. 15. f. 14. 15.
74	<i>hamatum</i> . R.U.	(bl.) hooked.	Sweden.	1804.	6. 8.	H. 2.	
75	<i>palmatifidum</i> . R.U.	(bl.) palmatifid.	M. Carpathian.	1819.	—	H. 2.	
76	<i>pyramidale</i> . R.U.	(bl.) pyramidal.	Bohemia.	1596.	—	H. 2.	
	<i>α densiflorum</i> . R.U.	(bl.) close-flowered.	—	—	—	H. 2.	
	<i>β elongatum</i> . R.U.	(bl.) elongated.	—	—	H. 2.	
	<i>γ bicolor</i> . R.U.	(w.b.) two-coloured.	—	—	H. 2.	
77	<i>Stœrkiänum</i> . R.U.	(bl.) Stœrk's.	S. Europe.	1824.	—	H. 2.	Stor. lib. ac. 69. ic.
	<i>β laxiflorum</i> . R.U.	(bl.) loose-flowered.	—	—	H. 2.	Blackw. ic. 561.
	<i>γ bicolor</i> . R.U.	(w.b.) variegated.	—	—	H. 2.	
78	<i>versicolor</i> . R.U.	(ra.) various-colored.	Switzerland.	—	H. 2.	Lodd. bot. cab. 794.
	<i>β bicolor</i> . R.U.	(w.b.) white and blue.	—	—	H. 2.	
79	<i>decorum</i> . R.U.	(bl.) neat.	Pyrenees.	1824.	—	H. 2.	
80	<i>exaltatum</i> . R.U.	(bl.) lofty.	—	—	H. 2.	Ser. m. 1. t. 15. f. 37. 38.
81	<i>macranthum</i> . R.U.	(bl.) large-blossom'd.	Germany.	1826.	—	H. 2.	
82	<i>Cámmarum</i> . R.U.	(pu.) purple.	Europe.	1752.	—	H. 2.	Jacq. aust. 5. t. 424.
83	<i>illinitum</i> . R.U.	(bl.) besmeared.	Switzerland.	1822.	—	H. 2.	
84	<i>Breiterianum</i> . R.U.	(bl.) Breiter's.	1821.	—	H. 2.	

85	Ottonianum. R. U. (bl.)	Otto's.	1823.	6. 8.	H. 2.	
86	speciosum. R. U. (bl.)	specious.	1804.	7. 8.	H. 2.	Ser. m. 1. t. 15. f. 26. 27.
87	bulbiferum. R. U. (bl.)	bulb-bearing.	1824.	6. 8.	H. 2.	
88	leucanthum. R. U. (w.)	white-flowered.	—	H. 2.	
89	lasiocarpum. R. U. (bl.)	woolly-podded.	Hungary.	1822.	—	H. 2.	
90	gracile. R. U. (bl.)	slender.	Germany.	1824.	6. 7.	H. 2.	
91	rhynganthum. R. U.	beaked.	Hungary.	1804.	6. 8.	H. 2.	
	β bicolor. R. U. (w. b.)	two-coloured.	—	—	H. 2.	
92	nasutum. R. U. (bl.)	large-nosed.	Caucasus.	1823.	—	H. 2.	
93	rostratum. R. U. (pu.)	beaked.	Switzerland.	—	H. 2.	Lodd. bot. cab. 203.
94	variegatum. DC. (p. w.)	variegated.	S. Europe.	1597.	—	H. 2.	Clus. hist. 2. p. 98. f. 1.
95	mixtum. R. U. (p. w.)	mixed.	—	H. 2.	Rivin. pentap. ic.
96	album. R. U. (wh.)	white.	Levant.	1752.	7. 8.	H. 2.	
97	japonicum. DC. (ra.)	Japan.	Japan.	1790.	6. 9.	H. 2.	Ser. m. 1. t. 15. f. 22. 23.
	α carneum. (fl.)	flesh-coloured.	—	—	H. 2.	
	β cœruleum. (bl.)	blue-flowered.	—	—	H. 2.	
98	boreale. R. U. (st.)	Siberian.	Siberia.	6. 8.	H. 2.	
99	barbatum. DC. (st.)	bearded.	1807.	—	H. 2.	Swt. br. fl. gar. v. 2. 164.
100	hispidum. DC. (st.)	hispid.	1826.	—	H. 2.	Gmel. sib. 4. t. 81.
	Gmelini. R. U.						
101	squarrosus. DC. (st.)	squarrose.	1823.	—	H. 2.	
102	pallidum. R. U. (st.)	pale-flowered.	1823.	—	H. 2.	
103	zoöctonum. R. U. (st.)	beast-bane.	Germany.	1824.	—	H. 2.	
104	melöctonum. R. U. (st.)	Badger-bane.	Piedmont.	1823.	—	H. 2.	Chabr. sci. p. 531. f. 1.
105	pyrenaicum. DC. (st.)	Pyrenean.	Pyrenees.	1739.	—	H. 2.	Cam. epit. 831. ic.
106	galæctonum. R. U. (st.)	Weasel-bane.	Hungary.	1823.	—	H. 2.	
107	moldavicum. R. U. (pu.)	Moldavian.	Bohemia.	—	—	H. 2.	
108	ochroleucum. R. U. (st.)	pale-white.	Caucasus.	1794.	—	H. 2.	
109	ægöphonum. R. U. (st.)	Goat-poison.	1822.	—	H. 2.	
110	perniciösum. R. U. (st.)	pernicious.	France.	—	—	H. 2.	Bois. fl. eur. 2. t. 369.
111	myöctonum. R. U. (st.)	Mouse-bane.	Thuringia.	—	—	H. 2.	
112	strictissimum. R. U. (st.)	straight.	Baruth.	—	H. 2.	
113	altissimum. R. U. (st.)	tallest.	Germany.	—	H. 2.	Tabern. ic. 583. f. 1.
114	rectum. R. U. (st.)	upright.	Italy.	—	H. 2.	Barrel. ic. 599.
115	vulpäria. R. U. (st.)	Fox-bane.	Germany.	1824.	—	H. 2.	
	β latifolium. R. U. (st.)	broad-leaved.	Bavaria.	—	—	H. 2.	
116	tragöctonum. R. U. (st.)	Goat-bane.	Carinthia.	—	H. 2.	
117	lupicida. R. U. (st.)	Wolf-bane.	Switzerland.	1824.	—	H. 2.	
118	arctöphonum. R. U. (st.)	Bear-bane.	Styria.	1826.	—	H. 2.	
119	lagöctonum. R. U. (st.)	Hare-bane.	Bavaria.	—	—	H. 2.	
120	Phthöra. R. U. (st.)	destructive.	Hungary.	—	—	H. 2.	
121	australe. R. U. (pu.)	Carpathian.	M. Carpathian.	1815.	—	H. 2.	Bot. mag. 2196.
	septentrionale β carpaticum. B. M.						
122	rubicundum. F. (pu.)	rubicund.	Russia.	1822.	—	H. 2.	
123	cynöctonum. R. U. (st.)	Dog-bane.	Germany.	1824.	—	H. 2.	Blackw. ic. 563.
124	thelyphonum. R. U. (st.)	Elwert's.	Switzerland.	—	—	H. 2.	
125	theriöphonum. R. U. (st.)	park-bane.	Italy.	6. 7.	H. 2.	Barrel. ic. 600.
126	lycöctonum. R. U. (st.)	great-yellow.	Germany.	1596.	7. 8.	H. 2.	Clus. hist. 5. p. 94. ic.
127	lupäria. R. U. (st.)	Wolf-wort.	—	H. 2.	Trag. stirp. 247. ic.
128	septentrionale. R. U. (bl.)	northern.	N. Europe.	1800.	—	H. 2.	Flor. dan. t. 123.

Tribus V. PÆONIACEÆ. DC. prodr. 1. 64.

CIMICIFUGA. L.	BUG-WORT. Polyandria Pentagynia. L.						
1 foëtida. w. (wh.)	stinking.	Siberia.	1777.	6. 7.	H. 2.	Linn. amœn. ac. 8. t. 4.	
2 podocarpa. (wh.)	American.	Carolina.	1822.	8. 9.	H. 2.		
	americana. M. Actæa podocarpa. DC.						
3 palmata. Ph. (wh.)	palmated.	1812.	7. 8.	H. 2.	Bot. mag. 1630.	
4 cordifolia. Ph. (wh.)	heart-leaved.	—	6. 7.	H. 2.	— 2069.	
MACROTYS. Raf.	SNAKEROOT. Polyandria Monogynia. L.						
racemosa. (wh.)	black-rooted.	N. America.	1732.	6. 7.	H. 2.	Dill. elth. 79. t. 67. f. 78.	
	Actæa racemosa. w. Cimicifuga serpentaria. Ph.						
ACTÆA. Ph.	BANE-BERRIES. Polyandria Monogynia. L.						
1 spicata. DC. (wh.)	common.	Britain.	4. 6.	H. 2.	Eng. bot. 918.	
2 rubra. W. en. (wh.)	red-berried.	N. America.	—	H. 2.		
	brachypetala. β rubra. DC.						

3	<i>álba</i> . Mill.	(wh.) white-berried.	N. America.	4. 6.	H. 4.	Corn. canad. t. 77.
	<i>brachypétala</i> . a <i>álba</i> . DC.						
ZANTHORHIZA. DC. YELLOW-ROOT. Pentandria Polygynia. L.							
	<i>apiifolia</i> . DC.	(pu.) Parsley-leaved.	N. America.	1766.	2. 4.	H. 4.	Bot. mag. 1736.
PÆONIA. DC. PÆONY. Polyandria Digynia. L.							
1	<i>Moután</i> . H.K. Chinese-tree.	China.	1789.	4. 6.	H. 4.	
	a <i>papaverácea</i> . L.T.	(w.) Poppy-flowered.	1806.	H. 4.	Bot rep. 463.
	β <i>Bánskii</i> . L.T.	(bl.) common.	1789.	H. 4. 448.
	γ <i>rósea</i> . L.T.	(ro.) rose-coloured.	1794.	H. 4. 373.
2	<i>édulis</i> . P.L.	(ra.) eatable-rooted.	5. 6.	H. 4.	
	<i>albiflora</i> . L.T.						
	a <i>réstalis</i> . L.T.	(wh.) virgin.	Siberia.	1784.	H. 4.	Andr. rep. 64.
	β <i>cándida</i> . L.T.	(wh.) pale-flowered.	H. 4.	
	γ <i>tatárica</i> . L.T.	(bh.) Tartarian.	Tartary.	H. 4.	Bot. reg. 42.
	δ <i>sibírica</i> . L.T.	(wh.) Siberian.	Siberia.	H. 4.	
	ε <i>rubéscens</i> . L.T.	(bh.) pale-red.	H. 4.	
	ζ <i>uniflora</i> . L.T.	(wh.) one-flowered.	H. 4.	Bot. mag. 1756.
	η <i>Whitlèji</i> . L.T.	(wh.) double-white.	China.	1808.	6. 7.	H. 4.	Bot. reg. 630.
	θ <i>Hùmei</i> . L.T.	(re.) double-crimson.	1810.	H. 4.	Bot. mag. 1768.
	ι <i>frágrans</i> . L.T.	(re.) Rose-scented.	1805.	H. 4.	Bot. reg. 485.
3	<i>anómala</i> . L.T.	(re.) jagged-leaved.	Siberia.	1788.	5. 6.	H. 4.	Bot. mag. 1754.
	<i>laciniata</i> . Pall. ross. 2. t. 85.						
4	<i>hybrida</i> . DC.	(re.) intermediate.	Caucasus.	1822.	H. 4.	
5	<i>tenuifolia</i> . L.T.	(cr.) slender-leaved.	Siberia.	1765.	5. 6.	H. 4.	Bot. mag. 926.
6	<i>officinális</i> . L.T.	(ra.) officinal.	Europe.	1548.	5. 6.	H. 4.	
	a <i>Sabini</i> . L.T.	(sc.) Sabine's.	H. 4.	Bot. mag. 1784.
	β <i>rósea</i> . L.T.	(ro.) rose-coloured.	H. 4.	
	γ <i>blánda</i> . L.T.	(bh.) blush-flowered.	H. 4.	
	δ <i>rubra</i> . L.T.	(cr.) double-red.	H. 4.	Lob. ic. 684.
	ε <i>carnescens</i> . L.T.	(fl.) flesh-coloured.	H. 4.	
	ζ <i>álbicans</i> . L.T.	(bh.) double-blush.	H. 4.	Park. par. f. 4.
7	<i>corállina</i> . L.T.	(cr.) English.	England.	H. 4.	Eng. bot. 1513.
8	<i>daúrica</i> . L.T.	(fl.) Daurian.	Dauria.	1790.	H. 4.	Bot. mag. 1441.
	<i>triternàta</i> . DC. prodr.						
9	<i>lobàta</i> . DC.	(sc.) lobed-leaved.	Portugal.	1821.	H. 4.	Swt. br. fl. gar. 70.
10	<i>Rússi</i> . DC.	(cr.) crimson.	Sicily.	H. 4. v. 2. t. 122.
11	<i>púbens</i> . B.M.	(re.) pubescent.	1821.	H. 4.	Bot. mag. 2264.
12	<i>hùmilis</i> . L.T.	(re.) dwarf.	Spain.	1633.	5.	H. 4. 1422.
13	<i>decòra</i> . L.T.	(re.) comely.	Turkey.	H. 4.	
	a <i>Pallàsii</i> . L.T.	(re.) Pallas's.	H. 4.	
	β <i>elàtior</i> . L.T.	(re.) tall.	H. 4.	
14	<i>arietina</i> . L.T.	(re.) rams-horned.	H. 4.	
15	<i>crètica</i> . B.R.	(bh.) Cretan.	Crete.	H. 4.	Bot. reg. 819.
16	<i>peregrina</i> . L.T.	(re.) Turkish.	Levant.	1588.	5. 6.	H. 4.	
	a <i>byzantina</i> . L.T.	(re.) Levant.	H. 4.	Bot. mag. 1050.
	β <i>compácta</i> . L.T.	(re.) compact.	France?	H. 4.	
	γ <i>Grevillii</i> . L.T.	(re.) Greville's.	H. 4.	
17	<i>paradóxa</i> . L.T.	(re.) paradoxical.	Levant.	H. 4.	
	a <i>simpliciflora</i> . (re.) single-flowered.		H. 4.	
	β <i>fimbriàta</i> . L.T.	(cr.) double-flowered.	H. 4.	
18	<i>móllis</i> . L.T.	(re.) soft-leaved.	Siberia?	H. 4.	Swt. br. fl. gar. 19.
19	<i>villòsa</i> . B.F.G.	(wh.) villous.	1822.	H. 4.	Bot. reg. 474.
	<i>sessiliflora</i> . B.M. 2648.						Swt. br. fl. gar. 113.

ORDO II.

DILLENACEÆ. DC. *syst. nat.* 1. p. 395.

Tribus I. DELIMACEÆ. DC.

TETRA'CERA. DC. TETRA'CERA. Polygamia Diœcia.							
1	<i>volùbilis</i> . DC.	(ye.) climbing.	Barbadoes.	S. 4.	Pluk. alm. 48. t. 146. f. 1.
2	<i>jamaicénsis</i> . DC.	(ye.) Jamaica.	Jamaica.	1826.	S. 4.	
3	<i>obovàta</i> . DC.	(ye.) obovate-leaved.	Senegal	1822.	S. 4.	
4	<i>alnifolia</i> . DC.	(ye.) Alder-leaved.	Sierra Leone.	S. 4.	
5	<i>potatòria</i> . Afz.	(ye.) water-bearing.	S. 4.	
DOLIOCA'RPUS. DC. DOLIOCA'RPUS. Polyandria Monogynia.							
1	<i>Calínea</i> . DC.	(wh.) climbing.	Guiana.	1822.	S. 4.	Aub. Guian. 1. t. 221.
	<i>Tetrácerá calínea</i> . w. <i>Calínea scándens</i> . Aub.						

DILLENACEÆ.

DEL'IMA. DC.	DEL'IMA.	Polyandria Monogynia.				
sarmentosa. DC.	sarmentose.	Ceylon.	1822.	S. h. √.	Lam. ill. t. 475.
<i>Tetracera sarmentosa.</i>	w.					
CURATE'LLA. DC.	CURATE'LLA.	Polyandria Digynia.				
1 americana. DC. (wh.)	American.	Guiana.	S. h. √.	Aub. guian. 1. t. 232.
2? alata. v.	wing-petioled.	-----	S. h. √.	Venten. choix. t. 49.

Tribus II. DILLENEÆ. DC.

PLEURA'NDRA. DC.	PLEURA'NDRA.	Polyandria Monogynia.				
1 bracteata. DC	(ye.) elegant.	N. S. W.	1822.	4. 8.	G. h.	Deles. ic. sel. 1. t. 78.
2 nitida. DC.	(ye.) shining.	-----	-----	-----	G. h.	
3 cneorum. DC.	(ye.) blunt-leaved.	-----	1824.	5. 7.	G. h.	
4 scabra. DC.	(ye.) rough-leaved.	-----	-----	-----	G. h.	
5 acicularis. DC.	(ye.) needle-leaved.	-----	-----	4. 7.	G. h.	Labill. nov. holl. 2. t. 144.
6 stricta. DC.	(ye.) upright.	-----	1822.	-----	G. h.	
7 calycina. DC.	(ye.) linear-leaved.	-----	-----	-----	G. h.	
CANDO'LLA.	CANDO'LLA.	Polyadelphia Polyandria.				
cuneiformis. DC. (ye.)	wedge-leaved.	N. Holland.	1823.	5. 8.	G. h.	Bot. mag. 2711.
HIBBERTIA. DC.	HIBBERTIA.	Polyandria Mono-Pentagynia.				
1 grossulariaefolia. DC. (y.)	Gooseberry-ld.	N. Holland.	1803.	3. 8.	G. h. √.	Bot. mag. 1218.
<i>crenata.</i> A. R. t. 472.						
2 volubilis. DC.	(ye.) twining.	N. S. W.	1796.	5. 10.	G. h. √.	Andr. rep. t. 126.
3 dentata. DC.	(ye.) tooth-leaved.	N. Holland.	1814.	1. 8.	G. h. √.	Bot. reg. 282.
4 saligna DC.	(ye.) Willow-leaved.	N. S. W.	1824.	5. 8.	G. h.	
5 virgata DC.	(ye.) twiggy.	-----	1822.	G. h.	
6 fasciculata. DC.	(ye.) bushy.	-----	1826.	5. 8.	G. h.	
7 linearis. DC.	(ye.) linear-leaved.	-----	-----	G. h.	
8 monogyna. DC.	(ye.) one-styled.	-----	-----	5. 8.	G. h.	
9 pedunculata. DC. (ye.)	long-pedicled.	-----	-----	4. 9.	G. h.	Bot. reg. 1001.
<i>corifolia.</i> Bot. mag. 2672.						
WORMIA. DC.	WORMIA.	Polyandria Pentagynia.				
dentata. DC. (ye.)	tooth-leaved.	Ceylon.	1821.	S. h.	Thunb. linn. tr. 1. t. 20.
<i>Dillenia dentata.</i> w.						
COLBERTIA. DC.	COLBERTIA.	Polyandria Pentagynia.				
1 coromandeliana. DC. (y.)	Coromandel.	E. Indies.	1803.	S. h.	Roxb. cor. 1. t. 20.
<i>Dillenia pentagynia.</i> Roxb.						
2 scabrella. D. P.	rough.	Nepaul.	1826.	S. h.	
DILLENIA. DC.	DILLENIA.	Polyandria Monogynia. L.				
1 speciosa. DC. (wh.)	large-flowered.	E. Indies.	1800.	S. h.	Exot. bot. t. 2. 3.
2 integra. DC.	entire-leaved.	Ceylon.	1826.	S. h.	Thunb. linn. tr. 1. t. 18.

ORDO III.

WINTEREÆ. *Brown in DC. syst. 1. add. p. 548.*

ILLICIUM. DC.	ANISEED-TREE.	Polyandria Polygynia. L.				
1 floridanum. DC. (cr.)	red-flowered.	Florida.	1766.	4. 6.	F. h.	Bot. mag. 439.
2 anisatum. DC. (ye.)	Chinese.	China.	-----	F. h.	Lam. ill. t. 493. f. 2.
3 parviflorum. DC. (ye.)	small-flowered.	Florida.	1790.	-----	F. h.	Vent. cels. t. 22.
DRIMYS. DC.	DRIMYS.	Polyandria Tetra-Octogynia.				
Winteri. DC.	Winter-bark.	Magellan.	1825.	G. h.	Forst. gen. p. 84. t. 42.
<i>Wintera aromatica.</i> w.	<i>Winterana aromatica.</i>	Sol. med. obs.	5. p. 46.	t. 1.		
TASMANNIA. DC.	TASMANNIA.	Diœcia Polyandria.				
dipetala. B.	two-petaled.	N. Holland.	1824.	5. 8.	G. h.	

ORDO IV.

MAGNOLIACEÆ. *DC. syst. nat. v. 1. p. 439.*

MICHELIA. DC.	MICH'ELIA.	Polyandria Polygynia. L.				
Champaca. DC. (ye.)	sweet-scented.	E. Indies.	1779.	S. h.	Lam. ill. t. 493.

MAGNOLIA. DC.		MAGNOLIA. Polyandria Polygynia. L.					
1	<i>grandiflora</i> . DC. (wh.)	Laurel-leaved.	Carolina.	1734.	6. 10.	H. h.	
	<i>α rotundifolia</i> . (wh.)	round-leaved.	—	—	H. h.	
	<i>β obovata</i> . H.K. (wh.)	obovate-leaved.	—	—	H. h.	
	<i>γ elliptica</i> . H.K. (wh.)	elliptic-leaved.	—	—	H. h.	Mill. ic. v. 2. t. 172.
	<i>δ ferruginea</i> . B.M. (w.)	ferruginous.	—	—	H. h.	Tr. Eh. p. 8. t. 33-35.
	<i>ε lanceolata</i> . H.K. (wh.)	Exmouth.	—	—	H. h.	Bot. mag. 1952.
2	<i>glauca</i> . DC. (wh.)	glaucous-leaved.	N. America.	1688.	6. 9.	H. h.	Mich. arb. t. 2.
3	<i>longifolia</i> . (wh.)	narrow-leaved.	—	—	H. h.	
	<i>glauca β longifolia</i> . Ph.						
4	<i>Thompsoniana</i> . (wh.)	hybrid.	Hybrid.	1818.	—	H. h.	
5	<i>umbrella</i> . DC. (wh.)	Umbrella.	N. America.	1752.	5. 6.	H. h.	Mich. arb. t. 5.
	<i>tripetala</i> . w.						
6	<i>acuminata</i> . DC. (pa.)	bluish-flowered.	—	1736.	5. 7.	H. h.	Bot. mag. 2427.
	<i>β Candolii</i> . (st.)	De Candolle's.	—	—	H. h.	Sav. bi. ital. 1819. n. 47. ic.
7	<i>auriculata</i> . DC. (wh.)	ear-leaved.	—	1786.	4. 5.	H. h.	Bot. mag. 1206.
8	<i>pyramidata</i> . DC. (wh.)	small ear-leaved.	—	1811.	—	H. h.	Bot. reg. 407.
9	<i>macrophylla</i> . DC. (wh.)	large-leaved.	—	1800.	6. 7.	H. h.	Bot. mag. 2189.
10	<i>cordata</i> . DC. (st.)	heart-leaved.	—	1801.	—	H. h.	Bot. reg. 325.
11	<i>conspicua</i> . P.L. (wh.)	Youlan.	China.	1789.	2. 5.	H. h.	Bot. mag. 1621.
	<i>Fulan</i> . DC. Bonpl. nav. t. 20.						
12	<i>Soulangeana</i> . (p.w.)	Soulange's.	Hybrid.	1826.	—	H. h.	Swt. br. fl. gar. 260.
13	<i>Kobus</i> . DC. (p.w.)	slender.	China.	1804.	3. 4.	H. h.	Par. lond. 87.
	<i>tomentosa</i> . w. <i>gracilis</i> . P.L.						
14	<i>obovata</i> . DC. (p.w.)	obovate-leaved.	—	1790.	4. 6.	H. h.	Bot. mag. 390.
	<i>purpurea</i> . B.M. <i>discolor</i> . V.						
15	<i>fuscata</i> . DC. (br.)	brown-stalked.	—	1789.	—	G. h.	— 1008.
16	<i>annonafolia</i> . P.L. (br.)	small-flowered.	—	1804.	—	G. h.	Par. lond. 5.
17	<i>pumila</i> . DC. (wh.)	dwarf.	—	1786.	1. 12.	G. h.	Bot. mag. 977.
LIRIODENDRON. W. TULIP-TREE. Polyandria Polygynia. L.							
	<i>tulipifera</i> . w. (ye.)	common.	N. America.	1663.	6. 7.	H. 5.	Bot. mag. 275.
	<i>α acutiloba</i> . M. (ye.)	acute-lobed.	—	—	—	H. 5.	
	<i>β obtusiloba</i> . M. (ye.)	blunt-lobed.	—	—	H. 5.	

ORDO V.

ANONACEÆ. DC. *sys. nat.* 1. p. 463.

ANONA. DC.		CUSTARD-APPLE. Polyandria Polygynia. L.					
1	<i>muricata</i> . DC. (st.)	Soursop.	W. Indies.	1656.	6. 8.	S. h.	Jacq. obs. 1. t. 5.
2	<i>purpurea</i> . DC. (pu.)	purple.	Mexico.	1826.	S. h.	Dunal. mon. p. 64. t. 2.
3	<i>Humboldtii</i> . DC. (ye.)	Humboldt's.	Cumana.	—	S. h.	— p. 64. t. 3.
4	<i>laurifolia</i> . DC. (wh.)	laurel-leaved.	W. Indies.	1824.	6. 8.	S. h.	Catesb. car. 2. t. 67.
5	<i>palustris</i> . DC. (ye.)	shining-leaved.	—	1731.	—	S. h.	Sloan. hist. 2. t. 229. f. 1.
6	<i>longifolia</i> . DC. (pu.)	long-leaved.	Guiana.	1820.	—	S. h.	Aub. gui. 1. t. 248.
7	<i>punctata</i> . DC. (st.)	spotted-fruited.	Cayenne.	1822.	—	S. h.	— 1. t. 247.
8	<i>paludosa</i> . DC. (gr.)	marsh.	Guiana.	1803.	6. 8.	S. h.	— 1. t. 246.
9	<i>squamosa</i> . DC. (st.)	Sweetsop.	S. America.	1731.	—	S. h.	Jacq. obs. 1. t. 6. f. 1.
10	<i>cinerea</i> . DC. (st.)	cinereous.	St. Thomas.	1823.	S. h.	
11	<i>Cherimolia</i> . DC. (wh.)	Cherimolli.	S. America.	1739.	7. 8.	S. h.	Bot. mag. 2011.
	<i>tripetala</i> . w. B.M.						
12	<i>reticulata</i> . DC. (st.)	netted.	—	1690.	5. 7.	S. h.	Catesb. car. 2. t. 86.
13	<i>mucosa</i> . DC. (st.)	narrow-leaved.	Guiana.	S. h.	Rumph. amb. 1. t. 45.
14	<i>glabra</i> . DC. (st.)	smooth-fruited.	Carolina.	1774.	7. 8.	S. h.	Catesb. car. 2. t. 64.
15	<i>grandiflora</i> . DC. (wh.)	great-flowered.	Mauritius.	1825.	S. h.	Dunal. mon. p. 75. t. 6.
16	<i>amplexicaulis</i> . DC. (pu.)	stem-clasping.	—	1824.	S. h.	— p. 76. t. 7.
17	<i>asiatica</i> . DC.	Ceylon.	Ceylon.	S. h.	
18	<i>senegalensis</i> . DC. (st.)	Senegal.	Senegal.	1822.	S. h.	Deles. ic. sel. 1. t. 86.
MONODORA. DC. MONODORA. Polyandria Monogynia.							
	<i>myristica</i> . DC. (wh.)	Nutmeg.	Jamaica.	S. h.	Gært. fr. 2. t. 125. f. 1.
ASIMINA. DC. ASIMINA. Polyandria Polygynia.							
1	<i>parviflora</i> . DC. (pu.)	small-flowered.	N. America.	1806.	4. 5.	H. h.	Dun. mon. t. 9.
2	<i>triloba</i> . DC. (pu.)	trifid-fruited.	—	1736.	—	H. h.	Duh. arb. ed. 2. v. 2. t. 25.
	<i>Annona triloba</i> . w. <i>Porcellia triloba</i> . Ph.						
3	<i>pygmæa</i> . DC. (wh.)	dwarf.	—	1812.	—	H. h.	Dun. mon. t. 10.
	<i>Orchidocarpum pygmæum</i> . M.						
4	<i>grandiflora</i> . DC. (wh.)	large-flowered.	Florida.	1820.	—	H. h.	Dun. mon. t. 11.
	<i>Porcellia grandiflora</i> . P.S.						

UV'ARIA. DC.		UV'ARIA. Polyandria Polygynia. L.				
1 zeylànica. DC.	(pu.) Ceylon.	E. Indies.	1794.	S. h.	Lam. ill. t. 495. f. 2.
2 Gærtneri. DC. Gærtner's.	—————	S. h.	————— t. 495. f. 3.
3 lùtea. DC.	(st.) yellow-fruited.	—————	1822.	S. h.	Roxb. cor. 1. t. 36.
4 tomentòsa. DC.	(br.) woolly.	—————	—————	S. h.	————— 1. t. 35.
5 velutina. DC.	(br.) velvety.	E. Indies.	1825.	S. h.	
6 lucida. Boj. shining.	E. Africa.	—————	S. h.	
UN'ONA. DC.		UN'ONA. Polyandria Polygynia. L.				
1 Nàrum. DC.	(re.) Rheede's.	E. Indies.	S. h. ∪.	Rheed. mal. 2. t. 9.
2 fuscàta. DC.	(br.) brown-flower'd.	Guiana.	1820.	S. h.	
3 acuminàta. DC.	(br.) taper-pointed.	—————	—————	S. h.	
4 odoràta. DC.	(st.) sweet-scented.	Java.	1801.	5. 7.	S. h.	Lam. ill. t. 495. f. 1.
5 longifòlia. DC.	(ye.) long-leaved.	E. Indies.	1820.	S. h.	Sonn. voy. 4. t. 131.
6 aromàtica. DC.	(pu.) aromatic.	Guiana.	—————	S. h.	Aub. gui. 2. t. 243.
7 æthiòpica. DC.	(wh.) Ethiopian.	Sierra Leone.	1822.	S. h.	Math. com. 1. p. 434. ic.
8 oxypétala. DC.	(br.) sharp-petaled.	—————	—————	S. h.	
ARTAB'OTRYS. Br.		ARTAB'OTRYS. Polyandria Polygynia. L.				
odoratissimus. B.R.	(b.) sweet-scented.	China.	1758.	6. 7.	S. h. ∪.	Bot. reg. 423.
<i>Annona hexapétala. w. Urària odoratissima. H.B.</i>						
XYLOPIA. DC.		BITTER-WOOD. Polyandria Polygynia. L.				
1 muricàta. DC.	(br.) rough-fruited.	W. Indies.	1793.	S. h.	Brown. jam. 250. t. 5. f. 2.
2 frutésceus. DC.	(br.) shrubby.	Guiana.	1823.	S. h.	Aub. gui. 1. t. 292.
3 glábra. DC.	(br.) smooth-fruited.	W. Indies.	S. h.	Dun. mon. t. 19.
GUATTERIA. DC.		GUATTERIA. Polyandria Polygynia. L.				
1 cerasóides. DC.	(br.) Cherry-fruited.	E. Indies.	1820.	S. h.	Roxb. cor. 1. t. 33.
2 suberòsa. DC.	(wh.) cork-barked.	—————	—————	S. h.	————— 1. t. 34.
3 rùfa. DC.	(br.) rufous.	India.	—————	4. 8.	S. h.	Bot. reg. 836.
4 virgàta. DC.	(wh.) Lance-wood.	Jamaica.	1793.	—————	S. h.	Dun. mon. t. 31.
<i>Urària lanceolàta. w.</i>						
5 laurifòlia. DC.	(wh.) Laurel-leaved.	—————	1820.	S. h.	————— t. 32.
<i>Urària laurifòlia. Sw.</i>						

ORDO VI.

MENISPERMACEÆ. DC. prodr. 1. p. 95.

Tribus II. MENISPERMEÆ. DC.

CO'CCULUS. DC.		CO'CCULUS. Diœcia Hexandria.				
1 rotundifòlius. DC.	(gr.) round-leaved.	1820.	S. h. ∪.	
2 cordifòlius. DC.	(gr.) heart-leaved.	E. Indies.	1822.	S. h. ∪.	Rheed. mal. 7. t. 21.
3 suberòsus. DC.	(gr.) cork-barked.	—————	1790.	S. h. ∪.	Gart. fr. 1. t. 70. f. 7.
4 Plukenëtii. DC.	(gr.) Plukenet's.	—————	—————	S. h. ∪.	Pluk. man. 52. t. 345. f. 2.
5 incànus. L.T.	(gr.) hoary.	—————	1820.	S. h. ∪.	
6 tomentòsus. L.T.	(gr.) woolly-leaved.	—————	—————	S. h. ∪.	
7 crìspus. L.T.	(gr.) curled.	—————	1822.	S. h. ∪.	Rumph. amb. 5 t. 44. f. 1.
8 palmàtus. DC.	(gr.) palmated.	—————	S. h. ∪.	Berr. in As. res. 10. t. 5.
9 orbiculàtus. DC.	(gr.) orbicular-leaved.	—————	1790.	S. h. ∪.	Rheed. mal. 11. t. 62.
10 laurifòlius. DC.	(gr.) Laurel-leaved.	—————	1820.	S. h. ∪.	
COSCINIUM. C.L.T.		COSCINIUM. Diœcia Hexandria.				
fenestràtum. L.T.	(gr.) knotted.	Ceylon.	1820.	S. h. ∪.	Gært. fr. 1. t. 46. f. 5.
TILIAC'ORA. C.L.T.		TILIAC'ORA. Diœcia Hexandria.				
racemòsa. L.T.	(gr.) racemed.	E. Indies.	S. h. ∪.	
WENDLA'NDIA. W.		WENDLA'NDIA. Heptandria Polygynia. W.				
populifòlia. w.	(wh.) Poplar-leaved.	Carolina.	1759.	6. 7.	H. h. ∪.	Wend. h. herr. 3. t. 16.
<i>Menispermum Carolinum. L. Cœculus Carolinus. DC.</i>						
CISSA'MPELOS. DC.		CISSA'MPELOS. Diœcia Monadelphica. L.				
1 Paréira. DC.	(gr.) velvet-leaf.	S. America.	1733.	7. 8.	S. h. ∪.	Lam. ill. t. 830.
2 microcárpa. DC.	(gr.) small-fruited.	W. Indies.	1823.	S. h. ∪.	
3 hirsùta. DC.	(gr.) hairy.	Nepaul.	1820.	G. h. ∪.	
4 Mauritiàna. DC.	(gr.) hispid-branch'd.	Mauritius.	—————	S. h. ∪.	
5 Caapèba. DC.	(gr.) nerved-leaved.	S. America.	1733.	7. 8.	S. h. ∪.	Plum. ic. 67. f. 2.
6 capénsis. DC.	(gr.) Cape.	C. B. S.	1775.	G. h. ∪.	
MENISPERMUM. DC.		MOON-SEED. Diœcia Dodecandria. L.				
1 canadéuse. DC.	(st.) Canadian.	N. America.	1691.	6. 7.	H. h. ∪.	Bot. mag. 1910.

2	dauricum. DC.	(st.) Daurian.	Dahuria.	1823.	H. h. ∪.	Deles. ic. sel. 1. t. 100.
3	smilacinum. DC.	(st.) Smilax-leaved.	Carolina.	1776.	G. h. ∪.	Jacq. ic. 3. t. 629.
	<i>Cissampelos smilacina.</i> w.						
4	Lyoni. Ph.	(st.) Lyon's.	N. America.	1812.	6. 7.	H. 2 ∪.	
AB'UTA. DC.	AB'UTA. <i>Menispermi</i> sp. w.						
	rufescens. DC.	(pu.) brown-leaved.	Guiana.	1822.	S. h. ∪.	Aub. gui. 1. t. 250.

Tribus III. *SCHIZANDREÆ.* DC. *prodr.* 1. p. 104.

SCHIZA'NDRA. DC.	SCHIZA'NDRA. Monœcia Pentandria.						
	coccinea. DC.	(sc.) scarlet-flower'd.	Carolina.	1806.	6. 7.	G. h. ∪.	Bot. mag. 1413.

ORDO VII.

BERBERIDEÆ. DC. *syst. nat.* v. 2. p. 1.

BERBERIS. W.	BARBERRY.	Hexandria Monogynia.	L.				
1 vulgàris. DC.	(ye.) common.	England.	4. 5.	H. h.	Eng. bot. 49.	
α rubra.	(ye.) red-fruited.	—————	—	H. h.		
β lutea. DC.	(ye.) yellow fruited.	—	H. h.		
γ violacea. DC.	(ye.) violet-fruited.	—	H. h.		
δ purpurea. DC.	(ye.) purple-fruited.	—	H. h.		
ε nigra. DC.	(ye.) black-fruited.	Levant.	—	H. h.		
ζ alba. DC.	(ye.) white-fruited.	—	H. h.		
θ asperma. DC.	(ye.) stoneless.	—	H. h.		
2 ibérica.	(ye.) Iberian.	Iberia.	1790.	—	H. h.		
	vulgàris β ibérica. DC.						
3 emarginata. DC.	(ye.) emarginate.	Siberia.	1820.	—	H. h.		
4 canadensis. DC.	(ye.) Canadian.	Canada.	1750.	4. 6.	H. h.		
5 sinensis. DC.	(ye.) China.	China.	1800.	—	H. h.	Wats. dend. brit. t. 26.	
6 aristata DC.	(ye.) awned.	Nepaul.	1820.	6. 8.	H. h.	Bot. mag. 2549.	
	Chàtria. Bot. reg. 729.						
7 crética. DC.	(ye.) Cretan.	Crete.	1759.	5. 6.	H. h.	Flor. græc. t. 342.	
8 ilicifolia. DC.	(ye.) Holly-leaved.	Terra del Fuego.	1791.	7. 8.	H. h.		
9 asiatica. DC.	(ye.) Asiatic.	Nepaul.	1820.	6. 8.	H. h.	Deles. ic. sel. 2. t. 1.	
10 Wallichiana. DC.	(ye.) Wallich's.	—————	—	6. 7.	H. h.		
11 buxifolia. DC.	(ye.) Box-leaved.	Magellan.	1827.	G. h.	Lam. ill. t. 253. f. 3.	
12 empetrifolia. DC.	(ye.) Empetrum-ld.	—————	—	G. h.		
13 heterophylla. DC.	(ye.) various-leaved.	—————	5. 6.	H. h.	Hook. exot. fl. t. 14.	
14 sibirica. DC.	(ye.) Siberian.	Siberia.	1790.	6. 7.	H. h.	Bot. reg. 487.	
15 inermis. DC.	(ye.) spineless.	Magellan.	1827.	G. h.		
16 pinnata. B.R.	(ye.) pinnate-leaved.	America.	1820.	3. 5.	G. h.	Bot. reg. 702.	
	<i>Mahonia fasciculàris.</i> DC.						
17 repens. B.R.	(ye.) creeping-rooted.	N. America.	1822.	4. 6.	H. h.	Bot. reg. 1176.	
18 nervosa. P.	(ye.) nerved-leaved.	—————	1826.	H. h.	Pursh. fl. am. sept. 1. t. 5.	
NAND'INA. DC.	NAND'INA. Hexandria Monogynia.						
	doméstica. DC.	(wh.) garden.	China.	1804.	6. 7.	G. h.	Bot. mag. 1109.
LEO'NTICE. DC.	LEO'NTICE. Hexandria Monogynia. L.						
1 Chrysogonum. DC.	(ye.) Oak-leaved.	Levant.	1740.	3. 6.	H. 2.	Barrel. ic. 1113.	
2 Leontopetalum. DC.	(y.) Lion's-leaf.	—————	1597.	4. 5.	H. 2.	Lam. ill. t. 254. f. 1.	
3 vesicaria. DC.	(ye.) bladder-capsul'd.	Siberia.	1822.	—	H. 2.	Pal. a. p. 1779. 2. t. 9. f. 4.	
4 altaica. DC.	(ye.) Altay.	—————	—	—	H. 2.	— p. 257. t. 8. f. 1. 2. 3.	
5 thalictroides. DC.	(ye.) Columbine-ld.	N. America.	1755.	5.	H. 2.	Mich. amer. 1. t. 21.	
	<i>Caulophyllum thalictroides.</i> M.						
EPIMEDIUM. DC.	BARRENWORT. Tetrandria Monogynia. L.						
	alpinum. DC.	(pu.) Alpine.	England.	4. 5.	H. 2.	Eng. bot. 438.
DIPHYLL'EIA. DC.	DIPHYLL'EIA. Hexandria Monogynia. L.						
	cymosa. DC.	(wh.) blue-berried.	N. America.	1812.	5. 6.	H. 2.	Bot. mag. 1666.

ORDO VIII.

PODOPHYLLÆ. DC. *syst. nat.* 2. p. 31.

Tribus I. *PODOPHYLLÆ.*

PODOPHYLLUM. DC.	DUCK'S-FOOT.	Polyandria Monogynia.	L.		
peltatum. DC.	(wh.) May-apple.	N. America.	1664.	5.	H. 2. Bot. mag. 1819.
JEFFERS'ONIA. DC.	JEFFERS'ONIA.	Octandria Monogynia.			
diphylla. DC.	(wh.) two-leaved.	N. America.	1792.	5.	H. 2. Bot. mag. 1513.
<i>Podophyllum diphyllum.</i> w.					

Tribus II. *HYDROPELTIDÆ.*

CABOMBA. DC.	CABOMBA.	Hexandria Digynia.	W.		
aquatica. DC.	(ye.) water.	Carolina.	1823.	S.w. 2. Aubl. gui. 1. t. 124.
Nectris peltata. Ph.					
HYDROPELTIS. DC.	HYDROPELTIS.	Polyandria Polygynia.			
purpurea. DC.	(pu.) purple.	N. America.	1798.	7. 8.	F.w. 2. Bot. mag. 1147.
<i>Brasenia peltata.</i> Ph.					

ORDO IX.

NYMPHÆACEÆ. DC. *syst. nat.* 2. p. 34.

Tribus I. *NELUMBONÆ.*

NELUMBIUM. DC.	SACRED-BEAN.	Polyandria Polygynia.	L.		
1 speciosum. DC.	(bh.) Indian.	India.	1787.	6. 8.	S.w. 2. Bot. mag. 903.
	<i>Cyamus Nelumbo.</i> Sm.	Exot. bot. 1. t. 31. 32.			
2 Tamara.	(ro.) Rheede's.	-----	-----	S.w. 2. Rheed. mal. xi. t. 30.
3 cáspicum. F.	(ro.) Fischer's.	Volga.	1821.	S.w. 2.
4 luteum. DC.	(ye.) yellow.	N. America.	1810.	F.w. 2. Poit. a. m. 13. t. 29. f. 42.
5 jamaicéne. DC. Jamaica.	W. Indies.	1823.	S.w. 2.

Tribus II. *NYMPHÆEÆ.*

EURYALE. DC.	EURYALE.	Polyandria Monogynia.	L.		
ferox. DC.	(re.) prickly.	India.	1809.	7. 9.	S.w. 2. Bot. mag. 1447.
	<i>Annelæa spinosa.</i> And.	bot. rep. 618.			
NYMPHÆA. DC.	WATER-LILY.	Polyandria Monogynia.	L.		
1 scutifolia. DC.	(bl.) Cape blue.	C. B. S.	1792.	6. 9.	S.w. 2. Bot. mag. 552.
	<i>carulea.</i> Bot. rep. 197.				
2 cœrulea. DC.	(bl.) Egyptian blue.	Egypt.	1812.	---	S.w. 2. Vent. malm. t. 6.
	<i>stellata.</i> var. Bot. mag. 2058.				
3 cyanea. H.B.	(bl.) Indian-blue.	E. Indies.	1809.	---	S.w. 2.
	<i>Cahlara.</i> Donn. cant. ed. 7.				
4 stellata. DC.	(bl.) star-flowered.	-----	1803.	---	S.w. 2. Andr. rep. 330.
5 edulis. DC.	(wh.) eatable.	-----	---	S.w. 2.
	<i>esculenta.</i> H.B.				
6 rubra. DC.	(re.) red-flowered.	-----	1803.	7. 8.	S.w. 2. Bot. mag. 1280.
7 rosea.	(ro.) rose-coloured.	-----	---	---	S.w. 2. ----- 1364.
	<i>rubra. β rosea.</i> DC.				
8 pubescens. DC.	(wh.) Indian Lotus.	-----	---	5. 8.	S.w. 2. Rheed. h. mal. xi. t. 26.
9 Lotus. DC.	(wh.) Egyptian.	Egypt.	1802.	6. 9.	S.w. 2. Del. fl. egypt. ill. t. 60. f. 1.
10 thermalis. DC.	(wh.) Hungarian.	Hungary.	---	---	S.w. 2. Bot. mag. 797.
	<i>Lotus.</i> And. bot. rep. 391.				

11	<i>ámpla</i> . DC.	(<i>wh.</i>) West-Indian.	W. Indies.	6. 9.	S.w. 2.	Plum. mss. 123. t. 4.	
12	<i>versicolor</i> . DC.	(<i>bh.</i>) changeable	E. Indies.	1807.	—	S.w. 2.	Bot. mag. 1189.	
13	<i>renifórmis</i> . DC.	(<i>wh.</i>) kidney-leaved.	Carolina.	1823.	7.	G.w. 2.	Deles. ic. sel. 2. t. 5.	
14	<i>álba</i> . DC.	(<i>wh.</i>) white.	Britain.	6. 7.	H.w. 2.	Eng. bot. 160.	
15	<i>odoràta</i> . DC.	(<i>wh.</i>) sweet-scented.	N. America.	1786.	7.	H.w. 2.	Bot. mag. 819.	
16	<i>mìnor</i> . DC.	(<i>wh.</i>) smaller	—	1812.	—	H.w. 2.	— 1652.	
	<i>odoràta</i> . β <i>mìnor</i> . B.M.							
17	<i>nítida</i> . DC.	(<i>wh.</i>) cup-flowered.	Siberia.	1809.	7. 8.	H.w. 2.	Bot. mag. 1359.	
18	<i>pygmæ'a</i> . DC.	(<i>wh.</i>) pigmy.	China.	1805	5. 9.	H.w. 2.	— 1525.	
	<i>Castàlia pygmæ'a</i> . Sal. par. lond. 68.							
19	<i>blánda</i> . DC.	(<i>wh.</i>) handsome.	W. Indies.	1827.	S.w. 2.		
N'UPHAR. DC.			N'UPHAR. Polyandria Monogynia. L.					
1	<i>lùtea</i> . DC.	(<i>ye.</i>) common.	Britain.	6. 7.	H.w. 2.	Eng. bot. 159.	
	<i>Nymphæa lùtea</i> . w.							
2	<i>pùmila</i> . DC.	(<i>ye.</i>) small-yellow.	Scotland	—	H.w. 2.	— 2292.	
	<i>mínima</i> . E.B.							
3	<i>Kalmiàna</i> . DC.	(<i>ye.</i>) Canadian.	N. America.	1807.	7. 8.	H.w. 2.	Bot. mag. 1243.	
4	<i>ádvena</i> . DC.	(<i>ye.</i>) stripe-flowered.	—	1772.	—	H.w. 2.	Bot. mag. 684.	
	<i>Nymphæa ádvena</i> . w.							

ORDO X.

SARRACENIÆ.

SARRAC'ENIA. W.			SIDE-SADDLE-FLOWER. Polyandria Monogynia. L.				
1	<i>purpùrea</i> . w.	(<i>pu.</i>) purple.	N. America.	1640.	6. 7.	H. 2.	Bot. mag. 849.
2	<i>rùbra</i> . w.	(<i>re.</i>) red-flowered.	—	1786.	—	H. 2.	Hook. ex. flor. 13.
	<i>psittúcina</i> . M?						
3	<i>variolaris</i> . w.	(<i>st.</i>) hook-leaved.	—	1803.	—	H. 2.	Bot. mag. 1710.
	<i>adúnca</i> . Ex. bot. t. 53. <i>mìnor</i> w.						
4	<i>flàva</i> . w.	(<i>ye.</i>) yellow.	—	1752.	—	H. 2.	— 780.

ORDO XI.

PAPAVERACEÆ. DC. *syst. nat.* 2. p. 67.

PAP'AVER. DC.			POPPY. Polyandria Monogynia.				
1	<i>nudicáule</i> . DC.	(<i>ye.</i>) naked-stalked.	Siberia.	1730.	6. 8.	H. 2.	Bot. mag. 1633.
	β <i>glábratum</i> . DC.	(<i>ye.</i>) smooth-stalked.	—	—	H. 2.	
	γ <i>radicàtum</i> . DC.	(<i>ye.</i>) small hairy.	Norway.	—	H. 2.	
2	<i>rùbro-aurantiàcum</i> . F.	red orange.	Dahuria.	1822.	—	H. 2.	Bot. mag. t. 2344.
3	<i>microcárpum</i> . DC.	(<i>br.</i>) small-capsuled.	Kamtschatka.	—	—	H. 2.	
4	<i>pyrenáicum</i> DC.	(<i>ye.</i>) Pyrenean.	Pyrenees.	—	H. 2.	Seg. ver. 1. t. 4. f. 4.
	<i>aurantiàcum</i> . Lois.						
	α <i>lùteum</i> . DC.	(<i>ye.</i>) yellow-flowered.	—	—	H. 2.	Barr. ic. t. 764.
	β <i>puníceum</i> . DC.	(<i>re.</i>) red-flowered.	—	—	H. 2.	
5	<i>alpìnum</i> . DC.	(<i>wh.</i>) Alpine.	Austria.	1759.	—	H. 2.	Swt. br. fl. gar. 247.
6	<i>hy'bridum</i> . DC.	(<i>re.</i>) mongrel.	England.	6. 7.	H. 2.	Eng. bot. 43.
7	<i>Argemòne</i> . DC.	(<i>re.</i>) rough.	Britain.	—	H. 2.	— 643.
	β <i>marítimum</i> . With.	<i>one-flowered</i> .	—	—	H. 2.	
8	<i>dùbium</i> . DC.	(<i>re.</i>) smooth.	—	—	H. 2.	Eng. bot. 644.
9	<i>Rh'æas</i> . DC.	(<i>re.</i>) common-corn.	—	—	H. 2.	— 645.
	α <i>maculàtum</i> .	(<i>re.</i>) spot-petaled.	—	—	H. 2.	Curt. lond. t. 32.
	β <i>coccíneum</i> .	(<i>sc.</i>) scarlet-flowered.	—	—	H. 2.	Tab. ic. f. 1.
	γ <i>cárneum</i> .	(<i>fl.</i>) flesh-coloured.	—	—	H. 2.	Barr. obs. ic. t. 763.
	δ <i>álbum</i> .	(<i>wh.</i>) white-flowered.	—	—	H. 2.	Wein. phyt. t. 788. f. d.
	ϵ <i>álbo-marginàtum</i> .	<i>white-edged</i> .	—	—	H. 2.	— t. 790. f. e.
	ζ <i>coccíneo-marginàtum</i> .	<i>scarlet-edged</i> .	—	—	H. 2.	— t. 790. f. b.

10 lævigatum. DC.	(re.) slender.	Caucasus.	1823.	6. 7.	H. ⊙.	
11 arenarium. DC.	(re.) sand.	Siberia.	1825.	6. 8.	H. ⊙.	
12 Roubiæi. DC.	(re.) Roubieu's.	Montpelier.	1823.	—	H. ⊙.	Vig. diss. 39.n.4.t.1.f.1.
13 floribundum. DC.	(re.) many-flowered.	Levant.	1815.	6. 7.	H. ♂.	Bot. reg. 134.
14 horridum. DC.	(co.) prickly-stalk'd.	N. S. W.	1825.	6. 8.	H. ⊙.	Swt. br. fl. gar. 173.
15 orientale. DC.	(re.) oriental.	—	1714.	5. 6.	H. ♀.	Bot. mag. 57.
16 bracteatum. DC.	(re.) bracted.	Caucasus.	1821.	5. 8.	H. ♀.	Lind. coll. t. 23.
17 setigerum. DC.	(wh.) bristle-pointed.	Italy.	1824.	—	H. ⊙.	Swt. br. fl. gar. 172.
18 somniferum. DC.	(va.) garden.	England.	7. 8.	H. ⊙.	Lam. ill. t. 451.
* nigrum. DC.	(va.) black-seeded.	—	H. ⊙.	Lob. ic. t. 274. f. 1.
β flore-pleno.	(re.) double-red.	—	H. ⊙.	Swert. flor. 2. t. 22. f. 1.
γ fimbriatum.	(va.) fringed-flowered.	—	H. ⊙.	Wein. phyt. t. 795. f. c.
** album. DC.	(wh.) white-seeded.	England.	—	H. ⊙.	Eng. bot. 2145.
β flore-pleno.	(wh.) double-white.	—	—	H. ⊙.	Swert. flor. 2. t. 22. f. 2.
γ variegatum.	(v.) variegated.	—	—	H. ⊙.	
19 caucasicum. DC.	(re.) Caucasian.	Caucasus.	1813.	6. 7.	H. ⊙.	Bot. mag. 1675.
20 armeniacum. DC.	(re.) Armenian.	Armenia.	1815.	—	H. ⊙.	
<i>Argemone armeniaca.</i> w.						
ARGEMONE. DC.	ARGEMONE.	Polyandria Monogynia.				
1 mexicana. DC.	(ye.) Mexican.	Mexico.	1592.	7. 8.	H. ⊙.	Bot. mag. 243.
2 ochroleuca. B.F.G.(st.)	straw-coloured.	—	1827.	7. 10.	H. ⊙.	Swt. br. fl. gar. 242.
3 albiflora. B.M.	(wh.) white-flowered.	Louisiana.	1820.	—	H. ♀.	Bot. mag. 2342.
4 grandiflora. B.F.G.(w.)	large-flowered.	Mexico.	1827.	7. 10.	H. ♀.	Swt. br. fl. gar. 226.
MECONO'PSIS. DC.	MECONO'PSIS.	Polyandria Monogynia.				
cámbrica. DC.	(st.) Welsh.	Wales.	5. 8.	H. ♀.	Eng. bot. 66.
<i>Papaver cámbricum.</i> w.						
SANGUIN'ARIA. DC.	PUCCOON.	Polyandria Monogynia.				
canadensis. DC.	(wh.) Bloodwort.	N. America.	1680.	3. 4.	H. ♀.	Bot. mag. 162.
MACLEA'YA. B.	MACLEA'YA.	Polyandria Monogynia.				
cordata. B.	(bh.) heart-leaved.	China.	1795.	5. 8.	H. ♀.	Bot. mag. 1905.
<i>Boccònia cordata.</i> DC.						
BOCC'ONIA. DC.	BOCC'ONIA.	Dodecandria Monogynia.				
1 frutescens. DC.	(gr.) Tree Celandine.	W. Indies.	1739.	1. 4.	S. ♀.	Lodd. bot. cab. t. 83.
2 integrifolia. DC.	(gr.) entire-leaved.	Peru.	1822.	S. ♀.	H. et B. nov. pl. 1. t. 35.
ESCHSCHO'LTZIA. D.	ESCHSCHO'LTZIA.	Polyandria Monogynia.				
californica. DC.	(ye.) Menzies'.	California.	1826.	7. 10.	H. ♀.	Swt. br. fl. gar. 265.
HUNNEMA'NNIA. B.F.G.	HUNNEMA'NNIA.	Polyandria Monogynia.				
fumariæfolia. B.F.G.(y.)	Fumitory-leav'd	Mexico.	1827.	7. 10.	H. ♀?	Swt. br. fl. gar. 276.
RÆM'ERIA. DC.	RÆM'ERIA.	Polyandria Monogynia.				
1 hybrida. DC.	(re.) violet-flowered.	England.	5. 7.	H. ⊙.	Eng. bot. 201.
<i>Gláucium violaceum.</i> H.K.						
2 refracta. DC.	(re.) pendulous-fruit.	Tauria.	1823.	—	H. ⊙.	Deles. ic. sel. 2. t. 8.
GLAUCIUM. DC.	HORN-POPPY.	Polyandria Monogynia.				
1 flavum. DC.	(ye.) yellow.	Britain.	6. 10.	H. ♂.	Eng. bot. t. 8.
<i>Chelidonium gláucium.</i> L.						
2 fulvum. DC.	(or.) orange.	S. Europe.	1802.	8. 9.	H. ♀.	Swt. br. fl. gar. 35.
3 tricolor. s.s.	(v.) three-coloured.	Poland.	1828.	6. 9.	H. ⊙.	
4 corniculatum. DC.	(re.) various-colour'd	Europe.	6. 7.	H. ⊙.	
α phæniceum. DC.	(re.) red-flowered.	England.	—	H. ⊙.	Eng. bot. 1433.
β flaviflorum. DC.	(ye.) yellow-flowered.	Tauria.	1823.	—	H. ⊙.	
CHELIDONIUM. DC.	CELANDINE.	Polyandria Monogynia. L.				
1 majus. DC.	(ye.) common.	Britain.	4. 10.	H. ♀.	Eng. bot. 1581.
2 grandiflorum. DC.	(ye.) large-flowered.	Dahuria.	1823.	—	H. ♀.	
3 laciniatum. DC.	(ye.) jagged.	S. Europe.	—	H. ♀.	Mill. ic. 1. t. 92. f. 2.
HYPE'COUM. DC.	HYPE'COUM.	Tetrandria Digynia. L.				
1 procumbens. DC.	(ye.) procumbent.	S. Europe.	1596.	6. 7.	H. ⊙.	Swt. br. fl. gar. 3. t. 217.
2 pendulum. DC.	(ye.) pendulous.	S. France.	1640.	—	H. ⊙.	Mill. ic. t. 250. f. 1.
3 erectum. DC.	(ye.) erect.	Siberia.	1759.	5. 6.	H. ♂.	Amm. ruth. 58. t. 9.

ORDO XII.

FUMARIACEÆ. DC. *sys. nat.* 2. p. 105.

DICLYTRA. DC.		DICLYTRA. Diadelphia Hexandria. L.			
1	cucullària. DC. (<i>wh.</i>) naked stalked.	N. America.	1731.	6. 7.	H. ♀. Bot. mag. 1127.
	<i>Fumària cucullària.</i> B.M.				
	β <i>divaricàta.</i> DC. (<i>wh.</i>) spreading-spur'd.	N. America.	—	—	H. ♀.
2	bracteòsa. DC. (<i>wh.</i>) leafy-bracted.	—	1823.	—	H. ♀.
3	formòsa. DC. (<i>re.</i>) blush.	—	1796.	—	H. ♀. Bot. mag. 1335.
4	exímia. DC. (<i>re.</i>) choice.	—	1812.	—	H. ♀. Bot. reg. 51.
	<i>Fumària exímia.</i> B.R.				
5	tenuifòlia. DC. (<i>bh.</i>) slender-leav'd.	Kamtschatka.	1824.	5. 7.	H. ♀. Deles. ic. sel. 2. t. 9. f. B.
6	canadénsis. DC. (<i>pu.</i>) Canadian.	Canada.	1823.	—	H. ♀.
7	lachenaliæflòra. DC. (<i>p.</i>) Lachenia-fl ^d .	Siberia.	1824.	H. ♀. Rudol. m. sc. pet. 1. t. 19.
ADLUMIA. DC.		ADLUMIA. Diadelphia Hexandria. L.			
	cirrhòsa. DC. (<i>bh.</i>) tendrilled.	N. America.	1778.	6. 9.	H. ♂. Vent. choix. t. 19.
	<i>Fumària fungòsa.</i> W.				
CYSTICA'PNOS. DC.		CYSTICA'PNOS. Diadelphia Hexandria. L.			
	africàna. DC. (<i>bh.</i>) African.	C. B. S.	1696.	6. 8.	H. ⊙. Wein. phyt. t. 521. f. c.
	<i>Fumària resicària.</i> W.				
CORY'DALIS. DC.		CORY'DALIS. Diadelphia Hexandria. L.			
1	pauciflòra. DC. (<i>pu.</i>) few-flowered.	Siberia.	1823.	H. ♀.
2	Marschalliàna. DC. (<i>st.</i>) Marschall's.	Tauria.	—	4. 5.	H. ♀.
3	tuberòsa. DC. (<i>pu.</i>) hollow-rooted.	Europe.	1596.	2. 4.	H. ♀. Bot. mag. 232.
	β <i>albiflòra.</i> (<i>wh.</i>) white-flowered.	—	—	—	H. ♀. ——— 2340.
	<i>Fumària càra. albiflòra.</i> B.M.				
4	fabàcea. DC. (<i>pu.</i>) Bean-leaved.	Germany.	1815.	—	H. ♀. Horn. fl. dan. t. 1394.
5	caucásica. DC. (<i>pu.</i>) Caucasian.	Caucasus.	1823.	—	H. ♀.
6	bulbòsa. DC. (<i>pu.</i>) solid-rooted.	Britain.	—	H. ♀. Eng. bot. 1471.
	<i>Fumària sólida.</i> E. B. <i>Cory'dalis Hallèri.</i> W. en.				
7	angustifòlia. DC. (<i>pu.</i>) narrow-leaved.	Iberia.	1823.	—	H. ♀.
8	bracteàta. DC. (<i>st.</i>) large-bracted.	Siberia.	1822.	—	H. ♀.
9	nòbilis. DC. (<i>st.</i>) great-flowered.	—	1783.	5.	H. ♀. Bot. reg. 395.
10	Gebleri. F. (<i>bh.</i>) Altay.	Altay.	1827.	5. 6.	H. ♀?
11	pæoniæfòlia. DC. (<i>pu.</i>) Pæony-leaved.	Siberia.	1823.	—	H. ♀. Gmel. sib. 4. t. 34.
12	glàuca. DC. (<i>bh.</i>) glaucous.	N. America.	1683.	7. 8.	H. ⊙. Bot. mag. 179.
	<i>Fumària sempervirens.</i> W.				
13	stricta. DC. (<i>pu.</i>) upright.	Siberia.	1825.	5. 7.	H. ♀.
14	sibírica. DC. (<i>ye.</i>) Siberian.	—	—	—	H. ♀. Amm. ruth. n. 173. t. 20.
15	impàtiens. DC. (<i>ye.</i>) impatient.	Dahuria.	1823.	—	H. ⊙.
16	àurea. DC. (<i>ye.</i>) golden.	N. America.	1812.	5. 7.	H. ♂. Bot. reg. 66.
	<i>Fumària àurea.</i> B.R.				
17	lùtea. P.S. (<i>ye.</i>) yellow.	England.	4. 10.	H. ♀. Eng. bot. 588.
18	capnoïdes. P.S. (<i>wh.</i>) white-flowered.	S. Europe.	1596.	5. 10.	H. ♂. Pluk. alm. t. 90. f. 2.
19	acáulis. DC. (<i>st.</i>) stalkless.	Germany.	1825.	7. 9.	H. ⊙. Jacq. ic. 3. t. 554.
20	uralénsis. DC. (<i>ye.</i>) Fischer's.	Siberia.	1823.	H. ♀.
21	breviflòra. DC. (<i>st.</i>) short-flowered.	Kamtschatka.	—	5. 10.	H. ⊙.
22	claviculàta. DC. (<i>wh.</i>) climbing.	Britain.	—	H. ⊙. Eng. bot. 103.
SARCOCA'PNOS. DC.		SARCOCA'PNOS. Diadelphia Hexandria. L.			
	enneaphy'lla. DC. (<i>bh.</i>) nine-leaved.	Spain.	1714.	5. 7.	H. ♀. Barr. ic. t. 42.
	<i>Fumària enneaphy'lla.</i> W.				
FUMARIA. DC.		FUMITORY. Diadelphia Hexandria. L.			
1	spicàta. DC. (<i>re.</i>) narrow-leaved.	S. Europe.	1714.	4. 6.	H. ⊙. Lob. ic. t. 757. f. 2.
2	capreolàta. DC. (<i>wh.</i>) climbing.	Europe.	5. 9.	H. ⊙. DC. ic. rar. 1. t. 34.
	β <i>Burchèllii.</i> DC. (<i>wh.</i>) Burchell's.	C. B. S.	1812.	—	H. ⊙.
3	mèdia. DC. (<i>pu.</i>) intermediate.	Britain.	—	H. ⊙. Eng. bot. 943.
	<i>capreolàta.</i> E. B.				
4	prehénsibilis. K. (<i>pu.</i>) short-leaved.	Hungary.	1821.	6. 9.	H. ⊙.
5	alexandrina. E. Egyptian.	Egypt.	1826.	—	H. ⊙.
6	officinàlis. DC. (<i>re.</i>) common.	—	—	H. ⊙. Eng. bot. 5-9.
	β <i>grandiflòra.</i> DC. (<i>re.</i>) large-flowered.	C. B. S.	1818.	—	H. ⊙.
7	micrantha. DC. (<i>wh.</i>) small-blossom'd.	Spain.	1824.	4. 8.	H. ⊙.
8	parviflòra. DC. (<i>wh.</i>) small-flowered.	England.	8. 9.	H. ⊙. Eng. bot. 590.
9	Vaillantii. DC. (<i>pu.</i>) Vaillant's.	France.	5. 6.	H. ⊙. Vail. bot. par. t. 10. f. 6.
10	densiflòra. DC. (<i>pu.</i>) close-flowered.	Montpelier.	1823.	—	H. ⊙.
	β <i>albida.</i> DC. (<i>wh.</i>) white-flowered.	—	—	—	H. ⊙.

ORDO XIII.

CRUCIFERÆ. DC. *syst. nat.* 2. p. 139.

SUBORDO I. PLEURORHIZÆ. DC.

Tribus I. *ARABIDEÆ* seu Pleurorhizæ Siliquosæ. DC.

MATHIOLA. DC.		Stock. Tetradymania Siliquosa. L.						
1 simplicicaulis.	(sc.)	Brompton.	5. 8.	H. ♂.		
a coccinea.	(sc.)	scarlet.	—	H. ♂.	Besl. eyst. 2. t. 3. f. 3.	
β alba.	(wh.)	white.	—	H. ♂.	— 2. t. 3. f. 2.	
2 incana. DC.	(va.)	queen.	England.	5. 11.	H. ♀.	Eng. bot. 1935.	
a coccinea.	(sc.)	scarlet.	—	H. ♀.		
β purpurea.	(pu.)	purple.	—	H. ♀.	Wein. phyt. t. 642. f. 9.	
γ alba.	(wh.)	white.	—	H. ♀.	Besl. eyst. 2. t. 3. f. 2.	
δ multiplēx.	(va.)	double-flowered.	—	H. ♀.	— 2. t. 3. f. 1.	
3 annua. DC.	(va.)	ten-week.	S. Europe.	1731.	5 11.	H. ⊙.		
a coccinea.	(sc.)	scarlet.	—	H. ⊙.		
β purpurea.	(pu.)	purple.	—	H. ⊙.	J. Bauh. hist. 2. f. 1.	
δ rubra.	(re.)	red.	—	H. ⊙.		
ε rosea.	(ro.)	rose-coloured.	—	H. ⊙.		
ζ carnea.	(fl.)	flesh-coloured.	—	H. ⊙.		
η fuscata.	(br.)	brown.	—	H. ⊙.		
θ fulva.	(br.)	tawny.	—	H. ⊙.		
i lilacina.	(li.)	lilac.	—	H. ⊙.		
κ alba.	(wh.)	white.	—	H. ⊙.	Dalech. lug. 802. f. 1.	
λ variegata.	(v.)	variegated.	—	H. ⊙.		
μ flore pleno.	(va.)	double-flowered.	—	H. ⊙.		
4 glabra. DC.	(va.)	Wall-flower-ld.	—	H. ♀.	Wein. phyt. t. 642. f. 2.	
a alba.	(wh.)	white-flowered.	—	H. ♀.	Moris. ox. s. 3. t. 8. f. 2.	
β purpurea.	(pu.)	purple.	—	H. ♀.		
γ coccinea.	(sc.)	scarlet.	—	H. ♀.		
δ flore pleno.	(va.)	double-flowered.	—	H. ♀.		
5 græca. DC.	(wh.)	smooth-leaved.	Greece.	—	H. ⊙.		
6 fenestralis. DC.	(re.)	window.	Crete.	1759.	7. 8	F. ♀.	Jacq. vind. 2. t. 179.	
7 sinuata. DC.	(pu.)	great sea.	England.	5. 8.	H. ♂.	Eng. bot. 462.	
8 acaulis. DC.	(pu.)	stalkless.	Egypt.	1823.	—	H. ⊙.		
9 torulosa. DC.	(pu.)	twisted-podded.	C. B. S.	1816.	—	G. ♀.		
10 tatarica. DC.	(br.)	Tartarian.	Tartary.	1826.	—	H. ♀.	Pall. it. 1. app. 117. t. O.	
11 odoratissima. DC.	(br.)	sweet-scented.	Tauria.	1797.	6. 7.	G. ♀.	Bot. mag. 1711.	
β tanaicensis. DC.	(br.)	fragrant.	Tanaim.	1822.	—	G. ♀.		
12 varia. DC.	(br.)	entire-leaved.	Greece.	5. 7.	G. ♀.	Fl. græc. t. 636.	
13 tristis. DC.	(br.)	various-leaved.	S. Europe.	1768.	—	G. ♀.	Barr. ic. t. 803.	
14 coronopifolia. DC.	(pu.)	Buckshorn-ld.	1825.	—	H. ♀.	Flor. græc. t. 637.	
15 livida. DC.	(br.)	livid.	Egypt.	1828.	—	H. ⊙.	Deles. ic. sel. 2. t. 12.	
16 longipetala. DC.	(br.)	long-petaled.	Bagdad.	1819.	—	H. ⊙.	Vent. cels. t. 93.	
17 tricuspidata. DC.	(pu.)	three-forked.	Barbary.	1739.	7. 10.	H. ⊙.	Swt. br. fl. gar. 46.	
18 parviflora. DC.	(pu.)	small-flowered.	Morocco.	1799.	—	H. ⊙.		
CHEIRA'NTHUS. DC		WALL-FLOWER. Tetradymania Siliquosa. L.						
1 Chèiri. DC.	(ye.)	garden.	S. Europe.	1573.	4. 7.	H. ♀.	Schkuhrhand. 2. t. 184.	
a vulgaris.	(ye.)	common.	—	H. ♀.	Besl. eyst. 2. t. 5. f. 3.	
β flore pleno.	(ye.)	double-yellow.	—	H. ♀.	— 2. t. 4. f. 2. 3.	
γ grandiflorus.	(ye.)	large-flowered.	—	H. ♀.	— 2. t. 5. f. 2.	
δ maximus.	(ye.)	largest.	—	H. ♀.	— 2. t. 5. f. 1.	
ε serratus.	(ye.)	saw-leaved.	—	H. ♀.		
ζ patulus.	(ye.)	double-spreading.	—	H. ♀.		
ι ferrugineus.	(p.y.)	rusty-flowered.	—	H. ♀.		
κ varius.	(p.y.)	various-coloured.	—	H. ♀.		
λ sanguineus.	(p.y.)	bloody.	—	H. ♀.		
μ hamanthus.	(p.y.)	double-bloody.	—	H. ♀.		
ν flarescens.	(ye.)	pale-yellow.	—	H. ♀.		
ξ thyrsoideus.	(ye.)	bunch-flowered.	—	H. ♀.		

2	fruticulòsus. E.B. (ye.) common.	England.	4. 7.	H. ♀.	Eng. bot. 1934.
3	alpìnus. DC. (ye.) Alpine.	Norway.	1823.	—	H. ♀.	Wahl. fl. lap. t. 12. f. 1.
4	ochroleucus. DC. (st.) pale yellow. <i>decumbens</i> . W. en.	Switzerland.	1820.	6. 8.	H. ♀.	
5	tenuifolius. DC. (ye.) fine-leaved.	Madeira.	1777.	5. 6.	F. ♀.	
6	mutabilis. DC. (li.) changeable.	—	—	3. 5.	F. ♀.	Bot. mag. 195.
7	longifolius. v. (li.) long-leaved.	—	1815.	9. 12.	F. ♀.	Vent. malm. t. 83.
8	scoparius. DC. (ra.) rock. <i>α purpurascens</i> . DC. (p.) purplish. <i>β æruginosus</i> . DC. (br.) rusty. <i>γ chamæleo</i> . DC. (p.y.) Chameleon. <i>Cheiri</i> , var. <i>Chamæleon</i> . B.R.	Teneriffe.	—	3. 8.	F. ♀.	
		—	—	—	F. ♀.	
		—	—	—	F. ♀.	
		—	—	—	F. ♀.	Bot. reg. 219.
9	semperflòrens. DC. (w.) ever-blowing.	Barbary.	—	1. 12.	F. ♀.	
10	frutescens. P.S. (wh.) frutescent.	—	—	3. 7.	F. ♀.	
11	linifolius. DC. (pu.) flax-leaved.	Spain.	—	3. 8.	F. ♀.	
12	arborescens. Sie. (pu.) arborescent.	Levant.	1827.	4. 8.	G. ♀.	
NASTURTIUM. DC. NASTURTIUM. Tetrodynamia Siliquosa. L.						
	<i>officinale</i> . DC. (wh.) Water Cress.	Britain.	5. 7.	H.w. ♀.	Eng. bot. 855.
	<i>Sisymbrium Nasturtium</i> . w.					
	<i>β præcòcius</i> . DC. (wh.) early.	—	—	—	H.w. ♀.	Pet. h. brit. t. 47. f. 3.
2	sylvèstre. DC. (ye.) creeping.	—	6. 9.	H.w. ♀.	Eng. bot. 2324.
3	ancéps. DC. (ye.) flat-edged.	N. Europe.	1826.	—	H.w. ♀.	Flor. dan. t. 984.
4	palústre. DC. (ye.) marsh. <i>Sisymbrium terrestre</i> . E.B.	Britain.	—	H.w. ⊙.	Eng. bot. 1747.
5	sagittatum. DC. (ye.) arrow-leaved.	Siberia.	1780.	5. 6.	H. ♀.	Jacq. ic. 1. t. 122.
6	lippizense. DC. (ye.) Carinthian.	Carinthia.	1823.	—	H. ♀.	— 3. t. 505.
7	pyrenæicum. DC. (ye.) Pyrenean.	Pyrenees.	1775.	—	H. ♀.	All. fl. ped. t. 18. f. 1.
8	amphibium. DC. (ye.) amphibious.	Britain.	6. 8.	H.w. ♀.	Eng. bot. 1840.
	<i>α indivisum</i> . DC. (ye.) brd. wat.-radish.	—	—	H.w. ♀.	Pet. h. brit. t. 49. f. 8.
	<i>β variifolium</i> . DC. (ye.) jag. wat.-radish.	—	—	H.w. ♀.	— t. 49. f. 10.
9	benghalense. DC. (wh.) Bengal.	Bengal.	6. 10.	H. ⊙.	
10	clandestinum. DC. (wh.) small-flowered.	Brazil.	1821.	—	H. ⊙.	
11	indicum. DC. (gr.) Indian.	E. Indies.	—	—	H. ⊙.	
12	atrovirens. H. (ye.) dark green.	China.	1826.	—	H. ⊙.	
LEPTOCA'RPÆA. DC. LEPTOCA'RPÆA. Tetrodynamia Siliquosa. L.						
	<i>Loesèlii</i> . DC. (ye.) Loeselius's.	Germany.	1683.	5. 8.	H. ⊙.	Jacq. aust. t. 324.
	<i>Sisymbrium Loesèlii</i> . w. <i>Turrìtis Loesèlii</i> . H. K.					
NOTO'CERAS. DC. NOTO'CERAS. Tetrodynamia Siliquosa. L.						
1	canariense. DC. (ye.) Canary. <i>Erysimum bicorne</i> . w.	Canaries.	1779.	8. 9.	H. ⊙.	Jacq. fil. eclog. t. 111.
2	hispanicum. DC. (ye.) Spanish.	Spain.	1822.	3. 10.	H. ⊙.	Deles. ic. sel. 2. t. 17.
3	quadricorne. DC. (ye.) four-horned.	Siberia.	1824.	5. 10.	H. ⊙.	— 2. t. 16.
BARBAR'EA. DC. WINTER-CRESS. Tetrodynamia Siliquosa. L.						
1	vulgàris. DC. (ye.) common. <i>Erysimum Barbarèa</i> . w.	Britain.	5. 8.	H. ♀.	Eng. bot. 443.
2	præcox. DC. (ye.) early.	England.	4. 10.	H. ♀.	— 1129.
3	taurica. DC. (ye.) Taurian.	Tauria.	1825.	7. 9.	H. ♀.	
4	ibèrica. DC. (ye.) Iberian. <i>Cheiranthus ibèricus</i> . W. en.	Iberia.	1816.	5. 8.	H. ♀.	
5	plantaginea. DC.	Plaintain-leav'd. Levant.	1823.	—	H. ♀.	Deles. ic. sel. 2. t. 19.
STEVE'NIA. DC. STEVE'NIA. Tetrodynamia Siliquosa. L.						
1	alyssoides. DC. (wh.) Alyssum-like.	Siberia.	1823.	6. 8.	H. ⊙.	Deles. ic. sel. 2. t. 20.
2	cheiranthoides. DC. (pu.) Wall-flow.-like.	—	—	—	H. ♀.	— 2. t. 21.
BRA'YA. DC. BRA'YA. Tetrodynamia Siliquosa. DC.						
1	alpina. DC. (pu.) Alpine.	Carinthia.	1821.	4. 5.	H. ♀.	Deles. ic. sel. 2. t. 22.
2	glabella. DC. (pu.) smooth.	Arctic R.	1827.	—	H. ♀.	
TURRITIS. DC. TOWER-MUSTARD. Tetrodynamia Siliquosa. L.						
1	glabra. DC. (wh.) long-podded.	England.	5. 6.	H. ⊙.	Eng. bot. 777.
	<i>β ramosa</i> . DC. (wh.) branching.	—	H. ⊙.	Clus. hist. 2. p. 126. f. 2.
2	salsuginosa. DC. (wh.) shorter-podded.	Siberia.	1822.	—	H. ⊙.	Pal. it. 2. app. n. 114. t. V.
A'RABIS. DC. WALL-CRESS. Tetrodynamia Siliquosa. L.						
1	vèrna. DC. (pu.) vernal. <i>Hesperis vèrna</i> . w.	S. Europe.	1710.	4. 5.	H. ⊙.	Flor. græc. t. 641.
2	rosèa. DC. (ro.) rose-coloured.	Calabria.	1827.	—	H. ♂.	Deles. ic. sel. 2. t. 23.
3	alpina. DC. (wh.) Alpine. <i>β Clusiàna</i> . DC. (wh.) Clusius's.	Pyrenees.	1596.	3. 5.	H. ♀.	Bot. mag. 226.
	<i>γ nana</i> . DC. (wh.) dwarf.	—	—	—	H. ♀.	Clus. hist. 2. p. 125. f. 2.
4	álbida. DC. (wh.) early-flowered. <i>caucàsica</i> . B.M. 2016.	Hungary.	—	H. ♀.	
		Tauria.	1798.	1. 5.	H. ♀.	Jacq. f. ecl. 1. t. 71.

5 undulàta. L. en. (wh.) wave-leaved.	S. Europe.	1823.	5. 8.	H. ⊙.	
6 thyrsòidea. DC. (wh.) bunch-flowered.	Levant.	1826.	—	H. 4.	Flor. græc. t. 642.
7 longifòlia. DC. (wh.) long-leaved.	Persia.	1820.	—	H. 4.	Deles. ic. sel. 2. t. 25.
8 móllis. DC. (wh.) soft.	Caucasus.	1825.	5. 7.	H. ♂.	
9 toxophýlla. DC. (wh.) bow-leaved.	Volga.	1828.	—	H. ♂.	
10 auriculàta. DC. (wh.) ear-leaved.	S. Europe.	1805.	5. 6.	H. ⊙.	
<i>úspera.</i> All. ped. t. 2. f. 2.					
11 saxátillis. DC. (wh.) rock.	—	—	—	H. ♂.	Vill. dauph. 3. t. 37.
12 crispàta. DC. (wh.) curled-leaved.	Carniola.	1816.	3. 4.	H. 4.	
13 sagittàta. DC. (wh.) arrow-leaved.	Europe.	5. 7.	H. ♂.	
14 hirsùta. DC. (wh.) hairy.	Britain.	—	H. ♂.	Eng. bot. 587.
15 stenopètala. W. en. (w.) narrow-petal'd.	1822.	6. 8.	H. ⊙.	
16 curtisíliqua. DC. (wh.) short-podded.	Scania.	1825.	5. 7.	H. ♂.	
17 Allionii. DC. (wh.) Allioni's.	Italy.	5. 7.	H. 4.	
18 muràlis. DC. (wh.) dwarf.	Switzerland.	1824.	5. 6.	H. 4.	
19 strícta. DC. (wh.) Bristol.	England.	—	H. 4.	Eng. bot. 614.
20 ciliàta. DC. (wh.) ciliated.	Ireland.	6. 7.	H. ♂.	— 1746.
<i>Turrítis álпина.</i> E. B.					
21 incàna. DC. (wh.) hoary.	Switzerland.	1816.	5. 6.	H. ♂.	
22 Thaliàna. DC. (wh.) common.	Britain.	4. 6.	H. ⊙.	Eng. bot. 901.
23 serpyllifòlia. DC. (wh.) Thyme-leaved.	Pyrenees.	1824.	6. 7.	H. ♂.	
24 procúrrens. DC. (wh.) procurrent.	Hungary.	—	5. 6.	H. 4.	W. et. Kit. hun. 2. t. 144.
25 præ'cox. DC. (wh.) early-flowering.	—	1822.	4. 6.	H. 4.	
26 Schivereckiàna. DC. (w.) Schivereck's.	Austria.	1827.	—	H. 4.	
27 petr'æa. DC. (wh.) short-podded.	Europe.	5. 7.	H. 4.	
<i>a</i> Crantziàna. DC. (w.) Crantz's.	Germany.	—	H. 4.	Crantz. aust. t. 3. f. 2.
<i>β</i> hispida. DC. (wh.) hispid.	Wales.	—	H. 4.	Flor. dan. t. 386.
<i>γ</i> hastulàta. DC. (wh.) hastulate.	Britain.	—	H. 4.	Eng. bot. 409.
28 ambígua. DC. (wh.) ambiguous.	Siberia.	1824.	5. 7.	H. 4.	
29 lyràta. DC. (wh.) lyre-leaved.	N. America.	1823.	5. 6.	H. 4.	
30 arenòsa. DC. (ro.) purple.	Europe.	1798.	6. 7.	H. 4.	Schranck. m. 3. t. 256.
31 Hallèri. DC. (wh.) Haller's.	—	1820.	5.	H. ♂.	W. et Kit. hun. 2. t. 120.
32 stolonífera. DC. (wh.) stoloniferous.	Carniola.	1824.	—	H. 4.	Scop. carn. ed. 2. t. 39.
33 ovirènsis. DC. (ro.) reddish.	Carinthia.	—	5. 6.	H. 4.	Jacq. ic. 1. t. 125
34 cebennènsis. DC. (re.) pale-violet.	S. France.	1824.	5. 7.	H. ♂.	Deles. ic. sel. 2. t. 26.
35 lasiolòba. DC. (wh.) woolly-podded.	Mexico.	—	—	H. ♂.	
36 Turríta. DC. (wh.) tower.	England.	4. 5.	H. ♂.	Eng. bot. 178.
37 péndula. DC. (wh.) pendulous.	Siberia.	1752.	5. 6.	H. ⊙.	Jacq. vind. 3. t. 34.
38 Patriniàna. DC. (wh.) Patrin's.	—	1826.	—	H. ♂.	Deles. ic. sel. 2. t. 27.
39 oxyòta. DC. (wh.) sharp-eared.	—	—	—	H. ♂.	
40 lúcida. DC. (wh.) shining-leaved.	Hungary.	1790.	6. 7.	H. 4.	
41 canadènsis. DC. (wh.) sickle-podded.	N. America.	1768.	5. 7.	H. 4.	Deles. ic. sel. 2. t. 28.
42 pùmila. DC. (wh.) nodding.	Switzerland.	1658.	4. 7.	H. 4.	Jacq. fl. aust. t. 281.
<i>nùtans.</i> B. M. 2219. <i>ciliaris.</i> W. en.					
43 bellidifòlia. DC. (wh.) Daisy-leaved.	Pyrenees.	1773.	5. 6.	H. 4.	— 3. t. 280.
44 cœrùlea. DC. (bl.) blue.	—	1793.	6. 7.	H. 4.	Sturm. deut. fl. ic.
45 collina. DC. (wh.) hill.	Naples.	1823.	—	H. 4.	
46 dasycárpa. DC. (wh.) thick-podded.	Poland.	1826.	5. 7.	H. 4.	
MACROP'ODIUM. DC. MACROP'ODIUM. <i>Tetradynamia Siliquosa.</i> L.					
nivàle. DC. (wh.) Siberian.	Siberia.	1796.	6. 9.	H. 4.	Pall. it. 2. ap. n. 113. t. v.
<i>Cardámine nivàlis.</i> Pall.					
CARDA'MINE. DC. LADY'S SMOCK. <i>Tetradynamia Siliquosa.</i> L.					
1 rhomboídea. DC. (wh.) rhomboid.	N. America.	1825.	5. 7.	H. w. 4.	Pluk. amal. t. 435. t. 6.
2 rotundifòlia. DC. (wh.) round-leaved.	—	1823.	5. 6.	H. w. 4.	
3 asarifòlia. DC. (wh.) kidney-leaved.	Italy.	1710.	6. 7.	H. w. 4.	Bot. mag. 1735.
4 bellidifòlia. DC. (wh.) Daisy-leaved.	Scotland.	4. 6.	H. 4.	
<i>a</i> petioláris. DC. (wh.) long-petioled.	Lapland.	—	H. 4.	Æd. fl. Dan. t. 20.
<i>β</i> alpina. DC. (wh.) Alpine.	Scotland.	—	H. 4.	Eng. bot. 2355.
5 resedifòlia. DC. (wh.) Rocket-leaved.	Germany.	1653.	7.	H. ⊙.	Sturm. fl. germ. ic.
6 microphyýlla. DC. (wh.) small-leaved.	Siberia.	1828.	5. 7.	H. 4.	
7 africàna. DC. (wh.) African.	C. B. S.	1691.	5. 6.	G. 4.	Pluk. alm. t. 101. f. 5.
8 trifòlia. DC. (wh.) three-leaved.	Europe.	1629.	3. 6.	H. w. 4.	Bot. mag. 452.
9 amàra. DC. (wh.) bitter.	Britain.	4. 5.	H. w. 4.	Eng. bot. 1000.
10 prorèpens. DC. (wh.) creeping.	Siberia.	1825.	4. 6.	H. w. 4.	
11 pratènsis. DC. (li.) Cuckoo-flower.	Britain.	—	H. w. 4.	Eng. bot. 776.
<i>β</i> flore plèno. (li.) double-flowered.	—	—	H. w. 4.	Clus. hist. 2. p. 129. f. 1.
12 dentàta. DC. (wh.) toothed.	Poland.	1823.	—	H. w. 4.	
13 hirsùta. DC. (wh.) hairy.	Britain.	1. 12.	H. ⊙.	Eng. bot. 492.
14 sylvática. DC. (wh.) wood.	Europe.	5. 6.	H. ⊙.	Flor. dan. t. 735.

15	umbròsa. DC.	(wh.) smooth.	Europe.	4. 6.	H. ☉.	
16	parviflòra. DC.	(wh.) small-flowered.	————	1822.	4. 5.	H. ☉.	Gmel. fl. sib. 3. t. 64.
17	impàtiens. DC.	(wh.) impatient.	Britain.	4. 6.	H. ☉.	Eng. bot. 80.
18	latifòlia. DC.	(pu.) broad-leaved.	Spain.	1710.	6. 8.	H.w. ♀.	Herm. par. p. 203. t. 69.
19	macrophy'lla. DC.	(li.) large-leaved.	Siberia.	1824.	—	H. ♀.	
20	chelidònia. DC.	(pu.) Celandine-ld.	Italy.	1739.	3. 5.	H. ♀.	W. et Kit. hung. 2. t. 140.
21	thalictróides. DC.	(wh.) Thalictrum-ld.	Switzerland.	1824.	6. 7.	H. ♂.	All. ped. n. 951. t. 57. f. 1.
22	glàuca. DC.	(wh.) glaucous.	Calabria.	1824.	5. 7.	H. ♀.	Deles. ic. sel. 2. t. 31.
23	occúlta. DC.	(gr.) hidden-flower'd.	China.	—	5. 9.	H. ☉.	
PTERONEURUM. DC. PTERONEURUM. Tetrodynamia Siliquosa. L.							
1	caròsum. DC.	(wh.) fleshy.	Dalmatia.	1824.	6. 8.	H. ♀.	W. et Kit. hung. 2. t. 129.
2	græ'cum. DC.	(wh.) Grecian.	S. Europe.	1710.	—	H. ☉.	Flor. græc. t. 631.
<i>Cardamine græ'ca. w.</i>							
DENTARIA. DC. TOOTH-WORT. Tetrodynamia Siliquosa. L.							
1	polyphy'lla. DC.	(st.) many-leaved.	Hungary.	1817.	5. 6.	H. ♀.	W. et Kit. hung. 2. t. 160.
2	enneaphy'lla. DC.	(wh.) nine-leaved.	Austria.	1656.	—	H. ♀.	Jacq. fl. aust. t. 316.
3	glandulòsa. DC.	(pu.) glandular.	Hungary.	1815.	—	H. ♀.	W. et Kit. hung. 3. t. 272.
4	laciniàta. DC.	(wh.) laciniate.	N. America.	1823.	4. 6.	H. ♀.	
5	diphy'lla. DC.	(wh.) two-leaved.	————	1810.	5. 6.	H. ♀.	Bot. mag. 1465.
6	trifòlia. DC.	(wh.) three-leaved.	Hungary.	1824.	—	H. ♀.	W. et K. hung. 2. t. 139.
7	digitàta. DC.	(w.p.) fingered.	Switzerland.	1656.	—	H. ♀.	Bot. mag. 2202.
<i>pentaphy'lla. B.M. Cardamine pentaphy'lla. H. K. ed. 2.</i>							
8	pinnàta. DC.	(wh.) seven-leaved.	————	1683.	—	H. ♀.	Boiss. fl. eur. t. 449.
9	quinquefòlia. DC.	(wh.) five-leaved.	Caucasus.	1823.	4. 5.	H. ♀.	Deles. ic. sel. 2. t. 33.
10	bulbífera. DC.	(bh.) bulbiferous.	England.	—	H. ♀.	Eng. bot. 309.
<i>Cardamine bulbífera. H. K. ed. 2.</i>							
11	tenuifòlia. DC.	(pu.) slender-leaved.	Siberia.	1825.	5. 6.	H. ♀.	Gmel. sib. 3. n. 41. t. 65.
<i>trífida. Lam. ill. t. 562. f. 2.</i>							
PA'RRYA. B. PA'RRYA. Tetrodynamia Siliquosa.							
1	àrtica. B.	(pu.) arctic.	Melvill Isl.	1827.	5. 6.	H. ♀.	
2	arabidiflòra.	(pu.) Arabis-flower'd.	Siberia.	1798.	—	H. ♀.	Linn. am. ac. 2. t. L. f. 20.
<i>Arabis grandiflòra. L. Neurolòma arabidiflòrum. DC.</i>							
PLATYPE'TALUM. B. PLATYPE'TALUM. Tetrodynamia Siliquosa.							
	purpuràscens. B.	(pu.) purplish.	Melvill Isl.	1827.	5. 6.	H. ♀.	

Tribus II. *ALYSSINEÆ* seu Pleurorrhizeæ Latiseptæ. DC.

LUN'ARIA. DC. HONESTY. Tetrodynamia Siliculosa. L.							
1	rediviva. DC.	(li.) perennial.	Germany.	1596.	4. 6.	H. ♀.	Hill veg. syst. t. 38. f. 1.
2	biénnis. DC.	(w.p.) biennial.	————	1570.	—	H. ♂.	———— t. 38. f. 2.
<i>ànnua. w.</i>							
	<i>α violàcea.</i>	(pu.) violet-flowered.	————	—	—	H. ♂.	
	<i>β albiflòra.</i>	(wh.) white-flowered.	————	—	—	H. ♂.	
RIC'OTIA. DC. RIC'OTIA. Tetrodynamia Siliculosa. L.							
	Lunària. DC.	Syrian.	Syria.	1757.	6. 7.	H. ☉.	Lam. ill. t. 561.
<i>ægyptiaca. Bot. Reg. 49.</i>							
FARS'ETIA. DC. FARS'ETIA. Tetrodynamia Siliculosa. L.							
1	ægyptiaca. DC.	(br.) Stock-like.	Levant.	1788.	6. 7.	G. ♀.	Desf. atl. 2. t. 160.
<i>cheiranthóides. H. K. Cheiránthus Farsètia. L.</i>							
FIB'IGIA. Med. FIB'IGIA. Tetrodynamia Siliculosa.							
1	suffruticòsa.	(pu.) suffrutescent.	Persia.	1820.	4. 5.	G. ♀.	Vent. cels. t. 19.
<i>Lunària suffruticòsa. Vent. Farsètia suffruticòsa. DC.</i>							
2	lunarioídes.	(ye.) oriental.	Greece.	1731.	6. 7.	H. ♀.	Tourn. ic. ed. ger. 1 t. 30.
3	clypeàta. Med.	(ye.) buckler-podded.	S. Europe.	1596.	—	H. ♂.	Schkuhr. han. 2. t. 181.
<i>Aly'ssum clypeàtum. L. Farsètia clypeàta. DC.</i>							
BERTER'OA. DC. BERTER'OA. Tetrodynamia Siliculosa. L.							
1	incàna. DC.	(wh.) hoary.	Europe.	1640.	7. 9.	H. ♂.	Horn. fl. dan. 1461.
<i>Aly'ssum incànum. w.</i>							
2	mutàbilis. DC.	(bh.) changeable.	Levant.	1802.	7. 8.	H. ♀.	Vent. cels. t. 85.
3	obliqua. DC.	(wh.) oblique-podded.	Naples.	1824.	—	H. ♀.	Flor. græc. t. 623.
AUBRI'ETIA. DC. AUBRI'ETIA. Tetrodynamia Siliculosa. L.							
1	deltoídea. DC.	(pu.) spreading.	Levant.	1710.	3. 5.	H. ♀.	Bot. mag. 126.
<i>Farsètia deltoídea. H. K. Aly'ssum deltoideum. L.</i>							
2	purpurea. DC.	(pu.) tufted.	————	1821.	—	H. ♀.	Swt. br. fl. gar. 207.
VESIC'ARIA. VESIC'ARIA. Tetrodynamia Siliculosa. L.							
1	utriculàta. DC.	(ye.) smooth.	Levant.	1739.	4. 6.	H. ♀.	Bot. mag. 130.
<i>Aly'ssum utriculàtum. B.M.</i>							
2	reticulàta. DC.	(ye.) veined-podded.	————	6.	H. ♀.	Tour. voy. 2. p. 252. ic.

3 Ludoviciana. DC. (ye.) Missouri.	Missouri.	1825.	5. 6.	H. 4.	
4 sinuata. DC.	sinuate-leaved. Spain.	1596.	4. 6.	H. ♂.	Schkuhr. han. 2. t. 181.
5 cretica. DC.	Cretan. Crete.	1739.	5. 8.	H. 4.	Alp. ex. p. 117 et 118. ic.
<i>Aly'ssum creticum.</i> w.					
6 arctica. DC. (ye.) arctic.	Greenland.	1826.	5. 6.	H. 4.	Horn. fl. dan. t. 1520.
7 arenosa. DC. (ye.) sand.	Arctic Reg.	—	6. 8.	H. 4.	
SCHIVERE'CKIA. DC.	SCHIVERE'CKIA. Tetradymania Siliculosa. L.				
podolica. DC. (wh.) canescent.	Podolia.	1821.	5. 7.	H. 4.	Swt. br. fl. gar. t. 77.
KO'NIGA. B.	KO'NIGA. Tetradymania Siliculosa.				
1 maritima. DC. (wh.) sweet-scented.	S. Europe.	5. 10.	H. 4.	Eng. bot. 1729.
<i>Aly'ssum maritimum.</i> E. B. <i>halimifolium.</i> B.M. 101.					
2 canariensis. (wh.) Canary.	Canaries.	1812.	—	G. ½.	
<i>Aly'ssum maritimum.</i> β <i>canariense.</i> DC.					
β variegata. (wh.) striped-leaved.	—	—	G. ½.	
ADYS'ETON. Scop.	ADYS'ETON. Tetradymania Siliculosa.				
1 saxatile. (ye.) rock.	Russia.	1710.	4. 5.	H. ½.	Bot. mag. 159.
<i>Aly'ssum saxatile.</i> D. <i>Aurinia saxatilis.</i> Dv.					
2 gemonense. (ye.) canescent.	Germany.	—	—	H. ½.	Jacq. ic. 3. t. 503.
3 orientale. (ye.) oriental.	Crete.	—	H. ½.	Flor. græc. t. 625.
4 spathulatum. (ye.) spathulate.	Siberia.	1821.	4. 6.	H. ½.	Deles. ic. sel. 2. t. 37.
5 argenteum. (ye.) silvery.	Switzerland.	—	5. 6.	H. ½.	All. ped. t. 54. f. 3.
6 Bertolonii. (ye.) Bertoloni's.	Italy.	1825.	—	H. ½.	
7 murale. (ye.) wall.	Europe.	1801.	6. 8.	H. ½.	W. et Kit. hung. 1. t. 6.
8 obtusifolium. (ye.) blunt-leaved.	Siberia.	1812.	—	H. ½.	Deles. ic. sel. 2. t. 38.
9 serpyllifolium. (ye.) Thyme-leaved.	S. Europe.	1823.	5. 7.	H. ½.	
10 repens. (ye.) creeping.	Transylvania.	1827.	—	H. 4.	
11 vernale. (ye.) vernal.	1823.	4. 5.	H. 4.	Schrank hort. mon. t. 96.
12 tortuosum. (ye.) twisted.	Hungary.	1804.	6. 7.	H. 4.	W. et Kit. hung. 1. t. 91.
13 alpestre. (ye.) Italian.	Italy.	1777.	6. 10.	H. ½.	Flor. græc. t. 624.
14 nebrodense. (ye.) Sicilian.	Sicily.	1827.	5. 6.	H. ½.	
15 Marschallianum. (ye.) Marschall's.	Caucasus.	—	—	H. ½.	
16 montanum. sc. (ye.) mountain.	Germany.	1713.	5. 8.	H. 4.	Bot. mag. 419.
<i>Aly'ssum montanum.</i> B.M.					
17 cuneifolium. (ye.) wedge-leaved.	Naples.	1825.	5. 8.	H. 4.	
18 diffusum. (ye.) spreading.	—	—	—	H. 4.	
19 Wulfenianum. (ye.) Wulfen's.	Carinthia.	1821.	—	H. 4.	
20 Fischerianum. (ye.) Fischer's.	Siberia.	1828.	—	H. 4.	
<i>Aly'ssum Fischerianum.</i> DC.					
ALY'SSUM. B.	MADWORT. Tetradymania Siliculosa. L.				
1 umbellatum. DC. (ye.) umbelled.	Tauria.	1828.	5. 8.	H. ⊙.	
2 rostratum. DC. (ye.) beaked.	—	1824.	6. 9.	H. ⊙.	Stev. m. ac. P. 3. t. 15. f. 1.
3 micropetalum. DC. (ye.) small-petaled.	Iberia.	—	5. 8.	H. ⊙.	Deles. ic. sel. 2. t. 39.
4 hirsutum. DC. (ye.) hairy.	—	—	—	H. ⊙.	— 2. t. 40.
5 campêtre. DC. (ye.) field.	Europe.	1768.	6. 8.	H. ⊙.	Flor. græc. t. 626.
6 calycinum. DC. (ye.) persistent-cal'd.	—	1740.	—	H. ⊙.	Jacq. aust. t. 338.
7 minimum. DC. (ye.) small.	—	1791.	—	H. ⊙.	Tratt. thes. bot. t. 35.
ANODO'NTEA. DC.	ANODO'NTEA. Tetradymania Siliculosa.				
1 edentula. (ye.) toothless.	Hungary.	1821.	5. 6.	H. ♂.	W. et K. hung. 1. t. 92.
<i>Aly'ssum edentulum.</i> DC. <i>Adyseton edentulum.</i> L. enum.					
2 dasycarpa. (ye.) thick-podded.	Siberia.	1827.	6. 10.	H. ⊙.	Trev. ber. mag. 1816. t. 2.
3 rupéstris. (wh.) silvery rock.	Italy.	1824.	5. 10.	H. 4.	Tenor. fl. nap. t. 60.
4 halimifolia. (wh.) Halimus-leaved.	—	—	—	H. ½.	All. ped. n. 900. t. 54. f. 1.
<i>Aly'ssum halimifolium.</i> DC.					
5 spinosa. (wh.) thorny.	S. Europe.	1683.	6. 8.	H. ½.	Barrel. ic. t. 808.
6 macrocarpa. (wh.) large-podded.	—	1825.	—	H. ½.	Deles. ic. sel. 2. t. 41.
7 canescens. (wh.) hoary.	Siberia.	1828.	4. 9.	H. ½.	
MENTOCUS. DC.	MENI'OCUS. Tetradymania Siliculosa. L.				
linifolius. DC. (ye.) Flax-leaved.	Levant.	1822.	5. 6.	H. ⊙.	Deles. ic. sel. 2. t. 42.
<i>Aly'ssum linifolium.</i> w.					
CLYPE'OLA. DC.	TREACLE-MUSTARD. Tetradymania Siliculosa. L.				
1 Jonthlâspi. DC. (ye.) common.	S. Europe.	1710.	5. 7.	H. ⊙.	Desv. j. bot. 3. t. 25. f. 7.
2 eriophora. DC. (wh.) woolly-podded.	Spain.	1820.	—	H. ⊙.	— 3. t. 25. f. 10.
PELT'ARIA. DC.	PELT'ARIA. Tetradymania Siliculosa. L.				
alliacea. DC. (wh.) garlic-scented.	Austria.	1601.	5. 7.	H. 4.	Jacq. aust. 2. t. 123.
PETROCA'LLIS. DC.	PETROCA'LLIS. Tetradymania Siliculosa. L.				
pyrenæica. DC. (ro.) Pyrenean.	Pyrenees.	1759.	5. 6.	H. 4.	Lodd. bot. cab. 335.
<i>Draba pyrenæica.</i> B.M. 713.					
DR'ABA. DC.	WHITLOW-GRASS. Tetradymania Siliculosa. L.				
1 aizoides. DC. (ye.) sen-green.	Wales.	2. 4.	H. 4.	Eng. bot. 1271.

2	<i>brachystemon</i> . DC. (<i>ye.</i>) short-stamened.	1731.	2. 4.	H. 2.	Bot. mag. 170.
	<i>aizoides</i> . B.M. <i>ciliaris</i> . H.K.				
3	<i>aizoon</i> . DC. (<i>ye.</i>) hairy-podded.	Hungary.	1821.	—	H. 2.
4	<i>cuspidata</i> . DC. (<i>ye.</i>) sharp-pointed.	Tauria.	—	4. 5.	H. 2.
5	<i>bryoides</i> . DC. (<i>ye.</i>) Bryum-like.	Caucasus.	—	3. 4.	H. 2.
6	<i>bruniæfolia</i> . DC. (<i>ye.</i>) Brunia-leaved.	—	1826.	5. 6.	H. 2.
7	<i>ericæfolia</i> . DC. (<i>ye.</i>) Heath-leaved.	—	1823.	—	H. 2.
8	<i>pilosa</i> . DC. (<i>ye.</i>) pilose.	Siberia.	1825.	—	H. 2.
9	<i>alpina</i> . DC. (<i>ye.</i>) Alpine.	Norway.	1823.	4. 5.	H. 2.
10	<i>glaciâlis</i> . DC. (<i>ye.</i>) starry-haired.	Siberia.	1825.	5. 6.	H. 2.
11	<i>repens</i> . DC. (<i>ye.</i>) creeping.	Caucasus.	1823.	—	H. 2.
12	<i>Gmelini</i> . DC. (<i>ye.</i>) Gmelin's.	Siberia.	—	—	H. 2.
13	<i>tridentata</i> . DC. (<i>ye.</i>) three-toothed.	Caucasus.	1828.	—	H. 2.
14	<i>muricella</i> . DC. (<i>wh.</i>) tufted.	Norway.	—	—	H. 2.
15	<i>incómpta</i> . DC. (<i>ye.</i>) straggling.	Caucasus.	—	6.	H. 2.
16	<i>oblongata</i> . DC. (<i>wh.</i>) oblong-leaved.	Baffin's-bay.	1820.	5. 6.	H. 2.
17	<i>corymbosa</i> . DC. (<i>wh.</i>) corymbose.	—	—	—	H. 2.
18	<i>hirta</i> . DC. (<i>wh.</i>) hairy.	Lapland.	5. 7.	H. 2.
19	<i>rupéstris</i> . DC. (<i>wh.</i>) rock.	Scotland.	—	H. 2.
	<i>hirta</i> . E.B. non Linn.				Eng. bot. 1338.
20	<i>nivâlis</i> . DC. (<i>wh.</i>) snowy.	Norway.	1824.	5. 6.	H. 2.
	<i>stellata</i> . F.D. nec aliorum.				Flor. dan. t. 142.
21	<i>lapponica</i> . DC. (<i>wh.</i>) Lapland.	Lapland.	—	—	H. 2.
22	<i>helvética</i> . DC. (<i>wh.</i>) Swiss.	Switzerland.	1824.	—	H. 2.
23	<i>fladnizensis</i> . DC. (<i>wh.</i>) fringe-leaved.	—	—	6. 8.	H. 2.
24	<i>tomentosa</i> . DC. (<i>wh.</i>) woolly-leaved.	—	—	5. 7.	H. 2.
25	<i>stellata</i> . DC. (<i>wh.</i>) starry.	—	1820.	—	H. 2.
	<i>hirta</i> . Jacq. aust. t. 432.				Jacq. misc. 1. t. 17. f. 1. Wahl. helv. p. 123. t. 3. Jacq. obs. t. 4. f. 3.
26	<i>contorta</i> . DC. (<i>wh.</i>) twisted-podded.	Britain.	5. 6.	H. ♂.
	<i>incana</i> . E.B.				Eng. bot. t. 388.
27	<i>confusa</i> . DC. (<i>wh.</i>) confused.	N. Europe.	—	H. ♂.
	<i>incana</i> . F.D.				Flor. dan. t. 130.
28	<i>arabisans</i> . DC. (<i>wh.</i>) Arabis-like.	N. America.	1827.	—	H. ♂.
29	<i>daurica</i> . DC. (<i>wh.</i>) Daurian.	Dahuria.	1824.	—	H. ♂.
30	<i>âurea</i> . DC. (<i>ye.</i>) golden.	Greenland.	—	—	H. ♂.
31	<i>lutea</i> . DC. (<i>ye.</i>) yellow.	Caucasus.	1825.	5. 8.	H. ♂.
32	<i>gracilis</i> . GR. (<i>ye.</i>) slender.	N. America.	1827.	—	H. ♂.
33	<i>nemorâlis</i> . DC. (<i>ye.</i>) wood.	Europe, &c.	1759.	—	H. ♂.
34	<i>murâlis</i> . DC. (<i>wh.</i>) wall.	England.	4. 5.	H. ♂.
	EROPHILA . DC. EROPHILA . <i>Tetradynamia Siliculosa</i> . L.				
1	<i>americana</i> . DC. (<i>wh.</i>) American.	N. America.	1823.	3. 4.	H. ♂.
2	<i>vulgâris</i> . DC. (<i>wh.</i>) common.	Britain.	—	H. ♂.
	<i>Draba terna</i> . Eng. bot. 586.				Flor. dan. t. 983.
3	<i>præcox</i> . DC. (<i>wh.</i>) round-podded.	Caucasus.	1824.	2. 4.	H. ♂.
	KE'RNERA . Med. KE'RNERA . <i>Tetradynamia Siliculosa</i> .				
1	<i>saxatilis</i> . (<i>wh.</i>) rock.	Europe.	1775.	5. 7.	H. 2.
	<i>myagrâides</i> . Med. <i>Cochleària saxatilis</i> . DC. <i>Myagrûm saxatile</i> . L.				Jacq. aust. 2. t. 128.
	<i>β incisa</i> . (<i>wh.</i>) cut-leaved.	—	—	—	H. 2.
2	<i>auriculata</i> . (<i>wh.</i>) eared.	Pyrenees.	1824.	—	H. 2.
	<i>Cochleària auriculata</i> . DC.				Mori. ox. 2. s. 3. t. 17. f. ult. Berg. phyt. 3. p. 140. ic.
	ARMORACIA . Plin. HORSE-RADISH . <i>Tetradynamia Siliculosa</i> .				
1	<i>rusticana</i> . Bau. (<i>wh.</i>) common.	England.	5. 6.	H. 2.
	<i>Cochleària Armoracia</i> . E.B.				Eng. bot. 2223.
2	<i>macrocarpa</i> . Bau. (<i>wh.</i>) large-fruited.	Hungary.	1806.	6. 8.	H. 2.
	COCHLEARIA . DC. SCURVY-GRASS . <i>Tetradynamia Siliculosa</i> . L.				W. et K. hung. 2. t. 184.
1	<i>glastifolia</i> . DC. (<i>wh.</i>) Woad-leaved.	S. Europe.	1648.	5. 7.	H. ♂.
2	<i>ânglica</i> . DC. (<i>wh.</i>) English.	England.	5.	H. ♂.
3	<i>officinâlis</i> . DC. (<i>wh.</i>) common.	Britain.	4. 5.	H. ♂.
	<i>β minor</i> . DC. <i>lesser</i> .	—	—	H. ♂.
	<i>γ rotundifolia</i> . DC. <i>round-leaved</i> .	—	—	H. ♂.
	<i>grænlândica</i> . With. brit. 573. non. Lin.				
4	<i>pyrenâica</i> . DC. (<i>wh.</i>) Pyrenean.	Pyrenees.	6. 8.	H. ♂.
5	<i>grænlândica</i> . DC. (<i>wh.</i>) Greenland.	Scotland.	5. 6.	H. 2.
6	<i>dânica</i> . DC. (<i>wh.</i>) Danish.	Britain.	—	H. ♂.
7	<i>alpina</i> . (<i>wh.</i>) Alpine.	Ireland.	5. 6.	H. 2.
8	<i>fenestrata</i> . DC. (<i>wh.</i>) fenestrate.	Baffin's Bay.	1820.	4. 5.	H. 2.
9	<i>grandiflora</i> . DC. (<i>wh.</i>) large-flowered.	Siberia.	1826.	5. 6.	H. 2.
10	<i>integrifolia</i> . DC. (<i>wh.</i>) entire-leaved.	Altay.	1827.	—	H. 2.
11	<i>acaulis</i> . DC. (<i>li.</i>) stalkless.	Portugal.	1823.	3. 4.	H. 2.
					Jacq. ecl. t. 132.

Tribus III. *THLASPIDEÆ* seu Pleurorhizeæ Angustiseptæ. DC.

THLASPIDEÆ		BASTARD-CRESS.		Tetradynamia Siliculosa. L.		
1	latifolium. DC. (wh.)	broad-leaved.	Caucasus.	1828.	4. 5. H. ♀.	Deles. ic. sel. 2. t. 51.
2	ceratocarpon. DC. (wh.)	horn-podded.	Siberia.	1779.	7. H. ⊙.	Scop. insub. 1. t. 4.
3	arvense. DC. (wh.)	Penny-cress.	Britain.	6. 7. H. ⊙.	Eng. bot. 1659.
4	collinum. DC. (wh.)	hill.	Iberia.	1824.	4. 9. H. ⊙.	
5	alliaceum. DC. (wh.)	Garlic-scented.	S. Europe.	1714.	5. 7. H. ⊙.	Jacq. ic. 1. t. 121.
6	strictum. (wh.)	upright.	Persia.	1827.	4. 9. H. ⊙.	
7	perfoliatum. DC. (wh.)	perfoliate.	England.	4. 7. H. ⊙.	Eng. bot. 2354.
8	montanum. DC. (wh.)	mountain.	Europe.	5. 6. H. ♀.	Jacq. aust. 3. t. 237.
9	alpêtre. DC. (wh.)	Alpine.	England.	5. 7. H. ♀.	Eng. bot. t. 81.
10	cochleariforme. DC. (w.)	Scurvy-grass.	Dahuria.	1827.	6. 7. H. ♀.	
CA'PSELLA. DC.		SHEPHERDS-PURSE.		Tetradynamia Siliculosa. L.		
1	Bursa-pastoris. DC. (w.)	common.	Britain.	1. 12. H. ⊙.	Eng. bot. 1485.
	<i>Thlaspi Bursa-pastoris. L.</i>					
	β minor. DC. (wh.)	small.	————	— H. ⊙.	Tabern. ic. 199.
	γ integrifolia. DC. (w.)	entire-leaved.	————	— H. ⊙.	Moris. ox. 2. t. 20. f. 1.
	δ coronopifolia. DC. (w.)	Buck's-horn-ld.	————	— H. ⊙.	
2	procumbens. B. (wh.)	procumbent.	Europe.	1823.	3. 5. H. ⊙.	Hill. veg. sys. 11. t. 42. f. 1.
	<i>Lepidium procumbens. L. Hutchinsia procumbens. DC.</i>					
HUTCHINSIA. DC.		HUTCHINSIA.		Tetradynamia Siliculosa. L.		
1	rotundifolia. DC. (bh.)	round-leaved.	Switzerland.	1759.	5. 7. H. ♀.	Scop. carn. n. 805. t. 37.
	<i>Iberis rotundifolia. L.</i>					
2	cepeæfolia. DC. (pu.)	toothed-leaved.	Carinthia.	1824.	4. 5. H. ♀.	Jacq. misc. 2. p. 28. t. 1.
3	styløsa. DC. (ro.)	long-styled.	Naples.	1826.	3. 5. H. ♀.	Bot. mag. 2772.
4	hastulata. DC. (bh.)	halbert-leaved.	Siberia.	1827.	— H. ♀.	Gmel. sib. 3. t. 5.
5	calycina. DC. (wh.)	persistent-cal'd.	————	—	4. 5. H. ♀.	
6	alpina. DC. (wh.)	Alpine.	Pyrenees.	1775.	4. 6. H. ♀.	Jacq. aust. 2. t. 137.
	<i>Lepidium alpinum. L.</i>					
7	petræa. DC. (wh.)	rock.	England.	3. 5. H. ♂.	Eng. bot. 111.
	<i>Lepidium petræum. L.</i>					
TEESD'ALLIA. DC.		TEESD'ALLIA.		Tetradynamia Siliculosa. L.		
1	Iberis. DC. (wh.)	Shepherd's-cress.	England.	5. 7. H. ⊙.	Eng. bot. 327
	<i>nudicaulis. H.K. Iberis nudicaulis. L. Guepinia Iberis. DC.</i>					
2	Lepidium. DC. (wh.)	equal-petal'd.	S. Europe.	5. 8. H. ⊙.	Magn. ic. n. car. 247.
	<i>Lepidium nudicaule. L. Teesdalia regularis. L.T. Guepinia Lepidium. Dv.</i>					
IB'ERIS. DC.		CANDY-TUFT.		Tetradynamia Siliculosa. L.		
1	semperflørens. DC. (w.)	broad-leaved.	Sicily.	1679.	1. 12. G. ♀.	Moris. ox. 2. t. 25. f. 5.
2	gibraltarica. DC. (bh.)	Gibraltar.	Gibraltar.	1732.	5. 6. G. ♀.	Bot. mag. 124.
3	saxatilis. DC. (wh.)	rock.	S. Europe.	1739.	4. 6. H. ♀.	Gou. fl. mons. 177. t. 1.
4	corifolia. (wh.)	Coris-leaved.	————	—	— H. ♀.	Clus. hist. 2. p. 132. ic.
	<i>saxatilis β corifolia. Bot. mag. 1642.</i>					
5	pubescens. DC. (wh.)	pubescent.	1821.	— H. ♀.	
6	subvelutina. DC. (wh.)	velvetty.	Spain.	1824.	— H. ♀.	
7	sempervirens. DC. (wh.)	evergreen.	Crete.	1731.	— H. ♀.	Flor. græc. t. 620.
8	Garrexiàna. DC. (wh.)	Allioni's.	Pyrenees.	6. 8. H. ♀.	All. ped. n. 920. t. 40. f. 3.
9	confërta. DC. (wh.)	crowded-leaved.	Spain.	1824.	— H. ♀.	
10	amàra. DC. (wh.)	bitter.	England.	— H. ⊙.	Eng. bot. 52.
11	pinnata. DC. (wh.)	wing-leaved.	S. Europe.	1596.	— H. ⊙.	Lob. ic. t. 217. f. 2.
12	odorata. DC. (wh.)	sweet-scented.	Crete.	1806.	— H. ⊙.	Swt. br. fl. gar. 50.
13	Lagascàna. DC. (wh.)	Lagasca's.	Spain.	1824.	— H. ⊙.	
14	umbellata. DC. (pu.)	purple.	S. Europe.	1596.	— H. ⊙.	Bot. mag. 106.
15	linifolia. DC. (pu.)	Flax-leaved.	————	1759.	— H. ♂.	Garid. aix. t. 105.
16	ciliata. DC. (wh.)	fringed.	————	6. 7. H. ♂.	
17	taurica. DC. (wh.)	Taurian.	Tauria.	1802.	5. 7. H. ♂.	
18	violacea. DC. (pu.)	blunt-leaved.	1782.	6. 7. H. ⊙.	
19	nàna. DC. (pu.)	dwarf.	S. Europe.	1822.	5. 7. H. ♂.	All. auct. p. 15. t. 2. f. 1.
20	spathulata. DC. (pu.)	spathulate.	Pyrenees.	1826.	6. 8. H. ⊙.	Berg. phyt. ic.
21	Tenoreàna. DC. (wh.)	Tenore's.	Naples.	—	5. 7. H. ♀.	Swt. br. fl. gar. 88.
22	Pruiti. DC. (wh.)	Sicilian.	Sicily.	1828.	— H. ♀.	
23	contràcta. DC. (wh.)	contracted.	Spain.	1824.	4. 6. H. ♀.	
BISCUTE'LLA. DC.		BUCKLER-MUSTARD.		Tetradynamia Siliculosa. L.		
1	auriculata. DC. (ye.)	ear-podded.	S. Europe.	1683.	6. 7. H. ⊙.	DC. diss. n. 1. t. 1. f. 2.
2	erigerifolia. DC. (ye.)	Erigeron-leav'd.	Spain.	1824.	— H. ⊙.	Deles. ic. sel. 2. t. 55.
3	hispida. DC. (ye.)	hispid.	S. France.	1822.	— H. ⊙.	Bot. mag. 2444.
4	cichoriifolia. DC. (ye.)	Succory-leaved.	Pyrenees.	—	— H. ♀.	DC. diss. n. 4. t. 2.

5	lyràta. DC.	(ye.) lyre-leaved.	Spain.	1799.	6. 7.	H. ⊙.	Bocc. sic. 45. t. 23.
6	raphanifòlia. DC.	(ye.) Radish-leaved.	Sicily.	1824.	—	H. ⊙.	
7	marítima. DC.	(ye.) sea.	Naples.	—	—	H. ⊙.	Tenor. fl. nap. t. 61.
8	ciliàta. DC.	(ye.) fringe-podded.	Italy.	1790.	—	H. ⊙.	DC. ic. gal. rar. 1. t. 39.
	<i>coronopifòlia.</i> W.	non. Lin.					
9	depréssa. DC.	(ye.) dwarf.	Egypt.	1823.	—	H. ⊙.	
10	microcárpa. DC.	(ye.) small-podded.	Gibraltar.	—	5. 6.	H. ⊙.	
11	eriocárpa. DC.	(ye.) woolly-podded.	Spain.	1826.	5. 7.	H. ⊙.	DC. diss. n. 12. t. 9. f. 2.
12	Colúmna. DC.	(ye.) Columna's.	Apulia.	1824.	6. 7.	H. ⊙.	Col. ecphr. 1. t. 284. f. 1.
13	ápula. DC.	(ye.) spear-leaved.	Italy.	1710.	—	H. ⊙.	Fl. græc. t. 629.
14	leiocárpa. DC.	(ye.) smooth-capsul'd.	Levant.	1821.	—	H. ⊙.	Gært. fruct. 2. t. 141.
15	obovàta. DC.	(ye.) obovate-leaved.	—	H. ⊙.	
16	montàna. DC.	(ye.) mountain.	Spain.	1824.	3. 4.	H. ⊙.	Cavan. ic. 2. t. 177.
17	lævigàta. DC.	(ye.) smooth-podded.	Europe.	1777.	—	H. ♀.	DC. ic. rar. 11. t. 38.
	<i>β alpéstris.</i> W. en.	(ye.) Hungarian.	Hungary.	1816.	—	H. ♀.	W. et Kit. hung. 3. t. 228.
18	lúcida. DC.	(ye.) glossy.	Italy.	1827.	4. 6.	H. ♀.	DC. diss. n. 20. t. 7.
19	coronopifòlia. DC.	(ye.) Buck's-horn-ld.	S. Europe.	1790.	—	H. ♀.	DC. diss. n. 22. t. 18.
20	ambígua. DC.	(ye.) ambiguous.	—	—	H. ♀.	— n. 23. t. 11. f. 1.
21	saxátilis. DC.	(ye.) rock.	—	1824.	—	H. ♀.	— n. 24. t. 10.
22	sempervirens. DC.	(ye.) downy-leaved.	Spain.	1784.	—	F. ♀.	Barr. ic. t. 841.
MEGACA'RPÆA. DC. MEGACA'RPÆA. Tetrodynamia Siliculosa. L.							
	laciniàta. DC.	(ye.) jagged-leaved.	Volga.	1821.	6. 7.	H. ♀.	DC. diss. bise. n. 5. t. 3.
	<i>Biscutèlla megalocárpa.</i> F.						

Tribus IV. *EUCLIDIEÆ* seu Pleurorhizeæ Nucamentaceæ. DC.

EUCLID'IDIUM. DC. EUCLID'IDIUM. Tetrodynamia Siliculosa. L.							
1	syriacum. DC.	(wh.) Syrian.	Levant.	1778.	7. 8.	H. ⊙.	Jacq. aust. 1. t. 6.
	<i>Bùnias syriaca.</i> W.	<i>Anastática syriaca.</i> Jacq.					
2	tatáricum. DC.	(wh.) Tartarian.	Tartary.	1823.	4. 5.	H. ⊙.	Pall. it. 3. ap. t. v. f. 2.
	<i>Bùnias tatárica.</i> W.						
OCHTH'ODIUM. DC. OCHTH'ODIUM. Tetrodynamia Siliculosa. L.							
	ægyptiacum. DC.	(ye.) Egyptian.	Egypt.	1787.	8.	H. ⊙.	Jacq. vind. t. 145.
	<i>Rapistrum ægyptiacum.</i> H. K.	<i>Bùnias ægyptiaca.</i> L.					

Tribus V. *ANASTATICEÆ* seu Pleurorhizeæ Septulataæ. DC.

ANASTATICA. DC. ROSE OF JERICHO. Tetrodynamia Siliculosa. L.							
	<i>Hierochúntina.</i> DC. (w.)	common.	Levant.	1597.	5. 8.	H. ⊙.	Jacq. vind. 1. t. 58.

Tribus VI. *CAKILINEÆ* seu Pleurorhizeæ Lomentaceæ. DC.

CAK'ILE. DC. CAK'ILE. Tetrodynamia Siliculosa. L.							
1	marítima. DC.	(pu.) Sea Rocket.	Britain.	6. 9.	H. ⊙.	Eng. bot. 231.
	<i>β sinuatifòlia.</i> DC. (p.)	<i>sinuate-leaved.</i>	—	—	H. ⊙.	Horn. fl. dan. t. 1583.
2	americàna. DC.	(li.) American.	America.	—	H. ⊙.	Tussac fl. ant. 1. f. 17.
CHORISP'ORA. DC. CHORISP'ORA. Tetrodynamia Siliquosa. L.							
1	tenélla. DC.	(pu.) purple.	Tauria.	1780.	6. 7.	H. ⊙.	Pall. it. 3. ap. t. L. f. 3.
2	strieta. DC.	(pu.) upright.	Siberia.	1825.	5. 7.	H. ⊙.	
3	sibírica. DC.	(ye.) Siberian.	Siberia.	1822.	—	H. ⊙.	Murr. com. gætt. t. 11.
4	ibérica. DC.	(ye.) strong-scented.	Iberia.	—	—	H. ⊙.	Deles. ic. sel. 2. t. 582.

Subordo II. NOTORHIZEÆ. DC. *syst.* 2. p. 438.

Tribus VII. *SISYMBREÆ* seu Notorhizeæ Siliquosæ. DC.

MALC'OMIA. DC. MALC'OMIA. Tetrodynamia Siliquosa. L.							
1	africàna. DC.	(pu.) African.	Africa.	1747.	6. 7.	H. ⊙.	Buxb. cent. 4. t. 44.
2	taraxacifòlia. DC.	(pu.) Dandelion-ld.	1795.	—	H. ⊙.	
3	lâxa. DC.	(pu.) loose-branched.	Siberia.	1822.	—	H. ⊙.	

4	Clia. DC.	(pu.) dwf.-branching.	Chio.	1732.	5. 6.	H. ⊙.	Swt. br. fl. gar. 40.
5	maritima. DC.	(p.w.) dwarf annual.	S. Europe.	1713.	—	H. ⊙.	Bot. mag. 166.
	<i>Cheiranthus maritimus.</i> B.M.						
6	arenaria. DC.	(pu.) sand.	Barbary.	1804.	—	H. ⊙.	Desf. fl. atl. 2. t. 162.
	<i>Hesperis arenaria.</i> Desf.						
7	parviflora. DC.	(pu.) small-flowered.	S. Europe.	1822.	6. 8.	H. ⊙.	DC. ic. gall. rar. t. 35.
8	lyrata. DC.	(pu.) rigid.	Levant.	1824.	5. 8.	H. ⊙.	Flor. græc. t. 635.
9	littorea. DC.	(li.) sea.	S. Europe.	1683.	6 11.	H. ♂.	Swt. br. fl. gar. 54.
10	pátula. DC.	(pu.) spreading.	Spain.	1825.	5. 7.	H. ♀.	
11	lácera. DC.	(pu.) cut-leaved.	S. Europe.	—	—	H. ⊙.	Desf. ann. mus. 11. t. 34.
	<i>Hesperis pinnatifida.</i> Desf.						
HESPERIS. DC. ROCKET. Tetrodynamia Siliquosa. L.							
1	tristis. DC.	(br.) night-smelling.	Europe.	1622.	4. 6.	H. ♂.	Bot. mag. 730.
	β major.	(st.) larger.	—	1827.	4. 7.	H. ♂.	
2	fràgrans. F.	(pu.) evening-scentd.	Siberia?	1821.	—	H. ♂.	Swt. br. fl. gar. 61.
3	laciniata. DC.	(pu.) laciniated.	Italy.	1820.	5. 6.	H. ♂.	All. ped. n. 985. t. 82. f. 1.
4	villòsa. DC.	(pu.) villous.	Italy.	1827.	—	H. ♂.	
5	grandiflora. B.M.	(pu.) large-flowered.	1818.	5. 8.	H. ♂.	Bot. mag. 2683.
6	elàta. H.	(pu.) tall.	1825.	—	H. ♂.	
7	runcinata. DC.	(bh.) runcinate.	Hungary.	1804.	5. 7.	H. ♂.	W. et Kit. hung. 2. t. 200.
8	bituminosa. W. en.	(bh.) clammy.	1816.	—	H. ♂.	
9	matronàlis. L.	(va.) common.	Europe.	1597.	5. 8.	H. ♀.	Lob. ic. t. 323. f. 2.
	α albiflora. DC.	(wh.) single-white.	—	—	—	H. ♀.	Tabern. kraut. 692. f. 1.
	β álbo-plèna.	(wh.) double-white.	—	—	—	H. ♀.	
	γ purpùrea. DC.	(pu.) single-purple.	—	—	—	H. ♀.	Tabern. kraut. 692 f. 2.
	δ purpùreo-plèna.	(pu.) double-purple.	—	—	—	H. ♀.	Wein. phyt. t. 572. f. c.
	ε variegàta. DC.	(v.) dble.-variegated.	—	—	—	H. ♀.	Munt. phyt. cur. t. 186.
	ζ foliiflora. DC.	(gr.) green-flowered.	—	—	—	H. ♀.	Wein. phyt. t. 572. f. a.
10	inodòra. L.	(pu.) scentless.	Britain.	—	H. ♀.	Eng. bot. 731.
11	sibírica. L.	(pu.) Siberian.	Siberia.	—	H. ♀.	
12	heterophýlla. DC.	(pu.) various-leaved.	Naples.	1825.	5. 7.	H. ♀.	
13	áprica. DC.	(pu.) sun.	Siberia.	1823.	5. 6.	H. ♀.	Deles. ic. sel. 2. t. 62.
14	ramosíssima. DC.	(pu.) branched.	Barbary.	1827.	—	H. ⊙.	Desf. atl. 2. t. 161.
ANDREO'SKIA. DC. ANDREO'SKIA. Tetrodynamia Siliquosa. L.							
1	integrifolia. DC.	(wh.) entire-leaved.	Siberia.	1824.	6. 7.	H. ⊙.	
	<i>Sisymbrium integrifolium.</i> w. <i>Hesperis glandulosa.</i> P.S.						
2	pectinata. DC.	(wh.) pectinated.	Dahuria.	1827.	5. 6.	H. ♂.	
SISYMBRIUM. DC. SISYMBRIUM. Tetrodynamia Siliquosa. L.							
1	officinàle. DC.	(ye.) Hedge-mustard.	Britain.	5. 7.	H. ⊙.	Eng. bot. 725.
	<i>Erysimum officinale.</i> E.B.						
2	strictissimum. DC.	(ye.) spear-leaved.	Europe.	1658.	6. 8.	H. ♀.	Jacq. aust. 2. t. 194.
	<i>Cheirinia strictissima.</i> L. en.						
3	júnceum. DC.	(ye.) rushy.	Hungary.	1804.	7.	H. ♀.	W. et Kit. hung. 3. t. 234.
	<i>Erysimum júnceum.</i> w. <i>Cheirinia júncea.</i> L. en.						
4	hispánicum. DC.	(ye.) Spanish.	Spain.	1820.	5. 6.	H. ♂.	Jacq. ic. rar. 1. t. 124.
5	pùmulum. DC.	(ye.) dwarf.	Caucasus.	—	4. 5.	H. ⊙.	
6	obtusángulum. DC.	(ye.) blunt-angled.	Switzerland.	5. 8.	H. ⊙.	Moris. ox. 2. s. 3. t. 5. f. 10.
7	acutángulum. DC.	(ye.) acute-angled.	Pyrenees.	1791.	6. 7.	H. ♂.	Jacq. vind. 3. t. 97.
	<i>sinapoides.</i> H.K. <i>Sinapis pyrenæica.</i> Jacq.						
8	taraxacifolium. DC.	(y.) Dandelion-ld.	France.	1823.	5. 6.	H. ♂.	DC. ic. rar. p. 11. t. 37.
9	contórtum. W. en.	(ye.) twisted.	Spain.	1824.	—	H. ♂.	
10	affine. W. en.	(ye.) related.	1823.	5. 8.	H. ♂.	
11	austriacum. DC.	(ye.) Austrian.	Austria.	1799.	6. 8.	H. ⊙.	Jacq. aust. 3. t. 262.
12	eckartsbergense. w.	(y.) bending-podd'd.	—	—	—	H. ♂.	
13	Tillieri. w.	(ye.) Tillier's.	Switzerland.	1824.	6. 8.	H. ⊙.	
14	I'rio. DC.	(ye.) London Rocket.	England.	5. 8.	H. ⊙.	Eng. bot. 1631.
15	glábrum. W. en.	(ye.) smooth.	1823.	—	H. ⊙.	
16	gallicum. W. en.	(ye.) French.	France.	—	—	H. ⊙.	
17	nítidum. DC.	(ye.) glossy.	6. 8.	H. ⊙.	
18	subhastatum. DC.	(ye.) halb-ert-leaved.	Archipelago.	1822.	4. 5.	H. ⊙.	
19	Colùmnae. w.	(ye.) Columna's.	Italy.	1796.	6. 7.	H. ⊙.	Jacq. aust. t. 323.
20	altíssimum. L.	(ye.) tall.	Siberia.	1759.	8.	H. ⊙.	Walth. hort. t. 122.
21	orientàle. L.	(ye.) oriental.	Levant.	1739.	7. 8.	H. ⊙.	
22	pannònicum. DC.	(st.) Hungarian.	Hungary.	1787.	—	H. ⊙.	Jacq. ic. rar. 1. t. 123.
23	lyrátum. DC.	(ye.) lyrate.	C. B. S.	5. 8.	G. ♀.	Deles. ic. sel. 2. t. 64.
24	ásperum. DC.	(ye.) rough-podded.	S. Europe.	1778.	5. 6.	H. ⊙.	J. Bauh. hist. 2. f. 3.
25	fugáx. DC.	(ye.) fugacious.	Spain.	1820.	7. 8.	H. ♀.	
26	Sophia. DC.	(ye.) Flix-weed.	Britain.	7. 8.	H. ⊙.	Eng. bot. 963.

27	pérsicum. DC.	(ye.) Persian.	Persia.	1820.	7. 8.	H. ⊙.	
28	Richardsoni.	(ye.) Richardson's.	N. America.	1828.	6. 7.	H. ⊙.	
	<i>canescens.</i>	Richardson.	<i>non</i> Nutt.				
29	brachycarpum. DC.	short-podded.	—————	—————	—————	H. ⊙.	
30	tripinnatum. DC.	(ye.) tripinnate.	C. B. S.	1817.	—————	H. ⊙.	
31	millefolium. DC.	(ye.) Milfoil-leaved.	Canaries.	1779.	5. 9.	G. ♀.	Jacq. ic. rar. 1. t. 127.
32	tanacetifolium. DC.	(ye.) Tansy-leaved.	Italy.	1731.	6. 7.	H. ♀.	Mor. his. 2. s. 3. t. 6. f. 19.
33	supinum. DC.	(wh.) trailing.	S. Europe.	1778.	—————	H. ⊙.	Isn. act. Par. 1724. t. 18.
	<i>Ery'simum supinum.</i>	L. en.					
34	hirsutum. DC.	(ye.) hairy-podded.	—————	1822.	—————	H. ⊙.	
	<i>Ery'simum hirsutum.</i>	L. en.					
35	polyceratium. DC.	(ye.) sinuate-leaved.	—————	1633.	6. 8.	H. ⊙.	Jacq. vind. t. 79.
	<i>Ery'simum polyceratium.</i>	L. en.					
36	rigidum. DC.	(wh.) rigid.	Tauria.	1824.	6. 8.	H. ⊙.	Pall. it. 3. ap. t. Mm. f. 1.
37	bursifolium. DC.	(wh.) various-leaved.	—————	1732.	—————	H. ⊙.	Dill. elt. t. 148. f. 177.
38	pinnatifidum. DC.	(wh.) pinnatifid.	—————	1822.	5. 8.	H. ♀.	All. ped. t. 57. f. 3.
39	erysimoides. DC.	(wh.) Erysimum-like.	Spain.	1827.	10. 12.	H. ♀.	Desf. alt. 2. t. 158.
40	contortuplicatum. (bh.)	twisted-podded.	Cumana.	—————	6. 8.	H. ⊙.	Deles. ic. sel. 2. t. 63. B.
	<i>Hesperis contortuplicatus.</i>	Bieb.	<i>Cheiranthus contortuplicatus.</i>	w.			
ALLIARIA. DC.		ALLIARIA. Tetrodynamia Siliquosa. L.					
1	officinàlis. DC.	(wh.) garlick-scented.	Britain.	5. 6.	H. ♀.	Eng. bot. 796.
	<i>Ery'simum Alliaria.</i>	E. B.	<i>Hesperis Alliaria.</i>	Lam.			
2	brachycarpa. DC.	(wh.) short-podded.	Iberia.	1827.	5. 7.	H. ♀.	
ERY'SIMUM. DC.		ERY'SIMUM. Tetrodynamia Siliquosa. L.					
1	siliculòsum. DC.	(ye.) siliculose.	Tauria.	1824.	5. 6.	H. ♂.	Deles. ic. sel. 2. t. 65.
2	siculum. DC.	(ye.) Sicilian.	Sicily.	1824.	6. 7.	H. ♂.	
3	sessiliflorum. DC.	(ye.) sessile-flower'd.	Siberia.	1794.	—————	H. ♀.	L. Her. strirp. 1. t. 44.
	<i>Cheiranthus quadrangulus.</i>	w.	<i>Cheirinia sessiliflora.</i>	L. en.			<i>Syrènia Lamàrckii.</i> Andrz.
4	angustifolium. DC.	narrow-leaved.	Hungary.	1800.	7. 8.	H. ♂.	W. et Kit. hung. 1. t. 98.
	<i>Cheirinia angustifolia.</i>	L. en.	<i>Syrènia Ehrarti.</i>	Andrz.			
5	cuspidatum. DC.	(ye.) sharp-pointed.	Caucasus.	1800.	5. 6.	H. ♂.	Buxb. cent. 2. t. 33. f. 1.
	<i>Syrènia Biebersteinii.</i>	Andrz.	<i>Cheiranthus cuspidatus.</i>	w.			
6	leptostylum. DC.	(ye.) slender-styled.	Caucasus.	1825.	—————	H. ♂.	
7	exaltatum. DC.	(ye.) tall.	Poland.	—————	—————	H. ♂.	
8	suffruticosum. DC.	(st.) suffruticose.	1822.	4. 5.	H. ♀.	
9	strictum. DC.	(ye.) upright.	Austria.	1795.	6. 8.	H. ♂.	Jacq. aust. 1. t. 73.
	<i>odoratum.</i>	w.	<i>hieracifolium.</i>	Jacq.			<i>Cheirinia stricta.</i> L. en.
10	virgatum. DC.	(ye.) twiggy.	Portugal.	1807.	6. 7.	H. ♂.	Fl. Dan. t. 923?
11	longisiliquosum. DC.	(y.) long-podded.	Switzerland.	1823.	—————	H. ♂.	DC. ic. gal. rar. t. 36.
12	hieracifolium. DC.	(ye.) Hawkweed-ld.	Europe.	—————	5. 6.	H. ♂.	J. Bauh. his. 2. t. 2.
13	Marschallianum. (ye.)	Marschall's.	Poland.	1827.	—————	H. ♂.	
14	pátulum. H.	(ye.) spreading.	1824.	—————	H. ♂.	
15	pùmilum. H.	(ye.) dwarf.	Switzerland.	—————	—————	H. ♂.	
16	áureum. DC.	(ye.) golden.	Caucasus.	1824.	—————	H. ♂.	Deles. ic. sel. 2. t. 66.
17	ibéricum. DC.	(ye.) Iberian.	Iberia.	1803.	5. 8.	H. ♂.	Bot. mag. 835.
	<i>Cheiranthus armeniacus.</i>	B. M.	<i>Cheiranthus ibericus.</i>	Bieb.			
18	cheiranthoides. DC.	(y.) treacle.	Britain.	6. 8.	H. ⊙.	Eng. bot. 942.
19	repandum. DC.	(ye.) small-flowered.	S. Europe.	1772.	5. 6.	H. ⊙.	Jacq. aust. 1. t. 22.
20	helvéticum. DC.	(ye.) Swiss.	Switzerland.	1793.	—————	H. ♂.	Jacq. vind. t. 9.
	<i>Cheiranthus helveticus.</i>	Jacq.	<i>Cheirinia helvetica.</i>	L. en.			
21	canescens. DC.	(ye.) canescent.	S. Europe.	1731.	5. 7.	H. ♂.	Barr. ic. t. 884.
	<i>diffusum.</i>	w.	<i>Cheiranthus alpinus.</i>	Jacq. aust. 1. t. 75.			
22	Andrzejowskiànnum. (y.)	Andrzejowski's.	Tauria.	1828.	—————	H. ♂.	
23	collinum. DC.	(ye.) hill.	Caucasus.	—————	—————	H. ♂.	
24	leptophyllum. DC.	(ye.) slender-leaved.	Iberia.	1827.	—————	H. ♂.	
25	versicolor. DC.	(va.) various-color'd.	Persia.	1823.	5. 7.	H. ♂.	
	<i>Cheiranthus versicolor.</i>	M. B.					
26	lanceolatum. DC.	(ye.) spear-leaved.	—————	1597.	—————	H. ♂.	Jacq. aust. t. 74.
	<i>Cheiranthus erysimoides.</i>	Jacq.					
27	fírmum.	(ye.) hoary-podded.	Switzerland.	1824.	—————	H. ♂.	
	<i>Cheirinia firma.</i>	L. en.	<i>Cheiranthus firmus.</i>	W. en.			
28	rhæticum. DC.	(ye.) Rhætian.	Rhætia.	—————	—————	H. ♂.	
29	dùbium. DC.	(ye.) doubtful.	—————	—————	H. ♂.	
30	longifolium. DC.	(ye.) long-leaved.	Algiers.	1822.	—————	H. ♀.	
31	grácile. DC.	(ye.) slender.	Caucasus.	1824.	6. 8.	H. ♂.	
32	ásperum. DC.	(ye.) rough.	Missouri.	—————	—————	H. ♂.	
33	strigòsum. DC.	(ye.) strigose.	Siberia.	1828.	—————	H. ♂.	
34	Redòwskii. DC.	(ye.) Redowski's.	—————	1825.	—————	H. ♂.	

35	altissimum. DC. (ye.) tallest.	Limbourg.	1822.	6. 7	H. ♂.	
	<i>Cheirinia altissima</i> . L. en.					
36	sabulosum. F. (ye.) gravel.	Siberia.	1823.	—	H. ♂.	
37	bicolor. DC. (v.) two-coloured.	Switzerland.	1827.	—	H. ♂.	
CONRINGIA. L. en. CONRINGIA. Tetrodynamia Siliquosa. L.						
1	alpina. L. en. (wh.) Alpine.	Europe.	1793.	5. 6.	H. ♀.	Vill. dauph. 3. t. 36.
	<i>Brassica alpina</i> . L. <i>Ery'simum alpinum</i> . DC.					
2	perfoliata. L. en. (wh.) perfoliate.	England.	—	H. ⊙.	Eng. bot. 1804.
	<i>Brassica orientalis</i> . E. B. <i>Ery'simum perfoliatum</i> . DC.					
3	austriaca. (st.) Austrian.	Austria.	—	H. ⊙.	Jacq. aust. t. 283.
	<i>Brassica austriaca</i> . Jacq. <i>Ery'simum austriacum</i> . DC.					
STANLEYA. DC. STANLEYA. Tetrodynamia Siliquosa.						
	pinnatifida. DC. pinnatifid.	Missouri.	1812.	5. 6.	H. ♀.	
	<i>Cleome pinnata</i> . Ph.					

Tribus VIII. *CAMELINEÆ* seu Notorhizeæ Latiseptæ. DC.

CAMELINA. DC. CAMELINA. Tetrodynamia Siliculosa. L.						
1	sativa. DC. (ye.) Gold of pleasure.	Britain.	5. 7.	H. ⊙.	Eng. bot. 1254.
	<i>Aly'ssum sativum</i> . E. B. <i>Myàgrum sativum</i> . L.					
	α pilosa. DC. (ye.) hairy.	—	—	H. ⊙.	Moris. ox. 2. s. 3. t. 21. f. 2.
	β glabrata. DC. (ye.) smooth.	—	H. ⊙.	Lind. als. 94. t. 1.
2	dentata. DC. (ye.) tooth-leaved.	Europe.	1806.	6. 7.	H. ⊙.	J. Bauh. hist. 2. p. 893. ic.
3	pinnatifida. H. (ye.) pinnatifid.	Spain.	—	—	H. ⊙.	
4	microcarpa. DC. (ye.) small-podded.	Poland.	1827.	—	H. ⊙.	Deles. ic. sel. 2. t. 69.
5	barbareæfōia. DC. (ye.) Barbarea-ld.	Siberia.	1824.	5. 7.	H. ♀.	— 2. t. 70.
6	austriaca. DC. (ye.) Austrian.	Austria.	1795.	6. 7.	H. ⊙.	Jacq. aust. 2. t. 111.
NE'SLIA. DC. NE'SLIA. Tetrodynamia Siliculosa.						
	paniculata. DC. (ye.) paniced.	Europe.	1683.	6. 8.	H. ⊙.	Flor. dan. t. 204.
	<i>Rapistrum paniculatum</i> . Gært. <i>Myàgrum paniculatum</i> . L.					

Tribus IX. *LEPIDINEÆ* seu Notorhizeæ Angustiseptæ. DC.

SENEBIE'RA. DC. SENEBIE'RA. Tetrodynamia Siliculosa. L.						
1	pinnatifida. DC. (wh.) pinnatifid.	England.	7. 8.	H. ⊙.	Eng. bot. 248.
	<i>Corónopus didyma</i> . E. B. <i>Lepidium didymum</i> . L.					
	β incisa. W. en. (wh.) cut-leaved.	America.	1817.	—	H. ⊙.	
2	Corónopus. DC. (wh.) common.	Britain.	6. 10.	H. ⊙.	Eng. bot. 1660.
	<i>Corónopus Ruëllii</i> . E. B. <i>Cochleària Corónopus</i> . L.					
LEPIDIUM. DC. PEPPERWORT. Tetrodynamia Siliculosa. L.						
1	Drába DC. (wh.) Whitlow-grass.	Europe.	1596.	5. 6.	H. ♀.	Jacq. fl. aust. 4. t. 315.
	<i>Cochleària Drába</i> . Jacq.					
2	chalepense. DC. (wh.) Aleppo.	Aleppo.	1798.	5. 7.	H. ⊙.	Moris. ox. 2. s. 3. t. 25.
3	coronopifolium. DC. (w.) Buckshorn-ld.	Volga.	1823.	—	H. ♀.	
4	sativum. DC. (wh.) common Cress.	Persia.	1548.	5. 10.	H. ⊙.	Fl. græc. t. 616.
	β crispum. DC. (wh.) curled Cress.	—	—	H. ⊙.	Chabr. sci. 289. f. 2.
	γ latifolium. DC. (wh.) broad-leaved.	—	—	H. ⊙.	Moris. ox. 2. s. 3. t. 19. f. 2.
5	campestre. DC. (wh.) hoary field.	Britain.	6. 7.	H. ⊙.	Eng. bot. 1385.
	<i>Thlâspi campestre</i> . E. B.					
6	hirtum. DC. (wh.) hairy.	—	—	H. ♂.	— 1803.
	<i>Thlâspi hirtum</i> . E. B.					
7	spinosum. DC. (wh.) prickly.	Levant.	1787.	4. 9.	H. ⊙.	Ard. spec. 2. t. 16.
8	virginicum. DC. (wh.) Virginian.	America.	1713.	6. 7.	H. ⊙.	Schkuhr. hand. 2. t. 180.
9	subulatum. DC. (wh.) awl-leaved.	Spain.	1739.	7. 8.	F. ♀.	Asso syn. arr. t. 6. f. 3.
10	ruerale. DC. (wh.) narrow-leaved.	Britain.	6. 7.	H. ⊙.	Eng. bot. 1595.
11	incisum. DC. (wh.) cut-leaved.	Tauria.	1824.	5. 6.	H. ⊙.	
12	vesicarium. DC. (wh.) bladdered.	Iberia.	1821.	4. 8.	H. ⊙.	Hil. veg. syst. 11. t. 41. f. 3.
13	angulosum. DC. (wh.) angular-stalk'd.	Hungary.	1825.	—	H. ⊙.	
14	perfoliatum. DC. (wh.) various-leaved.	Austria.	1640.	4. 6.	H. ⊙.	Jacq. aust. 4. t. 346.
15	Cardamines. DC. (wh.) Spanish Cress.	Spain.	1789.	6. 7.	F. ♂.	Ard. spec. 1. t. 19.
16	divaricatum. DC. (wh.) close-spiked.	C. B. S.	1774.	5. 8.	G. ♀.	
17	bonariense. DC. (wh.) Buenos Ayres.	S. America.	1732.	5. 6.	H. ⊙.	Dill. elt. t. 286. f. 370.
18	pubescens. DC. (wh.) pubescent.	Para.	1820.	5. 8.	H. ⊙.	
19	cuneifolium. DC. (wh.) wedge-leaved.	N. S. W.	1820.	6. 8.	H. ⊙.	

20	<i>piscidium</i> . DC.	(wh.) South Sea.	Society Isles.	1779.	9.	H. ☉.	Mont. n. a. n. c. 6. t. 5. a.	
21	<i>desertorum</i> . Led.	(wh.) desert.	Siberia.	1827.	—	H. ☉.		
22	<i>decumbens</i> . DC.	(wh.) decumbent.	1820.	5. 8.	H. ☉.		
23	<i>oleraceum</i> . DC.	(wh.) eatable.	New Zealand.	—	H. ☉.		
24	<i>lyratum</i> . DC.	(wh.) lyre-leaved.	Levant.	1759.	6. 7.	H. ☉.	Tourn. it. 2. t. 389.	
25	<i>latifolium</i> . DC.	(wh.) broad-leaved.	Britain.	—	H. ♀.	Eng. bot. 182.	
26	<i>affine</i> . DC.	(wh.) saw-leaved.	Siberia.	1823.	7. 8.	H. ♀.		
27	<i>crassifolium</i> . DC.	(wh.) thick-leaved.	Hungary.	—	5. 6.	H. ♀.	W. et Kit. hung. 1. t. 4.	
28	<i>suffruticosum</i> . DC.	(w.) shrubby.	Spain.	1790.	7. 8.	F. ♀.	Cav. ic. 2. t. 161. f. 2.	
	<i>graminifolium</i> . Cav.							
29	<i>lineare</i> . DC.	(wh.) linear-leaved.	Spain.	—	F. ♀.		
30	<i>Iberis</i> . DC.	(wh.) grass-leaved.	S. Europe.	1683.	6. 9.	H. ♀.	Moris. his. 2. s. 3. t. 21. f. 1.	
	<i>graminifolia</i> . H. K.							
31	<i>capense</i> . DC.	(wh.) Cape.	C. B. S.	1818.	6. 7.	G. ♀.		
BIVONÆA . DC.			BIVONÆA . <i>Tetradynamia Siliculosa</i> . L.					
	<i>lutea</i> . DC.	(ye.) yellow.	Sicily.	1823.	4. 5.	H. ☉.	Cup. pan. sic. 2. t. 256.	
	<i>Thlaspi luteum</i> . Biv.							
ÆTHIONEMA . DC.			ÆTHIONEMA . <i>Tetradynamia Siliculosa</i> . L.					
1	<i>saxatile</i> . DC.	(w.p.) rock.	S. Europe.	1759.	6. 7.	H. ☉.	Jacq. aust 3. t. 236.	
2	<i>gracile</i> . DC.	(wh.) slender.	Carniola.	1822.	—	H. ♀.	Boc. mus. p. 79. t. 70.	
3	<i>Buxbaumii</i> . DC.	(pu.) Buxbaum's.	Iberia.	1820.	—	H. ☉.	Buxb. cent. 1. t. 5. f. 1.	
4	<i>monospermum</i> DC.	(p.) one-seeded.	Spain.	1778.	7. 8.	H. ♂.		

Tribus X. *ISATIDEÆ* seu Notorhizæ Nucamentacæ. DC.

TAUSCHERIA . DC.			TAUSCHERIA . <i>Tetradynamia Siliculosa</i> . L.					
1	<i>lasiocarpa</i> . DC.	(wh.) villous-podded.	Siberia.	1824.	6. 7.	H. ☉.		
2	<i>gymnocarpa</i> . DC.	(wh.) smooth-podded.	—	—	5. 6.	H. ☉.		
ISATIS . DC.			WOAD . <i>Tetradynamia Siliculosa</i> . L.					
1	<i>armena</i> . DC.	(ye.) Armenian.	Armenia.	1824.	6. 7.	H. ☉.	Desv. j. 3. t. 25. f. 6.	
2	<i>latisiliqua</i> . DC.	(ye.) broad-podded.	Iberia.	1827.	5. 7.	H. ♂.		
3	<i>lusitânica</i> . DC.	(ye.) Portugal.	Portugal.	1739.	—	H. ☉.		
4	<i>alpina</i> . DC.	(ye.) Alpine.	Italy.	1800.	—	H. ♀.	All. ped. t. 86. f. 2.	
5	<i>præcox</i> . DC.	(ye.) early-flowering.	Hungary.	1820.	4. 6.	H. ♂.	Trat. arch. 2. t. 68.	
6	<i>littoralis</i> . DC.	(ye.) sea-side.	Tauria.	—	6. 7.	H. ☉.	Deles. ic. sel. 2. t. 78.	
7	<i>hebecarpa</i> . DC.	(ye.) pubescent-pod ^d .	Tauria.	1827.	—	H. ☉.	— 2. t. 79.	
8	<i>dasycarpa</i> . Led.	(ye.) thick-podded.	Siberia.	—	5. 7.	H. ♂.		
9	<i>tinctoria</i> . DC.	(ye.) common.	England.	5. 7.	H. ♂.	Eng. bot. 97.	
	<i>β sativa</i> . DC.	(ye.) smooth-leaved.	—	H. ♂.	Blackw. herb. t. 246.	
	<i>γ hirsuta</i> . DC.	(ye.) hairy-leaved.	—	H. ♂.		
	<i>δ microcarpa</i> . DC.	(ye.) small-podded.	—	H. ♂.		
10	<i>campéstris</i> . DC.	(ye.) field.	Podolia.	1823.	—	H. ☉.		
11	<i>bannatica</i> . DC.	(ye.) Bannatic.	Hungary.	—	—	H. ☉.		
12	<i>taurica</i> . DC.	(ye.) Taurian.	Tauria.	1827.	—	H. ♂.		
13	<i>oblongata</i> . DC.	(ye.) oblong-podded.	Siberia.	—	—	H. ♂.		
14	<i>orientalis</i> . DC.	(ye.) oriental.	Levant.	—	H. ☉.		
15	<i>canescens</i> . DC.	(ye.) canescent.	S. Europe.	1825.	—	H. ♂.	Buxb. cent. 1. p. 4. t. 5.	
16	<i>aléppica</i> . DC.	(ye.) Aleppo.	Levant.	1739.	6. 7.	H. ☉.	Scop. d. ins. 2. t. 16.	
17	<i>variegata</i> . Led.	(ye.) variegated.	Siberia.	1827.	—	H. ♂.		
MYAGRUM . DC.			MYAGRUM . <i>Tetradynamia Siliculosa</i> . L.					
	<i>perfoliatum</i> . DC.	(ye.) perfoliate.	Europe.	1648.	6. 7.	H. ☉.	Schkuhr. han. 2. t. 178.	
SOBOLEWSKIA . DC.			SOBOLEWSKIA . <i>Tetradynamia Siliculosa</i> . L.					
	<i>lithophila</i> . DC.	(wh.) large-fruited.	Iberia.	1823.	5. 8.	H. ♂.	Deles. ic. sel. 2. t. 80.	

Tribus XI. *ANCHONIEÆ* seu Notorhizæ Lomentacæ. DC.

GOLDBA'CHIA . DC.			GOLDBA'CHIA . <i>Tetradynamia Siliquosa</i> .					
1	<i>lævigata</i> . DC.	(li.) smooth.	Astracan.	1823.	5. 6.	H. ☉.	Deles. ic. sel. 2. t. 81.	
2	<i>torulosa</i> . DC.	(li.) twisted-podded	Levant.	—	H. ☉.		
3	<i>tetragona</i> . Led.	(li.) four-sided.	—	1825.	—	H. ☉.		
STERIGMA . DC.			STERIGMA . <i>Tetradynamia Siliquosa</i> .					
1	<i>tomentosum</i> . DC.	(ye.) tomentose.	Caspia.	1823.	4. 5.	H. ♂.	Pall. it. 2. ap. t. K. f. 2.	
	<i>Cheiranthus tomentosus</i> . w.							
2	<i>torulosum</i> . DC.	(ye.) twisted-podded.	Iberia.	—	—	H. ♂.	Buxb. cent. 5. t. 52. f. 2.	

Subordo III. ORTHOPLOCEÆ. DC. syst. 2. p. 581.

Tribus XII. BRASSICÆ seu Orthoploceæ Siliquosæ. DC.

BRA'SSICA. DC.		CABBAGE.	Tetradynamia Siliquosa. L.				
1	oleracea. DC.	(va.) common.	England.	4. 6.	H. ♂.	
	A. SYLVESTRIS. DC.	(st.) WILD.	—————	—	H. ♂.	Eng. bot. t. 637.
	B. ACEPHALA. DC.	(st.) CAVALIER.	—	H. ♂.	
a	ramosa. DC.	(st.) thousand-headed.	—	H. ♂.	
β	vulgaris. DC.	(st.) upright.	—	H. ♂.	Moris. ox. s. 3. t. 1. f. 6.
*	viridis. DC.	(st.) green.	—	H. ♂.	Lob. ic. 243. f. 1.
**	purpurascens. DC.	(st.) purple.	—	H. ♂.	Chabr. sciag. 270. f. 6.
γ	quercifolia. DC.	(st.) oak-leaved.	—	H. ♂.	————— 270. f. 1.
δ	sabellica. DC.	(st.) BORECOLE.	—	H. ♂.	————— 271. f. 1.
*	pinnata. DC.	(st.) winged-leaved.	—	H. ♂.	Lob. ic. 246. f. 2.
**	purpurascens. DC.	(st.) purple.	—	H. ♂.	
***	versicolor. DC.	(st.) variegated.	—	H. ♂.	
ε	palmifolia. DC.	(st.) palm-leaved.	—	H. ♂.	
ζ	costata. DC.	(wh.) thick-ribbed.	—	H. ♂.	
*	nepenthiformis. DC.	(wh.) tubular-ld.	—	H. ♂.	Hort. trans. 5. p. 13. t. 1.
C.	BULLATA. DC.	(st.) SAVOY.	—	H. ♂.	Weinm. phyt. t. 261.
a	vulgaris. DC.	(st.) common.	—	H. ♂.	Lob. ic. t. 244. f. 1.
*	præcox. DC.	(st.) early.	—	H. ♂.	
**	humilis. DC.	(st.) dwarf.	—	H. ♂.	
***	turionensis. DC.	(st.) Tourraine.	—	H. ♂.	
****	aurata. DC.	(st.) yellow.	—	H. ♂.	
β	oblonga. DC.	(st.) winter.	—	H. ♂.	Lob. ic. t. 244. f. 2.
γ	major. DC.	(st.) large.	—	H. ♂.	
δ	gemmifera. DC.	(st.) Brussel's-sprouts.	—	H. ♂.	
D.	CAPitata. DC.	(st.) HEADED.	—	H. ♂.	Lob. ic. 243. f. 2.
a	depressa. DC.	(st.) drum-head.	—	H. ♂.	
β	sphaerica. DC.	(st.) common.	—	H. ♂.	
*	alba. DC.	(st.) white.	—	H. ♂.	
**	rubra. DC.	(st.) red.	—	H. ♂.	Dod. pempt. 621. f. 2.
γ	obovata. DC.	(st.) Sugarloaf.	—	H. ♂.	
δ	elliptica. DC.	(st.) early york.	—	H. ♂.	
ε	subacuta.	(st.) Battersea.	—	H. ♂.	
ζ	conica. DC.	(st.) heart.	—	H. ♂.	
E.	CAULO-RAPA. DC.	TURNEP-CABBAGE.	—	H. ♂.	Dalech. lugd. 522. f. 3.
a	communis. DC.	(st.) flat-leaved.	4. 6.	H. ♂.	Lob. ic. 246. f. 1.
*	alba. DC.	(st.) white-stemmed.	—	H. ♂.	
**	purpurascens. DC.	(st.) violet-stem'd.	—	H. ♂.	Weinm. phyt. t. 264.
β?	crispa. DC.	(st.) curl-leaved.	—	H. ♂.	
F.	BOTRYTIS. DC.	(st.) BROCCOLI.	—	H. ♂.	Lob. ic. 245. f. 1.
a	cauliflora. DC.	(st.) Cauliflower.	—	H. ♂.	Weinm. phyt. t. 256.
β	asparagoides. DC.	(st.) Broccoli.	—	H. ♂.	Dalech. lugd. 522. f. 1.
*	communis. DC.	(st.) white.	—	H. ♂.	Chabr. sciagr. 269. f. 3.
**	violacea. DC.	(w.s.) violet.	—	H. ♂.	
***	viridis. DC.	(w.s.) green.	—	H. ♂.	
****	ramosa. DC.	(w.s.) branching.	—	H. ♂.	
*****	autumnalis. DC.	(st.) Cape.	—	H. ♂.	
2	campéstris. DC.	(ye.) field.	England.	6.	H. ♂.	Eng. bot. 2224.
A.	OLEIFERA. DC.	(ye.) COLE-SEED.	—————	—	H. ♂.	Dod. pempt. 623. f. 1.
*	autumnalis. DC.	(ye.) autumnal.	—————	—	H. ♂.	
**	præcox. DC.	(ye.) early.	—————	—	H. ♂.	
B.	PA'BULARIA. DC.	(ye.) SHEEP'S.	—	H. ♂.	
C.	NAPO-BRA'SSICA.	NAVEW.	—	H. ♂.	
a	communis. DC.	(ye.) common.	—	H. ♂.	
*	alba. DC.	(ye.) white-rooted.	—	H. ♂.	
**	purpurascens. DC.	(ye.) purple-rooted.	—	H. ♂.	
β	Rutabaga. DC.	(st.) Swedish Turnep	—	H. ♂.	
3	Rapa. DC.	(ye.) Turnep.	Britain.	4. 6.	H. ♂.	Eng. bot. 2176.
A.	DEPRE'SSA. DC.	FLAT-ROOTED.	—————	—	H. ♂.	Mart. fl. rust. t. 49. 50.
*	alba. DC.	(ye.) white-round.	—————	—	H. ♂.	
**	flavescens. DC.	(ye.) yellow-round.	—————	—	H. ♂.	
***	nigricans. DC.	(ye.) dark-round.	—————	—	H. ♂.	
****	punicea. DC.	(ye.) red-round.	—————	—	H. ♂.	
*****	viridis. DC.	(ye.) green-round.	—————	—	H. ♂.	
*****	præcox. DC.	(ye.) early Dutch.	—————	—	H. ♂.	

B. OBLO'NGA. DC. (ye.)	OBLONG-ROOTED.	Britain.	4. 6.	H. ♂.	Lob. ic. t. 197. f. 2.
C. OLEI'FERA. DC. (y.)	OIL-BEARING.	Dauphiny.	—	H. ♂.	— t. 298. f. 1.
4 Nàpus. DC. (ye.)	Rape.	Britain.	5.	H. ♂.	Eng. bot. 2146.
A. OLEI'FERA. DC. (ye.)	wild.	—	—	H. ♂.	Lob. ic. t. 200. f. 2.
B. ESCULE'NTA. DC. (ye.)	esculent.	—	—	H. ♂.	— 200. f. 1.
α álba. DC. (ye.)	white-rooted.	—	—	H. ♂.	Blackw. herb. t. 410.
β flàva. DC. (ye.)	yellow-rooted.	—	—	H. ♂.	
γ nígricans. DC. (ye.)	black-rooted.	—	—	H. ♂.	
5 pr'æcox. DC. (st.)	early.	S. Europe.	5. 6.	H. ⊙.	
6 chinénsis. DC. (ye.)	Chinese.	China.	1770.	7.	H. ♂.	
7 violàcea. DC. (li.)	violet-flowered.	—	—	H. ♂.	
8 incàna. DC. (st.)	hoary.	Naples.	1824.	4. 5.	H. ♀.	Cup. panph. 1. t. 132.
9 baleàrica. DC. (st.)	oak-leaved.	Minorca.	—	5. 7.	H. ♀.	Deles. ic. sel. 2. t. 86.
10 hy'brida. T. C. (st.)	hybrid.	Naples.	—	—	H. ♂.	
11 Gravìnæ. DC. (ye.)	pubescent.	Aprutia.	—	5. 6.	H. ♀.	Ten. fl. nap. t. 62.
12 pinnatífida. DC. (st.)	pinnatifid.	Spain.	—	9. 10.	H. ♀.	Desf. fl. atl. 2. t. 165.
13 hùmilis. DC. (ye.)	dwarf.	S. France.	—	4. 5.	H. ♀.	
14 repànda. DC. (ye.)	wavy.	S. Europe.	1818.	6. 8.	H. ♀.	Vill. dauph. 3. t. 39.
15 Richérii. DC. (ye.)	alpine.	—	1825.	5. 8.	H. ♀.	— 3. t. 36.
16 monénsis. DC. (st.)	Isle of Man.	Britain.	—	H. ⊙.	Eng. bot. 962.
17 Erucástrum. DC. (ye.)	runcinate.	S. Europe.	1790.	—	H. ⊙.	Bull. herb. t. 331.
18 cheiránthos. DC. (ye.)	Stock-like.	—	—	H. ♀.	Vill. dauph. 3. t. 36.
19 cheiranthiflòra. DC. (y.)	Wall-flowered.	—	1820.	—	H. ⊙.	Willd. hort. ber. t. 19.
20 Tournefórtii. DC. (st.)	Tournefort's.	Spain.	—	6. 7.	H. ⊙.	Gou. ill. p. 44. t. 20. f. A.
21 lævigàta. DC. (wh.)	smooth.	—	1825.	—	H. ♂.	
22 valentina. DC. (wh.)	Spanish.	—	—	4. 5.	H. ⊙.	Barr. ic. t. 195. f. 1.
23 fruticulòsa. DC. (st.)	frutescent.	S. Europe.	1820.	2. 4.	H. ♀.	Cyr. pl. rar. 2. t. 1.
24 elongàta. DC. (ye.)	stalk-leaved.	Hungary.	1801.	5. 10.	H. ♂.	W. et K. hung. 1. t. 28.
25 sabulària. DC. (ye.)	gravel.	Portugal.	1818.	—	H. ⊙.	Brot. phyt. p. 97. t. 43.
26 odoràta. Sck. (ye.)	sweet-scented.	1826.	—	H. ⊙.	
SIN'APIS. DC.	MUSTARD. Tetradynamia Siliquosa. L.					
1 nigra. DC. (ye.)	common.	Britain.	4. 8.	H. ⊙.	Eng. bot. 969.
β torulòsa. DC. (ye.)	twisted-podded.	—	—	H. ⊙.	
γ túrgida. DC. (ye.)	turgid-podded.	—	—	H. ⊙.	
δ villòsa. DC. (ye.)	villous-podded.	—	—	H. ⊙.	
2 geniculàta. DC. (ye.)	jointed.	Barbary.	1824.	—	H. ⊙.	
3 lævigàta. DC. (ye.)	smooth.	Spain.	1769.	6. 7.	H. ♂.	
4 auriculàta. DC. (ye.)	eared.	—	H. ⊙.	
5 integrifòlia. DC. (ye.)	entire-leaved.	E. Indies.	1804.	7. 8.	H. ⊙.	W. hort. ber. t. 14.
6 júncea. DC. (ye.)	fine-leaved.	China.	1710.	6. 7.	H. ⊙.	Jacq. h. vind. t. 171.
7 chinénsis. DC. (ye.)	Chinese.	—	1782.	—	H. ⊙.	Ard. spec. 1. t. 10.
8 brassicàta. DC. (ye.)	Cabbage-leav'd.	—	1801.	—	H. ⊙.	
9 cèrnua. DC. (wh.)	drooping.	China.	1824.	7. 9.	H. ⊙.	
10 pubéscens. DC. (ye.)	downy.	Sicily.	1789.	—	H. ♀.	Ard. spec. 1. t. 9.
11 arvénsis. DC. (ye.)	Charlock.	Britain.	4. 8.	H. ⊙.	Eng. bot. 1748.
β incìsa. (ye.)	cut-leaved.	Europe.	—	H. ⊙.	Lob. ic. 198. f. 2.
12 orientàlis. DC. (ye.)	oriental.	Levant.	1778.	6. 7.	H. ⊙.	Schk. hand. 1. t. 186.
13 táurica. DC. (ye.)	Taurian.	Tauria.	1823.	4. 8.	H. ⊙.	
14 subbipinnatífida. DC. (ye.)	subbipinnatifid.	Spain.	—	6. 7.	H. ⊙.	
15 Kàber. DC. (ye.)	Persian.	Persia.	—	—	H. ⊙.	
16 Allionii. DC. (ye.)	Allioni's.	Egypt.	1789.	—	H. ⊙.	Jacq. h. vind. 2. t. 168.
17 túrgida. DC. (ye.)	turgid-podded.	—	—	H. ⊙.	
18 incàna. DC. (ye.)	hoary-jointed.	S. Europe.	1771.	7.	H. ♂.	Jacq. h. vind. 2. t. 169.
19 heterophy'lla. DC. (ye.)	various-leaved.	Spain.	1820.	5. 6.	H. ♂.	
20 álba. DC. (ye.)	white-seeded.	Britain.	4. 10.	H. ⊙.	Eng. bot. 1677.
21 hispida. DC. (ye.)	hispid.	Spain.	1804.	6. 7.	H. ⊙.	
22 dissécta. DC. (ye.)	cut-leaved.	—	—	4. 6.	H. ⊙.	
23 hastàta. DC. (ye.)	hastate-leaved.	N. Holland.	1824.	7. 9.	H. ⊙.	
24 foliòsa. DC. (ye.)	leafy.	Levant.	1804.	5. 6.	H. ⊙.	
25 ápula. DC. (ye.)	Apulian.	Italy.	1824.	6. 8.	H. ⊙.	
26 ramòsa. H. B. (ye.)	branching.	E. Indies.	1804.	7. 9.	H. ⊙.	
27 virgàta. H. (ye.)	twiggy.	1827.	6. 8.	H. ⊙.	
28 subulària. (ye.)	awl-shaped.	—	—	H. ⊙.	
29 frutéscens. DC. (st.)	frutescent.	Madeira.	1777.	12. 6.	G. ♀.	
MORICA'NDIA. DC.	MORICA'NDIA. Tetradynamia Siliquosa. L.					
arvénsis. DC. (pu.)	field.	S. Europe.	1739.	6.	H. ♀.	Swt. br. fl. gar. 278.
Brássica arvénsis. L.	Túrritis arvénsis. H. K.					
DIPLOTA'XIS. DC.	DIPLOTA'XIS. Tetradynamia Siliquosa. L.					
1 crassifòlia. DC. (ye.)	thick-leaved.	Sicily.	1824.	5. 8.	H. ♀.	

2 erucoides. DC. (ye.) dwarf. <i>Sinapis erucoides</i> . L.	S. Europe.	1736.	6. 7.	H. ☉.	Jacq. vind. 2. t. 170.
3 virgata. DC. (ye.) slender.	Spain.	1820.	—	H. ☉.	
4 catholica. DC. (ye.) Spanish. <i>Sisymbrium catholicum</i> . L.	—	—	4. 5.	H. ☉.	
5 tenuifolia. DC. (ye.) Wall rocket. <i>Sisymbrium tenuifolium</i> . E.B. <i>Sinapis tenuifolia</i> . H.K.	England.	7. 10.	H. ☉.	Eng. bot. 525.
6 muralis. DC. (ye.) sand. <i>Sisymbrium murale</i> . L. <i>Sinapis muralis</i> . H.K.	England.	7. 9.	H. ☉.	Eng. bot. 1090.
7 viminea. DC. (ye.) twiggy.	S. Europe.	5. 6.	H. ☉.	Mor. his. ox. 2. t. 5. f. 8.
8 saxatilis. DC. (ye.) rock.	—	—	H. 4.	
9 ramosissima. DC. (ye.) branching.	1822.	—	H. 4.	
ERUCA. DC. ERUCA. <i>Tetradynamia Siliculosa</i> . L.					
1 sativa. DC. (wh.) stripe-flowered. <i>Brassica Eruca</i> . L. <i>Euzomum sativum</i> . L. en.	S. Europe.	1573.	7.	H. ☉.	Fl. græc. t. 646. et 647.
2 hispida. DC. (wh.) hispid.	Naples.	1824.	—	H. ☉.	
3 vesicaria. DC. (wh.) bladdered. <i>β flaviflora</i> . DC. (ye.) yellow.	Spain.	1820.	—	H. ☉.	Asso. syn. arrag. 88. t. 4.
	—	—	—	H. ☉.	

Tribus XIII. *VELLEÆ* seu Orthoploceæ Latiseptæ. DC.

VELLA. DC. CRESS-ROCKET. <i>Tetradynamia Siliculosa</i> . L.					
pseudocytisus. DC. (y.) shrubby.	Spain.	1759.	4. 5.	H. ½.	Bot. reg. 293.
CARRICHTERA. DC. CARRICHTERA. <i>Tetradynamia Siliculosa</i> . L.					
Vella. DC. (st.) annual. <i>Vella annua</i> . E.B.	England.	6. 7.	H. ☉.	Eng. bot. 1441.
SUCCOWIA. DC. SUCCOWIA. <i>Tetradynamia Siliculosa</i> . L.					
baleàrica. DC. (ye.) Minorca. <i>Bunias baleàrica</i> . L.	Minorca.	1781.	6. 7.	H. ☉.	Jacq. vind. 2. t. 144.

Tribus XIV. *PSYCHINEÆ* seu Orthoploceæ Angustiseptæ. DC.

PSYCHINE. DC. PSYCHINE. <i>Tetradynamia Siliculosa</i> . L.					
stylòsa. DC. (wh.) striped-flower'd. Barbary.		1822.	4. 5.	H. ☉.	Desf. fl. atl. 2. t. 148.

Tribus XV. *ZILLEÆ* seu Orthoploceæ Nucamentaceæ. DC.

ZILLA. DC. ZILLA. <i>Tetradynamia Siliculosa</i> . L.					
myagroides. DC. (li.) spiny. <i>Bunias spinosa</i> . Vent.	Egypt.	4. 5.	H. ½.	Vent. malm. t. 16.
CALEPINA. DC. CALEPINA. <i>Tetradynamia Siliculosa</i> . L.					
Corvini. DC. (wh.) annual. <i>Bunias cochlearioides</i> . w.	S. Europe.	1820.	4. 6.	H. ☉.	W. et Kit. hung. 2. t. 107.

Tribus XVI. *RAPHANEÆ* seu Orthoploceæ Lomentaceæ. DC.

CRAMBE. DC. COLEWORT. <i>Tetradynamia Siliculosa</i> . L.					
1 maritima. DC. (wh.) Sea Kale.	Britain.	5. 6.	H. 4.	Eng. bot. 924.
2 pinnatifida. DC. (wh.) smooth-winged.	Siberia.	1759.	6. 7.	H. 4.	Jacq. ic. 1. t. 128.
3 orientalis. DC. (wh.) oriental.	Levant.	1752.	6. 7.	H. 4.	
4 tatàrica. DC. (wh.) Tartarian.	Hungary.	1789.	—	H. 4.	Jacq. ic. 1. t. 129.
5 áspera. DC. (wh.) rough.	Tauria.	1823.	5. 6.	H. 4.	Deles. ic. sel. 2. t. 91.
6 júncea. DC. (wh.) rushy.	Iberia.	1828.	—	H. 4.	
7 cordifolia. DC. (wh.) heart-leaved.	Caucasus.	—	6. 7.	H. 4.	
8 hispànica. DC. (wh.) Spanish.	Spain.	1683.	—	H. ☉.	Jacq. obs. 2. t. 41.
9 filifórmis. DC. (wh.) Patagonian.	Patagonia.	1796.	7. 8.	H. ☉.	Jacq. ic. 3. t. 504.
10 fruticòsa. DC. (wh.) Madeira.	Madeira.	1777.	5. 11.	G. ½.	
11 strigòsa. DC. (wh.) strigose shrubb.	Canaries.	1779.	5. 6.	G. ½.	L'. her. stirp. 1. t. 72.

RAPÍSTRUM. DC.		RAPÍSTRUM. Tetrodynamia Siliculosa. L.				
1	perénne. DC. (ye.)	perennial.	Europe.	1789.	7.	H. ♀. Jacq. aust. 5. t. 414.
	<i>Myàgrum perénne.</i> L.	<i>Cakile perénnis.</i> H.K.				
2	rugòsum. DC. (ye.)	wrinkled.	————	1739.	6. 7.	H. ⊙. All. ped. 1. t. 78.
	<i>Myàgrum rugòsum.</i> L.	<i>Cakile rugosa.</i> H.K.				
3	orientàle. DC. (ye.)	oriental.	Levant.	1795.	————	H. ⊙. Flor. græc. t. 612.
ENARTHROCA'RPUS		ENARTHROCA'RPUS. Tetrodynamia Siliquosa.				
1	lyrátus. DC. (ye.)	yellow-strip'd.	Egypt.	1826.	6. 8.	H. ⊙. Delil. fl. æg. 105. t. 36. f. 1.
2	pterocárpus. DC.	wing-podded.	————	1828.	H. ⊙. Deles. ic. sel. 2. t. 93.
RA'PHANUS. DC.		RADISH. Tetrodynamia Siliquosa. L.				
1	sátivus. Mil. (li.)	common.	China.	1548.	5. 6.	H. ⊙. Fuchs. hist. 659. ic.
	<i>a pr'æcox.</i> (li.)	early Salmon.	————	————	————	H. ⊙.
	<i>β macrorhizus.</i> (li.)	long Salmon.	————	————	————	H. ⊙.
	<i>γ purpureus.</i> (li.)	purple-rooted.	————	————	————	H. ⊙.
2	rotúndus. Mil. (li.)	Turnep-rooted.	————	————	————	H. ⊙. Lob. ic. t. 201. f. 1.
3	chinénsis. Mil. (li.)	oil-seeded.	————	————	————	H. ⊙.
4	nìger. DC. (li.)	black Spanish.	————	————	————	H. ⊙. Lob. ic. 202. f. 1.
	<i>a vulgàris.</i> DC. (li.)	long-rooted.	————	————	————	H. ⊙. Wein. phyt. t. 860. f. c.
	<i>β rotúndus.</i> DC. (li.)	round-rooted.	————	————	————	H. ⊙. ————— t. 860. f. b.
	<i>γ griseus.</i> DC. (li.)	grey.	————	————	————	H. ⊙.
5	orbiculàris. Mil. (li.)	white Spanish.	————	————	————	H. ⊙.
6	caudátus. DC. (pu.)	long-podded.	Java.	1815.	5. 8.	H. ⊙. Lin. f. dec. 1. t. 10.
7	Raphanístum. DC. (ra.)	wild.	Britain.	4. 8.	H. ⊙. Eng. bot. 856.
	<i>a álbum.</i> (wh.)	white-flowered.	————	————	H. ⊙. Wein. phyt. t. 862. f. a.
	<i>β purpuráscens.</i> (pu.)	purple-flowered.	————	————	H. ⊙. ————— t. 862. f. b.
	<i>ζ flàrum.</i> (ye.)	yellow-flowered.	————	————	H. ⊙. J. Bauh. h. 2. p. 844. ic.
8	Landra. DC. (ye.)	Italian.	Italy.	1827.	4. 6.	H. ♂. Deles. ic. sel. 2. t. 94.
9	marítimus. DC. (ye.)	sea-side.	Britain.	5. 7.	H. ♂. Eng. bot. 1643.

Subordo IV. **SPIROLOBEÆ. DC. syst. 2. p. 670.**

Tribus XVII. **BUNIADEÆ** seu Spirolobeæ Nucamentaceæ. DC.

B'UNIAS. DC.		B'UNIAS. Tetrodynamia Siliculosa. L.				
1	Erucàgo. DC. (ye.)	prickly-podded.	S. Europe.	1640.	6. 7.	H. ⊙. Jacq. aust. 4. t. 340.
2	áspera. DC. (ye.)	rough.	Portugal.	1823.	6. 7.	H. ⊙.
3	orientàlis. DC. (ye.)	oriental.	Levant.	1795.	5. 7.	H. ♀. Schk. han. 2. t. 189.

Tribus XVIII. **ERUCARIEÆ** seu Spirolobeæ Lomentaceæ. DC.

ERUC'ARIA. DC.		ERUC'ARIA. Tetrodynamia Siliquosa. L.				
1	aléppica. DC. (pu.)	Aleppo.	Levant.	1680.	7. 8.	H. ⊙. Vent. h. cels. t. 64.
	<i>Cordylocárpus lævigátus.</i> w.					
2	crassifòlia. DC. (pu.)	thick-leaved.	Egypt.	1828.	7. 9.	H. ⊙. Delil. pl. bot. t. 34. f. 1.

Subordo V. **DIPLECOLOBEÆ. DC. syst. 2. p. 676.**

Tribus XIX. **HELIOPHILEÆ** seu Diplecolobeæ Siliquosæ. L.

HELIO'PHILA. DC.		HELIO'PHILA. Tetrodynamia Siliquosa. L.				
1	filifórmis. DC. (pu.)	awl-podded.	C. B. S.	1786.	7. 9.	H. ⊙. Lam. ill. t. 563. f. 3. ?.
2	dissécta. DC. (bl.)	cut-leaved.	————	1822.	6. 8.	H. ⊙.
3	tenuisíliqua. DC. (bh.)	slender-podded.	————	————	————	H. ⊙. Deles. ic. sel. 2. t. 96.
4	amplexicáulis. DC. (bh.)	stem-clasping.	————	1774.	6. 9.	H. ⊙. Jacq. frag. t. 64. f. 2.
5	rivàlis. DC. (wh.)	rivulet.	————	1819.	————	H. ⊙.
6	péndula. DC. (wh.)	pendulous	————	1792.	————	H. ⊙. Lam. ill. t. 562. f. 2.
	<i>pinnàta.</i> Vent. malm. t. 113. non. L.					

CRUCIFERÆ.

7	<i>trífida</i> . DC.	(<i>pu.</i>) trifid-leaved.	C. B. S.	1819.	6. 9.	H. ⊙.	
	<i>pinnàta</i> . L. non. Vent.						
8	<i>pusílla</i> . DC.	(<i>wh.</i>) small.	————	1824.	—	H. ⊙.	Pluk, mant. t. 432. f. 2.
9	<i>lepídíoides</i> . L. en	(<i>wh.</i>) Cress-like.	————	—	—	H. ⊙.	
10	<i>diffùsa</i> . DC.	(<i>wh.</i>) spreading.	————	1820.	—	H. ⊙.	
11	<i>Peltària</i> . DC.	(<i>wh.</i>) small-white.	————	—	—	H. ⊙.	
12	<i>pilòsa</i> . DC.	(<i>bl.</i>) hairy.	————	1768.	—	H. ⊙.	
	<i>α integrifòlia</i> . DC.	(<i>bl.</i>) entire-leaved.	————	—	—	H. ⊙.	Jacq. ic. 3. t. 506.
	<i>β incisa</i> . DC.	(<i>bl.</i>) cut-leaved.	————	—	—	H. ⊙.	Bot. mag. 496.
	<i>arabioides</i> . B.M.						
13	<i>stricta</i> . B.M.	(<i>bl.</i>) upright.	————	1824.	—	H. ⊙.	Bot. mag. 2526.
14	<i>digitàta</i> . DC.	(<i>bl.</i>) fingered.	————	1819.	—	H. ⊙.	Bot. reg. 838.
15	<i>coronopifòlia</i> . DC.	(<i>bl.</i>) Buck's-horn-ld.	————	1778.	6. 7.	H. ⊙.	Herm. lugd. t. 367.
16	<i>pectinàta</i> . DC.	(<i>wh.</i>) pectinated.	————	1819.	—	H. ⊙.	
17	<i>fœniculàcea</i> . DC.	(<i>pu.</i>) Fennel-leaved.	————	1774.	6. 9.	H. ⊙.	
18	<i>crithmifòlia</i> . DC.	(<i>bh.</i>) Samphire-ld.	————	1816.	—	H. ⊙.	Deles. ic. sel. 2. t. 97.
19	<i>platyslíqua</i> . DC.	(<i>bh.</i>) flat-podded.	————	1774.	7. 8.	G. ♀.	
20	<i>linearifòlia</i> . DC.	(<i>bl.</i>) linear-leaved.	————	1819.	—	G. ♀.	
21	<i>scopària</i> . DC.	(<i>bh.</i>) Broom-like.	————	1802.	—	G. ♀.	Deles. ic. sel. 2. t. 98.
22	<i>incàna</i> . DC.	(<i>pu.</i>) hoary.	————	1774.	5. 8.	G. ♀.	
23	<i>cleomóides</i> . DC.	(<i>wh.</i>) Cleome-like.	————	1802.	1. 12.	G. ♀.	Deles. ic. sel. 2. t. 99.
	<i>Cheiránthus strictus</i> . W.						

Tribus XX. *SUBULARIÆ* seu *Diplocolobeæ* *Latiseptæ*. DC.

SUBULARIA. DC.	AWLWORT.	<i>Tetradynamia Siliculosa</i> . L.					
<i>aquática</i> . DC.	(<i>wh.</i>) water.	Britain.	7.		H.w. ⊙.	Eng. bot. 732.

Subordo VI. *SCHIZOPETALEÆ*.

SCHIZOPETALUM. B.M.	SCHIZOPE'TALUM.	<i>Tetradynamia Siliquosa</i> . L.					
<i>Walkèri</i> . B.M.	(<i>wh.</i>) Walker's.	Chili.	1822.	7. 9.		H. ⊙.	Brown bot. reg. 752.

ORDO XIV.

CAPPARIDEÆ. DC. *prodr.* 1. p. 237.

Tribus I. *CLEOMEÆ*. DC.

PERITOMA. DC	PERITOMA.	<i>Monadelphia Hexandria</i> .					
<i>serrulatum</i> . DC.	(<i>pu.</i>) saw-leaved.	Missouri.	1823.	6. 8.		H. ⊙.	
<i>Cleòme serrulàta</i> . Ph.							
GYNANDRO'PSIS. DC.	GYNANDRO'PSIS.	<i>Monadelphia Hexandria</i> .					
1 <i>sessilifòlia</i> . DC.	(<i>wh.</i>) sessile-leaved.	W. Indies.	1820.	6. 8.		H. ⊙.	
2 <i>triphy'lla</i> . DC.	(<i>wh.</i>) three-leaved.	————	—	—		H. ⊙.	Herm. lugd. 565. ic
<i>Cleòme triphy'lla</i> . L.?							
3 <i>pentaphy'lla</i> . DC.	(<i>wh.</i>) five-leaved.	India.	1640.	—		H. ⊙.	Jacq. vind. 1. t. 21.
<i>Cleòme pentaphy'lla</i> . B.M. 1681.							
4 <i>candelàbrum</i> . (<i>wh.</i>) chandelier.		W. Indies.	1824.	7. 9.		H. ⊙.	Bot. mag. 2656.
<i>Cleòme candelàbrum</i> . B.M.							
5 <i>muricàta</i> . Scr.	(<i>wh.</i>) bristly.	1828.	—		S. ⊙.	
6 <i>heterotricha</i> . DC.	(<i>wh.</i>) various-haired.	C. B. S.	1822.	—		H. ⊙.	
CLE'OME. DC.	CLE'OME.	<i>Tetradynamia Siliquosa</i> . L.					
1 <i>gigàntea</i> . DC.	(<i>gr.</i>) gigantic.	S. America.	1774.	6. 8.		S. ♀.	Jacq. obs. 4. t. 76.
2 <i>heptaphy'lla</i> . DC.	(<i>wh.</i>) seven-leaved.	W. Indies.	1820.	—		H. ⊙.	
3 <i>spinòsa</i> . DC.	(<i>wh.</i>) white-flowered.	————	1731.	5. 10.		S. ♀.	Marc. bras. t. 34.
4 <i>púngens</i> . DC.	(<i>bh.</i>) pink-flowered.	S. America.	1812.	7. 8.		S. ⊙.	W. hort. ber. 1. t. 18.
<i>spinòsa</i> . B.M. 1640. nec aliorum.							
5 <i>pubescens</i> . B.M.	(<i>wh.</i>) pubescent.	1815.	7. 8.		H. ⊙.	Bot. mag. 1857.

6	ròsea. DC.	(ro.)	rose-coloured.	Brazil.	1825.	5. 8.	S. ⊙.	Bot. reg. 960.
7	monophýlla. DC.	(ye.)	simple-leaved.	E. Indies.	1759.	—	H. ⊙.	Rheed. mal. 9. t. 34.
	β zeylànica. DC.	(ye.)	Ceylon.	—	—	—	H. ⊙.	Burm. zeyl. t. 100. f. 2.
8	procumbens. DC.	(wh.)	procumbent.	W. Indies.	1798.	—	S. 4.	Jacq. amer. t. 120.
9	violàcea. DC.	(vi.)	violet-coloured.	Portugal.	1776.	6. 7.	H. ⊙.	Schk. han. 2. t. 189. f. 1.
10	Dilleniàna. DC.	(ye.)	Dillenius's.	Levant.	1732.	—	H. ⊙.	Dill. elt. t. 266. f. 345.
	ornithopodioides. W.							
11	ibérica. DC.	(ye.)	Iberian.	Iberia.	1820.	—	H. ⊙.	
12	virgàta. DC.	(ye.)	twiggy.	Persia.	—	H. ⊙.	Buxb. cent. 1. t. 9. f. 2.
13	arábica. DC.	(ye.)	Arabian.	Arabia.	1794.	—	H. ⊙.	Lin. f. dec. t. 8.
14	flàva. DC.	(ye.)	yellow.	N. Holland.	1825.	7. 10.	H. ⊙.	
15	polygàma. DC.	(wh.)	polygamous.	W. Indies.	1822.	6. 7.	H. ⊙.	Slo. jam. t. 124. f. 1.
16	aculeata. DC.	(wh.)	prickly.	S. America.	—	—	H. ⊙.	
17	Houstòni. DC.	(fl.)	Houstoun's.	W. Indies.	1730.	—	S. ⊙.	Mart. dec. t. 45.
18	diffùsa. DC.	(wh.)	spreading.	Brazil.	1823.	—	H. ⊙.	
19	micràntha.	(wh.)	small-flowered.	1824.	6. 10.	S. ½.	
	POLANI'SIA. DC.		POLANI'SIA.	Dodecandria Monogynia.	L.			
1	Chelidònii. DC.	(ro.)	Celandine-fla.	E. Indies.	1790.	7. 10.	S. ⊙.	
	Cleòme Chelidònii. L.							
2	gravèolens. DC.	(pu.)	strong-scented.	N. America.	—	H. ⊙.	Corn. can. 131. ic.
3	viscòsa. DC.	(ye.)	viscid.	Ceylon.	1730.	—	S. ⊙.	Rheed. mal. 9. t. 23.
4	dodecàndra. DC.	(pu.)	three-leaved.	—	1795.	—	S. ⊙.	Burm. zeyl. t. 100. f. 1.
	Cleòme dodecàndra. L.							
5	uniglandulòsa. DC.	(w.)	one-glanded.	S. America.	1823.	—	H. ⊙.	Cav. ic. 4. t. 306.

Tribus II. CAPPAREÆ. DC.

	CRAT'ÆVA. DC.		CRAT'ÆVA.	Dodecandria Monogynia.	L.			
1	gynàndra. DC.	(wh.)	thin-leaved.	Jamaica.	1789.	S. ½.	Pluk. alm. t. 147. f. 6.
2	Tàpia. DC.	(wh.)	Garlick Pear.	S. America.	1752.	S. ½.	Plum. gen. t. 21.
3	Roxbúrghii. B.	(wh.)	Roxburgh's.	E. Indies.	1822.	S. ½.	
	Cápparis trifoliàta. H.B.							
	RITCHI'EA. B.		RITCHI'EA.	Dodecandria Monogynia.				
	fràgrans.	(wh.)	fragrant.	Sierra Leon.	1795.	6. 7.	S. ½. ∪.	Bot. mag. 596.
	Crat'æva fragans. B.M.		capparoides. A.R.					t. 176.
	NIEB'UHRIA. DC.		NIEB'UHRIA.	Polyandria Monogynia.	L.			
1	càfra. DC.	(wh.)	Caffrarian.	C. B. S.	1820.	G. ½.	
2	madagascariénsis. DC.	(w.)	Madagascar.	Madagascar.	1822.	S. ½.	
3	oblongifòlia. DC.	(wh.)	oblong-leaved.	E. Indies.	1823.	S. ½. ∪.	
	Cápparis heteroclita. H.B.							
	BO'SCIA. DC.		BO'SCIA.	Dodecandria Monogynia.	L.			
	senegalénsis. DC.	(wh.)	Senegal.	Senegal.	1822.	S. ½.	Lam. ill. t. 395. f. 2.
	CA'PPARIS. DC.		CAPER-TREE.	Polyandria Monogynia.	L.			
1	mariàna. DC.	(wh.)	heart-leaved.	Timor.	1822.	S. ½.	Jacq. Schoenb. t. 109.
2	rupéstris. DC.	(wh.)	rock.	Crete.	7. 10.	F. ½. ∪.	Flor. græc. t. 487.
	spinòsa. B.M. 291. nec aliorum.							
3	spinòsa. DC.	(wh.)	common.	S. Europe.	1596.	5. 8.	G. ½. ∪.	Flor. græc. t. 486.
4	ovàta. W.	(wh.)	oval-leaved.	Mauritania.	—	G. ½. ∪.	Boc. sic. t. 42. f. 3.
	Fontanèsii. DC.							
5	herbàcea. DC.	(wh.)	herbaceous.	Tauria.	1819.	—	H. 4.	
6	ægýptia. DC.	(wh.)	Egyptian.	Egypt.	1822.	G. ½.	Delil. fl. eg. t. 31. f. 3.
7	aphýlla. DC.	(wh.)	leafless.	E. Indies.	—	S. ½.	
8	zeylànica. DC.	(wh.)	Ceylon.	Ceylon.	—	S. ½. ∪.	
9	acuminàta. DC.	(wh.)	acuminate.	E. Indies.	1821.	S. ½. ∪.	Braam ic. chin. t. 29.?
10	frondòsa. DC.	(g.p.)	large-leaved.	Carthagena.	1800.	S. ½.	Jacq. amer. t. 104.
11	triflòra. DC.	(wh.)	three-flowered.	S. America.	S. ½.	
12	cynophallóphora. DC.	(wh.)	Bay-leaved.	W. Indies.	1752.	S. ½.	Jacq. amer. t. 98.
13	eustachiàna. DC.	(pu.)	purple-flower'd.	—	1822.	S. ½.	— ed. pict. t. 146.
14	saligna. DC.	Willow-leaved.	S. Cruz.	1807.	S. ½.	
15	lineàris. DC.	(wh.)	linear-leaved.	W. Indies.	1793.	S. ½.	Jacq. amer. t. 102.
16	verrucòsa. DC.	(wh.)	wart-podded.	Carthagena.	1823.	S. ½.	— t. 99.
17	pulchérriima. DC.	(st.)	handsome.	—	S. ½.	Jacq. amer. t. 106.
	arboréscens. Mil.							
18	amygdalìna. DC.	(wh.)	Almond-leaved.	S. America.	1819.	G. ½.	Plum. gen. 40. t. 16.

19	odoratissima. DC. (pu.)	sweet-scented.	Caracas.	1814.	S. h.	Jacq. schoen. t. 110.
20	tenuisiliqua. DC. (wh.)	slender-podded.	Carthageria.	1822.	S. h.	Jacq. amer. t. 105.
21	ferruginea. DC. (wh.)	ferruginous.	Jamaica.	S. h.	————— t. 100.
	octandra. Jacq.						
22	Bréynia. DC. (wh.)	Oleaster-leav'd.	W. Indies.	1752.	G. h. ∪.	Jacq. amer. t. 103.?
23	jamaicensis. DC. (wh.)	Jamaica.	—————	1793.	S. h. ∪.	————— t. 101.
24	torulosa. DC. (wh.)	twisting.	—————	1819.	S. h. ∪.	
	STEPHA'NIA. DC.	STEPHA'NIA.	Hexandria Monogynia.				
	cleomoides. DC. (o.y.)	Cleome-like.	Caracas.	1823.	S. h.	Jacq. schoen. t. 111.
	Cápparis paradóxa. Jacq.	Steriphoma cleomoides. s.s.					
	MORIS'ONIA. DC.	MORIS'ONIA.	Monadelphia Polyandria. L.				
	americana. DC. (wh.)	American.	Caribees.	1824.	S. h.	Jacq. amer. t. 97.

ORDO XV.

RESEDACEÆ. DC. theor. ed. 1. p. 214.

RE'SEDA. W.	RE'SEDA. Dodecandria Trigynia. L.					
1 Lutèola. W.	(st.) Dyers weed.	Britain.	6. 7.	H. ⊙.	Eng. bot. 320.
2 crispata. L. en.	(st.) curled-leaved.	S. Europe.	1820.	—	H. ⊙.	
3 virescens. s.s.	(st.) greenish.	Spain.	—	—	H. ⊙.	
4 canescens. s.s.	(wh.) hoary.	Egypt.	1597.	5. 7.	H. 4.	Clus. hist. 1. t. 295.
5 glauca. s.s.	(wh.) glaucous.	S. Europe.	1700.	—	F. 4.	Pluk. alm. t. 107. f. 2.
6 scoparia. s.s.	(wh.) Broom-like.	Teneriffe.	1815.	8. 9.	G. h.	
7 dipetala. s.s.	(wh.) two-petaled.	C. B. S.	1774.	8.	G. ♂.	
8 linifolia. s.s.	(wh.) flax-leaved.	S. Europe.	1820.	7. 8.	F. ♂.	
9 subulata. Del.	(wh.) awl-leaved.	Egypt.	1827.	6. 8.	H. ♂.	
10 chinensis. s.s.	(wh.) Chinese.	China.	1824.	—	H. ♂.	
11 sesamoides. s.s.	(wh.) spear-leaved.	France.	1787.	—	H. ⊙.	All. ped. 2. t. 88. f. 3.
12 mediterranea. s.s.	(w.) Mediterranean.	Palestine.	1791.	6. 9.	H. ⊙.	Jacq. ic. 3. t. 475.
13 odorata. s.s.	(st.) Mignonette.	Egypt.	1752.	6. 10.	H. ⊙.	Bot. mag. 29.
	β frutescens. B.R.	(st.) tree mignonette.	—	G. h.	Bot. reg. 227.
14 Phyteuma. s.s.	(wh.) trifid.	S. Europe.	—	6. 9.	H. ⊙.	Jacq. aust. 2. t. 132.
15 incisa. T.C.	(wh.) cut-leaved.	Italy.	1825.	—	H. ⊙.	
16 ramosissima. s.s.	(wh.) branching.	Spain.	1816.	—	H. 4.	
17 saxatilis. s.s.	(wh.) rock.	—————	—	—	H. 4.	
	stricta. P.S.					
18 pruinosa. s.s.	(wh.) papillose-ld.	Egypt.	1823.	—	H. 4.	
19 lutea. s.s.	(st.) Base-rocket.	Britain.	7. 8.	H. ♂.	Eng. bot. 321.
20 undata. s.s.	(wh.) wave-leaved.	Spain.	1739.	6. 8.	H. 4.	Barrel. rar. t. 587.
21 alba. s.s.	(wh.) upright-white.	S. Europe.	1596.	5. 10.	H. ♂.	Lobel. ic. 222.
22 fruticulosa. s.s.	(wh.) frutescent.	Spain.	1794.	9.	G. h.	Jacq. ic. 3. t. 474.
23 bipinnata. s.s.	(wh.) bipinnate.	—————	1816.	6. 8.	G. h.	
24 myriophylla. T.C.	(st.) numerous-ld.	Italy.	1825.	—	H. 4.	

ORDO XVI.

DATISCEÆ. Brown in app. to Denham and Clap. trav. p. 25.

DATISCA. L.	DATISCA. Diccia Dodecandria. L.					
1 cannabina. L.	(ye.) Hemp-like.	Levant.	1640.	7. 9.	H. 4.	Schkuhr han. 3. t. 336.
2 hirta. W.	(ye.) hairy.	Pensylvania.	1826.	9. 10.	H. 4.	

ORDO XVII.

FLACOURTIANEÆ. *DC. prodr. 1. p. 255.*Tribus I. *PATRIEÆ. DC.*

RYANÆA. DC.	RYANÆA. Polyandria Monogynia.				
speciosa. DC.	(re.) beautiful.	Trinidad.	1822. S. h.	Vahl. ecl. 1. p. 51. t. 9.
<i>Patrisia pyriferæ.</i>	P.S.				

Tribus II. *FLACOURTIEÆ. DC.*

FLACOURTIA. DC.	FLACOURTIA. Diœcia Polyandria. L.				
1 Ramóntchi. DC.	(wh.) shining-leaved.	Madagascar.	1775.	6. 7. S. h.	L. Her. strip. 59. t. 30.
2 sávida. DC.	(wh.) esculent.	E. Indies.	1800. S. h.	Roxb. cor. 1. t. 69.
3 inermis. DC.	(wh.) unarmed.	Moluccas.	1814.	10. 2. S. h.	Bot. reg. ined.
4 sepiària. DC.	(wh.) obovate-leaved.	Coromandel.	1820. S. h.	Roxb. cor. 1. t. 68.
5 cataphrácta. DC.	(wh.) many-spined.	E. Indies.	1804. S. h.	
6 rotundifolia. H.B.	(wh.) round-leaved.	—	1823. S. h.	
7 flavescens. DC.	(st.) yellow-flower'd.	Guinea.	1780. S. h.	
8 rhamnóides. DC.	(wh.) Rhamnus like.	C. B. S.	1819. G. h.	

Tribus III. *KIGGELARIEÆ. DC.*

KIGGELARIA. DC.	KIGGELARIA. Diœcia Decandria. L.				
1 africàna. DC.	(wh.) African.	C. B. S.	1683.	5. 6. G. h.	Lam. ill. t. 821.
2 integrifolia. DC.	(wh.) entire-leaved.	—	1819.	— G. h.	Jacq. ic. rar. t. 628.
MELICYTUS. DC.	MELICYTUS. Diœcia Pentandria.				
ramiflorus. DC. branch-flow'rd.	N. Zealand.	1822. G. h.	Lam. ill. t. 812. f. 1.

ORDO XVIII.

BIXINEÆ. *DC. prodr. 1. p. 259.*

BIXA. DC.	ANOTTA. Polyandria Monogynia. L.				
1 purpùrea.	(pu.) purple.	E. Indies.	1820. S. h.	
2 Orellàna. DC.	(ro.) heart-leaved.	S. America.	1690.	5. 8. S. h.	Bot. mag. 1456.
3 Urucuràna. W.	(ro.) white-leaved.	Brazil.	1823. S. h.	
LÆTIA. DC.	LÆTIA. Polyandria Monogynia. L.				
Thámnia. DC. shining-leaved.	Jamaica S. h.	Browne jam. t. 25. f. 2.
PROCKIA. DC.	PROCKIA. Polyandria Monogynia. L.				
1 Crùcis. DC.	(gr.) oval-leaved.	Santa Cruz. S. h.	Vahl symb. 3. t. 64.
2 serràta. DC.	(gr.) saw-leaved.	Montserrat.	1822. S. h.	
3 theàfórmis. DC.	(gr.) Tea-leaved.	Bourbon.	— S. h.	Bory voy. 2. t. 21.
<i>Ludia heterophylla.</i>	Bory. non. Lam.				
LUDIA. DC.	LUDIA. Polyandria Monogynia. L.				
1 heterophylla. DC.	(gr.) various-leaved.	Mauritius.	1822. S. h.	Lam. ill. t. 466. f. 1. 2.
2 sessiliflora. DC.	(bl.) sessile-flower'd.	—	— S. h.	Jacq. schoenb. 1. t. 112.
<i>tuberculata.</i>	Jacq.				

ORDO XIX.

CISTINEÆ. *DC. prodr. 1. p. 263.*

CISTUS. DC.	ROCK-ROSE. Polyandria Monogynia. L.				
1 candidissimus. DC.	(ro.) Canary Island.	Canaries.	1817.	6. 9. F. h.	Swt. Cist. t. 3.
2 vaginatus. DC.	(ro.) oblong-leaved.	Teneriffe.	1779.	4. 8. F. h.	— t. 9.

3	álbidus. DC.	(ro.) white-leaved.	S. Europe.	1640.	5. 9.	H. ½.	Swt. cist. t. 31.
4	incanus. DC.	(li.) hoary-leaved.	—————	1596.	5. 8.	F. ½.	————— t. 41.
5	canescens. s.c.	(pu.) narrow hoary.	—————	—	F. ½.	————— t. 45.
6	villosus. DC.	(pu.) villous.	—————	1640.	—	F. ½.	————— t. 35.
7	rotundifolius. s.c.	(pu.) round-leaved.	—————	—	F. ½.	————— t. 75.
8	undulatus. DC.	(pu.) wave-leaved.	—————	—	H. ½.	————— t. 63.
9	heterophyllus. DC.	(p.) various-leaved.	Algiers.	—	F. ½.	————— t. 6.
10	crispus. DC.	(pu.) curled-leaved.	S. Europe.	1656.	—	F. ½.	————— t. 22.
11	creticus. DC.	(pu.) Cretan.	Levant.	1731.	—	F. ½.	Flor. græc. t. 495.
12	purpureus. DC.	(pu.) purple.	—————	6. 8.	F. ½.	Swt. cist. t. 17.
13	cymosus. DC.	(li.) cyme-flowered.	—————	—	F. ½.	————— t. 90.
	<i>incanus</i> . Flor. græc. t. 494. <i>nec aliorum</i> .						
14	parviflorus. DC.	(li.) small-flowered.	—————	1821.	—	F. ½.	Swt. cist. t. 14.
15	Cupanianus. s.s.	(wh.) heart-leaved.	Sicily.	6. 10.	H. ½.	————— t. 70.
16	asperifolius. s.c.	(wh.) rough-leaved.	—	H. ½.	————— t. 87.
17	acutifolius. s.c.	(wh.) acute-leaved.	S. Europe.	5. 8.	H. ½.	————— t. 78.
18	salvifolius. DC.	(wh.) Sage leaved.	Europe.	1548.	5. 9.	H. ½.	————— t. 54.
19	obtusifolius. s.c.	(wh.) blunt-leaved.	Levant.	—	F. ½.	————— t. 42.
20	oblongifolius. s.c.	(wh.) oblong-leaved.	6. 10.	H. ½.	————— t. 67.
21	corbariensis. DC.	(wh.) mountain.	S. France.	5. 6.	H. ½.	————— t. 8.
22	platysépalus. s.c.	(wh.) broad-sepaled.	Levant.	6. 8.	F. ½.	————— t. 47.
23	florentinus. DC.	(wh.) Florentine.	Italy.	6. 7.	H. ½.	————— t. 59.
24	monspeliensis. DC.	(w.) Montpellier.	S. Europe.	1656.	—	F. ½.	————— t. 27.
25	Lèdon. DC.	(wh.) many-fl. gum.	S. France.	1730.	6. 8.	H. ½.	Duham. arb. 1. t. 66.
26	hirsutus. DC.	(wh.) hairy.	Spain.	1656.	—	H. ½.	Swt. cist. t. 19.
27	psilosépalus. s.c.	(wh.) smooth-calyxed.	—	H. ½.	————— t. 33.
28	laxus. DC.	(wh.) waved-leaved.	Spain.	1656.	—	H. ½.	————— t. 12.
29	populifolius. s.c.	(wh.) Poplar-leaved.	—————	—	5. 6.	H. ½.	————— t. 23.
30	latifolius. s.c.	(wh.) broad-leaved.	Barbary.	—	F. ½.	————— t. 15.
31	laurifolius. DC.	(wh.) Laurel-leaved.	S. Europe.	1731.	6. 8.	H. ½.	————— t. 52.
32	cyprius. DC.	(wh.) common-gum.	Cyprus.	—	H. ½.	————— t. 39.
	<i>ladaniferus</i> . Bot. mag. 112. <i>nec aliorum</i> . <i>C. undulatus</i> . L. en?						
33	ladaniferus. DC.	(wh.) flat-leaved gum.	Spain.	1629.	—	F. ½.	————— t. 84.
	<i>α albiflorus</i> . DC. (wh.) white-flowered. ———— ———— F. ½. ———— t. 1.						
	<i>β maculatus</i> . DC. (w.p.) spot-flowered. ———— ———— F. ½. ———— t. 32.						
34	Clusii. DC.	(wh.) Clusius's.	Spain.	—	H. ½.	————— t. 32.
	HELIA'NTHEMUM. DC. SUN-ROSE. Polyandria Monogynia. L.						
1	Libanotis. DC.	(wh.) Rosemary-like.	Spain.	1752.	6.	F. ½.	Barr. ic. 294.
2	umbellatum. DC.	(wh.) umbel-flowered.	S. Europe.	1731.	6. 8.	F. ½.	Swt. cist. t. 5.
3	ocymoides. DC.	(ye.) Basil-like.	—————	—	F. ½.	————— t. 13.
	<i>Cistus sampsucifolius</i> . Cav. ic. 1. t. 96.						
4	alyssoides. DC.	(ye.) Alyssum-like.	—————	—	F. ½.	Vent. choix. t. 20.
5	rugosum. DC.	(ye.) rugose.	Portugal.	—	F. ½.	Swt. cist. t. 65.
6	scabrosum. DC.	(ye.) rough.	Italy.	1775.	—	F. ½.	————— t. 81.
7	algarvense. DC.	(ye.) Algarvian.	Portugal.	1800.	7. 8.	F. ½.	————— t. 40.
	<i>Cistus algarvensis</i> . B.M. 627.						
8	formosum. DC.	(ye.) beautiful.	—————	1780.	5. 7.	F. ½.	Swt. cist. t. 50.
	<i>Cistus formosus</i> . B.M. 264.						
9	atriplicifolium. DC.	(y.) Orach-leaved.	Spain.	1656.	6. 7.	F. ½.	Barr. ic. t. 292.
10	microphyllum. s.c.	(y.) small-leaved.	S. Europe.	6. 10.	F. ½.	Swt. cist. t. 96.
11	lasianthum. DC.	(ye.) downy.	Portugal.	1822.	7. 9.	F. ½.	—————
12	involucratum. DC.	(ye.) short-pedicled.	S. Europe.	1826.	6. 8.	F. ½.	—————
13	candidum. s.c.	(ye.) white-leaved.	Spain.	1822.	—	F. ½.	Swt. cist. t. 25.
14	cheiranthoides. DC.	(y.) Stock-like.	—————	1800.	7. 8.	F. ½.	————— t. 107.
15	halimifolium. s.c.	(ye.) Sea-Purslane-ld	—————	1656.	—	F. ½.	————— t. 4.
16	rosmarinifolium. DC.	(y.) Rosemary-ld.	N. America.	1823.	—	H. ¼.	—————
17	glomeratum. DC.	(ye.) cluster-flower'd.	New Spain.	—	6. 9.	F. ½.	Swt. cist. t.
18	ramuliflorum. DC.	(ye.) branch-flower'g	Carolina.	1823.	—	H. ¼.	—————
19	canadense. DC.	(ye.) Canadian.	Canada.	1799.	—	H. ¼.	Swt. cist. t. 21.
20	carolinianum. DC.	(ye.) Carolina.	Carolina.	1823.	—	F. ¼.	————— t. 99.
21	brasiliense. DC.	(st.) Brazilian.	Brazil.	—	6. 8.	F. ½.	————— t. 43.
22	polygalæfolium. s.c.	(ye.) Milkwort-leav'd.	—————	—	—	F. ½.	————— t. 11.
23	lignosum. s.c.	(ye.) woody-stemm'd.	S. Europe.	1810.	—	F. ½.	————— t. 46.
24	Tuberaria. DC.	(ye.) Plantain-leav'd.	—————	1752.	—	F. ¼.	————— t. 18.
25	plantagineum. DC.	(ye.) Plantain like.	—————	1823.	—	H. ①.	—————
26	guttatum. DC.	(ye.) spotted-flower'd.	England.	6. 8.	H. ①.	Eng. bot. 544.
27	ericanlon. DC.	(ye.) woolly-stalked.	Spain.	1823.	—	H. ①.	Swt. cist. t. 30.
28	punctatum. DC.	(ye.) punctated.	France.	1816.	—	H. ①.	————— t. 61.
29	lunulatum. DC.	(ye.) lunulate-mark'd.	Piedmont.	—	H. ½.	All. auct. p. 30. t. 2. f. 3.

30	villòsum. DC.	(st.) villous.	Spain.	1823.	—	H. ⊙.	
31	nilòticum. DC.	(st.) Nile.	Egypt.	—	H. ⊙.	
32	ledifòlium. DC.	(st.) Ledum-leaved.	England.	—	H. ⊙.	Swt. cist. t. 41.
33	intermèdium. DC.	(ye.) intermediate.	Spain.	1759.	—	H. ⊙.	Cav. ic. t. 144.
	<i>salicifòlium.</i> Cav.						
34	denticulàtum. DC.	(ye.) tooth-leaved.	S. France.	1828.	—	H. ⊙.	
35	salicifòlium. DC.	(ye.) Willow-leaved.	—	—	—	H. ⊙.	Swt. cist. t. 71.
36	sanguineum. DC.	(ye.) bloody-stalked.	—	1823.	—	H. ⊙.	
	<i>retrofràctum.</i> P.S.						
37	ægyptiacum. DC.	(ye.) Egyptian.	Egypt.	1764.	—	H. ⊙.	Jacq. obs. 3. t. 68.
38	Líppii. DC.	(ye.) small-petaled.	—	1820.	—	F. h̄.	
39	ellipticum. DC.	(st.) elliptic-leaved.	Levant.	1827.	—	F. h̄.	Swt. cist. t. 108.
40	confértum. DC.	(ye.) close-flowered.	Teneriffe.	6. 7.	F. h̄.	
41	canariense. DC.	(ye.) Canary.	Canaries.	1790.	—	F. h̄.	Jacq. ic. 1. t. 97.
42	ericóides. DC.	(ye.) Heath-leaved.	S. Europe.	6. 8.	F. h̄.	Cav. ic. 2. t. 172.
43	Fumàna. DC.	(ye.) Heath-like.	—	1752.	—	F. h̄.	Swt. cist. t. 16.
44	procúbens. DC.	(ye.) procumbent.	—	—	F. h̄.	— t. 68.
45	arábicum. DC.	(sc.) Arabian.	Levant.	1826.	—	F. h̄.	— t. 97.
46	lævípes. DC.	(ye.) cluster-leaved.	—	1690.	—	G. h̄.	— t. 24.
47	víride. DC.	(ye.) green-leaved.	Sicily.	1828.	—	F. h̄.	
48	juniperinum. DC.	(ye.) Juniper-leaved.	—	—	G. h̄.	Barr. ic. t. 443.
49	Barreliéri. DC.	(ye.) Barrelier's.	Italy.	1822.	—	F. h̄.	— t. 416.
50	thymifòlium. DC.	(ye.) Thyme-leaved.	Spain.	1658.	—	F. h̄.	Swt. cist. t. 102.
51	glutinòsum. DC.	(ye.) clammy.	—	1790.	—	F. h̄.	— t. 83.
52	mólle. DC.	(ye.) soft.	—	—	F. h̄.	Cav. ic. 3. t. 262. f. 2.
53	origanifòlium. DC.	(ye.) Marjoram-ld.	—	1795.	—	F. h̄.	— 3. t. 262. f. 1.
54	dichótomum. DC.	(ye.) forked.	—	—	F. h̄.	— 3. t. 263. f. 1.
55	œlándicum. DC.	(ye.) smooth-leaved.	Europe.	1816.	—	H. h̄.	Swt. cist. t. 85.
56	alpéstre. DC.	(ye.) alpine.	—	—	—	H. h̄.	— t. 2.
57	penicillàtum. DC.	(ye.) pencilled.	S. Europe.	—	H. h̄.	
58	obovàtum. DC.	(ye.) obovate-leaved.	Spain.	1826.	—	F. h̄.	
59	itálicum. DC.	(ye.) Italian.	Italy.	1779.	7. 9.	H. h̄.	Barr. rar. t. 366.
60	vineàle. DC.	(ye.) slender-trailing.	Europe.	1823.	—	H. h̄.	Swt. cist. t. 77.
61	cànum. DC.	(ye.) hoary.	—	1772.	6. 7.	F. h̄.	— t. 56.
62	marifòlium. DC.	(ye.) Marum-leaved	—	—	F. h̄.	Barr. rar. t. 441.
63	pulchèllum. s.c.	(ye.) neat.	S. Europe.	—	H. h̄.	Swt. cist. t. 71.
64	rotundifòlium. DC.	(ye.) round-leaved.	Spain.	1826.	—	F. h̄.	Cav. ic. 2. t. 142.
	<i>Cistus nummulàrius.</i> Cav. non L.						
65	crassifòlium. DC.	(ye.) thick-leaved.	—	—	—	F. h̄.	
66	cinéreum. DC.	(ye.) gray.	Spain.	—	F. h̄.	Cav. ic. 2. t. 141.
67	squammatum. DC.	(ye.) scaly.	—	1815.	—	F. h̄.	— 2. t. 139.
68	lavandulæfòlium. DC.	(ye.) Lavender-ld.	Levant.	1739.	—	F. h̄.	Barr. ic. t. 288.
	<i>β syriacum.</i> DC.	(ye.) Syrian.	Syria.	—	—	F. h̄.	Jacq. ic. 1. t. 96.
69	stœchadifòlium. DC.	(y.) woolly-leaved.	Portugal.	1819.	—	F. h̄.	
70	cròceum. DC.	(ye.) Saffron-colour'd.	Spain.	—	F. h̄.	Swt. cist. t. 53.
71	nudicáule. DC.	(ye.) naked-stalked.	—	1826.	—	F. h̄.	
72	gláucum. DC.	(ye.) glaucous-leaved.	—	1815.	6. 8.	F. h̄.	Cav. ic. 3. t. 261.
73	leptophyllum. DC.	(ye.) narrow-leaved.	—	7. 8.	F. h̄.	Swt. cist. t. 20.
74	serpyllifòlium. DC.	(ye.) Serpyllum-ld.	England.	5. 9.	H. h̄.	— t. 60.
75	vulgáre. DC.	(ye.) common.	Britain.	—	H. h̄.	— t. 34.
	<i>β flore plèno.</i>	(ye.) double-flowered.	—	—	H. h̄.	— t. 64.
76	surrejànum. DC.	(ye.) dotted-leaved.	England.	7. 10.	H. h̄.	— t. 28.
	<i>β tomentòsum.</i>	(ye.) woolly-leaved.	—	—	H. h̄.	— t. 34. f. 3.
77	ovàtum. DC.	(ye.) ovate-leaved.	Geneva.	6. 8.	H. h̄.	Viv. frag. 1. t. 8. f. 2.
78	lucidum. H.	(ye.) glossy-leaved.	1827.	—	H. h̄.	
79	táuricum. s.c.	(p.y.) Taurian.	Tauria.	1824.	—	H. h̄.	Swt. cist. t. 105.
80	Andersoni. s.c.	(ye.) Anderson's.	Hybrid.	1827.	5. 10.	H. h̄.	— t. 89.
81	grandiflòrum. DC.	(ye.) large-flowered.	Pyrenees.	1800.	—	H. h̄.	— t. 69.
82	sampsucifòlium. (p.y.)	rough dwarf.	Montpelier.	—	H. h̄.	Bot. mag. 1803.
	<i>Cistus sampsucifolius.</i> B.M. non Cav.						
83	nummulàrium. DC.	(ye.) Money-wort.	—	1752.	—	H. h̄.	Swt. cist. t. 80.
84	angustifòlium. DC.	(ye.) distinct-petaled.	1800.	—	H. h̄.	Jacq. vind. 3. t. 53.
85	hirtum. DC.	(ye.) bristly-calyxed.	Spain.	1759.	—	F. h̄.	Swt. cist. t. 109.
86	barbàtum. P.S.	(ye.) bearded.	S. Europe.	1820.	—	H. h̄.	— t. 73.
87	eriosépalon. s.c.	(p.y.) woolly-sepaled.	—	—	H. h̄.	— t. 76.
88	rotàtum.	rotate.	1828.	F. h̄.	
89	racemòsum. DC.	(wh.) long-racemed.	S. Europe.	—	F. h̄.	Swt. cist. t. 82.
90	pilòsum. DC.	(wh.) hairy.	—	1731.	—	F. h̄.	— t. 49.
91	lineàre. DC.	(wh.) linear-leaved.	—	1824.	6. 8.	F. h̄.	— t. 48.

92	<i>virgatum</i> . DC. (<i>p.r.</i>) slender.	Barbary.	—	—	F. $\frac{1}{2}$.	Swt. cist. t. 79.
93	<i>apenninum</i> . DC. (<i>wh.</i>) Apennine.	Europe.	—	—	H. $\frac{1}{2}$.	— t. 62.
94	<i>hispidum</i> . DC. (<i>wh.</i>) hispid.	S. France.	—	—	H. $\frac{1}{2}$.	—
95	<i>pulverulentum</i> . DC. (<i>w.</i>) powdered.	—	—	H. $\frac{1}{2}$.	Swt. cist. t. 29.
96	<i>canescens</i> . s.c. (<i>cr.</i>) canescent.	—	H. $\frac{1}{2}$.	— t. 51.
97	<i>rhodanthum</i> . DC. (<i>ro.</i>) rose-flowered.	Spain.	—	H. $\frac{1}{2}$.	— t. 7.
98	<i>diversifolium</i> . s.c. (<i>re.</i>) various-leaved.	5. 9.	F. $\frac{1}{2}$.	— t. 95.
	β <i>multipléx</i> . s.c. (<i>re.</i>) full-flowered.	—	F. $\frac{1}{2}$.	— t. 98.
99	<i>cupreum</i> . s.c. (<i>co.</i>) copper-colour'd.	Hybrid.	—	F. $\frac{1}{2}$.	— t. 66.
100	<i>versicolor</i> . s.c. (<i>p.r.</i>) various-colour'd.	—	—	H. $\frac{1}{2}$.	— t. 26.
101	<i>venustum</i> . s.c. (<i>sc.</i>) charming.	—	H. $\frac{1}{2}$.	— t. 10.
	β <i>flòre plèno</i> . (<i>sc.</i>) double-flowered.	—	H. $\frac{1}{2}$.	—
102	<i>variegatum</i> . s.c. (<i>r.w.</i>) striped-flower'd.	Hybrid.	—	F. $\frac{1}{2}$.	Swt. cist. t. 38.
103	<i>lanceolatum</i> . s.c. (<i>w.</i>) spear-leaved.	—	H. $\frac{1}{2}$.	— t. 100.
104	<i>polifolium</i> . DC. (<i>wh.</i>) white-mountain.	England.	5. 7.	H. $\frac{1}{2}$.	— t. 88.
105	<i>confusum</i> . s.c. (<i>wh.</i>) confused.	Europe.	—	H. $\frac{1}{2}$.	— t. 91.
106	<i>macranthum</i> . s.c. (<i>w.</i>) great-flowered.	—	—	H. $\frac{1}{2}$.	— t. 103.
	β <i>multipléx</i> . s.c. (<i>wh.</i>) full-flowered.	—	—	H. $\frac{1}{2}$.	— t. 104.
107	<i>mutabile</i> . DC. (<i>p.r.</i>) changeable.	Spain.	1795.	6. 7.	H. $\frac{1}{2}$.	— t. 106.
108	<i>rosem</i> . DC. (<i>ro.</i>) rosy.	S. Europe.	—	H. $\frac{1}{2}$.	— t. 55.
	β <i>multipléx</i> . s.c. (<i>ro.</i>) double-rose.	—	—	H. $\frac{1}{2}$.	— t. 86.
109	<i>Milléri</i> . s.c. (<i>sa.</i>) Miller's.	—	H. $\frac{1}{2}$.	— t. 101.
110	<i>hyssopifolium</i> . DC. (<i>v.</i>) Hyssop-leaved.	Italy.	—	F. $\frac{1}{2}$.	—
	α <i>crocatum</i> . s.c. (<i>sa.</i>) saffron-colour'd.	—	—	F. $\frac{1}{2}$.	Swt. cist. t. 92.
	β <i>cupreum</i> . s.c. (<i>co.</i>) copper-coloured.	—	—	F. $\frac{1}{2}$.	— t. 58.
	γ <i>multipléx</i> . s.c. (<i>co.</i>) full-flowered.	—	F. $\frac{1}{2}$.	— t. 72.
111	<i>foetidum</i> . DC. (<i>wh.</i>) Bryony-scented.	—	H. $\frac{1}{2}$.	Jacq. ic. 1. t. 98.
112	<i>sulphureum</i> . DC. (<i>st.</i>) sulphur-color'd.	Spain.	1815.	—	H. $\frac{1}{2}$.	Swt. cist. t. 37.
113	<i>stramineum</i> . s.c. (<i>st.</i>) straw-coloured.	—	H. $\frac{1}{2}$.	— t. 93.
	β <i>multipléx</i> . s.c. (<i>st.</i>) full-flowered.	—	H. $\frac{1}{2}$.	— t. 94.
HUDS'ONIA. DC.		HUDS'ONIA.	Dodecandria Monogynia.	L.		
1	<i>ericoides</i> . DC. (<i>ye.</i>) Heath-like.	N. America.	1805.	5. 7.	F. $\frac{1}{2}$.	Swt. cist. t. 36.
2	<i>tomentosa</i> . N. (<i>ye.</i>) tomentose.	—	1826.	6. 8.	F. $\frac{1}{2}$.	— t. 57.
LECH'EA. DC.		LECH'EA.	Tri-Dodecandria Trigynia.			
1	<i>villosa</i> . DC. (<i>ye.</i>) villous.	Canada.	1780.	7. 8.	H. $\frac{1}{4}$.	Lam. ill. t. 52. f. 2.
	<i>major</i> . Ph. non Lin.	<i>minor</i> L. non Ph.				
2	<i>minor</i> . DC. (<i>ye.</i>) lesser.	—	1802.	—	H. $\frac{1}{4}$.	Lam. ill. t. 52. f. 1.
3	<i>thymifolia</i> . DC. (<i>ye.</i>) Thyme-leaved.	N. America.	1823.	—	H. $\frac{1}{4}$.	—

ORDO XX.

VIOLARIEÆ. DC. *prodr.* 1. p. 287.

Tribus I. VIOLEÆ. DC.

CALY'PTRION. DC.		CALY'PTRION.	Pentandria Monogynia.			
	<i>Aublétii</i> . DC. (<i>wh.</i>) Aublet's.	S. America.	1820.	S. $\frac{1}{2}$.	Aub. gui. 2. t. 319.
	<i>Viola Hybanthus</i> . Aub.	<i>Jonidium Aublétii</i> . R. S.				
NOISE'TTIA. DC.		NOISE'TTIA.	Pentandria Monogynia.			
1	<i>longifolia</i> . DC. (<i>wh.</i>) long-leaved.	Cayenne.	1822.	S. $\frac{1}{2}$.	Nov. g. am. t. 409. b. f. 2.
	<i>Jonidium longifolium</i> . R. S.					
2	<i>pyrifolia</i> . Mart. (<i>wh.</i>) Pear-leaved.	Brazil.	1822.	S. $\frac{1}{2}$.	Mart. n. pl. bras. ic.
VIOLA. DC.		VIOLET.	Pentandria Monogynia.			
1	<i>pedata</i> . DC. (<i>bl.</i>) cut-leaved.	N. America.	1759.	5. 8.	H. $\frac{1}{4}$.	Swt. br. fl. gar. t. 69.
2	<i>flabellifolia</i> . B. C. (<i>b.p.</i>) fan-leaved.	—	1822.	—	H. $\frac{1}{4}$.	Lod. bot. cab. 777.
	<i>pedata</i> β <i>atropurpurea</i> . DC.	<i>pedata</i> var. <i>bicolor</i> . Ph.				
3	<i>digitata</i> . Ph. (<i>bl.</i>) finger-leaved.	Virginia.	1824.	—	H. $\frac{1}{4}$.	—
4	<i>palmata</i> . DC. (<i>bl.</i>) palmated.	—	1752.	5. 6.	H. $\frac{1}{4}$.	Bot. mag. 535.
5	<i>asarifolia</i> . DC. (<i>bl.</i>) Asarum-leaved.	—	1823.	—	H. $\frac{1}{4}$.	—
6	<i>papilionacea</i> . DC. (<i>bl.</i>) variegated.	—	1800.	—	H. $\frac{1}{4}$.	—
7	<i>obliqua</i> . Ph. (<i>bl.</i>) oblique-flower'd.	—	1762.	—	H. $\frac{1}{4}$.	—
8	<i>cucullata</i> . Ph. (<i>bl.</i>) hollow-leaved.	—	1772.	5. 7.	H. $\frac{1}{4}$.	Bot. mag. 1795.
9	<i>pinnata</i> . R. S. (<i>pu.</i>) winged-leaved.	Europe.	1752.	5. 6.	H. $\frac{1}{4}$.	All. m. taur. 3. t. 5. f. 2.
10	<i>multifida</i> . R. S. (<i>pu.</i>) multifid.	Siberia.	—	—	H. $\frac{1}{4}$.	Gmel. sib. 4. t. 48. f. 4.

11	variegata. DC.	(pu.) variegated-ld.	Dahuria.	1818.	5. 6.	H. 4.	
12	primulæfolia. DC.	(bl.) Primrose-ld.	N. America.	1783.	4. 6.	H. 4.	
13	lanceolata. DC.	(wh.) spear-leaved.	—————	1759.	6. 7.	F. 4.	Swt. br. fl. gar. 2. t. 174.
14	Patrinii. DC.	(bl.) Siberian.	Siberia.	————	H. 4.	
15	cæspitosa. D.P.	(pu.) tufted.	Nepaul.	1825.	5. 8.	F. 4.	
	<i>Patrinii</i> γ <i>napaulensis</i> . DC. <i>primulæfolia</i> . Buch. non L.						
16	palmaris. D.P.	(ye.) long-petioled.	—————	————	————	F. 4.	
17	ovata. DC.	(bl.) oval-leaved.	N. America.	1822.	————	H. 4.	
18	sagittata. DC.	(b.w.) arrow-leaved.	—————	1775.	————	H. 4.	
19	dentata. Ph.	(bl.) large-toothed.	Pensylvania.	1828.	————	H. 4.	
20	betonicæfolia. DC.	(pu.) Betony-leaved.	N. S. W.	1823.	————	F. 4.	
21	Fischèri.	(pu.) Fischer's.	Siberia.	1823.	5. 7.	H. 4.	
	<i>suavis</i> . F. non. M. B.						
22	palustris. DC.	(pa.) marsh.	Britain.	5. 6.	H. 4.	Eng. bot. 444.
23	blanda. DC.	(wh.) white-flowered.	N. America.	1802.	5. 7.	H. 4.	W. hort. ber. 1. t. 24.
24	rotundifolia. DC.	(ye.) round-leaved.	—————	1800.	————	H. 4.	
25	sororia. W.	(pu.) white-rooted.	—————	1802.	4. 6.	H. 4.	W. hort. ber. 1. t. 72.
26	aspera. DC.	(wh.) rough.	Nepaul.	1825.	5. 8.	F. 4.	
27	hirta. E.B.	(bl.) hairy.	England.	————	H. 4.	Eng. bot. 894.
28	ambigua. R.S.	(pu.) ambiguous.	Danube.	1822.	————	H. 4.	W. et K. hung. t. 190.
29	campèstris. M.B.	(pu.) field.	Tauria.	1824.	————	H. 4.	
30	hirsuta. R.S.	(bl.) hairy-stalked.	Russia.	1824.	1. 12.	H. 4.	
31	collina. R.S.	(li.) hill.	Volhynia.	————	5. 8.	H. 4.	
32	cordata. S.S.	(bl.) heart-leaved.	N. America.	————	5. 7.	H. 4.	
33	suavis. M.B.	(p.b.) fragrant.	Siberia.	1823.	3. 5.	H. 4.	
34	odorata. DC.	(vi.) sweet-scented.	Britain.	3. 10.	H. 4.	Eng. bot. t. 619.
	<i>α violacea.</i>	(vi.) violet-coloured.	—————	————	H. 4.	
	<i>β rosea.</i>	(ro.) rose-coloured.	—————	————	H. 4.	
	<i>γ alba.</i>	(wh.) white-flowered.	—————	————	H. 4.	
	<i>δ cærulea.</i>	(bl.) blue-flowered.	—————	————	H. 4.	
	<i>ε purpureo-plena.</i>	(pu.) double-purple.	—————	————	H. 4.	
	<i>ζ albo-plena.</i>	(wh.) double-white.	—————	————	H. 4.	
	<i>η cæruleo-plena.</i>	(bl.) double-blue.	—————	————	H. 4.	
	<i>θ pallido-plena.</i>	(p.b.) Neapolitan.	Naples.	————	H. 4.	
35	uliginosa. DC.	(pu.) fen.	Carniola.	1822.	4. 5.	H. 4.	
36	mirabilis. DC.	(w.l.) broad-leaved.	Europe.	1732.	6. 8.	H. 4.	Jacq. fl. aust. t. 19.
37	striata. DC.	(st.) streaked.	N. America.	1772.	————	H. 4.	
38	ochroleuca. DC.	(st.) sulphur-color'd.	—————	————	H. 4.	
39	canina. DC.	(bl.) dog's.	Britain.	4. 6.	H. 4.	Eng. bot. 620.
40	sylvestris. R.S.	(p.b.) wood.	Hungary.	1823.	————	H. 4.	
41	Riviniàna. S.S.	(bl.) Rivini's.	Europe.	4. 6.	H. 4.	
42	ericetorum. L.en.	(bl.) heath.	Germany.	1826.	————	H. 4.	
43	neglecta. R.S.	(p.b.) neglected.	Bohemia.	1824.	————	H. 4.	
44	dèbilis. DC.	(p.b.) weak.	N. America.	1820.	————	H. 4.	
45	arenaria. DC.	(bl.) sand.	Europe.	————	————	H. 4.	Pio viol. p. 20. t. 1. f. 2.
	<i>Alliònnii</i> . R.S. <i>nummularifolia</i> . Schl.						
46	glauca. M.B.	(pu.) glaucous.	Russia.	1820.	————	H. 4.	
47	pùmila. DC.	(p.b.) small.	Europe.	————	————	H. 4.	Vill. c. stras. t. 5.
48	flavicornis. E.F.	(bl.) yellow-spurred.	Britain.	5. 7.	H. 4.	Raii synopsis. t. 24. f. 1.
49	montana. S.S.	(bl.) mountain.	Europe.	1683.	5. 6.	H. 4.	Bot. mag. 1595.
50	stricta. H.	(p.b.) upright.	—————	1822.	————	H. 4.	
	<i>Hornemanniana</i> . R.S.						
51	persicifolia. S.S.	(bl.) Peach-leaved.	S. Europe.	1818.	————	H. 4.	Schkuhr hand. 3. t. 269.
52	lactea. R.S.	(pa.) cream-coloured.	England.	————	H. 4.	Eng. bot. 445.
53	Rúppii. S.S.	(pa.) Piedmont.	Piedmont.	1820.	————	H. 4.	Lodd. bot. cab. 686.
54	Broussonetiàna. R.S.	Broussonet's.	Teneriffe.	1825.	————	G. ½.	
55	arborèscens. DC.	(pa.) shrubby.	S. Europe.	1779.	4. 5.	G. ½.	Barr. ic. 568.
56	epipsila. S.S.	(p.b.) creeping.	Siberia.	1821.	4. 6.	H. 4.	
57	fennica. F.	(bl.) Siberian.	—————	1827.	————	H. 4.	
58	Selkirkii. DC. Selkirk's.	Montreal.	1823.	————	H. 4.	
59	pygmæa. DC.	(p.b.) pigmy.	Andes.	1822.	7. 11.	H. 4.	
60	biflora. DC.	(ye.) two-flowered.	Europe.	1752.	————	H. 4.	Flor. dan. 46.
61	Nuttallii. DC.	(ye.) Nuttal's.	N. America.	1812.	5. 6.	H. 4.	
62	hastata. DC.	(ye.) hastate.	—————	1823.	5. 7.	H. 4.	
63	albiflora. L. en.	(wh.) white-flowered.	—————	————	H. 4.	
64	canadensis. DC.	(w.r.) Canadian.	—————	1783.	————	H. 4.	
65	pubescens. DC.	(ye.) downy.	—————	1772.	6. 7.	H. 4.	Swt. br. fl. gar. 223.
66	erioarpa. DC.	(ye.) woolly-capsul'd.	—————	1820.	————	H. 4.	————— 102.
67	uniflora. DC.	(ye.) Siberian.	Siberia.	1774.	————	H. 4.	Gmel. sib. 4. t. 48. f. 5.

68	chrysántha. Scr. (ye.)	golden-flowered.	1823.	5. 8.	H. 2.	
69	nummularifólia. DC. (b.)	money-wort.	Piedmont.	—	—	H. 2.	All. ped. n. 1640. t. 9. f. 4.
70	alpina. DC. (pu.)	alpine.	Austria.	1826.	—	H. 2.	Jacq. obs. 1. t. 11.
71	cornúta. DC. (bl.)	horned.	Pyrenees.	1776.	5. 6.	H. 2.	Bot. mag. 791.
72	cenisia. DC. (bl.)	Mount-Cenis.	Switzerland.	1759.	6. 7.	H. 2.	All. ped. 2. t. 22. f. 6.
73	valdéria. R.S. (pu.)	fringed-leaved.	—	1805.	5. 6.	H. 2.	— 2. t. 24. f. 3.
74	calcaràta. R.S. (bl.)	spurred.	Europe.	1752.	3. 6.	H. 2.	
75	Villarsiana. R.S. (bl.)	Villars's.	S. France.	—	H. 2.	Vill. cat. arg. t. 5.
76	Zóysii. R.S. (ye.)	crenated.	Europe.	7. 9.	H. 2.	Jacq. coll. 4. t. 11. f. 1.
77	amœ'na. DC. (pu.)	purple.	Scotland.	5. 8.	H. 2.	
78	altáica. DC. (ye.)	Tartarian.	Altay.	1805.	3. 6.	H. 2.	Bot. reg. 54.
	grandiflora. L. non DC.						
	β purpúrea. DC. (pu.)	purple-flowered.	Altay.	3. 6.	H. 2.	Swt. br. fl. gar. ic.
79	prostrata. R.S. (st.)	prostrate.	Teneriffe.	1824.	—	H. ⊙.	
80	sudética. W.en. (ye.)	large-flowered.	Europe.	5. 8.	H. 2.	
	grandiflora. DC. fl. fr. 5. p. 620.						
81	lútea. E.B. (ye.)	large yellow.	Britain.	5. 8.	H. 2.	Eng. bot. 721.
82	saxátilis. R.S. (st.)	rock.	Bohemia.	1824.	—	H. 2.	Swt. br. fl. gar. t.
83	rothomagénsis. DC. (b.)	Rouen.	France.	1783.	—	H. 2.	Bot. mag. 1498.
84	tricolor. R.S. (b.y.)	Heart's-ease.	Britain.	4. 11.	H. ♂.	(Ed. fl. dan. t. 623.
85	bannática. R.S. (st.)	intermediate.	Hungary.	5. 8.	H. ⊙.	
86	arvénsis. R.S. (st.)	corn.	Britain.	—	H. ⊙.	
87	declinàta. R.S. (bl.)	declined.	Hungary.	1820.	—	H. ♂.	W. et K. hung. 3. t. 223.
88	Kitaibeliàna. R.S. (st.)	Kitaibel's.	Switzerland.	1824.	4. 6.	H. ⊙.	
ERPETION B.F.G. SPURLESS VIOLET. Pentandria Monogynia.							
1	hederaceum. (b.w.)	Ivy-leaved.	V. Diem. Isl.	1825.	5. 9.	F. 2.	Lab. nov. holl. 1. t. 91.
	Viola hederacea. Lab.						
2	renifórme. B.F.G. (b.w.)	kidney-leaved.	N. S. W.	1823.	—	F. 2.	Swt. br. fl. gar. 170.
	Viola reniformis. B.						
SOLEA. DC. SOLEA. Pentandria Monogynia.							
	cóncolor. DC. (gr.)	green-flowered.	N. America.	1788.	6. 7.	H. 2.	Linn. trans. 6. t. 28.
POMB'ALIA. DC. POMB'ALIA. Pentandria Monogynia.							
	'Itubu. DC. (wh.)	white Ipecacuanha.	Brazil.	1822.	7. 8.	S. 2.	H. et. B. 5. t. 496. f. 2.
	β calceolària. (wh.)	villous-stemmed.	—	—	—	S. 2.	Bot. mag. 2453
	Jonidium Ipecacuánha. β. B.M.						2453.
JONIDIUM. DC. JONI'DIUM. Pentandria Monogynia.							
1	strictum. DC. (wh.)	upright.	St. Domingo.	1820.	S. 2.	
2	polygalæfólium. DC. (st.)	Milkwort-l ^d .	S. America.	1797.	4. 8.	G. 2.	Vent. malm. 27.
3	verbenaceum. DC. (p.b.)	Vervain-like.	—	1822.	6. 8.	H. ⊙.	H. et B. V. 379. t. 497.

Tribus II. ALSODINEÆ. DC.

ALSODE'IA. DC. ALSODE'IA. Pentandria Monogynia.							
1	arborea. DC. (wh.)	tree.	Madagascar.	1823.	S. h.	
2	latifolia. DC. (wh.)	broad-leaved.	—	—	S. h.	Pet. Th. veg. af. t. 18. f. 2.
CERA'NTHERA. DC. CERA'NTHERA. Pentandria Monogynia.							
	dentata. DC. (wh.)	toothed.	Sierra Leone.	1822.	S. h.	Beauv. fl. d'ow. 2. t. 65.

Tribus III. SAUVAGEÆ. DC.

SAUVAG'ESIA. DC. SAUVAG'ESIA. Pentandria Monogynia.							
1	erecta. DC. (wh.)	upright.	S. America.	1823.	7. 9.	S. ⊙.	Jacq. am. pict. t. 77.
2	nùtans. DC. (wh.)	nodding.	Madagascar.	—	—	S. ⊙.	

ORDO XXI.

DROSERACEÆ. DC. prodr. 1. p. 317.

DROSE'RA. DC. SUNDEW. Pentandria Pentagynia. L.							
1	acaulis. DC. (wh.)	stalkless.	C. B. S.	1821.	7. 8.	G. w. 2.	
2	pauciflora. DC. (wh.)	few-flowered.	—	—	—	G. w. 2.	

3	cuneifolia. DC.	(w.r.) wedge-leaved.	C. B. S.	1824.	6. 8.	G.w. 2.	
	<i>α alba.</i>	(wh.) white-flowered.	————	————	————	G.w. 2.	
	<i>β rubra.</i>	(re.) red-flowered.	————	————	————	G.w. 2.	
4	rotundifolia. DC.	(wh.) round-leaved.	Britain.	7. 8.	H.w. 2.	Eng. bot. 867.
5	longifolia. L.	(wh.) intermediate.	England.	————	H.w. 2.	———— 868.
	<i>intermedia.</i> DC.						
6	americana. W.en.	(wh.) American.	N. America.	1824.	————	H.w. 2.	
7	anglica. DC.	(wh.) great.	————	————	H.w. 2.	Eng. bot. 869.
	<i>longifolia.</i> D. et H. 3. t. 75. A.						
8	linearis. DC.	(wh.) linear-leaved.	N. America.	1822.	5. 6.	H.w. 2.	
9	filiformis. Ph.	(pu.) thready-leaved.	————	1811.	————	H.w. 2.	
ALDROVA'NDA. DC.		ALDROVA'NDA. Pentandria Pentagynia.		L.			
	<i>vesiculosa.</i> DC.	(wh.) whorl-leaved.	S. Europe.	1826.	6. 8.	H.w. ⊙.	Lam. ill. t. 220.
B'YBLIS. DC.		B'YBLIS. Pentandria Monogynia.		L.			
	<i>liniflora.</i> DC.	(bl.) blue-flowered.	N. S. W.	1803.	5. 6.	G.w. 2.?	Salisb. par. 95.
DION'ÆA. DC.		DION'ÆA. Decandria Monogynia.		L.			
	<i>Muscipula.</i> DC.	(wh.) Venus Flytrap.	Carolina.	1768.	7. 8.	G. 2.	Bot. mag. 785.
PARNA'SSIA. DC.		PARNA'SSIA. Pentandria Tetragynia.		L.			
1	palustris. DC.	(wh.) marsh.	Britain.	7. 8.	H.w. 2.	Eng. bot. 82.
2	parviflora. DC.	(wh.) small-flowered.	N. America.	5. 6.	H.w. 2.	
3	caroliniana. DC.	(wh.) Carolina.	Carolina.	1802.	5. 8.	H.w. 2.	Bot. mag. 1459.
4	asarifolia. DC.	(wh.) Asarum-leaved.	N. America.	1812.	7. 8.	H.w. 2.	Vent. malm. t. 39.

ORDO XXII.

POLYGALÆÆ. DC. *prodr.* 1. p. 231.

POLY'GALA. DC.		MILKWORT. Diadelphia Octandria. L.					
1	oppositifolia. DC.	(pu.) opposite-leav'd.	C. B. S.	1790.	1. 12.	G. h.	Bot. reg. 636.
2	cordifolia. DC.	(pu.) heart-leaved.	————	1791.	————	G. h.	
3	tetragona. DC.	(pu.) square-stalked.	————	1820.	————	G. h.	
	<i>attenuata.</i> Lod. bot. cab. 1000.	<i>oppositifolia β major.</i>	B.R.	1146.			
4	nummularia. DC.	(pu.) Moneywort-ld.	C. B. S.	1812.	————	G. h.	
5	latifolia. B.R.	(pu.) broad-leaved.	————	1820.	————	G. h.	Bot. reg. 645.
	<i>cordifolia.</i> B.M. non DC.						
6	borboniæfolia. DC.	(p.) Borbonia-leav'd.	————	1790.	————	G. h.	
	<i>oppositifolia.</i> B.M. non DC.						
7	grandiflora. B.C.	(pu.) large-flowered.	————	1825.	4. 9.	G. h.	Lodd. bot. cab. 1227.
8	myrtifolia. DC.	(pu.) Myrtle-leaved.	————	1707.	5. 8.	G. h.	Bot. reg. 669.
9	ligularis. DC.	(pu.) ligulate-leaved.	————	1820.	————	G. h.	———— 637.
10	intermedia. DC.	(pu.) intermediate.	————	5. 10.	G. h.	
11	bracteolata. DC.	(pu.) spear-leaved.	————	1713.	————	G. h.	Bot. mag. 345.
12	Linkiana.	(pa.) slender-leaved.	————	1820.	————	G. h.	
	<i>tenuifolia.</i> L. en. non w.						
13	umbellata.	(pu.) hispid-stalked.	————	————	————	G. h.	Burm. afr. t. 73. f. 5.
14	Burmanni. DC.	(pu.) Burman's.	————	————	G. h.	———— t. 73. f. 4.
15	simplèx. DC.	(pu.) simple-stalked.	————	1820.	————	G. h.	
16	affinis. DC.	(pu.) blunt-leaved.	————	1825.	6. 9.	G. h.	
17	speciosa. DC.	(pu.) showy.	————	1814.	————	G. h.	Bot. reg. 150.
18	teretifolia. DC.	(pu.) columnar-ld.	————	1791.	5. 8.	G. h.	Andr. rep. 370.
19	Garcini. DC.	(pu.) slender-branch'd	————	5. 10.	G. h.	Burm. afr. t. 73. f. 3.
20	major. DC.	(pu.) large Austrian.	Austria.	1739.	7. 8.	H. 2.	Jacq. aust. 5. t. 413.
21	vulgaris. DC.	(va.) common.	Britain.	5. 7.	H. 2.	Eng. bot. 76.
	<i>α vera.</i> DC.	(r.b.) true.	————	————	H. 2.	Flor. dan. t. 516.
	<i>β pubescens.</i> DC.	(r.b.) pubescent.	————	————	H. 2.	
	<i>γ elata.</i> DC.	(r.b.) tall.	————	————	H. 2.	Schk. handb. t. 191.
	<i>δ Verriana.</i> DC.	(wh.) white-flowered.	————	————	H. 2.	
	<i>ε acutifolia.</i> DC.	(bl.) blue-flowered.	————	————	H. 2.	
	<i>ζ angustifolia.</i> DC.	(ro.) rose-coloured.	————	————	H. 2.	
	<i>η grandiflora.</i> DC.	(re.) red-flowered.	————	————	H. 2.	
22	amara. DC.	(bl.) bitter.	Europe.	1775.	————	H. 2.	Bot. mag. 2437.
23	monspeliaca. DC.	(fl.) Montpellier.	Montpellier.	1823.	6. 9.	H. ⊙.	DC. ic. rar. 1. t. 9.
24	incarnata. DC.	(fl.) flesh-coloured.	N. America.	1812.	6. 7.	H. ⊙.	
25	cruciata. DC.	(ro.) four-leaved.	————	1739.	————	H. ⊙.	
26	brevifolia. DC.	(re.) short-leaved.	————	1824.	————	H. ⊙.	
27	fastigiata. DC.	(re.) close-branched.	————	————	————	H. ⊙.	

POLYGALEÆ.

28 lutea. DC.	(ye.) golden.	N. America.	1739.	6. 7.	H. ☉.	Pluk. am. t. 438. f. 6.
29 nana. DC.	(gr.) dwarf.	—————	1815.	7. 8.	H. ☉.	
30 purpurea. DC.	(ro.) purple.	—————	1739.	7. 9.	H. ☉.	
<i>sanguinea. Mich.</i>						
31 sanguinea. DC.	(cr.) bloody.	—————	—————	—————	H. ☉.	
32 ambigua. DC.	(pu.) ambiguous.	—————	1824.	6. 7.	H. ☉.	
33 verticillata. DC.	(w.r.) whorl-leaved.	—————	1739.	—————	H. ☉.	Pluk. am. t. 438. f. 4.
34 paniculata. DC.	(pu.) paniced.	S. America.	1822.	7. 10.	S. ☉.	Bot. reg. 761.
35 graminifolia. DC.	(st.) grass-leaved.	N. America.	—————	6. 7.	F. ♀.	
36 alba. N.	(wh.) white-flowered.	Louisiana.	1827.	6. 7.	H. ♀.	
37 rubella. DC.	(re.) reddish.	N. America.	1828.	—————	H. ♀.	
38 Senega. DC.	(bh.) Rattlesnake-rt.	—————	1739.	—————	H. ♀.	Bot. mag. 1051.
39 paucifolia. DC.	(pu.) naked-stalked.	—————	1791.	5. 6.	H. ♀.	————— 2852.
40 commutata.	(pu.) frutescent.	—————	—————	—————	H. ♀.	
<i>purpurea. H.K. nec aliorum.</i>						
41 Chamæbuxus. DC.	(w.) Box-leaved.	Europe.	1658.	—————	H. ♀.	Bot. mag. 316.
SALOMONIA. DC. SALOMONIA.		Monadelphia Tetrandria.				
<i>cantonensis. DC. (wh.) Canton.</i>		China.	1824.	6. 8.	H. ☉.	
COMESPERMA. DC. COMESPERMA.		Monadelphia Octandria.				
1 ericina. DC.	(pu.) Heath-like.	N. S. W.	1822.	5. 8.	G. ♀.	
2 virgata. DC.	(pu.) twiggy.	—————	1826.	—————	G. ♀.	Lab. nov. holl. 2. t. 159.
3 coridifolia. F.T.	(pu.) Coris-leaved.	—————	1822.	—————	G. ♀.	
MURALTIA. DC. MURALTIA.		Diadelphia Octandria. L.				
1 Heisteria. DC.	(pu.) Furze-leaved.	C. B. S.	1787.	1. 12.	G. ♀.	Bot. mag. 340.
<i>Polygala Heisteria. B.M.</i>						
2 alopecuroides. DC.	(p.) Fox-tail.	—————	1800.	5. 8.	G. ♀.	Bot. mag. 1006.
<i>Polygala alopecuroides. B.M.</i>						
3 squarrosa. DC.	(li.) squarrose.	—————	1821.	—————	G. ♀.	
4 stipulacea. DC.	(pu.) stipuled.	—————	1801.	4. 9.	G. ♀.	Bot. mag. 1715.
5 juniperifolia. DC.	(re.) Juniper-leaved.	—————	—————	G. ♀.	
6 diffusa. DC.	(li.) diffuse.	—————	1800.	1. 12.	G. ♀.	
7 virgata. DC.	(pu.) twiggy.	—————	—————	—————	G. ♀.	
8 linophylla. DC.	(pu.) Flax leaved.	—————	1812.	5. 8.	G. ♀.	
9 macroceras. DC.	(pu.) long-horned.	—————	—————	—————	G. ♀.	
10 mixta. DC.	(li.) Heath-leaved.	—————	1791.	1. 12.	G. ♀.	Bot. mag. 1714.
<i>Polygala mixta. B.M.</i>						
<i>α rubra. (li.) pale red.</i>		—————	—————	—————	G. ♀.	
<i>β alba. (wh.) white-flowered.</i>		—————	—————	—————	G. ♀.	
11 ciliaris. DC.	(li.) ciliated.	—————	1822.	5. 7.	G. ♀.	
12 humilis. DC.	(pu.) humble.	—————	1817.	5. 8.	G. ♀.	Lodd. bot. cab. 420.
<i>Polygala humilis. B.C.</i>						
13 pubescens. DC.	(li.) pubescent.	—————	1823.	—————	G. ♀.	
MUNDIA. DC. MUNDIA.		Diadelphia Octandria. L.				
<i>spinosa. DC. (li.) spiny.</i>		C. B. S.	1780.	1. 5.	G. ♀.	
<i>α latifolia. DC. (li.) broad-leaved.</i>		—————	—————	—————	G. ♀.	
<i>β angustifolia. DC. (li.) narrow-leaved.</i>		—————	—————	—————	G. ♀.	
SECURIDACA. DC. SECURIDACA.		Diadelphia Octandria. L.				
1 virgata. DC.	(v.) slender.	Jamaica.	1822.	S. ♀. ∪.	Plum. ed. Bur. t. 248. f. 1
2 volubilis. DC.	(re.) climbing.	W. Indies.	1739.	S. ♀. ∪.	Jacq. amer. t. 183. f. 38.
3 erecta. DC.	(pu.) upright.	—————	1824.	S. ♀.	————— t. 183. f. 39.
4 paniculata. DC.	(st.) paniced.	Cayenne.	1820.	S. ♀.	Lam. ill. t. 599. f. 2.

ORDO XXIII.

TREMANDREÆ. DC. prodr. 1. p. 343.

TETRATH'ECA. DC. TETRATH'ECA.		Octandria Monogynia.				
1 jancea. DC.	(w.p.) rushy.	N. S. W.	1803.	7. 8.	G. ♀.	Sm. nov. hol. 1. t. 2.
2 glandulosa. DC.	(re.) glandular.	V. Diemen.	1822.	—————	G. ♀.	Lab. nov. hol. 1. t. 123.
3 pilosa. DC.	(re.) hairy.	—————	—————	—————	G. ♀.	————— 1. t. 122.
<i>glandulosa. Ex. bot. 21.</i>						
4 ericifolia. DC.	(r.w.) Heath-leaved.	N. S. W.	—————	—————	G. ♀.	Sm. exot. bot. t. 20.
5 rubiaoides. F.T.	(ro.) Rubia-like.	—————	1823.	6. 8.	G. ♀.	

ORDO XXIV.

PITTOSPOREÆ. DC. *prodr.* 1. p. 345.

BILLARDIE'RA. DC. APPLE-BERRY. Pentandria Monogynia. L.							
1 scândens. DC.	(st.) downy-fruited.	N. S. W.	1790.	6. 8.	G. h. ∪.	Swt. fl. aust. t. 54.	
2 mutâbilis. DC.	(p.s.) changeable.	—————	1795.	5. 9.	G. h. ∪.	Bot. mag. 1313.	
3 longiflôra. DC.	(st.) blue-fruited.	V. Diemen.	1810.	—————	G. h. ∪.	————— 1507.	
4 fusifôrmis. DC.	(bl.) long-fruited.	—————	1822.	—————	G. h. ∪.	Lab. nov. holl. t. 90.	
5 angustifôlia. DC.	(st.) narrow-leaved.	N. S. W.	—————	—————	G. h. ∪.		
PITTO'SPORUM. DC. PITTO'SPORUM. Pentandria Monogynia. L.							
1 coriâceum. DC.	(wh.) thick-leaved.	Madeira.	1787.	5. 6.	G. h.	Andr. rep. 151.	
2 viridiflôrum. DC.	(gr.) green-flowered.	C. B. S.	1806.	—————	G. h.	Bot. mag. 1684.	
3 Tobira. DC.	(wh.) glossy-leaved.	China.	1804.	3. 8.	G. h.	————— 1396.	
4 undulâtum. DC.	(wh.) wave-leaved.	N. S. W.	1789.	2. 6.	G. h.	Bot. reg. 16.	
5 revolûtum. DC.	(st.) revolute-leaved.	—————	1795.	6. 7.	G. h.	————— 186.	
6 tomentôsum. DC.	(st.) woolly-leaved.	N. Holland.	1825.	6. 7.	G. h.	Swt. fl. aust. t. 33.	
7 fûlvum. DC.	(st.) tawny.	N. S. W.	1824.	1. 5.	G. h.	————— t. 25.	
8 tenuifôlium. G.	(st.) Willow-leaved.	—————	1818.	—————	G. h.	Gært. fr. 1. t. 59.	
9 ferrugineum. DC.	(st.) rusty-leaved.	Guinea.	1787.	2. 5.	S. h.	Bot. mag. 2075.	
BURS'ARIA. DC. BURS'ARIA. Pentandria Monogynia. L.							
spinôsa. DC.	(wh.) thorny.	N. S. W.	1793.	8. 12.	G. h.	Bot. mag. 1767.	
<i>Itea spinosa.</i> And. rep. t. 314.							
SEN'ACIA. DC. SEN'ACIA. Pentandria Monogynia. L.							
1 undulâta. DC.	(wh.) wave-leaved.	Mauritius.	1785.	S. h.		
2 nepalénsis. DC.	(wh.) flat-leaved.	Nepaul.	1826.	G. h.		

ORDO XXV.

FRANKENIACEÆ. DC. *prodr.* 1. p. 349.

FRANK'ENIA. DC. SEA HEATH. Hexandria Monogynia. L.							
1 pulverulénta. DC.	(re.) powdery.	England.	7.	H. 4.	Eng. bot. 2222.	
2 nodiflôra. DC.	(re.) knotted-flow'r'd.	C. B. S.	1818.	6. 8.	G. 4.	Lam. ill. t. 262. f. 4.	
3 Nóthria. DC.	(re.) Cape.	—————	1816.	—————	G. 4.	Berg. cap. 171. t. 1. f. 2.	
<i>Nóthria repens.</i> Berg.							
4 læ'vis. DC.	(re.) smooth.	England.	7. 8.	H. 4.	Eng. bot. 205.	
5 intermèdia. DC.	(re.) sea-side.	S. Europe.	1820.	6. 8.	H. 4.	Mich. gen. t. 22. f. 2.	
<i>hirsûta.</i> var. <i>calábrica.</i> L.							
6 hispida. DC.	(re.) hairy.	Siberia.	1789.	—————	H. 4.	Flor. græc. t. 313.	
<i>hirsûta.</i> var. <i>crética.</i> L.							
7 ericifôlia. DC.	(re.) Heath-leaved.	Canaries.	1815.	—————	G. 7.		
8 pauciflôra. DC.	(ro.) few-flowered.	N. Holland.	1825.	8. 10.	G. 7.		

ORDO XXVI.

CARYOPHYLLÆ. DC. *prodr.* 1. p. 351.

Tribus I. SILENEÆ. DC.

GYPSO'PHILA. DC. GYPSO'PHILA. Decandria Digynia. L.							
1 Struthium. DC.	(wh.) fleshy-leaved.	Spain.	1729.	7. 8.	H. 4.	Barr. ic. 64. t. 119.	
2 fastigiâta. DC.	(wh.) angular-leaved.	Europe.	1759.	6. 7.	H. 4.	Gmel. sib. 4. t. 61. f. 1.	
3 dichótoma. DC.	(wh.) forked.	Galicia.	1826.	6. 8.	H. 4.		
4 arenâria. DC.	(wh.) sand.	Hungary.	1801.	7. 8.	H. 4.	W. et. K. hung. t. 41.	
5 viscôsa. DC.	(bh.) clammy.	Levant.	1773.	6. 8.	H. ⊙.	Mur. c. got. 1783. t. 3.	
6 altíssima. DC.	(wh.) upright.	Siberia.	1759.	7. 8.	H. 4.	Gmel. sib. 4. t. 60.	
7 latifôlia. F.	(wh.) broad-leaved.	—————	1824.	6. 9.	H. 4.		

8	<i>perfoliata</i> . DC.	(wh.)	perfoliate.	Spain.	1732.	6. 9.	H. 4.	Dill. elt. t. 276.
	<i>β tomentosa</i> . DC.	(wh.)	woolly.	Tauria.	—	—	H. 4.	Barr. ic. t. 1002.
9	<i>scorzonerifolia</i> . DC.	(w.)	Scorzonera-ld.	—	1823.	—	H. 4.	
10	<i>acutifolia</i> . DC.	(wh.)	sharp-leaved.	Caucasus.	1821.	—	H. 4.	
11	<i>paniculata</i> . DC.	(wh.)	panicked.	Siberia.	1759.	6. 7.	H. 4.	Jacq. aust. 5. t. app. 1
12	<i>adscendens</i> . DC.	(wh.)	ascending.	Levant.	1819.	—	H. 4.	Jacq. h. vind. 2. t. 138.
13	<i>élegans</i> . DC.	(bh.)	elegant.	Tauria.	1820.	6. 8.	H. ☉.	Swt. br. fl. gar.
14	<i>Stevèni</i> . DC.	(wh.)	Steven's.	Iberia.	1817.	—	H. 4.	
15	<i>tenuifolia</i> . DC.	(ro.)	slender-leaved.	Caucasus.	1824.	—	H. 4.	
16	<i>répens</i> . DC.	(wh.)	creeping.	Pyrenees.	1774.	7. 9.	H. 4.	Bot. mag. 1448.
17	<i>dùbia</i> . DC.	(wh.)	doubtful.	1815.	5. 9.	H. 4.	
18	<i>prostrata</i> . DC.	(bh.)	trailing.	Siberia.	1759.	7. 9.	H. 4.	Bot. mag. 1281.
19	<i>muràlis</i> . DC.	(li.)	wall.	Europe.	1739.	6. 10.	H. ☉.	Flor. græc. t. 381.
20	<i>serotina</i> . W. en.	(wh.)	late-flowering.	Magdeburg.	1816.	—	H. ☉.	
21	<i>glomerata</i> . DC.	(wh.)	round-headed.	Tauria.	1804.	6. 7.	H. 4.	
22	<i>saxifraga</i> . DC.	(bh.)	small.	Germany.	1774.	7. 8.	H. 4.	Exot. bot. 2. t. 90.
23	<i>rigida</i> . L.	(li.)	rigid.	France.	1769.	6. 8.	H. 4.	Flor. græc. t. 382.
	DIA'NTHUS . DC.		PINK. Decandria Digynia.	L.				
1	<i>prolifer</i> . DC.	(ro.)	proliferous.	England.	7. 8.	H. ☉.	Eng. bot. 956.
2	<i>diminutus</i> . W.	(ro.)	small-flowered.	S. Europe.	1771.	—	H. ☉.	
3	<i>Armèria</i> . DC.	(re.)	Deptford.	England.	7. 9.	H. ☉.	Eng. bot. 317.
4	<i>pseudo-armèria</i> .	(re.)	canescent.	Tauria.	1820.	—	H. 4.	Bot. mag. 2288.
5	<i>armerioides</i> . DC.	(re.)	Thrift-like.	New Jersey.	—	—	H. ☉.	
6	<i>barbatus</i> . DC.	(va.)	Sweet-William.	Germany.	1573.	6. 7.	H. 4.	Bot. mag. 207.
	<i>β flore plèno</i> .	(va.)	double.	—	—	—	H. 4.	
7	<i>latifolius</i> . DC.	(cr.)	broad-leaved.	5. 11.	H. 4.	Swt. br. fl. gar. t. 2.
8	<i>aggregatus</i> . DC.	(re.)	clustered.	1820.	6. 8.	H. 4.	
9	<i>japonicus</i> . DC.	(re.)	Japanese.	China.	1804.	6. 10.	F. 4.	Thunb. jap. t. 23.
10	<i>cephalotes</i> . DC.	(re.)	close-headed.	6. 9.	H. 4.	
11	<i>capitatus</i> . DC.	(re.)	headed.	Tauria.	1794.	6. 7.	H. 4.	
12	<i>polymorphus</i> . DC.	(re.)	variable.	—	1820.	6. 8.	H. 4.	
13	<i>diutinus</i> . L. en.	(re.)	pedicled.	Hungary.	—	—	H. 4.	Swt. br. fl. gar.
14	<i>Balbisi</i> . DC.	(re.)	Balbis's.	Genoa.	1827.	7. 10.	H. 4.	Swt. br. fl. gar.
	<i>glaucophyllus</i> . H.							
15	<i>giganteus</i> . DC.	(re.)	gigantic.	Bulgaria.	—	6. 10.	H. 4.	Swt. br. fl. gar. 288.
16	<i>ferrugineus</i> . DC.	(st.)	rusty.	Pyrenees.	1756.	7. 9.	H. 4.	Barr. ic. t. 497.
17	<i>Carthusianorum</i> . DC.	(re.)	Carthusian.	Europe.	1573.	—	H. 4.	Flor. græc. t. 392.
18	<i>atrorubens</i> . All.	(re.)	dark-red.	Italy.	1802.	—	H. 4.	Jacq. ic. 3. t. 467.
19	<i>nanus</i> .	(cr.)	dwarf.	Switzerland.	1820.	—	H. 4.	
	<i>Carthusianorum γ nanus</i> . DC.							
20	<i>arboreus</i> . DC.	(re.)	arborescent.	Crete.	—	—	F. ½.	Flor. græc. t. 406.
21	<i>juniperinus</i> . DC.	(re.)	Juniper-leaved.	Greece.	1825.	—	F. ½.	
22	<i>fruticosus</i> . DC.	(re.)	frutescent.	Crete.	1815.	6. 9.	F. ½.	Flor. græc. t. 407.
23	<i>suffruticosus</i> . DC.	(re.)	shrubby.	1804.	6. 7.	F. ½.	
24	<i>rupicola</i> . DC.	(ro.)	Sicilian.	Sicily.	1825.	6. 8.	H. 4.	Ten. fl. napol. t. 39.
	<i>Bisignani</i> . T.							
25	<i>carolinianus</i> . DC.	(re.)	Carolina.	N. America.	1811.	6. 9.	F. 4.	
26	<i>caryophylloides</i> . DC.	(re.)	Clove-like.	1827.	—	H. 4.	
27	<i>asper</i> . W. en.	(re.)	rough-stalked.	Switzerland.	1802.	7. 8.	H. 4.	
28	<i>collinus</i> . W. en.	(re.)	hill.	Hungary.	1800.	7. 9.	H. 4.	Parad. lond. 62.
29	<i>umbellatus</i> . DC.	(re.)	umbelled.	1825.	—	H. 4.	
30	<i>campèstris</i> . DC.	(re.)	field.	Tauria.	1815.	7. 8.	H. 4.	Bot. mag. 1876.
31	<i>alpèstris</i> . DC.	(re.)	pasture.	—	1820.	—	H. 4.	Balb. act. taur. 7. t. 1.
32	<i>nítidus</i> . DC.	(re.)	glossy.	Hungary.	1821.	6. 8.	H. 4.	W. et K. hung. 2. t. 191.
33	<i>hirtus</i> . DC.	(re.)	hairy.	Dauphiny.	—	—	H. 4.	Vill. delph. 3. t. 46.
34	<i>guttatus</i> . DC.	(pu.)	spotted.	Caucasus.	1816.	7. 9.	H. 4.	
35	<i>versicolor</i> . DC.	(s.r.)	various-colour'd	Russia.	1821.	—	H. 4.	
36	<i>pratensis</i> . DC.	(st.)	meadow.	Tauria.	—	6. 8.	H. 4.	
	<i>ochroleucus</i> . L. en.		non <i>P. s. tataricus</i> .	F.				
37	<i>chinensis</i> . DC.	(va.)	China.	China.	1713.	7. 9.	H. ♂.	Bot. mag. 28.
	<i>β flore-plèno</i> .	(va.)	double-flowered.	—	—	H. ♂.	
38	<i>montanus</i> . DC.	(pu.)	mountain.	Caucasus.	1803.	6. 9.	H. 4.	Bot. mag. t. 1162.
	<i>discolor</i> . B.M.							
39	<i>ochroleucus</i> . DC.	(st.)	straw-coloured.	Levant.	1821.	—	H. 4.	
40	<i>Caryophyllus</i> . DC.	(va.)	Clove.	England.	6. 8.	H. 4.	Eng. bot. 214.
	<i>β multiplèx</i> ,	(cr.)	double Clove.	—	H. 4.	
	<i>γ rubro-cinctus</i> .	(wh.)	Hogg's Beauty of Middlesex Picotee.	—	—	H. 4.	Swt. flor. guid. 70.
	<i>δ inimitabilis</i> .	(w.c.)	Hird's Inimitable Picotee.	—	—	H. 4.	— t. 80.
	<i>ε striatulus</i> .	(y.r.)	Rosalie de Rohan Picotee.	—	—	H. 4.	— t. 25.

ζ	purpureo-cinctus.	(y.p.)	Erasmus Picotee.	6. 8.	H. 4.	Swt. flor. guid. 59.
η	Clintoniæ.	(r.w.)	Huston's Dutchess of Newcastle Carnation.	H. 4.	_____ t. 14.
θ	triumphans.	(p.w.)	Pardoe's Ace of Trumps Carnation.	H. 4.	_____ t. 36.
ι	cæruleo-purpureus.	(p.w.)	Cordon Bleu Carnation.	H. 4.	_____ t. 64.
κ	Franklini.	(r.p.w.)	Franklin's Queen of Hearts Carnation.	H. 4.	_____ t. 20.
λ	puellulus.	(c.r.w.)	Pucelle de Gand Carnation.	H. 4.	_____ t. 67.
μ	Leopoldi.	(c.p.w.)	Ives's Prince Leopold Carnation.	H. 4.	_____ t. 31.
ν	iricolor.	(c.p.w.)	Cartwright's Rainbow Carnation.	H. 4.	_____ t. 9.
ξ	Bacchus.	(s.p.w.)	Davey's Bacchus Carnation.	H. 4.	_____ t. 44.
ο	Tarrara.	(s.p.w.)	Hall's Tarrara Carnation.	H. 4.	_____ t. 21.
π	pulchella.	(s.p.w.)	Franklin's Tartar Carnation.	H. 4.	Bot. mag. 39.
ρ	fruticòsus.	(va.)	tree-Carnation.	H. 4.
ς	imbricatus.	(d.r.)	Wheat-ear.	H. 4.	Bot. mag. 1622.
41	sylvéstris.	(re.)	short-scaled.	Jurassa.	6. 7. H. 4.	Jacq. ic. rar. t. 82.
	virgineus.	B.M. 1740.	non L.
42	longicaulis.	DC. (re.)	long-stalked.	Naples.	1824. H. 4.
43	monadélphus.	DC. (wh.)	procumbent.	Levant. H. 4.	Vent. h. cels. t. 39.
	procumbens.	P.S.
44	suavéolens.	DC. (sp.)	sweet-scented.	1823. H. 4.
45	Poiretiànus.	DC. (pu.)	Poiret's. H. 4.
	β flore-plèno.	(pu.)	double-flowering. H. 4.
46	Liboschitziànus.	DC.	Armenian.	Armenia.	1823.	6. 8. H. 4.
	petræus.	M.B. non DC.
47	sylvaticus.	DC. (cr.)	wood.	Ratisbon.	1815. H. 4.
48	arbúscula.	B.R. (re.)	China tree.	China.	1824.	7. 10. H. 4.	Bot. reg. 1086.
49	pomeridiànus.	DC. (st.)	afternoon.	Palestine.	1804. H. 4.	Parad. lond. 57.
50	leptopétalus.	DC. (wh.)	narrow-petaled.	Caucasus.	1814. H. 4.	Bot. mag. 1739.
51	púngens.	DC. (wh.)	pungent.	Spain.	1781.	8. 10. H. 4.
52	bicolor.	DC. (w.p.)	two-coloured.	Tauria.	1818.	6. 8. H. 4.
53	furcátus.	DC. (fl.)	forked.	Piedmont.	1820. H. 4.	Balb. act. taur. 7. f. 2
54	virgineus.	DC. (re.)	virgin.	Montpelier.	1732. H. 4.	Dill. elt. 401. t. 385?
55	deltóides.	DC. (re.)	maiden.	Britain.	6. 10 H. 4.	Eng. bot. 61.
56	gláucus.	L. (wh.)	glaucous. H. 4.
57	crenátus.	B.R. (wh.)	long-cupped.	C. B. S.	1817.	8. G. 4.	Bot. reg. 256.
58	rigidus.	DC. (pa.)	rigid.	Tauria.	1802.	6. 10. H. 4.
59	clavátus.	DC. (fl.)	clubbed.	1824.	6. 8. H. 4.
60	suávis.	DC. (fl.)	sweet.	1820.	6. 7. H. 4.
61	rèpens.	DC. (re.)	creeping.	Siberia.	1825. H. 4.
62	cæ'sius.	DC. (fl.)	tufted.	Britain. H. 4.	Eng. bot. 62.
63	alpinus.	DC. (re.)	Alpine.	Austria.	1759. H. 4.	Bot. mag. 1205.
64	glaciális.	DC. (re.)	acute-leaved.	France.	1820. H. 4.
65	élegans.	DC. (re.)	elegant.	Levant.	1825. F. 4.
66	multipunctátus.	DC. (sp.)	spotted.	6. 9. F. 4.
67	Hornemánni.	DC. (fl.)	Horneman's.	Italy.	1822.	6. 7. H. 4.
68	Sternbérgii.	DC. (re.)	Sternberg's.	1825. F. 4.
69	petræus.	DC. (wh.)	rock.	Hungary.	1804.	7. 8. H. 4.	W. et. K. hung. 3. t. 22.
	β Simsii.	(wh.)	Sims's. H. 4.	Bot. mag. 1204.
70	ibéricus.	DC. (pu.)	Iberian.	Iberia.	1820.	6. 8. H. 4.
	Willdenówii.	L. en.
71	ruthénicus.	DC. (re.)	Russian.	Russia. H. 4.
72	dentòsus.	F. (re.)	toothed.	Siberia.	1826. H. 4.
73	Buchtorménsis.	F. (re.)	Buchtormian.	Russia. H. 4.
74	gállicus.	DC. (wh.)	French.	France. H. 4.	DC. ic. gall. rar. t. 41.
75	álbens.	DC. (wh.)	white Cape.	C. B. S.	1787.	8. G. 4.
76	serrulátus.	DC. (ro.)	serrulate.	Tunis.	1826. H. 4.
77	pulchéllus.	P.S. (re.)	pretty. H. 4.
78	dùbius.	H. (w.p.)	doubtful.	5. 6. H. 4.
	præcox.	W. en.
79	plumàrius.	DC. (wh.)	common.	Europe.	1629.	6. 8. H. 4.
	β heròicus.	(w.p.)	Styles's Hero Pink. H. 4.	Swt. flor. guid. 17.
	γ Cheeseànus.	(w.p.)	Cheese's Miss Cheese. H. 4.	_____ t. 13.
	δ Houseànus.	(w.p.)	House's Woodland Beauty H. 4.	_____ t. 47.
	ε Uxbridgeànus.	(w.r.)	Dry's Earl of Uxbridge H. 4.	_____ t. 55.
	ζ Aclándæ.	(w.p.)	Knight's Lady Acland. H. 4.	_____ t. 40.
	η inclytus.	(w.p.)	Smith's Champion H. 4.	_____ t. 27.
	θ Barrátti.	(w.p.)	Barratt's Conqueror. H. 4.	_____ t. 32.
	ι regális.	(w.p.)	Davey's Roi de pourpre H. 4.	_____ t. 33.
80	adulterínus.	(f.p.)	hybrid.	Hybrid. H. 4.
	β Juliéti.	(f.p.)	Davey's Juliet. H. 4.	Swt. flor. guid. 8.

81 Penry'næ.	(pu.) Lady Penryn's, Hybrid.	6. 8.	H. 4.		
β purpureus.	(pu.) Davey's Lady Penryn.—	—	H. 4.	Swt. flor. guid. 41.	
82 hortensis. W.en.	(wh.) garden.	Europe.	1805.	6. 8.	H. 4.	
83 caucæus. DC.	(re.) Caucasian.	Caucasus.	1803.	6. 9.	H. 4.	Bot. mag. 795.
84 saxatilis. DC.	(wh.) rock.	France.	—	H. 4.	
85 squarrosus. DC.	(wh.) squarrose.	Tauria.	1823.	6. 8.	H. 4.	Bieb. cent. 1. t. 33.
86 Mussini. DC.	(wh.) Mussin's.	Caucasus.	1825.	—	H. 4.	
87 fragrans. B.M.	(wh.) fragrant.	—	1804.	6. 7.	H. 4.	Bot. mag. 2067.
88 punctatus. DC.	(sp.) spot-flowered.	1825.	—	H. 4.	Lodd. bot. cab. 896.
89 serotinus. DC.	(wh.) late-flowering.	Hungary.	1804.	7. 8.	H. 4.	W. et. K. hung. 2. t. 172.
90 arenarius. DC.	(wh.) sand.	N. Europe.	8.	H. 4.	Bot. mag. 2038.
91 prostratus. DC.	(re.) prostrate.	C. B. S.	8. 9.	G. 4.	Jacq. schoenb. 3. t. 271.
92 fimbriatus. DC.	(re.) fringed.	Iberia.	1802.	6. 8.	H. 4.	Bot. mag. 1069.
93 monspessulanus. DC.	(re.) Montpellier.	Pyrenees.	1764.	7. 8.	H. 4.	
94 erubescens. Tr.	(bh.) blush-flowered.	1825.	—	H. 4.	
95 superbus. DC.	(re.) superb.	Europe.	1596.	7. 9.	H. 4.	Bot. mag. 297.
96 Fischèri. DC.	(re.) Fischer's.	Russia.	1826.	6. 8.	H. 4.	Swt. br. fl. gar. 245.
VACC'ARIA. Dod.	VACC'ARIA. Decandria Digynia.					
1 sessilifolia.	(re.) sessile-leaved.	Europe.	1596.	7. 8.	H. ⊙.	Flor. græc. t. 380.
Saponaria Vaccària.	B.M. 2290. Gypsophila Vaccària. F.G.					
2 perfoliata.	(re.) perfoliate.	E. Indies.	1820.	—	H. ⊙.	
Saponaria perfoliata.	DC.					
SAPONARIA. DC.	SOAPWORT. Decandria Digynia. L.					
1 officinalis. DC.	(bh.) common.	England.	7. 10.	H. 4.	Eng. bot. t. 1060.
β flore pleno.	(bh.) double-flowered.	—	H. 4.	
2 ocymoïdes. DC.	(ro.) Basil-leaved.	Europe.	1768.	5. 7.	H. 4.	Bot. mag. 154.
3 glutinosa. DC.	(re.) small-flowered.	Tauria.	1823.	—	H. ♂.	— — — 2855.
4 porrigenis. DC.	(bh.) hairy.	Levant.	1680.	7. 8.	H. ⊙.	Jacq. vind. 2. t. 109.
5 orientalis. DC.	(re.) small annual.	—	1732.	6. 8.	H. ⊙.	Dill. elt. t. 167. f. 204.
6 deprèssa. DC.	(ro.) depressed.	Sicily.	1828.	—	H. 4.	Biv. Bon. t. 163. f. 1.
7 cæspitosa. DC.	(ro.) tufted.	Pyrenees.	1827.	—	H. 4.	
8 Smithii. DC.	(re.) Smith's.	Levant.	1828.	—	F. 4.	Flor. græc. t. 389.
cæspitosa. F.G. non DC.						
9 lutea. DC.	(ye.) yellow.	Switzerland.	1804.	—	H. 4.	All. ped. t. 23. f. 1.
10 bellidifolia. DC.	(ye.) Daisy-leaved.	Italy.	—	H. 4.	Smith spic. t. 5.
CUCUBALUS. DC.	CAMPION. Decandria Trigynia. L.					
bacciferus. DC.	(gr.) berry-bearing.	England.	6. 7.	H. 4.	Eng. bot. 1577.
SILENE. DC.	CATCHFLY. Decandria Trigynia. L.					
1 acaulis. DC.	(re.) stemless.	Britain.	6. 8.	H. 4.	Eng. bot. 1081.
β alba. DC.	(wh.) white-flowered.	—	—	H. 4.	
2 pumilio. DC.	(pu.) dense.	Germany.	1823.	—	H. 4.	Stur. deut. 1. fas. 22. t. 11.
3 fimbriata. DC.	(wh.) fringe-flower'd.	Crete.	1803.	5. 8.	H. 4.	Bot. mag. 908.
4 lacera. DC.	(wh.) jagged-flower'd.	Caucasus.	1818.	—	H. 4.	— — — 2255.
5 stellata. DC.	(wh.) four-leaved.	N. America.	1696.	6. 8.	H. 4.	— — — 1107.
6 inflata. DC.	(wh.) bladder.	Britain.	5. 9.	H. 4.	Eng. bot. 164.
Cucubalus Bèhen. E.B.						
7 linearis.	(wh.) linear-leaved.	Naples.	1820.	—	H. 4.	Ten. flor. nap. t. 37.
Cucubalus angustifolius. T.N.						
8 Willdenowii.	(wh.) Willdenow's.	S. Europe.	—	—	H. 4.	
Cucubalus glaucus. W. en. supp.						
9 maritima. E.B.	(wh.) sea.	Britain.	8. 9.	H. 4.	Eng. bot. 957.
10 fabaria. H.K.	(wh.) thick-leaved.	Sicily.	1731.	6. 8.	F. 4.	Flor. græc. t. 415.
11 Bèhen. DC.	(bh.) Cretan.	Crete.	1713.	6. 7.	H. ⊙.	— — — t. 416.
12 indica. DC.	(pu.) Indian.	Nepaul.	1824.	—	F. 4.	
13 viscaginoïdes. DC.	(w.) Viscago-like.	Dahuria.	1826.	—	H. 4.	
14 procumbens. DC.	(wh.) procumbent.	Siberia.	1820.	—	H. 4.	Murr. c. gœt. p. 83. t. 2.
15 rubella. DC.	(re.) small red.	Portugal.	1732.	5. 6.	H. ⊙.	Flor. græc. t. 426.
16 apétala. DC.	(gr.) petalless.	Spain.	1801.	6. 7.	H. ⊙.	
17 spergulifolia. DC.	(wh.) Spurry-like.	Armenia.	1824.	—	F. 4.	Desf. cor. Tourn. t. 55.
18 Gypsophila. DC.	(wh.) Gypsophila-like.	—	H. 4.	
19 angustifolia. DC.	(wh.) narrow-leaved.	Caucasus.	1824.	—	H. 4.	
20 Otites. DC.	(st.) Spanish.	England.	7. 8.	H. 4.	Eng. bot. 85.
Cucubalus Otites. E.B.						
21 volgensis. DC.	(wh.) Wolga.	Wolga.	1821.	6. 8.	H. 4.	
22 parviflora. DC.	(st.) small-flowered.	Hungary.	1796.	—	H. 4.	
23 effusa. DC.	(st.) spreading.	Wolga.	1821.	—	H. 4.	
24 sibirica. DC.	(wh.) Siberian.	Siberia.	1773.	—	H. 4.	Hall. g. 1. p. 150. ic.
25 multiflora. DC.	(wh.) many-flowered.	Hungary.	1794.	—	H. ♂.	W. et K. hung. 1. t. 56.
26 ruthénica. DC.	(wh.) Russian.	Russia.	1827.	—	H. 4.	

27	<i>staticifolia</i> . DC.	(wh.) Statice-leaved.	Levant.	1828.	6. 8.	H. ♀.	Flor. græc. t. 434.
28	<i>tatarica</i> . DC.	(wh.) Tartarian.	Tartary.	1769.	—	H. ♀.	
29	<i>gigantea</i> . DC.	(wh.) gigantic.	Africa.	1738.	—	G. ♀.	Flor. græc. t. 432.
30	<i>viscosa</i> . DC.	(wh.) clammy.	Levant.	1739.	7.	H. ♂.	Tourn. it. 2. p. 361. ic.
31	<i>cònica</i> . DC.	(fl.) corn	England.	6. 7.	H. ○.	Eng. bot. 922.
32	<i>conóidea</i> . DC.	(pu.) conoid.	S. Europe.	1683.	—	H. ○.	Clus. his. 1. p. 288. f. 2.
33	<i>undulàta</i> . DC.	(re.) wave-leaved.	C. B. S.	1775.	8.	G. ♂.	
34	<i>ànglica</i> . DC.	(wh.) English.	England.	6. 7.	H. ○.	Eng. bot. 1178.
35	<i>lusitànea</i> . DC.	(fl.) Portugal.	Portugal.	1732.	—	H. ○.	Dill. elt. t. 311. f. 401.
36	<i>tridentàta</i> . DC.	(ro.) three-toothed.	Spain.	1824.	—	H. ○.	
37	<i>gàlica</i> . DC.	(fl.) French.	France.	1683.	5. 6.	H. ○.	Vail. par. t. 16. f. 12.
38	<i>ocymoides</i> . DC.	(pu.) Basil-like.	1819.	6. 7.	H. ○.	
39	<i>distic' a</i> . DC.	(ro.) two-ranked.	1817.	—	H. ○.	Schrank. pl. rar. t. 39.
40	<i>cerastoïdes</i> . DC.	(re.) Cerastium-like.	S. Europe.	1732.	7. 8.	H. ○.	Flor. græc. t. 412.
41	<i>quinquevù nera</i> . DC.	(p.w.) variegated.	England.	6. 8.	H. ○.	Eng. bot. 86.
42	<i>noctùrna</i> . DC.	(w.re.) spiked.	S. Europe.	1683.	—	H. ○.	Flor. græc. t. 408.
43	<i>relléxa</i> . H.K.	(wh.) reflexed.	—	1726.	—	H. ○.	Magn. h. mons. 171. ic.
44	<i>mutàbilis</i> . H.K.	(bh.) changeable.	—	1688.	—	H. ○.	
45	<i>micropétala</i> . DC.	(re.) small-petaled.	Chili.	1822.	6. 7.	H. ○.	
46	<i>micràntha</i> . DC.	(re.) small-blossomed.	Portugal.	1825.	—	H. ○.	
47	<i>hirsùta</i> . Lag.	(re.) hairy.	—	1824.	—	H. ○.	
	<i>sabuletòrum</i> . Lk. <i>hirsutissimum</i> . DC.						
48	<i>canéscens</i> . DC.	(re.) canescent.	Naples.	1823.	6. 8.	H. ♀.	Ten. fl. nap. 1. t. 39.
49	<i>decúmbens</i> . DC.	(wh.) decumbent.	S. Europe.	1828.	—	H. ○.	
50	<i>diffùsa</i> . DC.	(fl.) diffuse.	Italy.	1825.	—	H. ♀.	
51	<i>divaricàta</i> . F.G.	(wh.) divaricate.	Levant.	1827.	—	H. ♂.	Flor. græc. t. 414.
	<i>racemòsa</i> . DC.						
52	<i>dichótoma</i> . DC.	(wh.) dichotomous.	Hungary.	1791.	—	H. ○.	Flor. græc. t. 413.
53	<i>nyctántha</i> . DC.	(st.) various-leaved.	1815.	6. 8.	H. ○.	
54	<i>trinérvia</i> . DC.	(re.) three-nerved.	Rome.	1821.	—	H. ○.	
55	<i>bellidifòlia</i> . DC.	(re.) Daisy-leaved.	1794.	—	H. ○.	Jacq. vind. 3. t. 81.
56	<i>vespertina</i> . DC.	(re.) evening.	Barbary.	1796.	7. 8.	H. ○.	Swt. br. fl. gar. 58.
	<i>bipartita</i> . Desf. atl. 1. t. 100.						
57	<i>obtusifòlia</i> . DC.	(re.) blunt-leaved.	—	1823.	6. 8.	H. ○.	
58	<i>coloràta</i> . DC.	(fl.) coloured.	—	1804.	—	H. ○.	
59	<i>crassifolia</i> . DC.	(br.) thick-leaved.	C. B. S.	1774.	7. 8.	G. ♂.	
60	<i>grácilis</i> . DC.	(wh.) slender.	1823.	6. 8.	H. ○.	
61	<i>jeniseénsis</i> . DC.	(st.) two-coloured.	Siberia.	1817.	6. 7.	H. ♀.	
62	<i>ciliata</i> . DC.	(pu.) ciliated.	Crete.	1804.	—	H. ○.	
63	<i>pendula</i> . DC.	(re.) pendulous.	Sicily.	1731.	5. 7.	H. ○.	Bot. mag. 114.
64	<i>longicáulis</i> . DC.	(wh.) long-stalked.	Spain.	1818.	6. 7.	H. ○.	
65	<i>secundiflòra</i> . DC.	(wh.) side-flowered.	—	—	H. ○.	
66	<i>viscosíssima</i> . DC.	(wh.) viscous.	Naples.	1822.	—	H. ○.	
67	<i>quadridentàta</i> . DC.	(w.) four-toothed.	Italy.	1783.	5. 6.	H. ○.	Jacq. aust. 2. t. 120.
	<i>Lýchnis quadridentàta</i> . W.						
68	<i>pusilla</i> . W.en.	(wh.) dwarf.	Hungary.	1804.	6. 7.	H. ♀.	W. et K. hung. 3. t. 212.
69	<i>alpéstris</i> . DC.	(wh.) Austrian.	Austria.	1774.	5. 7.	H. ♀.	Jacq. aust. 1. t. 96.
70	<i>rupéstris</i> . DC.	(re.) rock.	Switzerland.	—	—	H. ♀.	Flor. dan. 4.
71	<i>glaucifòlia</i> . DC.	(bh.) glaucous-leav'd.	Spain.	1823.	—	H. ♀.	
72	<i>inapérta</i> . DC.	(st.) unopen-flow'r'd.	S. Europe.	1732.	6. 7.	H. ♀.	Flor. græc. t. 420.
73	<i>clandéstina</i> . DC.	(w.p.) hidden-flower'd.	C. B. S.	1801.	—	H. ○.	Jacq. col. sup. t. 3. f. 3.
74	<i>porténsis</i> . W.	(pu.) Oporto.	Portugal.	1759.	7. 8.	H. ○.	
75	<i>antirrhina</i> . DC.	(wh.) Snap-dragon.	Virginia.	1732.	6. 7.	H. ○.	Dill. elt. t. 313. f. 403.
76	<i>geminiflòra</i> . DC.	(pu.) twin-flowered.	1816.	H. ○.	
77	<i>flavéscens</i> . DC.	(st.) yellowish.	Hungary.	1804.	—	H. ♀.	W. et K. hung. 2. t. 175.
78	<i>linóides</i> .	(st.) Flax-like.	1817.	7. 8.	H. ○.	
	<i>linifòlia</i> . DC. non Flor. græc.						
79	<i>linifòlia</i> . F.G.	(fl.) Flax-leaved.	Levant.	1828.	6. 8.	H. ♀.	Flor. græc. t. 433.
80	<i>crética</i> . DC.	(re.) Candian.	Candia.	1732.	5. 8.	H. ○.	— t. 422.
81	<i>sedóides</i> . DC.	(re.) Sedum-like.	Crete.	1804.	6. 8.	H. ○.	— t. 425.
82	<i>sícula</i> . Cyr.	(ro.) Sicilian.	S. Europe.	1825.	—	H. ○.	
	<i>divaricàta</i> . DC. non Flor. græc.						
83	<i>Saxifraga</i> . DC.	(w.br.) Saxifrage.	S. Europe.	1640.	—	H. ♀.	Lodd. bot. cab. 454.
84	<i>petræa</i> . DC.	(wh.) fine-toothed.	Hungary.	1806.	—	H. ♀.	W. et K. hung. 2. t. 164.
85	<i>campànula</i> . DC.	(wh.) bell-flowered.	Piedmont.	1822.	—	H. ♀.	All. auct. p. 28. t. 1. f. 3.
86	<i>longipétala</i> . DC.	(g.st.) long-petaled.	Aleppo.	—	—	H. ○.	Flor. græc. t. 419.
87	<i>nùtans</i> . E.B.	(wh.) Nottingham.	England.	6. 7.	H. ♀.	Eng. bot. 465.
88	<i>infrácta</i> . W.K.	(wh.) smooth.	Hungary.	1816.	—	H. ♀.	W. et K. hung. 3. t. 213.
89	<i>latifòlia</i> . H.	(wh.) broad-leaved.	Europe.	1825.	—	H. ♀.	

90 saxatilis. B.M.	(st.) stone.	Siberia.	1800.	6. 7.	H. ♀.	Bot. mag. 689.
91 livida. W. en.	(w.br.) livid.	Carniola.	1816.	—	H. ♀.	
92 tenuis. DC.	(st.) slender.	Siberia.	—	—	H. ♀.	
93 quadrífida. DC.	(wh.) four-cleft.	Italy.	1820.	—	H. ♀.	
94 viridiflora. DC.	(gr.) green-flowered.	Portugal.	1739.	—	H. ♂.	Herm. parad. t. 199.
95 chlorántha. DC.	(st.) pale-flowered.	Germany.	1732.	6. 8.	H. ♀.	Dill. elt. t. 316. f. 408.
96 psammitis. DC.	(st.) sulphur-colour'd.	1820.	—	H. ♀.	
97 nicænsis. DC.	(w.p.) villous-clammy.	S. Europe.	—	—	H. ⊙.	All. ped. t. 44. f. 2.
98 cathólica. DC.	(wh.) paniced.	Italy.	1711.	7. 9.	H. ♀.	Jacq. vind. 1. t. 59.
99 Mussini. H.	(wh.) Mussin's.	Russia.	1824.	—	H. ♀.	
100 diversifolia. DC.	(wh.) various-leaved.	1820.	—	H. ⊙.	
101 repens. DC.	(wh.) creeping.	Siberia.	1806.	7. 8.	H. ♀.	
102 gláuca. DC.	(pu.) glaucous-leav'd.	1824.	—	H. ⊙.	
103 tenuifolia. DC.	(pu.) slender-leaved.	Dahuria.	1820.	—	H. ⊙.	
104 virginica. DC.	(re.) Virginian.	Virginia.	1783.	5. 8.	H. ♀.	Pluk. alm. t. 203. f. 1.
105 Catesb'æi. DC.	(cr.) Catesby's.	Carolina.	—	H. ♀.	Catesb. car. 54. ic.
106 stricta. DC.	(re.) upright.	Spain.	1802.	6. 7.	H. ⊙.	
107 Muscipula. DC.	(re.) Spanish.	1596.	7. 8.	H. ⊙.	Clus. hist. 1. p. 289. f. 1.
108 noctiflora. DC.	(fl.) night-flowering.	England.	7.	H. ⊙.	Eng. bot. 291.
109 ornata. DC.	(cr.) dark-coloured.	C. B. S.	1775.	5. 9.	G. ♂.	Bot. mag. 382.
110 còrsica. DC.	(st.) Corsican.	Corsica.	1825.	6. 8.	H. ♀.	Bocc. mus. t. 54.
111 ægyptiaca. DC.	(fl.) Egyptian.	Egypt.	1800.	7. 8.	G. ♂.	
112 sericea. DC.	(fl.) silky.	Corsica.	1801.	6. 8.	H. ⊙.	All. ped. t. 79. f. 3.
113 picta. DC.	(w.p.) painted.	Mt. Carmel.	1818.	7. 9.	H. ⊙.	Swt. br. fl. gar. 92.
114 bicolor. DC.	(w.p.) two-coloured.	France.	—	6. 8.	H. ⊙.	DC. ic. gall. rar. t. 42.
115 lævigata. F.G.	(re.) smooth.	Greece.	1828.	7. 9.	H. ⊙.	Flor. græc. t. 418.
116 reticulata. DC.	(re.) netted-flow'r'd.	Barbary.	1804.	7. 8.	H. ⊙.	Desf. atl. 1. t. 99.
117 pensylvànica. DC.	(re.) Pensylvanian.	N. America.	1806.	6. 9.	H. ♀.	Bot. reg. 247.
<i>incarnata.</i> Bot. cab. 41.						
118 vallèsia. DC.	(pu.) hard-rooted.	Switzerland.	1765.	6. 8.	H. ♀.	All. ped. t. 23. f. 2.
119 fruticosa. DC.	(fl.) shrubby.	Sicily.	1629.	6. 7.	F. ♀.	Flor. græc. t. 428.
120 cáspica. DC.	(st.) Caspian.	Caucasus.	1823.	—	H. ♀.	
121 amœna. DC.	(wh.) Tartarian.	Tartary.	1779.	7.	H. ♀.	
122 supina. DC.	(wh.) trailing.	Caucasus.	1804.	6. 8.	H. ♀.	Bot. mag. 1997.
123 depréssa. DC.	(wh.) depressed.	Iberia.	1823.	—	H. ♀.	
124 paradoxa. DC.	(wh.) Dover.	England.	7.	H. ♀.	Jacq. vind. 3. t. 84.
125 chloræfòlia. DC.	(wh.) Armenian.	Armenia.	1796.	8. 9.	H. ♀.	Bot. mag. 807.
126 itálica. DC.	(wh.) Italian.	Italy.	1759.	5. 6.	H. ♂.	Jacq. obs. 4. t. 79.
<i>Cucubalus itálicus.</i> L.						
127 polyphylla. DC.	(w.p.) many-leaved.	Austria.	6. 7.	H. ♀.	Clus. hist. 1. t. 290.
128 nemoralis. DC.	(wh.) wood.	Hungary.	1823.	—	H. ♀.	W. et K. hung. 3. t. 249.
129 longiflora. DC.	(wh.) long-flowered.	1793.	7. 9.	H. ♀. 1. p. 7. t. 8.
130 bupleuroides. DC.	(fl.) spear-leaved.	Persia.	1801.	6. 7.	H. ♀.	Tourn. it. t. 154.
131 pilosa. s.s.	(wh.) pilose.	Hungary.	1825.	6. 9.	H. ♀.	W. et K. hung. 3. t. 248.
<i>mollissima.</i> W.K.						
132 mollissima. s.s.	(wh.) velvet.	Italy.	1739.	7. 9.	H. ♀.	
<i>Cucubalus mollissimus.</i> L.						
133 inclusa. H.	(wh.) included.	1828.	6. 9.	H. ⊙.	
134 pinguis. H.	(wh.) fleshy-leaved.	C. Spartel.	1825.	—	H. ⊙.	
135 táurica. F.	(wh.) Taurian.	Tauria.	1828.	—	H. ♀.	
136 dahùrica. F.	(wh.) Dahurian.	Dahuria.	1827.	—	H. ♀.	
137 scàbra. F.	(wh.) rough.	Siberia.	—	—	H. ♀.	
138 marginata. Sct.	(wh.) margined.	1825.	—	H. ♀.	
139 stenopetala. Led.	(re.) narrow-petaled.	Siberia.	1827.	—	H. ⊙.	
140 saponariæfòlia. Sct.	(re.) Soapwort-ld.	1822.	—	H. ⊙.	
141 Persoonii. Sct.	(wh.) Persoon's.	Europe.	—	—	H. ♀.	
142 vesicària.	(pu.) bladdered.	Siberia.	1822.	6. 9.	H. ⊙.	
143 règia. DC.	(cr.) splendid.	N. America.	1811.	5. 8.	G. ♂.	Bot. mag. 1724.
144 Atòcion. DC.	(pu.) Orchis-flow'r'd.	Levant.	1781.	5. 7.	H. ⊙.	Jacq. vind. 3. t. 32.
<i>orchidea.</i> H.K. Flor. græc. t. 427.						
145 pseùdo-Atòcion. DC.	(pu.) Atlantic.	Atlantic.	1818.	—	H. ⊙.	
146 Arméria. DC.	(re.) Lobel's.	England.	7. 9.	H. ⊙.	Eng. bot. 1398.
<i>a rubra.</i> (re.) red-flowered.						
<i>β álba.</i> (wh.) white-flowered.						
147 congésta. DC.	(re.) close-flowered.	Greece.	1816.	—	H. ⊙.	
148 compácta. DC.	(re.) compact.	Russia.	1816.	—	H. ♂.	
VISC'ARIA. Rœhl. VISC'ARIA. Decandria Pentagynia. L.						
1 vulgaris. Rœhl.	(re.) common.	Britain.	5. 7.	H. ♀.	Eng. bot. 788.
<i>Lychnis viscària.</i> L.						
<i>β flore-plèno.</i> (re.) double-red.						

2 albiflora.	(wh.) white-flowered.	5. 7.	H. 4.	
LY'CHNIS. DC.	LY'CHNIS.	Decandria	Pentagynia.	L.		
1 chalcedonica. DC.	(sc.) scarlet.	Japan.	1596.	6. 7.	H. 4.	Bot. mag. 257.
β albiflora.	(wh.) white-flowered.	————	——	H. 4.	
γ flore plèno.	(sc.) double-flowered.	————	——	H. 4.	
2 Flòs-jòvis. DC.	(re.) umbelled.	Piedmont.	1726.	7.	H. 4.	Bot. mag. 398.
Agrostemma Flòs-jòvis.	B.M.					
3 coronata. W.	(sc.) Chinese.	China.	1774.	6. 9.	H. 4.	Bot. mag. 223.
grandiflora. Jacq.	ic. rar. t. 84.					
4 fulgens. DC.	(sc.) brilliant.	Siberia.	1819.	7. 9.	H. 4.	Bot. mag. 2104.
5 Cœli-ròsa. DC.	(fl.) smooth-leaved.	Levant.	1713.	7. 8.	H. ⊙.	Bot. mag. 295.
Agrostemma Cœli-ròsa.	L.					
AGROSTEMMA.	AGROSTEMMA.	Decandria	Pentagynia.	L.		
1 apétala. DC.	(wh.) petalless.	Lapland.	1819.	6. 8.	H. 4.	Lin. fl. lap. t. 12. f. 1.
Lychnis apétala.	L.					
2 brachypétala. L. en.	(wh.) short-petal'd.	——	——	H. 4.	
3 sylvéstris. DC.	(re.) red-flowered.	Britain.	6. 9.	H. 4.	Eng. bot. 1579.
Lychnis dióica rùbra.	E. B.					
β flore-plèno.	double-flowered.	——	H. 4.	
4 dióica. DC.	(wh.) white-flowered.	Britain.	——	H. 4.	Eng. bot. 1580.
Lychnis dióica álba.	E. B. vespertina.	Sibthorp.				
β flore-plèno.	(wh.) double-white.	——	H. 4.	
γ viridiflora.	(gr.) double-green.	——	H. 4.	
5 declinis. DC.	(ro.) long-pedicled.	Spain.	1824.	——	H. 4.	
6 læta. DC.	(re.) small.	Portugal.	1778.	7.	H. ⊙.	
7 córsica. DC.	(re.) Corsican.	Corsica.	1824.	6. 8.	H. ⊙.	
8 pyrenàica. DC.	(re.) Pyrenean.	Pyrenees.	1820.	4. 6.	H. 4.	
9 suèica. L.C.	(re.) Swedish.	Sweden.	6. 9.	H. 4.	Lodd. bot. cab. 881.
10 alpina. DC.	(re.) Alpine.	Scotland.	4. 5.	H. 4.	Eng. bot. 2254.
Lychnis alpina.	E. B.					
11 Flòscùculi. DC.	(re.) Ragged Robin.	Britain.	6. 9.	H. 4.	Eng. bot. 573.
Lychnis Flòscùculi.	L.					
β flore-plèno.	(re.) double.	——	H. 4.	
12 coronària. DC.	(ro.) Rose Champion.	Italy.	1596.	——	H. 4.	
α rùbra.	(ro.) red-flowered.	————	——	——	H. 4.	Bot. mag. 24.
β álba.	(wh.) white-flowered.	——	——	H. 4.	
γ plèna.	(ro.) double-flowered.	——	H. 4.	
GITH'AGO. Desf.	CORN-COCKLE.	Decandria	Pentagynia.	L.		
1 segetum. Desf.	(re.) common.	Britain.	6. 8.	H. ⊙.	Eng. bot. 741.
Agrostemma Githàgo.	L.					
2 nicæensis.	(wh.) long-calyxed.	Italy.	1794.	——	H. ⊙.	
VEL'EZIA. DC.	VEL'EZIA.	Pentandria	Digynia.	L.		
1 rígida. DC.	(re.) rigid.	Spain.	1683.	7.	H. ⊙.	Flor. græc. t. 390.
2 quadridentata. F.G.	(r.) four-toothed.	Levant.	1826.	——	F. 4.	————— t. 391.
DR'YPIS. DC.	DR'YPIS.	Pentandria	Trigynia.	L.		
spinosa. DC.	(bh.) prickly.	Italy.	1775.	6. 7.	H. ½.	Bot. mag. 2216.

Tribus II. ALSINEÆ. DC.

ORTEGIA. DC.	ORTEGIA.	Triandria	Monogynia.	L.		
1 hispánica. DC.	(gr.) Spanish.	Spain.	1768.	6. 7.	H. 4.	
2 dichótoma. DC.	(gr.) forked.	Italy.	1781.	8. 9.	H. 4.	All ped. t. 4. f. 1.
hispánica. Cav.	ic. 1. t. 47.					
BUFF'ONIA. DC.	BUFF'ONIA.	Tetrandria	Digynia.	L.		
1 ánnua. DC.	(wh.) annual.	England.	6.	H. ⊙.	Eng. bot. 1313.
tenuifolia. E.B.						
2 perénis. DC.	(wh.) perennial.	France.	1820.	6. 7.	H. 4.	Lam. ill. t. 87. f. 2.
SAG'INA. DC.	PEARL-WORT.	Tetrandria	Tetragynia.	L.		
1 procúbens. DC.	(gr.) procumbent.	Britain.	5. 9.	H. ⊙.	Eng. bot. 880.
β multipléx.	(wh.) double-flowered.	————	——	H. 4.	
2 cerastoídes. DC.	(wh.) Cerastium like.	————	6. 7.	H. ⊙.	Eng. bot. 166.
Cerástium tetràndrum	H. K.					
3 filifórmis. DC.	(wh.) filiform.	Pyrenees.	1824.	——	H. ⊙.	
4 marítima. E.B.	(wh.) sea-side.	Ireland.	5. 8.	H. ⊙.	Eng. bot. 2195.
5 stricta. DC.	(wh.) straight.	N. Europe.	1828.	——	H. ⊙.	
6 apétala. DC.	(wh.) small-flowered.	Britain.	5. 6.	H. ⊙.	Eng. bot. 881.

MÆNCHIA. P.S.	MÆNCHIA.	Tetrandria Tetragynia. L.					
glauca. P.S.	(wh.) glaucous.	Britain.	4. 5.	H. ⊙.	Eng. bot. 609.	
quaternella. L. en.	Sagina erecta. E.B.						
MÆHRINGIA. DC.	MÆHRINGIA.	Octandria Digynia. L.					
1 muscosa. DC.	(wh.) mossy.	S. Europe.	1775.	6. 7.	H. 4.	Lam. ill. t. 314.	
2 sedifolia. DC.	(wh.) Stonecrop-ld.	—	1823.	—	H. 4.	W.ber.m.1818.t.3.f.23.	
ELATINE. DC.	WATERWORT.	Octandria Tetragynia. L.					
1 Hydropiper. DC.	(wh.) small.	Britain.	7. 8.	H. 4.	Eng. bot. 955.	
2 hexandra. DC.	(wh.) hexandrous.	France.	—	H. 4.	DC. ic. rar. 1. t. 43. f. 1.	
BÆRGIA. DC.	BÆRGIA.	Decandria Pentagynia. L.					
verticillata. DC.	(wh.) whorl-leaved.	E. Indies.	1826.	7. 10.	H. ⊙.	Delil. fl. æg. t. 26. f. 1.	
MOLLUGO. W.	MOLLUGO.	Triandria Trigynia. L.					
1 verticillata. DC.	(wh.) whorled.	Virginia.	1748.	6. 8.	H. ⊙.	Ehret pict. t. 6.	
2 Schrankii. DC.	(wh.) Schrank's.	Brazil.	1821.	7. 9.	H. ⊙.	Schrank pl. rar. 64. ic.	
dichotoma. Schk.							
3 Linkii. DC.	(wh.) Link's.	—	—	—	H. ⊙.		
triphylla. L. en.	non Lour.						
PHARNACEUM. W	PHARNACEUM.	Pentandria Trigynia. L.					
1 Mollugo. R.S.	(wh.) LadiesBedstraw.	E. Indies.	1752.	7. 8.	S. ⊙.	Burm. ind. t. 5. f. 4.	
Mollugo Spérgula. DC.							
2 cordifolium. R.S.	(wh.) heart-leaved.	C. B. S.	1820.	—	H. ⊙.	Jacq. h. schoen. t. 349.	
3 dichotomum. R.S.	(wh.) forked.	—	1783.	—	H. ⊙.		
4 Cerviana. R.S.	(wh.) umbelled.	Russia.	1771.	6. 7.	H. ⊙.	Lam. ill. t. 214. f. 1.	
5 bellidifolium. R.S.	(w.) Daisy-leaved.	W. Indies.	1826.	—	H. ⊙.	Plum. amer. t. 21. f. 1.	
HOLOSTEUM. DC.	HOLOSTEUM.	Triandria Trigynia. L.					
1 umbellatum. DC.	(wh.) umbelled.	England.	7. 8.	H. ⊙.	Flor. dan. t. 1204.	
β roseum.	(ro.) rose-coloured.	—	—	H. ⊙.	Eng. bot. 27.	
2 diandrum. DC.	(wh.) diandrous.	Jamaica	1822.	6. 8.	S. ⊙.	Swartz ic. t. 7.	
SPERGULA. DC.	SPURREY.	Decandria Pentagynia. L.					
1 arvensis. DC.	(wh.) rough-seeded.	Britain.	7. 8.	H. ⊙.	Eng. bot. 1535.	
2 pentandra. DC.	(wh.) smooth-seeded.	England.	6. 7.	H. ⊙.	— 1536.	
3 pallida. DC.	(pa.) pale.	C. B. S.	7. 9.	G. 4.		
4 nodosa. DC.	(wh.) knotted.	Britain.	7. 8.	H. 4.	Eng. bot. 694	
5 laricina. DC.	(wh.) Larch-leaved.	Siberia.	1823.	6. 8.	H. 4.	Sm. ic. ined. 1. t. 18.	
6 saginoides. DC.	(wh.) Sagina like	Scotland.	—	H. 4.	Eng. bot. 2105.	
7 subulata. DC.	(wh.) awl-leaved.	Britain.	6. 7.	H. 4.	— 1082.	
8 glabra. DC.	(wh.) smooth.	Europe.	1824.	—	H. 4.	All. ped. t. 64. f. 1.	
LA RBREA. DC.	LA RBREA.	Decandria Trigynia. L.					
aquatica. DC.	(wh.) water.	Britain.	7. 8.	H.w. 4.	Eng. bot. t. 1074.	
Stellaria aquatica. Poll.	pal. n. 422.	uliginosa. E.B.	alsine Hoff.	germ. 1. t. 5.			
DRYMARIA DC.	DRYMARIA.	Pentandria Trigynia. L.					
1 cordata. DC.	(wh.) heart-leaved.	W. Indies.	1814.	7. 9.	H. ⊙.	Lam. ill. t. 51. f. 2.	
Holosteum cordatum. L.							
2 divaricata. DC.	(wh.) divaricate.	Lima.	1823.	—	H. ⊙.		
STELLARIA. DC.	STICHWORT.	Decandria Trigynia. L.					
1 nemorum. DC.	(wh.) wood.	Britain.	4. 6.	H. 4.	Eng. bot. 92.	
2 latifolia. DC.	(wh.) broad-leaved.	Germany.	1816.	6. 8.	H. ⊙.		
3 media. DC.	(wh.) Chickweed.	Britain.	1. 12.	H. ⊙.	Eng. bot. 537.	
Alsine media. L.							
4 dichotoma. DC.	(wh.) forked.	Siberia.	1774.	6. 8.	H. 4.	Smith ic. ined. 1. t. 14.	
5 bulbosa. DC.	(wh.) bulbiferous.	Carinthia.	1820.	—	H. 4.	Jacq. ic. rar. 3. t. 468.	
6 viscida. DC.	(wh.) viscous.	Tauria.	1804.	—	H. ⊙.	W. et K. hung. 1. t. 22.	
Cerastium anomalum. W.							
7 sabulosa. DC.	(wh.) gravel.	Persia.	1828.	—	H. ⊙.		
8 Holosteum. DC.	(wh.) greater.	Britain.	4. 6.	H. 4.	Eng. bot. 511.	
9 Laxmanni. DC.	(wh.) Laxmann's.	Siberia.	1827.	—	H. 4.		
10 velutina. DC.	(wh.) velvety.	Siberia.	1824.	6. 8.	H. 4.		
11 graminea. DC.	(wh.) grass-leaved.	Britain.	5. 8.	H. 4.	Eng. bot. 803.	
12 glauca. DC.	(wh.) glaucous marsh.	—	—	H. 4.	— 825.	
13 cerastoides. DC.	(wh.) Alpine.	Scotland.	—	H. 4.	Eng. bot. 911.	
14 multicaulis, W.	(wh.) many-stalked.	Carinthia.	1815.	6. 8.	H. 4.	Jacq. coll. 1. t. 19.	
cerastoides. Jacq. coll.							
15 arenaria. DC.	(wh.) sand.	Spain.	1799.	6. 8.	H. ⊙.		
16 scapigera. DC.	(wh.) naked-stalked.	Scotland.	6. 7.	H. 4.	Eng. bot. 1269.	
17 Fischeriana. DC.	(wh.) Fischer's.	Siberia.	1825.	—	H. 4.		
18 Edwardsii. B.	(wh.) Edwards's.	N. America.	1827.	—	H. 4.		
nitida. Hook.							
19 humifusa. DC.	(wh.) trailing.	N. Europe.	1825.	—	H. ⊙.	Flor. dan. t. 978.	
20 læta. S.S.	(wh.) short-petaled.	N. America.	1827.	—	H. ⊙.		

21	<i>gracilis</i> . s.s.	(wh.) slender.	N. America.	1827.	6. 7.	H. ☉.	
22	<i>muràlis</i> . DC.	(wh.) wall.	Crete.	1821.	—	H. ☉.	
23	<i>élegans</i> . DC.	(wh.) elegant.	Siberia.	1823.	—	H. 4.	
24	<i>lóngipes</i> . DC.	(wh.) long pedicled.	N. America.	1821.	—	H. 4.	
25	<i>mollugínea</i> .	(wh.) Mollugo-like.	New Spain.	1825.	7. 9.	H. ☉.	
	<i>Alsine mollugínea</i> . Lag. <i>Arenària? mollugínea</i> . DC.						
	ARENARIA. DC. SANDWORT. Decandria Trigynia. L.						
1	<i>segetàlis</i> . DC.	(wh.) hedge.	France.	1805.	6. 10.	H. ☉.	Vail. par. t. 3. f. 3.
	<i>Alsine segetàlis</i> . L.						
2	<i>rùbra</i> . DC.	(re.) purple.	Britain.	6. 8.	H. ☉.	Eng. bot. 852.
3	<i>marìna</i> . L.	(re.) sea-side.	—	—	H. 4.	
4	<i>salìna</i> . DC.	(re.) salt marsh.	Bohemia.	1820.	—	H. ☉.	
5	<i>rubèlla</i> . F.L.	(re.) red-flowered.	England.	—	H. ☉.	Flor. lond. t.
6	<i>glutinòsa</i> . DC.	(pu.) glutinous.	Astracan.	1828.	—	H. ☉.	
7	<i>mèdia</i> . DC.	(re.) marine.	Britain.	—	H. 4.	Eng. bot. 958.
	<i>marìna</i> . E.B. non L.						
8	<i>glandulòsa</i> . Jac.	(wh.) glandular.	Europe.	1820.	6. 7.	H. ☉.	Jacq. Schœnb. 3. t. 355.
9	<i>canadénsis</i> . DC.	(re.) Canadian.	N. America.	1812.	—	H. ☉.	
10	<i>graminifòlia</i> . DC.	(wh.) grass-leaved.	Caucasus.	1815.	—	H. 4.	Schrad. h. goett. t. 5.
	<i>β glabèrrima</i> . DC. (w.) smooth.						
11	<i>longifòlia</i> . DC.	(wh.) long-leaved.	Volga.	1820.	—	H. 4.	Gmel. sib. 4. t. 63. f. 2.
12	<i>dahùrica</i> . DC.	(wh.) Dahurian.	Dahuria.	1824.	—	H. 4.	
13	<i>nardifòlia</i> . F.	(wh.) Nardus-leaved.	Siberia.	1827.	—	H. 4.	
14	<i>otitoides</i> . DC.	(wh.) dense-flowered.	—	—	—	H. 4.	
15	<i>rígida</i> . DC.	(wh.) rigid.	—	—	—	H. 4.	
16	<i>formòsa</i> . DC.	(wh.) handsome.	Dahuria.	—	—	H. 4.	
17	<i>Gmelini</i> . DC.	(wh.) Gmelin's.	—	1827.	—	H. 4.	Gmel. sib. 4. t. 61. f. 1.
18	<i>cephalòtes</i> . DC.	(wh.) close-headed.	Tauria.	1820.	—	H. 4.	
19	<i>imbricàta</i> . DC.	(wh.) imbricate.	Caucasus.	1821.	—	H. 4.	
20	<i>juniperìna</i> . DC.	(wh.) Juniper-leaved.	Armenia.	1800.	—	H. 4.	Sm. ic. ined. t. 35.
21	<i>stricta</i> . DC.	(wh.) upright.	N. America.	1812.	5. 6.	H. 4.	
22	<i>pròcera</i> . DC.	(wh.) tall.	1827.	—	H. 4.	
23	<i>laricifòlia</i> . L.	(wh.) Larch-leaved.	Switzerland.	8.	H. 4.	Jacq. aust. 3. t. 272.
24	<i>rostràta</i> . W. en.	(wh.) beaked.	Hungary.	1816.	6. 7.	H. 4.	
25	<i>striàta</i> . w.	(wh.) striated.	Switzerland.	1683.	—	H. 4.	Vill. dauph. 4. t. 47. f. 6.
26	<i>àrtica</i> . DC.	(wh.) small.	Siberia.	1807.	—	H. 4.	
27	<i>austriaca</i> . DC.	(wh.) Austrian.	Austria.	1793.	6. 9.	H. 4.	Jacq. aust. 3. t. 270.
28	<i>Villàsii</i> . P. s.	(wh.) Villars's.	Dauphiny.	1826.	—	H. 4.	Vill. de ph. 3. t. 47.
29	<i>grandiflòra</i> . DC.	(wh.) great-flowered.	Switzerland.	1783.	—	H. 4.	All ped. n. 1711. t. 10. f. 1.
30	<i>triflòra</i> . L.	(wh.) three-flowered.	—	1816.	—	H. 4.	Cav. ic. 3. t. 249. f. 2.
31	<i>Hélmii</i> . DC.	(wh.) long-peduncled.	Siberia.	1824.	—	H. 4.	
32	<i>macrocàrpa</i> . DC.	(wh.) large-capsuled.	N. America.	1828.	—	H. 4.	
33	<i>hírta</i> . DC.	(re.) hairy.	Greenland.	1827.	—	H. 4.	Flor. dan. t. 1646.
34	<i>vérna</i> . DC.	(wh.) vernal.	Britain.	5. 8.	H. 4.	Eng. bot. 512.
35	<i>cæspitòsa</i> . DC.	(wh.) tufted.	S. Europe.	1824.	—	H. 4.	
36	<i>ramosíssima</i> . DC.	(wh.) branching.	Hungary.	1820.	—	H. 4.	
37	<i>saxátilis</i> . DC.	(wh.) rock.	Germany.	1732.	7. 8.	H. 4.	Barr. ic. t. 580.
38	<i>péndula</i> . DC.	(wh.) pendulous.	Hungary.	1816.	6. 7.	H. 4.	W. et K. hung. 1. t. 87.
39	<i>tenuifòlia</i> . DC.	(wh.) fine-leaved.	England.	—	H. ☉.	Eng. bot. 219.
40	<i>villòsa</i> . DC.	(wh.) villous.	Siberia.	1828.	—	H. 4.	
41	<i>calycìna</i> . DC.	(wh.) large-calyc'd.	Barbary.	1824.	—	H. ☉.	
42	<i>triàndra</i> . DC.	(wh.) triandrous.	—	—	H. ☉.	Schrank. h. mon. t. 30.
43	<i>mediterrànea</i> . DC.	(w.) Mediterranean.	S. Europe.	1821.	—	H. ☉.	
44	<i>recúrva</i> . DC.	(wh.) recurved-leav'd.	—	—	—	H. 4.	Jacq. coll. 2. t. 16. f. 1.
45	<i>hirsùta</i> . DC.	(wh.) hairy.	Tauria.	1824.	—	H. 4.	
46	<i>setàcea</i> . DC.	(wh.) bristly.	France.	1820.	—	H. 4.	
47	<i>fasciculàta</i> . DC.	(wh.) dense-flowered.	S. Europe.	1815.	—	H. ☉.	Flor. græc. t. 442.
48	<i>fastigiàta</i> . E.B.	(wh.) fastigate.	Scotland.	6. 7.	H. ☉.	Eng. bot. 1744.
49	<i>filifòlia</i> . DC.	(wh.) thread-leaved.	Arabia.	—	H. 4.	Vahl. symb. 1. t. 12.
50	<i>mucronàta</i> . DC.	(wh.) mucronate.	—	1777.	—	H. ☉.	
51	<i>uliginòsa</i> . DC.	(wh.) marsh.	Switzerland.	1824.	—	H. 4.	DC. ic. gall. t. 46.
52	<i>polygonóides</i> . DC.	(wh.) procumbent.	—	—	—	H. 4.	Jacq. coll. 1. t. 15.
53	<i>marginàta</i> . DC.	(wh.) margined.	Siberia.	1824.	—	H. 4.	
54	<i>canéscens</i> . DC.	(wh.) canescent.	1828.	—	H. 4.	
	<i>macrocàrpa</i> . H. non Ph.						
55	<i>tetraquètra</i> . DC.	(wh.) square-stalked.	S. France.	1731.	8.	H. 4.	All. ped. 2 t. 89. f. 1.
56	<i>Giesèkii</i> . DC.	(wh.) Gieseke's.	Greenland.	1827.	—	H. 4.	Horn. fl. dan. t. 1518.
57	<i>lanceolàta</i> . DC.	(wh.) lanceolate.	Piedmont.	1820.	—	H. 4.	All. fl. ped. t. 26. f. 5.
58	<i>cherlerióides</i> . P. s.	(wh.) cherleria-leav'd.	S. France.	7. 8.	H. 4.	Vill. delph. 4. t. 47. f. 1.

59 montana. DC.	(wh.) mountain.	Spain.	1800.	4. 7.	H. 4.	Bot. mag. 1118.
60 serpyllifolia. DC.	(wh.) Thyme-leaved.	Britain.	6. 7.	H. ⊙.	Eng. bot. 923.
61 ciliata. DC.	(wh.) fringed.	Ireland.	3. 8.	H. 4.	———— 1745.
62 multicaulis. W.	(wh.) many-stalked.	Europe.	1794.	7. 8.	H. 4.	Jacq. coll. 1. t. 17. f. 1.
63 trinervia. DC.	(wh.) three-nerved.	Britain.	5. 7.	H. ⊙.	Eng. bot. 1483.
64 norvegica. DC.	(wh.) Norway.	Norway.	1828.	6. 7.	H. 4.	Flor. dan. t. 1269.
65 baleàrica. DC.	(wh.) Majorca.	Majorca.	1787.	3. 8.	H. 4.	L. Her. stirp. 1. t. 15.
66 biflora. DC.	(wh.) two-flowered.	S. Europe.	1823.	—	H. 4.	All. ped. t. 64. f. 3.
67 procumbens. DC.	(re.) procumbent.	Egypt.	1801.	6. 8.	F. 4.	Vahl. symb. 1. t. 33.
ADENARIUM. DC.	SEA CHICKWEED. Decandria Tri-Pentagynia.					
peploides. DC.	(wh.) common.	Britain.	6. 7.	H. 4.	Eng. bot. 189.
<i>Arenaria peploides. E.B.</i>						
CERASTIUM. DC.	MOUSE-EAR CHICKWEED. Decandria Pentagynia. L.					
1 nemorale. DC.	(wh.) wood.	Caucasus.	1823.	5. 6.	H. ⊙.	
2 perfoliatum. DC.	(wh.) perfoliate.	Greece.	1725.	6. 7.	H. ⊙.	Dill. elt. t. 217. f. 284.
3 caucasicum. DC.	(wh.) Caucasian.	Caucasus.	1825.	—	H. ⊙.	
4 dahuricum. DC.	(wh.) glaucous.	Dahuria.	1815.	5. 9.	H. 4.	Schrank. h. mon. t. 75.
<i>amplexicaule. B.M. 1789.</i>						
5 maximum. DC.	(wh.) greatest.	Siberia.	1792.	6. 7.	H. ⊙.	Gmel. sib. 4. t. 62. f. 2.
6 dichotomum. DC.	(wh.) forked.	Spain.	1725.	—	H. ⊙.	
7 ruderale. DC.	(wh.) pendulous-fruit.	Caucasus.	1824.	—	H. ⊙.	
8 tauricum. DC.	(wh.) Taurian.	Tauria.	—	—	H. ⊙.	
9 vulgatum. DC.	(wh.) common.	Britain.	4. 6.	H. ⊙.	Eng. bot. 789.
10 viscosum. DC.	(wh.) clammy.	—	4. 9.	H. 4.	———— 790.
11 barbulatum. L. en.	(wh.) bearded.	S. Europe.	1821.	—	H. ⊙.	
12 holosteoides. DC.	(wh.) Ho'osteum like.	Sweden.	—	—	H. 4.	
13 pentandrum. DC.	(wh.) five-stamened.	Spain.	1820.	—	H. ⊙.	
14 semidecandrum. DC.	(wh.) least.	Britain.	3. 4.	H. ⊙.	Eng. bot. 1630.
15 brachypetalum. DC.	(wh.) small-flowered.	France.	1816.	4. 5.	H. 4.	DC. ic. gall. t. 44.
16 diffusum. DC.	(wh.) spreading.	4. 9.	H. 4.	
17 serpyllifolium. W. en.	(wh.) Thyme-ld.	S. Europe.	1824.	5. 6.	H. 4.	
18 manticum. DC.	(wh.) long peduncul'd.	Hungary.	1801.	6. 7.	H. ⊙.	W. et K. hung. 1. t. 96.
19 campanulatum. DC.	(wh.) early-flow'd.	Italy.	1826.	4. 6.	H. ⊙.	Viv. ann bot. 1. p.2.t.1.
<i>pr'æcox. T.N.</i>						
20 grandiflorum. DC.	(wh.) large-flowered.	—	1820.	6. 7.	H. 4.	W. et K. hung. 2. t. 168.
21 argenteum. M.B.	(wh.) silvery-leaved.	Iberia.	1821.	—	H. 4.	
22 tomentosum. DC.	(wh.) white-leaved.	S. Europe.	1648.	—	H. 4.	Col. phyt. ed. 1744. t. 31.
23 Biebersteinii. DC.	(wh.) Bieberstein's.	Tauria.	1820.	—	H. 4.	DC. pl. rar. gen. t. 11.
24 lanatum. DC.	(wh.) woolly.	Pyrenees.	—	—	H. 4.	
25 alpinum. DC.	(wh.) Alpine.	Britain.	—	H. 4.	Eng. bot. 472.
26 ovatum. DC.	(wh.) oval-leaved.	Carinthia.	1816.	—	H. 4.	
27 latifolium. DC.	(wh.) broad-leaved.	Britain.	—	H. 4.	Eng. bot. 473.
28 aquaticum. E.B.	(wh.) water.	—	—	H. w. 4.	———— 538.
29 sylvaticum. DC.	(wh.) wood.	Hungary.	1826.	—	H. 4.	W. et K. hung. 1. t. 97.
30 arvense. DC.	(wh.) field.	—	5. 8.	H. 4.	Eng. bot. 93.
31 repens. W.	(wh.) creeping.	S. Europe.	1759.	5. 7.	H. 4.	Lam. ill. t. 392. f. 2.
32 strictum. W.	(wh.) upright.	Austria.	1793.	—	H. 4.	Scop. carn. t. 19. f. 1.
33 suffruticosum. W.	(wh.) suffruticose.	S. Europe.	1796.	—	H. 4.	
34 pensylvanicum. DC.	(wh.) Pennsylvanian.	N. America.	1823.	—	H. 4.	
35 pubescens. DC.	(wh.) pubescent.	—	1822.	—	H. 4.	
36 matrense. L. en.	(wh.) Matram.	Hungary.	1823.	—	H. 4.	
37 dioicum. H.K.	(wh.) Spanish.	Spain.	1766.	6. 7.	H. 4.	
38 pilosum. L. en.	(wh.) hairy-leaved.	1823.	—	H. 4.	
39 Sprengelii. DC.	(wh.) Sprengel's.	—	—	H. ♂.	
40 Tenoreanum. DC.	(wh.) Tenore's.	Italy.	1825.	—	H. ⊙.	
41 Samnianum. DC.	(wh.) Samnian.	—	—	—	H. 4.	
42 hirsutum. DC.	(wh.) hairy.	—	—	—	H. 4.	
43 glandulosum. Lk.	(wh.) glandular.	1827.	—	H. 4.	
44 inflatum. Lk.	(wh.) inflated.	—	—	H. ⊙.	
CHERLERIA. DC.	CHERLERIA. Decandria Trigynia. L.					
sedoides. DC.	(wh.) dwarf.	Scotland.	7. 8.	H. 4.	Eng. bot. 1212.

ORDO XXVII.

LINEÆ. DC. *prodr.* 1. p. 423.

LINUM. DC.		FLAX. Pentandria Pentagynia. L.					
1	gálicum. DC.	(<i>ye.</i>) annual yellow.	France.	1777.	7. 8.	H. ☉.	Flor. græc. t. 303.
2	áureum. DC.	(<i>ye.</i>) golden.	Hungary.	1823.	—	H. ☉.	W. et K. hung. 2. t. 177.
3	tènue. DC.	(<i>ye.</i>) slender.	Barbary.	1826.	—	H. ☉.	
4	lutèolum. DC.	(<i>ye.</i>) yellowish.	Tauria.	—	—	H. ☉.	Buxb. cent. 5. t. 59.
5	nodiflòrum. DC.	(<i>ye.</i>) knotted.	Italy.	1759.	—	H. ♀.	Flor. græc. t. 307.
6	strictum. DC.	(<i>ye.</i>) upright.	S. Europe.	—	5. 7.	H. ♂.	— t. 304.
7	rígidum. DC.	(<i>st.</i>) stiff-leaved.	Missouri.	1807.	7.	H. ☉.	
8	virginiànum. DC.	(<i>ye.</i>) Virginian.	N. America.	—	—	H. ♂.	
9	mexicànum. DC.	(<i>ye.</i>) Mexican.	Mexico.	1827.	8. 11.	F. ♀.	
10	dahùricum. DC.	(<i>ye.</i>) Dahurian.	Dahuria.	1822.	6. 8.	H. ♀.	
11	marítimum. DC.	(<i>ye.</i>) sea.	S. Europe.	1596.	7. 8.	H. ♀.	Jacq. vind. 2. t. 154.
12	arbòreum. R.S.	(<i>ye.</i>) shrubby.	Candia.	1788.	5. 8.	G. $\frac{1}{2}$.	Flor. græc. t. 305.
13	campanulàtum. R.S.	(<i>y.</i>) glaucous-leav'd.	S. Europe.	1795.	—	H. $\frac{1}{2}$.	Lob. ic. 414.
14	capitatum. R.S.	(<i>ye.</i>) headed.	Hungary.	1826.	6. 10.	H. ♀.	
15	flàvum. W.	(<i>ye.</i>) yellow.	S. Europe.	1793.	—	H. ♀.	Bot. mag. 312.
16	trig'ynum. DC.	(<i>ye.</i>) three-styled.	E. Indies.	1799.	10. 3.	G. $\frac{1}{2}$.	— 1100.
17	africànum. DC.	(<i>ye.</i>) African.	C. B. S.	1771.	6. 7.	G. $\frac{1}{2}$.	— 403.
18	quadrifòlium. DC.	(<i>ye.</i>) four-leaved.	—	1787.	5. 6.	G. $\frac{1}{2}$.	— 431.
19	viscòsum. DC.	(<i>pi.</i>) viscous.	S. Europe.	1821.	6. 8.	H. ♀.	Scop. carn. n. 383. t. 11.
20	hypericifòlium. P.L.	(<i>pi.</i>) Mallow-flow'r'd	Caucasus.	1807.	6. 7.	H. ♀.	Bot. mag. 1048.
	<i>venustum.</i> A.R. 477.						
21	hirsùtum. W.	(<i>bl.</i>) hairy.	Austria.	1759.	7. 8.	H. ♀.	Jacq. aust. 1. t. 31.
22	ascyri-fòlium. B.M.	(<i>w. d.</i>) blue and white.	Portugal.	1800.	—	H. ♀.	Bot. mag. 1087.
23	nervòsum. DC.	(<i>bl.</i>) nervose.	Hungary.	1820.	—	H. ♀.	W. et K. hung. 2. t. 105.
24	narbonénse. DC.	(<i>bl.</i>) Narbonne.	S. France.	1759.	5. 7.	F. ♀.	Barr. ic. t. 1007.
25	usitatíssimum. DC.	(<i>bl.</i>) common.	Britain.	6. 7.	H. ☉.	Eng. bot. 1357.
26	marginatum. DC.	(<i>bl.</i>) white-margin'd.	1823.	—	H. ♀.	
	<i>angustifolium.</i> W. en. non E.B.						
27	reflèxum. DC.	(<i>bl.</i>) reflexed-leav'd.	S. Europe.	1777.	7.	H. ♀.	
28	squamulòsum. DC.	(<i>bl.</i>) scaly.	Tauria.	1821.	6. 8.	H. ♀.	
29	diffùsum. DC.	(<i>bl.</i>) spreading.	1823.	—	H. ♀.	
30	angustifòlium. DC.	(<i>bl.</i>) narrow-leaved.	England.	7.	H. ♀.	Eng. bot. 381.
31	sibíricum. DC.	(<i>bl.</i>) Siberian.	Siberia.	1775.	6. 7.	H. ♀.	Mill. ic. t. 166. f. 2.
	<i>austriacum.</i> B.M. 1086.						
32	Lewisii. Ph.	(<i>bl.</i>) Lewis's.	N. America.	1824.	—	H. ♀.	Bot. reg. 1163.
33	ánglicum. DC.	(<i>bl.</i>) English.	England.	6. 8.	H. ♀.	Eng. bot. 40.
	<i>perénne.</i> E.B.						
	β <i>procumbens.</i> DC.	(<i>bl.</i>) procumbent.	—	—	H. ♀.	
34	austriacum. DC.	(<i>bl.</i>) Austrian.	Austria.	1775.	6. 7.	H. ♀.	Jacq. aust. t. 418.
35	montànnum. DC.	(<i>bl.</i>) mountain.	Switzerland.	7. 8.	H. ♀.	Scop. carn. ed. 2. t. 11.
36	alpinum. DC.	(<i>bl.</i>) Alpine.	Austria.	1739.	—	H. ♀.	Swt. br. fl. gar. t. 17.
37	tenuifòlium. DC.	(<i>li.</i>) slender-leaved.	Europe.	1759.	6. 7.	H. ♀.	Jacq. aust. 3. t. 215.
38	salsoloídes. DC.	(<i>fl.</i>) Salt-wort-like.	S. France.	1823.	7. 8.	H. $\frac{1}{2}$.	
39	suffruticòsum. DC.	(<i>fl.</i>) Spanish.	Spain.	1759.	8.	F. $\frac{1}{2}$.	Cav. ic. 2. t. 108.
40	cathárticum. DC.	(<i>wh.</i>) purging.	Britain.	6. 8.	H. ☉.	Eng. bot. 382.
	RAD'IOIA. DC.	RAD'IOIA. Tetrandria Tetragynia.					
	linoídes. DC.	(<i>wh.</i>) All-seed.	Britain.	7. 8.	H. ☉.	Eng. bot. 893.
	<i>millegrana.</i> E.B. <i>Linum Radiola.</i> L.						

ORDO XXVIII.

MALVACEÆ. DC. *prodr.* 1. p. 429.

MA'LOPE. DC.		MA'LOPE. Monadelphia Polyandria. L.					
1	malacoídes. DC.	(<i>pu.</i>) Barbary.	Barbary.	1710.	6. 7.	G. ♂.	Cav. diss. 2. t. 27. f. 1.
2	trífida. DC.	(<i>pu.</i>) trifid.	—	1808.	7. 8.	H. ☉.	Swt. br. fl. gar. t. 153.

MALVA. DC.	MALLOW.	Monadelphia	Polyandria.	L.			
1 tricúspidàta. DC. (<i>ye.</i>)	Jamaica.	W. Indies.	1726.	7. 8.	S. ♂.	Cav. diss. 2. t. 22. f. 2.	
<i>coromandeliàna.</i> W. <i>americàna.</i> Cav.							
2 americàna. DC. (<i>ye.</i>)	American.	—————	1756.	6. 7.	H. ⊙.		
3 scàbra. DC. (<i>ye.</i>)	rough-stemmed.	Peru.	1798.	—	G. h.	Cav. diss. 5. t. 138. f. 1.	
<i>scopària.</i> Jacq. ic. 139.							
4 scopària. DC. (<i>ye.</i>)	Birch-leaved.	—————	1782.	8. 9.	G. h.	L. her. stirp. t. 27.	
5 borbònica. DC. (<i>ye.</i>)	Bourbon.	Mauritius.	1816.	7. 8.	S. h.		
6 polystàchya. DC. (<i>ye.</i>)	many-spiked.	Peru.	1798.	—	G. h.	Cav. dis. 5. t. 138. f. 3.	
7 spicàta. DC. (<i>ye.</i>)	simple-spiked.	Jamaica.	1726.	9. 10.	S. h.	————— 2. t. 20. f. 4.	
8 ovàta. L. en. (<i>ye.</i>)	oval-leaved.	Brazil.	—	S. h.	————— 2. t. 20. f. 2.	
9 subhastàta. DC. (<i>ye.</i>)	subhastate.	S. America.	1821.	7. 10.	S. h.	————— 2. t. 21. f. 3.	
10 tomentòsa. DC. (<i>ye.</i>)	tomentose.	India.	1820.	—	S. h.	Pluk. alm. t. 356. f. 1.?	
11 waltherifòlia. DC. (<i>ye.</i>)	Waltheria-ld.	Java.	1824.	S. ♀.		
12 trachelifòlia. DC. (<i>ye.</i>)	Trachelium-ld.	—	7. 8.	H. ⊙.		
13 gangética. DC. (<i>ye.</i>)	Indian.	E. Indies.	—	—	H. ⊙.	Pluk. t. 74. f. 6.	
14 leprosa. DC. (<i>wh.</i>)	leprous.	Cuba.	1815.	5. 7.	S. ♀.		
15 Sherardiàna. DC. (<i>re.</i>)	Sherard's.	Bithynia.	—	S. ♀.	Cav. dis. 2. t. 26. f. 4.	
16 crética. DC. (<i>fl.</i>)	Cretan.	Crete.	1828.	—	H. ⊙.	————— 5. t. 138. f. 2.	
17 hispànica. DC. (<i>ro.</i>)	Spanish.	Spain.	1710.	7.	H. ⊙.	Desf. atl. 2. t. 170.	
18 stipulàcea. DC. (<i>pu.</i>)	long-stipuled.	—————	1815.	6. 8.	H. ⊙.	Cav. dis. 2. t. 15. f. 2.	
19 aegyptia. DC. (<i>bh.</i>)	Egyptian.	Egypt.	1739.	6. 7.	H. ⊙.	————— 2. t. 17. f. 1.	
20 trifida. DC. (<i>bl.</i>)	large-flowered.	Spain.	1815.	—	H. ⊙.	————— 5. t. 137. f. 2.	
21 Tournefortiàna. DC. (<i>r.</i>)	Tournefort's.	—————	1759.	7. 8.	H. ⊙.	————— 2. t. 17. f. 3.	
22 Alcèa. DC. (<i>pi.</i>)	Vervain.	Europe.	1597.	7. 10.	H. ♀.	Bot. mag. 2297.	
23 Morèni. s.s. (<i>pi.</i>)	Moreni's.	Italy.	1824.	—	H. ♀.	————— 2793.	
<i>alceoides.</i> Ten. fl. nap. t. 64.							
24 moschàta. DC. (<i>pi.</i>)	musk.	Britain.	7. 8.	H. ♀.	Eng. bot. 754.	
<i>β laciniàta.</i> DC. (<i>wh.</i>)	white-flowered.	—	H. ♀.	Bot. mag. 2298.	
25 hirsùta. T. (<i>pi.</i>)	hairy.	Sicily.	1825.	—	H. ⊙.		
26 fastigiàta. DC. (<i>re.</i>)	fastigiate.	Spain.	1828.	6. 8.	H. ♂.	Cav. dis. 2. t. 23. f. 2.	
27 mauritiàna. DC. (<i>pu.</i>)	Ivy-leaved.	S. Europe.	1768.	6. 7.	H. ⊙.	Swt. br. fl. gar. 81.	
28 excèlsa. Pr. (<i>pu.</i>)	tall.	Sicily.	1828.	—	H. ♀.		
29 sylvèstris. DC. (<i>pu.</i>)	common.	Britain.	5. 10.	H. ♀.	Eng. bot. 671.	
30 vulgàris. T. (<i>pu.</i>)	prostrate.	Italy.	1827.	—	H. ♂.		
31 Henníngii. DC. (<i>pu.</i>)	Henning's.	Moscow.	1823.	6. 8.	H. ♀.		
32 rotundifòlia. DC. (<i>wh.</i>)	round-leaved.	Britain.	6. 9.	H. ⊙.	Eng. bot. 1092.	
<i>β pusilla.</i> E.B. (<i>wh.</i>)	dwarf.	—————	—	H. ⊙.	————— 241	
33 brasiliénsis. DC.	Brazilian.	Brazil.	1820.	—	S. ♀.		
34 nicæénsis. DC. (<i>w.p.</i>)	Italian.	Italy.	1823.	—	H. ⊙.	Cav. dis. 2. t. 23. f. 1.	
35 microcàrpa. DC. (<i>fl.</i>)	small-fruited.	Egypt.	—	—	H. ♀.		
36 parviflòra. DC. (<i>ro.</i>)	small-flowered.	Barbary.	1779.	6. 7.	H. ♀.	Cav. dis. 2. t. 20. f. 1.	
37 verticillàta. DC. (<i>w.p.</i>)	whorl-flowered.	China.	1683.	—	H. ⊙.	Jacq. vind. 1. t. 40.	
38 mareótica. DC. (<i>fl.</i>)	headed.	Egypt.	1828.	6. 10.	H. ⊙.		
39 críspa. DC. (<i>bh.</i>)	curled.	Syria.	1573.	6. 8.	H. ⊙.	Cav. dis. 2. t. 23. f. 1.	
40 flexuòsa. DC. (<i>re.</i>)	flexuose.	1823.	—	H. ⊙.		
41 amœ'na. DC. (<i>pi.</i>)	lobe-leaved.	C. B. S.	1796.	4. 8.	G. h.	Bot. mag. 1998.	
<i>calycina.</i> B.R. 297.							
42 calycina. DC. (<i>pi.</i>)	large-calyxed.	—————	1812.	—	G. h.	Cav. dis. 2. t. 23. f. 4.	
43 virgàta. DC. (<i>fl.</i>)	twiggy.	—————	1727.	5. 7.	G. h.	————— 2. t. 18. f. 2.	
44 capénsis. DC. (<i>w.r.</i>)	Cape.	—————	1713.	1. 12.	G. h.	Bot. reg. 295.	
45 balsàmica. DC. (<i>re.</i>)	balsamic.	—————	1800.	5. 9.	G. h.	Jacq. ic. 1. t. 140.	
46 oxyacanthoides. DC. (<i>w.r.</i>)	Hawthorn-ld.	—————	1825.	—	G. h.		
47 tridactylites. DC. (<i>wh.</i>)	reflex-flowered.	—————	1791.	6. 8.	G. h.	Cav. dis. 2. t. 21. f. 2.	
<i>refléxa.</i> A.R. t. 135.							
48 divaricàta. DC. (<i>wh.</i>)	straddling.	—————	1792.	6. 9.	G. h.	And. bot. rep. 182.	
49 retùsa. DC. (<i>y.bh.</i>)	blunt-leaved.	—————	1803.	3. 5.	G. h.	Cav. dis. 2. t. 21. f. 1.	
50 fràgrans. DC. (<i>pu.</i>)	fragrant.	—————	1759.	5. 7.	G. h.	Bot. reg. 296.	
51 stricta. DC. (<i>w.r.</i>)	upright.	—————	1805.	5. 8.	G. h.	Jacq. schœnb. 3. t. 294.	
52 bryonifòlia. DC. (<i>re.</i>)	Bryony-leaved.	—————	1731.	7. 8.	G. h.	Wend. h. her. 1. t. 4.	
53 grossulariæfòlia. DC. (<i>r.</i>)	Gooseberry-ld.	—————	1732.	5. 9.	G. h.	Bot. reg. 561.	
54 aspèrrima. DC. (<i>wh.</i>)	roughest.	—————	1796.	—	G. h.	Jacq. schœnb. 2. t. 139.	
55 lactea. DC. (<i>wh.</i>)	panicled white.	Mexico.	1780.	1. 2.	G. h.	Cav. ic. 1. t. 30.	
<i>titifolia.</i> Cav.							
56 capitàta. DC. (<i>pu.</i>)	various-leaved.	Peru.	1798.	11. 12.	G. h.	Cav. dis. 5. t. 137. f. 1.	
57 miniàta. DC. (<i>re.</i>)	painted.	S. America.	—	4. 5.	G. h.	Cav. ic. 3. t. 278.	
58 operculàta. DC. (<i>pu.</i>)	lid capsuled.	Peru.	1795.	7. 8.	G. h.	Cav. dis. 2. t. 35. f. 1.	
59 peruviàna. DC. (<i>pu.</i>)	Peruvian.	—————	1759.	6. 8.	H. ⊙.	Jacq. vind. 2. t. 156.	
60 liménsis. DC. (<i>bl.</i>)	blue-flowered.	—————	1768.	—	H. ⊙.	————— 2. t. 140.	

61	<i>itálica</i> . DC.	(<i>re.</i>) Italian.	Italy.	1826.	6. 8.	H. 4.	
62	<i>anómala</i> . L. en.	(<i>re.</i>) anomalous.	C. B. S.	—	—	G. 4.	Pl. sel. hort. ber. t. 22.
63	<i>umbellàta</i> . DC.	(<i>cr.</i>) umbelled.	S. America.	1814.	1. 3.	G. 2.	Lod. Bot. cab. 222.
64	<i>ròsea</i> . DC.	(<i>ro.</i>) rose-coloured.	Mexico.	1828.	—	F. 2.	Flor. mex. ic. ined.
65	<i>abutilóides</i> . DC.	(<i>pu.</i>) Bahama.	Bahama Isl.	1725.	6. 9.	G. 2.	Jacq. schœnb. 3. t. 293.
66	<i>obtusilòba</i> . B.M.	(<i>pu.</i>) blunt-lobed.	Chili.	1824.	7. 8.	F. 2.	Bot. mag. 2787.
67	<i>élegans</i> . DC.	(<i>y.re.</i>) elegant.	C. B. S.	1791.	5. 8.	G. 2.	Cav. dis. 2. t. 16. f. 1.
68	<i>angustifòlia</i> . DC.	(<i>li.</i>) narrow-leaved.	Mexico.	1780.	8.	G. 2.	Bot. mag. 2839.
69	<i>caroliniàna</i> . DC.	(<i>re.</i>) Carolina.	Carolina.	1723.	6. 7.	H. ⊙.	Cav. dis. 2. t. 15. f. 1.
70	<i>prostràta</i> . DC.	(<i>sc.</i>) trailing.	Brazil.	1806.	5. 7.	G. 4.	Bot. mag. 2515.
71	<i>decúmbens</i> . DC.	(<i>re.</i>) decumbent.	S. America.	1815.	6. 8.	G. 4.	
KITAIB'ELIA . DC.		KITAIB'ELIA .	Monadelphia	Polyandria	L.		
	<i>vitifòlia</i> . DC.	(<i>wh.</i>) Vine-leaved.	Hungary.	1801.	7. 9.	H. 4.	Bot. mag. 821.
ALTH'ÆA . DC.		ALTH'ÆA .	Monadelphia	Polyandria	L.		
1	<i>officinàlis</i> . DC.	(<i>fl.</i>) Marsh-Mallow.	Britain.	7. 9.	H. 4.	Eng. bot. 147.
2	<i>taurinénsis</i> . DC.	(<i>pu.</i>) intermediate.	S. Europe.	1823.	—	H. 4.	
3	<i>narbonénsis</i> . DC.	(<i>pu.</i>) Narbonne.	—	1780.	8. 9.	H. 4.	Jacq. ic. 1. t. 138.
4	<i>cannabina</i> . DC.	(<i>ro.</i>) Hemp-leaved.	—	1597.	6. 7.	H. 4.	Jacq. aust. 2. t. 101.
5	<i>hirsùta</i> . DC.	(<i>bh.</i>) hairy.	England.	1683.	—	H. ⊙.	— 2. t. 170.
6	<i>Ludwìgii</i> . DC.	(<i>wh.</i>) Ludwig's.	Sicily.	1791.	—	H. ⊙.	Cav. ic. 5. t. 423.
7	<i>leucántha</i> . OT.	(<i>wh.</i>) white-flowered.	Mt. Sinai.	1826.	6. 8.	H. ♂.	
8	<i>nudiflòra</i> . F.	(<i>ro.</i>) naked-flowered.	Altay.	1824.	6. 10.	H. ♂.	
9	<i>Froloviàna</i> . F.	(<i>pu.</i>) Siberian.	Siberia.	1826.	6. 8.	H. ♂.	
10	<i>glabrifòlia</i> . Led.	(<i>pu.</i>) smooth-leaved.	—	1827.	—	H. ♂.	
11	<i>acáulis</i> . DC.	(<i>p.ye.</i>) stemless.	Aleppo.	1680.	—	H. ⊙.	Cav. dis. 2. t. 27. f. 3.
12	<i>carib'æa</i> . DC.	(<i>ro.</i>) West Indian.	W. Indies.	1816.	3. 4.	S. ♂.	Bot. mag. 1916.
13	<i>striàta</i> . DC.	(<i>li.</i>) streaked.	1820.	6. 8.	H. ♂.	
14	<i>pállida</i> . DC.	(<i>li.</i>) pale-flowered.	Hungary.	1805.	—	H. ♂.	
15	<i>ròsea</i> . DC.	(<i>va.</i>) Hollyhock.	China.	1573.	7. 9.	H. ♂.	Cav. dis. 2. t. 28. f. 1.
	<i>β bilòba</i> . DC.	(<i>va.</i>) two-lobed.	—	H. ♂.	
16	<i>sinénsis</i> . DC.	(<i>v.</i>) China.	—	—	H. ⊙.	Cav. dis. 2. t. 29. f. 3.
17	<i>flexuòsa</i> . DC.	(<i>pu.</i>) flexuose.	E. Indies.	1803.	6. 8.	S. 4.	Bot. mag. 892.
18	<i>ficifòlia</i> . DC.	(<i>ye.</i>) Fig leaved.	Levant.	1597.	6. 9.	H. ♂.	Cav. dis. 2. t. 28. f. 2.
LAVATERA . DC.		LAVATERA .	Monadelphia	Polyandria	L.		
1	<i>triméstris</i> . DC.	(<i>li.w.</i>) common annual.	S. Europe.	1633.	7. 9.	H. ⊙.	Bot. mag. 109.
2	<i>phœnicea</i> . DC.	(<i>cr.</i>) scarlet.	Madeira.	1823.	6. 9.	G. 2.	Vent. malm. t. 120.
3	<i>acerifòlia</i> . DC.	(<i>li.</i>) Map'e-leaved.	Teneriffe.	—	—	G. 2.	Lois. h. amat. t. 322.
4	<i>hispida</i> . DC.	(<i>ro.</i>) hispid.	Algiers.	1804.	6. 7.	G. 2.	Desf. atl. 2. t. 171.
5	<i>O'bia</i> . DC.	(<i>pu.</i>) downy-leaved.	France.	1570.	6. 10.	G. 2.	Cav. dis. 2. t. 32. f. 2.
6	<i>unguiculàta</i> . DC.	(<i>pu.</i>) clawed.	Greece.	1807.	7. 9.	G. 2.	
7	<i>micans</i> . DC.	(<i>pu.</i>) glittering.	Spain.	1796.	6. 7.	G. 2.	Moris. ox. t. 17. f. 9.
8	<i>lusitànica</i> . DC.	(<i>pu.</i>) Portugal.	Portugal.	1731.	8. 9.	G. 2.	
9	<i>flàva</i> . DC.	(<i>ye.</i>) yellow.	Sicily.	1823.	6. 8.	H. 4.	Desf. atl. 2. t. 172.
10	<i>plebéia</i> . B.M.	(<i>li.</i>) vulgar.	N. S. W.	1820.	—	G. 4.	Bot. mag. 2269.
	<i>Weinmanniàna</i> . Bes.						
11	<i>thuringiaca</i> . DC.	(<i>pu.</i>) large-flowered.	Germany.	1731.	7. 9.	H. 4.	Bot. mag. 517.
12	<i>biénnis</i> . DC.	(<i>pu.</i>) biennial.	Caucasus.	1823.	5. 8.	H. ♂.	
13	<i>punctàta</i> . DC.	(<i>bh.</i>) spotted-stalked.	Italy.	1800.	7. 9.	H. ⊙.	
14	<i>marítima</i> . DC.	(<i>wh.</i>) sea side.	S. Europe.	1597.	4. 6.	G. 2.	Cav. dis. 2. t. 32. f. 3.
15	<i>trilòba</i> . DC.	(<i>li.</i>) three lobed.	Spain.	1759.	6. 7.	G. 2.	Bot. mag. 2226.
16	<i>arbòrea</i> . DC.	(<i>li.</i>) Tree Mallow.	Britain.	7. 10.	H. ♂.	Eng. bot. 1841.
17	<i>neapolitàna</i> . DC.	(<i>pu.</i>) Neapolitan.	Naples.	1823.	—	H. 4.	
18	<i>crética</i> . DC.	(<i>pu.</i>) Cretan.	Crete.	1723.	7. 9.	H. ⊙.	Cav. dis. 2. t. 32. f. 1.
19	<i>lanceolàta</i> . W.en.	(<i>pu.</i>) spear-leaved.	1823.	—	H. ⊙.	
20	<i>sylvéstris</i> . DC.	(<i>pu.</i>) wood.	Portugal.	—	—	H. ⊙.	
21	<i>ambígua</i> . DC.	(<i>pu.</i>) ambiguous.	Naples.	1824.	—	H. ⊙.	
22	<i>móllis</i> . Ehr.	(<i>pu.</i>) soft.	Egypt.	1825.	7. 10.	H. ⊙.	
MALA'CHRA . DC.		MALA'CHRA .	Monadelphia	Polyandria	L.		
1	<i>rotundifòlia</i> . DC.	(<i>ro.</i>) round-leaved.	Brazil.	1823.	6. 9.	S. ⊙.	Schrank. h. mon. t. 56
2	<i>capitàta</i> . DC.	(<i>ye.</i>) headed.	W. Indies.	1759.	8. 9.	S. ⊙.	Cav. dis. 2. t. 33. f. 1. 2.
3	<i>fasciàta</i> . DC.	(<i>ro.</i>) fasciate.	Caracas.	1820.	—	S. ⊙.	Jacq. ic. 3. t. 548.
4	<i>trilòba</i> . DC.	(<i>wh.</i>) three-lobed.	—	—	S. ⊙.	
5	<i>radiàta</i> . DC.	(<i>pu.</i>) rayed.	St. Domingo.	1794.	7. 9.	S. ♂.	Cav. dis. 2. t. 33. f. 3.
6	<i>alceæfòlia</i> . DC.	(<i>ye.</i>) Hollyhock-ld.	Caracas.	1805.	8. 9.	S. ⊙.	Jacq. ic. 3. t. 549.
7	<i>heptaphýlla</i> . DC.	(<i>ro.</i>) many-flower'd.	Brazil.	1820.	6. 10.	S. 4.	
	<i>fasciàta</i> . B. reg. 467.	<i>non</i> DC.					
8	<i>palmàta</i> . DC.	(<i>ye.</i>) palmate.	1825.	—	S. ⊙.	
UR'ENA . DC.		UR'ENA .	Monadelphia	Polyandria	L.		
1	<i>lobàta</i> . DC.	(<i>ro.</i>) angular-leav'd.	China.	1731.	6. 7.	S. 2.	Dill. elt. t. 319. f. 412.

2	<i>scabriuscula</i> . DC.	(ro.) roughish.	India.	1820.	6. 7.	S. h.	Cav. dis. 6. t. 185. f. 1.
3	<i>repanda</i> . DC.	(ro.) netted-leaved.	—————	—————	—————	S. h.	—————
4	<i>multifida</i> . DC.	(ye.) multifid.	Mauritius.	1817.	10. 1.	S. h.	Cav. dis. 6. t. 184. f. 2.
5	<i>tricuspis</i> . DC.	(ye.) three-pointed.	—————	1820.	6. 9.	S. h.	————— 6. t. 183. f. 1.
6	<i>reticulata</i> . DC.	(ye.) netted.	St. Domingo.	1816.	—————	S. h.	————— 6. t. 183. f. 2.
	<i>americana</i> . L. non Sm.						
7	<i>subtriloba</i> . DC.	(re.) various-leaved.	Brazil.	1823.	—————	S. ⊙.	Schrank. h. mon. t. 79.
8	<i>Swartzii</i> . DC.	(re.) Swartz's.	Surinam.	—————	S. h.	—————
	<i>sinuata</i> . Sw. <i>americana</i> . Sm.						
9	<i>sinuata</i> . DC.	(re.) cut-leaved.	E. Indies.	1759.	7. 8.	S. h.	Cav. dis. 6. t. 185. f. 2.
10	<i>muricata</i> . DC.	(re.) muricate-fruit'd	—————	1823.	—————	S. h.	—————
	PAVONIA. DC.	PAVONIA. Monadelphia Polyandria. L.					
1	<i>spinifex</i> . DC.	(ye.) prickly-seeded.	W. Indies.	1778.	7. 8.	S. h.	Bot. reg. 339.
2	<i>Typhalea</i> . DC.	(wh.) globular-headed.	—————	1823.	—————	S. h.	Cav. dis. 2. t. 197.
3	<i>urens</i> . DC.	(ro.) stinging.	Mauritius.	1801.	—————	S. h.	Jacq. ic. 3. t. 522.
4	<i>coccinea</i> . DC.	(sc.) scarlet.	St. Domingo.	1816.	—————	S. h.	Cav. dis. 3. t. 47. f. 1.
5	<i>Columella</i> . DC.	(pu.) angular-leaved.	Bourbon.	1807.	—————	S. h.	————— 3. t. 48. f. 3.
6	<i>parviflora</i> . DC.	(st.) small-flowered.	1820.	—————	S. h.	—————
7	<i>racemosa</i> . DC.	(ye.) naked-racemed.	Jamaica.	—————	—————	S. h.	Cav. dis. 3. t. 46. f. 1.
	<i>spicata</i> . Cav.						
8	<i>præmorsa</i> . DC.	(ye.) bitten-leaved.	C. B. S.	1774.	6. 8.	G. h.	Bot. mag. 436.
9	<i>paniculata</i> . DC.	(ye.) panicked.	Caracas.	1823.	—————	S. h.	Cav. dis. 3. t. 46. f. 2.
10	<i>odorata</i> . DC.	(re.) fragrant.	E. Indies.	1807.	—————	S. h.	—————
11	<i>sidoides</i> . DC.	(re.) Sida like.	—————	1820.	—————	S. ♂.	—————
12	<i>zeylanica</i> . DC.	(bh.) Ceylon.	—————	1790.	7. 9.	S. ⊙.	Burm. ind. t. 48. f. 2.
13	<i>cancellata</i> . DC.	(re.) arrow-leaved	Surinam.	1823.	—————	S. ⊙.	Lin. sup. t. 311.
	MALVAVISUS. DC.	ACHANIA. Monadelphia Polyandria. L.					
1	<i>arboreus</i> . DC.	(sc.) smooth-leaved.	Jamaica.	1714.	1. 12.	S. h.	Cav. dis. 3. t. 48. f. 1.
	<i>Achania malvariscus</i> . W.						
2	<i>mollis</i> . DC.	(sc.) soft-leaved.	Mexico.	1780.	—————	S. h.	Bot. reg. 11.
	<i>Achania mollis</i> . B.R.						
3	<i>pilosa</i> . DC.	(sc.) hairy.	Jamaica.	1780.	10. 11.	S. h.	Lodd. bot. cab. 829.
	LEBRETONIA. DC.	LEBRETONIA. Monadelphia Polyandria. L.					
	<i>coccinea</i> . DC.	(sc.) scarlet.	Brazil.	1823.	6. 8.	S. h.	Schrank. h. mon. t. 90.
	HIBISCUS. DC.	HIBISCUS. Monadelphia Polyandria. L.					
1	<i>liliiflorus</i> . DC.	(va.) Lily-flowered.	Bourbon.	1822.	8. 12.	S. h.	Cav. dis. 3. t. 57. f. 1.
2	<i>Boryanus</i> . DC.	(wh.) Bory St. Vincent's.	—————	1826.	6. 10.	S. h.	—————
3	<i>pedunculatus</i> . DC.	(pi.) long-peduncled.	C. B. S.	1812.	5. 12.	S. h.	Bot. reg. 231.
4	<i>Lampas</i> . DC.	(st.) three-pointed.	E. Indies.	1806.	10. 2.	S. h.	Cav. dis. 3. t. 56. f. 2.
5	<i>membranaceus</i> . DC.	(y.) leafy-calyxed.	1816.	S. h.	————— 3. t. 57. f. 2.
6	<i>spiralis</i> . DC.	(y.fl.) spiral.	Mexico.	1826.	6. 9.	G. h.	Cavan. ic. 2. t. 162.
7	<i>tubulosus</i> . DC.	(y.p.) tubular.	E. Indies.	1796.	7. 10.	S. ♂.	Cav. dis. 3. t. 68. f. 2.
8	<i>pentacarpus</i> . DC.	(bh.) angular-fruited.	Venice.	1752.	—————	G. ♀.	Jacq. ic. 1. t. 143.
9	<i>virginicus</i> . DC.	(ro.) Virginian.	Virginia.	1798.	—————	H. ♀.	————— 1. t. 142.
10	<i>pentaspermus</i> . DC.	(ye.) five-seeded.	Jamaica.	1825.	—————	S. h.	—————
11	<i>Manihot</i> . DC.	(y.p.) palmated.	E. Indies.	1712.	7. 9.	S. h.	Bot. mag. 1702.
12	<i>palmatus</i> . C.	(ye.p.) palmate-leav'd.	S. America.	—————	S. h.	Cav. dis. 3. t. 63. f. 1.
13	<i>ficulneus</i> . DC.	(wh.) Fig-leaved.	Ceylon.	1732.	6. 7.	S. h.	————— 3. t. 52. f. 2.
	<i>sinuatus</i> . C.						
14	<i>ficulneoides</i> . B.R.	(st.) Fig-like.	S. America.	1824.	6. 8.	S. h.	Bot. reg. 938.
15	<i>tetraphyllus</i> . DC.	(ye.) four-leaved.	E. Indies.	1807.	7. 10.	S. ⊙.	—————
16	<i>platanifolius</i> .	(ye.) Plane-leaved.	W. Indies.	1820.	—————	S. h.	Pl. sel. h. ber. t. 1.
	<i>acerifolius</i> . DC. non P.L.	<i>Pavonia platanifolia</i> . L. en.					
17	<i>Rosa-sinensis</i> . DC.	(sc.) China Rose.	E. Indies.	1731.	1. 12.	S. h.	Bot. mag. 158.
	β <i>rubro-plenus</i> .	(sc.) double-red.	—————	—————	—————	S. h.	Lod. bot. cab. 995.
	γ <i>carneo-plenus</i> .	(sa.) double-salmon.	—————	—————	—————	S. h.	—————
	δ <i>variegatus</i> .	(sc.w.) double-striped.	—————	—————	—————	S. h.	Lod. bot. cab. 963.
	ε <i>flavo-plenus</i> .	(co.) double-buff.	—————	—————	—————	S. h.	————— 513.
	ζ <i>luteo-plenus</i> .	(ye.) double-yellow.	—————	1822.	—————	S. h.	————— 932.
18	<i>acerifolius</i> . P.L.	(va.) Maple-leaved.	China.	1798.	3. 6.	G. h.	Sal. par. lond. 22.
19	<i>syriacus</i> . DC.	(va.) Althæa frutex.	Syria.	1596.	8. 9.	H. h.	Bot. mag. 83.
	α <i>purpureus</i> .	(pu.) purple-flowered.	—————	—————	—————	H. h.	—————
	β <i>ruber</i> .	(re.) red-flowered.	—————	—————	—————	H. h.	—————
	γ <i>albus</i> .	(wh.) white-flowered.	—————	—————	—————	H. h.	—————
	δ <i>variegatus</i> .	(w.p.) striped-flowered.	—————	—————	—————	H. h.	—————
	ε <i>marginatus</i> .	(pu.) variegated.	—————	—————	—————	H. h.	—————
	ζ <i>albo-plenus</i> .	(wh.) double-white.	—————	—————	—————	H. h.	—————
	η <i>purpureo-plenus</i> .	(p.) double-purple.	—————	—————	—————	H. h.	—————
20	<i>pruriens</i> . DC.	(y.pu.) stinging.	E. Indies.	1804.	7. 9.	S. ♂.	Andr. reposit. 498.

21	surattensis. DC.	(y.p.) prickly-stalk'd.	E. Indies.	1731.	7. 9.	S. ⊙.	Bot. mag. 1356.
22	radiatus. DC.	(st.p.) rayed.	—————	1790.	6. 8.	S. ⊙.	————— 1911.
23	furcatus. DC.	(ye.p.) forked.	—————	1816.	7. 9.	S. ⊙.	
24	unidens. B.R.	(y.p.) one-toothed.	Brazil.	1824.	11. 4.	S. h.	Bot. reg. 878.
25	scaber. DC.	(st.) scabrous.	Carolina.	1810.	7. 9.	G.w. 2.	
26	strigosus. B.R.	(ro.) strigose.	S. America.	1822.	1. 12.	S. h.	Bot. reg. 860.
27	bifurcatus. DC.	(pu.) two-forked.	Brazil.	1826.	—	S. h.	Cav. dis. 3. t. 51. f. 1.
28	trilobus. DC.	(co.) three-lobed.	W. Indies.	1824.	—	S. h.	————— 3. t. 53. f. 2.
29	diversifolius. DC.	(y.p.) different-leav'd.	E. Indies.	1798.	6. 7.	S. h.	Jacq. ic. 3. t. 551.
30	heterophyllus. DC.	(w.p.) various-leaved.	N. S. W.	1808.	8. 9.	G. h.	Bot. reg. 29.
31	cannabinus. DC.	(y.p.) Hemp-leaved.	E. Indies.	1759.	6. 7.	S. ♂.	Roxb. cor. 2. t. 190.
32	vitifolius. DC.	(y.p.) Vine-leaved.	—————	1690.	7. 10.	S. ♂.	Rheed. mal. 6. t. 46.
33	obtusifolius. DC.	(y.p.) blunt-leaved.	—————	1820.	—	S. ♂.	
34	Bammia. L.en.	(y.p.) Egyptian.	Egypt.	6. 7.	S. ⊙.	Tozz. mus. d. fir. 2. t. 7.
35	esculentus. L.en.	(y.p.) eatable.	India.	1692.	—	S. ⊙.	
36	longifolius. DC.	(ye.) long-leaved.	E. Indies.	1820.	7. 9.	S. ♂.	
37	moscheutos. DC.	(w.p.) swamp.	N. America.	8. 10.	H.w. 2.	Swt. br. fl. gar. 286.
38	palustris. DC.	(pu.) marsh.	—————	1759.	7. 9.	H.w. 2.	Cav. dis. 3. t. 65. f. 2.
39	roseus. DC.	(ro.) rose-colour'd.	S. Europe.	1824.	8. 10.	H.w. 2.	Swt. br. fl. gar. 277.
40	aquaticus. DC.	(wh.) water.	Etruria.	1820.	7. 9.	H.w. 2.	
41	incanus. DC.	(st.) hoary.	Carolina.	1806.	9.	G.w. 2.	Wend. h. her. 4. t. 21.
42	militaris. DC.	(pu.) smooth.	Louisiana.	1804.	8. 9.	G.w. 2.	Bot. mag. 2385.
43	speciosus. DC.	(cr.) superb.	Carolina.	1778.	6. 9.	G.w. 2.	————— 360.
44	grandiflorus. DC.	(fl.) great-flower'd.	Georgia.	1823.	—	G.w. 2.	
45	ferrugineus. DC.	(re.) rusty	Madagascar.	1820.	—	S. h.	Cav. dis. 3. t. 60. f. 1.
46	lunarifolius. DC.	(st.p.) Lunaria-leav'd.	E. Indies.	—	S. h.	
47	æthiopicus. DC.	(ye.) dwf. wedge-ld.	C. B. S.	1774.	8.	G. 2.	Cav. dis. 3. t. 61. f. 1.
48	mutabilis. DC.	(va.) changeable.	E. Indies.	1690.	10. 12.	S. h.	Bot. reg. 589.
	β flore-pleno.	(va.) double-flowered.	—————	—	S. h.	
49	clypeatus. DC.	(r.y.) shield-capsuled.	Jamaica.	1759.	7. 8.	S. h.	Cav. dis. 3. t. 58. f. 1.
50	Abelmóschus. DC.	(ye.) Musk Okro.	India.	1640.	7. 9.	S. h.	————— 3. t. 62. f. 2.
51	eriocarpus. DC.	(ye.) woolly-capsul'd.	E. Indies.	1820.	—	S. h.	
52	phoeniceus. B.R.	(cr.) crimson-flow'd.	S. America.	1796.	—	S. h.	Bot. reg. 230.
53	hirtus. L.	(sc.) hairy.	E. Indies.	2. 10.	S. h.	Cav. dis. 3. t. 67. f. 3.
54	Rosa malabárica.	(sc.) Malabar Rose.	—————	1818.	8. 10.	S. h.	Bot. reg. 337.
55	rhombofolius. DC.	(wh.) rhomb-leaved.	—————	1823.	—	S. h.	Cav. dis. 3. t. 69. f. 3.
56	gossypinus. DC.	(re.) cottony.	C. B. S.	1818.	—	G. h.	
57	micranthus. DC.	(ye.) small-flowered.	E. Indies.	1794.	—	S. h.	Cav. dis. 3. t. 66. f. 1.
58	Trionum. DC.	(st.p.) BladderKetmia.	Italy.	1596.	6. 9.	H. ⊙.	Bot. mag. 209.
59	hispidus. B.R.	(y.p.) hispid.	C. B. S.	—	G. h.	Bot. reg. 806.
60	africanus. R.B.	(st.p.) African.	Africa.	1826.	6. 10.	H. ⊙.	
61	Richardsoni.	(st.) Richardson's.	N. S. W.	1822.	—	G. h.	Bot. reg. 875.
62	vesicarius. DC.	(st.p.) African.	Africa.	1713.	7. 8.	H. ⊙.	Cav. dis. 3. t. 62. f. 2.
63	Sabdariffa. DC.	(y.ro.) Indian.	E. Indies.	1596.	6. 9.	S. ♂.	Bonp. nav. t. 29.
64	digitatus. DC.	(y.r.) fingered.	Brazil.	1818.	—	S. ⊙.	Cav. dis. 3. t. 70. f. 2.
	β Kerrianus. DC.	(w.r.) Ker's.	Rio Janeiro.	—	—	S. ⊙.	Bot. reg. 608.
65	tricuspis. DC.	(ye.) sharp-pointed.	Society Isl.	1820.	—	S. h.	Cav. dis. 3. t. 55. f. 2.
66	racemosus. B.R.	(y.p.) racemed.	Nepaul.	1824.	8. 2.	G. h.	Bot. reg. 917.
67	tiliaceus. DC.	(ye.p.) Lime-tree-ld.	E. Indies.	1739.	7. 8.	S. h.	————— 232.
68	elatus. DC.	(y.p.) tall.	Jamaica.	1790.	—	S. h.	
69	abutiloides. DC.	(y.p.) smooth-leaved.	S. America.	1820.	S. h.	Sloan. jam. 1. t. 234. f. 4.
70	flavescens.	(ye.) flavescent.	Brazil.	1822.	6. 9.	S. h.	Cav. dis. 3. t. 70. f. 3.
71	borbonicus. DC.	(ye.) Bourbon.	I. Bourbon.	1826.	—	S. h.	
72	Macleanus. BF.	(ye.) Macleay's.	W. Indies.	1827.	8. 9.	S. h.	
73	macrophyllus. DC.	(ye.) large-leaved.	E. Indies.	1820.	S. h.	
74	collinus. H.B.	(ye.) hill.	—————	1822.	S. h.	
75	cancellatus. H.B.	(ye.) netted.	Nepaul.	1823.	10. 2.	S. ♂.	
76	truncatus. H.B.	(ye.) truncate.	E. Indies.	—	8. 10.	S. ⊙.	
77	scandens. H.B.	(ye.) climbing.	—————	1822.	S. h.	
78	strictus. H.B.	(ye.) upright.	—————	1809.	8. 10.	S. ⊙.	
79	gangeticus. L.en.	(ye.) dwarf.	—————	1804.	5. 10.	S. h.	
80	setosus. H.B.	(ye.) bristly.	—————	1820.	S. h.	
81	tortuosus. H.B.	(ye.) twisted.	—————	1808.	6. 9.	S. h.	
82	pentaphyllus. H.B.	(y.) five-leaved.	China.	1825.	7. 9.	S. ♂.	
83	pungens. H.B.	(ye.) pungent.	Nepaul.	—	G. 2.	
84	fragrans. H.B.	(ye.) fragrant.	E. Indies.	1826.	S. h.	
85	Patersonii. DC.	(fl.) Norfolk Island.	Norfolk Isl.	1792.	6. 8.	G. h.	Andr. rep. 286.
	Lagunæa Patersonia.	Bot. mag. 769.	squamea. Vent. malm.	t. 42.			

THESPESIA. DC.	THESPESIA. Monadelphia Polyandria. L.						
populnea. DC. (y.p.)	Poplar-leaved. E. Indies.	1770.	S. h.			Cav. dis. 3. t. 56. f. 1.
<i>Hibiscus populneus.</i> W.							
GOSSYPIUM. DC.	COTTON-TREE. Monadelphia Polyandria. L.						
1 herbaceum. DC. (y.p.)	common. E. Indies.	1594.	7.	S. ♂.			Roxb. corom. t. 269.
2 indicum. DC. (y.p.)	Indian. ————	—	S. ♂.			Cav. dis. 6. t. 169.
3 arboreum. DC. (y.p.)	tree. ————	1694.	7. 8.	S. h.			— 6. t. 195.
4 vitifolium. DC. (y.p.)	Vine-leaved. ————	1805.	—	S. h.			— 6. t. 166.
5 hirsutum. DC. (ye.)	hairy. S. America.	1731.	—	S. ♂.			— 6. t. 167.
6 eglandulosum. DC. (ye.)	glandless.	—	S. ♂.			
7 religiosum. DC. (bh.)	spotted-bark'd. E. Indies.	1777.	—	S. h.			Cav. dis. 6. t. 164. f. 1.
8 latifolium. DC. (ye.p.)	broad-leaved.	—	S. h.			Murr. c. gœt. p. 32. t. 1.
9 barbadosense. DC. (y.p.)	Barbadoes. Barbadoes.	1759.	8. 10.	S. ♂.			Bot. reg. 84.
10 obtusifolium. H.B. (y.p.)	blunt-leaved. E. Indies.	1822.	7. 8.	S. h.			
REDO'UTEA. DC.	REDO'UTEA. Monadelphia Polyandria. L.						
heterophylla. DC. (st.p.)	various-leaved. St. Thomas.	1824.	7. 9.	S. ⊙.			Vent. cels. t. 11.
LOPI'MIA. DC.	LOPI'MIA. Monadelphia Polyandria. L.						
malacophylla. DC. (sc.)	Mallow-leaved. Brazil.	1824.	S. h.			Pl. sel. h. ber. t. 30.
<i>Sida malacophylla.</i> L. en.							
PAL'AVIA. DC.	PAL'AVIA. Monadelphia Polyandria. L.						
1 malvæfolia. DC. (pu.)	Mallow-leaved. Lima.	1794.	6. 8.	H. ⊙.			Cav. dis. 1. t. 11. f. 4.
2 moschata. DC. (pu.)	musk-scented. ————	1822.	—	H. ⊙.			— 1. t. 11. f. 5.
CRIST'ARIA. Ph.	CRIST'ARIA. Monadelphia Polyandria. L.						
? coccinea. Ph. (sc.)	scarlet. Missouri.	1811.	7. 9.	H. ♀.			Bot. mag. 1673.
<i>Málva coccinea.</i> Nut. <i>Sida? coccinea.</i> DC.							
AN'ODA. DC.	AN'ODA. Monadelphia Polyandria. L.						
1 hastata. DC. (bl.wh.)	halberd-leav'd. Mexico.	1799.	6. 7.	S. ⊙.			Bot. rep. 588.
2 triloba. DC. (pu.)	three-lobed. ————	1720.	7. 9.	G. ⊙.			Cav. dis. 1. t. 10. f. 3.
<i>Sida cristata.</i> W. non B.M.							
3 Dilleniana. DC. (ro.)	Dillenius's. ————	1725.	6. 11.	G. ⊙.			Cav. dis. 1. t. 11. f. 1.
<i>Sida cristata.</i> B.M. 330. non W.							
4 triangularis. DC. (pu.)	triangular-ld. ————	1824.	7. 9.	G. ⊙.			
5 incarnata. DC. (fl.)	flesh-color'd. ————	1825.	—	G. ♂.			
6 acerifolia. DC. (bl.)	Maple-leaved. ————	1809.	1. 12.	S. ♂.			Bot. mag. 1541.
<i>Sida hastata.</i> B.M. non W. <i>centrota.</i> s.s.							
7 parviflora. DC. (st.)	small-flowered. New Spain.	1823.	6. 10.	G. ⊙.			Cav. ic. 5. t. 431.
PERI'PTERA. DC.	PERI'PTERA. Monadelphia Polyandria. L.						
punicea. DC. (cr.)	crimson. New Spain.	1813.	6. 9.	S. h.			Bot. mag. 1644.
<i>Sida periptera.</i> B.M. <i>Anoda punicea.</i> Lag.							
NUTTA'LLIA. B.A.	NUTTA'LLIA. Monadelphia Polyandria.						
1 digitata. B.A. (d.p.)	digitate-leaved. N. America.	1824.	7. 10.	H. ♀.			Swt. br. fl. gar. 129.
2 pedata. B.A. (d.pu.)	pedate-leaved. ————	—	—	H. ♀.			Hook. ex. flor. 172.
SIDA. Kth.	SIDA. Monadelphia Polyandria. L.						
1 linifolia. DC. (wh.)	Flax-leaved. S. America.	1822.	6. 9.	S. h.			Cav. dis. 1. t. 2. f. 1.
2 angustifolia. DC. (ye.)	narrow-leaved. Bourbon.	1726.	7. 9.	S. h.			— 1. t. 2. f. 2.
3 linearis. DC. (ye.)	linear-leaved. New Spain.	1820.	6. 10.	G. h.			Cav. ic. 4. t. 312. f. 1.
4 viminea. L. en. (ye.)	slender. Brazil.	1823.	—	S. h.			
5 spinosa. DC. (ye.)	prickly. E. Indies.	1680.	—	S. ♂.			Cav. dis. 1. t. 1. f. 9.
6 acuta. DC. (ye.)	acute-leaved. ————	1827.	—	S. h.			— 1. t. 2. f. 3.
7 alba. DC. (wh.)	white-flowered. ————	1732.	6. 7.	S. ⊙.			Dill. elt. 2. t. 171. f. 210.
8 stipulata. DC. (ye.)	large-stipuled. Mauritius.	1820.	S. h.			Cav. dis. 1. t. 3. f. 10.
9 jamaicensis. DC. (ye.)	Jamaica. Jamaica.	1818.	6. 9.	S. h.			— 1. t. 2. f. 5.
10 bracteolata. DC. (ye.)	bracteolate. S. America.	—	—	S. h.			
11 carpinifolia. DC. (ye.)	Hornbeam-ld. Canaries.	1774.	7. 9.	G. h.			Cav. dis. 5. t. 134. f. 1.
12 carpinoides. DC. (ye.)	Hornbeam-like.	—	S. h.			
13 semicrenata. L. en. (y.)	semicrenate. Manila.	1826.	—	S. ♀.			
14 acerantha. L. en. (ye.)	close-flower'd. Brazil.	—	—	S. h.			
15 spiræifolia. L. en. (ye.)	Spiræa-leaved.	—	S. h.			
16 Schrankii. DC. (ye.)	Schrank's. Brazil.	1824.	—	S. ♀.			
<i>brasila.</i> L. en.							
17 betulina. H. (ye.)	Birch-leaved. S. America.	1823.	—	S. h.			
18 erosa. DC. (ye.)	jagged. Brazil.	—	—	S. ♀.			
19 ciliaris. DC. (cr.)	ciliated. St. Domingo.	1798.	—	S. h.			Cav. dis. 1. t. 3. f. 9.
20 alnifolia. DC. (ye.)	Alder-leaved. E. Indies.	1732.	—	S. ♂.			Dill. elt. t. 172. f. 211.
21 sessiliflora. B.M. (ye.)	sessile-flower'd. S. America.	1826.	11. 2.	S. h.			Bot. mag. 2857.
22 frutescens. DC. (ye.)	frutescent. Mauritius.	1824.	6. 9.	S. h.			Cav. dis. 1. t. 10. f. 1.
23 bicolor. DC. (r.y.)	two-colour'd. New Spain.	1826.	—	S. h.			Cav. ic. 4. t. 311.
24 canariensis. DC. (wh.)	Canary Tea. Canaries.	—	S. h.			Cav. dis. 1. t. 3. f. 8.
<i>alba.</i> Cav. non L.							

25	rhombifolia. DC. (ye.)	rhomboid-ld.	Brazil.	1732.	6. 8.	S. h.	Cav. dis. 1. t. 3. f. 12.
26	rhombóidea. DC. (ye.)	rhomboid.	E. Indies.	1818.	—	S. h.	
27	retusa. DC. (ye.)	retuse-leaved.	—	—	—	S. h.	Cav. dis. 1. t. 3. f. 4.
28	recisa. DC. (ye.)	notched.	Brazil.	1823.	—	S. 2.	
29	calyxhymènia. DC. (st.)	New Holland.	N. Holland.	1820.	—	G. h.	
30	globiflora. B.M. (st.)	globe-flowered.	Mauritius.	1825.	10. 12.	S. h.	Bot. mag. 2821.
31	maculata. DC. (ye.r.)	corky.	St. Domingo.	1798.	S. h.	Cav. dis. 1. t. 3. f. 7.
	suberosa. L. her. stirp. t. 54.						
32	acuminata. DC. (ye.)	acuminate.	St. Domingo.	1805.	7. 9.	S. h.	
33	pilosa. DC. (ye.)	pilose.	W. Indies.	1793.	—	S. ♂.	Cav. dis. 1. p. 9. t. 8.
34	humilis. DC. (ye.)	dwarf.	E. Indies.	1800.	7. 8.	S. ♂.	Cav. dis. 5. t. 134. f. 2.
	unilocularis. L'Herit. stirp. 1. t. 53. bis.						
35	rotundifolia. DC. (pu.)	round-leaved.	Bourbon.	1826.	—	S. ⊙.	Cav. dis. 1. t. 3. f. 6.
36	cordifolia. DC. (ye.)	heart-leaved.	E. Indies.	1732.	6. 9.	S. ⊙.	— 1. t. 3. f. 2.
37	multiflora. DC. (ye.)	many-flowered.	Brazil.	1825.	—	S. h.	— 1. t. 3. f. 3.
38	arguta. DC. (ye.)	sharp-leaved.	W. Indies.	1732.	7. 8.	S. h.	
39	althæifolia. DC. (co.)	Althæa-leaved.	—	1818.	—	S. h.	Sloan. his. 1. t. 136. f. 2.
40	urens. DC. (ye.)	stinging.	—	1781.	—	S. h.	Cav. dis. 1. t. 2. f. 7.
41	verticillata. DC. (ye.)	whorl-flowered.	Brazil.	1823.	—	S. h.	— 1. t. 1. f. 12.
42	paniculata. DC. (d.pu.)	dark purple.	S. America.	1795.	7. 9.	S. h.	— 1. t. 12. f. 5.
	atrosanguinea. Jacq. ic. 1. t. 136.						
43	fruticosa. DC. (wh.)	shrubby.	Jamaica.	6. 10.	S. h.	
44	villosa. DC. (ye.)	villous.	S. America.	—	S. h.	
45	verruculata. DC. (ye.)	wart-stem'd.	Brazil.	1827.	5. 9.	S. h.	
	arguta. F. in L. en. non Swartz.						
46	graveolens. DC. (ye.)	strong-scented.	E. Indies.	1820.	6. 9.	S. 2.	
47	purpurascens. DC. (pu.)	purplish.	Brazil.	—	7. 9.	S. h.	
48	patens. DC. (pu.)	spreading.	Abyssinia.	1806.	—	S. ♂.	Andr. rep. 571.
49	conferta. DC. (st.)	close-flowered.	Brazil.	1826.	—	S. h.	
50	hirsuta. DC. (wh.)	hairy.	—	S. h.	
51	lasiostega. DC. (ye.)	woolly.	Brazil.	1823.	—	S. h.	
52	pentacarpos. DC. (ye.)	five-capsuled.	E. Indies.	1823.	8. 10.	S. ⊙.	
53	triloba. DC. (wh.)	three-lobed.	C. B. S.	1794.	—	G. ♂.	Jacq. schœn. 2. t. 142.
54	ricinoides. DC. (bh.)	Ricinus-like.	Peru.	1826.	7. 10.	H. ⊙.	L'Her. stirp. 1. t. 56.
	palmata. Cav. dis. 1. t. 3. f. 3.						
55	jatrophioides. DC. (vi.)	Jatropha-like.	Peru.	1787.	8.	S. ♂.	L. Her. stirp. 1. t. 56.
	palmata. Jacq. ic. rar. 3. t. 547.						
56	malvæflora. B.R. (bh.)	Mallow-flow'd.	Columbia.	1826.	9. 11.	H. 2.	Bot. reg. 1036.
57	Nap'æa. DC. (wh.)	smooth.	Virginia.	1748.	8. 9.	H. 2.	Bot. mag. 2193.
	Nap'æa læ'vis. L.						
58	dioica. DC. (wh.)	rough.	Virginia.	1759.	8. 9.	H. 2.	Cav. dis. 5. t. 132. f. 2.
BASTARDIA. Kth. BASTARDIA.			Monadelphia	Polyandria. L.			
1	viscosa. K.S. (ye.)	viscous.	S. America.	1822.	7. 8.	S. h.	Sloan. his. 1. t. 139. f. 4.
	Sida viscosa. DC.						
2	foetida. (ye.)	stinking.	Peru.	1795.	7. 8.	S. ⊙.	L. Her. stirp. 1. t. 53.
	Sida foetida. DC. Sida viscosa. L.H.						
GA'YA. Kth. GA'YA.			Monadelphia	Polyandria. L.			
1	occidentalis. H.S. (vi.)	downy.	America.	1732.	7. 8.	S. ⊙.	Cav. dis. 1. t. 4. f. 3.
	Sida occidentalis. DC.						
2	hermannioides. K.S. (y.)	Hermannia-like.	Mexico.	1826.	4. 9.	G. h.	H. et B. n. gen. 5. t. 475.
3	disticha. (ye.)	two-ranked.	New Spain.	1820.	6. 9.	G. h.	Cav. ic. 5. t. 432.
	Sida disticha. Cav.						
4	nutans. (ye.)	nodding.	Peru.	1825.	—	G. h.	L. Her. stirp. 1. t. 57.
	Sida nutans. DC. calyptrata. Cav.						
AB'UTILON. Kth. AB'UTILON.			Monadelphia	Polyandria. L.			
1	periplocifolium. (st.)	Periploca-ld.	India.	1691.	7. 8.	S. ♂.	Cav. dis. 1. t. 5. f. 2.
	Sida periplocifolia. DC.						
2	ferrugineum. K.S. (ye.)	ferruginous.	Peru.	1822.	7. 8.	S. h.	
3	hernandioides. (ye.)	Hernandia-ld.	Hispaniola.	1798.	S. h.	L. Her. stirp. 1. t. 58.
4	lucianum. (wh.)	St. Lucian.	St. Lucia.	1822.	S. h.	
	Sida luciana. DC.						
5	Lechenaultianum. (ye.)	Lechenault's.	E. Indies.	1820.	S. h.	
	Sida Lechenaultiana. DC.						
6	nudiflorum. (ye.)	naked-flower'd.	Peru.	1731.	5. 6.	S. h.	L. Her. stirp. 1. t. 59.
7	polyanthon. (ye.)	many-flowered.	1822.	—	S. h.	
	Sida polyantha. DC.						
8	contractum. (ye.)	contracted.	Madagascar.	1826.	5. 7.	S. h.	
	Sida contracta. L. en.						
9	auritum. (co.)	eared-stipuled.	Java.	1820.	12. 3.	S. h.	Bot. mag. 2495.
	Sida aurita. B.M.						

10	triquètrum.	(ye.) triangular.	W. Indies.	1775.	7. 8.	S. h.	Jacq. vind. 2. t. 118.
11	incàntum.	(ye.) hoary.	Sandwich Isl.	1821.	—	S. h.	
	<i>Sida incàna.</i> L. en.						
12	pulchèllum.	(wh.) neat.	N. Holland.	—	—	S. h.	Bonpl. nav. t. 2.
13	umbellàtum.	(ye.) umbelled.	Jamaica.	1788.	7. 9.	S. ♂.	Jacq. vind. t. 56.
14	gigànteum.	(ye.) gigantic.	Caracas.	1823.	S. h.	Jacq. schoenb. 2. t. 141.
15	refléxum.	(re.) reflex-flowered.	Peru.	1799.	7. 8.	S. h.	Cav. dis. 1. t. 7.
16	crispum.	(wh.) curled.	America.	1726.	—	H. ⊙.	— 1. t. 7. f. 1.
17	virgàtum.	(ye.) twiggy.	Peru.	1820.	—	S. h.	Cav. ic. 1. t. 73.
18	arbòreum.	(pu.) great-flowered.	—	1772.	—	S. h.	L. her. stirp. 1. t. 63.
19	Mauritiànum.	(ye.) hairy-capsuled.	Mauritius.	1789.	7. 9.	S. h.	Jacq. ic. 1. t. 137.
	<i>Sida planiflòra.</i> Cav. dis. 1. t. 7. f. 4.						
20	tiliæfòlium.	(ye.) Lime-tree-ld.	China.	1820.	—	S. ⊙.	Jacq. f. ecl. 1. t. 35.
21	mùticum.	awnless.	Egypt.	1825.	8. 10.	H. ⊙.	
	<i>Sida mùtica.</i> DC.						
22	Avicènnæ. G.	(ye.) broad-leaved.	S. France.	1596.	6. 8.	H. ⊙.	Houtt. syst. 8. t. 61.
	<i>Sida Abùtilon.</i> DC.						
23	americànum.	(ye.) American.	Jamaica.	1730.	6. 8.	S. ⊙.	
	<i>Sida americàna.</i> DC.						
24	asiàticum.	(ye.) small-flowered.	E. Indies.	1768.	7. 8.	S. ⊙.	Cav. dis. 1. t. 7. f. 2.
25	populifòlium.	(ye.) Poplar-leaved.	—	1796.	—	S. ⊙.	— 1. t. 7. f. 9.
26	hirtum.	(ye.) hairy.	—	1820.	—	S. ⊙.	Rumph. amb. 4. t. 10?
	<i>Sida hirta.</i> DC.						
27	mòlle.	(ye.) large-leaved.	Peru.	1817.	10. 12.	S. h.	Bot. mag. 2759.
	<i>Sida móllis.</i> DC. <i>grandifolia.</i> Bot. reg. 360.						
28	mollissimum.	(st.) soft-leaved.	Peru.	1789.	6. 7.	S. ♂.	Cav. dis. 2. t. 14. f. 1.
29	permòlle.	(ye.) woolly-leaved.	—	1818.	—	S. h.	
	<i>Sida permóllis.</i> DC.						
30	cornùtum.	(ye.) horned.	S. America.	1827.	—	S. h.	
	<i>Sida cornùta.</i> W. enum.						
31	indicum.	(ye.) Indian.	E. Indies.	1731.	7. 8.	S. ⊙.	Cav. dis. 1. t. 7. f. 10.
32	vesicàrium.	(st.) bladdered.	Mexico.	1796.	—	S. h.	— 2. t. 14. f. 3.
33	glàucum.	(ye.) glaucous.	Senegal.	1822.	—	S. h.	Cav. ic. 1. t. 11.
34	álbidum.	(ye.) white-leaved.	Canaries.	—	—	G. h.	
	<i>Sida álbida.</i> DC.						
35	mollicòmum.	(ye.) soft.	1804.	7. 9.	S. h.	
	<i>Sida sericea.</i> Cav? <i>Sida mollicòma.</i> DC.						
36	Sonneratiànum.	(ye.) Sonnerat's.	C. B. S.	1806.	6. 7.	G. ♂.	Cav. dis. 1. t. 6. f. 4.
	LAGUN'EA. DC. LAGUN'EA. Monadelphia Polyandria. L.						
1	lobàta. DC.	(wh.) Maple-leaved.	Bourbon.	1787.	7. 8.	S. ⊙.	Cav. dis. 5. t. 136. f. 1.
2	sinuàta. DC.	(wh.) sinuate.	—	S. ⊙.	

ORDO XXIX.

BOMBACEÆ. DC. *prodr.* 1. p. 475.

HELICTERES. DC.		SCREW-TREE.		Monadelphia Dodecandria. L.			
1	Isòra. DC.	(re.) great-fruited.	E. Indies.	1733.	6. 7.	S. h.	Bot. mag. 2061.
2	baruénsis. DC.	(wh.) small-fruited.	W. Indies.	1739.	9. 10.	S. h.	Jacq. amer. t. 149.
3	jamaicénsis. DC.	(wh.) broad-leaved.	—	—	6. 7.	S. h.	Jacq. vind. 2. t. 143.
4	guazumæfòlia. DC.	(pu.) Guazuma-ld.	S. America.	1820.	6. 8.	S. h.	
5	verbascifòlia. DC.	(re.) Verbascum-ld.	Brazil.	—	—	S. h.	Lodd. bot. cab. 504.
6	ferruginàta. DC.	(ye.) yellow-flow'r d.	—	—	—	S. h.	
7	lanceolàta. DC.	(pu.) spear-leaved.	E. Indies.	1823.	S. h.	
8	spicàta. H. B.	(pu.) spike-flowered.	—	—	S. h.	
	MYR'ODIA. DC. MYR'ODIA. Monadelphia Dodecandria. L.						
	turbinàta. DC.	(wh.) short-flowered.	W. Indies.	1793.	S. h.	Fl. mex. ic. ined.
	PLAGIA'NTHUS. DC. PLAGIA'NTHUS. Monadelphia Dodecandria.						
	divaricàtus. DC. small-leaved.	New Zealand.	1821.	G. h.	Forst. gen. t. 43.
	ADANSONIA. DC. SOUR-GOURD. Monadelphia Polyandria. L.						
	digitàta. DC.	(wh.) palmate.	Senegal.	1724.	S. 5.	Bot. mag. 2791-2792.

CAROLINEA. DC.	CAROLINEA.	Monadelphia Polyandria.	L.				
1 princeps. DC.	(re.) digitated.	W Indies.	1787.	S. h.	Aub. gui. 2. t. 291-2.	
	<i>Páchira aquática.</i> A.						
2 insignis. DC.	(sc.) great-flowered.	—————	1796.	S. h.	Lodd. bot. cab. 1001.	
3 robusta. L.C.	(re.) robust.	S. America.	1825.	S. h.		
4 fastuosa. DC.	(cr.) crimson.	New Spain.	————	S. h.	Hern. mex. 68. ic.	
5 minor. DC.	(re.) lesser.	Guiana.	1798.	7. 8.	S. h.	Bot. mag. 1412.	
6 álba. B.C.	(wh.) white-flowered.	Brazil.	————	S. h.	Lod. bot. cab. 752.	
BOMBAX. DC.	SILK-COTTON-TREE.	Monadelphia Polyandria.					
1 Céiba. DC.	(ro.) five-leaved.	S. America.	1692.	S. h.	Jacq. am. t. 176. f. 1.	
	<i>quinatum.</i> Jacq.						
2 septenatum. DC. seven-leaved.	—————	1699.	S. h.		
	<i>heptaphyllum.</i> L. non Cav.						
3 malabáricum. DC.	(sc.) Malabar.	E. Indies.	S. h.	Roxb. cor. 3. t. 247.	
	<i>heptaphyllum.</i> Roxb. non L.						
4 globosum. DC.	(pa.) globe-fruited.	Guiana.	1824.	S. h.	Aubl. guian. 2. t. 281.	
5 buonopozense. DC.	(cr.) African.	Africa.	1822.	S. h.	Beauv. fl. ow. 2. t. 83.	
ERIODE'NDRON. DC.	ERIODE'NDRON.	Monadelphia Dodecandria.					
1 leianthèrum. DC.	(wh.) Brazilian.	Brazil.	1822.	S. h.	Cav. dis. 5. t. 152. f. 1.	
	<i>Bombax eriánthos.</i> Cav.						
2 anfractuòsum. DC.	(st.) twisted-anther'd	1739.	S. h.	Cav. dis. 5. t. 151.	
	<i>Bombax pentándrum.</i> L.						
α indicum. DC.	(ye.) East Indian.	E. Indies.	————	S. h.	Rheed. mal. 3. t. 49. 51.	
β caribæum. DC.	(ro.) West Indian.	W. Indies.	————	S. h.	Jacq. am. t. 176. f. 70.	
γ africanum. DC.	(cr.) African.	Africa.	1823.	S. h.		
OCHR'OMA. DC.	OCHR'OMA.	Monadelphia Pentandria.	L.				
1 Lagòpus. DC.	(wh.) downy-leaved.	Jamaica.	1802.	S. h.	Sw. fl. 2 t. 23.	
2 tomentosa. DC.	(wh.) woolly-leaved.	S. America.	1816.	S. h.		
CHEIROST'EMON. DC.	CHEIROST'EMON.	Monadelphia Decandria.					
platanoides. DC.	(wh.) plane-leaved.	New Spain.	1820.	11. 1.	S. h.	H. et B. pl. æq. 1. t. 24.	
	<i>Chiranthodéndron.</i> Larr. dis. ic.						

ORDO XXX.

BUTTNERIACEÆ. Kunth Synops. 3. p. 266.

Tribus I. STERCULIÆ. DC. prodr. 1. p. 481.

STERCULIA. DC.	STERCULIA.	Monœcia Monadelphia.	L.				
1 Balánghas. DC.	(st.) many-seeded.	E. Indies.	1787.	6. 9.	S. h.	Rheed. mal. 1. t. 49.	
2 nòbilis. DC.	(st.) few-seeded.	China.	————	————	S. h.	Bot. reg. 185.	
	<i>Balánghas.</i> B.R. <i>Southwellia nòbilis.</i> Par. Lond. 69.						
3 acuminàta. DC.	(ye.) taper-pointed.	Africa.	1822.	S. h.	Beau. fl. ow. 1. t. 24.	
4 grandiflòra. DC.	(ye.) large-flowered.	E. Indies.	1820.	S. h.		
5 coccínea. DC.	(re.) scarlet-fruited.	—————	————	————	S. h.		
6 angustifòlia. DC.	(ye.) narrow-leaved.	Nepaul.	1823.	S. h.		
7 guttàta. DC.	(fl.) spotted.	E. Indies.	1819.	S. h.	Rheed. mal. 4. t. 61.	
8 heterophy'lla. DC.	(ye.) various-leaved.	Africa.	1824.	S. h.	Beauv. fl. ow. 1. t. 40.	
9 Ivira. DC.	(fl.) hairy capsuled.	W. Indies.	1723.	S. h.	Aub. gui. 2. t. 279.	
	<i>crinita.</i> Cav. dis. 5. t. 162.						
10 macrophy'lla. DC.	(ye.) large-leaved.	E. Indies.	1822.	S. h.		
11 platanifòlia. DC.	(gr.) Plane-leaved.	China.	1757.	7.	G. h.	Cav. dis. 5. t. 145.	
12 coloràta. DC.	(re.) scarlet.	E. Indies.	1818.	S. h.	Roxb. cor. 1. t. 25.	
13 ùrens. DC.	(gr.) stinging.	—————	1793.	6. 9.	S. h.	————— 1. t. 24.	
14 villòsa. DC. vilous-leaved.	—————	1818.	S. h.		
15 fœ'tida. DC.	(fl.) fetid.	—————	1690.	S. h.	Cav. dis. 5. t. 145.	
HERITIE'RA. DC.	LOOKING-GLASS PLANT.	Diœcia Monadelphia.					
1 littoràlis. DC.	(re.) large-leaved.	E. Indies.	1780.	S. h.	Rheed. mal. 6. t. 21.	
2 minor. DC. small-leaved.	—————	1816.	S. h.	Gært. fr. 2. t. 98. f. 2.	

Tribus II. *BUTTNERIÆ*.

THEOBR'OMA. DC.		CHOCOLATE-NUT. Polyadelphia Decandria. L.			
1	<i>Cacão. DC.</i>	(<i>ye.</i>) smooth-leaved.	S. America.	1739. 6. 9.	S. h. Lodd. bot. cab. 545.
2	<i>guianénsis. DC.</i>	(<i>ye.</i>) woolly-leaved.	Guiana.	1803.	S. h. Aub. gui. 2. t. 275.
3	<i>carib'æa.</i>	(<i>ye.</i>) Caribbean.	W. Indies.	1821.	S. h.
4	<i>bicolor. DC.</i>	(<i>re.</i>) two-coloured.	S. America.	1820.	S. h. H. et B. pl. eq. 1. t. 30.
ABR'OMA. DC.		ABR'OMA. Polyadelphia Dodecandria. L.			
1	<i>angústa. DC.</i>	(<i>d. pu.</i>) smooth-stalked.	E. Indies.	1770. 6. 9.	S. h. Bot. reg. 518.
2	<i>fastuósa. DC.</i>	(<i>d. pu.</i>) rough-stalked.	N. Holland.	1800. —	S. h. Sal. par. lond. 102.
3	<i>móllis. DC.</i>	(<i>d. pu.</i>) soft.	Moluccas. —	S. h.
GUAZUMA. DC.		BASTARD CEDAR. Polyadelphia Dodecandria. L.			
1	<i>ulmifolia. DC.</i>	(<i>ye.</i>) Elm-leaved.	W. Indies.	1739. 8. 9.	S. h. Trew ehret. t. 76.
	<i>Bubròma Guazúma. W.</i>				
2	<i>tomentósa. DC.</i>	(<i>ye.</i>) tomentose.	S. America. —	S. h.
3	<i>polybòtrya. DC.</i>	(<i>ye.</i>) velvety.	W. Indies. —	S. h. Cav. ic. 3. t. 299.
COMMERS'ONIA. DC.		COMMERS'ONIA. Pentandria Pentagynia. L.			
1	<i>echinàta. DC.</i>	(<i>wh.</i>) oval-leaved.	Moluccas.	1806. 6. 7.	S. h. Rumph. amb. 3. t. 119.
2	<i>platyph'ylla. DC.</i>	(<i>wh.</i>) broad-leaved.	—	— —	S. h. And. bot. rep. 519.
RULINGIA. Br.		RULINGIA. Pentandria Pentagynia. L.			
1	<i>dasyphy'lla.</i>	(<i>wh.</i>) hairy-leaved.	N. Holland.	1808. 4. 7.	G. h. Bot. rep. 603.
	<i>Commersònia dasyphy'lla. A.R. Byttneria dasyphy'lla. DC.</i>				
2	<i>pannósa. B.M.</i>	(<i>wh.</i>) cloth-leaved.	N. Holland.	1819. 4. 7.	G. h. Bot. mag. 2191.
3	<i>hermanniæfolia. DC.</i>	(<i>w.</i>) <i>Hermannia</i> -ld.	—	— —	G. h.
BUTTNERIA. L.		BUTTNERIA. Pentandria Monogynia. L.			
1	<i>herbácea. DC.</i>	(<i>wh.</i>) herbaceous.	E. Indies.	1820. 4. 7.	S. 2. Roxb. cor. 1. t. 29.
2	<i>grandifolia. DC.</i>	(<i>wh.</i>) large-leaved.	—	— —	S. h.
3	<i>catalpæfolia. DC.</i>	(<i>wh.</i>) <i>Catalpa</i> -leav'd.	Caracas.	1823.	S. h. Jacq. schoenb. 1. t. 46.
4	<i>cordata. DC.</i>	(<i>wh.</i>) heart-leaved.	Peru.	—	S. h. Cav. dis. 5. t. 150.
5	<i>microphylla. DC.</i>	(<i>va.</i>) small-leaved.	S. America.	1816.	S. h. — 5. t. 148. f. 2.
6	<i>scàbra. DC.</i>	(<i>wh.</i>) rough.	—	1793. 7. 8.	S. h. — 5. t. 148. f. 1.
AYENIA. DC.		AYENIA. Pentandria Monogynia.			
1	<i>pusilla. DC.</i>	(<i>pu.</i>) small.	Jamaica.	1756. 7. 9.	S. 3. Mill. ic. t. 118.
2	<i>lævigàta. DC.</i>	(<i>cr.</i>) smooth.	— —	S. h.
KLEINH'OVIA. DC.		KLEINH'OVIA. Monadelphina Dodecandria.			
	<i>Hóspita. DC.</i>	(<i>pu.</i>) purple-flower'd.	Moluccas.	1800. 7. 9.	S. h. Cav. dis. 5. t. 146.

Tribus III. *LASIOPEALEÆ. DC.*

SERINGIA. DC.		SERINGIA. Pentandria Monogynia.			
	<i>platyphy'lla. DC.</i>	(<i>wh.</i>) broad-leaved.	N. Holland.	1802. 4. 7.	G. h. Gay dis. p. 13. t. 1. 2.
	<i>Lasiopétalum arboréscens. H.K.</i>				
LASIOPE'TALUM. DC.		LASIOPE'TALUM. Pentandria Monogynia.			
1	<i>ferrugineum. DC.</i>	(<i>wh.</i>) rusty.	N. Holland.	1791. 4. 7.	G. h. Bot. mag. 1766.
2	<i>parviflorum. DC.</i>	(<i>wh.</i>) small-flowered.	—	1810. —	G. h. Linn. trans. 10. t. 19. f. 2.
THOMASIA. DC.		THOMASIA. Pentandria Monogynia.			
1	<i>purpúrea. DC.</i>	(<i>pu.</i>) purple.	N. Holland.	1803. 4. 7.	G. h. Bot. mag. 1755.
	<i>Lasiopétalum purpúreum. H.K. coccineum. Donn. cant.</i>				
2	<i>foliòsa. DC.</i>	(<i>wh.</i>) leafy.	N. Holland.	1822. —	G. h. Gay dis. p. 24. t. 7.
3	<i>solanàcea. DC.</i>	(<i>wh.</i>) <i>Solanum</i> -like.	—	1803. —	G. h. — p. 26. t. 6.
	<i>Lasiopétalum solanàceum. B.M. 1486.</i>				
4	<i>quercifolia. DC.</i>	(<i>pu.</i>) Oak-leaved.	—	— —	G. h. Bot. mag. 1485.

Tribus IV. *HERMANNIÆ. DC.*

MEL'OCHEIA. DC.		MEL'OCHEIA. Monadelphina Pentandria. DC.			
1	<i>pyramidàta. DC.</i>	(<i>vi.</i>) pyramidal.	Brazil.	1768. 7. 8.	S. h. Jacq. vind. 1. t. 30.
2	<i>tomentósa. DC.</i>	(<i>vi.</i>) downy.	W. Indies.	— 5. 6.	S. h. Cav. dis. 6. t. 172. f. 2
3	<i>parvifolia. DC.</i>	(<i>wh.</i>) small-leaved.	Caracas.	1823.	S. h.

RIEDLE'IA. DC.		RIEDLE'IA. Monadelphica Pentandria. L.					
1	velutina. DC.	soft-leaved.	E. Indies.	1820.	6. 8.	S. h.	
2	depressa. DC.	(st.) depressed.	Havannah.	—	—	S. h.	
3	supina. DC.	procumbent.	E. Indies.	1823.	—	S. ♂.	Pluk. alm. t. 232. f. 4.
4	corchorifolia. DC.	(bh.) Corchorus-ld.	—	1732.	7. 8.	S. ⊙.	Dill. elt. t. 176. f. 217
	<i>Melochia corchorifolia.</i> L.						
5	nodiflora. DC.	(wh.) knot flowered.	S. America.	1823.	—	S. h.	Sloan. his. t. 135. f. 2.
	<i>Mougeotia nodiflora.</i> Kth. <i>Melochia nodiflora.</i> Sw.						
6	caracasana. DC.	(wh.) Caracas.	Caracas.	1823.	—	S. h.	Jacq. ic. 3. t. 507.
	<i>Mougeotia caracasana.</i> Kth. <i>Melochia caracasana.</i> Jacq.						
7	serrata. DC.	(pu.) saw-leaved.	St. Domingo.	1827.	6. 8.	S. ♀.	Vent. choix. t. 37.
WALTH'ERIA. DC.		WALTH'ERIA. Monadelphica Pentandria. L.					
1	americana. DC.	(ye.) American.	S. America.	1691.	5. 10.	S. h.	Jacq. ic. 1. t. 130.
2	glabra. DC.	(ye.) smooth.	W. Indies.	1823.	—	S. ♀.	Schrank. h. mon. t. 55.
	<i>lavis.</i> L. en.						
3	indica. DC.	(ye.) Indian.	E. Indies.	1759.	6. 8.	S. h.	Burm. zeyl. t. 68.
4	elliptica. DC.	(ye.) woolly-leaved.	—	1812.	—	S. h.	Cav. dis. 6. t. 171. f. 2.
5	microphylla. DC.	(ye.) small-leaved.	—	1823.	—	S. h.	— 6. t. 170. f. 2.
HERMA'NNIA. DC.		HERMA'NNIA. Monadelphica Pentandria. L.					
1	multifida. DC.	(ye.) multifid-leaved.	C. B. S.	1825.	5. 8.	G. h.	
2	halicacaba. DC.	(ye.) bladder-calyx'd.	—	1820.	—	G. h.	
3	comosa. DC.	(ye.) tufted.	—	—	1. 12.	G. h.	
4	althæifolia. DC.	(ye.) Althæa-leaved.	—	1728.	3. 7.	G. h.	Bot. mag. 307.
5	althæoides. L. en.	(ye.) Althæa-like	—	—	—	G. h.	
6	plicata. DC.	(ye.) plaited-leaved.	—	1774.	11. 12.	G. h.	Jacq. schœnb. 2. t. 213.
7	candicans. DC.	(ye.) white-leaved.	—	—	4. 6.	G. h.	— 1. t. 117.
8	mollis. DC.	(ye.) soft-leaved.	—	1818.	—	G. h.	
9	decumbens. DC.	(ye.) decumbent.	—	—	—	G. h.	
10	hyssopifolia. DC.	(ye.) Hyssop-leaved.	—	1725.	—	G. h.	Cav. dis. 6. t. 181. f. 3.
11	trifoliata. DC.	(ye.) three-leaved.	—	1752.	5. 8.	G. h.	— 6. t. 182. f. 2.
12	triphylla. DC.	(st.) three-parted.	—	1820.	—	G. h.	— 6. t. 178. f. 3.
13	glandulosa. DC.	(ye.) glandular.	—	—	—	G. h.	
14	fragrans. DC.	(ye.) fragrant.	—	—	—	G. h.	
15	disermæfolia. DC.	(ye.) simple-flow'r'd.	—	1795.	3. 4.	G. h.	Jacq. schœnb. 1. t. 121
16	disticha. DC.	(ye.) round-leaved.	—	1789.	5. 8.	G. h.	S. et Wend. sert. h. t. 10.
	<i>rotundifolia.</i> Jacq. schœn 3. t. 121.						
17	melochioides. DC.	(ye.) Melochia-like.	—	1818.	—	G. h.	
18	bryonifolia. DC.	(ye.) Bryony-leaved.	—	—	—	G. h.	
19	salvifolia. DC.	(ye.) Sage-leaved.	—	1795.	4. 6.	G. h.	Cav. dis. 6. t. 180. f. 2.
20	micans. DC.	(y.or.) glittering.	—	1790.	5. 8.	G. h.	S. et Wend. s. han. t. 5.
	<i>latifolia.</i> Jacq. schœn. 3. t. 119.						
21	involverata. DC.	(st.) involucred.	—	1794.	5. 6.	G. h.	Cav. dis. 6. t. 177. f. 1.
22	scordifolia. DC.	(or.y.) Germander-ld.	—	—	4. 11.	G. h.	Jacq. schœn. 1. t. 120.
23	denudata. DC.	(ye.) smooth.	—	1774.	5. 7.	G. h.	— 1. t. 122.
24	alnifolia. DC.	(ye.) Alder-leaved.	—	1728.	2. 5.	G. h.	Bot. mag. 299.
25	cuneifolia. DC.	(ye.) wedge-leaved.	—	1791.	8. 9.	G. h.	Jacq. schœn. 1. t. 124.
26	holosericea. DC.	(ye.) velvet-leaved.	—	1792.	5. 6.	G. h.	— 3. t. 292.
27	hirsuta. DC.	(ye.) hairy-branch'd.	—	1790.	—	G. h.	S. et Wend. s. h. 1. t. 4.
28	scabra. DC.	(ye.) rough-leaved.	—	1789.	3. 4.	G. h.	Jacq. schœn. 1. t. 127.
29	multiflora. DC.	(ye.) many-flowered.	—	1791.	3. 5.	G. h.	— 1. t. 128.
30	flammea. DC.	(re.) flame-flowered.	—	1794.	1. 12.	G. h.	Bot. mag. 1349.
31	angulâris. DC.	(or.) angular-calyx'd.	—	1791.	4. 5.	G. h.	Jacq. schœn. 1. t. 126.
32	trifurcata. DC.	(re.) three-forked.	—	1789.	4. 7.	G. h.	— 1. t. 125.
33	odorata. DC.	(re.) sweet-scented.	—	1780.	2. 10.	G. h.	
34	lavandulæfolia. DC.	(y.) Lavender-ld.	—	1732.	5. 9.	G. h.	Bot. mag. 304.
35	velutina. DC.	(ye.) mucronate.	—	1818.	—	G. h.	
36	filifolia. DC.	(or.) thread-leaved.	—	1816.	5. 8.	G. h.	Jacq. schœn. 1. t. 123
37	procumbens. DC.	(st.) procumbent.	—	1792.	5. 6.	G. h.	Cav. dis. 6. t. 177. f. 2.
38	tenuifolia. DC.	(ye.) slender-leaved.	—	—	6. 7.	G. h.	Bot. mag. 1348.
39	incisa. DC.	(ye.) cut-leaved.	—	1806.	—	G. h.	
40	pulverata. DC.	(or.) powdered.	—	1800.	5. 8.	G. h.	And. bot. rep. 164.
41	argentea. DC.	(or.) silvery-leaved.	—	1818.	—	G. h.	
42	coronopifolia. DC.	(ye.) Buckshorn-ld.	—	—	6. 8.	G. h.	
43	hispidula. s.s.	(ye.) bristly.	—	1823.	3. 8.	G. h.	
MAHE'RNIA. DC.		MAHE'RNIA. Monadelphica Pentandria.					
1	verticillata. DC.	(ye.) whorl-leaved.	C. B. S.	1820.	6. 8.	G. h.	Cav. dis. 6. t. 176. f. 1.
2	resedæfolia. DC.	(re.) Reseda-leaved.	—	1818.	—	G. h.	
3	bipinnata. DC.	(re.) winged-leaved.	—	1752.	—	G. h.	Bot. mag. 277.
	<i>pinnata.</i> B.M.						

4	<i>incisa</i> . DC.	(<i>st.</i>) cut-leaved.	C. B. S.	1792.	7. 9.	G. h̄.	Bot. mag. 353.
5	<i>diffusa</i> . DC.	(<i>ye.</i>) diffuse.	————	1774.	6. 8.	G. h̄.	Lodd. bot. cab. 187.
6	<i>heterophylla</i> . DC.	(<i>ye.</i>) various-leaved.	————	1731.	4. 5.	G. h̄.	Cav. dis. 6. t. 178. f. 1.
	<i>Hermánia grossulariæfolia</i> . L.						
7	<i>seselifolia</i> . DC.	(<i>ye.</i>) Seseli-leaved.	————	1818.	6. 8.	G. h̄.	
8	<i>pulchella</i> . DC.	(<i>re.</i>) neat.	————	1792.	7. 9.	G. h̄.	Cav. dis. 6. t. 177. f. 3.
9	<i>glabrata</i> . DC.	(<i>ye.</i>) sweet-scented.	————	1789.	4. 5.	G. h̄.	Jacq. schœnb. 1. t. 53.
	<i>odorata</i> . A.R. 85.						
10	<i>vesicaria</i> . DC.	(<i>ye.</i>) inflated.	————	1818.	—	G. h̄.	Cav. dis. 6. t. 181. f. 2.
11	<i>grandiflora</i> .	(<i>sc.</i>) great-flowered.	————	1791.	5. 8.	G. h̄.	
	<i>Hermánia grandiflora</i> . H.K.						
12	<i>Burchellii</i> .	(<i>sc.</i>) Burchell's.	————	1818.	—	G. h̄.	Bot. reg. 224.
	<i>grandiflora</i> . B.R. non H.K.						
13	<i>biserrata</i> . DC.	(<i>ye.</i>) double-tooth'd.	————	1825.	—	G. h̄.	Cav. dis. 6. t. 200. f. 2.

Tribus V. *DOMBEYACEÆ*. DC.

RUI'ZIA. DC.		RUI'ZIA. Monadelphia Polyandria. L.					
1	<i>lobata</i> . DC.	(<i>ye.</i>) lobed-leaved.	Bourbon.	1820.	S. h̄.	Cav. dis. 3. t. 36. f. 1.
2	<i>variabilis</i> . DC.	(<i>bh.</i>) various-leaved.	————	1792.	5.	S. h̄.	Jacq. schœnb. 3. t. 295.
PENTAP'ETES. DC.		PENTAP'ETES. Monadelphia Dodecandria. L.					
1	<i>phœnicea</i> . DC.	(<i>cr.</i>) scarlet-flower'd.	India.	1690.	7. 8.	S. ♂.	Bot. reg. 575.
2	<i>ovata</i> . DC.	(<i>sn.</i>) oval-leaved.	New Spain.	1805.	6. 9.	S. ♂.	Cav. ic. 5. t. 433.
	<i>Brotèra ovata</i> . Cav.						
ASS'ONIA. DC.		ASS'ONIA. Monadelphia Dodecandria.					
1	<i>populnea</i> . DC.	(<i>wh.</i>) Poplar-leaved.	Bourbon.	1822.	S. h̄.	Cav. dis. 3. t. 42. f. 3.
2	<i>viburnoides</i> . DC.	(<i>wh.</i>) Viburnum-ld.	————	—	S. h̄.	
DOMB'EYA. DC.		DOMB'EYA. Monadelphia Dodecandria.					
1	<i>cordifolia</i> . DC.	(<i>wh.</i>) heart-leaved.	E. Indies.	1820.	S. h̄.	
2	<i>ferruginea</i> . DC.	(<i>wh.</i>) rusty.	Mauritius.	1815.	S. h̄.	Cav. dis. 3. t. 42. f. 2.
3	<i>ovata</i> . DC.	(<i>wh.</i>) oval-leaved.	Bourbon.	1822.	S. h̄.	———— 3. t. 41. f. 2.
MEL'HANIA. DC.		MEL'HANIA. Monadelphia Pentandria.					
1	<i>Erythroxylon</i> . DC.	(<i>wh.</i>) red-wood.	St. Helena.	1722.	5. 8.	S. h̄.	Bot. mag. 1000.
2	<i>Melanoxylon</i> . DC.	(<i>wh.</i>) black-wood.	————	1800.	7. 8.	S. h̄.	Pluk. mant. 6. t. 333. f. 5.
3	<i>Burchellii</i> . DC.	(<i>wh.</i>) Burchell's.	C. B. S.	1818.	—	S. h̄.	
PTEROSPE'RMUM. DC.		PTEROSPE'RMUM. Monadelphia Dodecandria.					
1	<i>acerifolium</i> . DC.	(<i>wh.</i>) Maple-leaved.	E. Indies.	1790.	7. 9.	S. h̄.	Bot. mag. 620.
2	<i>suberifolium</i> . DC.	(<i>wh.</i>) various-leaved.	————	1783.	9. 10.	S. h̄.	———— 1525.
3	<i>lanceæfolium</i> . DC.	(<i>w.</i>) lance-leaved.	————	1818.	—	S. h̄.	
4	<i>canescens</i> . H.B.	(<i>wh.</i>) canescent.	Ceylon.	—	—	S. h̄.	
5	<i>semisagittatum</i> . DC.	(<i>w.</i>) fringe-bracted.	E. Indies.	—	—	S. h̄.	
ASTRAP'ÆA. DC.		ASTRAP'ÆA. Monadelphia Dodecandria.					
1	<i>Wallichii</i> . DC.	(<i>sc.</i>) Wallich's.	Mauritius.	1820.	12. 1.	S. h̄.	Bot. reg. 691.
2	<i>viscosa</i> .	viscous.	Madagascar.	1823.	S. h̄.	
3	<i>tiliæfolia</i> .	(<i>wh.</i>) Lime-leaved.	Bourbon.	1824.	S. h̄.	
KY'DIA. DC.		KY'DIA. Monadelphia Dodecandria.					
1	<i>calycina</i> . DC.	(<i>wh.</i>) calycine.	E. Indies.	1818.	S. h̄.	Roxb. cor. 3. t. 215.
2	<i>fraterna</i> . DC.	(<i>wh.</i>) long-stamen'd.	————	1823.	S. h̄.	———— 3. t. 216.

Tribus VI. *WALLICHIEÆ*. DC.

ERIOLE'ÆNA. DC.		ERIOLE'ÆNA. Monadelphia Polyandria.					
	<i>Wallichii</i> . DC.	Wallich's.	E. Indies.	1823.	S. h̄.	DC. m. mus. 10. p. 102. ic.

ORDO XXXI.

TILIACEÆ. DC. prodr. 1. p. 503.

ENTELEA. B.M.	CORK-TREE. Polyandria Monogynia.						
arboréscens. B.M. (wh.)	New Zealand.	N. Zealand.	1821.	5. 6.	G. h.		Bot. mag. 2180.
SPARRMA'NNIA. DC.	SPARRMA'NNIA. Polyandria Monogynia. L.						
1 africàna. DC. (wh.)	African.	C. B. S.	1790.	3. 7.	G. h.		Bot. mag. 516.
2 rugòsa. Bhi. (wh.)	rugged-leaved.	————	1825.	3. 6.	G. h.		
HELIOCA'RPUS. DC.	HELIOCA'RPUS. Dodecandria Monogynia.						
americàna. DC. (wh.)	American.	Vera Cruz.	1733.	S. h.		Trew ehret. t. 45.
CO'RCHORUS. DC.	CO'RCHORUS. Polyandria Monogynia. L.						
1 siliquòsus. DC. (ye.)	Germander-ld.	S. America.	1732.	6. 8.	S. 4.		Jacq. vind. 3. t. 59.
2 foliòsus. s.s. (ye.)	leafy.	Cuba.	1827.	—	S. 4.		
3 hírtus. DC. (ye.)	hairy.	S. America.	1820.	—	S. 4.		Plum. ed. B. t. 103. f. 2.
4 pilolòbus. DC. (ye.)	hairy-podded.	————	—	—	S. 4.		
5 americànus. Sek. (ye.)	American.	S. America.	1825.	—	S. h.		
6 triloclàris. DC. (ye.)	three-celled.	Arabia.	1790.	7. 8.	S. ⊙.		Jacq. vind. 2. t. 173.
7 olitòrius. DC. (ye.)	bristly-leaved.	India.	1640.	6. 8.	S. ⊙.		Bot. mag. 2810.
8 æ'stuans. DC. (ye.)	Hornbeam-ld.	S. America.	1731.	6. 7.	S. ⊙.		Jacq. vind. 1. t. 85.
9 acutángulus. DC. (ye.)	acute-angled.	India.	1816.	—	S. h.		Pluk. phyt. t. 41. f. 1.
10 capsulàris. DC. (ye.)	heart-leaved.	E. Indies.	1725.	—	S. ⊙.		Jacq. f. eclog. 2. t. 120.
11 hirsùtus. DC. (ye.)	woolly-capsul'd.	S. America.	1752.	—	S. h.		Jacq. vind. 3. t. 59.
TRIUMFETTA. DC.	TRIUMFETTA. Dodecandria Monogynia. L.						
1 Láppula. DC. (ye.)	prickly-seeded.	W. Indies.	1739.	7. 8.	S. h.		Plum. ic. t. 255.
2 heterophy'lla. DC. (ye.)	various-leaved.	————	1823.	—	S. h.		Pluk. t. 425. f. 3.
3 rubricáulis. DC. (ye.)	red-stem'd.	Caracas.	1826.	—	S. h.		
4 suborbiculàta. DC. (ye.)	subrotund.	E. Indies.	—	S. h.		
5 glandulòsa. DC. (ye.)	gland-toothed.	Mauritius.	—	S. h.		Lam. ill. t. 400. f. 1.
6 trichoclàda. DC. (ye.)	oval-leaved.	Nepaul.	1823.	—	S. ♂.		
7 oblongàta. DC. (ye.)	oblong-leaved.	————	—	—	S. ♂.		
8 ànnua. DC. (ye.)	annual.	Java.	1760.	8. 9.	S. ⊙.		Bot. mag. 2296.
9 angulàta. DC. (ye.)	angular-leaved.	E. Indies.	1739.	6. 7.	S. h.		Lam. ill. t. 400. f. 2.
10 semitrilòba. DC. (ye.)	Mallow-leaved.	W. Indies.	1773.	—	S. h.		Jacq. vind. 3. t. 76.
11 havanénsis. DC. (ye.)	Havannah.	Cuba.	1825.	—	S. h.		
12 micropétala. B.R. (ye.)	small-petal'd.	E. Indies.	—	4. 8.	S. h.		Bot. reg. 1058.
13 petiolàris. B.R. (ye.)	petiolate.	Peru.	1819.	5. 6.	S. h.		Lindl. collect. t. 20.
<i>rhomboídea. L. col. non Jacq.</i>							
14 rhomboídea. DC. (ye.)	rhomboid.	S. America.	1819.	5. 6.	S. h.		Jacq. amer. t. 90.
15 althæoídes. DC. (ye.)	Althæa-leaved.	Cayenne.	—	—	S. h.		
<i>macrophy'lla. Vahl. ecl. 2. p. 34.</i>							
16 grandiflòra. DC. (ye.)	large-flowered.	W. Indies.	1810.	—	S. h.		
17 triloclàris. DC. (ye.)	three-celled.	E. Indies.	1817.	10. 4.	S. h.		
GRE'WIA. DC.	GRE'WIA. Polyandria Monogynia. L.						
1 tomentòsa. DC.	tomentose.	Java.	1818.	S. h.		Juss. an. 2. t. 49. f. 1.
2 hirsùta. DC.	hairy.	————	1816.	7. 9.	S. h.		
3 bracteàta. DC. (gr.)	bracted.	E. Indies.	1818.	—	S. h.		
4 Mallocócca. DC.	rough-fruited.	Tongatabu.	1792.	8. 9.	S. h.		Forst. gen. t. 39.
<i>Mallocócca crenàta. Forst.</i>							
5 oppositifòlia. DC.	sharp-leaved.	Nepaul.	1818.	S. h.		
6 umbellàta. DC.	umbel-flowered.	E. Indies.	—	S. h.		
7 bicolor. DC.	two-coloured.	Senegal.	1822.	S. h.		Juss. ann. t. 50. f. 2.
8 Róthii. DC.	Roth's.	E. Indies.	1819.	S. h.		
9 salvifòlia. DC. (ye.)	Sage-leaved.	————	—	S. h.		
10 flàva. DC. (ye.)	yellow.	C. B. S.	1818.	—	G. h.		
11 ovalifòlia. DC.	oval-leaved.	E. Indies.	—	S. h.		
12 Micròcos. DC. (st.)	panicled.	————	1779.	—	S. h.		Rheed. mal. 1. t. 56.
<i>Micròcos paniculàta. L.</i>							
13 paniculàta. DC.	villous-leaved.	————	1820.	S. h.		
14 orientàlis. DC. (wh.)	oriental.	————	1767.	7. 8.	S. h.		Rheed. mal. 5. t. 46.
15 pilòsa. DC. (wh.)	pilose.	————	1804.	—	S. h.		
16 glandulòsa. DC.	glandular.	Mauritius.	1827.	S. h.		Juss. an. 2. t. 48. f. 1.
17 serrulàta. DC.	serrulate.	E. Indies.	1818.	S. h.		
18 occidentàlis. DC. (pu.)	Elm-leaved.	C. B. S.	1690.	7. 9.	G. h.		Bot. mag. 422.
19 asiàtica. (li.)	Asiatic.	E. Indies.	1792.	7. 8.	S. h.		Sonn. voy. 2. t. 136.

20	subin'æqualis. DC.	oblique-leaved.	E. Indies.	1816.	S. h.	
21	villifera.		wool-bearing.	—————	1826.	S. h.	
	<i>villôsa</i> , Roth. <i>nec aliorum</i> .							
22	áspera. DC.	rough-leaved.	—————	1818.	S. h.	
23	tiliæfôlia. DC.	Lime-leaved.	—————	1812.	S. h.	
24	villôsa. DC.	villous.	—————	1816.	S. h.	
25	therebinthinæca. DC.	strong-scented.	S. h.	
26	obtusifôlia. DC.	blunt-leaved.	C. B. S.	1818.	G. h.	
27	ulmifôlia. H.B.	Chinese.	China.	—————	G. h.	
28	carpinifôlia. DC.	(<i>pu.</i>)	Hornbeam-ld.	Africa.	1822.	S. h.	Beauv. fl. ow. 2. t.
29	megalocárpa. B.O.	(<i>re</i>)	black-fruited.	—————	S. h.	————— 2. t. 102.
BROWNLO'WIA. R. BROWNLO'WIA. Polyandria Monogynia.								
	<i>elâta</i> . R.	(<i>ye.</i>)	tall.	E. Indies.	1812.	S. h.	Roxb. cor. 3. t. 265.
TILIA. DC. LIME-TREE. Polyandria Monogynia. L.								
1	microphy'lla. DC.	(<i>wh.</i>)	small-leaved.	Britain.	8. 9.	H. 5.	Eng. bot. 1705.
	<i>parcifôlia</i> . E.B.							
2	intermèdia. DC.	(<i>wh.</i>)	intermediate.	—————	——	H. 5.	Hayn. et Sv. bot. t. 40.
	<i>europ'æa</i> . Eng. bot. 610.							
	β	<i>laciniâta</i> .	(<i>wh.</i>)	jagged-leaved.	—————	6. 8.	H. 5.
3	corallina. E.F.	(<i>wh.</i>)	coral-twigg'd.	Britain.	7.	H. 5.	
4	rùbra. DC.	(<i>wh.</i>)	red-twigged.	Europe.	6. 8.	H. 5.	
5	platyphy'lla. DC.	(<i>wh.</i>)	broad-leav'd.	Britain.	——	H. 5.	Vent. dis. p. 6. t. 1. f. 2.
	<i>grandifôlia</i> . E.F.							
6	glâbra. DC.	(<i>wh.</i>)	broad-leaved.	N. America.	1752.	6. 7.	H. 5.	Vent. dis. p. 9. t. 2.
	<i>americâna</i> . L.							
7	laxiflôra. DC.	(<i>wh.</i>)	loose-flowered.	—————	1820.	——	H. 5.	
8	pubescens. DC.	(<i>wh.</i>)	pubescent.	—————	1726.	7. 8.	H. 5.	Vent. dis. p. 10. t. 3.
	β	<i>leptophy'lla</i> . DC.	(<i>w.</i>)	narrow-leaved.	—————	——	H. 5.	
9	heterophy'lla. DC.	(<i>wh.</i>)	white-leaved.	—————	6. 8.	H. 5.	Vent. dis. p. 16. t. 5.
	<i>âlba</i> . Mich. arb. 3. t. 2.							
10	argénteâ. DC.	(<i>wh.</i>)	silver-leaved.	Hungary.	1767.	——	H. 5.	Vent. dis. p. 13. t. 4.
	<i>âlba</i> . W. et K. hung. 1. t. 3. <i>rotundifôlia</i> . Vent.							
11	petiolâris. DC.	(<i>wh.</i>)	long-petioled.	1824.	H. 5.	
MUNTINGIA. DC. MUNTINGIA. Polyandria Monogynia. L.								
	<i>Calabûra</i> . DC.	(<i>wh.</i>)	Jamaica.	Jamaica.	1690.	6. 7.	S. h.	Jacq. amer. t. 107.
APE'IBA. DC. APE'IBA. Polyandria Monogynia. L.								
1	Tibôurbou. DC.	(<i>ye.</i>)	hairy.	S. America.	1756.	S. h.	Aub. gui. 1. t. 213.
	<i>Aublètia Tibôurbou</i> . W.							
2	Petôumo. DC.	(<i>ye.</i>)	hoary.	—————	1817.	S. h.	Aub. gui. 1. t. 215.
3	áspera. DC.	(<i>ye.</i>)	prickly-capsul'd.	Cayenne.	1792.	S. h.	————— 1. t. 216.
	<i>Aublètia áspera</i> . W.							
4	glâbra. DC.	(<i>gr.</i>)	smooth.	—————	1817.	S. h.	Aub. gui. 1. t. 214.
	<i>Aublètia lævis</i> . W.							
SL'OANEA. DC. SL'OANEA. Polyandria Monogynia. L.								
1	dentâta. DC.	(<i>ye.</i>)	Chestnut-leav'd.	S. America.	1752.	S. h.	Plum. ic. 244.
2	sinemariénsis. DC.	(<i>ye.</i>)	round-leaved.	W. Indies.	1820.	S. h.	Aub. gui. 1. t. 212.
GYROSTEMON. DC. GYROSTEMON. Diœcia Polyandria.								
	<i>ramulôsum</i> . DC.	branching.	N. Holland.	1820.	G. h.	Desf. m. mus. 6. t. 6.
BE'RRYA. R.C. BE'RRYA. Polyandria Monogynia.								
	<i>ammonilla</i> . R.C.	(<i>st.</i>)	Ceylon.	Ceylon.	1818.	S. h.	Roxb. corom. 3. t. 264.

ORDO XXXII.

ELÆOCARPEÆ. DC. *prodr.* 1. p. 519.

ELÆOCA'RPUS. DC. ELÆOCA'RPUS. Dodecandria Monogynia.								
1	serrâtus. DC.	(<i>pu.</i>)	saw-leaved.	E. Indies.	1774.	S. h.	Burm. zeyl. t. 40.
2	cyâneus. DC.	(<i>wh.</i>)	blue-fruited.	N. Holland.	1803.	6. 8.	G. h.	Bot. mag. 1737.
	<i>reticulâtus</i> . B.R. 657.							
ACER'ATIUM. DC. ACER'ATIUM. Dodecandria Monogynia.								
	<i>oppositifôlium</i> . DC.		opposite-leaved.	Amboyna.	1818.	S. h.	

DIC'ERA. DC.	DIC'ERA. Dodecandria Monogynia.				
dentata. DC.	(wh.) tooth-leaved.	N. Zealand.	1820.	6. 8.	G. h. Forst. gen. t. 40.
FRIE'SIA. DC.	FRIE'SIA. Dodecandria Monogynia.				
pedunculâris. DC.	(wh.) peduncled.	Van Diem.	1818.	G. h. Lab. n. holl. 2. t. 155.
	<i>Elæocarpus pedunculâris.</i>	Lab.			

ORDO XXXIII.

CHLENACEÆ. DC. *prodr.* 1. p. 521.

† *Genus Chlenaceis affine.*

HUG'ONIA. DC.	HUG'ONIA. Monadelphia Decandria.				
1 My'stax. DC.	(ye.) entire-leaved.	E. Indies.	1818.	6. 9.	S. h. Rheed. mal. 2. t. 29.
2 serrata. DC.	(ye.) saw-leaved.	Mauritius.	1820.	—	S. h. Cav. dis. 3. t. 73. f. 1.

ORDO XXXIV.

TERNSTRÆMIACEÆ. DC. *prodr.* 1. p. 523.

Tribus I. *TERNSTRÆMIÆÆ.* DC.

TERNSTR'ÆMIA. DC.	TERNSTR'ÆMIA. Polyandria Monogynia.				
1 pedunculâris. DC.	(w.) long-peduncled.	W. Indies.	1818.	6. 8.	S. h.
2 punctata. DC.	(wh.) spotted-leaved.	Guiana.	1824.	S. h. Aubl. gui. 1. t. 228.
3 dentata. DC.	(ye.) toothed.	—	1826.	S. h. ——— 1. t. 227.
4 venosa. DC.	(wh.) veined-leaved.	Brazil.	1820.	6. 8.	S. h.
5 serrata. H. B.	(wh.) saw-leaved.	Silhet.	—	S. h.

Tribus II. *FREZIEREÆ.* DC.

CL'EYERA. DC.	CL'EYERA. Polyandria Monogynia.				
japónica. DC.	(wh.) Japan.	Japan.	1822.	S. h. Kæmp. am. 5. p. 774. ic.
FREZIE'RA. DC.	FREZIE'RA. Polyandria Monogynia.				
thæoïdes. DC.	(wh.) Tea-like.	Jamaica.	1818.	S. h.
E'URYA. DC.	E'URYA. Polygamia Monœcia.				
1 chinensis. DC.	(wh.) China.	China.	1818.	1. 3.	G. h. Lodd. bot. cab. 1213.
2 multiflora. DC.	(wh.) many-flowered.	Nepaul.	1823.	S. h.
LETT'S'OMIA. DC.	LETT'S'OMIA. Polyandria Monogynia.				
tomentosa. DC. tomentose.	Peru.	1823.	S. h. Ruiz et P. prod. t. 14.

Tribus III. *SAURAUJEÆ.* DC.

SAURA'UJA. DC.	SAURA'UJA. Polyandria Pentagynia.				
1 excelsa. DC.	(wh.) tall.	Caracas.	1824.	S. h. Willd. n. act. ber. 3. t. 4.
2 napaulensis. DC.	(wh.) Nepaul.	Nepaul.	—	S. h.

Tribus IV. *LAPLACEÆ*. DC.

- WITTELSBA'CHIA. M.N. WITTELSBA'CHIA. Polyandria Monogynia.
 1 Gossy'pium. M.N. (ye.) large-flowered. E. Indies. 1822. S. h. Sonn. voy. 2. t. 133.
Cochlospèrmum Gossy'pium. DC. *Bombax Gossy'pium*. Cav. dis. 5. t. 157.
 2 vitifòlia. M.N. (ye.) Vine-leaved S. America. 1820. S. h. Fl. mex. ic. ined.
Cochlospèrmum serratifòlium. DC. *hibiscoïdes*. K.S. *Bombax vitifòlium*. W.en.
 3 insignis. M.N. (ye.) spot-flowered. Brazil. 1821. S. h. Mart. nov. gen. 1. t. 55.

Tribus V? *GORDONIEÆ*. DC.

- MALACHODE'NDRON. DC. MALACHODE'NDRON. Monadelphia Polyandria. L.
 ovatum. DC. (wh.) oval-leaved. N. America. 1785. 8. 9. H. h. Bot. reg. 1104.
Stuàrtia pentagy'nia. Ex. bot. t. 101.
 STUA'RTIA. W. STUA'RTIA. Monadelphia Polyandria. L.
 virgínica. DC. (wh.) Virginian. N. America. 1742. 5. 8. H. h. Cav. dis. 5. t. 159. f. 2.
Malachodéndron. L. *marylándica*. A.R. t. 73.
 GORD'ONIA. DC. GORD'ONIA. Monadelphia Polyandria. L.
 1 Lasiánthus. DC. (wh.) smooth. N. America. 1739. 8. 11. F. h. Bot. mag. 668.
 2 hæmatóxylon. DC. (w.) red-wooded. Jamaica. 1820. S. h.
 3 pubéscens. DC. (wh.) pubescent. N. America. 1774. 8. 11. F. h. Vent. malm. t. 1.
 4 Franklíni. L'Her. (w.) Franklin's. ———— ———— ———— F. h.
 POLYSP'ORA. N.L.F. POLYSP'ORA. Monadelphia Polyandria.
 axillàris. N.L.F. (wh.) axillary-flow'r'd E. Indies. 1816. 11. 3. S. h. Bot. reg. 349.
Caméllia axillàris. B.R. et B.M. 2047.

ORDO XXXV.

CAMELLIÆ. DC. *prodr.* 1. p. 529.

- CAME'LLIA. Ker. CAME'LLIA. Monadelphia Polyandria. L.
 1 Thèa. L. en. (wh.) Bohea Tea. China. 1768. 11. 2. G. h. Lob. bot. cab. 226.
 2 viridis. L. en. (wh.) green Tea. ———— ———— 10. 12. G. h. ———— 227.
Thèa chinénsis. B.M. 998.
 3 euryoïdes. B.R. (wh.) small-flower'd. ———— 1824. 1. 5. G. h. Bot. reg. 983.
 4 oleifera. B.R. (wh.) oleiferous. ———— 1819. 1. 3. G. h. ———— 942.
 5 Sesánqua. DC. (wh.) Lady Banks's. ———— 1811. 11. 1. G. h. Thunb. fl. jap. t. 30.
 β *semiduplex*. (wh.) *semidouble*. ———— ———— G. h. Bot. reg. 12.
 γ *flòre-plèno*. (wh.) *double-flowered*. ———— 1823. ———— G. h. ———— 1091.
 6 maliflòra. B.R. (ro.) *pink-flowered*. ———— 1819. 1. 4. G. h. ———— 547.
Sesánqua β rosea. Bot. reg. 547.
 7 Kissi. DC. (wh.) Nepaul. Nepaul. 1823. G. h.
 8 reticulàta. B.R. (sc.) Captain Rawes'. China. 1822. 2. 4. G. h. Bot. reg. 1078.
 9 japónica. DC. (va.) common. ———— 1739. 12. 5. G. h. Cav. dis. 6. t. 160.
 1 rùbra. (sc.) *single-red*. ———— ———— G. h. Bot. mag. 42.
 2 álba. (wh.) *single-white*. ———— ———— G. h. Bot. reg. 353.
 3 *semidùplex*. (re.) *semidouble red*. ———— ———— G. h. Andr. rep. 559.
 4 rùbro-plèna. (re.) *double red*. ———— ———— G. h. ———— 199.
 5 càrnea. (pi.) *Middlemist's*. ———— ———— G. h. Lod. bot. cab. 455.
 6 myrtifòlia. (pi.) *Myrtle-leaved*. ———— ———— G. h. Bot. mag. 1670.
involuta. Bot. reg. 633.
 7 hexangulàris. (re.) *six sided*. ———— ———— G. h.
 8 atrorùbens. (sc.) *Loddiges' red*. ———— ———— G. h. Lod. bot. cab. 170.
 9 anemoniflòra. (cr.) *red Waratah*. ———— ———— G. h. Bot. mag. 1654.
 10 dianthiflòra. (v.) *Carnation War. Knights*. ———— ———— G. h. ———— 2577.
 11 blànda. (bh.) *blush Waratah*. China. ———— G. h.
 12 pompònia. (bh.) *Kew-blush*. ———— ———— G. h. Bot. reg. 22.

13	<i>pæoniiflora.</i>	(pi.) <i>Pæony-flowered.</i>	China.	12. 5.	G. h.	Lod. bot. cab. 238.
14	<i>Welbánkii.</i>	(wh.) <i>Welbank's.</i>	_____	_____	G. h.	_____ 1193.
15	<i>luteo-álba.</i>	(st.) <i>pale yellow.</i>	_____	_____	G. h.	Bot. reg. 708.
16	<i>flavescens.</i>	(st.) <i>buff.</i>	_____	_____	G. h.	_____ 112.
17	<i>álbo-plèna.</i>	(wh.) <i>double white.</i>	_____	_____	G. h.	Andr. rep. 25.
18	<i>fimbriàta.</i>	(wh.) <i>fringed white.</i>	_____	1. 4.	G. h.	
19	<i>imbricàta.</i>	(re.) <i>imbricate-petal'd.</i>	_____	_____	G. h.	
20	<i>variegàta.</i>	(v.) <i>double striped.</i>	_____	_____	G. h.	Andr. rep. 91.
21	<i>crassinèrcis.</i>	(re.) <i>thick nerved.</i>	_____	_____	G. h.	
22	<i>expànsa.</i>	(re.) <i>expanded.</i>	_____	_____	G. h.	
23	<i>conchiflora.</i>	(re.) <i>shell-flowered.</i>	_____	_____	G. h.	
24	<i>rubricàulis.</i>	(sc.) <i>Lady Ad'l. Campbell's</i>	_____	_____	G. h.	
25	<i>longifolia.</i>	(re.) <i>long-leaved.</i>	Malcolm's.	_____	G. h.	
26	<i>Chandlèri.</i>	(v.) <i>striped Waratah.</i>	Chandler's.	1822.	12. 5.	G. h.	Chandl. camel. t. 1. 2.
	<i>versicolor.</i>						Bot. reg. 887.
27	<i>Aitòni.</i>	(sc.) <i>large single-red.</i>	_____	_____	_____	G. h.	Chandl. camel. t. 3.
28	<i>althæiflora.</i>	(re.) <i>Hollyhock-fl'd.</i>	_____	_____	_____	G. h.	_____ t. 4.
29	<i>corallina.</i>	(re.) <i>coral-flowered.</i>	_____	_____	_____	G. h.	_____ t. 5.
30	<i>insignis.</i>	(re.) <i>splendid.</i>	_____	_____	_____	G. h.	_____ t. 6.
31	<i>flòrida.</i>	(re.) <i>cluster-flowered.</i>	_____	_____	_____	G. h.	_____ t. 7.
32	<i>anemonæflora. alba.</i>	(w.) <i>white Anemone-fl'd.</i>	_____	_____	_____	G. h.	_____ t. 8.
33	<i>Róssii.</i>	(re.) <i>Ross's.</i>	Ross's.	_____	_____	G. h.	
34	<i>Wiltònica.</i>	(va.) <i>Mrs. Wilton's.</i>	Knigh't's.	_____	_____	G. h.	
35	<i>Elphinstoniàna.</i>	(re.) <i>Miss Elphinstone's.</i>	_____	_____	_____	G. h.	
36	<i>rosæflora.</i>	(re.) <i>Rose-flowered.</i>	_____	_____	_____	G. h.	
37	<i>Cliveàna.</i>	(re.) <i>Lady H. Clive's.</i>	_____	_____	_____	G. h.	
38	<i>heterophy'lla.</i>	(re.) <i>various-leaved.</i>	_____	_____	_____	G. h.	
39	<i>Egertònica.</i>	(re.) <i>Mrs. Egerton's.</i>	_____	_____	_____	G. h.	
40	<i>Goussònica.</i>	(ro.) <i>Mrs. Goussone's.</i>	_____	_____	_____	G. h.	
41	<i>Barnabica.</i>	(pi.) <i>Mrs. Barnaby's.</i>	_____	_____	_____	G. h.	
42	<i>radiàta.</i>	(re.) <i>rayed single.</i>	_____	_____	_____	G. h.	
43	<i>supina.</i>	(re.) <i>supine.</i>	_____	_____	_____	G. h.	
44	<i>Hibbértii.</i>	(re.) <i>Mr. Hibbert's.</i>	_____	_____	_____	G. h.	
45	<i>Perc'yæ.</i>	(re.) <i>D's. of Northumberland's</i>	_____	_____	_____	G. h.	
46	<i>Woodsii.</i>	(ro.) <i>Mr. Woods's.</i>	Chandler's.	_____	_____	G. h.	
47	<i>argentea.</i>	(re.w.) <i>silvery-cup'd.</i>	_____	_____	_____	G. h.	
48	<i>basilica.</i>	(re.) <i>princely.</i>	_____	_____	_____	G. h.	
49	<i>princeps.</i>	(sc.) <i>double-carmine.</i>	_____	_____	_____	G. h.	
50	<i>sanguinea.</i>	(cr.) <i>single-crimson.</i>	_____	_____	_____	G. h.	
51	<i>sericea.</i>	(ro.) <i>double-silky.</i>	_____	_____	_____	G. h.	
52	<i>Byrónii.</i>	(ro.) <i>Lord Byron's.</i>	_____	_____	_____	G. h.	
53	<i>carne-scens.</i>	(fl.) <i>single pale-red.</i>	_____	_____	_____	G. h.	
54	<i>eximia.</i>	(re.) <i>fine double-red.</i>	_____	_____	_____	G. h.	
55	<i>bicolor.</i>	(ro.w.) <i>single rosy & white.</i>	_____	_____	_____	G. h.	
56	<i>purpurascens.</i>	(re.) <i>single dark-red.</i>	_____	_____	_____	G. h.	
57	<i>gigantea.</i>	(ro.) <i>large double.</i>	_____	_____	_____	G. h.	
58	<i>lucida.</i>	(re.) <i>double bright-red.</i>	_____	_____	_____	G. h.	
59	<i>ornata.</i>	(pi.) <i>pink Waratah.</i>	_____	_____	_____	G. h.	
60	<i>papaveracea.</i>	(re.) <i>Poppy-flower'd.</i>	Loddiges.	_____	_____	G. h.	
61	<i>rotundifolia.</i>	(re.) <i>round-leaved.</i>	_____	_____	_____	G. h.	
62	<i>Spofforthiana.</i>	(wh.) <i>red-lined white.</i>	Spofforth.	_____	_____	G. h.	
63	<i>Herberti.</i>	(ro.) <i>Mr. Herbert's.</i>	_____	_____	_____	G. h.	
	<i>Spofforthiana. rosea.</i>		Herbert Mss.	_____	_____	G. h.	
64	<i>Haylockii.</i>	(wh.) <i>Haylock's.</i>	_____	_____	_____	G. h.	
65	<i>reflexa.</i>	(cr.) <i>single reflex-petaled.</i>	_____	_____	_____	G. h.	

ORDO XXXVI.

OLACINEÆ. DC. *prodr.* 1. p. 531.

OLA'X. DC.

1	<i>scandens.</i>	DC.	(wh.) climbing.	E. Indies.	1820.	1. 12.	S. h. ∪.	Roxb. cor. 2. t. 102.
2	<i>imbricàta.</i>	DC.	(wh.) imbricate.	_____	_____	S. h. ∪.	

OLA'X. Triandria Monogynia. L.

SPERMA'XYRUM. DC.	SPERMA'XYRUM.	Triandria Monogynia.				
strictum. DC.	(wh.) upright.	N. S. W.	1820.	G. h.	
XIMENIA. DC.	XIMENIA.	Octandria Monogynia.	L.			
1 americana. DC.	(wh.) spring.	W. Indies.	1759.	6. 9.	S. h.	Jacq. am. pict. t. 107.
2 inermis. DC.	(wh.) unarmed.	—————	1820.	S. h.	

ORDO XXXVII.

AURANTIACEÆ. DC. prodr. 1. p. 535.

ATALA'NTIA. DC.	ATALA'NTIA.	Monadelphia Octandria.				
monophylla. DC.	(wh.) simple-leaved.	E. Indies.	1777.	6. 8.	S. h.	Roxb. cor. 2. t. 83.
	<i>Limonia monophylla.</i> R.					
TRIPH'ASIA. DC.	TRIPH'ASIA.	Hexandria Monogynia.				
trifoliata. DC.	(wh.) three-leaved.	China.	1787.	7. 8.	S. h.	Jacq. ic. rar. t. 463.
	<i>Limonia trifoliata.</i> And. rep. 143.					
LIMONIA. DC.	LIMONIA.	Decandria Monogynia.	L.			
1 acidissima. DC.	(wh.) sour-fruited.	E. Indies.	1824.	4. 8.	S. h.	Rumph. amb. 2. t. 43.
2 crenulata. DC.	(wh.) crenulate.	—————	1808.	5. 7.	S. h.	Roxb. cor. 1. t. 86.
3 ambigua. DC.	(wh.) ambiguous.	—	S. h.	
4 scandens. H.B.	(wh.) climbing.	E. Indies.	1820.	S. h. ✓.	
CO'OKIA. DC.	CO'OKIA.	Decandria Monogynia.	L.			
punctata. DC.	(wh.) Wampee tree.	China.	1795.	5. 7.	S. h.	Jacq. schœnb. 1. t. 101.
MURRA'YA. DC.	MURRA'YA.	Decandria Monogynia.	L.			
1 exotica. DC.	(wh.) Ash-leaved.	E. Indies.	1771.	8. 9.	S. h.	Bot. reg. 434.
2 paniculata. DC.	(wh.) panicled.	—————	1821.	4. 5.	S. h.	Hook. ex. flor. 134.
AGLA'IA. DC.	AGLA'IA.	Pentandria Monogynia.				
odorata. DC.	(st.) sweet-scented.	China.	1810.	2. 5.	S. h.	Rumph. amb. 5. t. 18.
BERGERA. DC.	BERGERA.	Decandria Monogynia.	L.			
1 Kœnigii. DC.	(gr.) Kœnig's.	E. Indies.	1818.	3. 6.	S. h.	Lodd. bot. cab. 1019.
2 integerrima. DC.	(gr.) entire-leaved.	—————	1820.	S. h.	
CLAUS'ENIA. DC.	CLAUS'ENIA.	Octandria Monogynia.				
pentaphylla. DC.	(wh.) five-leaved.	E. Indies.	1823.	S. h.	
GLYCO'SMIS. DC.	GLYCO'SMIS.	Decandria Monogynia.				
1 arborea. DC.	(wh.) tree.	E. Indies.	1796.	5. 8.	S. h.	Roxb. cor. 1. t. 85.
	<i>Limonia arborea.</i> R.C.					
2 citrifolia. H.T.	(wh.) Citron-leaved.	China.	1820.	2. 6.	G. h.	Bot. mag. 2416.
	<i>Limonia citrifolia.</i> DC. <i>parviflora.</i> B.M.					
3 pentaphylla. DC.	(wh.) five-leaved.	E. Indies.	1790.	6. 7.	S. h.	Roxb. cor. 1. t. 84.
	<i>Limonia pentaphylla.</i> R.C.					
FERONIA. DC.	ELEPHANT APPLE.	Decandria Monogynia.				
elephantum. DC.	(bh.) Indian.	E. Indies.	1804.	S. h.	Roxb. cor. 2. t. 141.
EGLE. DC.	BENGAL QUINCE.	Polyandria Monogynia.				
1 Marmelos. DC.	(wh.) thorny.	E. Indies.	1759.	S. h.	Roxb. cor. 2. t. 143.
CITRUS. DC.	ORANGE-TREE.	Polyadelphia Polyandria.	L.			
1 Médica. DC.	(wh.) Lemon-tree.	Asia.	1648.	5. 7.	G. h.	Ris. an. mus. 20. t. 2. f. 2.
2 Limetta. DC.	(wh.) Bergamotte.	—————	—	G. h.	————— 20. t. 2. f. 1.
3 Limonum. DC.	(wh.) Citron.	—————	—	G. h.	Ferr. hesp. t. 247. &c.
4 ácida. H.B.	(wh.) Lime.	—————	—	G. h.	
5 Aurantium. DC.	(wh.) common.	—————	1595.	—	G. h.	Ris. an. mus. 20. t. 1. f. 1. 2.
6 vulgáris. DC.	(wh.) Myrtle-leaved.	—————	—	G. h.	Bot. reg. t. 346.
7 decumana. DC.	(wh.) Shaddock.	India.	1724.	—	G. h.	Rumph. am. 2. t. 24. f. 2.
8 hystrix. DC.	(wh.) very spiny.	—————	—	G. h.	————— 2. t. 28?
9 japónica. DC.	(wh.) small-fruited.	Japan.	1815.	—	G. h.	Th. ic. jap. t. 15.
10 nobilis. DC.	(wh.) Mandarin.	China.	1805.	—	G. h.	Andr. rep. 608.
	<i>β minor.</i>	—————	—	—	G. h.	Bot. reg. 211.
11 Margarita. DC.	(wh.) sweet Lemon.	—————	1820.	—	G. h.	
12 madurensis. DC.	(wh.) spineless.	China.	1816.	—	G. h.	Rumph. amb. 2. t. 31.
13 angulata. DC.	(wh.) angular-fruited.	E. Indies.	—	G. h.	————— 2. t. 32.
14 buxifolia. DC.	(wh.) retuse-leaved.	China.	—	G. h.	

ORDO XXXVIII.

HYPERICINEÆ. DC. *prodr.* 1. p. 541.

Subordo I. HYPERICINEÆ VERÆ. DC.

Tribus I. *VISMIEÆ*. DC.

HARO'NGA. DC.		HARO'NGA. Polyadelphia Dodecandria.				
1	<i>madagascariensis</i> . DC. (<i>ye.</i>)	Madagascar.	Madagascar.	1824.	S. h. Lam. ill. t. 645.
	<i>Arungana paniculata</i> . P.S.					
VISMIA. DC.		VISMIA. Polyadelphia Polyandria.				
1	<i>sessilifolia</i> . DC. (<i>ye.</i>)	sessile-leaved.	Guiana.	1826.	S. h. Aubl. guian. 2. t. 312. f. 2.
2	<i>guianensis</i> . DC. (<i>ye.</i>)	Guiana.	—	1828.	S. h. ———— 2. t. 311.
3	<i>brasiliensis</i> . DC. (<i>ye.</i>)	Brasilian.	Brazil.	1822.	5. 6.	S. h. Chois. p. hyp. 35. t. 2.
4	<i>guineensis</i> . DC. (<i>ye.</i>)	African.	Sierra Leon.	1823.	—	S. h. Lin. amœn. 8. t. 8. f. 1.

Tribus II. *HYPERICEÆ*. DC.

ANDROSÆMUM. DC.		TUTSAN. Monadelphia Polyandria.				
	<i>officinale</i> . DC. (<i>ye.</i>)	common.	Britain.	7. 9.	H. h. Eng. bot. 1225.
HYPERICUM. DC.		ST. JOHN'S WORT. Polyadelphia Polyandria. L.				
1	<i>elatum</i> . DC. (<i>ye.</i>)	tall.	N. America.	1762.	7. 8.	H. h. Wats. dend. brit. t. 85.
2	<i>frondosum</i> . DC. (<i>ye.</i>)	green.	—	1806.	—	H. h.
3	<i>amœnum</i> . DC. (<i>ye.</i>)	pretty.	Carolina.	1812.	—	H. h.
4	<i>grandifolium</i> . DC. (<i>ye.</i>)	great-leaved.	Teneriffe.	1818.	—	G. h. Chois. pr. hyp. t. 3.
5	<i>hircinum</i> . DC. (<i>ye.</i>)	stinking.	S. Europe.	1640.	7. 9.	H. h. Wats. dend. brit. t. 86.
	<i>β minus</i> . W.D. (<i>ye.</i>)	smaller.	—	—	—	H. h. ———— t. 87.
6	<i>foliosum</i> . DC. (<i>ye.</i>)	shining.	Azores.	1778.	8.	G. h.
7	<i>floribundum</i> . DC. (<i>ye.</i>)	many-flowered.	Madeira.	1779.	—	G. h. Com. hort. 2. t. 68.
8	<i>olympicum</i> . DC. (<i>ye.</i>)	Olympic.	Levant.	1706.	7. 9.	H. h. Exot. bot. 2. t. 96.
9	<i>canariense</i> . DC. (<i>ye.</i>)	Canary.	Canaries.	1699.	—	G. h.
10	<i>chinense</i> . DC. (<i>ye.</i>)	Chinese.	China.	1753.	3. 9.	G. h. Bot. mag. 334.
	<i>monogynum</i> . B.M.					
11	<i>cordifolium</i> . DC. (<i>ye.</i>)	heart-leaved.	Nepaul.	1822.	6. 9.	G. h.
12	<i>pyramidatum</i> . DC. (<i>ye.</i>)	pyramidal.	Canada.	1759.	7. 8.	H. 4. Vent. malm. t. 118.
13	<i>A'scyron</i> . DC. (<i>ye.</i>)	Siberian.	Siberia.	1774.	6. 9.	H. 4. Gmel. sib. 4. t. 69.
14	<i>ascyroides</i> . DC. (<i>ye.</i>)	large-capsuled.	N. America.	1812.	6. 7.	H. 4.
15	<i>pátulum</i> . DC. (<i>ye.</i>)	spreading.	Japan.	1820.	7. 9.	G. h. Thunb. jap. ic. 17.
16	<i>Uràlum</i> . D.P. (<i>ye.</i>)	Nepaul.	Nepaul.	—	—	F. h. Bot. mag. 2375.
17	<i>Kalmianum</i> . DC. (<i>ye.</i>)	Kalmia-leaved.	Virginia.	1759.	6. 7.	H. h.
18	<i>calycinum</i> . DC. (<i>ye.</i>)	large-flowered.	Ireland.	6. 9.	H. h. Eng. bot. 2017.
19	<i>baleàricum</i> . DC. (<i>ye.</i>)	warted.	Majorca.	1714.	3. 9.	G. h. Bot. mag. 137.
20	<i>virginicum</i> . DC. (<i>re.</i>)	Virginian.	N. America.	1800.	7. 9.	H. 4. Andr. rep. 552.
	<i>Elodea campanulata</i> . Ph.					
21	<i>angulosum</i> . DC. (<i>ye.</i>)	tooth'd-flow'r'd.	N. America.	1812.	6. 7.	H. 4.
22	<i>punctatum</i> . DC. (<i>ye.</i>)	spotted.	—	1789.	7. 9.	F. 4.
	<i>carymbosum</i> . W. <i>maculatum</i> . Walt.					
23	<i>dolabriforme</i> . DC. (<i>ye.</i>)	hatchet-like.	—	1818.	—	H. 4.
24	<i>densiflorum</i> . DC. (<i>ye.</i>)	dense-flowered.	Virginia.	1812.	6. 8.	F. h.
25	<i>rosmarinifolium</i> . DC. (<i>y.</i>)	Rosemary-ld.	Carolina.	—	—	F. h.
26	<i>virgatum</i> . DC. (<i>ye.</i>)	twiggy.	N. America.	1823.	6. 8.	H. 4.
27	<i>prolificum</i> . DC. (<i>ye.</i>)	prolific.	—	1758.	—	H. h. Wats. dend. brit. t. 88.
	<i>Kalmianum</i> . Maund. bot. gard. 194. t. 49.	<i>nec aliorum. foliosum</i> . Jacq.	schœnb. 3. t. 299.	non Ait.		
28	<i>glaucum</i> . DC. (<i>ye.</i>)	glaucous.	N. America.	1812.	7. 8.	H. 4.
29	<i>lævigatum</i> . H.K. (<i>ye.</i>)	smooth.	—	1772.	—	H. 4.
30	<i>nudiflorum</i> . DC. (<i>ye.</i>)	naked-panicled.	—	1811.	8. 10.	H. h.
31	<i>sphærocarpon</i> . DC. (<i>y.</i>)	round-capsuled.	—	1827.	6. 8.	H. 4.

32	quadrángulum. W.	(ye.) square-stalked.	Britain.	7. 8.	H. 4.	Eng. bot. 370.
33	dúbium. E.B.	(ye.) imperforate.	————	—	H. 4.	———— 296.
34	maculátum. All.	(ye.) spot-flowered.	Europe.	—	H. 4.	All. ped. t. 83. f. 1.
35	undulátum. W.en.	(y.) wave-leaved.	Barbary.	1802.	—	F. 4.	Chois. pr. hyp. p. 47. t. 6.
36	attenuátum. DC.	(ye.) attenuated.	Dahuria.	1828.	—	H. 4.	Thunb. jap. t. 31.
37	repens. DC.	(ye.) creeping.	S. Europe.	1827.	—	H. 4.	Bocc. mus. 2. t. 12.
38	japónicum. DC.	(ye.) Japan.	Japan.	1820.	—	G. 4.	Pluk. alm. t. 245. f. 6.
39	crispum. DC.	(ye.) curl-leaved.	Greece.	1688.	—	F. 4.	Pluk. alm. t. 421. f. 3.
40	pilòsum. DC.	(ye.) pilose.	N. America.	1818.	—	H. 4.	Vent. cels. t. 68.
	setòsum. H.K.						Bot. reg. 196.
41	simplex. DC.	(ye.) simple-stalked.	————	—	—	H. 4.	Eng. bot. 1226.
42	heterophýllum. DC.	(y.) various-leaved.	Persia.	1812.	—	G. 4.	Lab. nov. holl. 2. t. 175.
43	ægyptiacum. DC.	(ye.) Egyptian.	Egypt.	1787.	6. 7.	G. 4.	———— 2. t. 174.
44	humifusum. DC.	(ye.) trailing.	Britain.	7. 8.	H. 4.	Eng. bot. 295.
45	pusillum. DC.	(ye.) small.	N. S. W.	1818.	—	G. 4.	
46	involutum. DC.	(ye.) involute-fl.	————	1822.	—	G. 4.	
47	perforátum. DC.	(ye.) perforate.	Britain.	—	H. 4.	
48	veronense. Sck.	(ye.) Verona.	Italy.	1820.	—	H. 4.	
49	quinquenerviùm. DC.	(ye.) small-fl.	N. America.	1759.	6. 9.	F. 4.	
	mùtilum. W.						
50	canadense. DC.	(wh.) Canadian.	Canada.	1770.	7. 9.	H. 4.	
51	perfoliátum. W.	(wh.) perfoliate.	Italy.	1785.	5. 6.	F. 4.	
52	axillàre. DC.	(ye.) clustered.	N. America.	1806.	7.	F. 4.	
	fasciculátum. W.						
53	Elòdes. DC.	(ye.) marsh.	Britain.	7. 8.	H. 4.	Eng. bot. 109.
54	tomentòsum. DC.	(ye.) woolly.	S. Europe.	1648.	7. 9.	F. 4.	Moris. his. 2. s. 5. t. 6. n. 5.
55	lanuginòsum. DC.	(ye.) downy.	Levant.	1822.	—	F. 4.	
56	hirsùtum. DC.	(ye.) hairy.	Britain.	6. 7.	H. 4.	Eng. bot. 1156.
57	nummulàrium. DC.	(ye.) Money-wort.	S. Europe.	1818.	—	H. 4.	Lam. ill. t. 643.
58	élegans. DC.	(ye.) elegant.	Siberia.	—	7. 9.	H. 4.	Spr. fl. hal. n. 864. t. 9.
	Kohliànnum. Spr.						
59	glandulòsum. DC.	(ye.) glandular.	Madeira.	1777.	5. 8.	G. 4.	
60	reflexum. DC.	(ye.) reflex-leaved.	Teneriffe.	1778.	6. 9.	G. 4.	
61	pùlchrum. DC.	(ye.) small upright.	Britain.	7. 8.	H. 4.	Eng. bot. 1227.
62	elodeoïdes. DC.	(ye.) close paniced.	Nepaul.	1823.	G. 4.	
	nervòsum. D.P.						
63	barbátum. DC.	(ye.) bearded.	Scotland.	6. 10.	H. 4.	Eng. bot. 1985.
64	montànnum. DC.	(ye.) mountain.	Britain.	7. 8.	H. 4.	———— 371.
65	fimbriátum. DC.	(ye.) fimbriate.	Pyrenees.	1818.	—	H. 4.	Vill. delph. 3. t. 44.
	Richèri. Vill.						
66	æthiòpicum. DC.	(ye.) Ethiopian.	C. B. S.	1817.	—	G. 4.	
67	ciliátum. DC.	(ye.) fringed.	S. Europe.	1739.	7.	F. 4.	Boc. mus. 2. t. 127.
68	serpyllifolium. DC.	(ye.) Thyme-leaved.	Levant.	1688.	7. 8.	F. 4.	Mor. his. 2. s. 5. t. 6. f. 2.
69	triplinerve. DC.	(ye.) triply-nerved.	N. America.	1823.	7. 9.	H. 4.	Vent. cels. t. 58.
70	empetrifolium. DC.	(y.) Crowberry-fl.	S. Europe.	6. 8.	H. 4.	Wats. dend. brit. 141.
71	Còris. DC.	(ye.) Coris-leaved.	Levant.	1640.	5. 9.	G. 4.	Bot. mag. 178.
72	ericoïdes. DC.	(ye.) Heath-leaved.	S. Europe.	1818.	—	G. 4.	Cav. ic. 2. t. 122.
73	mexicànnum. DC.	(ye.) Mexican.	Mexico.	1826.	G. 4.	Linn. amœn. 8. t. 8. f. 2.
74	fasciculátum. DC.	(ye.) Aspalathus-like.	N. America.	1811.	6. 8.	F. 4.	
	aspalathoïdes. W.						
75	verticillátum. DC.	(ye.) whorl-leaved.	C. B. S.	1784.	—	G. 4.	
76	cochinchinense. DC.	(sc.) Cochinchina.	Cochinchina.	1822.	6. 8.	G. 4.	
	A'SCYRUM. DC.	A'SCYRUM. Monadelphia Polyandria.					
1	pùmulum. DC.	(ye.) dwarf.	Georgia.	1806.	6. 8.	G. 4.	
2	Crux A'ndreæ. DC.	(y.) St. Andrew's-cr.	N. America.	1759.	7.	G. 4.	Burm. am. 146. t. 152.
3	hypericoïdes. DC.	(ye.) Hypericum-like.	————	—	7. 9.	G. 4.	———— t. 152. f. 1.
4	stans. DC.	(ye.) large-flowered.	————	1806.	—	G. 4.	
5	amplexicáu'e. DC.	(ye.) stem-clasping.	————	—	—	G. 4.	
	SAR'OTHTA. W.	SAR'OTHTA. Pentandria Trigynia.					
	gentianoïdes. W.	(ye.) Gentian-like.	N. America.	1768.	6. 10.	H. 4.	Pluk. mant. t. 342. f. 2.
	hypericoïdes. N.	Hypericum Sarothra. M.					

Subordo II. *HYPERICINEÆ ANOMALÆ*. DC.

CARPODO'NTOS. DC.	CARPODO'NTOS. Polyandria Pentagynia.						
lúcida. DC.	(wh.) shining.	V. Diem. Is.	1820.	G. 4.	Lab. voy. 2. t. 18.	

ORDO XXXIX.

GUTTIFERÆ. DC. prodr. 1. p. 557.

Tribus I. *CLUSIÆ*. DC.

MAH'UREA. DC.	MAH'UREA. Polyandria Monogynia.				
palústris. DC. (pu.)	marsh.	Trinidad.	1820. S. h.	Aubl. guian. 1. t. 222.
M'ARILA. DC.	M'ARILA. Monadelphia Polyandria.				
racemòsa. DC.	clustered.	W. Indies.	1827. S. h.	
GODO'YA. DC.	GODO'YA. Polyandria Monogynia.				
gemmiflòra. M.N. (ye.)	gem-flowered.	Brazil.	1824. S. h.	Mart. nov. gen. 3. t. 74.
CL'USIA. DC.	BALSAM-TREE. Polygamia Monœcia. L.				
1 ròsea. DC. (ro.)	Rose-coloured.	America.	1692.	7. 8. S. h.	Cates. car. 2. t. 99.
2 álba. DC. (wh.)	white-flowered.	S. America.	1752.	— S. h.	Jacq. amer. t. 166.
3 flàva. (ye.)	yellow-flowered.	Jamaica.	1759.	9. S. h.	Bot. rep. 223.
4 venòsa. DC. (wh.)	veiny-leaved.	S. America.	1733. S. h.	Plum. ic. 87. f. 2.
5 nemoròsa. DC. (w.pu.)	wood.	W. Indies.	1826. S. h.	
HAV'ETIA. Kth.	HAV'ETIA. Diœcia Tetrandria.				
laurifòlia. Kth. (wh.)	Laurel-leaved.	S. America.	1820. S. h.	H. et B. n. g. am. 5. t. 462.
<i>Clusia tetrádra</i> . W.					

Tribus II. *GARCINIEÆ*. DC.

MARIA'LVA. DC.	MARIA'LVA. Monadelphia Polyandria.				
guianénsis. DC. (gr.)	Guiana.	Guiana.	1827. S. h.	Aubl. guian. 2. t. 364.
MICRA'NTHERA. DC.	MICRA'NTHERA. Diœcia Polyandria.				
clusiæfòlia. DC.	Clusia-leaved.	Cayenne.	1823. S. h.	Chois. m. h. P. 1. t. 11. 12.
GARC'INIA. DC.	GARC'INIA. Polyandria Monogynia.				
1 Mangostana. DC. (ro.)	Mangosteen.	Java.	1789. S. h.	Lod. bot. cab. 845.
2 cornea. DC. (ye.)	nodding-flow'd.	E. Indies.	1817. S. h.	Rumph. amb. 3. t. 30.
3 Cambogia. DC. (ye.)	yellow-flower'd.	—	1822. S. h.	Rheed. mal. 1. t. 24.
4 Cowa. DC. (ye.)	polygamous.	—	— S. h.	

Tribus III. *CALOPHYLLÆ*. DC.

MAMM'EA. DC.	MAMMEE-TREE. Polyandria Monogynia. L.				
1 americana. DC. (wh.)	America.	S. America.	1737. S. h.	Jacq. amer. t. 182. f. 32.
2 africàna. G.D. (wh.)	African.	Sierra Leon.	1820. S. h.	
XANTHOCH'YMUS. DC.	XANTHOCH'YMUS. Polyadelphia Polyandria.				
1 pictòrius. H.B. (wh.)	painters.	E. Indies.	1796. S. h.	Roxb. cor. 2. t. 196.
2 dúlcis. H.B. (st.)	sweet.	—	1820. S. h.	— 3. t. 270.
3 ovalifòlius. H.B.	oval-leaved.	—	— S. h.	
4 lùteus. L.C. (ye.)	yellow.	E. Indies.	1823. S. h.	
5 macrophyllus. L.C. ..	large leaved.	—	— S. h.	
6 purpùreus. L.C. (pu.)	purple.	—	— S. h.	
CALOPHY'LLUM. DC.	CALOPHY'LLUM. Polyandria Monogynia. L.				
1 Inophyllum. DC. (wh.)	sweet-scented.	E. Indies.	1793. S. h.	Rheed. mal. 4. t. 38.
2 Tacamaháca. DC. (wh.)	acute-leaved.	Bourbon.	1822. S. h.	Pluk. alm. t. 147. f. 3.
3 Cálaba. DC. (wh.)	Calaba-tree.	W. Indies.	1780. S. h.	Jacq. amer. t. 165.
4 spùrium. DC. (wh.)	spurious.	E. Indies.	— S. h.	Rheed. mal. 4. t. 39.
<i>Cálaba</i> . L.					
PENTADE'SMA. H.T.	BUTTER-TREE. Polyandria Monogynia.				
butyràcea. H.T. (ye.)	African.	Sierra Leon.	1821. S. h.	

Tribus IV. *SYMPHONIEÆ*. DC.

CANELLA. DC.	CANELLA. Dodecandria Monogynia.					
1 álba. DC.	(<i>pu.</i>) broad-leaved.	W. Indies.	1735.	S. h.	Linn. trans. 1. t. 8.
2 laurifolia. L.C.	(<i>pu.</i>) narrow-leaved.	—————	S. h.	
MORONOB'EA. DC.	MORONOB'EA. Monadelphia Pentandria.					
coccinea. DC.	(<i>sc.</i>) scarlet.	Guiana.	1825.	S. h.	Aubl. guian. 2. t. 313.
	<i>Symphonia globulifera</i> . L.					
SING'ANA. DC.	SING'ANA. Polyandria Monogynia.					
guianensis. DC.	(<i>wh.</i>) Guiana.	Guiana.	1827.	S. h. ∪.	Aubl. guian. sup. 2. t. 230.
	<i>Sternbéckia lateriflora</i> . W.					

ORDO XL.

MARCGRAVIACEÆ. DC. *prodr.* 1. p. 565.Subordo I. *MARCRAVIEÆ*. DC.

ANTHOL'OMA. DC.	ANTHOL'OMA. Polyandria Monogynia.					
montana. DC.	(<i>ye.</i>) mountain.	N. Caledonia.	1820.	S. h.	Labill. voy. t. 41.
MARCGR'AVIA. DC.	MARCGR'AVIA. Polyandria Monogynia. L.					
1 umbellata. DC.	(<i>gr.</i>) umbelled.	W. Indies.	1792.	6. 8.	S. h.	Hook. exot. flor. 160.
2 coriacea. DC.	(<i>gr.</i>) leathery-leav'd.	Guiana.	1820.	—	S. h.	
3 picta. DC.	(<i>gr.</i>) painted-leav'd.	1827.	S. h.	

Subordo II. *NORANTEÆ*. DC.

NORA'NTEA. DC.	NORA'NTEA. Polyandria Monogynia. L.					
1 guianensis. DC.	(<i>pu.</i>) Guiana.	Guiana.	1827.	S. h.	Aubl. guian. 1. t. 220.
2 brasiliensis. DC. Brazilian.	Brazil.	1820.	S. h.	
3 indica.	Indian.	Mauritius.	1822.	S. h.	
RUY'SCHIA. DC.	RUY'SCHIA. Pentandria Monogynia.					
1 Souroubèa. DC.	(<i>st.</i>) Guiana.	Guiana.	1826.	S. h.	Aubl. guian. 1. t. 97.
2 clusiæfolia. DC.	(<i>pu.</i>) Clusia-leaved.	W. Indies.	1823.	S. h.	Jacq. amer. t. 51. f. 2.

ORDO XLI.

HIPPOCRATEACEÆ. DC. *prodr.* 1. p. 567.

HIPPOCR'ATEA. DC.	HIPPOCR'ATEA. Triandria Monogynia. L.					
1 obcordata. DC.	(<i>st.</i>) obcordate.	W. Indies.	1819.	S. h. ∪.	Lam. ill. 1. t. 28. f. 1.
	<i>scandens</i> . Jacq. amer. t. 9.					
2 ovata. DC.	(<i>ye.</i>) oval-leaved.	S. America.	1739.	S. h. ∪.	Lam. ill. 1. t. 28. f. 2.
	<i>volubilis</i> . L.					
3 indica. DC.	(<i>ye.</i>) Indian.	E. Indies.	1818.	S. h. ∪.	Roxb. cor. 2. t. 130.
4 obtusifolia. DC.	(<i>st.</i>) blunt-leaved.	—————	1820.	S. h. ∪.	
5 arborea. DC.	(<i>st.</i>) tree.	—————	1822.	S. h. ∪.	Roxb. cor. 3. t. 205.
A'NTHODON. DC.	A'NTHODON. Triandria Monogynia.					
1 paniculatum. DC. panicked.	Rio Janeiro.	1818.	S. h. ∪.	
2 ellipticum. DC. elliptic-leaved.	—————	—	S. h. ∪.	
TONSE'LLA. DC.	TONSE'LLA. Triandria Monogynia.					
1 pyriformis. H.T.	(<i>gr.</i>) pear-fruited.	Sierra Leon.	1822.	S. h.	
2 scabra. R.S.	(<i>gr.</i>) rough.	Trinidad.	1824	S. h. ∪.	Aubl. guian. 1. t. 10.
	<i>Tontelea scandens</i> . Aub.					

JO'HNIA. F.I.		JO'HNIA. Triandria Monogynia. F. I.				
1	salacioïdes. F.I. (or.)	entire-leaved.	E. Indies.	1822.	S. h. ∪.
2	coromandeliàna. F.I.	saw-leaved.	—————	—————	S. h. ∪.
TRIG'ONIA. DC.		TRIG'ONIA. Monadelphia Pent-Decandria.				
1	villòsa. DC. (y.re.)	villous.	Cayenne.	1820.	S. h. Aub. gui. 1. t. 149.
2	móllis. DC.	soft-leaved.	Brazil.	1823.	S. h.
3	lævis. DC. (wh.)	smooth.	Guiana.	1826.	S. h. Aub. gui. 1. t. 150.

ORDO XLII.

ERYTHROXYLEÆ. DC. prodr. 1. p. 573.

ERYTHROXYLUM. DC.		ERYTHROXYLUM. Decandria Trigynia. L.				
1	hypericifòlium. DC. (w.)	Hypericum-ld.	Mauritius.	1818.	S. h. Cav. dis. 8. t. 230.
2	havanense. DC. (wh.)	Havannah.	W. Indies.	1822.	S. h. Jacq. amer. t. 87. f. 2.
3	laurifòlium. DC. (wh.)	Laurel-leaved.	Mauritius.	—————	S. h. Cav. dis. 8. t. 226.
4	areolatùm. DC. (wh.)	Carthagena.	Carthagena.	1826.	S. h. Jacq. amer. t. 187. f. 1.
	<i>carthagenèse.</i> Jacq.					
S'ETHIA. Kth.		S'ETHIA. Decandria Monogynia.				
	índica. DC. (ye.)	Indian.	E. Indies.	1823.	S. h. Roxb. cor. 1. t. 88.
	<i>Erythroxylon monog'ynum.</i> R.C.					

ORDO XLIII.

MALPIGHIACEÆ. DC. prodr. 1. p. 577.

Tribus I. MALPIGHIEÆ. DC.

MALPIGHIA. DC.		MALPIGHIA. Decandria Trigynia. L.				
1	fucàta. DC. (li.)	painted.	W. Indies.	1814.	1. 12.	S. h. Bot. reg. 189.
	<i>macrophy'lla.</i> Colla hort. ripul. t. 11. non Juss.					
2	ùrens. DC. (li.)	stinging.	S. America.	1737.	7. 10.	S. h. Bot. reg. 96.
3	angustifòlia. DC. (li.)	narrow-leaved.	W. Indies.	—————	7. 8.	S. h. Lod. bot. cab. 321.
4	aquifòlia. DC. (li.)	Holly-leaved.	S. America.	1759.	8. 9.	S. h. ————— 1079.
5	coccífera. DC. (li.)	kermes-oak-ld.	—————	1733.	—————	S. h. Bot. reg. 568.
6	glábra. DC. (pu.)	smooth-leaved.	—————	1757.	3. 7.	S. h. Bot. mag. 813.
7	biflòra. DC. (ye.)	two-flowered.	—————	—————	S. h. Cav. dis. 8. t. 234. f. 2.
	<i>punicifòlia.</i> Cav.					
8	punicifòlia. DC. (pu.)	Punica-leaved.	—————	1690.	—————	S. h. Plum. ic. t. 166. f. 2.
9	nitida. DC. (pu.)	glossy-leaved.	S. America.	1733.	3. 8.	S. h.
10	incàna. DC. (ro.)	hoary.	Campeachy.	—————	—————	S. h.
11?	faginea. DC. (ye.)	Beech-leaved.	S. America.	1822.	S. h.
12?	dùbia. DC. (ye.)	doubtful.	W. Indies.	1824.	S. h. Cav. dis. 8. t. 242.
BYRSON'IMA. DC.		BYRSON'IMA. Decandria Trigynia. L.				
1	verbascifòlia. DC. (ye.)	Mullein-leaved.	Guiana.	1818.	3. 8.	S. h. Aub. gui. 1. t. 184.
2	nervòsa. DC. (ye.)	prominent-nd.	Brazil.	—————	—————	S. h.
3	altíssima. DC. (wh.)	tall.	Guiana.	1820.	S. h. Aub. gui. 1. t. 181.
4	crassifòlia. DC. (ye.)	thick-leaved.	—————	1793.	8.	S. h. ————— 1. t. 182.
	<i>Malpighia crassifòlia.</i> w.					
5	chrysophy'lla. DC. (ye.)	golden-leaved.	S. America.	1822.	S. h.
6	spicàta. DC. (ye.)	spiked.	Brazil.	1818.	5. 8.	S. h. Cav. dis. 8. t. 237.
7	lúcida. DC. (re.)	wedge-leaved.	W. Indies.	1759.	—————	S. h. Bot. mag. 2462.
	<i>Malpighia lúcida.</i> w.					
8	lævigàta. DC. (st.)	smooth.	Cayenne.	1826.	S. h.
9	élegans. DC. (li.)	elegant.	Guiana.	1827.	S. h.
10	dénsa. DC. (re.)	dense-flower'd.	—————	1825.	S. h.
11	coriàcea. DC. (wh.)	leathery-leaved.	Jamaica.	1814.	—————	S. h. Sloan. his. 2. t. 163. f. 1.

12	<i>pállida</i> . DC.	(<i>ye.</i>) pale-leaved.	W. Indies.	1820.	5. 8.	S. h.	
13?	<i>volùbilis</i> . DC.	(<i>ye.</i>) twining.	—————	1793.	8. 9.	S. h. ∪.	Bot. mag. 809.
	<i>Malpighia volùbilis</i> . B.M.						
	BUNCH'OSIA. DC.	BUNCH'OSIA.	Decandria Monogynia.				
1	<i>glandulòsa</i> . DC.	(<i>ye.</i>) 2-glanded.	Antilles.	1804.	3. 5.	S. h.	Cav. dis. 8. t. 239. f. 2.
	<i>Malpighia glandulòsa</i> . Cav.						
2	<i>glandulífera</i> . DC.	(<i>ye.</i>) 4-glanded.	Caracas.	1806.	—	S. h.	Jacq. coll. 5. f. 3.
	<i>Malpighia glandulòsa</i> . Jacq. ic. 3. t. 469.						
3	<i>cornifòlia</i> . DC.	(<i>wh.</i>) Cornus-leaved.	S. America.	1824.	S. h.	
4	<i>polystàchya</i> . DC.	(<i>ye.</i>) many-spiked.	W. Indies.	1806.	3. 5.	S. h.	And. bot. rep. 604.
5	<i>mèdia</i> . DC.	(<i>ye.</i>) intermediate.	—————	1790.	—	S. h.	
	<i>Malpighia mèdia</i> . H.K.						
6	<i>tuberculàta</i> . DC.	(<i>ye.</i>) tuberculate.	Caracas.	1823.	S. h.	Jacq. schoen. 1. t. 104.
7	<i>argèntea</i> . DC.	(<i>ye.</i>) silvery.	—————	1820.	S. h.	Jacq. frag. t. 83.
8	<i>nítida</i> . DC.	(<i>ye.</i>) glossy-leaved.	W. Indies.	1733.	3. 8.	S. h.	Cav. dis. 8. t. 239. f. 1.
9	<i>canéscens</i> . DC. downy-leaved.	—————	1742.	S. h.	
10?	<i>paniculàta</i> . DC.	(<i>pu.</i>) paniced.	—————	1733.	S. h.	
	GALPH'IMIA. DC.	GALPH'IMIA.	Decandria Trigynia.				
1	<i>hirsùta</i> . DC.	(<i>ye.</i>) hairy.	Mexico.	1824.	3. 6.	S. h.	
2	<i>gláuca</i> . DC.	(<i>ye.</i>) glaucous-leav'd.	—————	1826.	S. h.	Cav. ic. 5. t. 489.
3	<i>glandulòsa</i> . DC.	(<i>ye.</i>) glandular.	—————	1824.	4. 6.	S. h.	————— 6. t. 563.
	THRYA'LLIS. L.	THRYA'LLIS.	Decandria Trigynia.				
	<i>brachystachys</i> . B.R.	(<i>y.</i>) short-spiked.	Brazil.	1823.	9. 11.	S. h. ∪.	Bot. reg. 1162.

Tribus II. *HYPTAGEÆ*. DC.

	HIPT'AGE. DC.	HIPT'AGE.	Decandria Monogynia.				
1	<i>Madablòta</i> . DC.	(<i>wh.</i>) clustered.	E. Indies.	1796.	3. 4.	S. h. ∪.	Roxb. cor. 1. t. 18.
	<i>Gærtnera racemòsa</i> . A.R. 600.						
2	<i>obtusifòlia</i> . DC.	(<i>wh.</i>) blunt-leaved.	China.	1822.	S. h. ∪.	
	<i>Gærtnera obtusifòlia</i> . H.B.						
	GAUDICHA'UDIA. DC.	GAUDICHA'UDIA.	Pentandria Monogynia.				
	<i>cynanchoides</i> . DC.	(<i>ye.</i>) Cynanchum-like.	Mexico.	1824.	S. h. ∪.	H.etB.n.g.am. 5. t. 445.

Tribus III. *BANISTERIÆ*. DC.

	HIR'ÆA. DC.	HIR'ÆA.	Decandria Trigynia. L.				
1	<i>odoràta</i> . DC. sweet-scented.	Guinea.	1822.	S. h. ∪.	
2	<i>glaucéscens</i> . L.C. glaucescent.	S. h. ∪.	
3	<i>nùtans</i> . DC. nodding.	E. Indies.	1818.	5. 8.	S. h. ∪.	
4	<i>índica</i> . DC.	(<i>wh.</i>) Indian.	—————	—————	—————	S. h. ∪.	Roxb. cor. 2. t. 160.
	TRIO'PTERIS. DC.	TRIO'PTERIS.	Decandria Trigynia. L.				
1	<i>seríceà</i> . L.C. silky.	S. America.	1820.	S. h. ∪.	
2	<i>jamaicénsis</i> . DC.	(<i>ye.</i>) Jamaica.	Jamaica.	1818.	5. 9.	S. h. ∪.	
3	<i>lúcida</i> . K.S.	(<i>pi.</i>) glossy.	Cuba.	1822.	S. h. ∪.	H.etB.n.g.am. 5. t. 451.
	TETRA'PTERIS. DC.	TETRA'PTERIS.	Decandria Trigynia. L.				
1	<i>buxifòlia</i> . DC.	(<i>ye.</i>) Box-leaved.	St. Domingo.	5. 8.	S. h. ∪.	Cav. dis. 9. t. 262. f. 1.
2	<i>acapulcénsis</i> . K.S.	(<i>ye.</i>) Acapulco.	Mexico.	1824.	S. h. ∪.	
3	<i>acutifòlia</i> . DC.	(<i>ye.</i>) acute-leaved.	Cayenne.	1826.	S. h. ∪.	Cav. dis. 9. t. 261.
4	<i>citrifolia</i> . DC.	(<i>ye.</i>) Citron-leaved.	Jamaica.	1819.	—	S. h.	————— 9. t. 260.
5	<i>discolor</i> . DC.	(<i>ye.</i>) two-coloured.	Guiana.	1827.	S. h. ∪.	
	BANISTERIA. DC.	BANISTERIA.	Decandria Trigynia. L.				
1	<i>auriculàta</i> . DC.	(<i>ye.</i>) eared.	Brazil.	1818.	S. h. ∪.	Cav. dis. 9. t. 255.
2	<i>ciliàta</i> . DC.	(<i>or.</i>) ciliated.	—————	1796.	S. h. ∪.	————— 9. t. 254.
3	<i>spléndens</i> . DC.	(<i>ye.</i>) shining.	S. America.	1812.	S. h. ∪.	————— 9. t. 253.
	<i>heterophy'lla</i> . w. <i>fùlgens</i> . Cav.						
4	<i>dichótoma</i> . DC.	(<i>ye.</i>) forked.	S. America.	S. h. ∪.	Cav. dis. 9. t. 256.
5	<i>emarginàta</i> . DC.	(<i>ye.</i>) emarginate.	W. Indies.	1826.	S. h. ∪.	————— 9. t. 249.
6	<i>seríceà</i> . DC.	(<i>ye.</i>) silky.	Brazil.	1810.	S. h. ∪.	————— 9. t. 258.
7	<i>tomentòsa</i> . DC.	(<i>ye.</i>) woolly-leaved.	Antilles.	1818.	5. 8.	S. h. ∪.	
8	<i>tiliæfòlia</i> . DC.	(<i>pu.</i>) Lime-leaved.	Java.	1820.	S. h. ∪.	Vent. choix. t. 50.

9	sinemariénsis. DC.	(<i>ye.</i>) prickly-leaved.	Guiana.	1824.	S. h. ∪.	Aubl. guian. 1. t. 185.
10	ferrugínea. DC.	(<i>bh.</i>) ferruginous.	Brazil.	1818.	S. h. ∪.	Cav. dis. 9. t. 248.
11	periplocæfòlia. DC.	(<i>ye.</i>) Periploca-ld.	Porto Rico.	—	S. h. ∪.	
12	laurifòlia. DC.	(<i>ye.</i>) Laurel-leaved.	Jamaica.	1733.	7. 8.	S. h. ∪.	Bot. reg. 937.
13	fúlgens. DC.	(<i>ye.</i>) fulgent.	W. Indies.	1759.	S. h. ∪.	
14	ovàta. DC.	(<i>bh.</i>) oval-leaved.	St. Domingo.	1819.	7. 8.	S. h. ∪.	Vent. choix. t. 51. A.
HETERO'PTERIS. DC. HETERO'PTERIS. Decandria Trigynia. L.							
1	purpùrea. DC.	(<i>pu.</i>) purple.	W. Indies.	1759.	S. h. ∪.	Cav. dis. 9. t. 246. f. 1.
2	parvifòlia. DC.	(<i>ye.</i>) small-leaved.	St. Thomas.	1822.	S. h. ∪.	Vent. choix. t. 51.
3	brachiàta. DC. cross-branched.	S. America.	1759.	S. h. ∪.	
4	chrysophýlla. DC.	(<i>or.</i>) Star-apple-ld.	Brazil.	1793.	S. h. ∪.	Jacq. schœn. 1. t. 105.
5	cœrùlea. DC.	(<i>bl.</i>) blue-flowered.	W. Indies.	1822.	S. h. ∪.	Cav. dis. 9. t. 243.
6	floribúnda. DC.	(<i>bl.</i>) many-flowered.	Mexico.	1826.	S. h. ∪.	
7	nítida. DC. glossy.	Brazil.	1809.	S. h. ∪.	Cav. dis. 9. t. 244.
8	appendiculàta. DC.	.. long-pointed.	W. Indies.	1823.	S. h.	

ORDO XLIV.

ACERINEÆ. DC. *prodr.* 1. p. 593.

ACER. DC.		MAPLE. Polygamia Monœcia. L.					
1	oblóngum.	(<i>gr.</i>) oblong-leaved.	Nepaul.	1820.	H. 5.	
2	tatáricum. DC.	(<i>gr.</i>) Tartarian.	Tartary.	1759.	5. 6.	H. 5.	Pall. fl. ros. t. 3.
3	striàtum. DC.	(<i>st.</i>) striped-barked.	N. America.	1755.	—	H. 5.	Mich. f. arb. 2. t. 17.
<i>pensylvànicum.</i> L.							
4	Pseùdo-Plátanus.	(<i>st.</i>) Sycamore.	Britain.	4. 5.	H. 5.	Eng. bot. 303.
	β <i>variegàtum.</i>	(<i>st.</i>) <i>variegated.</i>	—	—	H. 5.	Duham. arb. 1. t. 36.
	γ <i>subobtùsum.</i> DC.	(<i>st.</i>) <i>blunt-leaved.</i>	—	—	H. 5.	
5	spicàtum. DC.	(<i>st.</i>) mountain.	N. America.	1750.	—	H. 5.	Schm. arb. 1. t. 11.
<i>montànum.</i> H.K.							
6	hy'bridum. DC.	(<i>gr.</i>) hybrid.	Hybrid.	—	H. 5.	Lodd. bot. cab. 1221.
7	macrophy'llum. DC.	(<i>st.</i>) large-leaved.	Columbia.	1827.	H. 5.	
8	campéstre. DC.	(<i>gr.</i>) common.	Britain.	5. 6.	H. 5.	Eng. bot. 304.
9	austriacum. L. en.	(<i>gr.</i>) Austrian.	Austria.	—	H. 5.	Tratt. arch. 1. n. 6. ic.
10	Opàlus. w.	(<i>st.</i>) Italian.	Italy.	1752.	—	H. 5.	
11	opalifòlium. L. en.	(<i>st.</i>) Opalus-leaved.	S. Europe.	—	H. 5.	Tratt. arch. 1. n. 13. ic.
12	obtusàtum. DC.	(<i>st.</i>) Hungarian.	Hungary.	1818.	—	H. 5.	— 1. n. 14. ic.
13	neapolitànum. T. s.	(<i>st.</i>) Neapolitan.	Naples.	1820.	5. 6.	H. 5.	Ten. at. ac. neap. 1819. ic.
14	créticum. DC.	(<i>gr.</i>) Cretan.	Levant.	1752.	—	H. 5.	Tratt. arch. 1. n. 19. ic.
15	monspessulànum. DC.	(<i>gr.</i>) Montpellier.	France.	1739.	5.	H. 5.	— 1. n. 20. ic.
16	ibéricum. DC.	(<i>gr.</i>) Iberian.	Iberia.	1826.	H. 5.	
17	heterophy'llum. DC.	(<i>gr.</i>) evergreen.	Levant.	1759.	5. 6.	H. 5.	Willd. arb. 10. t. 1. f. 1.
<i>sempervirens.</i> L.							
18	barbàtum. DC.	(<i>gr.</i>) bearded.	N. America.	1812.	4. 5.	H. 5.	
19	Lobèlii. T. s.	(<i>st.</i>) Lobel's.	Italy.	1826.	H. 5.	
20	platanoídes. DC.	(<i>st.</i>) Norway.	Europe.	1683.	5. 7.	H. 5.	Schm. arb. 1. t. 3. 4.
	β <i>laciniàtum.</i>	(<i>st.</i>) <i>cut-leaved.</i>	—	—	—	H. 5.	— 1. t. 5.
21	saccharìnum. DC.	(<i>st.</i>) Sugar.	N. America.	1735.	4. 5.	H. 5.	Mich. f. arb. 2. t. 15.
22	nigrum. DC.	(<i>st.</i>) black-sugar.	—	1812.	—	H. 5.	— 2. t. 16.
23	circinnàtum. DC. round-leaved.	Columbia.	1827.	H. 5.	
24	eriocárpum. DC.	(<i>st.</i>) Sir C. Wager's.	N. America.	1725.	—	H. 5.	Mich. f. arb. 2. t. 13.
<i>dasycárpum.</i> w.							
25	rùbrum. DC.	(<i>re.</i>) red-flowered.	—	1656.	—	H. h.	Mich. f. arb. 2. t. 14.
26	palmàtum. DC.	(<i>st.</i>) palmate.	China.	1820.	H. h.	Tratt. arch. 1. n. 17. ic.
NEGU'NDO. DC. NEGU'NDO. Diccia Pentandria.							
	fraxinifòlium. DC.	(<i>st.</i>) Ash-leaved.	N. America.	1688.	4.	H. 5.	Mich. f. arb. 2. t. 16.
'Acer Negúndo. L.							

ORDO XLV.

HIPPOCASTANEÆ. DC. *prodr.* 1. p. 597.

ÆSCULUS. DC.		HORSE-CHESTNUT.		Heptandria Monogynia. L.		
1	Hippocástanum. DC. (<i>wh.</i>)	common.	Asia.	1629.	4. 5.	H. 5. Schm. arb. 1. t. 38.
	β variegàta.	(<i>wh.</i>) striped-leaved.	—————	—	H. 5.
	γ flore plèno.	(<i>wh.</i>) double-flowered.	—	H. 5.
2	rubicúnda. DC. (<i>re.</i>)	red-flowered.	5. 6.	H. 5. Lod. bot. cab. 1242.
	<i>cárnea.</i> W.D. 121	non B. reg.				
3	<i>cárnea.</i> B.R. (<i>fl.</i>)	flesh-coloured.	5. 6.	H. 5. Bot. reg. 993.
4	glábra. DC. (<i>st.</i>)	smooth-leaved.	N. America.	1812.	—	H. 5.
5	ohioénsis. DC. (<i>wh.</i>)	Ohio.	—————	1818.	—	H. 5.
6	pállida. DC. (<i>st.</i>)	pale-flowered.	—————	1812.	6.	H. 5.
P'AVIA.		BUCK'S-EYE-TREE.		Heptandria Monogynia.		
1	macrostàchya. DC. (<i>w.</i>)	long-spiked.	N. America.	1786.	7. 8.	H. $\frac{1}{2}$. Jacq. ecl. 1. t. 9.
	<i>Æsculus parviflòra.</i>	H.K.				
2	rùbra. DC. (<i>re.</i>)	red-flowered.	N. America.	1711.	5. 6.	H. 5. Duham. arb. 2. t. 19.
	<i>Æsculus Pària.</i>	Lod. bot. cab. 1257.				
	β argùta. B.R. (<i>fl.</i>)	sharp-toothed.	—————	—	H. 5. Bot. reg. 993.
	γ sublaciniata. W.D. (<i>re.</i>)	deep-toothed.	—————	—	H. 5. Wats. dend. brit. 120.
3	hy'brida. DC. (<i>fl.</i>)	variegated-fl ^d .	—————	1812.	—	H. 5.
4	díscolor. (<i>fl.</i>)	dwarf.	—————	—	—	H. $\frac{1}{2}$. Bot. reg. 310.
	<i>Æsculus díscolor.</i>	Ph. non hy'brida. DC.				
5	hùmilis. B.R. (<i>re.</i>)	dwarf.	—————	—	H. $\frac{1}{2}$. Bot. reg. 1018.
6	neglécta. B.R. (<i>st.</i>)	neglected.	—————	—	H. 5. ——— 1009.
7	flàva. DC. (<i>st.</i>)	yellow-flowered.	—————	1764.	—	H. 5. Lod. bot. cab. 1280.

ORDO XLVI.

RHIZOBOLEÆ. DC. *prodr.* 1. p. 599.

CAR'YOCAR. DC.		BUTTER-NUT.		Polyandria Tetragynia.		
1	nucíferum. DC. (<i>re.</i>)	nut-bearing.	S. America.	1826.	S. $\frac{1}{2}$. Bot. mag. 2728.
2	glábrum. DC.	smooth-leaved.	Guiana.	1820.	S. $\frac{1}{2}$. Aub. gui. 2. t. 240.
3	tomentòsum. DC. (<i>wh.</i>)	woolly-leaved.	—————	—	S. $\frac{1}{2}$. ——— 1. t. 239.

ORDO XLVII.

SAPINDACEÆ. DC. *prodr.* 1. p. 601.

Tribus I. PAULLINIEÆ. DC.

CARDIOSPERMUM. L.		HEART-SEED.		Octandria Trigynia. L.		
1	Halicácabum. DC. (<i>w.</i>)	smooth-leaved.	India.	1594.	6. 8.	S. \odot . Bot. mag. 1049.
2	grandiflòrum. DC. (<i>wh.</i>)	large-flowered.	Jamaica.	1823.	S. $\frac{1}{2}$.
3	coluteoides. DC. (<i>wh.</i>)	Colutea-like.	Caracas.	—	S. $\frac{1}{2}$.
4	Coríndum. L. (<i>wh.</i>)	Parsley-leaved.	Brazil.	1750.	7. 8.	S. \odot .
5	pubéscens. DC. (<i>wh.</i>)	pubescent.	N. Spain.	1820.	—	S. $\frac{1}{2}$.
URVILL'ÆA. Kth.		URVILL'ÆA.		Octandria Monogynia.		
	ulmácea. Kth. (<i>wh.</i>)	Elm-leaved.	Caracas.	1823.	S. $\frac{1}{2}$. H. et B. n. gen. 5. t. 440.
SER'ANA. Kth.		SER'ANA.		Octandria Trigynia. L.		
1	sinuàta. DC. (<i>wh.</i>)	sinuate-leaved.	S. America.	7. 9.	S. $\frac{1}{2}$. Sch. ac. hafn. 3. t. 12. f. 1.

2	divaricatà. DC.	(wh.)	divaricate.	W. Indies.	1823.	S. h.	~	Sch. ac. hafn. 3. t. 12. f. 2.
3	caracasàna. DC.	(wh.)	tooth-leaved.	Caracas.	1816.	7. 9.	S. h.	~	Jacq. schoen. 1. t. 99.
4	mexicàna. DC.	(wh.)	Mexican.	Mexico.	1825.	S. h.	~	Sch. ac. hafn. 3. t. 11. f. 3.
5	triternàta. DC.	(wh.)	Supple-Jack.	W. Indies.	1739.	S. h.	~	Plum. ed. Burm. t. 112.
	<i>Paullinia polyphylla</i> . L.								
	PAULLINIA. DC.		PAULLINIA.	Octandria Trigynia.	L.				
1	pinnàta. DC.	(wh.)	winged-leaved.	S. America.	1752.	7. 9.	S. h.	~	Jacq. obs. 3. t. 62. f. 12.
2	Vespertilio. DC.	(wh.)	Bat-winged.	W. Indies.	1823.	—	S. h.	~	Sch. act. hafn. 3. t. 11. f. 1.
3	meliaefolia. DC.	(wh.)	Melia-leaved.	Brazil.	1818.	—	S. h.	~	Hook. ex. flor. 110.
4	curassàvica. DC.	(wh.)	shining-leaved.	S. America.	1739.	6. 8.	S. h.	~	Jacq. obs. 3. t. 61. f. 1.
5	barbadensis. DC.	(wh.)	Barbadoes.	W. Indies.	1786.	S. h.	~	— 3. t. 61. f. 9.
6	polyphylla. DC.	(wh.)	many-leaved.	S. America.	1739.	6. 8.	S. h.	~	Pluk. alm. t. 168. f. 5?
7	carthagenensis. DC.	(wh.)	biternate.	Trinidad.	1821.	—	S. h.	~	Jacq. obs. 3. t. 61. f. 6.
8	carib'æa. DC.	(wh.)	Caribbean.	Caribeas.	S. h.	~	Jacq. obs. 3. t. 62. f. 7.
9	hispida. DC.	(wh.)	hispid.	Caracas.	1823.	S. h.	~	Jacq. schoen. 3. t. 268.
10	cauliflora. DC.	(wh.)	stem-flowering.	—	1821.	6. 8.	S. h.	~	Jacq. ic. rar. 3. t. 450.

Tribus II. *SAPINDEÆ*. DC.

	SAPINDUS. DC.		SOAP BERRY.	Octandria Trigynia.	L.				
1	Saponària. DC.	(wh.)	common	W. Indies.	1697.	7. 9.	S. h.		Comm. hort. 1. t. 94.
2	marginatus. DC.	(wh.)	marginated.	Carolina.	—	G. h.		
3	rigidus. DC.	(wh.)	Ash-leaved.	S. America.	1759.	—	S. h.		Pluk. alm. t. 217. f. 7.
4	senegalensis. DC.	(wh.)	Senegal.	Senegal.	1823.	S. h.		
5	laurifolius. DC.	(wh.)	Laurel-leaved.	E. Indies.	1818.	S. h.		Rheed mal. 4. t. 19.
6	longifolius. DC.	(wh.)	long-leaved.	—	—	S. h.		
7	emarginatus. DC.	(wh.)	emarginate.	—	1820.	S. h.		
8	rubiginosus. DC.	(wh.)	rusty-leaved.	—	—	S. h.		
9?	indicus. DC.	(wh.)	various-leaved.	—	—	S. h.		Roxb. cor. 1. t. 62.
	BLIGHIA. DC.		AKEE-TREE.	Octandria Monogynia.					
	sápida. DC.	(wh.)	Ash-leaved.	Africa.	1723.	S. h.		Kon. an. bot. 2. t. 16. 17.
	MATA'YBA. DC.		MATA'YBA.	Octandria Monogynia.					
	guianensis. DC.	(wh.)	Ash-leaved.	Guiana.	1803.	7. 9.	S. h.		Aub. gui. 1. t. 128.
	<i>Ephielis fraxinea</i> . W.								
	SCHMIDELIA. DC.		SCHMIDELIA.	Octandria Monogynia.	L.				
1	serrata. DC.	(wh.)	saw-leaved.	E. Indies.	1804.	6. 8.	S. h.		Roxb. cor. 1. t. 61.
	<i>Ornitrophe serrata</i> . W.								
2	racemosa. DC.	(wh.)	clustered.	—	1818.	S. h.		Burm. ind. t. 32. f. 1.
3	Cominia. DC.	(wh.)	yellow-berried.	Jamaica.	1759.	6. 9.	S. h.		Sloan. h. 2. t. 208 f. 1.
	<i>Ornitrophe Cominia</i> . W.								
	EUPHORIA. DC.		EUPHORIA.	Octandria Monogynia.	L.				
1	Litchi. DC.	(wh.)	Lec-Chee.	China.	1786.	5. 6.	S. h.		Lam. ill. t. 306.
	<i>Dimocarpus Litchi</i> . W.								
2	Longana. DC.	(wh.)	loose-panicled.	China.	—	—	S. h.		Buchoz. ic. col. t. 99.
3	verticillata. B.R.	(bh.)	whorl-flowered.	Moluccas.	1822.	2. 3.	S. h.		Bot. reg. 1059.
4	Nephelium. DC.	(wh.)	Rambootan.	E. Indies.	1809.	S. h.		Lam. ill. t. 764.
	<i>Nephelium lappaceum</i> . W.								
	CUPANIA. DC.		CUPANIA.	Octandria Monogynia.					
1	tomentosa. DC.	(wh.)	woolly-leaved.	W. Indies.	1818.	5. 7.	S. h.		
	<i>Trigonis tomentosa</i> . Jacq. am. 102.								
2	glabra. DC.	(wh.)	smooth-leaved.	—	—	—	S. h.		
3	Saponaria. DC.	(wh.)	Soap-wort-ld.	—	1820.	S. h.		
	MOLIN'ÆA. J.		MOLIN'ÆA.	Octandria Monogynia.					
	canescens. H.B.	(wh.)	canescent.	E. Indies.	1817.	5. 6.	S. h.		
	COSSIGNIA. DC.		COSSIGNIA.	Hexandria Monogynia.					
	borbonica. DC.	(wh.)	golden-leaved.	Bourbon.	1811.	S. h.		Lam. ill. t. 256.
	<i>pinnata</i> . Lam. <i>Ruizia aurea</i> . Hort.								
	MELICOCCA. DC.		HONEY-BERRY.	Octandria Monogynia.	L.				
1	bijuga. DC.	(wh.)	winged-leaved.	Jamaica.	1778.	S. h.		Jacq. amer. 103. t. 72.
2	olivæformis. DC.	(wh.)	large-leaved.	S. America.	1818.	S. h.		

Tribus III. *DODONÆACEÆ*. DC.

KOELREUTERIA. DC.	KOELREUTERIA.	Octandria Monogynia.	L.					
paniculata. DC.	(<i>ye.</i>) paniced.	China.	1763.	7. 8.	H. h.		Bot. reg. 320.	
DODONÆA. DC.	DODONÆA.	Octandria Monogynia.	L.					
1 viscosa. DC.	(<i>gr.</i>) clammy.	S. America.	1690.	6. 7.	S. h.		Plum. ic. t. 247. f. 2.	
2 jamaicensis. DC.	(<i>gr.</i>) Jamaica.	Jamaica.	—	—	S. h.		Cav. ic. t. 327.	
	<i>viscosa</i> . Cav. <i>angustifolia</i> . Sw.							
3 Burmanniana. DC.	(<i>gr.</i>) Burman's.	E. Indies.	1758.	5. 8.	S. h.		Burm. zeyl. t. 23.	
	<i>angustifolia</i> . H. B.							
4 microcarpa. DC.	(<i>gr.</i>) small-fruited.	Bourbon.	1818.	—	S. h.		Lam. ill. t. 304. f. 2.	
5 attenuata. F. T.	(<i>gr.</i>) attenuated.	N. S. W.	1824.	2. 6.	G. h.		Bot. mag. 2860.	
6 salicifolia. DC.	(<i>gr.</i>) Willow-leaved.	C. B. S.	1758.	—	G. h.			
	<i>angustifolia</i> . Lam.							
7 dioica. DC.	(<i>gr.</i>) dioecious.	E. Indies.	—	S. h.			
8 triquetra. DC.	(<i>gr.</i>) three-sided.	N. S. W.	1790.	6. 8.	G. h.		Andr. rep. 230.	
9 oblongifolia. L. en.	(<i>gr.</i>) oblong-leaved.	—	1816.	—	G. h.		Bot. reg. 1051.	
10 cuneata. DC.	(<i>gr.</i>) wedge-leaved.	—	—	—	G. h.		Linn. trans. 11. t. 19.	
11 asplenifolia. DC.	(<i>gr.</i>) Asplenium-ld.	—	—	—	G. h.		— 11. t. 20.	
12 filiformis. DC.	(<i>gr.</i>) slender-leaved.	—	1820.	—	G. h.			
13 angustissima. DC.	(<i>gr.</i>) narrow-leaved.	—	—	—	G. h.			
14 elæagnoïdes. DC.	(<i>gr.</i>) scaly leaved.	W. Indies.	1819.	S. h.			
15? pinnata. DC.	(<i>gr.</i>) winged-leaved.	N. S. W.	1810.	G. h.			

ORDO XLVIII.

MELIACEÆ. DC. *prodr.* 1. p. 619.Tribus I. *MELIÆÆ*. DC.

AITONIA. W.	AITONIA.	Monadelphia Octandria.						
capensis. W.	(<i>pi.</i>) Cape.	C. B. S.	1774.	5. 9.	G. h.		Bot. mag. 173.	
TURRÆA. DC.	TURRÆA.	Decandria Monogynia.	L.					
1 virens. DC.	(<i>ye.</i>) green.	E. Indies.	1822.	S. h.		Sm. ic. ined. 1. t. 10.	
2 rigida. DC.	(<i>li.</i>) rigid.	Mauritius.	1820.	S. h.		Vent. choix. t. 48.	
QUIVISIA. DC.	QUIVISIA.	Octandria Monogynia.						
heterophylla. DC.	(<i>bh.</i>) various-leaved.	Mauritius.	1821.	S. h.		Cav. dis. 7. t. 213.	
SANDORICUM. DC.	SANDORICUM.	Decandria Monogynia.						
indicum. DC.	(<i>st.</i>) Indian.	E. Indies.	1818.	S. h.		Roxb. corom. 3. t. 261.	
MELIA. DC.	BEAD-TREE.	Decandria Monogynia.	L.					
1 Azedarach. DC.	(<i>li.</i>) common.	Syria.	1656.	6. 8.	G. h.		Bot. mag. 1066.	
2 superba. H. B.	(<i>li.</i>) superb.	E. Indies.	1821.	1. 2.	S. h.			
3 robusta. H. B.	(<i>li.</i>) robust.	—	—	S. h.			
4 sempervirens. DC.	(<i>li.</i>) evergreen.	Jamaica.	1656.	6. 9.	S. h.		Bot. reg. 643.	
5 composita. DC.	(<i>li.</i>) compound-ld.	E. Indies.	1818.	1. 3.	S. h.			
6 Azadirachta. DC.	(<i>li.</i>) Ash-leaved.	—	1759.	6. 8.	S. h.		Cav. dis. 7. t. 208.	
7 australis.	(<i>li.</i>) New Holland.	N. S. W.	1824.	G. h.			

Tribus II. *TRICHILIEÆ*. DC.

TRICHILIA. DC.	TRICHILIA.	Decandria Monogynia.	L.					
1 hirta. DC.	(<i>wh.</i>) hairy.	Jamaica.	1820.	6. 7.	S. h.		Sloan. h. 2. t. 220. f. 1.	
2 spondioides. DC.	(<i>st.</i>) Spondias-like.	—	—	—	S. h.		Jacq. schœn. 1. t. 102.	
3 havanensis. DC.	(<i>st.</i>) smooth.	W. Indies.	1794.	—	S. h.		Jacq. amer. t. 175. f. 38.	
	<i>glabra</i> . L.							
4 odorata. A. R.	(<i>gr.</i>) sweet-scented.	—	1801.	—	S. h.		Andr. rep. 637.	
5 terminalis. DC.	(<i>wh.</i>) terminal.	Jamaica.	1825.	S. h.			
6 glandulosa. DC.	(<i>gr.</i>) glandular.	N. S. W.	1821.	G. h.			
7 trifoliata. DC.	(<i>wh.</i>) three-leaved.	S. America.	1828.	S. h.		Jacq. amer. 129. t. 82.	

EKEBE'RGIA. DC.	EKEBE'RGIA.	Decandria Monogynia.				
1 capénsis. DC.	(wh.) Cape.	C. B. S.	1789. 7. 8.	G. h ₂ .	Lam. ill. t. 358.	
2 índica. H.B.	(wh.) Indian.	E. Indies.	1826.	S. h ₂ .		
GUA'REA. DC.	GUA'REA.	Octandria Monogynia. L.				
1 trichilioídes. L.	(wh.) Ash-leaved.	S. America.	1752. 5. 6.	S. h ₂ .	Jacq. am. t. 176. f. 37.	
<i>grandifolia.</i> DC.	<i>Mèlia Guára.</i> Jacq.					
2 Swártzii.	(wh.) Swartz's.	W. Indies.	1822.	S. h ₂ .	Sloan. h. 2. t. 170. f. 1.	
<i>trichilioídes.</i> Sw.						
3 ramiflòra. DC.	(li.) branch-flow'r'd.	Porto Rico.	—	S. h ₂ .	Vent. choix. t. 41.	
HE'YNEA. DC.	HE'YNEA.	Decandria Monogynia.				
1 tríjuga. DC.	(wh.) Walnut-like.	Nepaul.	1812. 9. 10.	S. h ₂ .	Bot. mag. 1738.	
2 quínquejuga. H.B.	(w.) five-paired.	Moluccas.	1821.	S. h ₂ .		
AMOO'RA. R.C.	AMOO'RA.	Hexandria Monogynia.				
<i>cucullàta.</i> R.C.	(ye.) hooded.	E. Indies.	1824.	S. h ₂ .	Roxb. corom. 3. t. 258.	

ORDO XLIX.

CEDRELEÆ. *Brown gen. rem. 64.*

CEDR'ELA. DC.	BASTARD CEDAR.	Pentandria Monogynia. L.				
1 odoràta. DC.	(st.) fragrant.	W. Indies.	1739. 7. 9.	S. h ₂ .	Lam. ill. t. 137.	
2 Toóna. DC.	(st.) Nepaul.	Nepaul.	1821.	S. h ₂ .	Roxb. cor. 3. t. 238.	
3 velutina. DC. velvety.	S. h ₂ .		
SWIET'ENIA. DC.	MAHOGANY-TREE.	Decandria Monogynia. L.				
1 Mahógoni. DC.	(wh.) common.	W. Indies.	1734.	S. h ₂ .	Cav. dis. 7. t. 209.	
2 febrifùga. DC.	(wh.) Febrifuge.	E. Indies.	1796.	S. h ₂ .	Roxb. cor. 1. t. 17.	
CHLORO'XYLON. DC.	CHLORO'XYLON.	Decandria Monogynia.				
<i>Swietènia.</i> DC.	(ye.) Satin-wood.	E. Indies.	1822.	S. h ₂ .	Roxb. cor. 1. t. 64.	
<i>Swietènia chloróxylon.</i> R.C.						
FLINDE'RSIA. DC.	FLINDE'RSIA.	Decandria Monogynia.				
<i>austràlis.</i> DC.	(wh.) New Holland.	N. Holland.	1821.	G. h ₂ .	Brown gen. rem. t. 1.	
CARA'PA. DC.	CARA'PA.	Decandria Monogynia.				
1 pròcera. DC.	(st.) tall.	W. Indies.	S. h ₂ .		
2 guineénsis.	(st.) glossy-leaved.	Sierra Leon.	1793.	S. h ₂ .		
<i>Afzèlia spléndens.</i> Hort.						
3 guianénsis. DC.	(st.) Guiana.	Guiana.	1820.	S. h ₂ .	Aubl. guian. 2. s. t. 387.	

ORDO L.

AMPELIDEÆ. *DC. prodr. 1. p. 627.*

Tribus I. *VINIFERÆ* seu *SARMENTACEÆ.* DC.

CÍSSUS. DC.	CÍSSUS.	Tetrandria Monogynia. L.				
1 vitigínea. DC.	(re.) vine-leaved.	India.	1772. 7. 8.	S. h ₂ ∪.	Pluk. mant. t. 337. f. 4.	
2 adnàta. DC.	(gr.) pointed-leaved.	E. Indies.	1818. —	S. h ₂ ∪.		
3 gláuca. DC.	(gr.) glaucous.	—————	—————	S. h ₂ ∪.		
4 c'æsia. DC.	(gr.) grey.	Guinea.	1822. 5. 6.	S. h ₂ ∪.		
5 rèpens. DC.	(pu.) creeping.	E. Indies.	1821. —	S. h ₂ ∪.	Rheed. mal. 7. t. 48.	
6 puncticulòsa DC.	(gr.) strumous.	Cayenne.	1818.	S. h ₂ ∪.		
7 uvífera. DC.	(gr.) berry-bearing.	Guinea.	1822. 5. 6.	S. h ₂ ∪.		
8 tiliàcea. DC.	(gr.) Lime-leaved.	Mexico.	1825.	G. h ₂ ∪.		
9 quadrangulàris. DC.	(w.) square-stalked.	E. Indies.	1790.	S. h ₂ ∪.	Rumph. amb. 5. t. 44. f. 2.	
10 sieyoídes. DC.	(gr.) naked-leaved.	Jamaica.	1768. 7. 8.	S. h ₂ ∪.	Jacq. amer. 22. t. 15.	
11 smilacina. DC.	(gr.) Smilax-like.	S. America.	1826.	S. h ₂ ∪.		
12 ovàta. DC.	(gr.) oval-leaved.	—————	1822.	S. h ₂ ∪.	Brown. jam. t. 4. f. 1. 2.	
13 antàretica. DC.	(gr.) Kanguru-Vine.	N. S. W.	1790. 6. 8.	G. h ₂ ∪.	Bot. mag. 2488.	

14 glandulosa. DC.	(gr.) glandular.	Arabia.	1824.	6. 7.	G. 4. ∪.		
15 capensis. DC.	(gr.) Cape.	C. B. S.	1792.	—	G. h. ∪.		
16 acida. DC.	(gr.) acid.	Jamaica.	1692.	—	S. h. ∪.	Jacq. schoen. 1. t. 33.	
17 carnosa. DC.	(wh.) flat-stemmed.	E. Indies.	1818.	S. h. ∪.	Rheed. mal. 7. t. 9.	
18 trifoliata. DC.	(re.) three-leaved.	Jamaica.	1739.	6. 8.	S. h. ∪.	Sloan. jam. t. 142. f. 5. 6. ?	
19 pauciflora. DC.	(gr.) few-flowered.	C. B. S.	1818.	5. 6.	G. h. ∪.		
20 alata. DC.	(re.) winged-stalked.	Jamaica.	—	—	S. h. ∪.	Sloan. jam. 1. t. 144.	
21 angustifolia. DC.	(st.) narrow-leaved.	E. Indies.	1818.	S. h. ∪.		
22 cirrhosa. DC.	(gr.) tendrilled.	C. B. S.	1822.	5. 6.	G. h. ∪.		
23 quinata. DC.	(gr.) wedge-leaved.	—	1790.	7.	G. h. ∪.		
24 pentaphylla. DC.	(gr.) Japan.	Japan.	—	4. 9.	G. h. ∪.		
25 quinquefolia. B.M.	(gr.) five-leaved.	Brazil.	—	8. 9.	S. h. ∪.	Bot. mag. 2443.	
26 diversifolia. DC.	(gr.) various-leaved.	—	S. h. ∪.		
<i>heterophylla. L. en. non DC.</i>							
27 elongata. DC.	(gr.) long-branched.	E. Indies.	1818.	S. h. ∪.		
28 auriculata. DC.	(gr.) ear-stipuled.	—	—	S. h. ∪.		
29 orientalis. DC.	(gr.) oriental.	Levant.	—	6. 8.	G. h. ∪.	Lam. ill. t. 84. f. 2.	
AMPELOPSIS. DC.	AMPELOPSIS.	Pentandria Monogynia. L.					
1 cordata. DC.	(gr.) heart-leaved.	N. America.	1803.	6. 8.	H. h. ∪.		
<i>Cissus Ampelopsis. P.S.</i>							
2 hederacea. DC.	(gr.) Virginian creeper.	—	1629.	—	H. h. ∪.	Corn. canad. t. 100.	
<i>Hedera quinquefolia. L. Cissus hederacea. P.S.</i>							
3 hirsuta. DC.	(gr.) hairy.	—	1806.	—	H. h. ∪.		
4 bipinnata. DC.	(gr.) Pepper Vine.	—	1700.	7. 9.	H. h. ∪.	Pluk. mant. t. 412. f. 2.	
<i>Vitis arborea. W. Cissus stans. P.S.</i>							
VITIS. DC.	VINE.	Pentandria Monogynia. L.					
1 vinifera. DC.	(gr.) common Grape.	Asia.	6. 7.	H. h. ∪.	Jacq. ic. 1. t. 50.	
2 laciniosa. DC.	(gr.) Parsley-leaved.	1648.	—	H. h. ∪.	Schm. ic. 34. t. 8.	
3 dentata. DC.	(gr.) toothed.	1818.	H. h. ∪.		
4 Wallichii. DC.	(gr.) Wallich's.	Nepaul.	—	H. h. ∪.		
5 indica. DC.	(g. pu.) Indian.	E. Indies.	1692.	S. h. ∪.	Rheed. mal. 7. t. 6.	
6 lanata. F.I.	(gr.) woolly.	—	1824.	S. h. ∪.		
7 latifolia. F.I.	(br.) broad-leaved.	—	—	S. h. ∪.	Rheed. mal. 7. t. 7.	
8 caribæa. DC.	(st.) West Indian.	W. Indies.	S. h. ∪.	Sloan. his. 2. t. 210. f. 4.	
9 Labrusca. DC.	(gr.) downy-leaved.	N. America.	1656.	5. 6.	H. h. ∪.	Jacq. schoen. t. 426.	
10 blanda.	(gr.) white-berried.	—	—	—	H. h. ∪.		
11 æstivalis. DC.	(gr.) Fox Grape.	—	—	—	H. h. ∪.	Jacq. schoen. t. 425.	
<i>rupina. W.</i>							
12 cordifolia. DC.	(gr.) Winter Grape.	—	1806.	H. h. ∪.		
13 riparia. DC.	(gr.) sweet-scented.	—	—	5. 6.	H. h. ∪.	Bot. mag. 2429.	
14 rotundifolia. DC.	(gr.) Bullet Grape.	—	—	—	H. h. ∪.		
15 palmata. DC.	(gr.) palmate-leaved.	—	1820.	—	H. h. ∪.		

Tribus II. LEEACEÆ. DC.

LEEÆ. DC.	LEEÆ.	Pentandria Monogynia. L.					
1 sambucina. DC.	(st.) Elder-leaved.	E. Indies.	1790.	S. h.	Cav. dis. 7. t. 218.	
2 crispa. DC.	(wh.) fringe-stalked.	C. B. S.	1676.	8. 10.	S. 4.	Bot. rep. t. 355.	
<i>pinnata. A.R.</i>							
3 æquata. DC.	(gr.) round-stalked.	E. Indies.	1777.	S. h.		
4 hirta. DC.	(gr.) hairy.	—	1816.	S. h.		
5 robusta. F.I.	(gr.) robust.	—	1820.	S. h.		
6 macrophylla. DC.	(wh.) large-leaved.	—	1806.	S. 4.		

ORDO LI.

GERANIACEÆ. DC. prodr. 1. p. 637.

Tribus I. GERANIEÆ. S.G. 1. p. VII.

SARCOCAULON. DC.		SARCOCAULON.		Monadelphia Dodecandria.			
1	L'Heritieri. (ye.)	L. Heritier's.	C. B. S.	1790.	5. 6.	G. ½.	L. Herit. ger. t. 42.
	<i>Monsonia L'Heritieri.</i>	DC. <i>Monsonia spinosa.</i>	L. Her.				
2	Burmánni. DC. (ye.)	Burman's.	C. B. S.	1790.	7.	G. ½.	Burm. afr. t. 31.
	<i>Geranium spinosum.</i>	Cav. dis. 4. t. 75. f. 2.					
MONSONIA. S.G.		MONSONIA.		Monadelphia Dodecandria.			
1	ovata. DC. (st.)	oval-leaved.	C. B. S.	1774.	8.	G. ♂.	Cav. dis. 4. t. 113. f. 1.
2	lobata. DC. (st. bh.)	broad-leaved.	————	————	4. 5.	G. ¼.	Sweet ger. 3. t. 273.
3	pilosa. W. en. (bh.)	hairy.	————	1778.	7. 8.	G. ¼.	———— 2. t. 199.
	<i>filia. A.R. 276. nec aliorum.</i>						
4	speciosa. L. (va.)	large-flowered.	————	1774.	4. 5.	G. ¼.	
	<i>α rubra.</i> (ro.)	red-flowered.	————	————	12. 2.	G. ¼.	Bot. mag. 73.
	<i>β pallida.</i> (st.)	pale-flowered.	————	————	4. 5.	G. ¼.	Sweet ger. 1. t. 77.
GERANIUM. DC.		CRANES-BILL.		Monadelphia Decandria.			
1	sibiricum. DC. (wh.)	Siberian.	Siberia.	1758.	6. 7.	H. ¼.	Jacq. vind. 1. t. 19.
2	sanguineum. DC. (cr.)	bloody.	Britain.	6. 9.	H. ¼.	Eng. bot. 272.
3	prostratum. L. en. (std.)	Lancashire.	————	————	H. ¼.	Cav. dis. 4. t. 76. f. 3.
4	multifidum. S.G. (li.)	multifid.	C. B. S.	1817.	————	G. ¼.	Sweet ger. 3. t. 245.
5	incanum. DC. (li.)	hoary.	————	1701.	5. 7.	G. ¼.	Cav. dis. 4. t. 82. f. 2.
6	canescens. DC. (li.)	silky-leaved.	————	1787.	————	G. ¼.	L. Herit. ger. t. 38.
7	argenteum. DC. (bh.)	silvery-leaved.	S. Europe.	1699.	6. 7.	H. ¼.	Sweet ger. 1. t. 59.
8	cinereum. DC. (vi.)	grey.	Pyrenees.	6. 8.	H. ¼.	Cav. dis. 4. t. 89. f. 1.
	<i>varium. L'Her. ger. t. 37.</i>						
9	anemonefolium. DC. (p.)	Anemone-ld.	Canaries.	1778.	5. 8.	G. ½.	Sweet ger. 3. t. 244.
10	macrorhizon. DC. (re.)	long-rooted.	Italy.	1576.	5. 6.	H. ½.	———— 3. t. 271.
11	tuberosum. DC. (re.)	tuberous-rooted.	————	1596.	5. 8.	H. ¼.	———— 2. t. 155.
12	ibericum. DC. (bl.)	Iberian.	Iberia.	1802.	6. 9.	H. ¼.	———— 1. t. 84.
13	nodosum. DC. (std.)	knotted.	England.	5. 10.	H. ¼.	Eng. bot. 1091.
14	angulatum. DC. (std.)	angular-stalk'd.	1789.	5. 6.	H. ¼.	Bot. mag. 203.
15	Lamberti. S.G. (li.)	Mr. Lambert's.	Nepaul.	1825.	8. 10.	H. ¼.	Sweet ger. 4. t. 338.
16	Wallichianum. S.G. (p.)	Wallich's.	————	1820.	6. 10.	H. ¼.	———— 1. t. 90.
17	Vlassovianum. DC. (st.)	Vlassof's.	Siberia.	————	5. 8.	H. ¼.	———— 3. t. 228.
18	striatum. DC. (std.)	streaked.	Italy.	1629.	5. 10.	H. ¼.	Bot. mag. 55.
19	reflexum. DC. (re)	reflex-flowered.	————	1758.	5. 6.	H. ¼.	Cav. dis. 4. t. 81. f. 1.
20	phæum. DC. (br.)	dusky.	England.	4. 6.	H. ¼.	Eng. bot. 322.
21	fuscum. W. (da.)	brown.	S. Europe.	1759.	7.	H. ¼.	
22	lividum. W. (li.)	wrinkle-leaved.	Switzerland.	1775.	6. 7.	H. ¼.	Sweet ger. 3. t. 268.
23	eriostemon. DC. (bl.)	woolly-stamen'd	Dahuria.	1822.	7. 9.	H. ¼.	———— 2. t. 197.
	<i>α cæruleum. S.G. (bl.)</i>	bright blue.	————	————	————	H. ¼.	———— 2. t. 197. f. a.
	<i>β pallidum. S.G. (pa.)</i>	pale blue.	Nepaul.	————	————	H. ¼.	———— 2. t. 197. f. b.
24	sylvaticum. DC. (pu.)	wood.	Nepaul.	————	————	H. ¼.	
25	batrachioides. L. en. (b.)	hairy.	Britain.	5. 6.	H. ¼.	Eng. bot. 121.
26	pratense. DC. (bl.)	Crowfoot-leav'd	Europe.	————	H. ¼.	Cav. dis. 4. t. 85. f. 1.
	<i>α cæruleum.</i> (bl.)	blue-flowered.	Britain.	5. 7.	H. ¼.	Eng. bot. 404.
	<i>β variegatum.</i> (v.)	variegated.	————	————	H. ¼.	
	<i>γ album.</i> (wh.)	white-flowered.	————	————	H. ¼.	
	<i>δ flore pleno.</i> (bl.)	double-blue.	————	————	H. ¼.	
27	longipes. DC. (li.)	long-peduncled.	1824.	————	H. ¼.	
	<i>Londesii. L. en.</i>						
28	maculatum. DC. (bh.)	spotted.	N. America.	1732.	5. 8.	H. ¼.	Sweet ger. 4. t. 332.
29	collinum. DC. (re.)	hill.	Tauria.	1815.	————	H. ¼.	
30	palustre. DC. (re.)	marsh.	Europe.	1732.	————	H. ¼.	Sweet ger. 1. t. 3.
31	aconitifolium. DC. (wh.)	Aconite-leaved.	Switzerland.	1775.	5. 6.	H. ¼.	L. Herit. ger. t. 40.
32	pilosum. DC. (li.)	pointed anth'r'd	N. Zealand.	1821.	5. 8.	F. ¼.	Sweet ger. 2. t. 119.
33	parviflorum. DC. (li.)	small-flowered.	Van Diem.	1816.	————	G. ¼.	
34	nepalense. S.G. (li.)	Nepaul.	Nepaul.	1819.	————	H. ¼.	Sweet ger. 1. t. 12.
35	cristatum. DC. (li.)	crested.	Iberia.	1823.	————	H. ¼.	Stev. m. mosc. 4. t. 5.
	<i>album. M.B.</i>						

36	pyrenæicum. DC.	(li.)	mountain.	Britain.	5. 8.	H. 4.	Eng. bot. 405.
37	umbròsum. P.S.	(li.)	naked-stalked.	Hungary.	1804.	6. 9.	H. 4.	W. et Kit. hung. 2. t. 124.
38	mòlle. DC.	(li.)	Dove's-foot.	Britain.	4. 8.	H. ⊙.	Eng. bot. 778.
39	pusillum. DC.	(li.)	small-flowered.	England.	6. 9.	H. ⊙.	————— 385.
40	rotundifolium. DC.	(li.)	round-leaved.	—————	6. 7.	H. ⊙.	————— 157.
41	columbinum. DC.	(li.)	long-stalked.	Britain.	—————	H. ⊙.	————— 259.
42	disséctum. DC.	(li.)	jagged-leaved.	—————	5. 7.	H. ⊙.	————— 753.
43	carolinianum. DC.	(st.)	veined petaled.	N. America.	1725.	7. 8.	H. ⊙.	Cav. dis. 4. t. 84. f. 1.
44	lanuginosum. W. en. (p.)		woolly.	—————	—————	H. ⊙.	Jacq. schœn. 2. t. 140.
45	villosum. DC.	(li.)	villous.	Naples.	1824.	—————	H. ⊙.	
46	bohemicum. DC.	(bl.)	Bohemian.	Bohemia.	1683.	6. 8.	H. ⊙.	Sweet ger. ser. 2. t.
47	divaricatum. DC.	(li.)	straddling.	Hungary.	1799.	7. 8.	H. ⊙.	W. et Kit. hung. 2. t. 123.
48	lucidum. DC.	(li.)	shining.	Britain.	5. 8.	H. ⊙.	Eng. bot. 75.
49	Briceanum.	(wh.)	Miss Brice's.	Bristol.	4. 10.	H. ⊙.	
50	Robertianum. DC.	(pu.)	Herb-Robert.	Britain.	—————	H. ⊙.	Eng. bot. 1486.
51	purpureum. W.	(pu.)	purple.	—————	—————	H. ⊙.	Vill. dauph. 3. t. 40.
ERODIUM. DC.				HERON'S-BILL. Monadelphia Pentandria.				
1	petræum. DC.	(pu.)	rock.	S. Europe.	1640.	6. 7.	H. 4.	Gouan. ill. t. 21. f. 1.
2	glandulosum. DC.	(pu.)	glandulous.	Spain.	1798.	—————	H. 4.	Cav. dis. 5. t. 125. f. 2.
3	Stephanianum. D.C.	(bl.)	multifid.	Dahuria.	1820.	—————	H. 4.	
4	alpinum. DC.	(bl.)	Alpine.	Italy.	1814.	5. 8.	H. 4.	L'Herit. ger. t. 3.
5	crassifolium. DC.	(li.)	thick-leaved.	Cyprus.	1788.	3. 8.	G. ½.	Sweet ger. 2. t. 111.
6	laciniatum. DC.	(li.)	laciniated.	Crete.	1794.	5. 8.	G. 4.	Cav. dis. 4. t. 113. f. 3.
7	hirtum. DC.	(li.)	hairy.	Egypt.	1823.	—————	G. 4.	Jacq. f. ecl. 1. t. 58.
8	Ciconium. DC.	(li.)	long-beaked.	S. Europe.	1711.	6. 7.	H. ⊙.	Jacq. vind. 1. t. 18.
9	cicutarium. E.B.	(pi.)	Hemlock-leav'd	Britain.	4. 9.	H. ⊙.	Eng. bot. 1768.
10	pimpinellæfolium.	(pi.)	Pimpinella-ld.	Europe.	1823.	—————	H. ⊙.	Cav. dis. 4. t. 95. f. 2.
11	bipinnatum. W.	(pi.)	Numidian.	Numidia.	1803.	5. 6.	H. ♂.	————— 5. t. 126. f. 3.
12	romænum. W.	(pi.)	Roman.	Rome.	1724.	—————	H. 4.	Bot. mag. 377.
13	caucalifolium. S.G.	(pi.)	Caucalis-leaved.	S. Europe.	1816.	6. 8.	H. 4.	Sweet ger. t. 6.
14	moschatum. DC.	(li.)	musky.	England.	5. 7.	H. ⊙.	Eng. bot. 902.
15	bòtrys. DC.	(bl.)	large-blue.	Italy.	1819.	—————	H. ⊙.	Cav. dis. 4. t. 90. f. 2.
16	múrcicum. DC.	(bl.)	small-blue.	Murcia.	—————	—————	H. ⊙.	————— 5. t. 126. f. 1.
17	gruinum. DC.	(bl.)	broad-leaved.	Crete.	1596.	6. 7.	H. ⊙.	————— 4. t. 88. f. 2.
18	serotinum. DC.	(bl.)	late-flowering.	Tyre.	1816.	6. 9.	H. 4.	Stev. m. ac. P. 3. t. 15. f. 2.
<i>multicaule. S.G. t. 137.</i>								
19	chium. DC.	(bl.)	Levant.	Levant	1724.	6. 7.	H. ⊙.	Cav. dis. 4. t. 92. f. 1.
20	hymenodes. DC.	(li.)	three-leaved.	Barbary.	1789.	1. 12.	H. 4.	Sweet ger. 1. t. 23.
21	Gussonii. S.G.	(li.)	Gussone's.	Naples.	1822.	5. 8.	H. 4.	————— 2. t. 200.
22	malachoides. DC.	(pu.)	Mallow-leaved.	S. Europe.	1596.	5. 7.	H. ⊙.	Cav. dis. 4. t. 91. f. 1.
23	ribifolium. W.	(pu.)	Currant-leaved.	C. B. S.	6. 8.	H. ⊙.	Jacq. ic. rar. 3. t. 509.
24	incarnatum. DC.	(fl.)	flesh-coloured.	—————	1787.	5. 7.	G. ½.	Sweet ger. 1. t. 94.
25	glaucophyllum. DC.	(li.)	glaucous-leav'd.	Egypt.	1732.	7. 8.	H. 4.	————— 3. t. 283.
26	malopoides. DC.	(li.)	velvetty-leaved.	Sicily.	1818.	5. 8.	H. 4.	Cav. dis. 4. t. 90. f. 1.
27	littoreum. DC.	(li.)	smooth.	Narbonne.	—————	—————	H. 4.	
28	maritimum. DC.	(li.)	sea-side.	England.	5. 9.	H. 4.	Eng. bot. 646.
29	Reichardi. DC.	(wh.)	dwarf.	Minorca.	1783.	4. 9.	H. 4.	Bot. mag. 18.
<i>chamædryoides. W. Geranium Reichardi. B.M.</i>								

Tribus II. *GRIELEÆ.* S.G. p. VII.

GRIELUM. W.		GRI'ELUM. Decandria Pentagynia.						
1	tenuifolium. W.	(ye.)	large-flowered.	C. B. S.	1790.	4. 6.	G. ½.	Sweet ger. 2. t. 171.
2	laciniatum. G.	(ye.)	jagged-leaved.	—————	1825.	—————	G. ½.	————— 4. t. 306.

Tribus III. *PELARGONIEÆ.* S.G. p. VIII.

PHYMATA'NTHUS. S.G. WART-FLOWER. Monadelphia Pentandria.								
1	tricolor. S.G.	(w. pu.)	three-coloured.	C. B. S.	1791.	6. 10.	G. ½.	Sweet ger. 1. t. 43.
		<i>Pelargonium tricolor. B.M. 240.</i>						
2	elatus. S.G.	(w. pu.)	tall.	—————	1795.	—————	G. ½.	Sweet ger. 1. t. 96.

3 villòsus.	(w.pu.)	villous.	Hybrid.	1823.	6. 10.	G. ½.	
4 grandiflòrus.	(w.pu.)	large-flowered.	_____	_____	_____	G. ½.	
5 latifòlius. C.C.	(w.pu.)	broad-leaved.	_____	_____	_____	G. ½.	
CAMP'YLIA. S.G.		CAMP'YLIA. Monadelphica Pentandria.					
1 carinàta. s.G.	(w.pu.)	keeled-stipuled.	C. B. S.	1810.	4. 9.	G. ½.	Sweet ger. 1. t. 21.
2 variegàta. s.G.	(v.)	variegated-fl'd.	Hybrid.	1823.	_____	G. ½.	_____ 3. t. 206.
3 holosericea. s.G.	(da.)	silky-leaved.	_____	1820.	_____	G. ½.	_____ 1. t. 75.
4 blattària. s.G.	(li.)	downy-leaved.	C. B. S.	1790.	6. 9.	G. ½.	_____ 1. t. 88.
5 élegans. s.G.	(bh.)	elegant.	Hybrid.	1822.	_____	G. ½.	_____ 3. t. 222.
6 verbasciflòra. s.G.	(li.)	Mullein-fl'd.	C. B. S.	1811.	_____	G. ½.	_____ 2. t. 157.
7 càna. s.G.	(li.)	hoary-leaved.	_____	1794.	7. 12.	G. ½.	_____ 2. t. 114.
8 eriòstemon. s.G.	(wh.)	velvet-leaved.	_____	_____	3. 6.	G. ½.	Jacq. schœn. 2. t. 132.
		<i>Pelargonium eriostemon.</i> Jacq.					
9 laciniàta. s.G.	(d.re.)	jagged-leaved.	Hybrid.	1827.	4. 10.	G. ½.	Swt. ger. ser. 2. t. 1.
10 coronopifòlia.	(li.)	Buck's-horn-ld.	C. B. S.	1791.	6. 10.	G. ½.	Jacq. ic. rar. 3. t. 526.
11? œnothèræ.	(li.)	œnothera-like.	_____	1812.	4. 8.	G. ¼.	_____ 3. t. 525.
		<i>Pelargonium œnothèræ.</i> Jacq.					
OTI'DIA. S.G.		OTI'DIA. Monadelphica Pentandria.					
1 carnòsa. s.G.	(wh.)	fleshy-stalked.	C. B. S.	1724.	6. 8.	G. ½.	Swt. ger. 1. t. 98.
2 ceratophy'lla. s.G.	(wh.)	horn-leaved.	Africa.	1786.	5. 7.	G. ½.	Bot. mag. 315.
		<i>Pelargonium ceratophyllum.</i> B.M.					
3 dasycáulon. s.G.	(wh.)	thick-stemmed.	Africa.	1795.	7. 12.	G. ½.	Bot. mag. 2029.
4 láxa. s.G.	(wh.)	loose-paniced.	C. B. S.	1821.	6. 9.	G. ½.	Sweet ger. 2. t. 196.
5 crithmifòlia. s.G.	(wh.)	Samphire-ld.	_____	1790.	4. 9.	G. ½.	_____ 4. t. 354.
6 alternans. s.G.	(wh.)	Parsley-leaved.	_____	1791.	5. 8.	G. ½.	_____ 3. t. 286.
GRENVILLEA. S.G.		GRENVILLEA. Monadelphica Tetrandria.					
conspícua. s.G.		conspicuous.	Africa.	1810.	7. 11.	G. ¼.	Sweet ger. 3. t. 262. f. 2.
		<i>Geranium Grenvillæ.</i> A. G. c. ic.					
H'OAREA. S.G.		H'OAREA. Monadelphica Pentandria.					
1 violæflòra. s.G.	(wh.)	white violet-fl'd.	C. B. S.	1821.	5. 8.	G. ¼.	Sweet ger 2. t. 123.
2 nívea. s.G.	(wh.)	snowy white.	_____	_____	_____	G. ¼.	_____ 2. t. 182.
3 bubonifòlia. †	(wh.)	Bubon-leaved.	_____	1800.	3. 7.	G. ¼.	And. bot. rep. 328.
4 Leeàna. s.G.	(wh.)	Mr. Lee's.	_____	1823.	6. 8.	G. ¼.	Sweet ger. 3. t. 323.
5 laciniàta. †	(v.)	jag-leaved.	_____	1800.	5. 6.	G. ¼.	And bot. rep. 131.
6 pennifórmis. †	(ye.)	winged.	_____	_____	_____	G. ¼.	_____ 269.
7 purpuráscens †	(pu.)	purplish.	_____	_____	_____	G. ¼.	_____ 204.
8 incrassàta. †	(std.)	fleshy-leaved.	_____	1801.	6. 7.	G. ¼.	Bot. mag. 761.
9 carinàta. s.G.	(ye.)	boat-flowered.	_____	1812.	5. 8.	G. ¼.	Sweet ger. 2. t. 135.
10 corydaliflòra. s.G.	(ye.)	Fumitory-fl'd.	_____	_____	_____	G. ¼.	_____ 1. t. 18.
11 rapácea.	(pi.)	Turnep-rooted.	_____	1788.	4. 6.	G. ¼.	And. rep. 239.
		<i>Geranium Selinum.</i> A. R.					
12 setòsa. s.G.	(bh.)	bristle-pointed.	_____	1818.	4. 8.	G. ¼.	Sweet ger. 1. t. 38.
13 pilòsa.	(pu.)	hairy.	_____	1801.	5. 7.	G. ¼.	And. bot. rep. 259.
		<i>Geranium pilòsum. var. 1.</i> A. G. ic.					
14 bícolor.		two-coloured.	_____	_____	3. 8.	G. ¼.	Andr. geran. c. ic.
		<i>Geranium pilòsum. var. 2.</i> A. G. ic.					
15 blánda.	(bh.)	blush-flowered.	_____	_____	_____	G. ¼.	Andr. geran. c. ic.
		<i>Geranium pilòsum. var. 3.</i> A. G. ic.					
16 congésta. s.G.	(sp.)	crowded-fl'd.	_____	1820.	5. 10.	G. ¼.	Sweet ger. 3. t. 202.
17 retùsa. s.G.	(da.)	notched-petal'd.	Hybrid.	1824.	_____	G. ¼.	_____ 4. t. 307.
18 selinifòlia. s.G.	(d.pu.)	Milk-parsley-ld.	_____	1821.	3. 8.	G. ¼.	_____ 2. t. 159.
19 radicàta. s.G.	(ye.)	fleshy-fringed-ld.	C. B. S.	1802.	5. 8.	G. ¼.	_____ 1. t. 174.
20 ciliàta.	(wh.)	ciliated.	_____	1795.	4. 6.	G. ¼.	L'Herit. ger. t. 7.
21 ovalifòlia. s.G.	(wh.)	oval-leaved.	_____	1820.	4. 8.	G. ¼.	Sweet ger. 2. t. 106.
22 reticulàta. s.G.	(std.)	netted-petaled.	_____	_____	_____	G. ¼.	_____ 1. t. 91.
23 nervifòlia.	(wh.)	nerved-leaved.	_____	_____	5. 8.	G. ¼.	Jacq. ic. rar. 3. t. 517.
24 triphy'lla.	(fl.cr.)	three-leaved.	_____	_____	_____	G. ¼.	_____ 3. t. 515.
25 lùtea. †	(ye.)	small-yellow.	_____	1800.	_____	G. ¼.	And. bot. rep. t. 123.
26 nummularifòlia.	(ye.)	money-wort-ld.	_____	1801.	_____	G. ¼.	Sal. par. lond. t. 23.
27 integrifòlia. C.C.	(w.r.)	entire-leaved.	Hybrid.	1821.	4. 8.	G. ¼.	
28 fuscàta. C.C.	(br.)	brown-flowered.	_____	_____	_____	G. ¼.	
29 nígricans. C.C.	(bl.)	blackish.	_____	1822.	_____	G. ¼.	
30 mágica. C.C.	(bl.)	dark-flowered.	_____	_____	_____	G. ¼.	
31 àtra. s.G.	(da.)	dark brown.	C. B. S.	1793.	_____	G. ¼.	Sweet ger. 1. t. 72.
32 dioíca. C.C.	(bl.)	dicœcious.	_____	1795.	6. 8.	G. ¼.	And. bot. rep. 209.
		<i>Geranium melanánthum.</i> A. R.					

33 undulæfðra. s.G.	(da.)	waved-petaled.	C. B. S.	1821.	4. 8.	G. 4.	Sweet ger. 3. t. 263.
34 melanántha. s.G.	(bl.)	black-flowered.	_____	1790.	_____	G. 4.	_____ 1. t. 73.
35 varia. s.G.	(da.)	various-leaved.	Hybrid.	1821.	_____	G. 4.	_____ 2. t. 166.
36 Colvillii. s.G.	(cr.)	Colvill's.	_____	1823.	_____	G. 4.	_____ 3. t. 260.
37 Jenkinsòni. c.C.	(sc.)	Jenkinson's.	_____	_____	_____	G. 4.	_____
38 dilùta	(bh.)	diluted.	_____	1821.	_____	G. 4.	_____
39 replicàta.	(re.)	replicate.	_____	_____	_____	G. 4.	_____
40 rubescens.	(re.)	reddish.	_____	_____	_____	G. 4.	_____
41 intermíxta.	(re.)	intermixed.	_____	1822.	_____	G. 4.	_____
42 capitàta.	(bh.)	headed.	_____	_____	_____	G. 4.	_____
43 supérba.	(sc.)	superb.	_____	_____	_____	G. 4.	_____
44 villòsa.	(sc.)	villous.	_____	1821.	_____	G. 4.	_____
45 unguiculàta.	(re.)	clawed.	_____	_____	5. 8.	G. 4.	_____
46 tenuifolia.	(bh.)	slender-leaved.	_____	_____	_____	G. 4.	_____
47 marginàta.	(bh.)	marginated.	_____	1823.	_____	G. 4.	_____
48 atosanguínea. s.G.	(cr.)	dark-crimson.	_____	1822.	4. 8.	G. 4.	Sweet ger. 2. t. 151.
49 élegans. s.G.	(cr.)	elegant.	_____	_____	_____	G. 4.	_____ 2. t. 132.
<i>Pelargòonium Sweetiànnum. DC.</i>							
50 coluteæfðlia. s.G.	(cr.)	BladderSenna-ld.	_____	1823.	_____	G. 4.	Sweet ger. 4. t. 311.
51 orobifolia. s.G.	(st.pu.)	Orobus-leav'd.	_____	_____	_____	G. 4.	_____ 4. t. 304.
52 coccínea. s.G.	(sc.)	scarlet.	_____	_____	_____	G. 4.	_____ 4. t. 398.
53 recurviflora.	(sc.)	recurv'd-petal'd.	_____	1821.	_____	G. 4.	_____
54 sanguinolénta.	(cr.)	bloody-flower'd.	_____	1823.	_____	G. 4.	_____
55 pulchélla.	(re.)	neat.	_____	_____	_____	G. 4.	_____
56 am'ena.	(re.)	delightful.	_____	_____	_____	G. 4.	_____
57 pátens.	(re.)	spreading.	_____	1822.	_____	G. 4.	_____
58 lilacina.	(li.)	Lilac-coloured.	_____	_____	_____	G. 4.	_____
59 venòsa. s.G.	(std.)	veined-petaled.	_____	1823.	_____	G. 4.	Sweet ger. 3. t. 209.
60 literàta.	(std.)	lettered.	_____	_____	_____	G. 4.	_____
61 labyrinthica. s.G.	(std.)	labyrinth-fl'd.	_____	_____	_____	G. 4.	Sweet ger. 3. t. 276.
62 ròsea. s.G.	(ro.)	rose-coloured.	C. B. S.	1792.	_____	G. 4.	_____ 3. t. 262. f. 1.
<i>Gerànium ròseum. A.R. 173. Pelargòonium condensatum. P.S.</i>							
63 hedysarifolia. s.G.	(cr.)	Hedysarum-ld.	Hybrid.	1823.	_____	G. 4.	Sweet ger. 4. t. 355.
64 galegifolia.	(cr.)	Galega-leaved.	_____	_____	_____	G. 4.	_____
65 sisymbriifolia. s.G.	(cr.)	Water-rocket-ld.	_____	_____	_____	G. 4.	Sweet ger. 3. t. 292.
66 hirsùta.	(bh.)	various-ld. hairy.	C. B. S.	1788.	3. 5.	G. 4.	Cav. dis. 4. t. 101. f. 2.
<i>DIMA'CRIA. S.G. DIMA'CRIA. Monadelphia Pentandria.</i>							
1 pinnàta. s.G.	(bh.)	wing-leaved.	C. B. S.	1779.	4. 6.	G. 4.	Sweet ger. 1. t. 46.
<i>Pelargòonium viciæfolium. DC.</i>							
2 bipartita. s.G.	(st.)	forked-leaved.	Hybrid.	1821.	4. 8.	G. 4.	Sweet ger. 2. t. 142.
3 foliolòsa. s.G.	(st.)	leafy.	C. B. S.	1800.	_____	G. 4.	And. bot. rep. 311.
<i>Gerànium pinnatum. A.R.</i>							
4 astragalifolia. s.G.	(st.)	Astragalus-ld.	_____	1788.	6. 8.	G. 4.	Sweet ger. 2. t. 103.
5 Smithiàna. s.G.	(re.)	Mr. E. D. Smith's.	Hybrid.	1823.	4. 8.	G. 4.	_____ 4. t. 358.
6 tenélla. †	(bh.)	tender.	_____	1802.	_____	G. 4.	Andr. geran. c. ic.
<i>Gerànium tenellum. A.G.</i>							
7 imbùta.	(bh.)	stained-petaled.	Hybrid.	1822.	4. 8.	G. 4.	_____
8 fùlgens. c.C.	(cr.)	shining-scarlet.	_____	1821.	_____	G. 4.	_____
9 Andréwsii. †	(bh.p.)	Andrews's.	C. B. S.	1802.	_____	G. 4.	Andr. geran. c. ic.
<i>Gerànium heterophyllum. A.G. non Jacq.</i>							
10 élegans. s.G.	(sc.)	elegant.	Hybrid.	1822.	_____	G. 4.	Sweet ger. 3. t. 202.
11 coronillæfðlia. †	(co.)	Coronilla-leav'd.	C. B. S.	1795.	6. 7.	G. 4.	And. bot. rep. 305.
12 apiifolia. †	(bh.)	Parsley-leaved.	_____	1802.	4. 8.	G. 4.	Andr. geran. c. ic.
<i>Gerànium apiifolium. A.G. non Jacq.</i>							
13 auriculàta. s.G.	(w.pu.)	eared-leaved.	C. B. S.	5. 8.	G. 4.	Sweet ger. 4. t. 395.
<i>Pelargòonium ciliatum. Jacq. ic. 3. t. 519.</i>							
14 sulphúrea. s.G.	(st.)	sulphur-color'd.	Hybrid.	1821.	_____	G. 4.	Sweet ger. 2. t. 163.
15 cárnea.	(fl.)	flesh-coloured.	C. B. S.	1812.	4. 6.	G. 4.	Jacq. ic. rar. 3. t. 512.
16 floribúnda. †	(v.)	many-flowered.	_____	1795.	3. 5.	G. 4.	And. bot. rep. 420.
17 fissifolia. †	(bh.)	cloven-leaved.	_____	_____	4. 8.	G. 4.	_____ 378.
18 barbàta. s.G.	(fl.)	bearded.	_____	1790.	5. 8.	G. 4.	Sweet ger. 4. t. 391.
19 recurvàta. s.G.	(wh.)	recurved.	_____	_____	_____	G. 4.	And. rep. 323.
<i>Gerànium barbàtum. v. minor. A.R.</i>							
20 aristàta. s.G.	(wh.)	awned.	_____	_____	_____	G. 4.	Andr. rep. 366.
<i>Gerànium barbàtum. v. undulatum. A.R.</i>							
21 setigera. s.G.	(wh.)	bristle-bearing.	_____	_____	_____	G. 4.	Andr. bot. rep. 303.
<i>Gerànium barbàtum. A.R. nec aliorum.</i>							
22 revolùta. †	(pu.)	revolute.	_____	1800.	7. 8.	G. 4.	Andr. rep. 354.
23 oxalidifolia. †	(st.)	Oxalis-leaved.	_____	1801.	5. 8.	G. 4.	_____ 300.

24	refléxa.†	(wh.) reflex-leaved.	C. B. S.	1800.	6. 7.	G. 4.	Andr. rep. 224.
25	rumicifolia. s.G.	(ye.) Dock-leaved.	————	1825.	5. 8.	G. 4.	Sweet ger. 4. t. 318.
26	depressa. s.G.	(st.) depressed.	————	1812.	————	G. 4.	———— 3. t. 290.
27	longiflora. s.G.	(st.) long-flowered.	————	————	————	G. 4.	Jacq. ic. rar. 3. t. 521.
28	longifolia. s.G.	(ro.) long-leaved.	————	————	————	G. 4.	———— 3. t. 518.
29	lanceolata. s.G.	(bh.) spear-leaved.	————	1826.	————	G. 4.	Sweet ger. 4. t. 387.
30	undulata.†	(wh.) wave-flowered.	————	1795.	5. 7.	G. 4.	Andr. rep. 292.
31	spathulata.†	(wh.) spatula-leaved.	————	————	4. 6.	G. 4.	———— 152.
32	affinis.†	(wh.) fring'd-spat.-ld.	————	————	————	G. 4.	———— 282.
33	virginea.†	(wh.) virgin.	————	————	5. 7.	G. 4.	———— 317.
34	radiata.†	(ye.) ray-leaved.	————	1801.	6. 8.	G. 4.	———— 222.
35	linearis.†	(st.) linear-petaled.	————	1800.	————	G. 4.	———— 193.
36	punctata.†	(st.) dotted-flowered.	————	1794.	4. 6.	G. 4.	———— 60.
SEYMO'URIA. S.G.		SEYMO'URIA.	Monadelphia	Pentandria.			
1	asarifolia. s.G.	(da.) Asarum-leaved.	C. B. S.	1821.	11. 2.	G. 4.	Sweet ger. 3. t. 206.
2	L'Heritiéri. s.G.	(pu.) L'Heritier's.	————	1795.	4. 5.	G. 4.	L'Herit. ger. t. 43.
<i>Pelargonium dipetalum.</i> L'Her.							
PELARG'ONIUM. S.G.		STORK'S-BILL.	Monadelphia	Heptandria.			
1	amœnum. s.G.	(sa.) delightful.	Hybrid.	1821.	4. 8.	G. 4.	Sweet ger. 2. t. 121.
2	dimacriæflorum. s.G.	(sc.) Dimacria-fl'd.	————	1822.	————	G. 4.	———— 3. t. 220.
3	mündulum. s.G.	(sc.) spruce.	————	1823.	3. 10.	G. 4.	———— 3. t. 288.
4	ringens. s.G.	(sc.) ringent-flow'rd.	————	————	————	G. 4.	———— 3. t. 256.
5	concavum. s.G.	(re.) concave-petaled.	————	————	————	G. 4.	———— 3. t. 237.
6	conclausum. s.G.	(d.re.) shut-petaled.	————	————	4. 10.	G. 4.	———— 4. t. 305.
7	hoareæflorum. s.G.	(sa.) Hoarea-flow'r'd.	————	1821.	————	G. 4.	———— 2. t. 133.
8	clausum. c.c.	(re.) closed petaled.	————	1822.	————	G. 4.	
9	pätens. s.G.	(sc.) spreading-fl'd.	————	1820.	————	G. 4.	Sweet ger. 2. t. 125.
10	cruentum. s.G.	(cr.) blood-red.	————	1822.	————	G. 4.	———— 2. t. 170.
11	áulicum.	(cr.) courtly.	————	1823.	5. 10.	G. 4.	
12	Avronianum. s.G.	(sc.) Avron's.	————	————	————	G. 4.	Sweet ger. 3. t. 394.
13	ligulatum. s.G.	(sc.) ligulate-petaled.	————	1823.	4. 9.	G. 4.	———— 4. t. 301.
14	puniceum. c.c.	(cr.) puniceous.	————	————	————	G. 4.	
15	pusillum. c.c.	(sc.) dwarf.	————	————	————	G. 4.	
16	pygmæum. c.c.	(sc.) small.	————	————	5. 8.	G. 4.	
17	venulosum.	(sc.) veined-petaled.	————	1821.	————	G. 4.	
18	intertextum. s.G.	(sc.) interwoven.	————	1822.	4. 8.	G. 4.	Sweet ger. 2. t. 185.
19	ácidum. s.G.	(cr.) sour-leaved.	————	1823.	5. 9.	G. 4.	———— 3. t. 261.
20	pállens. s.G.	(st.) cream coloured.	C. B. S.	1800.	————	G. 4.	———— 2. t. 148.
21	caryophyllæum.	(bh.) Clove-scented.	Hybrid.	1822.	————	G. 4.	———— 4. t. 347.
22	paradoxum.	(wh.) paradoxical.	————	————	————	G. 4.	
23	multiradiatum. s.G.	(da.) many-rayed.	C. B. S.	1818.	6. 10.	G. 4.	Sweet ger. 2. t. 145.
24	rutæum. s.G.	(du.) Rue-like.	Hybrid.	1823.	5. 10.	G. 4.	———— 3. t. 279.
25	pedunculatum. s.G.	(du.) long-peduncled.	————	————	————	G. 4.	———— 4. t. 346.
26	œnanthifolium. s.G.	(d.cr.) Dropwort-ld.	————	————	6. 10.	G. 4.	———— ser. 2. t. 13.
27	sphondyliifolium.	(d.cr.) Sphondylium-ld.	Hybrid.	1822.	4. 8.	G. 4.	———— 3. t. 246.
28	chærophyllum. s.G.	(cr.) Cow-Parsley-ld.	————	————	————	G. 4.	———— 3. t. 257.
29	nítidum. s.G.	(sc.) glossy.	————	————	————	G. 4.	———— 3. t. 298.
30	sanguineum. s.G.	(cr.) crimson.	C. B. S?	1819.	————	G. 4.	———— 1. t. 76.
31	árdens. s.G.	(sc.) glowing.	Hybrid.	1810.	3. 8.	G. 4.	———— 1. t. 45.
32	confertifolium.	(sc.) close-leaved.	————	————	————	G. 4.	———— 3. t. 297.
<i>Geranium árdens minor.</i> A.G.							
33	pulchellum. B.M.	(v.) nonesuch.	C. B. S.	1795.	3. 5.	G. 4.	Sweet ger. 1. t. 31.
34	jonquillinum. s.G.	(pi.) Jonquil-scent'd.	Hybrid.	1822.	5. 10.	G. 4.	———— 3. t. 241.
35	seléctum. s.G.	(d.pu.) select.	————	————	————	G. 4.	———— 2. t. 190.
36	imbricatum. s.G.	(v.) imbricate-pet'd.	C. B. S?	1800.	5. 8.	G. 4.	———— 1. t. 65.
37	bicolor. s.G.	(da.) two-coloured.	1778.	7. 8.	G. 4.	Bot. mag. 201.
	α átrum. s.G.	(da.) dark-edged.	————	————	G. 4.	Sweet ger. 1. t. 97. f. 1.
	β pállidum. s.G.	(pu.) pale-edged.	————	————	G. 4.	———— 1. t. 97. f. 2.
38	quinquevulnerum.	(da.) dark-flower'd.	Hybrid.	1796.	5. 10.	G. 4.	———— 2. t. 161.
39	Blandfordianum.	(bh.) hoary-leaved.	————	1812.	1. 12.	G. 4.	———— 2. t. 101.
40	millefoliatum. s.G.	(v.) Milfoil-leaved.	C. B. S.	1819.	6. 10.	G. 4.	———— 3. t. 230.
41	flávum. DC.	(st.) pale yellow.	————	1724.	7. 9.	G. 4.	———— 3. t. 254.
42	scábridum. c.c.	(br.) rough-edged.	————	1822.	————	G. 4.	
43	triste. DC.	(da.) night-smelling.	————	1632.	5. 10.	G. 4.	Delaun. h. am. t. 27.
44	filipendulifolium.	(br.) Dropwort-ld.	————	1812.	————	G. 4.	Sweet ger. 1. t. 85.
45	pentastictum.	(bh.) five-marked.	Hybrid.	1824.	————	G. 4.	———— ser. 2. t. 25.
46	heracleifolium. s.G.	(br.) Heracleum-ld.	C. B. S.	1820.	————	G. 4.	———— 3. t. 211.
47	lobatum. DC.	(da.) Cow-parsnep-ld.	————	1710.	————	G. 4.	———— 1. t. 51.
48	salebròsum. s.G.	(d.pu.) rugged-leaved.	Hybrid.	1821.	————	G. 4.	———— 4. t. 309.

40	Lawranceanum. s.G. (d. pu.) Mrs. Kears's.	Hybrid	1824.	5. 10.	G. 4.	Swt. ger. ser. 2. t. 23.
50	orbiculatum. (da.) orbicular-ld.	Hybrid	1823.	—	G. 4.	
51	pulverulentum. s.G. (sp.) powdered-ld	C. B. S.	1822.	—	G. 4.	Sweet ger. 3. t. 218.
52	pedicellatum. s.G. (v.) long-pediced.	—	—	—	G. 4.	— 3. t. 250.
53	luridum. s.G. (co.) lurid.	—	1811.	7. 12.	G. 4.	— 3. t. 281.
<i>Geranium luridum.</i> A.G. ic.						
54	rapæfolium. (da) Turnep-leaved.	Hybrid.	1821.	5. 10.	G. 4.	
55	glaucofolium. s.G. (da.) Glaucium-ld.	—	—	—	G. 4.	Sweet ger. 2. t. 179.
56	gibbosum. DC. (st.) knotted-stalk'd	C. B. S.	1712.	—	G. 4.	— 1. t. 61.
57	mutabile. s.G. (bh.) changeable-cold	Hybrid.	1822.	7. 10.	G. 4.	— 3. t. 213.
58	vespertinum. s.G. (pu.) evening-scent'd	—	—	8. 12.	G. 4.	— 3. t. 239.
59	sinapifolium. (pi.) Mustard-leav'd.	Hybrid.	—	6. 10.	G. 4.	
60	brassicatum. (st.) Cabbage-leav'd.	—	—	—	G. 4.	
61	adscendens. (pa.) ascending.	—	—	—	G. 4.	
62	circumflexum. (pa.) bending.	—	—	—	G. 4.	
63	campylæflorum. s.G. (li.) Campylia-fl'd	—	1823.	—	G. 4.	Sweet ger. 3. t. 251.
64	reniforme. DC. (pu.) kidney-leaved.	C. B. S.	1791.	1. 12.	G. 4.	— 1. t. 48.
65	flexuosum. s.G. (sc.) bent-stalked.	Hybrid.	1821.	3. 10.	G. 4.	— 2. t. 180.
66	sæpeflorans. s.G. (pi.) frequent-flow'rg	—	1801.	—	G. 4.	— 1. t. 58.
67	comptum. s.G. (pi.) decked.	—	1821.	—	G. 4.	— 3. t. 255.
68	echinatum. DC. (wh.) prickly-stalked.	C. B. S.	1789.	6. 10.	G. 4.	— 1. t. 54.
69	armatum. s.G. (d. pu.) long-spined.	—	—	3. 6.	G. 4.	— 3. t. 214.
70	intermedium. c.c. (li.) intermediate.	Hybrid.	1821.	6. 10.	G. 4.	
71	particeps. s.G. (li.) participant.	—	1806.	5. 10.	G. 4.	Sweet ger. 1. t. 49.
72	cortusæfolium. DC. (wh.) Cortusa-leav'd	Africa.	1786.	6. 10.	G. 4.	— 1. t. 14.
73	erectum. s.G. (pu.) upright.	Hybrid.	1822.	—	G. 4.	— 2. t. 187.
74	Stapletoni. s.G. (pu.) Miss Stapleton's.	—	—	—	G. 4.	— 2. t. 212.
75	crassicaule. s.G. (wh.) Cowslip-scent'd.	Africa.	1786.	—	G. 4.	L'Herit. ger. t. 26.
	α album. s.G. (wh.) white-flowered.	—	—	—	G. 4.	Sweet ger. 2. t. 192. f.a.
	β maculatum. s.G. (sp.) spotted-flowered	—	—	—	G. 4.	— 2. t. 192. f.b.
76	Victoriana. s.G. (sc.) Princess Victoria's.	Hybrid.	1826.	—	G. 4.	— ser. 2. t. 7.
77	anomalum. s.G. (pi.) anomalous.	—	1822.	4. 8.	G. 4.	— 4. t. 315.
78	tenuifolium. DC. (pi.) slender-leaved.	C. B. S.	1768.	5. 7.	G. 4.	L'Herit. ger. t. 12.
79	hirtum. DC. (pi.) hairy.	—	—	3. 9.	G. 4.	Sweet ger. 2. t. 113.
80	anthriscifolium. s.G. (sc.) Anthriscus-ld.	Hybrid.	1823.	7. 9.	G. 4.	— 3. t. 233.
81	magnistipulatum. (sc.) large-stipuled.	—	1825.	5. 10.	G. 4.	— 4. t. 313.
82	falgidum. DC. (sc.) Celandine-ld.	C. B. S.	1723.	3. 10.	G. 4.	— 1. t. 69.
83	aureum. s.G. (or.) orange-colour'd.	Hybrid.	1821.	4. 8.	G. 4.	— 2. t. 198.
	α undulatum. s.G. (or.) wave-leaved.	—	—	—	G. 4.	— 2. t. 198. f.a.
	β planifolium. s.G. (or.) flat-leaved.	—	—	—	G. 4.	— 2. t. 198. f.b.
84	ardescens. s.G. (cr.) burnished.	—	1822.	—	G. 4.	— 3. t. 231.
85	torrefactum. s.G. (da.) burnt-petaled.	—	—	—	G. 4.	— 3. t. 243.
86	Potteri. s.G. (st.) Potter's.	—	—	6. 9.	G. 4.	— 2. t. 147.
87	luculentum. (sc.) bright-flowered.	—	—	—	G. 4.	
88	dilectum. (sc. da.) chosen.	—	—	4. 9.	G. 4.	
89	Loudonianum. s.G. (d. sc.) Mr. Loudon's.	—	1827.	5. 9.	G. 4.	Sweet ger. ser. 2. t. 17.
90	eratum. s.G. (sc.) lovely.	—	—	—	G. 4.	— ser. 2. t. 30.
91	natum. s.G. (sc.) pigmy.	—	1820.	—	G. 4.	— 2. t. 102.
92	incurvum. s.G. (sc.) incurved-petal'd	—	1821.	—	G. 4.	— 3. t. 249.
93	ignescens. s.G. (sc.) fiery-flowered.	—	1812.	—	G. 4.	— 1. t. 2. & 55.
	α major. (sc.) large-flowered.	—	1818.	—	G. 4.	— 1. t. 2.
	β coccineum. (sc.) scarlet-flowered.	—	1822.	—	G. 4.	
	γ splendens. (sc.) splendid.	—	—	—	G. 4.	
	δ superbum. (sc.) superb.	—	—	—	G. 4.	
	ε sterile. s.G. (sc.) barren-anthered.	—	1812.	—	G. 4.	Sweet ger. 1. t. 55.
94	laxiflorum. s.G. (sc.) spreading-umb'd.	—	1822.	—	G. 4.	— 3. t. 216.
95	concretum. s.G. (sc.) compounded.	—	1827.	4. 9.	G. 4.	— ser. 2. t. 24.
96	Leghkeckæ. s.G. (sc.) Mrs. Legh Keck's	—	1826.	—	G. 4.	— 4. t. 377.
97	Charlwoodii. s.G. (d. sc.) Charlwood's.	—	—	—	G. 4.	— 4. t. 380.
98	incomparabile. (d. sc.) incomparable.	—	1822.	—	G. 4.	
99	eriocaulon. s.G. (sc.) woolly-stalked.	—	1824.	—	G. 4.	Sweet ger. 4. t. 357.
100	quadriflorum. s.G. (or.) four-flowered.	—	—	—	G. 4.	— 4. t. 321.
101	chelidoniifolium. s.G. (or.) Chelidonium-ld	—	1825.	—	G. 4.	— 4. t. 341.
102	chenopodiifolium. s.G. (sc.) Goosefoot-ld	—	—	—	G. 4.	— 4. t. 328.
103	latidentatum. s.G. (sc.) broad-toothed.	—	1827.	—	G. 4.	— ser. 2. t. 28.
104	variifolium. s.G. (sc.) various-leaved.	—	1823.	—	G. 4.	— 3. t. 280.
105	diversilobum. s.G. (re.) various-lobed.	—	1825.	—	G. 4.	— 4. t. 361.
106	Southcoteanum. s.G. (sc.) Miss Southcote's	—	1826.	—	G. 4.	— 4. t. 348.
107	insignitum. s.G. (d. sc.) marked-flower'd.	—	1823.	—	G. 4.	— 3. t. 300.

108	<i>plectophyllum</i> . s.G. (<i>d.sc.</i>)	plaited-leaved. Hybrid.	1826.	4. 9.	G. h.	Sweet ger. ser. 2. t. 41.
109	<i>floccosum</i> . s.G. (<i>cr.</i>)	nappy.	1821.	—	G. h.	— 2. t. 129.
110	<i>rubicundum</i> . (<i>re.</i>)	rubicund.	1822.	—	G. h.	—
111	<i>hæmánton</i> . (<i>cr.</i>)	blood-coloured.	1823.	—	G. h.	—
112	<i>multiflorum</i> . (<i>sc.</i>)	many-flowered.	—	—	G. h.	Sweet ger. 4. t. 396.
113	<i>exile</i> . (<i>sc.</i>)	thin-branched.	1822.	—	G. h.	—
114	<i>graciliscens</i> . (<i>sc.</i>)	slender-stalked.	—	—	G. h.	—
115	<i>spléndidum</i> . (<i>cr.</i>)	splendid.	—	—	G. h.	—
116	<i>consímile</i> . (<i>sc.</i>)	likened.	1822.	—	G. h.	—
117	<i>Broughtoniæ</i> . s.G. (<i>sc.</i>)	Lady Broughton's	—	—	G. h.	Sweet ger. 2. t. 181.
118	<i>Bakerianum</i> . s.G. (<i>sc.</i>)	Mrs. Jenkinson's	—	—	G. h.	— 3. t. 240.
119	<i>áltum</i> . s.G. (<i>re.</i>)	tall upright.	1827.	—	G. h.	— ser. 2. t. 26.
120	<i>Debúrghæ</i> . s.G. (<i>sc.</i>)	Mrs. De Burgh's	—	—	G. h.	— ser. 2. t. 21.
121	<i>Cummingiæ</i> . s.G. (<i>re.</i>)	Ly. Gordon Cumming's	—	—	G. h.	— ser. 2. t. 35.
122	<i>rubescens</i> . s.G. (<i>re.</i>)	Lady Liverpool's	1819.	—	G. h.	— 1. t. 30.
123	<i>Boscaweniæ</i> . c.c. (<i>re.</i>)	Mrs. Boscawen's	—	—	G. h.	—
124	<i>pavoninum</i> . s.G. (<i>re.</i>)	peacock-spott'd	—	—	G. h.	Sweet ger. 1. t. 40.
125	<i>carnescens</i> . s.G. (<i>sa.</i>)	pale red.	1822.	—	G. h.	— 4. t. 388.
126	<i>ramigerum</i> . s.G. (<i>sc.</i>)	branching-veined	1826.	1. 12.	G. h.	— 4. t. 352.
127	<i>fláccidum</i> . s.G. (<i>d.re.</i>)	flaccid-petal'd.	—	4. 9.	G. h.	— 4. t. 337.
128	<i>Smithii</i> . s.G. (<i>re.</i>)	Smith's.	1819.	—	G. h.	— 2. t. 110.
129	<i>spectábile</i> . s.G. (<i>sc.</i>)	showy.	1821.	—	G. h.	— 2. t. 136.
	<i>α maculátum</i> . s.G. (<i>sc.</i>)	spot-flowered.	—	—	G. h.	— 2. t. 136. f. 1.
	<i>β atrorúbens</i> . s.G. (<i>d.re.</i>)	dark-red.	—	—	G. h.	—
	<i>γ striátum</i> . s.G. (<i>sc.</i>)	streak-flowered.	—	—	G. h.	Sweet ger. 2. t. 136. f. 2.
	<i>δ recurvum</i> . s.G. (<i>sc.</i>)	recurved-petaled.	—	—	G. h.	— 2. t. 136. f. 3.
	<i>ε purpuráscens</i> . (<i>pu.</i>)	purplish.	—	—	G. h.	—
130	<i>Tibbitsianum</i> . s.G. (<i>sc.</i>)	Mr. Tibbits'	—	—	G. h.	Sweet ger. 2. t. 158.
131	<i>flágrans</i> . s.G. (<i>sc.</i>)	burning.	1827.	—	G. h.	— ser. 2. t. 16.
132	<i>malachrafólium</i> . s.G. (<i>re.</i>)	Malachra-ld.	—	—	G. h.	— ser. 2. t. 2.
133	<i>magnifólium</i> . s.G. (<i>re.</i>)	very large-ld.	—	—	G. h.	— ser. 2. t. 10.
134	<i>Lacóniæ</i> . s.G. (<i>d.sc.</i>)	Lady Lacon's.	1826.	—	G. h.	— 4. t. 374.
135	<i>Francisii</i> . s.G. (<i>re.</i>)	Mr. Francis's.	1824.	5. 10.	G. h.	— 4. t. 349.
136	<i>cartilagineum</i> . s.G. (<i>re.</i>)	horny-toothed.	1824.	—	G. h.	— 4. t. 382.
137	<i>dilatatum</i> . s.G. (<i>re.</i>)	stained-petal'd.	1823.	5. 9.	G. h.	— 3. t. 293.
138	<i>basilicum</i> . s.G. (<i>sc.</i>)	princely.	1824.	—	G. h.	— 4. t. 360.
139	<i>Humei</i> . (<i>d.re.</i>)	Sir A. Hume's.	—	4. 10.	G. h.	— 4. t. 324.
140	<i>erióphorum</i> . (<i>sc.</i>)	wool-bearing.	1823.	—	G. h.	—
141	<i>irreguláre</i> . (<i>sc.</i>)	irregular-ld.	—	—	G. h.	—
142	<i>flámmeum</i> . c.c. (<i>sc.</i>)	flame-coloured.	1822.	—	G. h.	—
143	<i>affine</i> . s.G. (<i>sc.</i>)	related.	—	—	G. h.	Sweet ger. 3. t. 277.
144	<i>Colvillii</i> . s.G. (<i>sc.</i>)	Colvill's.	1820.	—	G. h.	— 1. t. 86.
145	<i>Vallèti</i> . c.c. (<i>sc.</i>)	Vallet's.	1822.	—	G. h.	—
146	<i>heteromállum</i> . s.G. (<i>re.</i>)	soft-leaved.	1823.	—	G. h.	Sweet ger. ser. 2. t. 32
147	<i>hibiscifólium</i> . (<i>re.</i>)	Hibiscus-ld.	—	—	G. h.	—
148	<i>atrorúbens</i> . c.c. (<i>re.</i>)	dark-red.	1822.	—	G. h.	—
149	<i>Allèni</i> . s.G. (<i>d.re.</i>)	Allen's.	1823.	—	G. h.	Sweet ger. 3. t. 229.
150	<i>melanchòlicum</i> . (<i>d.re.</i>)	melancholy.	1827.	—	G. h.	—
151	<i>Daveyanum</i> . s.G. (<i>d.re.</i>)	Davey's.	1819.	—	G. h.	Sweet ger. 1. t. 32.
152	<i>phæniceum</i> . s.G. (<i>d.re.</i>)	reddish purple.	1824.	4. 12.	G. h.	— 3. t. 207.
153	<i>heterotrichum</i> . s.G. (<i>d.re.</i>)	various-haired.	1823.	4. 10	G. h.	— 4. t. 303.
154	<i>Burnettianum</i> . s.G. (<i>d.re.</i>)	Miss Burnett's.	1826.	—	G. h.	— 4. t. 369.
155	<i>imperiale</i> . s.G. (<i>d.re.</i>)	imperial.	—	—	G. h.	— 4. t. 365.
156	<i>saturátum</i> . s.G. (<i>d.re.</i>)	saturated.	1827.	—	G. h.	— ser. 2. t. 37.
157	<i>règium</i> . s.G. (<i>sc.</i>)	kingly.	1826.	—	G. h.	— 4. t. 368.
158	<i>Hesilrigæ</i> . s.G. (<i>pu.</i>)	Lady Hesilrige's.	1824.	—	G. h.	— 4. t. 319.
159	<i>acetabulosum</i> . s.G. (<i>sa.</i>)	saucer-leaved.	1827.	—	G. h.	— ser. 2. t. 44.
160	<i>Knipeæ</i> . s.G. (<i>li.</i>)	Mrs. Knipe's	1826.	—	G. h.	— 4. t. 372.
161	<i>calycinum</i> . s.G. (<i>li.</i>)	large-calyxed.	1815.	—	G. h.	— 1. t. 81.
	<i>α verum</i> . s.G. (<i>li.</i>)	true.	—	—	G. h.	— 1. t. 81. f. a.
	<i>β maculátum</i> . s.G. (<i>li.</i>)	large-spotted.	1820.	—	G. h.	— 1. t. 81. f. b.
	<i>γ angulátum</i> . s.G. (<i>li.</i>)	angular-leaved.	—	—	G. h.	— 1. t. 81. f. c.
162	<i>planiflorum</i> . c.c. (<i>li.</i>)	flat-flowered.	—	—	G. h.	—
163	<i>Dennisianum</i> . s.G. (<i>pu.</i>)	Dennis's.	1819.	—	G. h.	Sweet ger. 1. t. 20.
164	<i>Barringtonii</i> . dc. (<i>pu.</i>)	Barrington's	C. B. S.	—	G. h.	—
165	<i>elátum</i> . c.c. (<i>pu.</i>)	tall purple.	Hybrid.	G. h.	—
166	<i>Tormánni</i> . L.en. (<i>pu.</i>)	Torman's.	1812.	—	G. h.	—
167	<i>Chandlèri</i> . c.c. (<i>pu.</i>)	Chandler's.	1821.	—	G. h.	—
168	<i>crenulátum</i> . s.G. (<i>pu.</i>)	crenulate-leav'd.	1814.	—	G. h.	—
			1821.	—	G. h.	Sweet ger. 2. t. 162.

169	<i>megalostictum</i> . s.G. (<i>d. pu.</i>) large-marked. Hybrid.	1824.	4. 10.	G. h.	Sweet ger. ser. 2. t. 8.
170	<i>poculifolium</i> . s.G. (<i>pu.</i>) cup-leaved. _____	1826.	_____	G. h.	_____ ser. 2. t. 31.
171	<i>Foljambeæ</i> . s.G. (<i>r. pu.</i>) Mrs. Foljambe's _____	1825.	_____	G. h.	_____ 4. t. 312.
172	<i>Robinsoni</i> . s.G. (<i>bh.</i>) Robinson's. _____	1822.	_____	G. h.	_____ 2. t. 150.
173	<i>Mostynæ</i> . s.G. (<i>pu.</i>) Mrs. Mostyn's. _____	1816.	_____	G. h.	_____ 1. t. 10.
174	<i>cucullatum</i> . DC. (<i>pu.</i>) hooded-leaved. C. B. S.	1690.	_____	G. h.	Cav. dis. 4. t. 106. f. 1.
	β <i>striatiflorum</i> . (<i>pu.</i>) <i>Prince Regent</i> . _____	1810.	_____	G. h.	
	γ <i>major</i> . c.C. (<i>pu.</i>) <i>Royal George</i> . _____	1812.	_____	G. h.	
	δ <i>grandiflorum</i> . c.C. (<i>pu.</i>) <i>great-flowered</i> . _____	1818.	_____	G. h.	
	ε <i>parrifolium</i> . c.C. (<i>pu.</i>) <i>smaller-leaved</i> . _____	_____	_____	G. h.	
175	<i>cochleatum</i> . W. en. (<i>wh.</i>) concave-ld. _____	_____	G. h.	Wendl. col. 2. t. 64.
	<i>concarifolium</i> . Wendl. _____				
176	<i>rubens</i> . W. en. (<i>re.</i>) red-flowered. _____	_____	G. h.	Wendl. col. 2. t. 54.
177	<i>robustum</i> . c.C. (<i>pu.</i>) robust. Hybrid.	1821.	_____	G. h.	
178	<i>incarnatum</i> . s.G. (<i>fl.</i>) pale flesh-cold. _____	_____	_____	G. h.	Sweet ger. 4. t. 308.
179	<i>lasiocaulon</i> . s.G. (<i>bh.</i>) villous-stalked. _____	1826.	_____	G. h.	_____ 4. t. 364.
180	<i>veniferum</i> . s.G. (<i>std.</i>) veined-petal'd. _____	1825.	_____	G. h.	_____ 4. t. 322.
181	<i>foliosum</i> . s.G. (<i>r. pu.</i>) leafy. _____	1826.	_____	G. h.	_____ 4. t. 340.
182	<i>anisodonton</i> . s.G. (<i>pu.</i>) unequal-toothed. _____	1825.	_____	G. h.	_____ 4. t. 399.
183	<i>malacophyllum</i> . s.G. (<i>pu.</i>) soft-leaved. _____	_____	_____	G. h.	_____ 4. t. 397.
184	<i>angulosum</i> . DC. (<i>pu.</i>) Marshmallow-l. C. B. S.	1724.	7. 9.	G. h.	Cav. dis. 4. t. 112. f. 2.
185	<i>cardifolium</i> . s.G. (<i>pu.</i>) Cockle-shell-ld. _____	1816.	4. 9.	G. h.	Sweet ger. 1. t. 15.
186	<i>fasciculatum</i> . c.C. (<i>pu.</i>) Banbury. Hybrid.	1803.	5. 10.	G. h.	Andr. geran. c. ic.
	<i>Geranium speciosum</i> var. <i>flore purpureo</i> . A.G.				
187	<i>rugosum</i> . c.C. (<i>fl.</i>) wrinkled-leav'd. C. B. S.	_____	G. h.	Andr. geran. c. ic.
188	<i>speciosum</i> . DC. (<i>wh.</i>) specious. _____	1794.	_____	G. h.	
189	<i>formosum</i> . s.G. (<i>li.</i>) variegated-fl'd. Hybrid.	_____	G. h.	Sweet ger. 2. t. 120.
190	<i>solubile</i> . s.G. (<i>pu.</i>) dissolvable-col'd. _____	1818.	_____	G. h.	_____ 1. t. 24.
191	<i>multinerve</i> . s.G. (<i>pu.</i>) many-nerved. _____	_____	_____	G. h.	_____ 1. t. 17.
192	<i>tyrianthinum</i> . s.G. (<i>pu.</i>) royal purple. _____	1820.	_____	G. h.	_____ 2. t. 183.
193	<i>albinotatum</i> . s.G. (<i>pu.</i>) white-marked. _____	1824.	_____	G. h.	_____ 4. t. 359.
194	<i>æmulum</i> . s.G. (<i>pu.</i>) rival. _____	_____	_____	G. h.	_____ 2. t. 160.
195	<i>accedens</i> . c.C. (<i>pu.</i>) approached. _____	_____	_____	G. h.	
196	<i>villosum</i> . s.G. (<i>pu.</i>) villous. _____	_____	_____	G. h.	Sweet ger. 1. t. 160.
197	<i>floridum</i> . s.G. (<i>li.</i>) abundant-fl'd. _____	1816.	6. 10.	G. h.	_____ 1. t. 41.
198	<i>pulchrum</i> . s.G. (<i>pu.</i>) gay. _____	1820.	5. 10.	G. h.	_____ 2. t. 107.
199	<i>Watsoni</i> . s.G. (<i>pu.</i>) Watson's. _____	1812.	7. 11.	G. h.	_____ 2. t. 130.
200	<i>fusculorum</i> . s.G. (<i>pu.</i>) brown-marked. _____	1822.	4. 10.	G. h.	_____ 3. t. 210.
	<i>fuscatum</i> . s.G. <i>errata</i> . _____				
201	<i>coarctatum</i> . s.G. (<i>pu.</i>) close-leaved. _____	1814.	6. 10.	G. h.	_____ 1. t. 70.
202	<i>paucidentatum</i> . s.G. (<i>pu.</i>) distant-tooth'd. _____	1821.	5. 10.	G. h.	_____ 2. t. 186.
203	<i>nervosum</i> . s.G. (<i>pu.</i>) prominent-nerv'd. _____	1818.	_____	G. h.	_____ 1. t. 47.
204	<i>exornatum</i> . (<i>pu.</i>) adorned. _____	1823.	_____	G. h.	_____ 4. t. 381.
205	<i>Youngii</i> . s.G. (<i>wh.</i>) Young's. _____	1820.	_____	G. h.	_____ 2. t. 131.
206	<i>Jenkinsoni</i> . s.G. (<i>d. bh.</i>) Mr. Jenkinson's. _____	_____	_____	G. h.	_____ 2. t. 154.
207	<i>nubilum</i> . s.G. (<i>d. bh.</i>) clouded. _____	1827.	_____	G. h.	_____ ser. 2. t. 20.
208	<i>Brownii</i> . s.G. (<i>d. bh.</i>) Brown's. _____	_____	_____	G. h.	_____ 2. t. 146.
209	<i>difforme</i> . s.G. (<i>bh.</i>) various-leaved. _____	_____	_____	G. h.	_____ 2. t. 105.
210	<i>Obrienianum</i> . s.G. (<i>bh.</i>) Miss O'Brien's. _____	_____	_____	G. h.	_____ ser. 2. t. 11.
211	<i>melanostictum</i> . s.G. (<i>li.</i>) dark-spotted. _____	_____	_____	G. h.	_____ ser. 2. t. 6.
212	<i>vestiflum</i> . s.G. (<i>wh.</i>) clothed. _____	_____	_____	G. h.	_____ ser. 2. t. 27.
213	<i>purum</i> . s.G. (<i>wh.</i>) pure white. _____	1824.	_____	G. h.	_____ 4. t. 334.
214	<i>scitulum</i> . s.G. (<i>wh.</i>) neat white. _____	1826.	_____	G. h.	_____ 4. t. 390.
215	<i>involveratum</i> . s.G. (<i>ra.</i>) large-bracted. _____	_____	G. h.	
	α <i>maximum</i> . s.G. (<i>w.</i>) largest-flowered. _____	1818.	_____	G. h.	Sweet ger. 1. t. 33.
	β <i>albidum</i> . s.G. (<i>wh.</i>) white-flowered. _____	1817.	_____	G. h.	
	γ <i>incarnatum</i> . s.G. (<i>fl.</i>) <i>commander in chief</i> . _____	1815.	_____	G. h.	
	δ <i>intermedium</i> . s.G. (<i>bh.</i>) <i>high-admiral</i> . _____	1817.	_____	G. h.	
	ε <i>lilacinum</i> . s.G. (<i>li.</i>) <i>Lilac-coloured</i> . _____	_____	_____	G. h.	
	ζ <i>roseum</i> . s.G. (<i>ro.</i>) <i>rosy-coloured</i> . _____	_____	_____	G. h.	
	η <i>coriaceum</i> . c.C. (<i>w.</i>) <i>leathery</i> . _____	1820.	_____	G. h.	
	θ <i>maculatum</i> . c.C. (<i>wh.</i>) <i>coronation</i> . _____	_____	_____	G. h.	
216	<i>polytrichum</i> . s.G. (<i>w.</i>) many-haired. _____	1823.	_____	G. h.	Sweet ger. 3. t. 274.
217	<i>Baileyæ</i> . s.G. (<i>w.</i>) Bailey's. _____	1819.	_____	G. h.	_____ 1. t. 87.
218	<i>Josephinæ</i> . Lee. (<i>wh.</i>) Josephine's. _____	1822.	_____	G. h.	
219	<i>formosissimum</i> . s.G. (<i>w.</i>) superb-white. C. B. S.	1794.	_____	G. h.	Sweet ger. 3. t. 215.
	α <i>album</i> . s.G. (<i>wh.</i>) <i>white-flowered</i> . _____	_____	_____	G. h.	_____ 3. t. 215. f. a.
	β <i>lineatum</i> . s.G. (<i>wh.</i>) <i>lined-flowered</i> . _____	_____	_____	G. h.	_____ 3. t. 215. f. b.
220	<i>Bóyleæ</i> . s.G. (<i>wh.</i>) Countess of Cork's. Hybrid.	1818.	_____	G. h.	_____ 1. t. 50.

221	<i>pannifolium</i> . s.G. (<i>w.</i>) cloth-leaved.	Hybrid.	1818.	5. 10.	G. h.	Sweet ger. 1. t. 9.
222	<i>biflorum</i> . s.G. (<i>wh.</i>) two-flowered.	————	1822.	—	G. h.	———— 3. t. 287.
223	<i>candidum</i> . s.G. (<i>wh.</i>) fair-flowered.	————	1818.	4. 9.	G. h.	———— 2. t. 128.
224	<i>blandum</i> . s.G. (<i>bh.</i>) blush-flowered.	————	1816.	—	G. h.	———— 1. t. 4.
225	<i>aceroides</i> . s.G. (<i>fl.</i>) Acer-leaved.	————	1822.	—	G. h.	———— 3. t. 242.
226	<i>Gardneriæ</i> . c.c. (<i>wh.</i>) Lady Gardner's.	————	1817.	—	G. h.	————
227	<i>ramulosum</i> . s.G. (<i>d.w.</i>) small-branch'd.	————	1820.	—	G. h.	Sweet ger. 2. t. 177.
228	<i>maculatum</i> . (<i>d.bh.</i>) spot-flowered.	C. B. S.	1805.	—	G. h.	Andr. ger. c. ic.
229	<i>Hammersleyæ</i> . s.G. (<i>b.</i>) Mrs. Hammersley's.	Hybrid.	1822.	—	G. h.	Sweet ger. 3. t. 225.
230	<i>pulcherrimum</i> . s.G. (<i>pu.</i>) beautiful.	————	1819.	5. 10.	G. h.	———— 2. t. 134.
231	<i>Rollisoni</i> . s.G. (<i>d.ro.</i>) Rollison's.	————	1826.	—	G. h.	———— 4. t. 371.
232	<i>eriosépalon</i> . s.G. (<i>bh.</i>) woolly-calyxed.	————	—	—	G. h.	———— 4. t. 375.
233	<i>veniflorum</i> . s.G. (<i>std.</i>) veined-flowered.	————	1822.	—	G. h.	———— 3. t. 258.
234	<i>sidæfolium</i> . W.en. (<i>li.</i>) Sida-leaved.	————	4. 8.	G. h.	————
235	<i>acerifolium</i> . DC. (<i>li.</i>) Maple-leaved.	C. B. S.	1784.	4. 6.	G. h.	L'Herit. ger. t. 21.
236	<i>cuneatum</i> . DC. (<i>pu.</i>) wedge-leaved.	Hybrid.	5. 8.	G. h.	————
237	<i>Balbisianum</i> . DC. (<i>pu.</i>) Balbis's.	————	—	G. h.	————
238	<i>gloriosum</i> . L.en. (<i>pu.</i>) renowned.	————	—	G. h.	————
239	<i>Beaufortianum</i> . s.G. (<i>li.</i>) Beaufort's.	C. B. S. ?	—	G. h.	Sweet ger. 2. t. 138.
240	<i>principissæ</i> . s.G. (<i>pu.</i>) P's. Charlotte's.	————	1810.	5. 10.	G. h.	———— 2. t. 139.
241	<i>purpureum</i> . (<i>pu.</i>) purple-flowered.	————	1800.	—	G. h.	Andr. geran. c. ic.
242	<i>versicolor</i> . s.G. (<i>pu.</i>) various-colour'd.	Hybrid.	1819.	—	G. h.	Sweet ger. 1. t. 78.
243	<i>pectinifolium</i> . s.G. (<i>li.</i>) Scallop-shell'd.	————	1820.	—	G. h.	———— 1. t. 66.
244	<i>Thynnææ</i> . s.G. (<i>pu.</i>) Lady Bath's.	————	1815.	—	G. h.	———— 1. t. 74.
245	<i>obtusifolium</i> . s.G. (<i>li.</i>) blunt-leaved.	————	—	—	G. h.	———— 1. t. 25.
246	<i>Beadoniæ</i> . s.G. (<i>pu.</i>) Mrs. Beadon's.	————	—	—	G. h.	———— 2. t. 191.
247	<i>adulterinum</i> . DC. (<i>pu.</i>) hoary-trifid'd.	————	1785.	4. 6.	G. h.	———— 1. t. 22.
248	<i>dilatilobum</i> . s.G. (<i>bh.</i>) dilated-lobed.	————	1826.	—	G. h.	———— 4. t. 378.
249	<i>gráphicum</i> . s.G. (<i>pu.</i>) written-petal'd.	————	—	—	G. h.	———— ser. 2. t. 12.
250	<i>obtusilobum</i> . s.G. (<i>pu.</i>) blunt-lobed.	————	1806.	5. 10.	G. h.	———— 1. t. 8.
251	<i>Comptoniæ</i> . s.G. (<i>li.</i>) Ly. Northampton's	————	1818.	—	G. h.	———— 2. t. 122.
252	<i>affluens</i> . s.G. (<i>li.</i>) numerous-fl'd.	————	1821.	—	G. h.	———— 2. t. 194.
253	<i>Saundersii</i> . s.G. (<i>pu.</i>) Saunders's.	————	—	—	G. h.	———— 3. t. 205.
254	<i>atropurpureum</i> . s.G. (<i>pu.</i>) dark purple.	————	1822.	—	G. h.	———— 2. t. 152.
255	<i>coruscans</i> . s.G. (<i>d.re.</i>) glittering.	————	1821.	—	G. h.	———— 2. t. 173.
256	<i>concinnum</i> . s.G. (<i>re.</i>) comely.	————	1819.	—	G. h.	———— 2. t. 108.
257	<i>Seymouriæ</i> . s.G. (<i>pu.</i>) Mrs. Seymour's.	————	—	—	G. h.	———— 1. t. 37.
258	<i>Lousadianum</i> . s.G. (<i>bh.</i>) Miss Lousada's.	————	—	—	G. h.	———— 1. t. 44.
259	<i>lépidum</i> . s.G. (<i>li.</i>) pretty.	————	1822.	—	G. h.	———— 2. t. 156.
260	<i>inscriptum</i> . s.G. (<i>std.</i>) scribbled.	————	—	—	G. h.	———— 2. t. 193.
261	<i>labyrinthicum</i> . (<i>std.</i>) labyrinth-mark'd.	————	—	—	G. h.	————
262	<i>planifolium</i> . s.G. (<i>li.d.</i>) flat-leaved.	————	1823.	—	G. h.	Sweet ger. 3. t. 219.
263	<i>incanescens</i> . s.G. (<i>pu.</i>) whitish-leaved.	————	—	6. 12.	G. h.	———— 3. t. 203.
264	<i>notatum</i> . s.G. (<i>pu.</i>) marked-petal'd.	————	1821.	5. 10.	G. h.	———— 3. t. 208.
265	<i>undulæflorum</i> . s.G. (<i>bh.</i>) waved-flower'd.	————	1824.	—	G. h.	———— 4. t. 329.
266	<i>lineatum</i> . s.G. (<i>st.d.</i>) striped-flower'd.	————	1810.	—	G. h.	———— 1. t. 16.
267	<i>dumosum</i> . s.G. (<i>pu.</i>) bushy.	————	1816.	—	G. h.	———— 1. t. 19.
268	<i>Scarboroviæ</i> . s.G. (<i>d.li.</i>) L. Scarborough's	————	1817.	—	G. h.	———— 2. t. 117.
269	<i>pustulosum</i> . s.G. (<i>bh.</i>) blistered-leav'd.	————	1816.	5. 10.	G. h.	———— 1. t. 11.
270	<i>bellulum</i> . s.G. (<i>pu.</i>) neat.	————	—	—	G. h.	———— 1. t. 60.
	<i>moschatum</i> . A.G. C. ic.	————	—	—	—	————
271	<i>Fairliææ</i> . s.G. (<i>ro.</i>) Mrs. Fairlie's.	————	1821.	—	G. h.	Sweet ger. 2. t. 178.
272	<i>scintillans</i> . s.G. (<i>sa.</i>) sparkling.	————	1812.	—	G. h.	———— 1. t. 28.
273	<i>platypetalon</i> . s.G. (<i>w.</i>) broad-petaled.	————	—	—	G. h.	———— 2. t. 116.
	<i>α rigidum</i> . s.G. (<i>wh.</i>) rigid.	————	—	—	G. h.	———— 2. t. 116. f. a.
	<i>β hirsutum</i> . s.G. (<i>w.</i>) hairy.	————	—	—	G. h.	———— 2. t. 116. f. b.
274	<i>optabile</i> . s.G. (<i>wh.</i>) desirable.	————	—	—	G. h.	———— 1. t. 62.
275	<i>ornatum</i> . s.G. (<i>wh.</i>) ornate.	————	1817.	—	G. h.	———— 1. t. 39.
276	<i>modestum</i> . s.G. (<i>bh.</i>) modest.	————	1822.	—	G. h.	———— 3. t. 204.
277	<i>rhodolentum</i> . s.G. (<i>bh.</i>) rose-smelling.	————	1824.	—	G. h.	———— 3. t. 291.
278	<i>picturatum</i> . s.G. (<i>d.bh.</i>) pictured.	————	1827.	—	G. h.	———— ser. 2. t. 34.
279	<i>papyraceum</i> . s.G. (<i>w.</i>) paper-white.	————	—	—	G. h.	———— ser. 2. t. 22.
280	<i>Newshamianum</i> . s.G. (<i>bh.</i>) Miss Newsham's.	————	1821.	—	G. h.	———— 2. t. 144.
281	<i>Cosmianum</i> . s.G. (<i>w.</i>) perfumed.	————	—	—	G. h.	———— 2. t. 189.
282	<i>Brightianum</i> . s.G. (<i>w.</i>) Miss Bright's.	————	1823.	—	G. h.	———— 3. t. 227.
283	<i>dependens</i> . s.G. (<i>wh.</i>) pendent-petal'd.	————	—	—	G. h.	———— 2. t. 195.
284	<i>Mattocksianum</i> . s.G. (<i>wh.</i>) Mrs. Sweet's.	————	—	—	G. h.	———— 3. t. 234.
285	<i>venustum</i> . s.G. (<i>bh.</i>) comely-flower'd.	————	1822.	—	G. h.	———— 2. t. 167.
286	<i>tinctum</i> . s.G. (<i>w.pu.</i>) stained	————	1826.	—	G. h.	———— ser. 2. t. 29.

287	obscurum. s.G. (wh.d.) darkened-pet'd.	—————	1818.	—————	G. h.	Sweet ger. 1. t. 89.
288	atrofuscum. s.G. (d.pu.) dark-brown.	—————	—————	—————	G. h.	————— 1. t. 82.
289	acutilobum. s.G. (wh.) acute-lobed.	—————	1822.	—————	G. h.	————— 2. t. 184.
290	compár. c.c. (wh.p.) partner.	—————	1818.	—————	G. h.	
291	Hoareanum. s.G. (bh.p.) fair Rosamond.	—————	—————	—————	G. h.	Sweet ger. 1. t. 80.
292	Lamberti. s.G. (pu.) Lambert's.	—————	—————	—————	G. h.	————— 2. t. 104.
293	recurvatum. s.G. (li.) recurved-pet'd.	—————	—————	—————	G. h.	————— 3. t. 223.
294	divergens. s.G. (li.) spreading-petal'd	—————	1826.	—————	G. h.	————— ser. 2. t. 39.
295	penicillatum. W.en. (wh.) pencilled.	—————	1794.	—————	G. h.	Willd. h. ber. 1. t. 37.
296	dentatum. A.G. (re.) toothed.	—————	—————	G. h.	Andr. geran. c. ic.
297	florëscens. H.G. (wh.) triangular-ld.	—————	1818.	—————	G. h.	
298	Sabini. H.S. (pu.) Sabine's.	—————	1821.	—————	G. h.	
299	betulinum. DC. (pu.) Birch-leaved.	C. B. S.	1759.	—————	G. h.	Bot. mag. 14 ^o .
300	alnifolium. W.en. (fl.) Alder-leaved.	Hybrid.	—————	G. h.	
301	betulæfolium. Sch. (bh.) Birch-like.	—————	—————	G. h.	
302	Willdenowii. s. (bh.) Willdenow's.	—————	—————	G. h.	
303	hermannifolium. DC. (bh.) Hermannia-ld.	C. B. S.	4. 6.	G. h.	Jacq. ic. rar. 3. t. 545.
304	rigidum. DC. (wh.) rigid.	—————	1790.	5. 8.	G. h.	
305	ribifolium. DC. (wh.) Currant-leaved	—————	1798.	—————	G. h.	Jacq. ic. rar. 3. t. 538.
306	odoriferum. (wh.) odoriferous.	—————	—————	G. h.	Andr. geran. c. ic.
	<i>Geranium scabrum.</i> A.G. nec aliorum.					
307	jocundum. H.G. (li.) pleasant.	Hybrid.	1818.	—————	G. h.	
308	Broadleia. c.c. (pu.) Mrs. Broadley's.	—————	—————	—————	G. h.	Andr. geran. c. ic.
309	propinquum. c.c. (li.) neighbouring.	—————	1818.	—————	G. h.	
310	decorum. s.G. (li.) neat-flowered.	—————	—————	—————	G. h.	Sweet ger. ser. 2. t. 15.
311	delicatum. H.G. (li.) delicate.	—————	—————	—————	G. h.	————— 3. t. 267.
312	semitrilobum. DC. (fl.) three-lobed.	C. B. S.	1800.	4. 7.	G. h.	Jacq. schoen. 2. t. 139.
313	Irbyanum. c.c. (ro.) Irby's.	Hybrid.	—————	G. h.	Andr. geran. c. ic.
314	zingiberinum. s.G. (bh.) Ginger-scented.	—————	1826.	—————	G. h.	Sweet ger. ser. 2. t. 42.
315	mixtum. s.G. (bh.) mixed.	—————	1819.	5. 8.	G. h.	————— 1. t. 71.
316	myrtillum. H.S. (pu.) Myrtle-scented.	—————	1820.	—————	G. h.	
317	rubidum. (pu.) red-purple.	C. B. S.	1805.	—————	G. h.	Andr. geran. c. ic.
	<i>Geranium rubens.</i> A. G. non Wendl.					
318	spurium. W.en. (pu.) spurious.	Hybrid.	—————	G. h.	
319	nothum. W.en. (pu.) mungrel.	—————	—————	G. h.	
320	crispum. DC. (li.) curl-leaved.	C. B. S.	1774.	6. 11.	G. h.	Sweet ger. 4. t. 383.
321	gratum. W.en. (bh.) grateful-scent'd.	Hybrid.	4. 8.	G. h.	
322	consanguineum. W.en. (pu.) kindred.	—————	—————	G. h.	
323	pallidum. W.en. (pa.) pale-flowered.	—————	—————	G. h.	
324	citriodorum. (wh.) Citron-scented.	C. B. S.	—————	G. h.	Andr. geran. c. ic.
325	uniflorum. DC. (fl.) one-flowered.	—————	—————	G. h.	
326	limonium. s.G. (pu.) Lemon-scented.	Hybrid.	1823.	—————	G. h.	Sweet ger. 3. t. 278.
327	notabile. H.G. (li.) Hoare's Harlequin.	—————	1822.	—————	G. h.	
328	scabrum. DC. (li.) rough wedge-ld.	C. B. S.	1775.	—————	G. h.	L'Herit. ger. t. 31.
329	tricuspidatum. DC. (wh.) three-point'd.	—————	1780.	—————	G. h.	————— t. 30.
330	Perryanum. c.c. (wh.) Perry's.	Hybrid.	1816.	—————	G. h.	
331	glaucoides. W.C. (wh.) glaucum-like.	—————	—————	—————	G. h.	Wendl. coll. ic.
332	glaucum. DC. (wh.) glaucous-leaved.	C. B. S.	1775.	6. 8.	G. h.	Sweet ger. 1. t. 57.
333	lanceolatum. (wh.) lance-leaved.	—————	—————	—————	G. h.	Andr. geran. c. ic.
334	diversifolium. W.C. (wh.) different-ld.	—————	1794.	—————	G. h.	Wendl. coll. ic.
335	cuspidatum. DC. (wh.) sharp-pointed.	—————	—————	G. h.	
336	sororium. DC. (wh.) sister.	Hybrid.	—————	G. h.	
337	Tankervillea. H.G. (wh.) Lady Tankerville's	—————	—————	G. h.	
338	acutifolium. (wh.) acute-leaved.	—————	1821.	—————	G. h.	
339	trifurcatum. c.c. (wh.) three-forked.	—————	—————	G. h.	
340	laevigatum. DC. (wh.) glaucous trifid-l.	C. B. S.	—————	G. h.	Cav. dis. 4. t. 121. f. 1.
341	trifoliatum. s.G. (wh.) trifoliate-leaved.	—————	1799.	—————	G. h.	Sweet ger. 3. t. 294.
	<i>oxyphyllum.</i> DC. <i>Geranium trifoliatum.</i> A.G. ic.					
342	patulum. DC. (ro.) spreading.	—————	1812.	4. 7.	G. h.	Jacq. ic. rar. 3. t. 541.
343	hepaticifolium. DC. (li.) Hepatica-ld.	—————	1791.	5. 8.	G. h.	
344	mitellæfolium. (wh.) Mitella-leaved.	—————	1791.	5. 10.	G. h.	Andr. geran. c. ic.
	<i>Geranium hepaticifolium.</i> A.G. nec aliorum.					
345	fuscatum. DC. (ro.) dark-marked.	—————	1812.	—————	G. h.	Jacq. ic. rar. 3. t. 540.
346	saniculæfolium. DC. (pu.) Sanicle-leav'd	—————	1806.	6. 9.	G. h.	————— 3. t. 539.
	<i>cortusæfolium.</i> Jacq. non L. Her.					
347	crenæflorum c.c. (w.) notch'd-petaled.	Hybrid.	1817.	—————	G. h.	
348	sceleratum. c.c. (wh.) Celery-leaved.	—————	1819.	—————	G. h.	
349	viridifolium. s.G. (sa.) bright-green-ld.	—————	1825.	5. 9.	G. h.	Sweet ger. 4. t. 331.
350	expansum. (re.) expanded.	—————	1823.	5. 10.	G. h.	

351	multidentatum. (re.) many-toothed.	Hybrid.	1823.	5. 10.	G. h.	
352	grandidentatum. s.G. large-toothed.	_____	_____	_____	G. h.	Sweet ger. 3. t. 217.
353	Belladonna. s.G.(bh.) painted-lady.	_____	_____	_____	G. h.	_____ 3. t. 270.
354	triumpfans. c.c.(bh.) triumphant.	_____	1818.	_____	G. h.	
355	serratifolium. s.G.(bh.) saw-leaved.	_____	1822.	_____	G. h.	Sweet ger. 3. t. 221.
356	variegatum. DC.(wh.) variegated-fl'd.	C. B. S.	1812.	_____	G. h.	Cav. dis. 4. t. 118. f. 3.
357	amplissimum. w.c.(wh.) stately.	Hybrid.	1796.	_____	G. h.	Wendl. coll. ic.
	<i>Geranium grandiflorum</i> . var. A.G. c. ic. <i>Formanni</i> .	Hort.				
358	grandiflorum. DC.(wh.) great-flower'd.	C. B. S.	1794.	_____	G. h.	Sweet ger. 1. t. 29.
359	Parmentieri. c.c.(wh.) Parmentier's.	Hybrid.	1822.	_____	G. h.	
360	delphinifolium. DC.(vi.) Larkspur-ld.	_____	_____	G. h.	
361	gossypifolium. (li.) Cotton-tree-ld.	_____	1805.	5. 10.	G. h.	Andr. ger. c. ic.
	<i>Geranium grandiflorum</i> . var. <i>carnea</i> .	A.G.				
362	electum. s.G. (wh.) elect.	Hybrid.	1804.	_____	G. h.	Sweet ger. 3. t. 238.
363	asperifolium. s.G.(re.) rough-leaved.	_____	1807.	_____	G. h.	_____ 2. t. 169.
364	Curtisianum. DC.(wh.) Curtis's.	_____	_____	G. h.	
365	nobile. DC. (li.) noble.	_____	1822.	_____	G. h.	
366	opulifolium. s.G.(sa.) Guelder-Rose-ld.	_____	1819.	_____	G. h.	Sweet ger. 1. t. 53.
367	malvaceum. (bh.) Mallow-like.	_____	_____	G. h.	
368	hamastictum. s.G.(bh.) blood-spotted.	_____	1827.	_____	G. h.	Sweet ger. ser. 2. t. 18.
369	psilophyllum. s.G.(re.) smooth-leaved.	_____	1825.	_____	G. h.	_____ 4. t. 356.
370	lucidum. s.G. (bh.) glossy-leaved.	_____	1826.	_____	G. h.	_____ 4. t. 373.
371	Princeanum. s.G.(wh.) Prince's.	_____	1827.	_____	G. h.	_____ 4. t. 386.
372	clarum. s.G. (wh.) clear white.	_____	1826.	_____	G. h.	_____ 4. t. 366.
373	recurvifolium. s.G.(wh.) recurve-leav'd.	_____	1825.	_____	G. h.	_____ 4. t. 343.
374	bryoniaefolium. s.G.(bh.) Bryony-leav'd.	_____	1824.	_____	G. h.	_____ 4. t. 320.
375	Richianum. s.G.(bh.) Miss Rich's.	_____	1826.	_____	G. h.	_____ 4. t. 370.
376	platanifolium. s.G.(li.) Plane-leaved.	_____	1824.	_____	G. h.	_____ 4. t. 326.
377	verecundum. s.G.(pi.) blushing.	_____	_____	_____	G. h.	_____ 4. t. 316.
378	macranthos. s.G.(wh.) large-flowered.	_____	1821.	_____	G. h.	Sweet ger. 1. t. 83.
379	Couttsiæ. s.G. (sa.) Mrs. Coutts's.	_____	1822.	_____	G. h.	_____ 3. t. 269.
380	rutilum. c.c. (sa.) light red.	_____	1821.	_____	G. h.	
381	schizophyllum. s.G.(sa.) jagged.	_____	1822.	_____	G. h.	Sweet ger. 3. t. 289.
382	Barnardianum. s.G.(sa.) Mr. Barnard's.	_____	1820.	_____	G. h.	_____ 2. t. 127.
383	mucronatum. s.G.(d.re.) mucronate.	_____	1823.	_____	G. h.	_____ 3. t. 275.
384	Gurneyanum. s.G.(d.re.) Mr. Gurney's.	_____	1826.	_____	G. h.	_____ 4. t. 393.
385	argutum. s.G. (sc.) sharp-toothed.	_____	1824.	_____	G. h.	_____ 4. t. 344.
386	latifolium. s.G. (re.) broad-leaved.	_____	_____	_____	G. h.	_____ 4. t. 335.
387	megalanthum. s.G.(re.) grand-flowered.	_____	1826.	_____	G. h.	_____ ser. 2. t. 4.
388	megaleion. s.G. (sc.) magnificent.	_____	_____	_____	G. h.	_____ ser. 2. t. 5.
389	cratægifolium. s.G.(re.) Hawthorn-ld.	_____	1824.	_____	G. h.	_____ ser. 2. t. 19.
390	coilophyllum. (re.) hollow-leaved.	_____	1827.	_____	G. h.	_____ ser. 2. t. 33.
391	Clintoniæ. s.G. (re.) Ds. of Newcastle's.	_____	_____	_____	G. h.	_____ 4. t. 392.
392	campylosépalon. s.G.(pu.) reflex-calyxed.	_____	1826.	_____	G. h.	_____ 4. t. 379.
393	Nairnii. s.G. (d.re.) Nairn's.	_____	1825.	_____	G. h.	_____ 4. t. 376.
394	rhodanthum. s.G.(ro.) rose-colour'd.	_____	1824.	_____	G. h.	_____ 3. t. 282.
395	rhodopétalon. s.G.(ro.) rosy-petal'd.	_____	1826.	_____	G. h.	_____ ser. 2. t. 14.
396	acutidentatum. s.G.(sa.) acute-toothed.	_____	1827.	_____	G. h.	_____ ser. 2. t. 40.
397	Milleri. (re.) Mr. Miller's.	_____	1824.	_____	G. h.	
398	conchiifolium. (li.) shell-leaved.	_____	1820.	_____	G. h.	
399	striatum. s.G. (bh.) streak-flowered.	_____	1818.	3. 8.	G. h.	Sweet ger. 1. t. 1.
400	rigescens. s.G. (li.) stiff-leaved.	_____	_____	4. 9.	G. h.	_____ 2. t. 112.
401	eriphyllum. s.G.(pu.) woolly round-ld.	_____	_____	5. 10.	G. h.	_____ 2. t. 141.
402	intermixtum. (li.) intermixed.	_____	_____	4. 8.	G. h.	
403	abutiloides. s.G.(pu.) Abutilon-like.	_____	1820.	4. 9.	G. h.	Sweet ger. ser. 2. t. 3.
404	cordatum. DC. (pu.) heart-leaved.	C. B. S.	1774.	3. 8.	G. h.	_____ 1. t. 67.
405	conduplicatum. DC.(pu.) curl'd-heart-ld.	Hybrid.	_____	G. h.	
406	rubro-cinctum. DC.(pu.) red-edged.	_____	_____	G. h.	
407	Goweri. s.G. (pi.) Mr. Levison Gower's.	_____	1825.	5. 8.	G. h.	Sweet ger. 4. t. 333.
408	papilionaceum. DC.(pu.) Butterfly.	C. B. S.	1724.	4. 7.	G. h.	_____ 1. t. 27.
409	tomentosum. DC.(wh.) Pennyroyal.	_____	1790.	_____	G. h.	_____ 2. t. 168.
410	vitifolium. DC. (li.) Vine-leaved.	_____	1724.	4. 8.	G. h.	Cav. dis. 4. t. 111. f. 2.
411	capitatum. DC. (li.) Rose-scented.	_____	1690.	_____	G. h.	_____ 4. t. 105. f. 1.
412	concolor. s.G. (re.) self-coloured.	Hybrid.	1820.	_____	G. h.	Sweet ger. 2. t. 140.
	β major. s.G. (cr.) larger.	_____	_____	_____	G. h.	_____ 2. t. 140. f. b.
413	congestum. s.G. (pu.) close-headed.	_____	1825.	_____	G. h.	_____ 4. t. 325.
414	calamistratum. s.G.(pu.) curled-lobed.	_____	1828.	_____	G. h.	_____ ser. 2. t. 36.
415	graveolens. DC. (li.) Odour of Rose.	C. B. S.	1774.	3. 7.	G. h.	L'Herit. ger. t. 17.
	β variegatum. (li.) striped-leaved.	_____	_____	G. h.	Andr. geran. c. ic.
	<i>Geranium capitatum</i> . var. A.G.					

416	<i>asperum</i> . DC.	(<i>fl.</i>) rough multifid.	C. B. S.	1795.	5. 9.	G. h.	Roth. abh. p. 51. t. 10.
417	<i>Rádula</i> . DC.	(<i>li.</i>) rasp-leaved.	————	1774.	3. 7.	G. h.	L'Herit. ger. t. 16.
418	<i>balsameum</i> . DC.	(<i>fl.</i>) balsamic.	————	1790.	5. 9.	G. h.	Jacq. ic. rar. 3. t. 53.
419	<i>Vandesiæ</i> . s.G.	(<i>bh.</i>) Comtesse de Vandes'	Hybrid.	1818.	—	G. h.	Sweet ger. 1. t. 7.
420	<i>hispidum</i> . DC.	(<i>wh.</i>) hispid.	C. B. S.	1790.	—	G. h.	Cav. dis. 4. t. 110. f. 1.
421	<i>callistum</i> . s.G.	(<i>sa.</i>) graceful.	————	1827.	—	G. h.	Sweet ger. ser. 2. t. 9.
422	<i>anthemifolium</i> . (re.)	Anthemis-ld.	Hybrid.	1822.	—	G. h.	—
423	<i>pyrethriifolium</i> . s.G.	(<i>sc.</i>) Feverfew-ld.	————	1821.	—	G. h.	Sweet ger. 2. t. 153.
424	<i>tanacetifolium</i> . s.G.	(<i>re.</i>) Tansy-leaved.	————	1824.	—	G. h.	———— 4. t. 336.
425	<i>sphærocéphalon</i> . s.G.	(<i>sc.</i>) round-headed.	————	—	—	G. h.	———— 4. t. 317.
426	<i>Moreanum</i> . s.G.	(<i>sc.</i>) More's victory.	————	1823.	—	G. h.	———— 3. t. 285.
427	<i>obcordatum</i> . s.G.	(<i>sc.</i>) obcordate-petal'd.	————	—	—	G. h.	———— 4. t. 310.
428	<i>cuneiflorum</i> . s.G.	(<i>sc.</i>) wedge-petal'd.	————	1825.	—	G. h.	———— 4. t. 330.
429	<i>chrysanthemifolium</i> . (sc.)	Chrysanthm.-ld.	————	1821.	4. 10.	G. h.	———— 2. t. 124.
430	<i>Dobreeanum</i> . s.G.	(<i>sc.</i>) Mrs. Dobree's.	————	1818.	—	G. h.	———— 3. t. 253.
431	<i>Bisshoppæ</i> . s.G.	(<i>sc.</i>) Mrs. Bisshopp's.	————	1822.	—	G. h.	———— 3. t. 272.
432	<i>signatum</i> . s.G.	(<i>re.</i>) marked-leaved.	————	—	—	G. h.	———— 3. t. 265.
433	<i>Spinii</i> . c.R.	(<i>bh.d.</i>) Spin's.	————	—	G. h.	———— 4. t. 362.
434	<i>quercifolium</i> . DC.	(<i>bh.</i>) Oak-leaved.	C. B. S.	1774.	3. 8.	G. h.	L'Herit. ger. t. 14.
	<i>bipinnatifidum</i> . (bh.)	<i>bipinnatifid.</i>	————	—	—	G. h.	———— t. 15.
435	<i>tortuosum</i> . s.G.	(<i>li.</i>) twisted-petal'd.	————	1826.	—	G. h.	Sweet ger. ser. 2. t. 43.
436	<i>eximium</i> . s.G.	(<i>pi.</i>) select.	Hybrid.	1818.	4. 8.	G. h.	———— 1. t. 26.
437	<i>Esséxiæ</i> . c.C.	(<i>pi.</i>) Lady Essex's.	————	—	—	G. h.	—
438	<i>oblatum</i> . s.G.	(<i>pi.</i>) oblate-leaved.	————	—	—	G. h.	Sweet ger. 1. t. 35.
439	<i>Murryanum</i> . s.G.	(<i>bh.</i>) Ld. Jas. Murray's.	————	—	—	G. h.	———— 2. t. 164.
440	<i>calocéphalon</i> . s.G.	(<i>bh.</i>) pretty-headed.	————	1820.	—	G. h.	———— 3. t. 201.
441	<i>obovatum</i> . s.G.	(<i>li.</i>) obovate-petal'd.	————	1825.	—	G. h.	———— 4. t. 367.
442	<i>dilatatum</i> . s.G.	(<i>li.</i>) dilated-leav'd.	————	1824.	—	G. h.	———— 4. t. 314.
443	<i>augustum</i> . DC.	(<i>bh.</i>) august.	————	1809.	—	G. h.	Andr. geran. c. ic.
	<i>β Brūcii</i> . c.C.	(<i>bh.</i>) Bruce's.	————	—	G. h.	—
444	<i>Breesianum</i> . s.G.	(<i>pi.</i>) Breese's.	————	1818.	—	G. h.	Sweet ger. 1. t. 64.
445	<i>Husseyanum</i> . s.G.	(<i>pu.</i>) Lady Hussey's.	————	—	—	G. h.	———— 1. t. 92.
446	<i>Wellsianum</i> . s.G.	(<i>sc.</i>) Mr. Wells's.	————	1822.	3. 8.	G. h.	———— 1. t. 175.
447	<i>Kingii</i> . s.G.	(<i>sc.</i>) Mr. King's.	————	—	3. 12.	G. h.	———— 3. t. 248.
448	<i>Scóttii</i> . s.G.	(<i>sc.</i>) Sir. C. Scott's.	————	—	3. 9.	G. h.	———— 3. t. 264.
449	<i>Pálkii</i> . s.G.	(<i>cr.</i>) Mr. Palk's.	————	—	1. 12.	G. h.	———— 3. t. 224.
450	<i>rotundilobum</i> . s.G.	(<i>sc.</i>) round-lobed.	————	1823.	3. 9.	G. h.	———— 3. t. 252.
451	<i>latilobum</i> . s.G.	(<i>sc.</i>) broad-lobed.	————	—	—	G. h.	———— 3. t. 236.
452	<i>Russellianum</i> . s.G.	(<i>sc.</i>) Russell's.	————	1826.	4. 9.	G. h.	———— 4. t. 385.
453	<i>translucens</i> . s.G.	(<i>sc.</i>) transparent.	————	1824.	—	G. h.	———— 4. t. 400.
454	<i>Barclayanum</i> . s.G.	(<i>sc.</i>) Mr. Barclay's.	————	—	—	G. h.	———— 4. t. 384.
455	<i>Harewoodiæ</i> . s.G.	(<i>d.re.</i>) Lady Harewood's.	————	1826.	—	G. h.	———— 4. t. 389.
456	<i>Stewartii</i> . s.G.	(<i>da.sc.</i>) Mr. Stewart's.	————	1825.	—	G. h.	———— 4. t. 353.
457	<i>lasiophyllum</i> . s.G.	(<i>sa.</i>) woolly-divided-ld.	————	—	—	G. h.	———— 3. t. 296.
458	<i>Lechiànnum</i> . DC.	(<i>bh.</i>) acute-notched.	————	1820.	—	G. h.	—
459	<i>jatrophæfolium</i> . DC.	(<i>fl.</i>) Jatropha-ld.	————	—	—	G. h.	—
460	<i>denticulatum</i> . DC.	(<i>li.</i>) tooth-leaved.	C. B. S.	1789.	5. 8.	G. h.	Sweet ger. 2. t. 109.
461	<i>viscosissimum</i> . s.G.	(<i>bh.</i>) viscous.	————	1820.	3. 8.	G. h.	———— 2. t. 118.
	<i>α álbum</i> . (wh.)	<i>white-flowered.</i>	————	—	—	G. h.	—
	<i>β cárneum</i> . (fl.)	<i>flesh-coloured.</i>	————	—	—	G. h.	—
462	<i>carbasinum</i> . s.G.	(<i>sa.</i>) linen-flower'd.	Hybrid.	1827.	—	G. h.	Sweet ger. ser. 2. t. 38.
463	<i>glutinòsum</i> . DC.	(<i>fl.</i>) clammy.	C. B. S.	1777.	5. 6.	G. h.	L'Herit. ger. t. 20.
	<i>β nigréscens</i> . (fl.)	<i>black-marked.</i>	————	—	—	G. h.	Bot. mag. 143.
464	<i>cynosbatifolium</i> . DC.	(<i>li.</i>) Cynosbati-ld.	Hybrid.	4. 8.	G. h.	Sweet ger. 3. t. 259.
	<i>Geranium oxoniense</i> . A.G.	ic.	————	—	—	—	—
465	<i>verbenæfolium</i> . s.G.	(<i>li.</i>) Vervain-ld.	Hybrid.	1818.	—	G. h.	Sweet ger. 2. t. 149.
	<i>piperatum</i> . DC?	————	————	—	—	—	—
466	<i>melissinum</i> . s.G.	(<i>da.</i>) Balm-scented.	Hybrid.	—	—	G. h.	Sweet ger. 1. t. 5.
467	<i>volatiflorum</i> . s.G.	(<i>sc.</i>) flying-flower'd.	————	1823.	—	G. h.	———— 3. t. 284.
468	<i>brévipes</i> . (sc.)	short-peduncled.	————	1824.	—	G. h.	—
469	<i>ternatum</i> . DC.	(<i>li.</i>) ternate-leaved.	C. B. S.	1789.	5. 8.	G. h.	Sweet ger. 2. t. 165.
470	<i>patentissimum</i> . w.c.	(<i>li.</i>) most-spreading.	————	1822.	—	G. h.	Wendl. coll. ic.
471	<i>spinòsum</i> . DC.	(<i>st.</i>) thorny.	————	1795.	5. 6.	G. h.	Paters. it. t. ad. p. 67.
472	<i>tripartitum</i> . s.G.	(<i>st.</i>) brittle-stalked.	————	1789.	5. 8.	G. h.	Sweet ger. 2. t. 115.
	<i>Geranium fráigile</i> . A.R.	37.	————	—	—	—	—
473	<i>incisum</i> . DC.	(<i>st.</i>) cut-leaved.	————	1791.	—	G. h.	Sweet ger. 1. t. 93.
474	<i>canéscens</i> . s.G.	(<i>bh.</i>) canescent.	————	—	G. h.	—
475	<i>abrotanifolium</i> . DC.	(<i>bh.</i>) Southernwood-ld.	————	1791.	—	G. h.	Jacq. schœn. 2. t. 136.
476	<i>artemisiæfolium</i> . DC.	Wormwood-ld.	————	1817.	—	G. h.	—

477	fràgrans. DC. (wh.) Nutmeg-scent'd. Hybrid.	5. 10.	G. h̄.	Sweet ger. 2. t. 172.
478	odoratissimum. DC. (wh.) sweet-scent'd. C. B. S.	1724.	—	G. h̄.	— 3. t. 299.
479	exstipulatum. DC. (bh.) soft trifid-ld. <i>Geranium suaveolens</i> . A. G. ic.	1779.	—	G. h̄.	L'Herit. ger. t. 35.
480	dissectum. s. G. (wh.) dissected-ld. Hybrid.	1822.	5. 11.	G. h̄.	Sweet ger. 3. t. 247.
481	glomeratum. DC. (w.) close-headed. N. S. W. <i>australe</i> . s. G. 68. non DC.	1792.	5. 8.	G. h̄.	Jacq. fl. ecl. 1. t. 98.
482	australe. DC. (wh.) New Holland. ———	—	—	G. 4.	Jacq. fl. ecl. 1. t. 100.
483	inodorum. DC. (w. pu.) scentless. ———	1796.	3. 8.	G. 4.	Sweet ger. 1. t. 56.
484	columbinum. DC. (pu.) Doves-foot. C. B. S.	1795.	6. 10.	G. 4.	Jacq. schœn. 2. t. 133.
485	procumbens. DC. (bh.) procumbent. ———	1801.	4. 5.	G. 4.	Andr. bot. rep. 234.
486	humifusum. DC. (bh.) trailing. Canaries.	—	4. 10.	H. ⊙.	Sweet ger. 1. t. 42.
487	chamædryfolium. DC. (wh.) Chamædrys-ld. C. B. S.	1812.	5. 6.	G. 4.	Jacq. ic. rar. 3. t. 523.
488	althæoides. DC. (wh.) Althæa-leaved. ———	1724.	4. 6.	G. ♂.	L'Herit. ger. t. 10.
489	grossularioides. DC. (fl.) Gooseberry-ld. ———	1731.	4. 8.	G. 4.	Cav. dis. 4. t. 119. f. 2.
490	anceps. DC. (pu.) flat-stalked. ———	1788.	5. 7.	G. 4.	Jacq. col. 4. t. 22. f. 3.
491	parviflorum. A. G. (pu.) small-flowered. ———	1800.	—	G. 4.	Andr. geran. c. ic.
492	acugnaticum. L. T. (re.) Tristan d'Acuna. T. d'Acunna.	1818.	—	G. 4.	—
493	senecioides. DC. (wh.) Groundsel-ld. C. B. S.	1775.	6. 7.	G. ⊙.	Sweet ger. 4. t. 327.
494	alchimilloides. DC. (wh.) mantle-leaved. ———	1693.	5. 10.	G. 4.	Cav. dis. 4. t. 98. f. 1.
495	Heritièri. Jacq. (wh.) L'Heritier's. ———	1820.	—	G. 4.	—
496	tabulare. DC. (wh.) rough-stalked. ———	1775.	5. 8.	G. h̄.	L'Herit. ger. t. 9.
497	ovale. DC. (ro.) oval-leaved. ———	1774.	—	G. h̄.	Sweet ger. 3. t. 235.
498	élegans. DC. (wh. pu.) elegant. ———	1795.	—	G. h̄.	And. repos. 98.
	α major. s. G. (wh.) smaller-flowered. ———	—	—	G. h̄.	Sweet ger. 1. t. 36. f. a.
	β minor. s. G. (v.) larger-flowered. ———	—	—	G. h̄.	— 1. t. 36. f. b.
499	schizopetalum. s. G. (y. br.) divided-petal'd. ———	1821.	6. 10.	G. h̄.	— 3. t. 232.
500	pinguifolium. s. G. (bh.) greasy leaved. Hybrid?	5. 10.	G. h̄.	— 1. t. 52.
501	latèripes. DC. (va.) Ivy-leaved. C. B. S.	1787.	—	G. h̄. ∪.	L'Herit. ger. t. 24.
	α viridifolium. (li.) green-leaved. ———	—	—	G. h̄. ∪.	Andr. geran. c. ic.
	β zonatum. (li.) Horseshoe-mark'd. ———	—	—	G. h̄. ∪.	—
	γ roseum. (ro.) rose-coloured. ———	—	—	G. h̄. ∪.	—
	δ albomarginatum. DC. white-margined. ———	—	—	G. h̄. ∪.	Andr. geran. c. ic.
502	peltatum. DC. (li.) peltate-leaved. ———	1701.	—	G. h̄. ∪.	Bot. mag. 20.
	β variegatum. A. G. (li.) variegated-ld. ———	—	—	G. h̄. ∪.	Andr. geran. c. ic.
503	scutatum. s. G. (wh.) shield-leaved. ———	1819.	—	G. h̄. ∪.	Sweet ger. 1. t. 95.
JENKINS'ONIA. S. G. JENKINS'ONIA. Monadelphia Heptandria.					
1	tetragona. s. G. (li.) square-stalked. C. B. S.	1774.	5. 8.	G. h̄. ∪.	Sweet ger. 1. t. 99.
	β variegata. (li.) variegated. ———	—	—	G. h̄. ∪.	— 1. t. 99.
2	quinata. s. G. (st.) quinate-leaved. ———	1793.	—	G. h̄.	— 1. t. 79.
	<i>Pelargonium quinatum</i> . B. M. 547. <i>Geranium præmorsum</i> . A. R. 150.	—	—	—	—
3	pendula. s. G. (pu.) pendulous-branch'd. ———	5. 8.	G. h̄. ∪.	Sweet ger. 2. t. 188.
4	longicaulis. s. G. (bh.) long-stalked. ———	—	G. h̄. ∪.	Jacq. ic. rar. 3. t. 533.
	<i>Pelargonium longicaule</i> . Jacq.	—	—	—	—
5	anemonefolia. s. G. (re.) Anemone-ld. ———	—	G. h̄. ∪.	Jacq. ic. rar. 3. t. 535.
6	caucalifolia. s. G. (bh.) Caucalus-leav'd. ———	1812.	3. 9.	G. 4.	— 3. t. 529.
7	multicaulis. s. G. (vi.) many-stalked. ———	1802.	6. 8.	G. 4.	— 3. t. 534.
8	lâcera. s. G. (bh.) torn-leaved. ———	1731.	—	G. 4.	— 3. t. 532.
9	Synnôti. s. G. (pu.) Synnot's. ———	1825.	—	G. 4.	Sweet ger. 4. t. 342.
10	coriandrifolia. s. G. (bh.) Coriander-l'. ———	1724.	3. 9.	G. 4.	— 1. t. 34.
	<i>Pelargonium coriandrifolium</i> . s. G.	—	—	—	—
11	myrrhifolia. s. G. (li.) Myrrh-leaved. ———	1696.	5. 8.	G. h̄.	Jacq. ic. rar. 3. t. 531.
	<i>Pelargonium betonicum</i> . Jacq.	—	—	—	—
12	bullata. s. G. (wh.) blistered. ———	—	G. h̄.	Jacq. ic. rar. 3. t. 530.
13	canariensis. (wh.) Canary. Canaries.	1802.	5. 9.	G. ♂.	Willd. hort. ber. t. 17.
	<i>Pelargonium canariense</i> . w.	—	—	—	—
CIC'ONIUM. S. G. CIC'ONIUM. Monadelphia Heptandria.					
1	acetosum. s. G. (sa.) Sorrel-leaved. C. B. S.	1710.	5. 9.	G. h̄.	Andr. geran. c. ic.
2	scandens. s. G. (ro.) climbing. ———	1800.	—	G. h̄.	—
3	stenopetalum. s. G. (se.) narrow-petal'd. ———	—	—	G. h̄.	—
4	leptopetalum. (sc.) slender-petal'd. ———	—	—	G. h̄. ∪.	Andr. geran. c. ic.
	<i>Geranium stenopetalum</i> . A. G. nec aliorum.	—	—	—	—
5	pumilum. s. G. (sc.) dwarf. C. B. S.	—	—	G. h̄.	Andr. geran. c. ic.
	<i>Geranium zonale minima</i> . A. G.	—	—	—	—
6	lateritium. s. G. (sc.) brick-coloured. ———	—	—	G. h̄.	Jacq. ecl. 1. t. 97. f. ult.
7	malvæfolium. (li.) Mallow-leaved. ———	1812.	—	G. h̄.	— 1. t. 97.
	<i>Pelargonium malvæfolium</i> . Jacq.	—	—	—	—
8	heterogamum. s. G. (li.) six-stamened. Hybrid.	1786.	—	G. h̄.	L'Herit. geran. t. 18.
9	albidum. c. c. (wh.) white-flowered. C. B. S.	—	G. h̄.	—

10 zonale. s.G.	(va.) horse-shoe.	C. B. S.	1710.	4. 12.	G. h.	Cav. dis. 4. t. 98. f. 2.
<i>a</i> lilacinum.	(li.) lilac-coloured.	————	————	————	G. h.	
<i>β</i> coccineum.	(sc.) scarlet.	————	————	————	G. h.	
<i>γ</i> crystallinum.	(sc.) coral-stalked.	————	————	————	G. h.	
<i>δ</i> marginatum.	(sc.) white-edged.	————	————	————	G. h.	
11 reticulatum. s.G.	(sc.) netted-veined.	Hybrid.	1810.	5. 10.	G. h.	Sweet ger. 2. t. 143.
12 Fothergillii. s.G.	(sc.) Fothergill's.	C. B. S.	————	G. h.	———— 3. t. 226.
<i>a</i> coccineum.	(sc.) scarlet.	————	————	————	G. h.	———— 3. t. 226. a.
<i>β</i> purpureum.	(pu.) purple.	————	————	————	G. h.	———— 3. t. 226. b.
13 monstrum. s.G.	(pu.) cluster-leaved.	Hybrid	1784.	7. 8.	G. h.	———— 1. t. 13.
14 æqualiflorum. c.c.	(sc.) victory.	————	1819.	5. 10.	G. h.	
15 hybridum. s.G.	(sc.) hybrid.	C. B. S.	1732.	————	G. h.	Sweet ger. 1. t. 63.
16 oxyphyllum. c.c.	(wh.) sour-leaved.	Hybrid.	————	G. h.	Andr. geran. c. ic.
<i>Geranium miniatum. v. album. A.G.</i>						
17 humile.	(sc.) low-spreading.	C. B. S.	————	G. h.	
18 crenatum. s.G.	(sc.) scalloped-ld.	————	————	G. h.	Sweet ger. 4. t. 345.
19 bracteosum.	(sc.) large-bracted.	Hybrid.	————	G. h.	
<i>Pelargonium bracteosum. DC.</i>						
20 Bentinckianum.	(sc.) Bentinck's.	C. B. S.	————	G. h.	Sweet ger. 4. t. 350.
<i>Pelargonium Bentinckianum. DC. Geranium crenatum; var. mollifoliata. A.G. c. ic.</i>						
21 fulgens. s.G.	(sc.) Basilisk.	Hybrid.	1823.	————	G. h.	Sweet ger. 4. t. 339.
22 glabrifolium. s.G.	(sc.) smooth-leaved.	————	1825.	————	G. h.	———— 4. t. 363.
23 cerinum. s.G.	(pi.) wax-flowered.	Hybrid?	————	G. h.	———— 2. t. 176.
24 inquinans. s.G.	(sc.) staining-gland'd.	C. B. S.	1714.	5. 9.	G. h.	Andr. Geran. c. ic.
25 micranthum. s.G.	(sc.) small-flowered.	————	————	G. h.	Sweet ger. 3. t. 295.
ISOPE'TALUM. S.G. ISOPE'TALUM. Monadelphia Pentandria.						
1 Cotyledonis. s.G.	(wh.) Hollyhock-ld.	St. Helena.	1765.	5. 8.	G. h.	Sweet ger. 2. t. 126.
<i>Pelargonium Cotyledonis. w.</i>						
2? discipes. c.c. central-stalked.	————	1808.	G. h.	

ORDO LII.

TROPÆOLEÆ. DC. prodr. 1. p. 683.

TROPÆOLUM. DC. INDIAN-CRESS. Octandria Monogynia. L.						
1 minus. DC.	(ye.) small.	Peru.	1596.	6. 10.	H. ⊙.	Bot. mag. 98.
<i>β</i> flore pleno.	(ye.) double-flowered.	————	————	————	G. 4.	
2 majus. DC.	(ye.) great.	————	1686.	————	H. ⊙.	Bot. mag. 23.
<i>β</i> flore pleno.	(ye.) double-flowered.	————	————	————	G. 4.	
3 hybridum. DC.	(ye.) hybrid.	Hybrid.	————	G. 4.	Berg. act. holm. 32. t. 1.
4 aduncum. DC.	(ye.) fringe-flower'd.	Peru.	1775.	————	G. ⊙.	Bot. reg. t. 718.
<i>peregrinum. B.R. non L.</i>						
5 pinnatum. DC.	(ye.) pinnate-flower'd.	————	————	G. 4.	Andr. reposit. t. 535.
6 tricolorum. B.F.G.	(or.) three-coloured.	Chile.	1828.	————	H. 4.	Sweet br. fl. gar. 3. t. 270.

ORDO LIII.

BALSAMINEÆ. DC. prodr. 1. p. 685.

BALSAMINA. DC. BALSAM. Pentandria Pentagynia.						
1 hortensis. DC.	(v.) garden.	E. Indies.	1596.	7. 10.	S. ⊙.	Blackw. t. 583.
<i>Impatiens Balsamina. L.</i>						
2 coccinea. DC.	(sc.) glandular-ld.	————	1808.	6. 9.	S. ⊙.	Bot. mag. 1256.
3 mysorensis. DC.	(re.) Mysore.	————	1823.	————	S. ⊙.	
4 bifida. DC.	(re.) bifid-spurred.	C. B. S.	1818.	7. 10.	H. ⊙.	
5 capensis. DC.	(re.) Cape.	————	————	————	H. ⊙.	

6 cochleata. DC.	(sc.) shell-spurred.	China.	1826.	—	H. ☉.	
7 chinensis. DC.	(pu.) Chinese.	China.	1823.	—	H. ☉.	
IMPATIENS. DC.	TOUCH ME NOT.	Pentandria Monogynia.	L.			
1 natans. DC.	(ye.) floating.	E. Indies.	1823.	6. 10.	S.w. ☉.	
2 biflora. W.	(or.) two-flowered.	N. America.	—	H. ☉.	Sweet br. fl. gar. t. 43.
<i>fulva.</i> DC.						
3 pallida. DC.	(ye.) pale-flowered.	—	1812.	—	H. ☉.	
4 Noli-tangere. DC.	(ye.) common.	England.	—	H. ☉.	Eng. bot. 937.
5 parviflora. DC.	(ye.) small-flowered.	Russia.	1828.	—	H. ☉.	
6 tripetala. DC.	(ye.) three-petaled.	E. Indies.	1823.	—	S. ☉.	

ORDO LIV.

OXALIDEÆ. DC. *prodr.* 1. p. 689.

AVERRHOA. DC.	AVERRHOA.	Pent-Decandria Pentagynia.	L.			
1 Carambola. DC.	(st.) Carambola-tree.	E. Indies.	1793.	S. ½.	Rumph. amb. 1. t. 35.
2 Bilimbi. DC.	(st.) Bilimbi-tree.	—	1791.	5. 7.	S. ½.	— 1. t. 36.
BIOPHYTUM. DC.	BIOPHYTUM.	Decandria Pentagynia.				
<i>sensitivum.</i> DC.	(ye.) sensitive.	E. Indies.	1824.	5. 7.	S. ¼.	Jacq. ox. n. 21. t. 78. f. 1.
<i>Oxalis sensitiva.</i> L.						
O'XALIS. DC.	WOOD-SORREL.	Decandria Pentagynia.	L.			
1 Plumieri. DC.	(ye.) Plumier's.	S. America.	1822.	4. 6.	S. ½.	Bot. reg. 810.
2 Barrelieri. DC.	(bh.) Barrelier's.	—	—	—	S. ½.	Jacq. ox. n. 4. t. 3.
3 fruticosa. DC.	(ye.) frutescent.	Rio Janeiro.	—	—	S. ½.	
4 perennans. DC.	(br.y.) perennial.	N. S. W.	5. 9.	G. ¼.	
5 Dilleni. DC.	(ye.) Dillenius's.	America.	1798.	—	H. ☉.	Dill. elth. 2. t. 221.
6 florida. S.P.	(ye.) prostrate.	—	—	H. ☉.	
7 stricta. DC.	(ye.) upright.	N. America.	1658.	6. 10.	H. ¼.	Jacq. ox. n. 9. t. 4.
8 corniculata. DC.	(ye.) procumbent.	Britain.	5. 10.	H. ¼.	Eng. bot. 1726.
9 Lyoni. DC.	(ye.) Lyons's.	N. America.	1812.	—	H. ¼.	
10 microphylla. DC.	(ye.) small-leaved.	N. Holland.	—	H. ☉.	
<i>rubens.</i> H.M.						
11 repens. DC.	(ye.) creeping-stalk'd.	C. B. S.	1793.	3. 4.	G. ¼.	Jacq. ox. n. 11. t. 78. f. 1.
12 rosea. DC.	(ro.) rose-coloured.	Chile.	1826.	3. 6.	G. ¼.	Bot. mag. 2830.
<i>floribunda.</i> B.R. 1123.						
13 Simsii.	(cr.) Sims's.	—	1822.	4. 6.	G. ¼.	Bot. mag. 2415.
<i>rosea.</i> Sims Bot. mag.	<i>nec aliorum.</i>					
14 lateriflora. DC.	(pu.) side-flowering.	C. B. S.	1826.	3. 6.	G. ¼.	Jacq. Schœnb. 2. t. 201.
15 macrostylis. DC.	(pu.) long-styled.	—	1793.	10. 11.	G. b.	Jacq. ox. n. 22. t. 9.
16 tubiflora. DC.	(vi.) tube-flowered.	—	1790.	—	G. b.	— n. 23. t. 10.
17 canescens. DC.	(li.) canescent.	—	1822.	—	G. b.	— n. 24. t. 11.
18 secunda. DC.	(li.) secund.	—	1790.	—	G. b.	— n. 28. t. 12.
19 hirta. DC.	(vi.) hairy-stalked.	—	1787.	1. 3.	G. b.	— n. 26. t. 13.
20 hirtella. DC.	(li.) tooth-stamen'd.	—	1820.	—	G. b.	— n. 27. t. 14.
21 multiflora. DC.	(vi.) many-flowered.	—	1789.	2. 3.	G. b.	— n. 29. t. 15.
22 fulgida. B.R.	(cr.) crimson.	—	—	G. b.	Bot. reg. 1073.
23 rubella. DC.	(vi.) branching red.	—	1791.	9. 11.	G. b.	Bot. mag. 1031.
24 rosacea. DC.	(vi.) rose-coloured.	—	1793.	10. 2.	G. b.	— 1698.
25 virginea. DC.	(wh.) virgin.	—	1822.	11. 12.	G. b.	Jacq. schœnb. 3. t. 275.
26 reptatrix. DC.	(li.) creeping-rooted.	—	1795.	—	G. ¼.	Jacq. ox. n. 33. t. 20.
27 incarnata. DC.	(bh.) flesh-coloured.	—	1739.	4. 6.	G. b.	Jacq. vind. t. 71.
28 disticha. DC.	(ye.) distichous.	—	1822.	—	G. b.	Jacq. ox. n. 31. t. 18.
29 venosa. DC.	(vi.) veined-flower'd.	—	1821.	—	G. b.	
30 cuprea. B.C.	(co.) copper-colour'd.	—	1822.	—	G. b.	Lodd. bot. cab. 824.
31 tetraphylla. DC.	(pu.) four-leaved.	Mexico.	—	—	H. b.	— t. 790.
32 sericea. DC.	(ye.) silky-leaved.	C. B. S.	1794.	—	G. b.	Jacq. ox. n. 13. t. 77. f. 1.
33 carnosa. B.R.	(ye.) fleshy.	Chile.	1825.	4. 9.	H. ¼.	Bot. reg. 1063.
34 bipunctata. Gr.	(li.) two-spotted.	Brazil.	—	4. 6.	G. ¼.	Bot. mag. 2781.
35 violacea. DC.	(vi.) violet-coloured.	N. America.	1772.	5. 6.	H. b.	Jacq. vind. t. 180.
36 Déppii.	(li.) Depp's.	Mexico.	1827.	6. 8.	G. b.	
37 Martiana. Zuc.	(li.) Martius's.	Brazil.	1828.	5. 9.	S. ¼.	
38 palustris. S.S.	(li.) marsh.	—	—	5. 12.	S. ¼.	
<i>papilionacea.</i> Zuc.						

39	caprina DC.	(vi.) goats-foot.	C. B. S.	1757.	3. 6.	G. b.	Jacq. ox. t. 76. f. 1.
40	cérnua. DC.	(ye.) drooping-yellow.	————	————	2. 5.	G. b.	———— n. 16. t. 6.
	caprina. B.M. 237. nec aliorum.						
	β flore pleno.	(ye.) double-flowered.	————	————	————	G. b.	
41	compressa. DC.	(ye.) compressed.	————	1794.	12. 1.	G. b.	Jacq. ox. n. 19. t. 78. f. 3.
42	dentata. DC.	(li.) toothed.	————	1793.	11. 12.	G. b.	———— n. 17. t. 7.
43	livida. DC.	(fl.) livid.	————	————	10. 11.	G. b.	———— n. 18. t. 8.
44	purpurata. DC.	(bh.) purplish-leav'd.	————	1820.	————	G. b.	Jacq. schœnb. t. 356.
45	macrophylla. DC.	(vi.) large-leaved.	————	————	————	G. b.	
46	lobata. DC.	(ye.) lobed.	Chile.	1821.	4. 6.	H. b.	Bot. mag. 2386.
47	ténera. B.R.	(li.) tender.	Brazil.	1826.	5. 6.	S. 4.	Bot. rex. 1046.
48	monophylla. DC.	(bh.) simple-leaved.	C. B. S.	1774.	10. 11.	G. b.	Jacq. ox. n. 35. t. 79. f. 3.
49	lépida. DC.	(wh.) pretty.	————	1822.	10. 2.	G. b.	———— n. 34. t. 21.
50	rostrata. DC.	(bh.) beaked.	————	1795.	————	G. b.	———— n. 36. t. 22.
51	crispa. DC.	(wh.) curled.	————	1793.	————	G. b.	———— n. 37. t. 23.
52	leporina. DC.	(std.) Hare's-eared.	————	1795.	10. 11.	G. b.	———— n. 30. t. 25.
53	asinina. DC.	(ye.) asses-eared.	————	1792.	11. 12.	G. b.	———— n. 38. t. 24.
54	lanceafolia. DC.	(ye.) spear-leaved.	————	1795.	10. 11.	G. b.	———— n. 40. t. 26.
55	fabafolia. DC.	(ye.) Bean-leaved.	————	1794.	————	G. b.	———— n. 41. t. 27.
56	laburnifolia. DC.	(ye.) Laburnum. l'd.	————	1793.	9. 10.	G. b.	———— n. 42. t. 28.
57	sanguinea. DC.	(ye.) bloody-leaved.	————	1795.	10. 12.	G. b.	———— n. 43. t. 29.
58	tricolor. DC.	(std.) three-coloured.	————	1794.	————	G. b.	———— n. 63. t. 47.
59	ciliaris. DC.	(pu.) ciliated.	————	1793.	————	G. b.	———— n. 45. t. 30.
60	arcuata. DC.	(vi.) gland-covered.	————	1795.	————	G. b.	———— n. 46. t. 31.
61	flaccida. DC.	(re.wh.) flaccid.	————	1812.	————	G. b.	———— n. 66. t. 51.
62	ferruginata. DC.	(wh.) rust-spotted.	————	1822.	————	G. b.	Jacq. schœnb. 3. t. 274.
63	ambigua. DC.	(v.) ambiguous.	————	1790.	9. 12.	G. b.	Jacq. ox. n. 59. t. 43.
64	undulata. DC.	(wh.) wave-leaved.	————	1795.	10. 11.	G. b.	———— n. 60. t. 44.
65	glandulosa. DC.	(wh.) glandulous.	————	1822.	————	G. b.	———— n. 62. t. 46.
66	fuscata. DC.	(wh.) brown-spotted.	————	1795.	5. 6.	G. b.	———— n. 61. t. 45.
67	sulphurea. DC.	(st.) sulphur-colour'd.	————	————	10. 11.	G. b.	———— n. 77. t. 63.
68	breviscapa. DC.	(wh.) short-stalked.	————	1823.	9. 2.	G. b.	———— n. 72. t. 58.
69	speciosa. DC.	(pu.) specious.	————	1690.	9. 11.	G. b.	———— n. 74. t. 60.
70	rigidula. Jac.	(wh.) rigid.	————	1822.	————	G. b.	———— n. 73. t. 59.
71	variabilis. DC.	(v.) variable.	————	1795.	10. 12.	G. b.	———— n. 67.
	α longiscapa. DC.	(wh.) white-flowered.	————	————	————	G. b.	———— t. 52.
	β rubra. DC.	(re.) red-flowered.	————	————	————	G. b.	———— t. 53.
72	grandiflora. W.	(wh.) great-flowered.	————	1810.	————	G. b.	———— n. 68. t. 54.
	β Simsii. DC.	(wh.) Sims's.	————	————	————	G. b.	Bot. mag. 1683.
73	laxula. Jac.	(wh.) loose.	————	1820.	————	G. b.	Jacq. ox. n. 71. t. 57.
74	purpurea. DC.	(pu.) purple.	————	1812.	————	G. b.	———— n. 70. t. 56.
75	convexula. DC.	(or.) convex-leaved.	————	1789.	11. 1.	G. b.	———— n. 69. t. 55.
76	lævigata. DC.	(pu.) smooth.	————	1818.	6. 8.	H. ☉.	
77	punctata. DC.	(bh.) spot-leaved.	C. B. S.	1823.	10. 2.	G. b.	Jacq. ox. n. 82. t. 66.
78	strumosa. DC.	(wh.) swollen-styled.	————	1821.	————	G. b.	———— n. 79. t. 64.
79	marginata. DC.	(wh.) green-margin'd.	————	1812.	9. 12.	G. b.	———— n. 85. t. 68.
80	pulchella. DC.	(bh.) beautiful.	————	1795.	10. 11.	G. b.	———— n. 86. t. 69.
81	obtusa. DC.	(re.) blunt-leaved.	————	1812.	————	G. b.	———— n. 83. t. 79. f. 1.
82	lanata. DC.	(wh.) woolly-leaved.	————	1791.	————	G. b.	———— n. 81. t. 77. f. 2.
83	lutæola. DC.	(ye.) yellowish.	————	1822.	————	G. b.	———— n. 80. t. 65.
84	fallax. DC.	(ye.) related.	————	1825.	————	G. b.	———— n. 84. t. 67.
85	Acetosella. DC.	(wh.) common.	Britain.	4. 6.	H. 4.	Eng. bot. 762.
86	americana. DC.	(wh.) American.	N. America.	————	H. 4.	
87	tenella. DC.	(vi.) slender.	C. B. S.	1793.	————	G. b.	Jacq. ox. n. 32. t. 19.
88	natans. DC.	(wh.) floating.	————	1795.	9. 12.	G. w. b.	———— n. 78. t. 79. f. 2.
89	cruentata. DC.	(pu.) bloody.	————	1826.	————	G. b.	Jacq. f. ecl. 1. t. 45.
90	filicaulis. DC.	(vi.) bilobed-leaved.	————	1815.	9. 10.	G. b.	Jacq. schœnb. 2. t. 205.
91	bifida. DC.	(vi.) cloven-leaved.	————	1791.	————	G. b.	Jacq. ox. n. 89. t. 79. f. 4.
92	bifurca. B.C.	(re.) forked-leaved.	————	1825.	6. 9.	G. b.	Lodd. bot. cab. 1056.
93	cuneata. DC.	(wh.) wedge-leaved.	————	1818.	————	G. b.	Jacq. ox. n. 55. t. 40.
94	cuneifolia. DC.	(wh.) wedge-shaped.	————	1793.	4. 5.	G. b.	———— n. 56. t. 41.
95	pusilla. DC.	(bh.) small.	————	1826.	————	G. b.	———— n. 57. t. 42.
96	linearis. DC.	(vi.) linear-leaved.	————	1795.	9. 11.	G. b.	———— n. 47. t. 32.
97	reclinata. DC.	(sc.) reclining.	————	————	————	G. b.	———— n. 49. t. 34.
98	gracilis. DC.	(re.) slender-stalked.	————	————	G. b.	———— n. 48. t. 33.
99	miniata. DC.	(re.) miniated.	————	1818.	————	G. b.	———— n. 50. t. 35.
100	glabra. DC.	(pu.) smooth.	————	1795.	5. 6.	G. b.	———— n. 58. t. 76. f. 3.
101	versicolor. DC.	(std.) striped-flower'd.	————	1774.	1. 3.	G. b.	Bot. mag. 155.
102	elongata. DC.	(std.) elongated.	————	1791.	9. 10.	G. b.	Jacq. ox. n. 52. t. 37.

103	amœna. L.en.	(ro.) handsome.	C. B. S.	1791.	9. 10.	G. b.	Jacq. schœnb. t. 206.
104	tenuifolia. DC.	(std.) fine-leaved.	————	1790.	10. 11.	G. b.	Lodd. bot. cab. t. 712.
105	polyphylla. DC.	(ro.) many-leaved.	————	1791.	9. 1.	G. b.	Jacq. ox. n. 59. t. 39.
106	filifolia. DC.	(ro.) slender-leaved.	————	1818.	——	G. b.	Jacq. schœn. 3. t. 273.
107	pentaphylla. DC.	(li.) five-leaved.	————	1800.	11. 2.	G. b.	Bot. mag. 1549.
108	lupinifolia. DC.	(ye.) Lupine-leaved.	————	1791.	10. 11.	G. b.	Jacq. ox. n. 92. t. 72.
109	flava. DC.	(ye.) narrow-leaved.	————	1775.	3. 4.	G. b.	Bot. reg. 117.
110	pectinata. DC.	(ye.) pectinated.	————	1790.	9. 11.	G. b.	Jacq. ox. n. 95. t. 75.
111	flabellifolia. DC.	(ye.) fan-leaved.	————	1789.	——	G. b.	———— n. 94. t. 74.
112	tomentosa. DC.	(wh.) downy-leaved.	————	1791.	4. 5.	G. b.	———— n. 96. t. 81.

ORDO LV.

ZYGOPHYLLÆ. DC. *prodr.* 1. p. 703.

TR'IBULUS. DC.	CALTROPS. Decandria Monogynia. L.						
1 cistoides. DC.	(ye.) Cistus-like.	S. America.	1752.	7.	S. 4.	Bot. reg. 791.	
2 terrestris. DC.	(ye.) small.	S. Europe.	1596.	6. 7.	H. ☉.	Lam. ill. t. 346. f. 1.	
3 subinermis. F.	(ye.) hairy.	Thibet.	1824.	6. 9.	H. ☉.		
4 maximus. DC.	(st.) great.	Jamaica.	1728.	6. 7.	S. ☉.	Jacq. ic. rar. t. 462.	
5 trijugatus. DC.	(ye.) Nuttall's.	America.	1823.	——	H. ☉.		
FAG'ONIA. DC.	FAG'ONIA. Decandria Monogynia. L.						
1 crética. DC.	(pu.) Cretan.	Candia.	1739.	6. 8.	H. ☉.	Bot. mag. 241.	
2 aràbica. DC.	(pu.) Arabian.	Arabia.	1759.	——	G. ☽.		
LA'RREA. DC.	LA'RREA. Decandria Monogynia.						
nítida. DC.	(ye.) glossy-leaved.	Buenos Ayres.	1823.	6. 8.	G. ☽.	Cav. ic. 6. t. 559.	
ROEP'ERIA. J.R.	ROEP'ERIA. Decandria Monogynia.						
fabagifolia. J.R.	(ye.) Fabago-leaved.	N. Holland.	1822.	6. 8.	G. ☽.	Juss. Rut. t. 2. f. 3.	
ZYGOPHYLLUM. DC.	BEAN-CAPER. Decandria Monogynia. L.						
1 cordifolium. DC.	(ye.) heart-leaved.	C. B. S.	1774.	10.	G. ☽.		
2 macrópterum. Led.	(ye.) large-winged.	Siberia.	1827.	7. 9.	H. 4.		
3 Fabàgo. DC.	(st.) common.	Syria.	1596.	——	H. 4.	Lam. ill. t. 345. f. 1.	
4 fœtidum. DC.	(ye.) fœtid.	C. B. S.	1790.	6. 8.	G. ☽.	Schr. s. han. p. 17. t. 9.	
β insuàre. B.M.	(ye.) unpleasant.	————	——	——	G. ☽.	Bot. mag. 372.	
5 maculatum. DC.	(ye.) spotted.	C. B. S.	1782.	10. 11.	G. ☽.		
6 microphyllum. DC.	(ye.) small-leaved.	————	1820.	——	G. ☽.		
7 Morgsàna. DC.	(ye.) four-leaved.	————	1732.	5. 9.	G. ☽.	Dill. elth. t. 116. f. 141.	
8 sessilifolium. DC.	(ye.) sessile-leaved.	————	1713.	7. 8.	G. ☽.	———— t. 116. f. 142.	
9 spinosum. DC.	(ye.) spiny.	————	1818.	——	G. ☽.		
10 coccineum. DC.	(sc.) scarlet.	Egypt.	——	——	G. ☽.	Forsk. des. 87. ic. t. 11.	
11 àlbium. DC.	(wh.) white.	————	1770.	10. 11.	G. ☽.	DC. pl. gras. t. 154.	
12 prostratum. DC.	(ye.) hairy-jointed.	C. B. S.	1818.	——	G. 4.		
13 tridentatum. DC.	(ye.) three-toothed.	Mexico.	1827.	9. 11.	G. ☽.	Flor. mex. ic. ined.	
GUA'IACUM. DC.	LIGNUM VITÆ. Decandria Monogynia. L.						
1 officinale. DC.	(bl.) common.	W. Indies.	1694.	7. 9.	S. ☽.	Lam. ill. t. 342.	
2 verticàle. DC.	(bl.) vertical-petal'd.	New Spain.	1823.	S. ☽.		
3 arboreum. DC.	(ye.) tree.	S. America.	——	S. ☽.	Jacq. amer. 130. t. 83.	
Zygodhyllum arboreum. Jac.							
PORLIE'RA. DC.	PORLIE'RA. Octandria Monogynia.						
hygrométrica. DC.	(st.) pinnate-leaved.	Peru.	1820.	S. ☽.	Fl. per. v. 4. ined. t. 343.	

§ 2. ZYGOPHYLLÆ SPURIE ALTERNIFOLIÆ. DC.

MELAN'THUS. DC.	HONEY-FLOWER. Didynamia Angiospermia. L.						
1 major. DC.	(br.) great.	C. B. S.	1688.	5. 7.	G. ☽.	Bot. reg. 45.	
2 minor. DC.	(br.) small.	————	1696.	8.	G. ☽.	Bot. mag. 301.	
3 comosus. DC.	(br.) tufted.	————	1818.	——	G. ☽.	Comm. rar. t. 4.	
BALAN'ITES. DC.	BALAN'ITES. Decandria Monogynia.						
ægyptiaca. DC.	(wh.) Egyptian.	Africa.	1822.	S. ☽.	Del. fl. eg. t. 28. f. 1.	
Ximènia ægyptiaca. L.							

ORDO LVI.

RUTACEÆ. DC. *prodr.* 1. p. 709.

Tribus I. DIOSMEÆ. DC.

RUTA. DC.		RUE. Decandria Monogynia. L.					
1 pinnata. DC.	(ye.)	winged-leaved.	Canaries.	1780.	3. 8.	G. h.	Bot. reg. 307.
2 montana. DC.	(ye.)	mountain.	S. Europe.	1596.	8. 9.	H. 4.	Jacq. ic. rar. 1. t. 76.
3 graveolens. DC.	(ye.)	common.	—————	1562.	6. 9.	H. h.	Duham. arb. 2. t. 61.
4 bracteosa. DC.	(ye.)	large-bracted.	Sicily.	1823.	—————	H. h.	
5 divaricata. DC.	(ye.)	spreading.	Italy.	—————	—————	H. h.	Ten. fl. nap. 1. t. 36.
6 angustifolia. DC.	(ye.)	narrow-leaved.	S. France.	1722.	—————	G. h.	Bot. mag. 2311.
7 macrophylla. DC.	(ye.)	long-leaved.	Africa.	—————	—————	G. h.	————— 2018.
8 albiflora. D.P.	(wh.)	white-flowered.	Nepaul.	1820.	9. 10.	G. h.	Hook. ex. fl. t. 79.
APLOPHYLLUM. J.R.		APLOPHYLLUM. Decandria Monogynia.					
1 patavina. J.R.	(ye.)	Italian.	Italy.	1820.	6. 9.	H. 4.	Mich. gen. t. 19.
2 pubescens. J.R.	(ye.)	pubescent.	Spain.	1816.	5. 8.	H. 4.	
3 tuberculata. J.R.	(ye.)	tubercled.	Egypt.	1824.	6. 8.	H. 4.	
4 villosa. J.R.	(ye.)	villous.	Caucasus.	1828.	H. 4.	Buxb. cent. 2. t. 28. f. 2.
5 linifolia. J.R.	(ye.)	Flax leaved.	Spain.	1752.	6. 9.	H. h.	Andr. rep. 565.
6 suaveolens. J.R.	(ye.)	Primrose-scent ^d .	Tauria.	—————	H. h.	Bot. mag. 2254.
7 thesioides. F.	(ye.)	Thesium-like.	Caspia.	1828.	H. 4.	
8 dahurica. J.R.	(st.)	Milk-wort-ld.	Dahuria.	1816.	7. 8.	H. 4.	Gmel. sib. 4. t. 68. f. 2.
<i>Peganum dauricum.</i> β.		L. <i>Ruta dahurica.</i> DC.					
PEGANUM. DC.		SYRIAN-RUE. Dodecandria Monogynia. L.					
1 Harmala. DC.	(wh.)	common.	Levant.	1570.	7. 8.	H. 4.	Lam. ill. t. 401.
DICTAMNUS. DC.		FRAXINELLA. Decandria Monogynia. L.					
1 Fraxinella. L.en.	(re.)	red-flowered.	S. Europe.	1596.	5. 7.	H. 4.	
2 albus. L.en.	(wh.)	white-flowered.	—————	—————	—————	H. 4.	Jacq. aust. 5. t. 428.
CALODENDRON. DC.		CALODENDRON. Pentandria Monogynia.					
1 capense. DC.	(bh.)	Cape.	C. B. S.	1789.	G. h.	Lam. j. h. nat. 56. t. 3.
ADENANDRA. W.en.		ADENANDRA. Pentandria Monogynia. L.					
1 uniflora. W.en.	(wh.)	one-flowered.	C. B. S.	1775.	4. 7.	G. h.	Bot. mag. 273.
2 acuminata.	(wh.)	acute-leaved.	—————	1812.	—————	G. h.	Lodd. bot. cab. 493.
<i>Diosma acuminata.</i> B.C. non DC.							
3 amœna.	(bh.)	charming.	—————	1798.	—————	G. h.	Bot. reg. 553.
<i>Diosma amœna.</i> B.C. 161.							
4 speciosa.	(wh.)	umbel-flower'd.	—————	1790.	—————	G. h.	Bot. mag. 1271.
<i>umbellata.</i> W.en. <i>Diosma speciosa.</i> B.M.							
5 fragrans. R.S.	(re.)	red-flowered.	—————	1812.	5. 7.	G. h.	Bot. mag. 1519.
6 villosa. R.S.	(bh.)	villous.	—————	—————	—————	G. h.	
<i>Diosma villosa.</i> DC. non Hort. <i>tomentosa.</i> Hort.							
7 marginata. R.S.	(bh.)	marginate.	—————	1806.	4. 6.	G. h.	
8 linearis. B.D.	(wh.)	linear-leaved.	—————	1800.	3. 7.	G. h.	
BAROSMA. W.en.		BAROSMA. Pentandria Monogynia. L.					
1 serratifolia. W.en.	(wh.)	saw-leaved.	C. B. S.	1789.	3. 6.	G. h.	Bot. mag. 456.
2 odorata. R.S.	(wh.)	odoriferous.	—————	1790.	3. 5.	G. h.	Wend. coll. 1. t. 15.
<i>Diosma latifolia.</i> B.C. 290.							
3 latifolia. R.S.	(wh.)	broad-leaved.	—————	—————	—————	G. h.	Andr. rep. t. 33?
4 crenata. B.D.	(wh.)	crenated.	—————	1774.	1. 5.	G. h.	Lodd. bot. cab. t. 404.
5 betulina. B.D.	(wh.)	wedge-leaved.	—————	1790.	5. 7.	G. h.	
<i>orbicularis.</i> Hort. <i>Diosma betulina.</i> DC.							
6 ovata. B.D.	(wh.)	oval-leaved.	—————	—————	2. 9.	G. h.	Bot. mag. 1616.
<i>Diosma ovata.</i> B.M.							
7 pulchella. B.D.	(pu.)	blunt-leaved.	—————	1787.	2. 9.	G. h.	Bot. mag. 1357.
<i>Diosma pulchella.</i> B.M. <i>Bucco pulchella.</i> R.S.							
8 oblonga. B.D.	(wh.)	oblong-leaved.	—————	1821.	4. 8.	G. h.	
9 dioica. B.D.	(pi.)	dioecious.	—————	1816.	—————	G. h.	Bot. reg. 502.
<i>Diosma dioica.</i> B.R. <i>linifolia.</i> B.C. 400.							
10 angustifolia. B.D.	(bh.)	narrow-leaved.	—————	1820.	—————	G. h.	
11 foetidissima. B.D.	(bh.)	strong-scented.	—————	1818.	—————	G. h.	

MACRO'STYLIS. B.D. MACRO'STYLIS. Pentandria Monogynia.						
1 lanceolata. B.D. (li.)	spear-leaved.	C. B. S.	1824.	4. 6.	G. h.	
<i>Diósma barbata. s.s.</i>						
2 barbígera. B.D. (li.)	beard-bearing.	_____	1826.	_____	G. h.	
3 obtùsa. B.D. (li.)	blunt-leaved.	_____	1824.	_____	G. h.	
4 squarrosa. B.D. (li.)	squarrose.	_____	1821.	_____	G. h.	
EUCH'ÆTIS. B.D. EUCH'ÆTIS. Pentandria Monogynia.						
glomerata. B.D. (wh.)	close-flowered.	C. B. S.	1821.	4. 6.	G. h.	B. et Wend. dios. t. A. f. 1.
ACMAD'ENIA. B.D. ACMAD'ENIA. Pentandria Monogynia.						
1 juniperina. B.D. (wh.)	Juniper-leaved.	C. B. S.	1818.	4. 6.	G. h.	
2 obtusata. B.D. (re.)	blunt-leaved.	_____	_____	_____	G. h.	
<i>Diósma obtusata. R.S.</i>						
3 lævigata. B.D. (wh.)	smooth.	_____	_____	G. h.	Thunb. voy. 4. t. 5.
<i>Diósma tetragona. Th. non L.</i>						
4 púngens. B.D. (wh.)	pungent.	_____	1823.	_____	G. h.	
5 tetragona. B.D. (bh.)	four-sided.	_____	1720.	6. 8.	G. h.	
COLEON'EMA. B.D. COLEON'EMA. Pentandria Monogynia.						
álba. B.D. (wh.)	white-flowered.	C. B. S.	1800.	3. 6.	G. h.	
<i>Diósma álba. DC. Adenandra álba. R.S.</i>						
DIO'SMA. W. en. DIO'SMA. Pentandria Monogynia. L.						
1 oppositifolia. DC. (wh.)	opposite-leav'd.	C. B. S.	1752.	3. 7.	G. h.	
2 succulenta. DC. (wh.)	succulent-ld.	_____	4. 6.	G. h.	Wendl. coll. 1. t. 1.
3 cupressina. DC. (wh.)	Cypress-like.	_____	1790.	6. 7.	G. h.	Lodd. bot. cab. t. 303.
4 ramosissima. B.D. (wh.)	branching.	_____	4. 8.	G. h.	
<i>cupressina. Lam.</i>						
5 Meyeriana. s.s. (wh.)	Meyer's.	_____	1826.	_____	G. h.	
6 teretifolia. L. en. (wh.)	round-leaved.	_____	1818.	_____	G. h.	
7 pectinata. DC. (wh.)	pectinated.	_____	1812.	4. 6.	G. h.	
8 subulata. DC. (wh.)	awl-leaved.	_____	_____	3. 6.	G. h.	Wendl. coll. 1. t. 8.
9 rubra. DC. (bh.)	Heath-leaved.	_____	1752.	2. 5.	G. h.	Bot. reg. 563.
<i>ericifolia. Andr. rep. t. 451.</i>						
10 hirsuta. DC. (wh.)	hairy-leaved.	_____	1731.	_____	G. h.	Wendl. coll. 1. t. 27.
11 ambigua. B.D. (wh.)	ambiguous.	_____	1824.	_____	G. h.	
12 ericoides. DC. (wh.)	Heath-like.	_____	1756.	3. 7.	G. h.	Mill. ic. t. 124. f. 2.
13 longifolia. DC. (wh.)	long-leaved.	_____	_____	G. h.	Wendl. coll. 1. t. 19.
AGATHO'SMA. W. en. AGATHO'SMA. Pentandria Monogynia.						
1 hispida. s.s. (wh.)	rough-leaved.	C. B. S.	1786.	6. 8.	G. h.	
2 patula. s.s. (li.)	spreading.	_____	1821.	_____	G. h.	
3 brevifolia. s.s. (li.)	short-leaved.	_____	1816.	_____	G. h.	
4 tenuissima. s.s. (li.)	slender-leaved.	_____	2. 5.	G. h.	
5 virgata. s.s. (wh.)	twiggy.	_____	1816.	4. 6.	G. h.	
6 erecta. B.D. (wh.)	upright.	_____	_____	_____	G. h.	Wendl. coll. p. 17. t. 13.
7 bruniaides. s.s. (li.)	Brunia-like.	_____	_____	6. 8.	G. h.	
8 Thunbergiana. s.s. (li.)	Thunberg's.	_____	4. 6.	G. h.	
<i>Diósma ciliata. Th. non L.</i>						
9 linifolia. s.s. (li.)	Flax-leaved.	_____	1821.	_____	G. h.	
10 prolifera. s.s. (wh.)	proliferous.	_____	4. 8.	G. h.	Wendl. coll. 3. t. 77.
11 ciliata. s.s. (bh.)	ciliated.	_____	1774.	_____	G. h.	Bot. reg. 366.
12 Cerefolium. s.s. (wh.)	Chervil-scented.	_____	1790.	_____	G. h.	Vent. malm. t. 93.
13 reflexa. L. en. (li.)	reflexed.	_____	1816.	6. 8.	G. h.	
14 hirta. B.R. (pu.)	hairy.	_____	1794.	5. 7.	G. h.	Bot. reg. 369.
<i>Diósma Ventenatiana. s.s. Bucco Ventenatiana. R.S.</i>						
15 laxa. s.s. (li.)	loose-branched.	_____	1816.	_____	G. h.	
16 villosa. W. en. (li.)	villous.	_____	1786.	6. 8.	G. h.	Wendl. coll. 1. t. 2.
<i>Bucco villosa. R.S. Diósma Wendlandiana. DC.</i>						
17 glabrata. B.D. (li.)	smooth.	_____	1821.	_____	G. h.	
18 hybrida. s.s. (li.)	hybrid.	_____	_____	_____	G. h.	
19 rugosa. L. en. (wh.)	rugged-leaved.	_____	1790.	4. 8.	G. h.	
20 mollis. B.D. (wh.)	soft.	_____	1824.	_____	G. h.	
21 obtusa. DC. (li.)	blunt-leaved.	_____	1774.	_____	G. h.	Lodd. bot. cab. 210.
<i>Diósma ciliata. B.C. non L.</i>						
α ovata. (li.)	oval-leaved.	_____	_____	_____	G. h.	Wendl. coll. 1. t. 13.
β oblónga. (li.)	oblong-leaved.	_____	_____	_____	G. h.	_____ 1. t. 14.
22 lanceolata. (li.)	lance-leaved.	_____	_____	_____	G. h.	Bot. reg. 366.
23 orbicularis. s.s. (wh.)	round-leaved.	_____	_____	_____	G. h.	
24 ambigua. DC. (wh.)	doubtful.	_____	1790.	_____	G. h.	Lodd. bot. cab. 461.
25 imbricata. W. en. (li.)	imbricated.	_____	_____	G. h.	Wendl. coll. 1. t. 9.
26 acuminata. W. en. (pa.)	taper-pointed.	_____	1774.	_____	G. h.	_____ 1. t. 28.
<i>Diósma cordata. Hort.</i>						
27 obtusata. (li.)	obtuse-leaved.	_____	1816.	_____	G. h.	Wendl. coll. 3. p. 7. t. 76.

EMPLE'URUM. DC.	EMPLE'URUM.	Monœcia Tetrandia.					
serrulatum. DC.	(st.) saw-leaved.	C. B. S.	1774.	6. 7.	G. h.	Sm. exot. bot. 2. t. 63.	
CORR'EA. DC.	CORR'EA.	Octandria Monogynia.					
1 alba. DC.	(wh.) white.	N. S. W.	1793.	4. 7.	G. h.	Andr. bot. rep. 18.	
2 rufa. DC.	(wh.) rusty-leaved.	—————	1819.	—————	G. h.	Labill. voy. 2. t. 17.	
3 pulchella. S.F.A.	(pi.) pretty.	N. Holland.	1824.	11. 5.	G. h.	Sweet fl. aust. t. 1.	
4 speciosa. DC.	(re.) red-flowered.	N. S. W.	1806.	—————	G. h.	Bot. reg. 26.	
5 virens. DC.	(gr.) green-flowered.	—————	1800.	—————	G. h.	Sm. exot. bot. 2. t. 72.	
PHEB'ALIUM. DC.	PHEB'ALIUM.	Decandria Monogynia.					
1 squammulosum. DC.	(wh.) scaly.	N. S. W.	1820.	4. 6.	G. h.	Vent. malm. t. 102.	
2 elatum. F.T.	(wh.) tall.	—————	1823.	4. 8.	G. h.		
3 aureum. F.T.	(ye.) golden.	—————	—————	—————	G. h.		
4 lachnoïdes. F.T.	(wh.) Lachnæa-like.	—————	—————	—————	G. h.		
5 lineare. ψ.	(wh.) linear-leaved.	N. Holland.	1825.	G. h.		
6 salicifolium. ψ.	(wh.) Willow-leaved.	—————	—————	G. h.		
CROWEA. DC.	CROWEA.	Decandria Monogynia.					
saligna. DC.	(pi.) Willow-leaved.	N. S. W.	1790.	7. 12.	G. h.	Bot. mag. 989.	
ERIO'STEMON. DC.	ERIO'STEMON.	Decandria Monogynia.					
1 buxifolium. DC.	(li.) Box-leaved.	N. S. W.	1822.	4. 6.	G. h.		
2 salicifolium. DC.	(re.) Willow-leaved.	—————	—————	—————	G. h.	Bot. mag. 2854.	
3 cuspidatum. F.T.	(wh.) sharp-pointed.	—————	1823.	4. 8.	G. h.	Lodd. bot. cab. 1247.	
4 obovate. F.T.	(li.) oboval-leaved.	—————	—————	—————	G. h.		
5 lanceolatum. DC.	(li.) spear-leaved.	—————	—————	—————	G. h.		
6 linearifolium. DC.	(wh.) linear-leaved.	—————	—————	—————	G. h.		
7 squammeum. DC.	(wh.) scaly.	N. Holland.	1822.	—————	G. h.	Lab. nov. hol. 1. t. 141.	
8 ericæfolium. M.C.	(li.) Heath-leaved.	—————	1825.	—————	G. h.		
PHILOTHECA. L.T.	PHILOTHECA.	Monadelphia Decandria.					
australis. L.T.	(bh.) Salsola-leaved.	N. S. W.	1822.	—————	G. h.	Linn. trans. 11. t. 21.	
BOR'ONIA. DC.	BOR'ONIA.	Octandria Monogynia.					
1 pinnata. DC.	(re.) Hawthorn-scent'd.	N. S. W.	1794.	2. 5.	G. h.	Bot. mag. 1763.	
2 tetrandra. DC.	(re.) tetrandrous.	N. Holland.	1824.	G. h.	Lab. nov. hol. 1. t. 125.	
3 anemonæfolia. F.T.	(re.) Anemone-leav'd.	N. S. W.	—————	5. 8.	G. h.		
4 alata. DC.	(re.) winged-leaved.	N. Holland.	—————	4. 8.	G. h.	Sweet fl. aust. t. 48.	
5 serrulata. DC.	(ro.) Rose-scented.	N. S. W.	1816.	2. 5.	G. h.	Bot. reg. 842.	
6 denticulata. DC.	(re.) tooth-leaved.	N. Holland.	1823.	4. 8.	G. h.	————— 1000.	
7 parviflora. DC.	(re.) small-flowered.	N. S. W.	1826.	—————	G. h.	Smith's tracts. t. 6.	
8 polygalæfolia. DC.	(re.) Polygala-ld.	—————	1824.	G. h.	————— t. 7.	
9 ledifolia. DC.	(re.) Ledum-leaved.	—————	—————	G. h.		
CYMINO'SMA. DC.	CYMINO'SMA.	Octandria Monogynia.					
1 pedunculata. DC.	(wh.) peduncled.	E. Indies.	1800.	G. h.	Vahl. symb. 3. t. 61.	
	<i>Jambolifera pedunculata.</i> w.						
2 odorata. DC.	(wh.) sweet-scented.	China.	1818.	G. h.		
ZIE'RIA. DC.	ZIE'RIA.	Tetrandia Monogynia.					
1 lanceolata. DC.	(wh.) spear-leaved.	N. S. W.	1808.	4. 7.	G. h.	Bot. mag. 1395.	
	<i>Smithii.</i> Bot. rep. 606.						
2 macrophylla. DC.	(wh.) large-leaved.	—————	1820.	—————	G. h.		
3 lævigata. DC.	(wh.) smooth-leaved.	—————	1822.	—————	G. h.		
4 octandra.	(gr.) octandrous.	—————	1825.	4. 6.	G. h.		
5 obcordata. F.T.	(wh.) obcordate.	—————	1824.	—————	G. h.		
6 revoluta. F.T.	(wh.) revolute.	—————	—————	3. 5.	G. h.		
7 microphylla. DC.	(wh.) small-leaved.	—————	—————	—————	G. h.		
8 pilosa. DC.	(wh.) hairy.	—————	—————	—————	G. h.	Linn. trans. 10. t. 17. f. 2.	
9 hirsuta. DC.	(wh.) hirsute.	—————	—————	—————	G. h.		
MELIC'OPE. DC.	MELIC'OPE.	Octandria Monogynia.					
ternata. DC.	ternate-leaved.	N. Zealand.	1822.	G. h.	Lam. ill. t. 294.	
EV'ODIA. DC.	EV'ODIA.	Tetrandia Monogynia.					
triphylla. DC.	(wh.) three-leaved.	Pulo Penang.	1820.	S. h.	Rumph. amb. 2. t. 62.	
	<i>Fagara triphylla.</i> F.I.						
ZANTHO'XYLUM. DC.	ZANTHO'XYLUM.	Tetrandia Monogynia et Diœcia Pentandria.					
1 tragodes. DC.	(wh.) prickly-leaved.	St. Domingo.	1759.	8. 9.	S. h.	Jacq. amer. 21. t. 14.	
	<i>Fagara tragodes.</i> w.						
2 affine. K.S.	(wh.) related.	Mexico.	1826.	G. h.		
3 Pterota. DC.	(wh.) Lentiscus-ld.	W. Indies.	1768.	—————	S. h.	Br. jam. 146. t. 5. f. 1.	
	<i>Fagara lentiscifolia.</i> W. en.						
4 piperitum. DC.	(wh.) Ash-leaved.	Japan.	1773.	9.	G. h.	Kæmpf. am. t. 893.	
5 Avicennæ. DC.	(wh.) short-panicled.	China.	1823.	G. h.	Lob. ic. 2. t. 133. f. 2.	
6 heterophyllum. DC.	(wh.) various-leav'd.	Bourbon.	—————	S. h.		
7 emarginatum. DC.	(wh.) notch-leaved.	Jamaica.	1739.	S. h.	Sloan. j. 2. t. 168. f. 4.	
8 acuminatum. DC.	(wh.) taper-pointed.	—————	1818.	S. h.		

RUTACEÆ.

9 spinosum. DC.	(wh.)	spiny.	Jamaica.	1824.	S. h.	
10 tricarpum. DC.	(gr.)	Ash-leaved.	N. America.	1806.	H. h.	Cat. car. 1. t. 26.
11 fraxineum. DC.	(gr.)	common.	————	1759.	3. 4.	H. h.	Duham. arb. 1. t. 97.
12 mite. DC.	(gr.)	soft-leaved.	————	1812.	—	H. h.	
13 hermaphroditum. DC.	(wh.)	hermaphrodite.	Guiana.	1823.	S. h.	Aubl. gui. 1. t. 30.
14 juglandifolium. DC.	(wh.)	Walnut-leaved.	W. Indies.	1822.	S. h.	Pluk. t. 239. f. 6.
15 ClavaHerculis. L.	(wh.)	clubbed.	————	1739.	4. 5.	S. h.	— t. 239. f. 4.
16 aromaticum. DC.	(wh.)	aromatic.	St. Domingo.	1823.	S. h.	Jacq. f. ecl. 1. t. 70.
17 armatum. DC.	(wh.)	armed.	E. Indies.	1816.	S. h.	
18 nitidum. DC.	(wh.)	shining-leaved.	China.	1822.	2. 3.	G. h.	Bot. mag. 2558.
19 sapindoides. DC.	(wh.)	Licca-tree.	Jamaica.	G. h.	Br.jam. 207. t. 20. f. 2.
<i>Sapindus spinosus. L.</i>							
SPIRANTHERA. DC. SPIRANTHERA. Pentandria Monogynia.							
odoratissima. DC.	(bh.)	Jasmine-scent'd.	Brazil.	1823.	S. h.	N.etMart.ac.b.xi.t.31.
<i>Terpnanthus jasminodorus. Nees.</i>							

Tribus II. CUSPARIÆ. DC.

MONNIE'RA. DC. MONNIE'RA. Monadelphia Diandria.							
trifolia. DC.	(wh.)	three-leaved.	Guiana.	1792.	7. 8.	S. ☉.	Aubl. gui. 2. t. 293.
TIC'OREA. DC. TIC'OREA. Pentandria Monogynia.							
1 fetida. DC.	(wh.)	strong-scented.	Guiana.	1825.	S. h.	Aubl. gui. 2. t. 277.
2 jasminiflora. DC.	(wh.)	Jasmine-fl'd.	Brazil.	1827.	S. h.	N.etMa.n.ac.b.11.t.18.
GALIP'EA. DC. GALIP'EA. Diandria Monogynia.							
trifoliata. DC.	(gr.)	three-leaved.	Guiana.	1803.	S. h.	Aubl. gui. 2. t. 269.

ORDO LVII.

SIMARUBEÆ. DC. prodr. 1. p. 733.

QU'ASSIA. DC. QU'ASSIA. Decandria Monogynia. L.							
amara. DC.	(re.)	bitter.	Guiana.	1790.	6. 7.	S. h.	Bot. mag. 497.
SIMAR'UBA. DC. SIMAR'UBA. Monœcia Decandria.							
1 officinalis. DC.	(wh.)	officinal.	Guiana.	1787.	S. h.	Aubl. gui. 2. t. 331-2.
<i>Quassia Simaruba. L. Simaruba amara. Aub.</i>							
2 glauca. DC.	(wh.)	glaucous-leav'd.	Cuba.	1824.	S. h.	
3 excelsa. DC.	(wh.)	tall.	Jamaica.	1822.	S. h.	Sw.act.holm.1788.t.8.
<i>Quassia excelsa. Sw.</i>							
SIM'ABA. DC. SIM'ABA. Decandria Monogynia.							
guianensis. DC.	(wh.)	Guiana.	Guiana.	1822.	S. h.	Aubl. gui. 1. t. 153.
<i>Zingera amara. W.</i>							

ORDO LVIII.

OCHNACEÆ. DC. prodr. 1. p. 735.

O'CHNA. DC. O'CHNA. Polyandria Monogynia. L.							
1 squarrosa. R.C.	(ye.)	blunt-leaved.	E. Indies.	1790.	7. 8.	S. h.	Roxb. cor. 1. t. 89.
2 lucida. DC.	(pu.)	acute-leaved.	————	1818.	—	S. h.	Lam. ill. t. 472. f. 1.
3 nitida. DC.	(wh.)	shining.	C. B. S.	1816.	S. h.	DC.ann.m.17.n.3.t.2.
4 multiflora. DC.	(ye.)	many-flowered.	SierraLeon.	1822.	S. h.	— n. 4. t. 3.
5 mauritiana. DC.	(ye.)	Mauritius.	Mauritius.	—	S. h.	— n. 8. t. 5.
6 atropurpurea. DC.	(ye.)	purple-calyxed.	C. B. S.	1816.	S. h.	Pluk. alm. t. 263. f. 1. 2.

GO'MPHIA. DC.	Go'MPHIA.	Decandria Monogynia.	W.			
1 obtusifolia. DC.	(ye.) blunt-leaved.	Madagascar.	1803.	S. h.	DC. ann. mus. n. 4. t. 8.
	<i>Ochna laevigata</i> . Vahl.					
2 guianensis. DC.	(ye.) Guiana.	Guiana.	1825.	S. h.	DC. ann. mus. n. 7. t. 9.
3 Jabotápita. DC.	(ye.) spear-leaved.	W. Indies.	1818.	S. h.	Lam. ill. 472. f. 2.
4 nitida. DC.	(ye.) glossy-leaved.	—————	1803.	S. h.	DC. an. mus. n. 13. t. 13.
5 laurifolia. DC.	(ye.) laurel-leaved.	—————	1822.	...	S. h.	————— n. 15. t. 15.
6 mexicana. DC.	(ye.) Mexican.	Mexico.	1825.	G. h.	H. et B. pl. æq. 2. t. 74.
WALK'ERA. DC.	WALK'ERA.	Pentandria Monogynia.				
serrata. DC.	(ye.) saw-leaved.	E. Indies.	1824.	S. h.	Rheed. mal. 5. t. 48.

ORDO LIX.

CORIARIEÆ. DC. prodr. 1. p. 739.

CORFARIA. DC.	CORFARIA.	Mono-Diœcia Decandria.				
1 myrtifolia. DC.	(gr.) Myrtle-leaved.	S. Europe.	1629.	5. 8.	H. h.	Duham. arb. 1. t. 73.
2 sarmentosa. DC.	(gr.) sarmentose.	N. Zealand.	1820.	7. 9.	G. 4.	Bot. mag. 2470.

** SUBCLASSIS II. CALYCIFLORÆ.

ORDO LX.

CELASTRINEÆ. Brown gen. rem. p. 22.

Tribus I. STAPHYLEACEÆ. DC. prodr. 2. p. 2.

STAPHYLEA. DC.	BLADDER-NUT.	Pentandria Trigynia.	L.			
1 trifolia. DC.	(wh.) three-leaved.	N. America.	1640.	5. 6.	H. h.	Schmidt. arb. t. 80.
2 Bumalda. DC.	(wh.) Japan.	Japan.	1804.	6. 9.	G. h.	
	<i>Bumalda trifolia</i> . Th.					
3 pinnata. DC.	(wh.) five-leaved.	England.	4. 6.	H. h.	Eng. bot. 1560.
TURPINIA. DC.	TURPINIA.	Polygamia Diœcia.	DC.			
paniculata. DC.	(wh.) paniced.	W. Indies.	1826.	S. h.	Vent. choix. t. 31.
	<i>Dalrymplea domingensis</i> . s.s.					
DALRYMPLEA. R.C.	DALRYMPLEA.	Pentandria Monogynia.	F.I.			
pomifera. R.C.	(wh.) Apple-bearing.	E. Indies.	1823.	S. h.	Roxb. corom. 3. t. 279.
	<i>Turpinia pomifera</i> . DC.					

Tribus II. EUONYMEÆ. DC.

EUONYMUS. DC.	SPINDLE-TREE.	Pentandria Monogynia.	L.			
1 japonicus. DC.	(wh.) Japan	Japan.	1804.	6. 8.	G. h.	Kæmpf. ic. t. 8.
2 europæus. DC.	(wh.) common.	Britain.	5. 7.	H. h.	Eng. bot. 362.
3 verrucosus. DC.	(pu.) warted.	Austria.	1763.	5. 6.	H. h.	Schmidt arb. t. 72.
4 latifolius. DC.	(gr.) broad-leaved.	S. Europe.	1730.	5. 7.	H. h.	————— t. 74.
5 atropurpureus. DC.	(d.pu.) dark-purple.	N. America.	1756.	—	H. h.	Jacq. vind. 2. t. 120.
6 americanus. DC.	(st.) evergreen.	—————	1683.	6. 7.	H. h.	Schmidt arb. t. 75.
7 sarmentosus. N.	(st.) sarmentose.	—————	1823.	—	H. h.	
8 obovatus. N.	(gr.) obovate-leaved.	—————	—	—	H. h.	

9	angustifolius. DC. (st.)	narrow-leaved.	Georgia.	1806.	—	H. h.	
10	lucidus. D.P. (wh.)	shining-leaved.	Nepaul.	1820.	6. 7.	H. h.	
11	micranthus. D.P. (wh.)	small-flowered.	—	—	H. h.	
12	chinensis. DC. (wh.)	Chinese.	China.	1822.	5. 6.	H. h. ✓	
13	lacerus. D.P. (wh.)	torn.	Nepaul.	1820.	6. 7.	H. h.	
14	grandiflorus. F.I. (wh.)	large-flowered.	—	1823.	—	H. h.	
15	echinatus. F.I. (st.)	spinous-fruited.	—	—	4. 5.	H. h. ✓	Bot. mag. 2767.
CELASTRUS. DC.		STAFF-TREE.	Pentandria Monogynia.	L.			
1	oleoides. DC. (wh.)	Olive-leaved.	C. B. S.	1823.	5. 6.	G. h.	
2	pteroëarpus. DC. (wh.)	wing-capsuled.	—	1816.	5. 8.	G. h.	Burm. afr. t. 97. f. 1.
3	rostratus. DC. (wh.)	beaked.	—	1821.	—	G. h.	
4	tricuspidatus. DC. (wh.)	three-pointed.	—	1816.	5. 6.	G. h.	Buchoz. dec. 6. t. 3.
	<i>Cassine lævigata</i> . Lam.	<i>Olea capensis</i> .	Buchoz.				
5	lucidus. DC. (wh.)	shining.	C. B. S.	1722.	4. 9.	G. h.	L'Her. stirp. 1. t. 25.
6	macroëarpus. DC. (wh.)	large-capsuled.	Peru.	1826.	G. h.	Flor. per. 3. t. 230. f. 16.
7	bullatus. DC. (wh.)	scarlet-fruited.	Virginia.	1759.	7.	H. h. ✓	Pluk. alm. t. 28. f. 5.
8	scandens. DC. (wh.)	climbing.	N. America.	1736.	5. 6.	H. h. ✓	Duham. arb. 1. t. 95.
9	punctatus. DC. (wh.)	spotted-stalked.	Japan.	1816.	G. h. ✓	
10	nütans. F.I. (wh.)	drooping-fl'd.	E. Indies.	1824.	S. h. ✓	
11	cassinoïdes. DC. (wh.)	crenated.	Canaries.	1779.	8. 9.	G. h.	L'Her. sert. ang. t. 10.
12	lycioïdes. DC. (wh.)	Box-thorn-like.	—	1821.	—	G. h.	
13	cérnuus. DC. (wh.)	drooping.	C. B. S.	1815.	5. 6.	G. h.	
14	myrtifolius. DC. (wh.)	Myrtle-leaved.	Jamaica.	6. 8.	S. h.	Sloan. jam. 2. t. 193. f. 1.
15	tetragonus. DC. (wh.)	four-sided.	C. B. S.	1816.	—	G. h.	
16	ilicifolius. DC. (wh.)	Holly-leaved.	Brazil.	1824.	S. h.	
17	ilicinus. DC. (wh.)	Ilex-like.	C. B. S.	1816.	5. 8.	G. h.	
18	retusus. DC. (wh.)	notched.	Peru.	1823.	—	G. h.	Flor. per. 3. t. 229. f. a.
	<i>emarginatus</i> . F.P. non w.						
19	linearis. DC. (wh.)	linear-leaved.	C. B. S.	1823.	5. 8.	G. h.	
20	emarginatus. DC. (st.)	emarginate.	E. Indies.	1820.	S. h.	
21	buxifolius. DC. (wh.)	Box-leaved.	C. B. S.	1752.	5. 8.	G. h.	Bot. mag. 2114.
22	cymosus. B.M. (wh.)	cyme-flowered.	—	1815.	6. 8.	G. h.	— t. 2070.
23	multiflorus. DC. (wh.)	many-flowered.	—	1816.	5. 8.	G. h.	
24	pyracanthus. DC. (wh.)	red-fruited.	—	1752.	—	G. h.	Bot. mag. 1167.
25	flexuosus. DC. (wh.)	flexuose.	—	1816.	—	G. h.	
26	montanus. DC. (wh.)	mountain.	E. Indies.	1824.	S. h.	
PLECTR'ONIA. W.		PLECTR'ONIA.	Pentandria Monogynia.				
	ventosa. w. (wh.)	corymbed.	C. B. S.	1816.	G. h.	Burm. afr. t. 94?
	<i>corymbosa</i> . P.S. <i>Celastrus? Plectronia</i> .		DC.				
MAYTENUS. DC.		MAYTENUS.	Pentandria Monogynia.				
1	octogonus. DC. (gr.)	angular-leaved.	Peru.	1786.	10. 11.	G. h.	
	<i>Celastrus octogonus</i> . w.	<i>Senecia octogona</i> .	Lam.				
2	chilensis. DC. (re.)	Chile.	Chile.	1824.	G. h.	Fenill. obs. 3. t. 27.
3	verticillatus. DC. (gr.)	whorled.	Peru.	1823.	9. 11.	G. h.	Flor. per. 3. t. 229. B.
ELÆODE'NDRON. DC.		OLIVE-WOOD.	Pentandria Monogynia.				
1	orientale. DC. (wh.)	taper-leaved.	Madagascar.	1771.	S. h.	Jacq. ic. 1. t. 48.
	<i>indicum</i> . Gært. fruct. 1. t. 57.	<i>Rubéntia olivina</i> .	J.				
2	glaucum. DC. (st.)	glaucous.	Ceylon.	1823.	S. h.	Rottb. n. a. hav. 2. t. 4. f. 1.
3	xylocarpum. DC. (wh.)	leathery-leaved.	Antilles.	1816.	7. 8.	S. h.	Vent. choix. t. 23.
	<i>Cassine xylocarpa</i> . Vent.						
4	australe. DC. (wh.)	thick-leaved.	N. S. W.	1796.	6. 8.	G. h.	Vent. malm. t. 117.
	<i>Portenschlágia australis</i> . Tratt. arch. t. 250.	<i>Lamarckia dentata</i> .	Hort.				
5	integrifolium. (wh.)	entire-leaved.	N. S. W.	—	—	G. h.	Tratt. arch. t. 284.
	<i>Portenschlágia integrifolia</i> . Tratt.						
6?	cröceum. DC. (wh.)	Cape Holly.	C. B. S.	1794.	5. 6.	G. h.	
	<i>Ilex cröcea</i> . w.						
PTELI'DIUM. DC.		PTELI'DIUM.	Tetrandria Monogynia.				
	ovatum. DC. (gr.)	oval-leaved.	Madagascar.	1825.	S. h.	Pet. Th. veg. afr. 1. t. 2.

Tribus III. AQUIFOLIACEÆ. DC. prod. 2. p. 11.

CASSINE. DC.		CASSINE.	Pentandria Trigynia.	L.			
1	Maurocënia. DC. (wh.)	Hottentot-cherry.	C. B. S.	1690.	7. 8.	G. h.	Dill. elt. t. 121. f. 147.
2	capensis. DC. (wh.)	Cape Phillyrea.	—	1629.	—	G. h.	— t. 236. f. 305.
3	Colpoón. w. (wh.)	Colpoon-tree.	—	1791.	—	G. h.	Burm. afr. t. 86.

4	<i>bárbara</i> . R.S.	(wh.)	quadrangular.	C. B. S.	1816.	—	G.	h.	
5	<i>æthiòpica</i> . R.S.	(wh.)	Ethiopian.	—	—	G.	h.	
6	<i>oppositifòlia</i> . DC.	(wh.)	opposite-leaved.	S.	h.	
7	<i>excélsa</i> . F.I.	(wh.)	tall.	Nepaul.	1823.	G.	h.	
HARTOGIA. DC.		HARTOGIA. Tetrandria Monogynia.							
	<i>capénsis</i> . DC.	(wh.)	Cape.	C. B. S.	1816.	G.	h.	Thunb. n. gen. 5. p. 55. ic.
	<i>Schrèbera schinoïdes</i> .	Th. prodr. t. 2. <i>Elæodéndron schinoïdes</i> . s.s.							
CURTISIA. DC.		CURTISIA. Tetrandria Monogynia.							
	<i>fagínea</i> . DC.	(wh.)	Hassagay-tree.	C. B. S.	1775.	G.	h.	Burm. afr. 235. t. 82.
MYGINDA. DC.		MYGINDA. Tetrandria Tetragynia.							
1	<i>Uragòga</i> . DC.	(pu.)	saw-leaved.	S. America.	1790.	8. 9.	S.	h.	Jacq. amer. 24. t. 16.
2	<i>myrtifòlia</i> . DC.	(wh.)	Myrtle-leaved.	N. America.	1818.	5. 8.	H.	h.	
	<i>Ilex myrsinites</i> . Ph.								
3	<i>Rhácoma</i> . DC.	(re.)	blunt-leaved.	Jamaica.	1798.	S.	h.	Jacq. ic. 2. t. 311.
4	<i>latifòlia</i> . DC.	(wh.)	broad-leaved.	W. Indies.	1795.	4. 5.	S.	h.	
ILEX. DC.		HOLLY. Tetrandria Tetragynia. L.							
1	<i>Aquifòlium</i> . DC.	(wh.)	common.	Britain.	4. 6.	H.	h.	Eng. bot. 496.
	β <i>heterophýlla</i> .	(wh.)	various-leaved.	—	—	H.	h.	
	γ <i>crassifòlia</i> .	(wh.)	thick-leaved.	—	—	H.	h.	
	δ <i>feròx</i> .	(wh.)	hedgehog.	—	—	H.	h.	
	ϵ <i>echinàta</i> .	(wh.)	striped hedgehog.	—	—	H.	h.	
	ζ <i>flàra</i> .	(wh.)	yellow-berried.	—	—	H.	h.	
	η <i>senéscens</i> .	(wh.)	spineless.	—	—	H.	h.	
	θ <i>álbo-marginàta</i> .	(w.)	white-edged.	—	—	H.	h.	
	ι <i>áureo-marginàta</i> .	(w.)	gold-edged.	—	—	H.	h.	
	κ <i>pícta</i> .	(wh.)	painted.	—	—	H.	h.	
2	<i>recúrva</i> . L. en.	(wh.)	recurved-spined.	—	H.	h.	
3	<i>baleàrica</i> . DC.	(wh.)	Minorca.	Minorca.	1815.	5. 6.	H.	h.	
4	<i>Peràdo</i> . DC.	(bh.)	thick-leaved.	Madeira.	1760.	4. 5.	F.	h.	Lodd. bot. cab. 549.
	β <i>obtùsa</i> . DC.	(bh.)	blunt-leaved.	—	—	F.	h.	Duham. ed. nov. 1. t. 2.
5	<i>canariénsis</i> . DC.	(wh.)	Canary.	Canaries.	1818.	5. 6.	F.	h.	
6	<i>opàca</i> . DC.	(wh.)	Carolina.	Carolina.	1744.	—	F.	h.	Wats. dend. brit. t. 3.
7	<i>laxiflòra</i> . DC.	(wh.)	loose-flowered.	—	1811.	—	F.	h.	
8	<i>chinénsis</i> . DC.	(wh.)	Chinese.	China.	1810.	4. 5.	F.	h.	Bot. mag. 2043.
9	<i>Dahoòn</i> . DC.	(wh.)	Dahoon.	Carolina.	1726.	5. 6.	F.	h.	Willd. hort. ber. 1. t. 31.
	β <i>laurifòlia</i> . DC.	(wh.)	large-leaved.	—	—	F.	h.	Wats. dend. brit. t. 114.
10	<i>Cassíne</i> . DC.	(wh.)	Cassine-like.	—	1726.	8.	F.	h.	Catesb. car. 1. t. 31.
11	<i>angustifòlia</i> . DC.	(wh.)	narrow-leaved.	N. America.	1806.	5. 6.	F.	h.	Wats. dend. brit. t. 4.
12	<i>vomitòria</i> . DC.	(wh.)	South-sea Tea.	Florida.	1700.	6. 7.	F.	h.	Jacq. ic. 2. t. 310.
13	<i>latifòlia</i> . DC.	(wh.)	broad-leaved.	Japan.	1824.	F.	h.	
14	<i>serràta</i> . DC.	(wh.)	saw-leaved.	—	—	F.	h.	
15	<i>myrtifòlia</i> . DC.	(wh.)	Myrtle-leaved.	W. Indies.	1806.	7. 8.	S.	h.	
16	<i>salicifòlia</i> . DC.	(wh.)	Willow-leaved.	Mauritius.	1818.	4. 5.	S.	h.	Jacq. col. 5. t. 2. f. 2.
	<i>Burglària lúcida</i> . Wendl.								
17	<i>Macoucóa</i> . DC.	(wh.)	acuminate.	Trinidad.	1826.	S.	h.	Aubl. gui. 1. t. 34.
18	<i>paraguariénsis</i> . DC.	(w.)	Paraguay Tea.	Brazil.	1823.	S.	h.	Lamb. pin. ic.
PRINOS. DC.		WINTER BERRY. Hexandria Monogynia. L.							
1	<i>deciduus</i> . DC.	(wh.)	deciduous.	N. America.	1760.	6. 7.	H.	h.	Wats. dend. brit. 115.
	<i>Ilex prinoïdes</i> . R.S.								
2	<i>ambíguus</i> . DC.	(wh.)	Carolina.	—	1812.	7. 8.	H.	h.	Wats. dend. t. 29.
3	<i>verticillàtus</i> . DC.	(wh.)	whorled.	—	1736.	—	H.	h.	— t. 30.
	<i>padifòlius</i> . W. en.								
4	<i>lævigàtus</i> . DC.	(wh.)	smooth.	—	1812.	—	H.	h.	Wats. dend. t. 28.
5	<i>lanceolàtus</i> . DC.	(wh.)	scarlet berried.	—	1811.	6. 7.	H.	h.	
6	<i>prunifòlius</i> . DF.	(wh.)	Plum-leaved.	—	1820.	—	H.	h.	
7	<i>gláber</i> . DC.	(wh.)	ever-green.	—	1759.	7. 8.	H.	h.	Wats. dend. brit. t. 27.
8	<i>atomàrius</i> . DC.	(wh.)	atomiferous.	Georgia.	1820.	6. 7.	H.	h.	
9	<i>coriàceus</i> . DC.	(wh.)	leathery-leaved.	—	—	—	H.	h.	
10	<i>lúcida</i> . DC.	(wh.)	shining-leaved.	1778.	—	F.	h.	
NEMOPA'NTHES. DC.		NEMOPA'NTHES. Polygamia Diœcia.							
	<i>canadénsis</i> . DC.	(wh.)	Canadian.	N. America.	1812.	6. 7.	H.	h.	DC. pl. rar. gen. t. 3.
	<i>Ilex canadensis</i> . Mich.	fl. amer. 2. t. 49.							

ORDO LXI.

RHAMNEÆ. DC. prodr. 2. p. 19.

ZIZYPHUS. R.S.		ZIZYPHUS. Pentandria Monogynia. R.S.					
1	Lòtus. R.S. (st.)	Barbary.	Africa.	1731.	G. h.	Desf. act. ac. 1788. t. 21.
2	mucronàta. W.en. (st.)	mucronate.	C. B. S.	1820.	G. h.	
	<i>bubalina</i> . R.S.						
3	sinénsis. R.S. (wh.)	Chinese.	China.	1818.	5. 6.	H. h.	
4	Oenóplia. R.S. (st.)	oblique-leaved.	Ceylon.	S. h.	Burm. zeyl. 131. t. 61.
5	Jujùba. R.S. (st.)	blunt-leaved.	E. Indies.	1759.	4. 5.	S. h.	Rheed. mal. 4. t. 41.
6	soròria. R.S. (ye.)	sister.	— —	1823.	S. h.	
7	álbens. F.I. (wh.)	white-fruited.	China.	1822.	G. h.	
8	Spìna Christi. R.S. (st.)	Christ's-thorn.	Egypt.	4. 5.	G. h.	Pluk. alm. t. 197. f. 3.
9	Napèca. R.S. (wh.)	spotted-fruited.	Ceylon.	1816.	S. h.	— t. 216. f. 6.
10	vulgàris. R.S. (ye.)	common.	S. Europe.	1640.	8. 9.	H. h.	Pall. ross. 2. t. 59.
11	nítida. F.I. (ye.)	shining.	China.	1822.	G. h.	
12	Xylop'yrus. R.S. (ye.)	cork-barked.	E. Indies.	—	S. h.	
13	Caracúttà. F.I. (ye.)	villous-branch'd.	— .	1820.	S. h.	
14	microphy'lla. F.I. (ye.)	small-leaved.	—	1824.	S. h.	Pluk. alm. t. 197. f. 2.
15	incúrva. F.I. (gr.)	incurved.	Nepaul.	1820.	5. 6.	F. h.	
16	flexuòsa. F.I. (ye.)	flexuose.	—	—	F. h.	
PALFURUS. DC.		CHRIST'S-THORN. Pentandria Trigynia.					
1	aculeàtus. DC. (ye.)	common.	S. Europe.	1596.	6. 7.	H. h.	Bot. mag. 1893.
	<i>austràlis</i> . R.S. <i>vulgàris</i> . D.P.	<i>Zizyphus Paliurus</i> . B.M.					
2	virgàtus. DC. (ye.)	twiggy.	Nepaul.	1819.	8. 9.	H. h.	Bot. mag. t. 2535.
COND'ALIA.		COND'ALIA. Pentandria Monogynia.					
	microphy'lla. DC. (gr.)	small-leaved.	Chili.	1824.	G. h.	Cav. ic. 6. t. 525.
BERCH'EMIA. DC.		BERCH'EMIA. Pentandria Monogynia.					
1	volùbilis. DC. (gr.)	climbing.	Carolina.	1714.	6. 7.	H. h. ∪.	Jacq. ic. 2. t. 336.
	<i>Rhamnus volùbilis</i> . L.	<i>Zizyphus volùbilis</i> . w. <i>Oenoplia volubilis</i> . R.S.					
2	lineàta. DC. (wh.)	lined.	China.	1804.	G. h.	Osborn. it. 219. t. 7.
3	floribúnda. Bro. (wh.)	many-flowered.	Nepaul.	1827.	G. h. ∪.	Brong. m. ram. pl. 2. f. 1.
SAGER'ETIA. Bro.		SAGER'ETIA. Pentandria Monogynia.					
1	theèzans. Bro. (gr.)	Tea-like.	China.	9. 12.	G. h.	
	<i>Rhamnus theèzans</i> . L.						
2	hamòsa. Bro. (gr.)	hook-thorned.	Nepaul.	1826.	G. h. ∪.	
	<i>Zizyphus hamòsa</i> . F.I.						
RHAMNUS. DC.		BUCKTHORN. Pentandria Monogynia. L.					
1	Alatèrnus. DC. (ye.)	Alaternus.	S. Europe.	1629.	4. 6.	H. h.	Duham. ed. nov. 3. t. 14.
	<i>a latifolius</i> . (ye.)	broad-leaved.	—	—	H. h.	
	<i>β baleàricus</i> . DC. (ye.)	round-leaved.	—	—	H. h.	
	<i>γ hispànicus</i> . DC. (ye.)	Spanish.	—	—	H. h.	
	<i>δ vulgàris</i> . DC. (ye.)	oval saw-leaved.	—	—	H. h.	
	<i>ε gláber</i> . (ye.)	smooth-leaved.	—	—	H. h.	
	<i>ζ integrifolius</i> . (ye.)	entire-leaved.	—	—	H. h.	
	<i>η maculàtus</i> . (ye.)	spot-leaved.	—	—	H. h.	
	<i>ξ àureus</i> . (ye.)	gold-striped.	—	—	H. h.	
	<i>ι argénteus</i> . (ye.)	silver-striped.	—	—	H. h.	
2	Clùsii. W.en. (gr.)	narrow-leaved.	—	1629.	—	H. h.	Clus. hist. 1. p. 50.
3	hy'bridus. DC. (gr.)	hybrid.	Hybrid.	5. 6.	H. h.	L'Her. sert. t. 5.
4	glandulòsa. DC. (gr.)	Madeira.	Canaries.	1785.	6. 7.	G. h.	Vent. malm. t. 34.
5	integrifolius. DC. (gr.)	Teneriffe.	—	1820.	—	G. h.	Nees hor. phys. t. 22.
	<i>coriàceus</i> . Nees.						
6	longifolius. DC. (gr.)	long-leaved.	N. America?	1822.	5. 6.	H. h.	
7	prinoídes. DC. (gr.)	Prinos-leaved.	C. B. S.	1778.	8. 9.	G. h.	L'Her. sert. ang. t. 9.
8	celtifolius. DC. (gr.)	Celtis-leaved.	—	—	G. h.	Burm. afr. 242. t. 88.
9	cathàrticus. DC. (gr.)	purging.	England.	5. 6.	H. h.	Eng. bot. 1629.
10	virgàtus. DC. (ye.)	slender.	Nepaul.	1819.	4. 5.	H. h.	
11	tinctorius. DC. (st.)	dying.	Hungary.	1823.	5. 6.	H. h.	Pl. rar. hung. 3. t. 255.
12	infectòrius. DC. (ye.)	yellow-berried.	S. Europe.	1683.	6. 7.	H. h.	Clus. hist. 1. p. 111. ic.
13	saxátilis. DC. (gr.)	rock.	—	1752.	5. 6.	H. h.	Jacq. aust. 1. t. 53.
14	oleoídes. DC. (gr.)	Olive-leaved.	Spain.	—	6. 7.	H. h.	
15	buxifolius. DC. (gr.)	Box-leaved.	S. Europe.	1820.	—	H. h.	
16	pubéscens. DC. (gr.)	pubescent.	S. France.	1820.	6. 7.	H. h.	
17	crenulàtus. DC. (gr.)	crenulate.	Teneriffe.	1778.	3. 4.	G. h.	

18	lycioides. DC.	(gr.)	Box-thorn-like.	Spain.	1752.	9. 12.	H. h.	Cavan. ic. 2. t. 182.
	<i>β latifolius.</i>	(gr.)	broader-leaved.	————	————	————	H. h.	
19	erythroxylon. DC.	(ye.)	red-wooded.	Siberia.	1822.	4. 5.	H. h.	Pall. ross. 2. t. 62.
20	microphyllus. DC.	(ye.)	small-leaved.	Mexico.	————	————	G. h.	H. et B. n. gen. a. 7. t. 616.
21	pumilus. L.	(bh.)	dwarf.	Europe.	1752.	7.	H. h.	Scop. carn. ed. 2. t. 5.
	<i>β rupéstris.</i> Vill.	(bh.)	small.	Dauphiny.	————	————	H. h.	
22	pusillus. T.P.	(gr.)	little.	Naples.	1825.	————	H. h.	
23	valentinus. W.	(ye.)	Spanish.	Spain.	————	6. 7.	H. h.	Cavan. ic. 2. t. 181.
	<i>pumilus. c. non W.</i>							
24	Wulfenii. s.s.	(ye.)	Wulfen's.	Tergestum.	————	————	H. h.	Jacq. coll. 2. t. 11.
	<i>pumilus. Wulf. non L.</i>							
25	dahuricus. DC.	(gr.)	Dahurian.	Dahuria.	1826.	H. h.	Pall. ross. 2. t. 61.
26	alnifolius. DC.	(gr.)	Alder-leaved.	N. America.	1778.	5. 6.	H. h.	
27	franguloïdes. R.s.	(gr.)	Frangula-like.	————	————	————	H. h.	
28	Purshianus. DC.	(gr.)	Pursh's.	————	1826.	————	H. h.	
	<i>alnifolius. Ph. nec aliorum.</i>							
29	alpinus. DC.	(ye. pu.)	Alpine.	Switzerland.	1752.	————	H. h.	Lodd. bot. cab. 1077.
30	carolinianus. DC.	(gr.)	Carolina.	N. America.	1824.	5. 7.	H. h.	
31	Frangula. DC.	(gr.)	berry-bearing Alder.	Britain.	4. 5.	H. h.	Eng. bot. 250.
32	latifolius. DC.	(ye.)	broad-leaved.	Azores.	1778.	6. 7.	H. h.	Wats. dend. brit. t. 11.
33	lanceolatus. Ph.	(gr.)	spear-leaved.	N. America.	1812.	4. 5.	H. h.	
34?	mystacinus. R.s.	(gr.)	wiry.	Abyssinia.	1775.	11.	S. h.	
35?	tetragonus. DC.	(gr.)	square-branch'd.	C. B. S.	1816.	6. 8.	G. h.	Th. act. gor. 1812. c. ic.
	SC'UTIA. Bro.		SC'UTIA. Pentandria Monogynia.					
1	indica. Bro.	(wh.)	Indian.	E. Indies.	1824.	S. h.	Gært. fruct. 2. t. 106.
	<i>Rhamnus circumscissus. L. Ceanothus circumscissus. DC.</i>							
	RETANI'LLA. Bro.		RETANI'LLA. Pentandria Monogynia.					
	obcordata. Bro.	(ye.)	obcordate-ld.	Peru.	1822.	5. 7.	G. h.	Vent. hort. cels. t. 92.
	<i>Collétia obcordata. V.</i>							
	COLLE'TIA. Bro.		COLLE'TIA. Pentandria Monogynia.					
1	spinosa. DC.	(ye.)	spiny.	Peru.	1823.	G. h.	Lam. ill. 2. t. 129.
2	serratifolia. DC.	(ye.)	saw-leaved.	————	————	5. 8.	G. h.	Vent. choix. t. 15.
3	pubescens. Bro.	(ye.)	pubescent.	N. Holland.	1824.	G. h.	
	HOVENIA. DC.		HOVENIA. Pentandria Monogynia.					
1	dulcis. DC.	(gr.)	smooth-leaved.	China.	1812.	4. 6.	G. h.	Lam. ill. t. 131.
	<i>acerba. Bot. reg. 501.</i>							
2	inæqualis. DC.	(gr.)	pubescent-ld.	Nepaul.	1823.	G. h.	
	<i>dulcis. D.P. et F.I. nec aliorum.</i>							
	COLUBR'INA. Bro.		COLUBR'INA. Pentandria Monogynia.					
1	ferruginosa. Bro.	(st.)	Bahama red-wood.	Bahama.	1726.	6.	S. h.	Jacq. vind. 3. t. 50.
	<i>Rhamnus colubrînus. L. Ceanothus colubrînus. DC.</i>							
2	reclinata. Bro.	(wh.)	oval-leaved.	Jamaica.	1758.	8.	S. h.	Brown jam. t. 20. f. 2.
	<i>Ceanothus reclinatus. DC. Rhamnus ellipticus. H.K.</i>							
3	triflora. Bro.	(st.)	three-flowered.	Mexico.	1826.	G. h.	
4	cubensis. Bro.	(st.)	Cuba.	Cuba.	1824.	S. h.	Jacq. vind. 3. t. 49.
5	asiatica. Bro.	(st.)	Asiatic.	Asia.	1691.	7. 8.	S. h.	Cavan. ic. 5. t. 440. f. 1.
	<i>Ceanothus asiaticus. DC.</i>							
	CEAN'OTHUS. Bro.		CEAN'OTHUS. Pentandria Monogynia. L.					
1	azureus. DC.	(bl.)	blue.	New Spain.	1818.	4. 5.	G. h.	Bot. reg. 291.
	<i>caruleus. Lod. bot. cab. 110. bicolor. R.s.</i>							
2	tardiflorus. DC.	(wh.)	late-flowering.	N. America.	1812.	9. 10.	H. h.	
3	americanus. DC.	(wh.)	New Jersey Tea.	————	1713.	7. 8.	H. h.	Bot. mag. 1479.
4	ovatus. DC.	(wh.)	smooth-leaved.	————	————	H. h.	
5	perennis. DC.	(wh.)	perennial.	————	1822.	6. 7.	H. h.	
6	intermedius. DC.	(wh.)	intermediate.	————	1812.	————	H. h.	
7	collinus. D.	(wh.)	hill.	————	1827.	————	H. h.	
8	sanguineus. DC.	(wh.)	bloody twigged.	————	1812.	5. 7.	H. h.	
9	microphyllus. DC.	(wh.)	small-leaved.	————	1806.	6. 7.	H. h.	
10	buxifolius. DC.	(wh.)	Box-leaved.	Mexico.	1824.	4. 6.	G. h.	H. et B. n. gen. a. 7. t. 615.
11	macrocarpus. DC.	(st.)	large-fruited.	New Spain.	1823.	6. 7.	G. h.	Cavan. ic. 3. t. 276.
12	nepalensis. F.I.	(st.)	Nepaul.	Nepaul.	————	————	H. h.	
	WILLEMETIA. Bro.		WILLEMETIA. Pentandria Monogynia.					
	africana. Bro.	(st.)	African.	C. B. S.	1712.	3. 4.	G. h.	Pluk. phyt. 126. f. 1.
	<i>Ceanothus africanus. DC.</i>							
	POMADE'RRIS. DC.		POMADE'RRIS. Pentandria Monogynia.					
1	globulosa. Bro.	(st.)	round-headed.	N. Holland.	1803.	4. 5.	G. h.	Lab. nov. hol. 1. t. 85.
	<i>Ceanothus globulosus. Lab.</i>							
2	spathulata. Bro.	(st.)	spathulate-leav'd.	————	1821.	————	G. h.	Lab. nov. 1. t. 84.
3	discolor. DC.	(ye.)	two-coloured.	————	1803.	————	G. h.	Swt. fl. auct. t. 41.
	<i>Ceanothus discolor. Vent. malm. t. 58.</i>							

4	intermèdia. DC.	(st.) intermediate.	N. S. W.	1818.	4. 6.	G. h.	
5	acuminàta. L.en.	(wh.) loose-flowered.	N. Holland.	1816.	4. 7.	G. h.	
6	ellíptica. DC.	(ye.) elliptic-leaved.	—————	1805.	—	G. h.	Lab. nov. holl. 1. t. 66.
7	lanigera.	(ye.) ferruginous.	—————	1806.	—	G. h.	Andr. rep. 569.
	<i>Ceanòthus laniger.</i> A.R.						
8	Símsii.	(st.) Sims's.	N. S. W.	1821.	—	G. h.	Bot. mag. 1823.
	<i>lanigera.</i> Sims bot. mag. non Andr.						
9	viridirúfa. Sieb.	(st.) brown green.	N. S. W.	—	—	G. h.	
10	ledifòlia. F.T.	(ye.) Ledum-leaved.	—————	1824.	—	G. h.	
11	andromedæfòlia. F.T.	(ye.) Andromeda-ld	—————	—	—	G. h.	
12	phylliræoídes. DC.	(ye.) Phyllirea-leaved.	—————	1803.	—	G. h.	
13	apétala. DC.	(br.) petalless.	N. Holland.	—	5. 6.	G. h.	Lab. nov. holl. 1. t. 87.
14	áspera. DC.	(br.) rough.	N. S. W.	1818.	6. 7.	G. h.	
15	ligustrina. DC.	(wh.) Privet-like.	—————	1826.	—	G. h.	
16	phylicifòlia. DC.	(wh.) Phyllica-leaved.	N. Holland.	1810.	3. 5.	G. h.	Lodd. bot. cab. 120.
	CRYPTA'NDRA. DC. CRYPTA'NDRA. Pentandria Monogynia. R.S.						
1	ericifòlia. DC.	(pa.) Heath-leaved.	N. S. W.	1823.	5. 7.	G. h.	Linn. trans. 10 t. 18. f. 1.
2	amàra. DC.	(pa.) bitter.	—————	—	4. 6.	G. h.	————— 10. t. 18. f. 2.
3	spinéscens. DC.	(pa.) spiny.	—————	1824.	—	G. h.	
	VENTIL'AGO. DC. VENTIL'AGO. Pentandria Monogynia. R.S.						
	<i>maderaspatàna.</i> DC. (gr.) Madras. E. Indies. 1822. S. h. ~. Roxb. corom. 1. t. 76.						
	GOUA'NIA. DC. GOUA'NIA. Polygamia Monoccia. L.						
1	integrifòlia. DC. entire-leaved.	S. America?	1824.	S. h. ~.	
2	domingénsis. DC.	(gr.) Chaw-stick.	W. Indies.	1739.	S. h. ~.	Jacq. amer. t. 179. f. 40.
3	cordifòlia. DC.	(ye.) heart-leaved.	Brazil.	1822.	S. h. ~.	
4	tomentòsa. DC.	(ye.) woolly-leaved.	W. Indies.	1823.	S. h. ~.	Gært. f. carp. 3. t. 163. f. 1.
5	rauritiàna. DC.	(br.) rusty.	Mauritius.	—	S. h. ~.	
6	tiliæfòlia. DC.	(gr.) Lime-leaved.	Bourbon.	1810.	4. 6.	S. h. ~.	
7	leptostàchya. DC.	(gr.) slender-spiked.	E. Indies.	—	—	S. h. ~.	Roxb. corom. 1. t. 98.
	<i>tiliæfòlia.</i> R.C. non Lam.						
8	Retinària. DC.	(gr.) oval-leaved.	Mauritius.	1824.	S. h. ~.	Gært. fruct. 2. t. 120. f. 4.
	TRICHOCE'PHALUS. Bro. TRICHOCE'PHALUS. Pentandria Monogynia.						
1	stipulàris. Bro.	(wh.) stipuled.	C. B. S.	1786.	5. 9.	G. h.	Wendl. coll. t. 32.
	<i>Phy'lica stipulàris.</i> DC.						
2	spicàta. Bro.	(wh.) spiked.	—————	1774.	11. 12.	G. h.	Lam. ill. t. 127. f. 3.
	<i>Phy'lica spicàta.</i> L. non B.M.						
	PHY'LICA. Bro. PHY'LICA. Pentandria Monogynia. L.						
1	parviflòra. R.S.	(wh.) small-flower'd.	C. B. S.	1790.	4. 7.	G. h.	
2	ericóides. R.S.	(wh.) Heath-leaved.	—————	—	9. 4.	G. h.	Bot. mag. 224.
3	glábrata. R.S.	(wh.) smooth-leaved.	—————	1820.	3. 5.	G. h.	
4	aceròsa. R.S.	(wh.) needle-leaved.	—————	1819.	4. 7.	G. h.	Spr. ber. mag. 8. t. 8 f. 2.
5	lanceolàta. R.S.	(wh.) spear-leaved.	—————	1790.	4. 5.	G. h.	
6	erióphora. R.S.	(wh.) pale-flowered.	—————	1774.	11. 3.	G. h.	
7	callòsa. R.S.	(wh.) callous-leaved.	—————	—	3. 4.	G. h.	
8	imbérbis. R.S.	(wh.) beardless.	—————	1823.	5. 9.	G. h.	Breyn. cent. 18. t. 7.
9	secúnda. R.S.	(wh.) secund.	—————	1812.	—	G. h.	
10	? austràlis. L.en.	(wh.) southern.	—————	—	3. 5.	G. h.	
11	pùmila. DC.	(wh.) dwarf.	—————	1820.	4. 6.	G. h.	
12	bícolor. R.S.	(wh.) two-coloured.	—————	1823.	4. 5.	G. h.	
13	spicàta. B.M.	(wh.) close-spiked.	—————	—	8. 12.	G. h.	Bot. mag. 2704.
14	hirsùta. R.S.	(wh.) hairy.	—————	1820.	5. 9.	G. h.	
15	pínea. R.S.	(wh.) Pine-like.	—————	1824.	—	G. h.	
16	villòsa. R.S.	(wh.) villous.	—————	1790.	—	G. h.	
17	papillòsa. R.S.	(wh.) papillose.	—————	1820.	3. 5.	G. h.	
18	rosmarinifòlia. R.S.	(w.) Rosemary-ld.	—————	1815.	5. 8.	G. h.	Lodd. bot. cab 849.
19	cylíndrica. R.S.	(wh.) cylindrical.	—————	4. 8.	G. h.	Wendl. coll. 1. t. 7.
20	excélsa. R.S.	(wh.) tall.	—————	1820.	3. 5.	G. h.	————— 3. t. 4.
21	horizontalis. DC.	(wh.) spreading.	—————	1800.	6. 8.	G. h.	Spr. ber. mag. 8. f. 7.
	<i>plumòsa.</i> Spr. non L.						
22	squarròsa. DC.	(wh.) squarrose.	—————	1820.	3. 5.	G. h.	Lodd. bot. cab. 36.
23	Commelini. R.S.	(wh.) Commelin's.	—————	1800.	5. 8.	G. h.	Comm. præl. 63. t. 13.
24	plumòsa. R.S.	(wh.) feathered.	—————	1752.	3. 5.	G. h.	Lam. ill. t. 127. f. 4.
25	capitàta. R.S.	(wh.) headed.	—————	1774.	—	G. h.	Bot. reg. 711.
26	reclinàta. R.S.	(wh.) reclined.	—————	1820.	—	G. h.	Wendl. coll. 2. t. 56.
27	pedicellàta. DC.	(wh.) pedicled.	—————	—	—	G. h.	
28	atràta. R.S.	(wh.) dark-haired.	—————	—	3. 5.	G. h.	
	SOULA'NGIA. Bro. SOULA'NGIA. Pentandria Monogynia.						
1	axillàris. Bro.	(wh.) axillary-flower'd.	C. B. S.	1812.	5. 6.	G. h.	Spr. ber. mag. 8. t. 8. f. 4.
2	thymifòlia. Bro.	(wh.) Thyme-leaved.	Antarctic.	1824.	—	S. h.	Vent. malm. t. 57.

3	oleæfòlia. Bro. (wh.) Olive-leaved.	C. B. S.	1. 4.	G. h.	Lodd. bot. cab. t. 323.
	<i>Phylica spicàta</i> . Lod. bot. cab. <i>nec aliorum</i> .					
4	paniculàta. Bro. (wh.) paniced.	————	1812.	4. 6.	G. h.	
	<i>Phylica paniculàta</i> . DC. <i>myrtifòlia</i> . Poir.					
5	buxifòlia. Bro. (wh.) Box-leaved.	————	1759.	5. 9.	G. h.	Lodd. bot. cab. 848.
	<i>Phylica buxifòlia</i> . Wend. coll. 1. t. 26.					
6	cordàta. Bro. (wh.) heart-leaved.	————	1789.	5. 6.	G. h.	Comm. præl. 62. t. 12.
7	orientàlis. (wh.) oriental.	————	1820.	—	G. h.	Herb. amat. t. 283.
	<i>Phylica orientàlis</i> . Herb. amat. t. 283.					

† Genera ad Rhamneas accedentia.

SCHÆFF'ERIA. DC.	SCHÆFF'ERIA. Diœcia Tetrandria.					
frutescens. DC. (wh.) white-flowered.	W. Indies.	1793.	S. h.		Swartz. fl. ind. 1. t. 7. f. A.
β buxifòlia. DC. (wh.) Box-leaved.	————	—	S. h.		Sloan. hist. 2. t. 209. f. 1.
OLI'NIA. DC.	OLI'NIA. Pentandria Monogynia.					
cymòsa. DC. (wh.) sweet-scented.	C. B. S.	1812.	4. 6.	G. h.		
<i>Sideròxylum cymòsum</i> . L.						

ORDO LXII.

BRUNIACEÆ. DC. prodr. 2. p. 43.

BERZ'ELIA. Bro.	BERZ'ELIA. Pentandria Monogynia.					
1 abrotanoïdes. Bro. (w.) Southernwood-like.	C. B. S.	1787.	5. 7.	G. h.		Wendl. coll. t. 45.
<i>Brùnia abrotanoïdes</i> . Lodd. bot. cab. 355.						
2 lanuginòsa. Bro. (wh.) woolly.	————	1774.	6. 8.	G. h.		Wendl. coll. 1. t. 11.
<i>Brùnia lanuginòsa</i> . DC.						
BR'UNIA. R.S.	BR'UNIA. Pentandria Monogynia. L.					
1 lævis. R.S. (wh.) smooth.	C. B. S.	1823.	5. 7.	G. h.		
2 nodiflòra. R.S. (wh.) imbricated.	————	1786.	7. 8.	G. h.		Breyn. cent. 22. t. 10.
3 deùsta. R.S. (wh.) black-tipped.	————	1804.	6. 8.	G. h.		
4 comòsa. R.S. (wh.) tufted.	————	1823.	—	G. h.		
5 verticillata. R.S. (wh.) whorled.	————	1794.	—	G. h.		
6 virgàta. Bro. (wh.) twiggy.	————	—	G. h.		
7 squarròsa. R.S. (wh.) squarrose.	————	1818.	—	G. h.		
8 alopecuroïdes. R.S. (w.) Fox-tail.	————	1816.	5. 7.	G. h.		
9 làxa. R.S. (wh.) loose-branched.	————	—	—	G. h.		
10 plumòsa. R.S. (wh.) feathered.	————	1822.	—	G. h.		
11 supérba. R.S. (wh.) superb.	————	1791.	—	G. h.		
12 fragarioïdes. R.S. (wh.) Strawberry-like.	————	1794.	5. 7.	G. h.		
13 ciliàta. R.S. (wh.) fringed.	————	1812.	—	G. h.		
14 ericoïdes. R.S. (wh.) Heath-leaved.	————	—	—	G. h.		Wendl. coll. II. t. 57.
15 arachnoïdea. R.S. (wh.) cobweb.	————	1810.	—	G. h.		———— t. 62.
16 formòsa. R.S. (wh.) handsome.	————	1812.	—	G. h.		
17 macrocéphala. S.S. (w.) large-headed.	————	—	—	G. h.		
18 racemòsa. Bro. (wh.) clustered.	————	1790.	5. 9.	G. h.		
<i>Phylica racemòsa</i> . L.						
19 pinifòlia. Bro. (wh.) Pine-leaved.	————	1789.	5. 6.	G. h.		Brong. brun. t. 1. f. 2.
<i>Phylica pinifòlia</i> . L.						
20 imbricàta. (wh.) imbricated.	————	1801.	8. 11.	G. h.		
<i>Phylica imbricàta</i> . Th.						
RASP'ALIA. Bro.	RASP'ALIA. Pentandria Digynia.					
microphy'lla. Bro. (w.) small-leaved.	C. B. S.	1804.	6. 8.	G. h.		Brong. brun. t. 3. f. 1.
<i>Brùnia microphy'lla</i> . Th.						
STA'AVIA. DC.	STA'AVIA. Pentandria Monogynia.					
1 radiàta. DC. (wh.) rayed.	C. B. S.	1787.	5. 6.	G. h.		Brong. brun. t. 2. f. 2.
2 glutinòsa. DC. (wh.) clammy.	————	1793.	4. 5.	G. h.		Lodd. bot. cab. 852.

3	nuda. Bro.	(wh.) naked.	C. B. S.	1821.	4. 5.	G. h.	
4	ciliata. Bro.	(wh.) fringed.	————	1812.	5. 7.	G. h.	
NEB'ELIA. Neck.		NEB'ELIA. Pentandria Digynia.					
1	paleacea. Bro.	(wh.) chaffy.	C. B. S.	1791.	6. 8.	G. h.	Wendl. coll. t. 21.
	<i>Berardia. Bro. non p.s.</i>	<i>Brunia paleacea. R.S.</i>					
2	affinis. Bro.	(wh.) related.	C. B. S.	1816.	—	G. h.	
	<i>Berardia affinis. Bro.</i>						
3	phylicoides. Bro.	(wh.) Phylica-leaved.	————	1822.	—	G. h.	
	<i>Berardia phylicoides. Bro.</i>	<i>Brunia phylicoides. Th.</i>					
LINC'ONIA. L.		LINC'ONIA. Pentandria Digynia.					
1	alopeuroidea. L.	(wh.) Fox-tail.	C. B. S.	1824.	6. 8.	G. h.	Swa. in. ber. m. 1810. t. 4.
2	thymifolia. DC.	(wh.) Thyme-leaved.	————	1825.	—	G. h.	———— p. 86. t. 4.
3	cuspidata. DC.	(wh.) cuspidate.	————	—	—	G. h.	———— 1811. p. 284. t. 7. f. 1.
AUDOUINIA. Bro.		AUDOUINIA. Pentandria Monogynia.					
	capitata. Bro.	(wh.) headed.	C. B. S.	1790.	4. 6.	G. h.	
	<i>Diosma capitata. DC.</i>						
TITTMANNIA. Bro.		TITTMANNIA. Pentandria Monogynia.					
	lateriflora. Bro.	(wh.) side-flowering.	C. B. S.	1812.	4. 6.	G. h.	Brong. brun. t. 4. f. 2.
THAMNEA. Bro.		THAMNEA. Pentandria Monogynia.					
	uniflora. Bro.	(wh.) one-flowered.	C. B. S.	1810.	4. 6.	G. h.	Brong. brun. t. 4. f. 3.

ORDO LXIII.

SAMYDEÆ. DC. prodr. 2. p. 47.

SAMYDA. DC.		SAMYDA. Decandria Monogynia. S.S.					
1	glabrata. DC.	(wh.) smooth.	Jamaica.	1818.	5. 8.	S. h.	
2	villosa. DC.	(wh.) villous.	————	—	—	S. h.	
3	decurrens. s.s.	(wh.) decurrent.	Brazil.	1822.	—	S. h.	
4	pubescens. s.s.	(wh.) pubescent.	W. Indies.	1793.	—	S. h.	
5	serrulata. DC.	(wh.) saw-leaved.	————	1723.	7. 8.	S. h.	Jacq. col. 2. t. 17. f. 1.
6	spinulosa. DC.	(wh.) spiny.	St. Thomas.	1826.	S. h.	Vent. choix. t. 43.
7	macrocarpa. DC.	(wh.) large-fruited.	Mexico.	—	S. h.	
8	rosea. B.M.	(ro.) rose-coloured.	W. Indies.	1793.	6. 7.	S. h.	Bot. mag. 550.
	<i>serrulata. A.R. 202. nec aliorum.</i>						
9	nitida. DC.	(wh.) glossy-leaved.	Jamaica.	—	—	S. h.	Br. jam. 217. t. 23. f. 3.
10	macrophylla. DC.	(gr.) large-leaved.	E. Indies.	1823.	S. h.	
CASEARIA. DC.		CASEARIA. Decandria Monogynia. S.S.					
1	glomerata. DC.	(wh.) cluster-flower'd.	E. Indies.	1824.	5. 7.	S. h.	
2	ovata. DC.	(gr.) oval-leaved.	————	—	—	S. h.	Rheed. mal. 4. t. 49.
3	ramiflora. DC.	(wh.) branch-flower'd.	Guiana.	—	—	S. h.	Aubl. guian. 1. t. 127.
4	nitida. DC.	(wh.) shining.	Carthagen.	—	—	S. h.	Act. helv. 8. p. 58. ic.
5	sylvestris. DC.	(wh.) wood.	Jamaica.	1823.	S. h.	
6	parviflora. DC.	(wh.) small-flowered.	W. Indies.	1818.	5. 7.	S. h.	Sloan. hist. 2. t. 211. f. 2.
7	serrulata. DC.	(wh.) serrulate.	————	—	—	S. h.	
8	glabra. H.B.	(wh.) smooth.	E. Indies.	1820.	—	S. h.	
9	hirsuta. DC.	(wh.) hairy.	W. Indies.	—	S. h.	
10	zizyphoides. K.S.	(wh.) Zizyphus-like.	Caracas.	1824.	S. h.	
11	arguta. K.S. sharp-toothed.	Mexico.	—	S. h.	

ORDO LXIV.

HOMALINEÆ. DC. prodr. 2. p. 53.

HOMALIUM. DC.		HOMALIUM. Polyadelphia Polyandria.					
	racemosum. DC.	(wh.) racemed.	W. Indies.	1818.	5. 7.	S. h.	Bot. reg. 519.
BLACKWELLIA. DC.		BLACKWELLIA. Dodecandria Pentagynia.					
1	paniculata. DC.	(wh.) panicled.	Bourbon.	1818.	5. 7.	S. h.	

2 glauca. DC.	(wh.) glaucous.	Mauritius.	1823.	S. h.	Vent. choix. t. 55.
3 nepalensis. DC.	(wh.) Nepaul.	Nepaul.	1824.	S. h.	
4 axillaris. DC.	(wh.) axillary-flower'd.	Madagascar.	1823.	S. h.	Lam. ill. t. 412. f. 1.
5 spiralis. DC.	(wh.) spiral.	Pegu.	1820.	S. h.	
6 fagifolia.	(wh.) Beech-leaved.	China.	1824.	5.	G. h.	
ASTRANTHUS. DC.	STAR-FLOWER.	Heptandria Tetragynia.				
cochinensis. (wh.)	Chinese.	China.	1821.	6. 7.	S. h.	Bot. mag. 2659.
ARISTOTELIA. DC.	ARISTOTELIA.	Dodecandria Monogynia.			L.	
Maqui. DC.	(wh.) shining-leaved.	Chile.	1773.	4. 5.	H. h.	Wats. dend. brit. t. 44.

ORDO LXV.

CHAILLETIACEÆ. DC. prodr. 2. p. 57.

CHAILLETIA. DC.	CHAILLETIA.	Pentandria Di-Trigynia.				
1 toxicaria. D.D.	(wh.) poisonous.	Sierra Leone.	1822.	S. h.	
2 erecta. D.D.	(wh.) upright.	—————	—————	S. h.	

ORDO LXVI.

AQUILARINEÆ. DC. prodr. 2. p. 59.

AQUILARIA. DC.	AQUILARIA.	Decandria Monogynia.				
Agallocha. H.B. Aloe-wood.	E. Indies.	1824.	S. h.	

ORDO LXVII.

CASSUVIÆ. R. Brown cong. p. 12.

ANACARDIUM. DC.	CASHEW-NUT.	Enneandria Monogynia.	L.			
1 occidentale. DC. (y.gr.)	common.	India.	1599.	S. h.	Catesb. car. 3. t. 9.
	<i>Cassarium pomiferum.</i>	Lam. ill. 3. t. 322.				
2 dubium. H.B.	(gr.) doubtful.	E. Indies.	1824.	S. h.	
SEMECARPUS. DC.	SEMECARPUS.	Pentandria Trigynia.	L.			
Anacardium. DC. (y.gr.)	common.	E. Indies.	1820.	S. h.	
α angustifolium. DC. (y.gr.)	long-leaved.	—————	—————	S. h.	Rumph. amb. 1. t. 70.
β cuneifolium. DC. (y.gr.)	wedge-leaved.	—————	—————	S. h.	
γ obtusiusculum. DC. (y.gr.)	broad-leaved.	—————	—————	S. h.	Roxb. corom. 1. t. 12.
MANGIFERA. DC.	MANGO-TREE.	Pentandria Monogynia.				
1 indica. DC.	(ye.) common.	E. Indies.	1690.	6. 9.	S. h.	Andr. rep. 425.
2 oppositifolia. F.I.	(ye.) opposite-leaved.	—————	1823.	S. h.	
BUCHANA'NIA. R.C.	BUCHANA'NIA.	Decandria Monogynia.				
1 latifolia. DC.	(wh.) broad-leaved.	E. Indies.	1820.	S. h.	
2 angustifolia. DC. (wh.)	narrow-leaved.	—————	—————	S. h.	Roxb. corom. 3. t. 262.
	<i>Mangifera axillaris.</i>	Lam. Cambessèdea. K.S.				
RHUS. R.S.	SUMA'CH.	Pentandria Trigynia.	L.			
1 Coriaria. R.S.	(gr.) Elm-leaved.	S. Europe.	1596.	7.	H. h.	Flor. græc. t. 290.
2 typhina. R.S.	(pu.) Virginian.	N. America.	1629.	7. 8.	H. h.	Wats. dend. t. 17. mas.
α arborescens. R.S. (pu.)	arborescent.	—————	—————	—————	H. h.	————— t. 18. fem.
β frutescens. R.S. (pu.)	frutescent.	—————	—————	—————	H. h.	

3	<i>javánica</i> . R.S.	(<i>wh.</i>) Java.	Java.	1799.	7. 9.	S. h.	
4	<i>semialàta</i> . R.S.	(<i>wh.</i>) Service-leaved.	Macao.	1780.	—	G. h.	Murr. com. got. vi. t. 1.
5	<i>viridiflòra</i> . R.S.	(<i>gr.</i>) green-flowered.	N. America.	7.	H. h.	
6	<i>glàbra</i> . R.S.	(<i>gr.</i>) smooth.	—	1726.	7. 9.	H. h.	Wats. dend. t. 15.
	<i>α hermaphrodíta</i> . DC.	(<i>gr.</i>) hermaphrodite.	—	—	—	H. h.	Dill. elt. t. 243.
	<i>β dioíca</i> . DC.	(<i>gr.</i>) dioecious.	—	—	—	H. h.	Lam. ill. t. 207. f. 1.
7	<i>élegans</i> . R.S.	(<i>sc.</i>) scarlet-flowered.	—	—	—	H. h.	Wats. dend. t. 16.
8	<i>Vérnix</i> . R.S.	(<i>gr.</i>) varnish.	—	1713.	—	H. h.	— t. 19.
9	<i>vernícifera</i> . DC.	(<i>gr.</i>) Chinese varnish.	China.	—	G. h.	Kæmp. amœn. t. 792.
	<i>Rhus Vernix</i> . Th.	non Ph.					
10	<i>A'mela</i> . D.P.	(<i>gr.</i>) large-leaved.	Nepaul.	1823.	G. h.	
11	<i>Wallíchii</i> .	(<i>gr.</i>) Wallich's.	—	—	G. h.	
	<i>juglandifòlia</i> . D.P.	non Kth.					
12	<i>fraxinifòlia</i> . D.P.	(<i>gr.</i>) Ash-leaved.	—	—	—	G. h.	
13	<i>acuminàta</i> . DC.	(<i>gr.</i>) pointed-leaved.	—	—	G. h.	
14	<i>succedànea</i> . R.S.	(<i>gr.</i>) red Lac.	China.	1768.	6.	G. h.	Kæmp. amœn. t. 795.
15	<i>juglandifòlia</i> . K.S.	(<i>gr.</i>) Walnut-leaved.	S. America.	1826.	G. h.	H. et B. n. ge. a. 7. t. 603-4.
16	<i>copallina</i> . R.S.	(<i>gr.</i>) Lentiscus-lea'd.	N. America.	1688.	8. 9.	H. h.	Jacq. schœn. 3. t. 311.
17	<i>alàta</i> . R.S.	(<i>gr.</i>) winged-leaved.	C. B. S.	1818.	G. h.	
18	<i>pauciflòra</i> . R.S.	(<i>gr.</i>) few-flowered.	—	—	G. h.	
19	<i>pùmila</i> . R.S.	(<i>gr.</i>) dwarf poisonous.	N. America.	1806.	7.	H. h.	
20	<i>digitàta</i> . R.S.	(<i>gr.</i>) fingered.	C. B. S.	1818.	G. h. ✓	
21	<i>oblíqua</i> . R.S.	(<i>gr.</i>) oblique-leaved.	—	—	G. h.	
22	<i>schinoídes</i> . R.S.	(<i>gr.</i>) Schinus-like.	Brazil.	1825.	S. h.	
23	<i>pentaphýlla</i> . R.S.	(<i>ye.</i>) various-leaved.	Barbary.	1816.	G. h.	Desf. atl. 1. t. 77.
24	<i>chinénsis</i> . Mill.	(<i>gr.</i>) Chinese.	China.	1740.	G. h.	
25	<i>rádicans</i> . DC.	(<i>wh.</i>) rooting poison-oak.	N. America.	1724.	6. 7.	H. h. ✓	Bot. mag. 1806.
26	<i>Toxicodéndron</i> . DC.	(<i>w.</i>) poison-oak.	—	1640.	—	H. h. ✓	Schkuhr. hand. 1. t. 82.
27	<i>cirrhiflòra</i> . R.S.	(<i>gr.</i>) tendril-flower'd.	C. B. S.	1825.	G. h. ✓	
28	<i>Thunbergiana</i> . R.S.	(<i>gr.</i>) Thunberg's.	—	1697.	7. 8.	G. h.	
29	<i>gláuca</i> . R.S.	(<i>gr.</i>) glaucous.	—	1818.	—	G. h.	
30	<i>tridentàta</i> . R.S.	(<i>gr.</i>) three-toothed.	—	—	G. h. ✓	
31	<i>crenàta</i> . R.S.	(<i>gr.</i>) crenated.	—	6. 7.	G. h.	
32	<i>dentàta</i> . R.S.	(<i>gr.</i>) rough-stalked.	—	1798.	—	G. h.	
33	<i>sinuàta</i> . R.S.	(<i>gr.</i>) sinuated.	—	1818.	—	G. h.	
34	<i>cuneifòlia</i> . R.S.	(<i>gr.</i>) wedge-leaved.	—	1816.	—	G. h.	
35	<i>dimidiàta</i> . R.S.	(<i>gr.</i>) variable-leaved.	—	—	—	G. h.	
36	<i>dissécta</i> . R.S.	(<i>gr.</i>) dissected-leaved.	—	—	—	G. h.	
37	<i>incísa</i> . R.S.	(<i>gr.</i>) cut-leaved.	—	1789.	—	G. h.	
38	<i>tomentòsa</i> . R.S.	(<i>gr.</i>) woolly-leaved.	—	1691.	—	G. h.	Comm. hort. ams. 1. t. 92.
39	<i>álbida</i> . R.S.	(<i>gr.</i>) white-barked.	Barbary.	1824.	F. h.	
40	<i>villòsa</i> . R.S.	(<i>gr.</i>) villous-leaved.	C. B. S.	1714.	7.	G. h.	Pluk. alm. t. 219. f. 8.
41	<i>spicàta</i> . R.S.	(<i>gr.</i>) spiked.	—	1816.	—	G. h.	
42	<i>pubéscens</i> . R.S.	(<i>gr.</i>) pubescent.	—	—	—	G. h.	
43	<i>atomària</i> . DC.	(<i>gr.</i>) velvety.	—	1820.	6. 8.	G. h.	Jacq. schœnb. 3. t. 343.
44	<i>parviflòra</i> . DC.	(<i>gr.</i>) small-flowered.	Nepaul.	1824.	G. h.	
45	<i>mucronàta</i> . R.S.	(<i>gr.</i>) mucronate.	C. B. S.	1825.	G. h.	
46	<i>viminàlis</i> . R.S.	(<i>gr.</i>) Willow-leaved.	—	1774.	6. 7.	G. h.	Jacq. schœn. 3. t. 344.
47	<i>eròsa</i> . R.S.	(<i>gr.</i>) erose-leaved.	—	1816.	—	G. h.	
48	<i>lancea</i> . R.S.	(<i>gr.</i>) lance-leaved.	—	—	—	G. h.	
49	<i>angustifòlia</i> . R.S.	(<i>wh.</i>) narrow-leaved.	—	1714.	—	G. h.	Pluk. alm. t. 219. f. 6.
50	<i>rosmarinifòlia</i> . R.S.	(<i>gr.</i>) Rosemary-leaved.	—	1800.	—	G. h.	Burm. afr. t. 91. f. 1.
51	<i>undulàta</i> . R.S.	(<i>gr.</i>) wave-leaved.	—	1818.	—	G. h.	Jacq. schœn. 3. t. 346.
52	<i>lævigàta</i> . R.S.	(<i>gr.</i>) polished-leaved.	—	1758.	—	G. h.	— 3. t. 345.
	<i>elongàta</i> . Jacq.						
53	<i>ellíptica</i> . R.S.	(<i>gr.</i>) elliptic-leaved.	—	1816.	—	G. h.	
54	<i>pendulina</i> . R.S.	(<i>gr.</i>) pendulous.	—	—	—	G. h.	
55	<i>lúcida</i> . DC.	(<i>gr.</i>) shining-leaved.	—	1697.	7. 8.	G. h.	Comm. hort. 1. t. 93.
56	<i>Cavanillésii</i> . DC.	(<i>wh.</i>) Cavanilles'.	Mexico.	—	G. h.	Cavan. ic. 2. t. 132.
	<i>lucidum</i> . C.I. non DC.						
57	<i>Burmánni</i> . DC.	(<i>gr.</i>) Burman's.	C. B. S.	1697.	7. 8.	G. h.	Burm. afr. t. 91. f. 2.
	<i>lucidum</i> . a. H.K.						
58	<i>concinna</i> . B.T.	(<i>gr.</i>) pretty.	—	1816.	—	G. h.	
59	<i>nervòsa</i> . R.S.	(<i>gr.</i>) nerved-leaved.	—	—	G. h.	
60	<i>pyróides</i> . B.T.	(<i>gr.</i>) Pyrus-like.	—	1816.	—	G. h.	
61	<i>rígida</i> . DC.	(<i>gr.</i>) rigid.	—	—	G. h.	
62	<i>tridáctylis</i> . B.T.	(<i>gr.</i>) three-fingered.	—	1816.	G. h.	
63	<i>serræfòlia</i> . B.T.	(<i>gr.</i>) saw-leaved	—	—	—	G. h.	
64	<i>dioíca</i> . DC.	(<i>ye.</i>) dioecious.	Mogador	1823.	—	F. h.	
	<i>oxyacanthoides</i> . P.S.						

65	oxyacantha. DC.	(ye.) Hawthorn-like.	Magador.	1823.	F. h.	
66	lobata. DC.	(gr.) lobed-leaved.	Teneriffe.	1824.	F. h.	
67	heterophylla. DC.	(gr.) various-leaved.	1816.	6. 8.	F. h.	
68	ziziphina. R.S.	(gr.) Zizyphus-like.	Sicily.	—	G. h.	
69	Cotinus. R.S.	(gr.) Venice.	S. Europe.	1656.	6. 7.	H. h.	Jacq. aust. 3. t. 210.
LOBADIUM. Raf.		LOBADIUM. Pentandria Trigynia.					
1	aromaticum.	(gr.) aromatic.	N. America.	1772.	5.	H. h.	Turp. ann. mus. 5. t. 30.
	<i>Rhus aromatica.</i>	R.S. <i>Schmaltzia aromatica.</i>	Desv.				
2	suaveolens.	(gr.) sweet.	N. America.	1759.	—	H. h.	
	<i>Schmaltzia suaveolens.</i>	Desv. <i>Rhus suaveolens.</i>	R.S.				

ORDO LXVIII.

TEREBINTHACEÆ. *Brown.*

PISTACIA. DC.		PISTACHIA-TREE. Diœcia Pentandria. L.					
1	vera. DC.	(st.) true.	Levant.	1570.	4. 5	H. h.	Duham. ed. nov. 4. t. 17.
	Mas. P. trifolia. W.	(st.) male-flowered.	—	—	—	H. h.	Bocc. mus. t. 93.
	Fem. P. vera. W.	(gr.) female.	—	—	—	H. h.	Rauw. it. 72. t. 9.
2	reticulata. W.	(st.) netted-leaved.	—	1752.	—	H. h.	
3	Terebinthus. DC.	(st.) turpentine-tree.	S. Europe.	1656.	6. 7.	H. h.	Duham. arb. v. 2. t. 87.
	β sphaerocarpa. DC.	(st.) round-fruited.	Levant.	—	—	H. h.	J. Bauh. hist. 1. p. 278. ic.
4	atlantica. DC.	(st.) Atlantic.	Barbary.	1790.	G. h.	
5	mexicana. DC.	(st.) Mexican.	Mexico.	1825.	G. h.	H. et B. n. ge. am. 7. t. 608.
6	fagaroides. DC.	(st.) Fagara-like.	—	G. h.	
7	Lentiscus. DC.	(st.) Mastick-tree.	S. Europe.	1664.	5. 6.	H. h.	Bot. mag. 1967.
	β massiliensis. Mill.	(st.) narrow-leaved.	—	—	—	H. h.	
ASTRONIUM. DC.		ASTRONIUM. Diœcia Pentandria.					
	graveolens. DC.	(re.) strong-scented.	S. America.	1826.	S. h.	Jacq. amer. t. 181. f. 96.
COMOCLA'DIA. DC.		MAIDEN-PLUM. Triandria Monogynia. L.					
1	ilicifolia. DC.	(pu.) Holly-leaved.	Caribees.	1789.	7. 9.	S. h.	Lam. ill. t. 27. f. 2.
2	dentata. DC.	(pu.) tooth-leaved.	W. Indies.	1790.	—	S. h.	Jacq. amer. t. 173. f. 4.
3	propinqua. DC.	(pu.) related.	Cuba.	1826.	—	S. h.	
4	integrifolia. DC.	(pu.) entire-leaved.	Jamaica.	1778.	—	S. h.	Sloan. his. 2. t. 222. f. 1.
PICRAMNIA. DC.		PICRAMNIA. Diœcia Pentandria. L.					
1	Antidesma. DC.	(st.) Ash-leaved.	Jamaica.	1793.	6. 8.	S. h.	Sloan. his. 2. t. 208. f. 2.
2	pentandra. DC.	(st.) pentandrous.	W. Indies.	1822.	—	S. h.	
SCHINUS. DC.		SCHINUS. Diœcia Decandria. L.					
1	Molle. DC.	(wh.) Mastick-tree.	Peru.	1597.	7. 8.	G. h.	Mill. ic. 2. t. 246.
2	terebinthifolius. DC.	(w.) Terebinthus-ld.	Brazil.	1822.	S. h.	
DUVA'UA. DC.		DUVA'UA. Monœcia Octandria.					
1	dependens. DC.	(wh.) simple-leaved.	Chile.	1790.	6. 7.	H. h.	Cavan. ic. 3. t. 239.
	<i>Am'gris polygama.</i>	S.S. <i>Schinus dependens.</i>	H.K.				
2?	dentata. DC.	(wh.) tooth-leaved.	Owhyhee.	1795.	5. 7.	G. h.	Andr. rep. 620.
	<i>Schinus dentata.</i>	A.R.					
MA'URIA. K.S.		MA'URIA. Octo-Decandria Monogynia.					
1	simplicifolia. K.S.	(bh.) simple-leaved.	Peru.	1822.	G. h.	H. et B. n. gen. a. 7. t. 695.
2	heterophylla. K.S.	(bh.) various-leaved.	—	—	G. h.	— 7. t. 606.

ORDO LXIX.

AMYRIDEÆ. *Kth. gen. tereb. p. 21.*

AMYRIS. W.		AMYRIS. Octandria Monogynia. L.					
1	maritima. DC.	(wh.) sea-side.	Jamaica.	1824.	6. 7.	S. h.	
2	floridana. DC.	(wh.) Florida.	Florida.	1826.	—	G. h.	
3	brasiliensis. S.S.	(wh.) Brazilian.	Brazil.	1822.	—	S. h.	

4	<i>sylvatica</i> . DC.	(wh.) wood.	Carthagera.	1793.	6. 7.	S. h.	Jacq. amer. pict. t. 155.
5	<i>Plumiéri</i> . DC.	(wh.) Plumier's.	Antilles.	—	S. h.	Plum. ed. Burm. t. 100.
6	<i>toxífera</i> . DC.	(wh.) poisonous.	W. Indies.	1800.	—	S. h.	Catesb. car. 1. t. 40.
	<i>balsamífera</i> . L.						
7	<i>pinnàta</i> . DC.	(wh.) pinnate.	S. America.	1824.	—	S. h.	H. et B. n.gen. 7.t.610.
8	<i>Agallòcha</i> . H.B.	(wh.) hill.	E. Indies.	1820.	S. h.	
9	<i>acuminàta</i> . H.B.	(wh.) acuminate.	—	1822.	S. h.	
10	<i>heptaphy'lla</i> . H.B.	(wh.) seven-leaved.	—	—	S. h.	
11	<i>nàna</i> . H.B.	(wh.) dwarf.	—	1821.	S. h.	
12	<i>punctàta</i> . H.B.	(wh.) dotted.	—	1818.	S. h.	

ORDO LXX.

SPONDIACEÆ. *Kth. gen. tereb. p. 30.*

SPO'NDIAS. DC.		HOG-PLUM. Decandria Pentagynia. L.					
1	<i>Mómbin</i> . L.	(re.) purple-fruited.	W. Indies.	1817.	6. 8.	S. h.	Jacq. amer. t. 88.
	<i>purpùrea</i> . DC.	<i>Myrobálanus</i> . Jacq. non L.					
2	<i>Myrobálanus</i> . L.	(wh.) yellow-fruited.	W. Indies.	1739.	—	S. h.	Sloan. hist. t. 219. f. 1. 2.
	<i>lùtea</i> . DC.	<i>Mómbin</i> . Jacq. non L.					
3	<i>mangífera</i> . DC. Mango-bearing.	E. Indies.	1818.	S. h.	
	<i>Mangífera pinnàta</i> . L.						
4	<i>dúlcis</i> . DC. Otaheite-apple.	Society Isles.	1793.	6. 8.	S. h.	Sonn. it. 2. t. 123.
5	<i>axillàris</i> . H.B. axillary.	Nepaul.	1824.	S. h.	
6	<i>acuminàta</i> . H.B. taper-pointed.	Malabar.	—	S. h.	
POUPA'RTIA. DC.		POUPA'RTIA. Decandria Pentagynia.					
	<i>borbònica</i> . DC.	(pu.) Bourbon.	Bourbon.	1821.	S. h.	

ORDO LXXI.

BURSERACEÆ. *Kth. gen. tereb. p. 14.*

BOSWE'LLIA. DC.		BOSWE'LLIA. Decandria Monogynia.					
1	<i>glábra</i> . DC.	(wh.) smooth.	Coromandel.	1824.	S. h.	Roxb. corom. 3. t. 207.
2	<i>hirsùta</i> . DC.	(wh.) hairy.	Amboyna.	—	S. h.	Rumph. amb. 2. t. 51.
3	<i>serràta</i> . DC.	(wh.) Olibanum-tree.	E. Indies.	1816.	S. h.	Asiat. res. 9. p. 377. ic.
ELA'PHRIUM. K.S.		ELA'PHRIUM. Octandria Monogynia.					
1	<i>glábrum</i> .	(st.) smooth.	Carthagera.	1818.	S. h.	Jacq. amer. t. 71. f. 4.
	<i>Fagàra Eláphrium</i> . W.						
2	<i>copalliferum</i> . DC.	(st.) pubescent.	Mexico.	1824.	S. h.	Hern. mex. 45. f. 1.
BALSAMODE'NDRON. DC.		BALSAM-TREE. Octandria Monogynia.					
	<i>gileadense</i> . DC.	(gr.) blunt-leaved.	Arabia.	1827.	S. h.	Vahl. symb. 1. t. 11.
BURS'ERA. DC.		BURS'ERA. Polygamia Diœcia. L.					
1	<i>gummífera</i> . DC.	(wh.) Jamaica Birch.	W. Indies.	1690.	S. h.	Jacq. amer. t. 65.
2	<i>serràta</i> . Rox.	(wh.) saw-leaved.	E. Indies.	1818.	S. h.	
3	<i>simplicifòlia</i> . DC.	(wh.) simple-leaved.	Jamaica.	1824.	S. h.	
COLOPH'ONIA. DC.		COLOPH'ONIA. Hexandria Monogynia.					
	<i>mauritiana</i> . DC.	(pu.) paniced.	Mauritius.	1826.	S. h.	
CAN'ARIUM. DC.		CAN'ARIUM. Diœcia Hexandria.					
1	<i>commùne</i> . DC.	(wh.) common.	Moluccas.	1821.	S. h.	Rumph. amb. 2. t. 47.
2	<i>microcárpum</i> . DC.	(w.) small-fruited.	—	1826.	S. h.	— 2. t. 54.
3	<i>Pimèla</i> . DC.	(wh.) Chinese.	China.	1823.	S. h.	Ann. bot. 1. t. 7. f. 2.
GAR'UGA. DC.		GAR'UGA. Decandria Monogynia.					
1	<i>pinnàta</i> . DC.	(ye.) winged-leaved.	E. Indies.	1808.	S. h.	Roxb. cor. 3. t. 208.
2	<i>madagascariensis</i> . DC.	(ye.) Madagascar.	Madagascar.	1824.	S. h.	

ORDO LXXII.

PTELEACEÆ. *Kth. gen. tereb. p. 22.*

PTELEA. DC.	SHRUBBY TREFOIL. Tetrandria Monogynia. L.				
trifoliata. DC. (wh.)	three-leaved. N. America. 1704.	6. 7.	H. h.		Schmidt arb. 2. t. 76.
TODD'ALIA. DC.	TODD'ALIA. Pentandria Monogynia. L.				
1 aculeata. DC. (wh.)	prickly. E. Indies. 1790.	6. 8.	S. h.		Rheed. mal. 5. t. 41.
asiatica. R.S. Scopolia aculeata. w.					
2 paniculata. DC. (wh.)	panicled. Mauritius. 1824.	S. h.		Lam. ill. t. 139. f. 2.
inermis. P.S. Scopolia paniculata. s.s.					
CNE'ORUM. DC.	WIDOW-WAIL. Triandria Monogynia. L.				
1 tricoccum. DC. (ye.)	smooth. S. Europe. 1793.	4. 9.	F. h.		Lam. ill. t. 27.
2 pulverulentum. DC. (y.)	powdered. Teneriffe. 1820.	—	F. h.		Vent. cels. t. 77.
SPATH'ELIA. DC.	SPATH'ELIA. Pentandria Trigynia. L.				
simplèx. DC. (re.)	Sumach-leaved. Jamaica. 1778.	4. 6.	S. h.		Bot. reg. 670.

ORDO LXXIII.

CONNARACEÆ. *R. Brown cong. p. 12.*

CO'NNARUS. L.	CO'NNARUS. Monadelphia Decandria.				
1 paniculatus. H.B. (wh.)	panicled. Chittagong. 1824.	S. h.		
2 nitidus. H.B. (wh.)	glossy. Silhet. —	S. h.		
ROUREA. Aub.	ROUREA. Monadelphia Decandria.				
frutescens. Aub. (wh.)	pubescent. Guiana. 1820.	S. h.		Aub. gui. 1. t. 187.
OMPHAL'OBIMUM. DC.	OMPHAL'OBIMUM. Monadelphia Decandria.				
1 indicum. DC. (wh.)	Indian. E. Indies.	S. h.		Gært. fruct. 1. t. 46.
2 africanum. DC. (wh.)	African. Sierra Leon. 1822.	S. h.		Cav. dis. 7. t. 221.
EURYC'OMA. DC.	EURYC'OMA. Pentandria Monogynia.				
longifolia. DC. (pu.)	long-leaved. E. Indies. 1826.	S. h.		
CNE'STIS. DC.	CNE'STIS. Decandria Monogynia.				
1 glabra. DC. (pu.)	smooth. Mauritius. 1824.	S. h.		Lam. ill. t. 387. f. 1.
2 polyphylla. DC. (pu.)	many-leaved. Madagascar. —	S. h.		———— t. 387. f. 2.
3 monadelpa. DC.	monadelphous. E. Indies. 1826.	S. h.		
BRUNE'LLIA. DC.	BRUNE'LLIA. Dodecandria Monogynia.				
inermis. DC.	various-leaved. Peru. 1823.	S. h.		
BRUCEA. DC.	BRUCEA. Diœcia Tetrandria.				
1 ferruginea. w. (st.)	ferruginous. Abyssinia. 1775.	4. 5.	S. h.		Bruce's tr. 5. p. 69. ic.
antidysenterica. DC.					
2 gracilis. DC. (st.)	slender. E. Indies.	S. h.		
3 sumatrana. DC. (pu.)	Sumatra. Sumatra. 1822.	4. 6.	S. h.		
TETRA'DIUM. DC.	TETRA'DIUM. Tetrandria Monogynia.				
trichotomum. DC.	trichotomous. China. 1822.	S. h.		
Brucea trichotoma. s.s.					
AILA'NTHUS. DC.	AILA'NTHUS. Polygamia Monœcia.				
1 glandulosa. DC. (st.)	Chinese. China. 1751.	8.	H. 5.		Wats. dend. brit. t. 104.
2 excelsa. DC. (st.)	Indian. E. Indies. 1800.	S. 5.		Roxb. corom. 1. t. 23.

ORDO LXXIV.

LEGUMINOSÆ. DC. *prodr.* 2. p. 93.

Subordo I. PAPILIONACEÆ. DC. l. c. p. 94.

Tribus I. SOPHOREÆ. DC. l. c. p. 94.

MYROSPE'RMUM. K.S. BALSAM-SEED. Decandria Monogynia.

frutescens. K.S. (*bh.*) shrubby. Caracas. 1824. S. h. H. et B. n. g. 6. t. 570-71.

MYROXYLUM. K.S. BALSAM-WOOD. Decandria Monogynia.

1 pubescens. K.S. (*wh.*) pubescent. Carthagena. 1820. S. h. Lamb. cinch. 92. t. 1.2 peruiferum. K.S. (*wh.*) Balsam of Peru. Peru. 1824. S. h. Lam. ill. t. 341. f. 1.3 toluiferum. K.S. (*wh.*) Balsam of Tolu. S. America. S. h. Woodv. m. bot. 3. t. 193.

S'OPHORA. DC. S'OPHORA. Decandria Monogynia. L.

1 japónica. DC. (*wh.*) Japanese. Japan. 1753. 8. 9. H. 5. Andr. reposit. 585. β pendula. L.C. (*wh.*) pendulous. H. 5. γ variegata. L.C. (*wh.*) striped-leaved. H. 5.2 chinénsis. L.C. (*wh.*) Chinese. China. H. 5.3 gláuca. DC. (*pu.*) glaucous. E. Indies. 1818. S. h.4 tomentosa. DC. (*ye.*) downy. 1690. S. h. Lam. ill. t. 325. f. 2.5 occidentális. W. (*ye.*) West Indian. W. Indies. S. h. Trew. ehr. t. 59.6 crassifolia. DC. (*ye.*) thick-leaved. Senegal. 1824. S. h.7 secundiflora. DC. (*bl.*) side-flowering. New Spain. 1818. G. h. Cavan. ic. 5. t. 401.*Virgilia secundiflora*. C.I. *Broussonetia secundiflora*. Ort. dec. 5. t. 7.8 macrocarpa. DC. (*ye.*) large-podded. Chile. 1822. 4. 5. F. h. Lodd. bot. cab. 1125.9 littoralis. DC. (*ye.*) sea-side. Brazil. 1824. S. h. Pluk. alm. t. 104. f. 3.

10 robusta. H.B. robust. Silhet. 1820. S. h.

11 velutina. B.R. velvety. Nepaul. 1824. 6. 7. G. h. Bot. reg. 1185.

12 flavescens. DC. (*ye.*) pale-yellow. Siberia. 1785. 5. 7. H. 4.

PSEUDOS'OPHORA. PSEUDOS'OPHORA. Diadelphia Decandria.

1 alopecuroides. DC. (*wh.*) Fox-tail. Levant. 1731. 7. 8. H. 4. Dill. elth. f. 136.2 sericea. N. (*wh.*) silky. Missouri. 1811. 6. 7. H. 4.*Astragalus carnosus*. Ph.

EDWA'RDSIA. DC. EDWA'RDSIA. Decandria Monogynia.

1 grandiflora. DC. (*ye.*) large-flowered. N. Zealand. 1772. 3. 6. F. h. Bot. mag. 167.*Sophora tetraptera*. B.M.2 chrysophylla. DC. (*ye.*) golden-leaved. F. h. Bot. reg. 738.3 microphylla. DC. (*ye.*) small-leaved. 1772. F. h. Bot. mag. 1442.4 minima. L.C. (*ye.*) smallest. 1816. F. h.

ORM'OSIA. DC. ORM'OSIA. Decandria Monogynia.

1 dasycarpa. DC. (*pu.*) smooth-leaved. W. Indies. 1793. 6. 7. S. h. Linn. trans. 10. t. 26.*Sophora monosperma*. Swartz.2 coccinea. DC. (*pu.*) scarlet-seeded. Guiana. 1826. S. h. Linn. trans. 10. t. 25.

VIRG'ILIA. DC. VIRG'ILIA. Decandria Monogynia.

1 capensis. DC. (*bh.*) Cape. C. B. S. 1767. 7. 8. G. h. Bot. mag. 1590.2 intrusa. H.K. (*ye.*) small-flowered. 1790. 5. 8. G. h. t. 2617.*Sophora sylvatica*. Burchell.3 aurea. DC. (*ye.*) golden. Abyssinia. 1777. 7. G. h. L'Herit. st. nov. 1. t. 75.4 lutea. DC. (*ye.*) American. N. America. 1812. 6. 7. G. h. Mich. fil. arb. 3. t. 3.

MACROTR'OPIS. DC. MACROTR'OPIS. Decandria Monogynia.

1 foetida. DC. (*wh.*) strong-scented. China. 1822. 4. 5. F. h.2 inodora. DC. (*wh.*) scentless. 1824. F. h.

ANAG'YRIS. DC. BEAN TREFOIL. Decandria Monogynia. L.

1 foetida. DC. (*ye.*) strong-scented. Spain. 1570. 4. 5. F. h. Lodd. bot. cab. t. 740. β glauca. DC. (*ye.*) glaucous-leaved. S. Europe. 1824. F. h.2 latifolia. DC. (*ye.*) broad-leaved. Teneriffe. 1815. F. h.

PIPTA'NTHUS. B.F.G. PIPTA'NTHUS. Decandria Monogynia.

nepalensis. B.F.G. (*ye.*) Laburnum ld. Nepaul. 1819. 5. 6. H. h. Swt. br. fl. gar. 264.*Thermopsis napaulensis*. DC. *laburnifolia*. D.P. *Baptisia nepalensis*. Hook. ex. flor. 131.

THERMO'PSIS. DC. THERMO'PSIS. Decandria Monogynia.						
1	rhombifolia. DC. (ye.) rhomb-leaved. Louisiana. 1811. 6. 7. H. 4. <i>Cytisus rhombifolius</i> . Ph.					
2	fabacea. DC. (ye.) Bean-leaved. Kamtschatka. 1824. — H. 4.					Pall. astr. t. 90. f. 2.
3	lanceolata. DC. (ye.) spear-leaved. Siberia. 1776. — H. 4.					Bot. mag. 1389.
	<i>Sophora lupinoides</i> . Pall. astr. t. 89. <i>Podalyria lupinoides</i> . B.M.					
4	corgonensis. DC. (ye.) alpine. Altay. 1824. — H. 4.					Pall. astr. t. 90. f. 1.
	<i>Sophora alpina</i> . Pall. <i>Podalyria alpina</i> . W. enum.					
BAPTISIA. DC. BAPTISIA. Decandria Monogynia.						
1	perfoliata. DC. (ye.) perfoliate. Carolina. 1732. 8. F. 4.					Lodd. bot. cab. 1104.
	<i>Crotalaria perfoliata</i> . L. <i>Rafnia perfoliata</i> . W.					
2	exaltata. B.F.G. (bl.) tall upright. N. America. 1812. 6. 7. H. 4.					Swt. br. fl. gar. 97.
3	auriculata. (bl.) eared. — — — — — H. 4.					
4	australis. DC. (bl.) common. — — — — — H. 4.					Bot. mag. 509.
	<i>Sophora australis</i> . B.M. <i>Podalyria australis</i> . Vent. cels. t. 56.					
5	confusa. (bl.) persistent-bract'd. N. America. 1812. — H. 4.					
6	villosa. DC. (st.) villous. — — — — — H. 4.					
7	versicolor. B.C. (va.) various-colour'd. — — — — — H. 4.					Lodd. bot. cab. 1144.
8	alba. DC. (wh.) white-flowered. — — — — — H. 4.					Bot. mag. 1177.
9	tinctoria. DC. (ye.) dyer's. — — — — — H. 4.					— t. 1099.
	<i>Sophora tinctoria</i> . L. <i>Podalyria tinctoria</i> . B.M.					
CYCLOPIA. DC. CYCLOPIA. Decandria Monogynia.						
1	genistoides. DC. (ye.) Genista like. C. B. S. 1787. 7. 8. G. h.					Bot. mag. 1259.
	<i>Ibbetsonia genistoides</i> . B.M. <i>Gompholobium maculatum</i> . A.R. 427.					
2	galioides DC. (ye.) Galium-like. C. B. S. 1818. 7. 8. G. h.					Pluk. alm. t. 413. f. 4.
3	latifolia. DC. (ye.) broad-leaved. — — — — — G. h.					
PODALY'RIA. DC. PODALY'RIA. Decandria Monogynia.						
1	Burchellii. DC. (pu.) Burchell's. C. B. S. 1818. 5. 7. G. h.					
2	hirsuta. DC. (pu.) hairy. — — — — — G. h.					
3	cuneifolia. DC. (wh.) wedge-leaved. — — — — — G. h.					Vent. cels. t. 99.
4	oleafolia. P.L. (pu.) Olive-leaved. — — — — — G. h.					Sal. par. lond. 114.
5	sericea. DC. (pu) silky. — — — — — G. h.					Bot. mag. 1923.
6	myrtillifolia. DC. (pu.) Myrtle-leaved. — — — — — G. h.					
7	buxifolia. DC. (pu.) Box-leaved. — — — — — G. h.					Bot. reg. 869.
8	styracifolia. DC. (pu.) Storax-leaved. — — — — — G. h.					Bot. mag. 1580.
9	calyptrata. W. (pu.) one-flowered. — — — — — G. h.					
10	coruscans. Rech. (pu.) glittering. — — — — — G. h.					
11	glauca. DC. (pu.) glaucous-leaved. — — — — — G. h.					Lam. ill. t. 327. f. 4.
12	argentea. DC. (li.) silvery-leaved. — — — — — G. h.					Sal. par. lond. t. 7.
	<i>biflora</i> . Bot. mag. t. 753.					
13	liparioides. DC. (li.) Liparia-like. — — — — — G. h.					
14	subbiflora. DC. (pu.) netted-leaved. — — — — — G. h.					
15	cordata. DC. (pu.) heart-leaved. — — — — — G. h.					
CHORIZEMA. DC. CHORIZEMA. Decandria Monogynia.						
1	ilicifolia. DC. (sc.) Holly-leaved. N. Holland. 1803. 3. 10. G. h.					Labill. voy. 1. t. 21.
2	nana. DC. (sc.) dwarf prickly. — — — — — G. h.					Bot. mag. 1032.
3	rhombea. DC. (sc.) various-leaved. — — — — — G. h.					Swt. flor. aust. t. 40.
4	Henchmanni. B.R. (sc.) Henchmann's. — — — — — G. h.					Bot. reg. 986.
5	platylobioides. DC. (ye.) Platylobium-like. — — — — — G. h.					
PODOL'OBIMUM. DC. PODOL'OBIMUM. Decandria Monogynia.						
1	trilobatum. DC. (ye.) three-lobed. N. S. W. 1791. 4. 7. G. h.					Bot. mag. 1477.
	<i>Chorozema trilobatum</i> . L.T. <i>Pultenæa ilicifolia</i> A.R. 320.					
2	staurophyllum. DC. (y.) spiny-leaved. N. S. W. 1821. 3. 5. G. h.					Bot. reg. 959.
3	scandens. DC. (ye.) climbing. — — — — — G. h.					
	<i>Chorozema scandens</i> . L.T.					
OXYLOBIUM. DC. OXYLOBIUM. Decandria Monogynia.						
1	obtusifolium. S.F.A. (sc.) blunt-leaved. N. Holland. 1825. 4. 6. G. h.					Swt. flor. aust. t. 5.
2	arborescens. DC. (ye.) arborescent. V. Diem. Isl. 1805. 5. 9. G. h.					Bot. reg. 392.
3	retusum. B.R. (or.) retuse-leaved. N. Holland. 1822. 4. 6. G. h.					— t. 913.
4	ellipticum. DC. (ye.) elliptic-leaved. V. Diem. Isl. 1805. 5. 9. G. h.					Lab. nov. hol. 1. t. 135.
5	cordifolium. DC. (sc.) heart-leaved. N. S. W. 1807. 4. 9. G. h.					Andr. rep. 492.
6	spinosum. DC. (ye.) spiny. N. Holland. 1823. 5. 8. G. h.					
7	Pultenæa. DC. (ye.) wood. N. S. W. — — — — — G. h.					
CALLISTACHYS. DC. CALLISTACHYS. Decandria Monogynia.						
1	lanceolata. DC. (ye.) spear-leaved. N. Holland. 1815. 5. 8. G. h.					Bot. reg. 216.
2	ovata. DC. (ye.) oval-leaved. — — — — — G. h.					Bot. mag. 1925.
BRACHYS'EMA. DC. BRACHYS'EMA. Decandria Monogynia.						
1	latifolium. DC. (sc.) broad-leaved. N. Holland. 1803. 4. 7. G. h.					Bot. reg. 118.
2	undulatum. DC. (ye.) wave-leaved. — — — — — G. h.					— t. 642.

GOMPHOL'OBIIUM, DC. GOMPHOL'OBIIUM, Decandria Monogynia.

1	barbígerum, DC.	(ye.)	bearded-flow'd.	N. S. W.	1824.	5. 8.	G. ♀.	
2	grandiflòrum, DC.	(ye.)	large-flowered.	————	1803.	3. 9.	G. ♀.	Bot. reg. 484.
3	virgàtum, DC.	(ye.)	twiggy.	————	1824.	5. 8.	G. ♀.	
4	latifòlium, DC.	(ye.)	broad-leaved.	————	1803.	3. 9.	G. ♀.	Labill. nov. hol. t. 133.
	<i>fimbriàtum</i> , Sm. ex. bot. t. 58. <i>psoraleæfòlium</i> , Sal. par. lond. t. 6.							
5	glaucéscens, F.T.	(ye.)	glaucous.	N. S. W.	1821.	4. 6.	G. ♀.	
6	marginàtum, DC.	(ye.)	small-flower'd.	N. Holland.	1803.	3. 9.	G. ♀.	
7	pedunculàre, DC.	(ye.)	long-stalk'd.	N. S. W.	1825.	4. 7.	G. ♀.	
8	tetrathecoídes, DC.	(ye.)	Tetratheca-like.	————	————	————	G. ♀.	
9	polymórphum, DC.	(sc.)	variable.	N. Holland.	1803.	3. 8.	G. ♀.	Bot. mag. 1533.
10	tomentòsum, DC.	(ye.)	tomentose.	————	————	4. 7.	G. ♀.	Labill. nov. hol. t. 134.
11	glábratum, DC.	(ye.)	smooth.	————	1824.	————	G. ♀.	
12	venústum, DC.	(pu.)	purple-flowered.	————	1803.	————	G. ♀.	
13	pinnàtum, DC.	(ye.)	wing-leaved.	N. S. W.	1822.	5. 6.	G. ♂.	

BURTONIA, DC. BURTONIA, Decandria Monogynia.

1	scábra, DC.	(pu.)	rough-leaved.	N. Holland.	1803.	5. 7.	G. ♀.	
2	mínor, DC.	(ye.)	hairy-stalked.	N. S. W.	1812.	3. 8.	G. ♀.	
3	sessilifòlia, DC.	(ye.)	sessile-leaved.	————	1825.	————	G. ♀.	

JACKSONIA, DC. JACKSONIA, Decandria Monogynia.

1	scopària, DC.	(ye.)	Broom-like.	N. S. W.	1803.	6. 8.	G. ♀.	Lodd. bot. cab. 427.
2	spinòsa, DC.	(ye.)	spiny.	N. Holland.	————	4. 9.	G. ♀.	Labill. nov. hol. t. 136.
3	hórrida, DC.	(ye.)	horrid.	————	1825.	————	G. ♀.	
4	furcellàta, DC.	(ye.)	forked.	N. S. W.	1822.	4. 6.	G. ♀.	Bonpl. nav. t. 11.
5	reticulata, DC.	(ye.)	netted.	————	————	————	G. ♀.	

Davièsia reticulàta, L.T.**VIMIN'ARIA, DC. VIMIN'ARIA, Decandria Monogynia.**

	denudàta, DC.	(ye.)	half-naked.	N. S. W.	1789.	6. 9.	G. ♀.	Bot. mag. 1190.
--	---------------	-------	-------------	----------	-------	-------	-------	-----------------

SPHÆROL'OBIIUM, DC. SPHÆROL'OBIIUM, Decandria Monogynia.

1	vimíneum, DC.	(ye.)	yellow-flower'd.	N. S. W.	1802.	5. 8.	G. ♀.	Bot. mag. 969.
2	mèdium, DC.	(re.)	red-flowered.	N. Holland.	1803.	6. 8.	G. ♀.	

A'OTUS, DC. A'OTUS, Decandria Monogynia.

1	villòsa, DC.	(ye.)	villous.	V. Diem. Isl.	1790.	4. 6.	G. ♀.	Bot. mag. 949.
2	virgàta, DC.	(ye.)	slender.	N. Holland.	1820.	4. 8.	G. ♀.	

DILLW'YNIA, DC. DILLW'YNIA, Decandria Monogynia.

1	floribúnda, DC.	(ye.)	close-flowered.	N. S. W.	1794.	4. 7.	G. ♀.	Sm. exot. bot. t. 26.
	<i>ericifòlia</i> , Bot. mag. 1545. <i>nec aliorum</i> .							

2	ericifòlia, DC.	(ye.)	Heath-leaved.	————	————	3. 7.	G. ♀.	———— t. 25.
3	juniperìna, B.C.	(ye.)	Juniper-leaved.	————	1818.	6. 7.	G. ♀.	Lodd. bot. cab. 401.
4	glabèrrima, DC.	(ye.)	smooth.	————	1800.	3. 7.	G. ♀.	Bot. mag. 944.
5	parvifòlia, DC.	(ye.)	small-leaved.	————	————	————	G. ♀.	———— t. 1527.
6	aciculàris, DC.	(ye.)	needle-leaved.	————	1822.	5. 7.	G. ♀.	
7	rùdis, DC.	(ye.)	villous-branched.	————	1812.	————	G. ♀.	
8	teretifòlia, Sie.	(ye.)	round-leaved.	————	1825.	————	G. ♀.	
9	hispídula, Sie.	(ye.)	hispid.	————	————	————	G. ♀.	
10	tenuifòlia, DC.	(ye.)	slender-leaved.	————	1820.	————	G. ♀.	
11	phylicoídes, F.T.	(ye.)	Phylica-leaved.	————	1824.	5. 8.	G. ♀.	
12	seríceæ, F.T.	(ye.)	silky.	————	————	————	G. ♀.	
13	cineráscens, DC.	(ye.)	ash-coloured.	V. Diem. Isl.	1818.	6. 7.	G. ♀.	Bot. mag. 2247.

EUTA'XIA, DC. EUTA'XIA, Decandria Monogynia.

1	myrtifòlia, DC.	(ye.)	Myrtle-leaved.	N. Holland.	1803.	3. 6.	G. ♀.	Bot. mag. 1274.
---	-----------------	-------	----------------	-------------	-------	-------	-------	-----------------

Dillw'ynia obovata, B.M.

2	púngens, S.F.A.	(ye.)	pungent-leaved.	————	1825.	6. 8.	G. ♀.	Swt. flor. aust. t. 28.
---	-----------------	-------	-----------------	------	-------	-------	-------	-------------------------

SCLEROTHA'MNUS, DC. SCLEROTHA'MNUS, Decandria Monogynia.

	mícrophyllus, DC.	(ye.)	small-leaved.	N. Holland.	1803.	5. 6.	G. ♀.	
--	-------------------	-------	---------------	-------------	-------	-------	-------	--

GASTROL'OBIIUM, DC. GASTROL'OBIIUM, Decandria Monogynia.

	bilòbum, DC.	(ye.)	two-lobed.	N. Holland.	1803.	3. 5.	G. ♀.	Bot. reg. 411.
--	--------------	-------	------------	-------------	-------	-------	-------	----------------

EUCH'ILUS, DC. EUCH'ILUS, Decandria Monogynia.

	obcordàtus, DC.	(ye.)	heart-leaved.	N. Holland.	1803.	3. 6.	G. ♀.	Bot. reg. 403.
--	-----------------	-------	---------------	-------------	-------	-------	-------	----------------

PULTEN'ÆA, DC. PULTEN'ÆA, Decandria Monogynia.

1	daphnoídes, DC.	(ye.)	Daphne-leaved.	N. S. W.	1792.	6. 7.	G. ♀.	Bot. mag. 1394.
2	obcordàta, DC.	(ye.)	heart-leaved.	V. Diem. Isl.	1808.	5. 7.	G. ♀.	Andr. rep. t. 574.
3	bilòba, DC.	(ye.)	two-lobed.	N. Holland.	1818.	————	G. ♀.	Bot. mag. t. 2091.
4	scábra, H.K.	(y.pu.)	rough-leaved.	N. S. W.	1803.	————	G. ♀.	
5	incurvàta, F.T.	(ye.)	incurved-ld.	————	1825.	————	G. ♀.	
6	canéscens, F.T.	(ye.)	canescent	————	1824.	4. 7.	G. ♀.	
7	polifòlia, F.T.	(ye.)	Poley-leaved.	————	————	————	G. ♀.	
8	argénteæ, F.T.	(ye.)	silvery.	————	1826.	————	G. ♀.	
9	ferrugínea, DC.	(ye.)	ferruginous.	————	1818.	————	G. ♀.	Linn. trans. 11. t. 23.

10	racemulosa. DC.	(ye.) racemed.	N. S. W.	1821.	4. 7.	G. h.	
11	parviflora. DC.	(ye.) small-flowered.	————	1824.	5. 7.	G. h.	
12	procumbens. F.T.	(ye.) procumbent.	————	————	————	G. h.	
13	stricta. DC.	(ye.) upright.	————	1803.	4. 6.	G. h.	Bot. mag. 1588.
14	elliptica. DC.	(ye.) elliptic-leaved.	————	1818.	4. 7.	G. h.	Linn. trans. 11. t. 24.
15	plumosa. DC.	(ye.) feathered.	————	1822.	5. 7.	G. h.	
16	thymifolia. DC.	(ye.) Thyme-leaved.	————	————	————	G. h.	
17	hypolampra. DC.	(ye.) whorl-branched.	————	————	————	G. h.	
18	villifera. DC.	(ye.) wool-bearing.	————	1824.	————	G. h.	
19	polygalifolia. DC.	(ye.) Milkwort-ld.	————	1818.	4. 7.	G. h.	Swt. flor. aust. t. 37.
20	flexilis. DC.	(ye.) fragrant.	————	1801.	4. 6.	G. h.	———— t. 35.
21	euchila. DC.	(ye.) wedge-leaved.	————	1824.	5. 7.	G. h.	
22	retusa. DC.	(ye.) blunt.	————	1789.	4. 5.	G. h.	Bot. reg. 378.
23	capitellata. DC.	(ye.) small-headed.	————	1825.	————	G. h.	
24	linophylla. DC.	(ye.) Flax-leaved.	————	1789.	5. 7.	G. h.	Schrad. s. han. 3. t. 18.
25	microphylla. DC.	(ye.) small-leaved.	————	1823.	————	G. h.	
26	stipularis. DC.	(ye.) scaly.	————	1792.	4. 6.	G. h.	Bot. mag. 475.
27	paleacea. DC.	(ye.) chaffy.	————	1789.	5. 7.	G. h.	Lodd. bot. cab. t. 291.
28	aristata. DC.	(ye.) awned-calyced.	————	1823.	————	G. h.	
29	echinula. DC.	(ye.) harsh-leaved.	————	————	————	G. h.	
30	vestita. DC.	(ye.) awned.	N. Holland.	1803.	4. 7.	G. h.	
31	candida. B.C.	(ye.) white-leaved.	————	1824.	————	G. h.	Lod. bot. cab. 1236.
32	tenuifolia. DC.	(ye.) slender-leaved.	————	1818.	————	G. h.	Bot. mag. 2086.
33	villosa. DC.	(ye.) villous.	N. S. W.	1790.	4. 5.	G. h.	———— t. 967.
34	pedunculata. B.M.	(ye.) pedunculated.	————	1824.	5. 6.	G. h.	Bot. mag. 2859.
35	eriophora. L.C.	(ye.) wool-bearing.	————	1794.	4. 7.	G. h.	
36	incarnata. M.C.	(fl.) flesh-coloured.	N. Holland.	1824.	————	G. h.	
37	rosmarinifolia. ψ.	(ye.) Rosemary-leav'd.	————	————	————	G. h.	
38	aspera. DC.	(ye.) rough.	N. S. W.	————	5. 8.	G. h.	
39	comosa. DC.	(ye.) tufted.	————	————	————	G. h.	
40	squarrosa. DC.	(ye.) squarrose.	————	————	————	G. h.	
41	phylicoides. DC.	(ye.) Phylla-like.	————	————	————	G. h.	
DAVIESIA. DC.		DAVIESIA. Decandria Monogynia.					
1	latifolia. DC.	(ye.) broad-leaved.	N. S. W.	1803.	5. 8.	G. h.	Bot. mag. 1757.
2	corymbosa. DC.	(ye.) corymb-flower'd.	————	1804.	————	G. h.	
3	mimosoides. H.K.	(ye.) green-leaved.	————	1800.	————	G. h.	Andr. reposit. 526.
		<i>corymbosa. A.R. non Smith.</i>					
4	glauca. B.C.	(ye.) glaucous-leaved.	————	1812.	————	G. h.	Lodd bot. cab. 43.
		<i>mimosoides. Bot. mag. 1957. non H.K.</i>					
5	umbellulata. DC.	(ye.) small-umbelled.	————	1822.	4. 8.	G. h.	
6	incrassata. DC.	(ye.) thick-leaved.	————	1820.	5. 8.	G. h.	
7	acicularis. DC.	(ye.) needle-leaved.	————	1804.	6. 7.	G. h.	
8	ulicina. DC.	(ye.) Furze-like.	N. S. W.	1792.	4. 8.	G. h.	Andr. reposit. 304.
9	pungens. M.C.	(ye.) pungent.	N. Holland.	1825.	————	G. h.	
10	squarrosa. DC.	(ye.) squarrose.	N. S. W.	1822.	5. 7.	G. h.	
11	cordata. DC.	(ye.) heart-leaved.	N. Holland.	1824.	————	G. h.	Bot. reg. 1005.
12	alata. DC.	(ye.) winged.	————	1820.	4. 6.	G. h.	———— t. 728.
MIRBELIA. DC.		MIRBELIA. Decandria Monogynia.					
1	reticulata. DC.	(pu.) netted-leaved.	N. S. W.	1792.	5. 8.	G. h.	Bot. mag. 1211.
2	pungens. M.C.	(pu.) pungent-leav'd.	N. Holland.	1824.	————	G. h.	
3	speciosa. DC.	(pu.) beautiful.	N. S. W.	————	————	G. h.	Swt. flor. aust. t. 34.
4	grandiflora. B.M.	(y.re.) large-flowered.	————	1823.	————	G. h.	Bot. mag. 2771.
5	Baxteri. M.C. Baxter's.	N. Holland.	1824.	G. h.	
6	dilatata. DC.	(pu.) lobed-leaved.	————	1803.	5. 8.	G. h.	Bot. reg. 1041.

Tribus II. *LOTEÆ*. DC. prodr. 2. p. 115.

Subtribus I. *GENISTEÆ*. DC. l. c. 115.

HOVEA. DC.		HOVEA. Monadelphia Decandria.					
1	rosmarinifolia. F.T.	(bl.) Rosemary-ld.	N. S. W.	1824.	3. 6.	G. h.	
2	longifolia. DC.	(bl.) long-leaved.	————	1805.	3. 7.	G. h.	Bot. reg. 614.
3	linearis. DC.	(bl.) linear-leaved.	————	1796.	————	G. h.	———— t. 463.
4	lanceolata. DC.	(bl.) spear-leaved.	————	1805.	————	G. h.	Bot. mag. 1624.

- 5 *elliptica*. DC. (*bl.*) elliptic-leaved. N. S. W. 1817. 3. 7. G. $\frac{1}{2}$.
Poirétia elliptica. L.T.
- 6 *purpurea*. S.F.A. (*pu.*) purple-flowered. ———— 1824. 2. 5. G. $\frac{1}{2}$. Swt. flor. aust. t. 13.
- 7 *latifolia*. DC. (*bl.*) broad-leaved. ———— 1817. 3. 6. G. $\frac{1}{2}$. Lodd. bot. cab. 30.
- 8 *Celsi*. DC. (*bl.*) Cels's. N. Holland. 1818. 3. 7. G. $\frac{1}{2}$. Bot. reg. 280.
- PLAGIOL'OBIIUM.** S.F.A. **PLAGIOL'OBIIUM.** Diadelphia Decandria.
- 1 *chorizemæfolium*. S.F.A. (*bl.*) Chorizema-ld. N. Holland. 1824. 2. 5. G. $\frac{1}{2}$. Swt. flor. aust. t. 2.
- 2 *ilicifolium*. S.F.A. (*bl.*) Holly-leaved. ———— 1827. ———— G. $\frac{1}{2}$. ———— t. 2. f. 10-11.
- PLATYL'OBIIUM.** DC. **FLAT-PEA.** Monadelphia Decandria.
- 1 *formosum*. DC. (*ye.*) large-flowered. N. S. W. 1790. 6. 8. G. $\frac{1}{2}$. Bot. mag. 469.
- 2 *parviflorum*. DC. (*ye.*) smaller-flower'd. ———— 1792. 5. 9. G. $\frac{1}{2}$. ———— t. 1520.
- 3 *ovatum*. DC. (*ye.*) oval-leaved. ———— 1820. 5. 7. G. $\frac{1}{2}$.
- 4 *triangulare*. DC. (*ye.*) triangular-ld. V. Diem. Isl. 1805. 5. 9. G. $\frac{1}{2}$. Bot. mag. 1508.
- BOSSIÆA.** DC. **BOSSIÆA.** Monadelphia Decandria.
- 1 *scolopendria*. DC. (*ye.*) Plank-plant. N. S. W. 1792. 5. 7. G. $\frac{1}{2}$. Vent. malm. 55.
Platylòbium Scolopendrium. Andr. rep. 191.
- 2 *ensata*. DC. (*ye.*) sword-stemmed. N. S. W. 1822. ———— G. $\frac{1}{2}$. Swt. flor. aust. t. 51.
rufa. Lod. bot. cab. 1119. *non* DC.
- 3 *rufa*. DC. (*re.*) red-flowered. N. Holland. 1803. 6. 9. G. $\frac{1}{2}$.
- 4 *linophylla*. DC. (*ye.*) narrow-leaved. ———— ———— 7. 9. G. $\frac{1}{2}$. Bot. mag. 2491.
- 5 *heterophylla*. DC. (*ye.*) various-leaved. N. S. W. 1792. 4. 12. G. $\frac{1}{2}$. Vent. cels. t. 7.
lanceolata. B.M. 1144. *Platylòbium lanceolatum et ovatum*. A.R. 205 et 276.
- 6 *rotundifolia*. DC. (*ye.*) round-leaved. N. S. W. 1822. 5. 7. G. $\frac{1}{2}$.
- 7 *rhombifolia*. DC. (*ye.*) rhomb-leaved. ———— ———— 4. 6. G. $\frac{1}{2}$. Swt. flor. aust. t. 9.
lenticularis. Lod. bot. cab. 1238. *non* DC.
- 8 *microphylla*. DC. (*ye.*) small-leaved. ———— 1803. 5. 7. G. $\frac{1}{2}$. Lodd. bot. cab. t. 656.
- 9 *lenticularis*. DC. (*ye.*) orbicular-leaved. ———— 1822. ———— G. $\frac{1}{2}$.
- 10 *foliosa*. F.T. (*ye.*) leafy. ———— 1823. 4. 7. G. $\frac{1}{2}$.
- 11 *buxifolia*. F.T. (*ye.*) Box-leaved. ———— ———— G. $\frac{1}{2}$.
- 12 *prostrata*. DC. (*ye.*) prostrate. ———— 1803. ———— G. $\frac{1}{2}$. Bot. mag. 1493.
- 13 *cordifolia*. S.F.A. (*y.pu.*) heart-leaved. N. Holland. 1824. ———— G. $\frac{1}{2}$. Swt. flor. aust. t. 20.
- 14 *cinerea*. DC. (*y.pu.*) sharp-leaved. V. Diem. Isl. 1803. 5. 7. G. $\frac{1}{2}$. Bot. reg. 306.
- GO'ODIA.** DC. **GO'ODIA.** Monadelphia Decandria.
- 1 *lotifolia*. DC. (*ye.*) Lotus-leaved. V. Diem. Isl. 1793. 4. 7. G. $\frac{1}{2}$. Sal. par. lond. 41.
- 2 *subpubescens*. (*ye.*) hairy-leaved. ———— 1812. ———— G. $\frac{1}{2}$.
- 3 *pubescens*. DC. (*y.pu.*) downy. ———— 1805. ———— G. $\frac{1}{2}$. Bot. mag. 1310.
- 4 *retusa*. M.C. (*ye.*) retuse-leaved. N. Holland. 1824. ———— G. $\frac{1}{2}$.
- TEPHROTHA'MNUS.** **TEPHROTHA'MNUS.** Monadelphia Decandria.
- tomentosus*. (*ye.*) woolly. C. B. S. 1798. 7. 8. G. $\frac{1}{2}$. And. rep. 237.
Cytisus tomentosus. A.R. *Goodia? polysperma*. DC.
- SCOTTIA.** H.K. **SCOTTIA.** Monadelphia Decandria.
- 1 *dentata*. DC. (*sc.*) broad-leaved. N. Holland. 1803. 1. 6. G. $\frac{1}{2}$.
- 2 *trapeziformis*. M.C. .. trapeziform. ———— 1825. G. $\frac{1}{2}$.
- 3 *angustifolia*. M.C. (*br.*) narrow-leaved. ———— ———— 1. 6. G. $\frac{1}{2}$.
- TEMPLET'ONIA.** DC. **TEMPLET'ONIA.** Monadelphia Decandria.
- 1 *retusa*. DC. (*sc.*) green-leaved. N. Holland. 1803. 3. 7. G. $\frac{1}{2}$. Bot. reg. 383.
- 2 *glauca*. DC. (*sc.*) glaucous-leaved. ———— ———— G. $\frac{1}{2}$. Bot. mag. 2088.
- RAF'NIA.** DC. **RAF'NIA.** Monadelphia Decandria.
- 1 *cordata*. DC. (*ye.*) heart-leaved. C. B. S. 1821. 5. 7. G. $\frac{1}{2}$.
- 2 *elliptica*. DC. (*ye.*) elliptic-leaved. ———— 1816. ———— G. $\frac{1}{2}$.
- 3 *cuneifolia*. DC. (*y.pu.*) wedge-leaved. ———— 1820. ———— G. $\frac{1}{2}$.
- 4 *triflora*. DC. (*ye.*) three-flowered. ———— 1786. ———— G. $\frac{1}{2}$. Bot. mag. 482.
Crotalaria triflora. L. *Borbònia cordata*. And. rep. t. 31. *nec aliorum*.
- 5 *lancea*. DC. (*ye.*) lance-leaved. C. B. S. 1816. 5. 7. G. $\frac{1}{2}$. Th. ac. holm. 1800. t. 4.
Edmànnia lancea. Th.
- 6 *opposita*. DC. (*ye.*) opposite-leaved. ———— 1825. ———— G. $\frac{1}{2}$.
- 7 *angulata*. DC. (*ye.*) angular-stalked. ———— 1816. ———— G. $\frac{1}{2}$.
- 8 *filifolia*. DC. (*ye.*) narrow-leaved. ———— ———— G. $\frac{1}{2}$.
- VASC'OA.** DC. **VASC'OA.** Monadelphia Decandria.
- 1 *amplexicaulis*. DC. (*ye.*) stem-clasping. C. B. S. 1812. 6. 7. G. $\frac{1}{2}$.
Crotalaria amplexicaulis. L. *Ráfnia amplexicaulis*. Th.
- 2 *perfoliata*. DC. (*ye.*) perfoliate. C. B. S. 1812. 7. 8. G. $\frac{1}{2}$. Seba. thes. 1. t. 24. f. 5.
Borbònia perfoliata. Th. *Crotalaria amplexicaulis*. Lam.
- BORB'ONIA.** DC. **BORB'ONIA.** Monadelphia Decandria.
- 1 *barbata*. DC. (*ye.*) bearded. C. B. S. 1816. 6. 8. G. $\frac{1}{2}$. Lam. ill. t. 610. f. 2.
- 2 *trinervia*. DC. (*ye.*) three-nerved. ———— 1759. ———— G. $\frac{1}{2}$. Pluk. alm. t. 297. f. 4.
- 3 *lanceolata*. DC. (*ye.*) many-nerved. ———— 1752. ———— G. $\frac{1}{2}$. Jacq. schœnb. 2. t. 217.
- 4 *cordata*. DC. (*ye.*) heart-leaved. ———— 1759. ———— G. $\frac{1}{2}$. ———— 2. t. 218.
- 5 *ruscifolia*. DC. (*ye.*) Ruscus-leaved. ———— 1816. ———— G. $\frac{1}{2}$. Bot. mag. 2129.

6 parviflora. DC.	(ye.) small-flowered.	C. B. S.	1821.	6. 8.	G. $\frac{1}{2}$.	
7 crenata. DC.	(ye.) notch-leaved.	—————	1774.	—————	G. $\frac{1}{2}$.	Bot. mag. 274.
8 ciliata. DC.	(ye.) fringed.	—————	1816.	—————	G. $\frac{1}{2}$.	Houtt. syst. 8. t. 62 f. 2.
ACHYR'ONIA. DC.	ACHYR'ONIA.	Diadelphia Decandria.				
villosa. DC.	(ye.) villous.	N. Holland.	1810.	5. 8.	G. $\frac{1}{2}$.	Wendl. hort. her. 1. t. 12.
LIP'ARIA. DC.	LIP'ARIA.	Diadelphia Decandria.				
sphærica. DC.	(ye.) globe-headed.	C. B. S.	1794.	7. 8.	G. $\frac{1}{2}$.	Bot. mag. 1241.
PRIESTLE'YA. DC.	PRIESTLE'YA.	Diadelphia Decandria.				
1 myrtifolia. DC.	(ye.) Myrtle-leaved.	C. B. S.	1825.	4. 7.	G. $\frac{1}{2}$.	DC. Leg. mem. t. 29.
2 hirsuta. DC.	(ye.) shaggy-stemmed.	—————	1792.	12. 4.	G. $\frac{1}{2}$.	Bot. reg. 8.
Liparia hirsuta. B. R.						
3 lævigata. DC.	(ye.) polished.	—————	1799.	7. 8.	G. $\frac{1}{2}$.	DC. Leg. mem. t. 30.
Borbônia lævigata. Lod.	bot. cab. 247.					
4 capitata. DC.	(ye.) headed.	—————	1812.	3. 6.	G. $\frac{1}{2}$.	
5 graminifolia. DC.	(ye.) narrow-leaved.	—————	1800.	4. 7.	G. $\frac{1}{2}$.	
6 téres. DC.	(ye.) smooth-stalked.	—————	1816.	—————	G. $\frac{1}{2}$.	
7 ericæfolia. DC. (w. pu.)	Heath-leaved.	—————	1812.	4. 8.	G. $\frac{1}{2}$.	DC. Leg. mem. t. 31.
8 sericea. DC.	(ye.) silky-leaved.	—————	1794.	—————	G. $\frac{1}{2}$.	Pluk. t. 388. f. 3.
9 axillaris. DC.	(ye.) axillary-flower'd.	—————	1824.	—————	G. $\frac{1}{2}$.	DC. Leg. mem. t. 32.
10 elliptica. DC.	(ye.) elliptic-leaved.	—————	1816.	—————	G. $\frac{1}{2}$.	————— t. 33.
11 villosa. DC.	(ye.) villous-leaved.	—————	1774.	—————	G. $\frac{1}{2}$.	Seb. thes. 1. t. 24. f. 2.
12 vestita. DC.	(ye.) concave-leaved.	—————	1800.	5. 6.	G. $\frac{1}{2}$.	Bot. mag. 2223.
Liparia vestita. B. M.	Liparia villosa. A. R. 382. nec aliorum.					
13 tomentosa. DC.	(ye.) downy.	C. B. S.	1812.	5. 8.	G. $\frac{1}{2}$.	
14 umbellifera. DC.	(ye.) umbel-flowered.	—————	1825.	6. 7.	G. $\frac{1}{2}$.	
HA'LLIA. DC.	HA'LLIA.	Monadelphia Decandria.				
1 alata. DC.	(pu.) wing-stalked.	C. B. S.	1818.	6. 8.	G. $\frac{1}{2}$.	
2 flaccida. DC.	(pu.) long-leaved	—————	1789.	6. 9.	G. $\frac{1}{2}$.	
3 angustifolia. DC.	(pu.) narrow-leaved.	—————	1816.	—————	G. $\frac{1}{2}$.	
4 cordata. DC.	(pu.) heart-leaved.	—————	1787.	—————	G. $\frac{1}{2}$.	Jacq. schœnb. 3. t. 296.
Glycine monophylla. Jacq.	Hedy'sarum cordatum.	Th. n. ac. ups.	6. t. 1.			
5 Asarina. DC.	(pu.) Asarum-like.	C. B. S.	1816.	6. 9.	G. $\frac{1}{2}$.	
6 imbricata. DC.	(pu.) imbricated.	—————	1812.	—————	G. $\frac{1}{2}$.	Bot. mag. 1850. et 2596.
HEYLA'NDIA. DC.	HEYLA'NDIA.	Monadelphia Decandria.				
hebecarpa. DC.	(ye.) hairy-podded.	Ceylon.	1820.	6. 8.	S. $\frac{1}{2}$.	DC. Leg. mem. t. 34.
CROTAL'ARIA. DC.	CROTAL'ARIA.	Monadelphia Decandria.				
1 alata. DC.	(st.) winged-stalked.	Nepaul.	1818.	4. 8.	S. $\frac{1}{2}$.	
2 platycarpa. DC.	(ye.) flat-podded.	N. America.	1824.	7. 9.	H. \odot .	
3 Purshii. DC.	(ye.) Pursh's.	—————	1827.	—————	H. \odot .	Pluk. alm. t. 277. f. 2.
larigata. Ph. non Lam.						
4 parviflora. DC.	(ye.) small-flowered.	—————	1823.	6. 9.	H. \odot .	Pluk. alm. t. 169. f. 6?
5 sagittalis. DC.	(ye.) Virginian.	—————	1731.	—————	H. \odot .	Herm. lugd. p. 203. ic.
6 ovalis. DC.	(ye.) oval-leaved.	—————	1827.	—————	H. \odot .	
7 rubiginosa. DC.	(ye.) rusty.	E. Indies.	1807.	—————	S. \odot .	
8 verrucosa. DC.	(bl.) blue-flowered.	—————	1731.	—————	S. \odot .	Andr. reposit. 308.
cærulea. Jacq. ic. t. 144.	angulosa. Cav. ic. 4. t. 321.					
9 semperflorans. DC.	(ye.) ever-blowing.	E. Indies.	1816.	3. 9.	S. $\frac{1}{2}$.	Vent. hort. cels. t. 17.
10 retusa. DC.	(ye.) wedge-leaved.	—————	1731.	5. 9.	S. \odot .	Bot. reg. 253.
11 Lechenaultii. DC.	(ye.) Lechenault's.	—————	1826.	—————	S. \odot .	
12 spectabilis. DC.	(pu.) showy.	—————	1824.	—————	S. \odot .	
13 pulcherrima. DC.	(ye.) Mysore.	—————	1814.	—————	S. $\frac{1}{2}$.	Bot. mag. 2027.
14 bengalensis. DC.	(ye.) Bengal.	—————	1806.	—————	S. \odot .	Pluk. alm. t. 169. f. 5.
15 jancea. DC.	(ye.) rush-stalked.	—————	1700.	6. 9.	S. \odot .	Bot. mag. 490.
16 tenuifolia. DC.	(ye.) slender-leaved.	—————	1818.	—————	S. \odot .	
17 fenestrata. DC.	(ye.) window-calyxed.	—————	1816.	—————	S. \odot .	Bot. mag. 1933.
18 sericea. DC.	(ye.) silky.	—————	1807.	—————	S. \odot .	
19 tecta. DC.	(ye.) striped-flower'd.	—————	1824.	6. 10.	S. \odot .	
20 Burmanni. DC.	(ye.) Burmann's.	—————	—————	—————	S. \odot .	Burm. ind. t. 48. f. 1.
21 hirsuta. DC.	(ye.) hairy-podded.	—————	1823.	—————	S. \odot .	
22 mysorensis. DC.	(ye.) Mysore.	—————	1826.	—————	S. \odot .	
23 montana. DC.	(ye.) mountain.	—————	1816.	—————	S. $\frac{1}{2}$.	
24 albida. DC.	(wh.) white-flowered.	—————	1824.	—————	S. \odot .	
25 paniculata. DC.	(ye.) paniced.	—————	1807.	6. 8.	S. $\frac{1}{2}$.	
26 pulchra. DC.	(ye.) short-podded.	—————	1800.	3. 5.	S. $\frac{1}{2}$.	Andr. reposit. t. 601.
27 Novæ-Hollandiæ. DC.	(pu.) New Holland.	N. Holland.	1820.	6. 8.	S. $\frac{1}{2}$.	Schr. pl. rar. h. mon. t. 88.
28 paulina. DC.	(ye.) St. Paul.	Brazil.	—————	7. 9.	S. $\frac{1}{2}$.	
29 breviflora. DC.	(ye.) short-flowered.	—————	1824.	—————	S. $\frac{1}{2}$.	
30 bifaria. DC.	(ye.) two-ranked.	E. Indies.	—————	—————	S. $\frac{1}{2}$.	
31 dichotoma. DC.	(ye.) forked.	—————	—————	—————	S. $\frac{1}{2}$.	

32	<i>diffusa</i> . DC.	(<i>ye</i>) diffuse.	1818.	6. 8.	S. 4.	
33	<i>biflora</i> . DC.	(<i>ye</i>) two-flowered.	E. Indies.	1790.	—	S. ⊙.	Petiv. gaz. t. 30. f. 10.
34	<i>nana</i> . DC.	(<i>ye</i>) dwarf.	—	—	—	S. ⊙.	Burm. ind. t. 48. f. 2.
35	<i>bialata</i> . DC.	(<i>ye</i>) two-winged.	—	1818.	—	S. ⊙.	
36	<i>tetragona</i> . DC.	(<i>ye</i>) square-stalked.	Nepaul.	1806.	8. 9.	S. ♂.	Andr. rep. t. 593.
37	<i>linifolia</i> . DC.	(<i>ye</i>) Flax-leaved.	E. Indies.	1823.	6. 7.	S. ⊙.	
38	<i>pellita</i> . DC.	(<i>ye</i>) villous-podded.	Jamaica.	1822.	7. 9.	S. h.	
39	<i>virgultalis</i> .	(<i>ye</i>) twiggy.	C. B. S.	1816.	—	G. h.	
40	<i>acuminata</i> . DC.	(<i>ye</i>) taper-pointed.	—	—	—	G. h.	
41	<i>spartioides</i> . DC.	(<i>ye</i>) Broom-like.	—	—	—	G. h.	
42	<i>thebaica</i> . DC.	(<i>ye</i>) stripe-flowered.	Egypt.	1828.	7. 8.	G. h.	Delil. fl. eg. t. 37. f. 1.
43	<i>nummularia</i> . DC.	(<i>ye</i>) money-wort-ld.	E. Indies.	—	—	S. 4.	
44	<i>tuberosa</i> . DC.	(<i>pu</i>) tuberous-rooted.	Nepaul.	1816.	6. 7.	S. 4.	
45	<i>anthylloides</i> . DC.	(<i>ye</i>) large-calyxed.	Java.	1789.	8. 9.	S. h.	
46	<i>calycina</i> . DC.	(<i>st</i>) hispid-calyxed.	E. Indies.	1818.	7. 9.	S. 4.	Schr. pl. rar. mon. t. 12.
47	<i>nepalensis</i> . L.en.	(<i>bl</i>) Nepaul.	Nepaul.	1821.	6. 8.	S. ⊙.	
48	<i>Roxburghiana</i> . DC.	(<i>ye</i>) Roxburgh's.	E. Indies.	1823.	7. 9.	S. 4.	
49	<i>chinensis</i> . DC.	(<i>ye</i>) Chinese.	China.	1820.	6. 7.	S. h.	
50	<i>hirta</i> . DC.	(<i>ye</i>) hairy.	E. Indies.	1816.	6. 8.	S. ⊙.	Mart. acad. mun. 6. t. F.
51	<i>prostrata</i> . DC.	(<i>wh</i>) prostrate.	—	1804.	—	S. 4.	— t. E.
52	<i>stipulacea</i> . H.B.	(<i>ye</i>) large-stipuled.	—	1823.	—	S. 4.	
53	<i>arborescens</i> . DC.	(<i>ye</i>) spreading.	C. B. S.	1774.	6. 10.	G. h.	Jacq. vind. 3. t. 64.
	<i>incanescens</i> . W. <i>capensis</i> . Th.						
54	<i>turgida</i> . DC.	(<i>ye</i>) turgid-podded.	1820.	—	G. h.	Herb. amat. t. 238.
55	<i>laburnifolia</i> . DC.	(<i>ye</i>) Laburnum-ld.	E. Indies.	1739.	7. 9.	S. ♂.	Rheed. mal. 9. t. 27.
56	<i>pendula</i> . DC.	(<i>ye</i>) pendulous-pod'd.	W. Indies.	1820.	—	S. h.	
57	<i>Brownei</i> . DC.	(<i>ye</i>) Browne's.	Jamaica.	—	—	S. h.	
58	<i>bracteata</i> . DC.	(<i>ye</i>) large-bracted.	E. Indies.	1818.	5. 9.	S. h.	
59	<i>cytisoides</i> . DC.	(<i>ye</i>) Cytisus-like.	Nepaul.	1823.	6. 8.	S. h.	
60	<i>foliosa</i> . DC.	(<i>ye</i>) leafy.	E. Indies.	1826.	—	S. h.	
61	<i>orixensis</i> . DC.	(<i>ye</i>) minute-flower'd.	—	1816.	7. 8.	S. ⊙.	Mart. acad. mun. 6. t. H.
62	<i>virgata</i> . DC.	(<i>ye</i>) slender.	—	1824.	—	S. ⊙.	— 6. t. G.
63	<i>purpurascens</i> . DC.	(<i>pu</i>) purplish.	Mauritius.	1823.	8. 10.	S. ⊙.	
64	<i>incana</i> . DC.	(<i>ye</i>) hoary.	W. Indies.	1714.	6. 7.	S. ⊙.	Bot. reg. 377.
65	<i>micans</i> . DC.	(<i>ye</i>) glittering.	E. Indies.	1823.	—	S. 4.	
66	<i>curtata</i> . DC.	(<i>ye</i>) short-keeled.	1820.	—	S. ⊙.	
67	<i>vitellina</i> . DC.	(<i>ye</i>) yellow-twigged.	Brazil.	1819.	5. 7.	S. h.	Bot. reg. 447.
68	<i>medicaginea</i> . DC.	(<i>ye</i>) Trefoil-leaved.	E. Indies.	1818.	6. 7.	S. h.	Rott. n. act. nat. c. 4. t. 5.
69	<i>Grahami</i> .	(<i>ye</i>) Graham's.	Mexico.	1824.	9. 12.	S. h.	Bot. mag. 2714.
	<i>dichotoma</i> B.M. non DC						
70	<i>Bojeri</i> .	(<i>ye</i>) Bojer's.	Madagascar.	1828.	S. h.	
	<i>dichotoma</i> . Bojer. nec <i>aliorum</i> .						
71	<i>trichotoma</i> . Boj.	(<i>ye</i>) three-forked	—	—	S. h.	
72	<i>stricta</i> . DC.	(<i>ye</i>) upright.	E. Indies.	1826.	8. 10.	S. ⊙.	
73	<i>purpurea</i> . DC.	(<i>pu</i>) purple-flowered.	C. B. S.	1790.	3. 5.	G. h.	Bot. reg. 128.
74	<i>microphylla</i> . DC.	(<i>ye</i>) small-leaved.	Arabia.	1823.	8. 10.	H. ⊙.	
75	<i>micrantha</i> . DC.	(<i>ye</i>) small-blossom'd.	Ceylon.	1820.	6. 7.	S. ⊙.	
76	<i>pallida</i> . DC.	(<i>st</i>) pale-flowered.	Africa.	1775.	—	S. ⊙.	
77	<i>argentea</i> . DC.	(<i>ye</i>) silvery-leaved.	C. B. S.	1823.	—	G. h.	Jacq. schoenb. 2. t. 220.
78	<i>pulchella</i> . DC.	(<i>ye</i>) large-flowered.	—	1800.	—	G. h.	Bot. mag. 1699.
79	<i>Saltiana</i> . A.R.	(<i>ye</i>) Salt's.	Abyssinia.	1810.	6. 7.	S. h.	Andr. reposit. 648.
80	<i>angustifolia</i> . DC.	(<i>st</i>) narrow-leaved.	C. B. S.	1815.	5. 9.	G. h.	Jacq. schoenb. 2. t. 219.
81	<i>villosa</i> . DC.	(<i>ye</i>) villous.	—	1823.	—	G. 4.	
82	<i>latifolia</i> .	(<i>ye</i>) broad-leaved.	E. Indies.	1825.	—	S. h.	
83	<i>elliptica</i> . H.B.	(<i>ye</i>) elliptic-leaved.	China.	1823.	7. 9.	G. h.	
84	<i>lanceolata</i> . H.B.	(<i>ye</i>) spear-leaved.	W. Indies.	1806.	—	S. h.	
85	<i>lotifolia</i> . DC.	(<i>ye</i>) Lotus-leaved.	—	1732.	6. 7.	S. h.	Dill. elth. t. 102. f. 131.
86	<i>axillaris</i> . DC.	(<i>ye</i>) axillary-fl'd.	Guinea.	1781.	7. 8.	S. ⊙.	
87	<i>quinquefolia</i> . DC.	(<i>ye</i>) five-leaved.	E. Indies.	1792.	6. 7.	S. ⊙.	Rheed. mal. 9. t. 28.
	HYPOCALYPTUS . DC.	HYPOCALYPTUS . Monadelphia Decandria.					
	<i>obcordatus</i> . DC.	(<i>pu</i>) obcordate-leav'd.	C. B. S.	1790.	4. 6.	G. h.	Lodd. bot. cab. 1158.
	<i>Crotalaria cordifolia</i> . B.C.						
	VIBORGIA . DC.	VIBORGIA . Monadelphia Decandria.					
1	<i>obcordata</i> . DC.	(<i>ye</i>) many-flower'd.	C. B. S.	1812.	7. 9.	G. h.	Lodd. bot. cab. 509.
	<i>Crotalaria floribunda</i> . B.C.	<i>Anthyllis cuneata</i> . Hort.					
2	<i>sericea</i> . DC.	(<i>ye</i>) silky.	C. B. S.	1780.	—	G. h.	
	LODDIGESIA . DC.	LODDIGESIA . Monadelphia Decandria.					
	<i>oxalidifolia</i> . DC.	(<i>ro</i>) Oxalis-leaved.	C. B. S.	1802.	5. 9.	G. h.	Bot. mag. 965.
	DICHILUS . DC.	DICHILUS . Monadelphia Decandria.					
	<i>lebeckoides</i> . DC.	(<i>st</i>) Lebeckia-like.	C. B. S.	1816.	6. 8.	G. h.	DC. leg. mem. 6. t. 35.

LEBE'CKIA. DC.		LEBE'CKIA.		Monadelphia Decandria.		
1 subnuda. DC.	(ye.)	few-leaved.	C. B. S.	1823.	4. 6.	G. h.
2 contaminata. DC.	(ye.)	narrow-leaved.	————	1787.	—	G. h.
3 sepiaria. DC.	(ye.)	filiform-leaved.	————	1816.	—	G. h.
4 subternata. DC.	(ye.)	various-leaved.	————	—	—	G. h.
5 sericea. DC.	(ye.)	silky-leaved.	————	1774.	—	G. h.
6 cytisoides. DC.	(ye.)	Cytisus-like.	————	—	—	G. h.
SARCOPHY'LLUM. DC.		SARCOPHY'LLUM.		Monadelphia Decandria.		
carnosum. DC.	(ye.)	fleshy-leaved.	C. B. S.	1812.	5. 8.	G. h.
ASPA'LATHUS. DC.		ASPA'LATHUS.		Monadelphia Decandria.		
1 spinosa. DC.	(ye.)	spiny.	C. B. S.	1823.	5. 8.	G. h.
2 aculeata. DC.	(ye.)	yellow-spined.	————	—	—	G. h.
3 acuminata. DC.	(ye.)	taper-pointed.	————	1816.	—	G. h.
4 laricifolia. DC.	(ye.)	Larch-leaved.	————	1825.	—	G. h.
5 capitata. DC.	(ye.)	headed.	————	1823.	6. 7.	G. h.
6 astroites. DC.	(ye.)	spiny-bracted.	————	1825.	5. 8.	G. h.
7 chenopoda. DC.	(or.)	cluster-leaved.	————	1759.	7. 8.	G. h.
8 albens. DC.	(wh.)	white-leaved.	————	1774.	—	G. h.
9 argyræa. DC.	(wh.)	silvery.	————	1818.	—	G. h.
10 hystrix. DC.	(wh.)	silky-spined.	————	1824.	—	G. h.
11 thymifolia. DC.	(ye.)	Thyme-leaved.	————	1825.	5. 8.	G. h.
12 ericifolia. DC.	(ye.)	Heath-leaved.	————	1780.	7. 8.	G. h.
13 hispida. DC.	(ye.)	hispid.	————	1823.	—	G. h.
14 asparagoïdes. DC.	(ye.)	Asparagus-like.	————	1812.	—	G. h.
15 multiflora. DC.	(ye.)	many-flowered.	————	1818.	—	G. h.
16 uniflora. DC.	(ye.)	one-flowered.	————	1812.	—	G. h.
17 carnosã. DC.	(ye.)	fleshy-leaved.	————	1795.	5. 8.	G. h.
18 pinguis. DC.	(ye.)	succulent-leaved.	————	1818.	7. 8.	G. h.
19 crassifolia. DC.	(ye.)	thick-leaved.	————	1800.	—	G. h.
20 affinis. DC.	(ye.)	likened.	————	1816.	—	G. h.
21 genistoïdes. DC.	(ye.)	Genista-like.	————	1825.	6. 8.	G. h.
22 squarrosa. DC.	(ye.)	squarrose.	————	—	—	G. h.
23 galioïdes. DC.	(ye.)	Galium-like.	————	1816.	7. 8.	G. h.
24 pinea. DC.	(ye.)	Pine-leaved.	————	—	—	G. h.
25 abietina. DC.	(ye.)	Fir-leaved.	————	1826.	—	G. h.
26 araneosa. DC.	(pa.)	cobweb.	————	1795.	6. 7.	G. h.
27 globosa. A.R.	(ye.)	globe-headed.	————	1802.	—	G. h.
28 ciliaris. DC.	(ye.)	ciliated.	————	1790.	7. 8.	G. h.
29 quinquefolia. DC.	(br.)	five-leaved.	————	1816.	—	G. h.
30 candicans. DC.	(ye.)	white.	————	1774.	—	G. h.
31 heterophylla. DC.	(ye.)	various-leaved.	————	1828.	—	G. h.
32 argentea. DC.	(ye.)	silvery-leaved.	————	1759.	—	G. h.
33 subulata. DC.	(ye.)	awl-leaved.	————	1789.	—	G. h.
34 sericea. DC.	(ye.)	silky.	————	1816.	—	G. h.
35 callosa. DC.	(ye.)	oval-spiked.	————	1812.	—	G. h.
36 fusca. DC.	(ye.)	brown.	————	1816.	—	G. h.
37 mucronata. DC.	(ye.)	thorny-branch'd.	————	1796.	6. 7.	G. h.
38 pedunculata. DC.	(ye.)	small-leaved.	————	1775.	7. 8.	G. h.
39 bracteata. DC.	(ye.)	bracteate.	————	1816.	—	G. h.
'ULEX. DC.		FURZE.		Monadelphia Decandria.		
1 europæus. DC.	(ye.)	common.	Britain.	3. 7.	H. h.
2 nanus. DC.	(ye.)	dwarf.	————	1. 12.	H. h.
3 provinciãlis. DC.	(ye.)	Provence.	S. Europe.	1815.	6. 8.	H. h.
STAUACA'NTHUS. DC.		STAUACA'NTHUS.		Monadelphia Decandria.		
aphyllus. DC.	(ye.)	leafless.	Portugal.	1815.	6. 8.	H. h.
SPARTIUM. DC.		SPANISH BROOM.		Monadelphia Decandria.		
juncum. DC.	(ye.)	common.	S. Europe.	1548.	7. 9.	H. h.
<i>Spartianthus juncum.</i> L. en.						
<i>Æ flore pleno.</i>		<i>(ye.) double-flowered.</i>			H. h.
GENISTA. DC.		GENISTA.		Monadelphia Decandria.		
1 parviflora. DC.	(ye.)	small-flowered.	Levant.	1739.	5. 7.	H. h.
<i>Spartium parviflorum.</i> Vent.						
2 clavata. DC.	(ye.)	clavate.	Barbary.	1812.	5. 8.	F. h.
<i>Spartium sericeum.</i> Vent. non Ait.						
3 canariensis. DC.	(ye.)	Canary.	Canaries.	1656.	5. 9.	F. h.
4 candicans. DC.	(ye.)	hoary.	Spain.	1735.	4. 7.	H. h.
5 patens. DC.	(ye.)	spreading.	————	1825.	5. 7.	H. h.
6 linifolia. DC.	(ye.)	Flax-leaved.	————	1739.	1. 6.	F. h.
<i>Spartium linifolium.</i> Desf. atl. 2. t. 181.						

7	triquètra. DC.	(ye.) triangular.	Corsica.	1770.	5. 6.	H. h.	Wats. dend. brit. t. 79
8	bracteolàta. DC.	(ye.) bracteolate.	1826.	—	H. h.	
9	microphy'lla. DC.	(ye.) small-leaved.	Canaries.	1824.	—	F. h.	
10	umbellàta. DC.	(ye.) umbelled.	Barbary.	1799.	4. 6.	F. h.	Desf. atl. 2. t. 180.
	<i>Spártium umbellatum.</i> Desf.						
11	radiàta. DC.	(ye.) rayed.	Italy.	1758.	5. 7.	H. h.	Bot. mag. 2260.
	<i>Spártium radiatum.</i> B.M. Mill. ic. t. 249. f. 1.						
12	hórrida. DC.	(ye.) large-spined.	Pyrenees.	1826.	5. 7.	H. h.	Gilib. b. prat. 2. p. 233. ic.
13	lusitànica. DC.	(ye.) Portugal.	Portugal.	1771.	3. 5.	H. h.	Andr. reposit. t. 419.
14	Lobèlii. DC.	(ye.) Lobel's.	S. Europe.	1826.	4. 6.	H. h.	Lob. adv. p. 409. icon.
15	fèrox. DC.	(ye.) sharp-spined.	Barbary.	1800.	6. 7.	F. h.	Desf. atl. 2. t. 182.
16	Cupàni. DC.	(ye.) Cupani's.	Naples.	1826.	—	H. h.	Cup pan. ed. 1. v. 2. t. 233.
17	triacánthos. DC.	(ye.) three-spined.	Portugal.	1821.	5. 6.	H. h.	Brot. phyt 139. t. 54.
18	cuspidòsa. DC.	(ye.) sharp-pointed.	C. B. S.	1816.	—	G. h.	
19	tricuspidàta. DC.	(ye.) three-pointed.	Algiers.	1826.	—	F. h.	Desf. atl. 2. t. 183.
20	gibraltàrica. DC.	(ye.) Gibraltar.	Gibraltar.	—	—	F. h.	
21	sylvéstris. DC.	(ye.) wood.	Hungary.	1824.	6. 8.	H. h.	Jacq. ic. rar. t. 557.
	<i>hispanica.</i> Jacq. non L.						
22	ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1828.	—	H. h.	
23	falcàta. DC.	(ye.) falcate-podded.	Portugal.	1821.	5. 7.	H. h.	Brot. phyt. 133. t. 55.
24	córsica. DC.	(ye.) Corsican.	Corsica.	1826.	—	H. h.	
25	Scórpheus. DC.	(ye.) Scorpion.	S. Europe.	1570.	3. 4.	H. h.	Wats. dend. brit. t. 78.
26	hispanica. DC.	(ye.) dwarf prickly.	Spain	1759.	6. 8.	H. h.	Cavan. ic. 3. t. 211.
27	ánglica. DC.	(ye.) petty whin.	Britain.	5. 8.	H. h.	Eng. bot. 132.
28	germánica. DC.	(ye.) German.	Germany.	1773.	6. 8.	H. h.	Fuchs. hist. 220. ic.
29	púrgans. DC.	(ye.) purging.	S. France.	1768.	6. 7.	H. h.	Bull. herb. t. 115.
30	cinèrea. DC.	(ye.) ash-coloured.	—	1818.	5. 7.	H. h.	Wats. dend. brit. t. 76.
31	virgàta. DC.	(ye.) long-twigged.	Madeira.	1777.	3. 6.	F. h.	Bot. mag. 2265.
32	congèsta. DC.	(ye.) close-branched.	Teneriffe.	4. 7.	F. h.	
33	seríceea. DC.	(ye.) silky-leaved.	Austria.	1812.	5. 6.	H. h.	Jacq. ic. rar. 3. t. 556.
34	aphy'lla. DC.	(vi.) violet-coloured.	Volga.	1818.	6. 7.	H. h.	Pall. it. 3. app. t. 5. f. 2.
	<i>Spártium aphy'llum.</i> L. en.						
35	monospérma. DC.	(wh.) single-seeded.	S. Europe.	1690.	—	F. h.	Bot. mag. 683.
	<i>Spártium monospermum.</i> B.M.						
36	sphærocárpa. DC.	(ye.) round-podded.	—	1731.	—	F. h.	Renealm. spec. t. 33.
37	æthnénsis. DC.	(ye.) three-seeded.	Mt. Ætna.	1822.	6. 8.	F. h.	Bot. mag. 2674.
	<i>Spartium ætnense.</i> B.M.						
38	tetragòna. DC.	(ye.) four-sided.	Poland.	1826.	—	H. h.	
39	depréssa. DC.	(ye.) depressed.	Tauria.	1828.	H. h.	
40	scariòsa. DC.	(ye.) scariose.	Italy.	1820.	6. 8.	H. h.	Viv. frag. ital. 1. t. 8.
41	anxántica. DC.	(ye.) smooth.	—	—	—	H. h.	
42	tinctòria. DC.	(ye.) Dyer's green-weed.	Britain.	—	H. h.	Eng. bot. 44.
	β latifolia. DC.	(ye.) broad-leaved.	Switzerland.	1824.	—	H. h.	
	γ hirsùta. DC.	(ye.) villous.	—	—	H. h.	
	δ praténsis. DC.	(ye.) meadow.	Italy.	—	H. h.	
43	sibírica. DC.	(ye.) Siberian.	Siberia.	1785.	6. 8.	H. h.	Jacq. vind. 2. t. 190.
44	polygalæfòlia. DC.	(ye.) Milkwort-leav'd.	Portugal.	1826.	—	H. h.	
45	flòrida. DC.	(ye.) Spanish.	Spain.	1752.	—	H. h.	
46	mántica. DC.	(ye.) prostrate.	Italy.	1824.	—	H. h.	Poll. fl. veron. 2. t. 4. f.
47	ovàta. DC.	(ye.) oval-leaved.	Hungary.	1816.	—	H. h.	Wats. dend. brit. t. 77.
48	pátula. DC.	(ye.) spreading.	Siberia.	1828.	H. h.	
49	triangulàris. DC.	(ye.) three-sided.	Hungary.	1815.	5. 6.	H. h.	W. et K. hung. 2. t. 13.
50	sagittàlis. DC.	(ye.) jointed.	Germany.	1570.	—	H. h.	Jacq. aust. 3. t. 209.
51	diffùsa. DC.	(ye.) diffuse.	Italy.	1816.	—	H. h.	Jacq. ic. rar. 3. t. 555.
	<i>Spártium decumbens.</i> Jacq. non Ait.						
52	prostràta. DC.	(ye.) trailing.	Italy.	1826.	—	H. h.	Reyn. mem. 1. p. 211.
53	procumbens. DC.	(ye.) procumbent.	Hungary.	1816.	6. 8.	H. h.	Bot. reg. 1150.
54	pilòsa. DC.	(ye.) hairy green-weed.	England.	5. 6.	H. h.	Eng. bot. 44.
55	micrántha. DC.	(ye.) small-blossom'd.	Spain.	1824.	—	H. h.	Orteg. dec. 6. t. 10. f.
56	pilocárpa. DC.	(ye.) hairy-podded.	1820.	5. 7.	H. h.	
	CYTISUS. DC. CYTISUS. Monadelphia Decandria.						
1	nubigènus. DC.	(wh.) cluster-flower'd.	Teneriffe.	1779.	5. 8.	H. h.	
2	álbus. DC.	(wh.) white-flowered.	Portugal.	1752.	6. 7.	H. h.	Duham. arb. t. 23.
	<i>Spártium multiflorum.</i> w.						
	β incarnátus B.C.	flesh-coloured.	—	1823.	—	H. h.	Lodd. bot. cab. 1052.
3	Labúrnum. DC.	(ye.) Laburnum.	Europe.	1596.	5. 6.	H. h.	Bot. mag. 176.
4	alpinus. DC.	(ye.) Scotch Laburnum.	Hungary.	6. 7.	H. h.	W. et K. hung. 3. t. 2.
5	nigricans. DC.	(ye.) black-rooted.	Austria.	1730.	—	H. h.	Bot. reg. 802.
6	sessilifòlius. DC.	(ye.) common.	Italy.	1629.	5. 6.	H. h.	Bot. mag. 255.

7	<i>triflorus</i> . DC.	(<i>ye.</i>) three-flowered.	Spain.	1640.	6. 7.	H. $\frac{1}{2}$.	Clus. hist. 1. p. 91. f. 3.
8	<i>mollis</i> . DC.	(<i>ye.</i>) soft-leaved.	1820.	—	H. $\frac{1}{2}$.	
9	<i>patens</i> . DC.	(<i>ye.</i>) woolly-podded.	Portugal.	1752.	—	H. $\frac{1}{2}$.	
10	<i>grandiflorus</i> . DC.	(<i>ye.</i>) great-flowered.	—	1816.	—	H. $\frac{1}{2}$.	
11	<i>scoparius</i> . DC.	(<i>ye.</i>) common	Broom. Britain.	4. 6.	H. $\frac{1}{2}$.	Eng. bot. 1330.
	<i>Spartium scoparium</i> . E.B.						
12	<i>spinosus</i> . DC.	(<i>ye.</i>) prickly.	S. Europe.	1596.	6. 7.	F. $\frac{1}{2}$.	Lobel. ic. 2. t. 95.
13	<i>lanigerus</i> . DC.	(<i>ye.</i>) villous.	—	1822.	—	F. $\frac{1}{2}$.	
	<i>Spartium lanigerum</i> . Df. <i>Calycotome villosa</i> . L.en.						
14	<i>proliferus</i> . DC.	(<i>wh.</i>) silky.	Canaries.	1779.	4. 5.	G. $\frac{1}{2}$.	Bot. reg. 121.
15	<i>leucanthus</i> . DC.	(<i>wh.</i>) cream-colour'd.	Hungary.	1806.	6. 7.	H. $\frac{1}{2}$.	Bot. mag. 1438.
16	<i>albidus</i> . DC.	(<i>wh.</i>) whitish.	S. Europe.	1824.	—	F. $\frac{1}{2}$.	
17	<i>purpureus</i> . DC.	(<i>pu.</i>) purple-flower'd.	Austria.	1792.	5. 8.	H. $\frac{1}{2}$.	Bot. mag. 1176.
	β <i>albus</i> . DC.	(<i>wh.</i>) white-flowered.	—	—	—	H. $\frac{1}{2}$.	
18	<i>biflorus</i> . DC.	(<i>ye.</i>) two-flowered.	Hungary.	1760.	5. 7.	H. $\frac{1}{2}$.	Bot. reg. 308.
19	<i>elongatus</i> . DC.	(<i>ye.</i>) long-branched.	—	1804.	—	H. $\frac{1}{2}$.	Wats. dend. brit. 82.
20	<i>multiflorus</i> . B.R.	(<i>ye.</i>) many-flowered.	—	1824.	—	H. $\frac{1}{2}$.	Bot. reg. 1191.
21	<i>falcatus</i> . DC.	(<i>ye.</i>) sickle-shaped.	—	1816.	6. 8.	H. $\frac{1}{2}$.	W. et K. hung. 3. t. 238.
22	<i>austriacus</i> . DC.	(<i>ye.</i>) Austrian.	Austria.	1741.	6. 9.	H. $\frac{1}{2}$.	Jacq. aust. 1. t. 21.
23	<i>supinus</i> . DC.	(<i>ye.</i>) trailing.	S. Europe.	1755.	5. 8.	H. $\frac{1}{2}$.	— 1. t. 20.
24	<i>hirsutus</i> . DC.	(<i>ye.</i>) hairy.	—	1739.	6. 8.	H. $\frac{1}{2}$.	Jacq. obs. 4. t. 96.
25	<i>serotinus</i> . DC.	(<i>ye.</i>) late-flowering.	Hungary.	1826.	—	H. $\frac{1}{2}$.	
26	<i>capitatus</i> . DC.	(<i>ye.</i>) cluster-flower'd.	Austria.	1774.	6. 7.	H. $\frac{1}{2}$.	Jacq. aust. t. 33.
27	<i>ciliatus</i> . DC.	(<i>ye.</i>) fringed.	Mt. Carpathian.	1824.	—	H. $\frac{1}{2}$.	
28	<i>polytrichus</i> . DC.	(<i>ye.</i>) many-haired.	Tauria.	1822.	—	H. $\frac{1}{2}$.	
29	<i>argenteus</i> . DC.	(<i>ye.</i>) silver-leaved.	France.	1739.	7. 9.	H. $\frac{1}{2}$.	Lobel. ic. 2. p. 41. f. 2.
30	<i>calycinus</i> . DC.	(<i>ye.</i>) dwarf.	Levant.	1816.	6. 8.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 673.
	<i>nanus</i> . Wats. dend. brit. t. 81.						
31	<i>orientalis</i> . DC.	(<i>ye.</i>) oriental.	—	5. 7.	G. $\frac{1}{2}$.	
32	<i>canescens</i> . DC.	(<i>ye.</i>) hoary.	1826.	—	H. $\frac{1}{2}$.	
33	<i>procerus</i> . DC.	(<i>ye.</i>) tall.	Portugal.	1816.	6. 7.	H. $\frac{1}{2}$.	
	ADENOCA'RPUS . DC. ADENOCA'RPUS . Monadelphia Decandria.						
1	<i>hispanicus</i> . DC.	(<i>ye.</i>) Spanish.	Spain.	1824.	5. 7.	F. $\frac{1}{2}$.	
2	<i>intermedius</i> . DC.	(<i>ye.</i>) intermediate.	S. Europe.	7. 8.	H. $\frac{1}{2}$.	Clus. hist. 1. p. 94. f. 1.
3	<i>parvifolius</i> . DC.	(<i>ye.</i>) small-leaved.	France.	4. 7.	H. $\frac{1}{2}$.	
4	<i>telonensis</i> . DC.	(<i>ye.</i>) loose-flowered.	S. Europe.	1824.	5. 7.	H. $\frac{1}{2}$.	Du. arb. ed. n. 5. t. 47. f. 2.
	<i>Cytisus divaricatus</i> . β . Bot. mag. 1387?						
5	<i>frankenioides</i> . DC.	(<i>ye.</i>) Frankenia-like.	Teneriffe.	1815.	—	G. $\frac{1}{2}$.	
	<i>Genista viscosa</i> . w. <i>Adenocarpus anagyris</i> . s.s.						
6	<i>foliolosus</i> . DC.	(<i>ye.</i>) leafy.	Canaries.	1770.	7. 8.	F. $\frac{1}{2}$.	Bot. mag. 426.
	ONONIS . DC. REST-HARROW . Monadelphia Decandria.						
1	<i>crispa</i> . DC.	(<i>ye.</i>) curl-leaved.	Spain.	1739.	6. 8.	F. $\frac{1}{2}$.	Rœm. arch. 1. p. 3. t. 1.
2	<i>hispanica</i> . DC.	(<i>ye.</i>) Spanish.	—	1799.	5. 9.	F. $\frac{1}{2}$.	Bot. mag. 2450.
3	<i>vaginalis</i> . DC.	(<i>ye.</i>) sheathed.	Egypt.	1815.	6. 8.	F. $\frac{1}{2}$.	Vent. cels. t. 32.
4	<i>Natrix</i> . DC.	(<i>ye.</i>) yellow-shrubby.	S. Europe.	1683.	5. 9.	F. $\frac{1}{2}$.	Bot. mag. 329.
5	<i>picta</i> . DC.	(<i>std.</i>) painted-flower'd.	Barbary.	1825.	6. 8.	H. $\frac{1}{2}$.	Desf. atl. 2. t. 137.
6	<i>pinguis</i> . w.	(<i>ye.</i>) greasy.	—	1739.	7. 8.	F. $\frac{1}{2}$.	
7	<i>longifolia</i> . DC.	(<i>ye.</i>) long-leaved.	Canaries.	1816.	5. 6.	F. $\frac{1}{2}$.	
8	<i>ramosissima</i> . DC.	(<i>ye.</i>) branching.	Barbary.	1825.	7. 8.	H. $\frac{1}{2}$.	Desf. atl. 2. t. 186.
9	<i>arenaria</i> . DC.	(<i>ye.</i>) sand.	S. France.	—	—	H. $\frac{1}{2}$.	
10	<i>biflora</i> . DC.	(<i>ye.</i>) two-flowered.	Barbary.	1824.	—	H. \odot .	
11	<i>viscosa</i> . DC.	(<i>ye.</i>) clammy.	S. France.	1750.	—	H. \odot .	Barrel. ic. t. 1239.
12	<i>brachycarpa</i> . DC.	(<i>ye.</i>) short-podded.	Spain.	1824.	—	H. \odot .	
13	<i>brevifolia</i> . DC.	(<i>ye.</i>) short-leaved.	S. Europe.	—	H. \odot .	
14	<i>sicula</i> . DC.	(<i>ye.</i>) Sicilian.	Sicily.	1822.	6. 8.	H. \odot .	
15	<i>pubescens</i> . DC.	(<i>ye.</i>) downy.	S. Europe.	1680.	—	H. \odot .	Brot. phyt. 140. t. 58.
	<i>arthropodia</i> . Brot.						
16	<i>ornithopodioides</i> . DC.	(<i>ye.</i>) Bird's-foot.	Sicily.	1713.	—	H. \odot .	Cavan. ic. 2. t. 192.
17	<i>rotundifolia</i> . DC.	(<i>re.</i>) round-leaved.	Switzerland.	1570.	5. 7.	H. $\frac{1}{2}$.	Bot. mag. 335.
18	<i>fruticosa</i> . DC.	(<i>re.</i>) shrubby.	S. Europe.	1680.	5. 7.	H. $\frac{1}{2}$.	— t. 317.
19	<i>tridentata</i> . DC.	(<i>re.</i>) three-toothed.	Spain.	1752.	6. 8.	F. $\frac{1}{2}$.	Cavan. ic. 2. t. 152.
20	<i>angustissima</i> . DC.	(<i>re.</i>) narrow-leaved.	—	1826.	—	F. $\frac{1}{2}$.	
21	<i>cenisia</i> . DC.	(<i>re.</i>) crested.	Italy.	1759.	—	H. $\frac{1}{2}$.	Barrel. ic. t. 1104.
22	<i>foetida</i> . DC.	(<i>re.</i>) strong-scented.	Barbary.	1804.	7. 10.	H. \odot .	
23	<i>geminiflora</i> . DC.	(<i>re.</i>) twin-flowered.	Spain.	1825.	8. 10.	H. \odot .	
24	<i>Schouwii</i> . DC.	(<i>re.</i>) Schouw's.	Italy.	1828.	7. 10.	H. \odot .	
25	<i>reclinata</i> . DC.	(<i>re.</i>) reclined.	S. Europe.	1800.	6. 8.	H. \odot .	Barrel. ic. t. 761.
26	<i>mollis</i> . DC.	(<i>re.</i>) soft.	Spain.	1824.	—	H. \odot .	
27	<i>Cherleri</i> . DC.	(<i>re.</i>) dwarf.	S. Europe.	1771.	6. 7.	H. \odot .	Bauh. hist. 2. p. 394. f. 2

23	<i>péndula</i> . DC.	(<i>re.</i>) pendulous.	Barbary.	1826.	7. 9.	H. ☉.	Desf. atl. 2. t. 191.
29	<i>Siebèri</i> . DC.	(<i>re.</i>) Sieber's.	Crete.	—	—	H. ☉.	
30	<i>arboréscens</i> . DC.	(<i>re.</i>) tree.	Barbary.	1825.	6. 8.	F. h.	Desf. atl. 2. t. 193.
31	<i>altíssima</i> . DC.	(<i>re.</i>) stinking.	Italy.	1596.	5. 8.	H. 4.	All. ped. t. 41. f. 1.
	<i>hircina</i> . Jacq. vind. t. 93.						
32	<i>procúrrens</i> . DC.	(<i>re.</i>) rooting-branch'd.	Europe.	6. 8.	H. h.	Fuchs. hist. 60. ic.
33	<i>répens</i> . W.	(<i>re.</i>) creeping.	Britain.	—	H. 4.	Dill. elth. t. 25. f. 29.
34	<i>spinòsa</i> . DC.	(<i>re.</i>) Cammock.	—	—	H. h.	Eng. bot. 682.
	<i>arrénsis</i> . E.B.						
35	<i>antiquorum</i> . W.	(<i>re.</i>) tall.	S. Europe.	1790.	—	H. 4.	
36	<i>mitíssima</i> . DC.	(<i>re.</i>) cluster-flower'd.	Portugal.	1732.	6. 7.	H. ☉.	Dill. elth. t. 21. f. 27.
37	<i>diffùsa</i> . DC.	(<i>re.</i>) diffuse.	Italy.	1821.	7. 8.	H. ☉.	
38	<i>serràta</i> . DC.	(<i>pu.wh.</i>) serrate.	Egypt.	1828.	6. 10.	H. ☉.	
39	<i>hírta</i> . DC.	(<i>bl.</i>) hairy.	Levant.	—	—	H. 4.	
40	<i>alopécuroídes</i> . DC.	(<i>re.</i>) Fox-tail.	Portugal.	1696.	7. 8.	H. ☉.	Schkuhr. handb. t. 194.
41	<i>álba</i> . DC.	(<i>wh.</i>) white-flowered.	Naples.	1826.	—	H. ☉.	
42	<i>oligophýlla</i> . DC.	(<i>re.w.</i>) few-leaved.	—	1824.	—	H. ☉.	Ten. fl. nap. 2. t. 67.
43	<i>capitáta</i> . DC.	(<i>ye.</i>) capitate.	Spain.	1818.	6. 7.	H. 4.	Cavan. ic. 2. t. 159. f. 2.
44	<i>striàta</i> . DC.	(<i>ye.</i>) striated.	S. France.	1814.	—	H. 4.	
45	<i>Colúmnæ</i> . DC.	(<i>ye.</i>) small-flowered.	Europe.	1732.	—	H. 4.	All. p. 1. n. 1166. t. 20. f. 3.
	<i>minutíssima</i> . Jacq. aust. t. 240. <i>parviflora</i> . P.S.						
46	<i>minutíssima</i> . DC.	(<i>ye.</i>) pointed-calyx'd.	S. Europe.	1818.	6. 8.	H. ☉.	Cavan. ic. 2. t. 153.
	<i>barbàta</i> . Cav. <i>saxátilis</i> . Lam.						
47	<i>variegàta</i> . DC.	(<i>ye.</i>) variegated.	—	1784.	7. 8.	H. ☉.	Desf. atl. 2. t. 185.
48	<i>pállida</i> . DC.	(<i>pa.</i>) pale.	1824.	—	H. ☉.	
49	<i>emarginàta</i> . Boj. emarginate.	Mauritius.	—	S. h.	
50	<i>villòsa</i> . DC.	(<i>ye.</i>) villous.	C. B. S.	1825.	7. 9.	G. h.	
51	<i>decúmbens</i> . DC.	(<i>ye.</i>) decumbent.	—	1822.	—	G. 4.	
52	<i>geminàta</i> . DC.	(<i>ye.</i>) twin-podded.	—	1787.	—	G. 4.	
53	<i>umbellàta</i> . DC.	(<i>ye.</i>) umbel-flowered.	—	1818.	—	G. 4.	
54	<i>glábra</i> . DC.	(<i>ye.</i>) smooth-leaved.	—	1816.	—	G. h.	
55	<i>capénsis</i> . DC.	(<i>pu.</i>) Cape annual.	—	1823.	—	H. ☉.	
56	<i>cérnua</i> . DC.	(<i>ye.</i>) hanging-podded.	—	1774.	—	G. h.	
	REQUIENIA. DC.	REQUIENIA. Monadelphica Decandria.					
1	<i>obcordàta</i> . DC.	(<i>ye.</i>) obcordate.	Senegal.	1824.	6. 8.	S. h.	DC. leg. mem. t. 37.
2	<i>sphærospérma</i> . DC.	(<i>ye.</i>) round-seeded.	C. B. S.	1816.	4. 7.	G. h.	— t. 38.
	ANTHYLLIS. DC.	KIDNEY VETCH. Monadelphica Decandria.					
1	<i>Gerárdi</i> . DC.	(<i>ro.</i>) Gerard's.	S. Europe.	1806.	6. 8.	H. 4.	Ger. gallopr. t. 18.
2	<i>onobrychioídes</i> . DC.	(<i>y.</i>) Saintfoin-like.	Spain.	1818.	—	H. 4.	Cavan. ic. 2. t. 150.
3	<i>cytisóides</i> . DC.	(<i>ye.</i>) downy-leaved.	—	1731.	4. 6.	F. h.	Barrel. ic. 1182.
4	<i>genístæ</i> . DC.	(<i>ye.</i>) Genista-like.	—	1824.	—	F. h.	
5	<i>Hermánniæ</i> . DC.	(<i>ye.</i>) Lavender-ld.	Levant.	1739.	4. 7.	F. h.	Bot. mag. 2576.
6	<i>aspálathi</i> . DC.	(<i>ye.</i>) spiny.	—	—	—	F. h.	
7	<i>erinàcea</i> . DC.	(<i>bl.</i>) prickly.	Spain.	1759.	4. 6.	H. h.	Bot. mag. 676.
8	<i>hý'strix</i> .	(<i>wh.</i>) porcupine.	S. Europe.	—	H. h.	
9	<i>Bárba-Jòvis</i> .	(<i>st.</i>) Jupiter's-beard.	—	1640.	3. 5.	G. h.	Bot. mag. 1927.
10	<i>heterophýlla</i> . DC.	(<i>v.</i>) various-leaved.	—	1768.	6. 7.	G. h.	
11	<i>seríceá</i> . DC.	(<i>ye.</i>) silky.	Spain.	1786.	—	F. h.	
12	<i>montàna</i> . DC.	(<i>ro.</i>) mountain.	Europe.	1759.	—	H. 4.	Swt. br. fl. gar. 1. t. 79.
13	<i>Vulnerària</i> . DC.	(<i>ye.</i>) common.	Britain.	5. 8.	H. 4.	Eng. bot. 104.
14	<i>rústica</i> . Mil.	(<i>wh.</i>) white-flower'd.	—	H. 4.	
15	<i>Dillénii</i> . Sct.	(<i>sc.</i>) red-flowered.	S. Europe.	—	H. 4.	Dill. elth. t. 320. f. 41.
16	<i>polyphýlla</i> . Kit.	(<i>ye.</i>) many-leaved.	Hungary.	1827.	—	H. 4.	
17	<i>tetraphýlla</i> . DC.	(<i>st.</i>) four-leaved.	S. Europe.	1640.	7. 8.	H. ☉.	Bot. mag. 108.
18	<i>cornícina</i> . DC.	(<i>st.</i>) horned.	Spain.	1759.	—	H. ☉.	Cavan. ic. 1. t. 39. f. 1.
19	<i>hamòsa</i> . DC.	(<i>st.</i>) hooked.	Barbary.	1820.	—	H. ☉.	
20	<i>lotóides</i> . DC.	(<i>st.</i>) Lotus-like.	Spain.	1739.	6. 7.	H. ☉.	Cavan. ic. 1. t. 40.
21	<i>chilénsis</i> . DC.	(<i>st.</i>) Chile.	Chile.	1824.	—	G. 4.	
	<i>Lòtus subpinnàtus</i> . Lag.						

Subtribus II. **TRIFOLIÆ.** DC. prodr. 2. p. 171.

	MEDICAGO. DC.	MEDICK. Diadelphica Decandria.					
1	<i>circinnàta</i> DC.	(<i>ye.</i>) kidney-podded.	Italy.	1640.	7. 8.	H. ☉.	
	<i>Hymenocárpos circinnàtus</i> . L. en.						

2	nummulària. DC. (<i>ye.</i>) money-wort.	S. Europe.	—	H. ⊙.	Gært. sem. 2. t. 155. f. 7.
	<i>circinnàta. G. Hymenocárpos nummulàrius. L. en.</i>					
3	radiàta. DC. (<i>ye.</i>) ray-podded.	Italy.	1629.	6. 7.	H. ⊙.	Moris. his. s. 2. t. 15. f. 3.
4	rupéstris. DC. (<i>ye.</i>) rock.	Tauria.	1827.	6. 8.	H. 4.	
5	brachycárpa. DC. (<i>ye.</i>) short-podded.	Tiflin.	1818.	7. 8.	H. ⊙.	
6	lupulina. DC. (<i>ye.</i>) nonesuch.	Britain.	5. 8.	H. ♂.	Eng. bot. 971.
7	cretàcea. DC. (<i>ye.</i>) suffrutescent.	Tauria.	1805.	7. 8.	H. ♀.	
8	falcàta. DC. (<i>ye.</i>) sickle-podded.	Britain.	—	H. 4.	Eng. bot. 1016.
9	procumbens. DC. (<i>ye.</i>) procumbent.	Poland.	1827.	—	H. 4.	
10	cancellàta. DC. (<i>ye.</i>) netted-podded.	Caucasus.	1828.	—	H. 4.	
11	suffruticòsa. DC. (<i>vi. ye.</i>) frutescent.	Pyrenees.	1818.	6. 8.	H. ♀.	
12	arbòrea. DC. (<i>ye.</i>) moon trefoil.	Italy.	1596.	5. 11.	H. ♀.	Flor græc. 767.
13	sibírica. DC. (<i>ye.</i>) Siberian.	Siberia.	1824.	6. 9.	H. ⊙.	
14	mèdia. DC. (<i>bl. ye.</i>) pale-flowered.	Europe.	6. 7.	H. 4.	
15	satíva. DC. (<i>bl.</i>) Lucerne.	Britain.	—	H. 4.	Eng. bot. 1749.
	<i>β versicolor. DC. (bl. y.) various-colour'd.</i>	—	—	H. 4.	
16	mexicàna. (<i>bl.</i>) Mexican.	Mexico.	1824.	5. 8.	F. ♀.	
17	prostràta. DC. (<i>ye.</i>) prostrate.	Hungary.	1793.	7. 8.	H. 4.	Jacq. vind. 1. t. 89.
18	glomeràta. DC. (<i>ye.</i>) clustered.	Italy.	1818.	—	H. 4.	
19	glutinòsa. DC. (<i>vi.</i>) glutinous.	Caucasus.	—	—	H. 4.	
20	obsèura. DC. (<i>ye.</i>) doubtful.	S. France.	1734.	—	H. ⊙.	Retz. obs. fasc. 1. t. 1.
21	l'ævis. DC. (<i>ye.</i>) smooth.	Tunis.	1816.	6. 8.	H. ⊙.	
	<i>Helix. w.</i>					
22	orbiculàris. DC. (<i>ye.</i>) flat-podded.	S. Europe.	1688.	7. 8.	H. ⊙.	Gært. sem. 2. t. 155.
23	marginàta. DC. (<i>ye.</i>) margined.	—	1816.	—	H. ⊙.	Moris. his. s. 2. t. 15. f. 2.
24	applanàta. DC. (<i>ye.</i>) obovate-leaved.	1824.	7. 9.	H. ⊙.	
25	scutellàta. DC. (<i>ye.</i>) snail-podded.	S. Europe.	1562.	6. 8.	H. ⊙.	Gært. sem. 2. t. 155. f. 7.
26	rugòsa. DC. (<i>ye.</i>) elegant.	—	1680.	7. 8.	H. ⊙.	Moris. his. s. 2. t. 15. f. 4.
	<i>élegans. w.</i>					
27	saxátilis. DC. (<i>ye.</i>) stone.	Tauria.	1828.	6. 8.	H. 4.	
28	tornàta. DC. (<i>ye.</i>) smooth-podded.	S. Europe.	1658.	—	H. ⊙.	
29	turbinàta. DC. (<i>ye.</i>) Turban.	—	1680.	—	H. ⊙.	Moris. his. s. 2. t. 15. f. 5.
30	tuberculàta. DC. (<i>ye.</i>) wart-podded.	—	1658.	—	H. ⊙.	Bauh. hist. 2. f. 1.
31	striàta. DC. (<i>std.</i>) stripe-podded.	—	1828.	—	H. ⊙.	
32	apiculàta. DC. (<i>ye.</i>) tufted.	Italy.	1800.	—	H. ⊙.	
33	coronàta. DC. (<i>ye.</i>) crowned.	S. Europe.	1660.	—	H. ⊙.	Moris. his. s. 2. t. 15. f. 16.
34	catalònica. DC. (<i>ye.</i>) Catalanian.	Catalonia.	1816.	—	H. ⊙.	Schrank. h. mon. t. 28.
35	denticulàta. DC. (<i>ye.</i>) toothed.	S. France.	1800.	—	H. ⊙.	
36	flexuòsa. DC. (<i>ye.</i>) flexuose.	Naples.	1824.	—	H. ⊙.	
37	spinulòsa. DC. (<i>ye.</i>) prickly-podded.	S. Europe.	1820.	—	H. ⊙.	
38	pubéscens. DC. (<i>ye.</i>) pubescent.	Montpelier.	1823.	—	H. ⊙.	
39	terebèllum. DC. (<i>ye.</i>) short-spined.	S. Europe.	1798.	—	H. ⊙.	
40	marina. DC. (<i>ye.</i>) sea-side.	—	1596.	—	H. ⊙.	Cavan. ic. 2. t. 130.
41	tentaculàta. DC. (<i>ye.</i>) distichous-spin'd.	—	1824.	—	H. ⊙.	Gært. sem. 2. t. 155. f. 7?
42	Hornemanniana. DC. (<i>ye.</i>) Hornemann's.	Morocco.	1823.	—	H. ⊙.	
43	littoralis. DC. (<i>ye.</i>) shore.	S. Europe.	1827.	—	H. 4.	J. Bauh. his. 2. p. 385. ic.
44	lappàcea. DC. (<i>ye.</i>) bur-podded.	—	—	—	H. ⊙.	
45	pentacycla. DC. (<i>ye.</i>) five-whorled.	—	—	H. ⊙.	
46	hístris. DC. (<i>ye.</i>) porcupine.	Naples.	1824.	—	H. ⊙.	
47	discifórmis. DC. (<i>ye.</i>) hook-spined.	Montpelier.	1826.	—	H. ⊙.	
48	carstiènsis. DC. (<i>ye.</i>) creeping-rooted.	Carinthia.	1789.	6. 9.	H. 4.	Bot. mag. 909.
49	nigra. DC. (<i>ye.</i>) black.	France.	—	6. 8.	H. ⊙.	Moris. his. s. 2. t. 15. f. 19.
50	tribuloídes. DC. (<i>ye.</i>) Caltrops-like.	S. Europe.	1739.	—	H. ⊙.	
51	cylindràcea. DC. (<i>ye.</i>) cylinder-podded.	1824.	—	H. ⊙.	
52	græca. DC. (<i>ye.</i>) Grecian.	Greece.	1804.	—	H. ⊙.	
53	mínima. DC. (<i>ye.</i>) least.	England.	—	H. ⊙.	Flor. dan. t. 211.
54	arenària. DC. (<i>ye.</i>) sand.	Italy.	1824.	—	H. ⊙.	
55	muricoléptis. DC. (<i>ye.</i>) arch-spined.	Sicily.	—	—	H. ⊙.	
56	uncinàta. DC. (<i>ye.</i>) hooked.	S. Europe.	1820.	—	H. ⊙.	
57	distans. DC. (<i>ye.</i>) distant.	—	—	—	H. ⊙.	Moris. his. s. 2. t. 15. f. 21.
58	aculeàta. DC. (<i>ye.</i>) prickly.	1802.	—	H. ⊙.	
59	maculàta. DC. (<i>ye.</i>) heart.	England.	5. 6.	H. ⊙.	Eng. bot. 1616.
	<i>polymórpha. E. B.</i>					
60	Gerárdi. DC. (<i>ye.</i>) Gerard's.	Hungary.	1816.	6. 8.	H. ⊙.	Moris. his. s. 2. t. 15. f. 18.
	<i>villòsa. DC. fl. fr. 4. p. 545.</i>					
61	agréstis. DC. (<i>ye.</i>) field.	Italy.	1824.	—	H. ⊙.	
62	rigídula. DC. (<i>ye.</i>) thorny-podded.	S. Europe.	1730.	—	H. ⊙.	
63	muricàta. DC. (<i>ye.</i>) prickly.	England.	5. 8.	H. ⊙.	Vaill. par. t. 33. f. 7.
64	sphærocárpos. DC. (<i>ye.</i>) round-podded.	Italy.	1826.	6. 8.	H. ⊙.	Sebast. pl. rom. p. 15 t. 3.

65	murex. DC.	(ye.) Burdock-podded.	1802.	6. 8.	H. ⊙.	
66	laciniata. DC.	(ye.) cut-leaved.	S. Europe.	1683.	—	H. ⊙.	Breyn. cent. 81. t. 31.
67	Tenoreana. DC.	(ye.) Tenore's.	Naples.	1827.	—	H. ⊙.	
68	granatensis. DC.	(ye.) Spanish.	Spain.	1816.	—	H. ⊙.	Jacq. coll. sup. t. 15. f. 2.
69	intertexta. DC.	(ye.) hedgehog.	S. Europe.	1629.	—	H. ⊙.	Moris. his. s. 2. t. 15. f. 8.
70	ciliaris. DC.	(ye.) fringed.	France.	1686.	7. 8.	H. ⊙.	— s. 2. t. 15. f. 7.
71	echinus. DC.	(ye.) Sea-egg.	S. Europe.	1820.	6. 8.	H. ⊙.	— s. 2. t. 15. f. 9.
72	ægagrophila. DC.	(ye.) goats.	1824.	7. 9.	H. ⊙.	
73	caspica. L. en.	(ye.) Caspian.	Caucasus.	1820.	6. 8.	H. ⊙.	
74	ovata. H. E.	(ye.) oval-leaved.	S. Europe.	1818.	—	H. ⊙.	
75	strumaria. H. E.	(ye.) strumous.	—	—	—	H. ⊙.	
76	microdon. E.	(ye.) small-toothed.	Egypt.	1826.	—	H. ⊙.	
77	pedunculata. E.	(ye.) peduncled.	—	—	—	H. ⊙.	
TRIGONELLA. DC. FENUGREEK. Diadelphia Decandria.							
1	cœrulea. DC.	(bl.) blue.	Switzerland.	1562.	7. 9.	H. ⊙.	Bot. mag. 2283.
<i>Trifolium cœruleum. B.M. Melilotus cœrulea. Lam.</i>							
2	Besseriàna. DC.	(bl.) Besser's.	Poland.	—	H. ⊙.	
3	maritima. DC.	(ye.) sea-side.	Egypt.	1827.	—	H. ⊙.	
4	uncinata. DC.	(st.) hooked.	Iberia.	1823.	6. 9.	H. ⊙.	
<i>Melilotus hamosum. M.B. uncinata. Bess.</i>							
5	littoralis. DC.	(ye.) shore.	Sicily.	1826.	—	H. ⊙.	
6	calliceras. DC.	(ye.) rostrate.	Iberia.	1821.	—	H. ⊙.	DC. hort. gen. 2. ic.
<i>oxyrhynchus. F.</i>							
7	prostrata. DC.	(ye.) prostrate.	S. France.	—	H. ⊙.	J. Bauh. his. 2. p. 365. f. 2.
8	gladiata. DC.	(wh.) sword-podded.	Tauria.	1829.	—	H. ⊙.	
9	Fœnum-græcum. DC.	(st.) common.	S. France.	1597.	—	H. ⊙.	Schk. s. han. 2. t. 211.
10	spinosa. DC.	(ye.) thorny.	Candia.	1710.	7. 9.	H. ⊙.	Breyn. cent. 79. t. 33. f. 1.
11	striata. DC.	(ye.) streaked.	Abyssinia?	1824.	6. 9.	H. ⊙.	
12	hamosa. DC.	(ye.) hook-podded.	Egypt.	1640.	7. 8.	H. ⊙.	Alp. ægypt. t. 124.
13	flexuosa. DC.	(st.) flexuose.	—	1818.	6. 8.	H. ⊙.	
14	Fischeriana. DC.	(ye.) Fischer's.	Tiflin.	—	—	H. ⊙.	
<i>flexuosa. M.B. non Delil.</i>							
15	anguina. DC.	(ye.) snake-podded.	Egypt.	1828.	—	H. ⊙.	Delil. fl. ægypt. t. 110. f. 2.
16	tenuis. DC.	(ye.) slender.	Tiflin.	1818.	—	H. ⊙.	
17	elongata. W. en.	(ye.) elongated.	1823.	—	H. ⊙.	
18	cancellata. DC.	(ye.) netted-podded.	1818.	—	H. ⊙.	
19	monspeliaca. DC.	(ye.) Montpellier.	Montpelier.	1710.	—	H. ⊙.	W. et K. hung. 2. t. 142.
20	parviflora. DC.	(ye.) small-flowered.	Switzerland.	1824.	—	H. ⊙.	
21	pinnatifida. DC.	(ye.) pinnatifid.	Spain.	1801.	—	H. ⊙.	Cavan. ic. 1. t. 38.
<i>mèdia. Delil.</i>							
22	polycerata. DC.	(ye.) broad-leaved.	S. Europe.	1640.	7. 9.	H. ⊙.	
23	ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1823.	6. 8.	H. ⊙.	
24	ornithorynchos. DC.	(ye.) beak-podded.	Russia.	1825.	6. 9.	H. ⊙.	
25	crassifolia. DC.	(ye.) thick-leaved.	Egypt.	1828.	6. 8.	H. ⊙.	
26	ruthenica. DC.	(ye.) small.	Siberia.	1741.	5. 7.	H. ♀.	Lodd. bot. cab. 1391.
27	laciniata. DC.	(ye.) laciniate.	Egypt.	1823.	7. 9.	H. ⊙.	
28	platycarpus. DC.	(ye.) round-leaved.	Siberia.	1741.	6. 9.	H. ♂.	Gmel. sib. 4. t. 9.
29	hybrida. DC.	(ye.) hybrid.	France.	1806.	—	H. ♀.	DC. ic. rar. 1. t. 29.
30	ornithopodioides. DC.	(re.) Bird's-foot.	Britain.	—	H. ⊙.	Eng. bot. t. 1047.
<i>Trifolium ornithopodioides. E.B. Melilotus ornithopodioides. P.S.</i>							
31	corniculata. DC.	(ye.) horse-shoe.	S. Europe.	1597.	6. 7.	H. ⊙.	Moris. his. s. 2. t. 16. f. 11.
32	esculenta. DC.	(ye.) esculent.	E. Indies	1815.	6. 9.	S. ⊙.	
POCO'CKIA. DC. POCO'CKIA. Diadelphia Decandria.							
	crética. DC.	(ye.) Cretan.	Candia.	1713.	6. 9.	H. ⊙.	Moris. his. s. 2. t. 14. f. 3.
<i>Trifolium créticum. L. Melilotus crética. P.S.</i>							
MELILOTUS. DC. MELILOT. Diadelphia Decandria.							
1	Kochiana. DC.	(ye.) Koch's.	Germany.	1816.	6. 9.	H. ♂.	
2	dentata. DC.	(ye.) toothed.	Hungary.	1802.	6. 8.	H. ♀.	W. et K. hung. 1. t. 42.
3	linearis. DC.	(ye.) linear-leaved.	Spain.	1816.	—	H. ⊙.	
4	ruthenica. DC.	(wh.) Russian.	Sarepta.	1828.	—	H. ⊙.	
5	melanospërma. DC.	(ye.) black-seeded.	Tauria.	1825.	—	H. ♂.	
6	officinàlis. DC.	(ye.) common.	Britain.	6. 9.	H. ⊙.	Eng. bot. 1349.
7	palustris. DC.	(ye.) marsh.	Hungary.	1824.	—	H. ♂.	W. et K. hung. 3. t. 266.
8	altissima. DC.	(wh.) tallest.	S. Europe.	1818.	—	H. ⊙.	
9	leucantha. DC.	(wh.) white-flowered.	Europe.	—	H. ♂.	Sturm. deuts. 1. f. K.
<i>vulgaris. W. en.</i>							
10	macrorhiza. DC.	(ye.) long-rooted.	Hungary.	1801.	7. 9.	H. ♀.	W. et K. hung. 1. t. 26.
11	parviflora. DC.	(ye.) small-flowered.	S. Europe.	1810.	6. 8.	H. ⊙.	
12	rugulosa. W. en.	(wh.) rugged-podded.	E. Indies.	—	—	H. ⊙.	

13	<i>indica</i> . W. en.	(<i>ye.</i>) Indian.	E. Indies.	1680.	6. 8.	H. ⊙.	Pluk. alm. t. 45. f. 4.
14	<i>Báumeti</i> . H.	(<i>ye.</i>) one-seeded.	1818.	—	H. ⊙.	
15	<i>mínima</i> . DC.	(<i>wh.</i>) small-flowered.	E. Indies.	1810.	8. 10.	H. ⊙.	
16	<i>segetális</i> . DC.	(<i>ye.</i>) hedge.	Spain.	1824.	6. 8.	H. ⊙.	
17	<i>polónica</i> . DC.	(<i>ye.</i>) Polish.	Poland.	1778.	—	H. ⊙.	
18	<i>táurica</i> . DC.	(<i>wh.</i>) Taurian.	Tauria.	1823.	6. 9.	H. ⊙.	
19	<i>itálica</i> . DC.	(<i>ye.</i>) Italian.	Italy.	1596.	—	H. ⊙.	Camer. hort. t. 29.
20	<i>rotundifólia</i> . T.N.	(<i>ye.</i>) round-leaved.	—	1824.	—	H. ⊙.	
21	<i>grácilis</i> . DC.	(<i>ye.</i>) slender.	France.	—	6. 8.	H. ⊙.	
22	<i>neapolitána</i> . T.P.	(<i>ye.</i>) Neapolitan.	Naples.	1827.	—	H. ⊙.	
23	<i>pállida</i> . DC.	(<i>ye.</i>) pale-podded.	Poland.	1828.	—	H. ♂.	
24	<i>suavèolens</i> . DC.	(<i>ye.</i>) sweet-scented.	Dahuria.	1826.	—	H. ♀.	
25	<i>hirsùta</i> . Bal.	(<i>ye.</i>) hairy.	—	—	H. ⊙.	
26	<i>procúbens</i> . H.Pr.	(<i>y.</i>) procumbent.	1829.	—	H. ⊙.	
27	<i>arvénsis</i> . DC.	(<i>ye.</i>) corn-field.	Germany.	1822.	6. 9.	H. ⊙.	
28	<i>petitpierriana</i> . W.	(<i>wh.</i>) rough-podded.	—	1816.	—	H. ♂.	
29	<i>Besseriana</i> . DC.	(<i>ye.</i>) Besser's.	Tauria.	1826.	6. 8.	H. ♂.	
	<i>imbricàta</i> . Bes.						
30	<i>plicàta</i> . F.	(<i>ye.</i>) plaited.	—	1823.	—	H. ⊙.	
31	<i>messauénsis</i> . DC.	(<i>ye.</i>) Sicilian.	Sicily.	1680.	—	H. ⊙.	
32	<i>sulcàta</i> . DC.	(<i>ye.</i>) furrowed.	Barbary.	1798.	—	H. ⊙.	
	<i>mauritánica</i> . W. enum.						
TRIFOLIUM. DC. TREFOIL. Diadelphia Decandria. L.							
1	<i>angustifólium</i> . DC.	(<i>ro.</i>) narrow-leaved.	S. Europe.	1640.	6. 8.	H. ⊙.	Barrel. ic. t. 698.
2	<i>intermèdium</i> . DC.	(<i>wh.</i>) intermediate.	Italy.	1829.	—	H. ⊙.	
3	<i>purpùreum</i> . DC.	(<i>pu.</i>) purple.	Montpelier.	1826.	—	H. ⊙.	Loisel. fl. gall. t. 14.
4	<i>rùbens</i> . DC.	(<i>re.</i>) long-spiked.	S. Europe.	1633.	6. 9.	H. ♀.	Jacq. aust. 4. t. 385.
5	<i>cœruléscens</i> . DC.	(<i>pu.</i>) bluish.	Tauria.	1827.	—	H. ⊙.	
6	<i>incarnàtum</i> . DC.	(<i>sc.</i>) scarlet.	Italy.	1596.	7. 9.	H. ⊙.	Bot. mag. 328.
7	<i>Molineri</i> . w.	(<i>bh.</i>) blush-flowered.	—	1823.	—	H. ⊙.	
8	<i>arvénsis</i> . DC.	(<i>wh.</i>) Hare's-foot.	Britain.	7. 8.	H. ⊙.	Engl. bot. v. 14. t. 914.
9	<i>gráçile</i> . P.s.	(<i>re.</i>) slender.	France.	1818.	—	H. ⊙.	Barrel. ic. 901.
10	<i>ligústicum</i> . DC.	(<i>re.</i>) awned.	Portugal.	1820.	6. 8.	H. ⊙.	Balb. act. ac. it. 1. f. 2.
	<i>arrectisètum</i> . Brot. phyt. t. 63. f. 1.	<i>aristàtum</i> . H.					
11	<i>divaricàtum</i> . DC.	(<i>wh.</i>) spreading.	1827.	—	H. ⊙.	
12	<i>gemèllum</i> . DC.	(<i>wh.</i>) double-headed.	Spain.	1825.	—	H. ⊙.	
13	<i>phleoídes</i> . DC.	(<i>re.</i>) Phleum-spiked.	—	—	—	H. ⊙.	
14	<i>lappàceum</i> . DC.	(<i>st.</i>) burr-spiked.	S. Europe.	1787.	—	H. ⊙.	Barrel. ic. 871.
15	<i>echinàtum</i> . DC.	(<i>wh.</i>) bristly.	Caucasus.	1823.	—	H. ⊙.	
16	<i>erinàceum</i> . DC.	(<i>wh.</i>) villous-leaved.	Iberia.	1827.	—	H. ⊙.	
17	<i>malacánthum</i> . DC.	(<i>wh.</i>) soft-headed.	1824.	—	H. ⊙.	
18	<i>sylváticum</i> . DC.	(<i>pu.</i>) wood.	S. France.	1826.	—	H. ♀.	
19	<i>Bocconi</i> . DC.	(<i>re.</i>) Boccone's.	S. Europe.	1825.	7. 8.	H. ⊙.	Brot. phyt. t. 63. f. 2.
	<i>semiglábrum</i> . Brot. collinum. Poir.						
20	<i>striàtum</i> . DC.	(<i>pu.</i>) soft-knotted.	Britain.	6. 7.	H. ⊙.	Eng. bot. v. 26. t. 1843.
21	<i>tenuiflórum</i> . DC.	(<i>pa.</i>) slender-flower'd.	Naples.	1824.	6. 8.	H. ⊙.	
22	<i>scábrum</i> . DC.	(<i>wh.</i>) rough.	Britain.	5. 7.	H. ⊙.	Eng. bot. v. 13. t. 903.
23	<i>marítimum</i> . DC.	(<i>li.</i>) sea-shore.	—	6. 8.	H. ⊙.	— v. 4. t. 220.
	<i>rígídum</i> . Savi. fl. pis. 2. p. 159. t. 1. f. 1.						
24	<i>supinum</i> . DC.	(<i>bh.</i>) spreading-branch'd.	S. Europe.	1827.	—	H. ⊙.	Savi. obs. trif. p. 46. f. 2.
25	<i>constantinopolitánum</i> . DC.	(<i>ye.</i>) Turkish.	Constantinople.	—	—	H. ⊙.	
26	<i>cínctum</i> . DC.	(<i>st.</i>) girded.	Montpelier.	1820.	—	H. ⊙.	
27	<i>alexandrínium</i> . DC.	(<i>st.</i>) Egyptian.	Egypt.	1798.	—	H. ⊙.	
28	<i>ochroleúcum</i> . DC.	(<i>st.</i>) sulphur-color'd.	Britain.	—	H. ♀.	Eng. bot. v. 17. t. 1221.
29	<i>tricocéphalum</i> . DC.	(<i>st.</i>) hairy-headed.	Caucasus.	1829.	—	H. ♀.	
30	<i>canéscens</i> . DC.	(<i>wh.</i>) gray.	—	1803.	5. 7.	H. ♀.	Bot. mag. 1168.
31	<i>pannònicum</i> . DC.	(<i>wh.</i>) Hungarian.	Hungary.	1752.	6. 8.	H. ♀.	Jacq. obs. 2. t. 42.
32	<i>barbàtum</i> . DC.	(<i>ye.</i>) bearded.	Montpelier.	1827.	—	H. ♀.	
33	<i>olympicum</i> . B.M.	(<i>st.</i>) long-flowered.	Levant.	1810.	—	H. ♀.	Bot. mag. 2790.
34	<i>armèníum</i> . DC.	(<i>st.</i>) Armenian.	Armenia.	1816.	5. 7.	H. ♀.	
35	<i>squarròsum</i> . DC.	(<i>wh.</i>) various-leaved.	Spain.	1640.	7. 8.	H. ⊙.	Moris. his. s. 2. t. 13. f. 1.
	<i>β flaticans</i> . DC.	(<i>st.</i>) yellowish.	—	—	H. ⊙.	Savi. obs. tri. p. 65. t. 3.
36	<i>ábidum</i> . DC.	(<i>st.</i>) whitish.	1796.	—	H. ⊙.	
37	<i>cònicum</i> . DC.	(<i>st.</i>) conical.	1823.	6. 8.	H. ⊙.	
38	<i>Kitaibeliànum</i> . DC.	(<i>st.</i>) Kitaibel's.	Hungary.	1828.	—	H. ⊙.	
39	<i>elongàtum</i> . DC.	(<i>re.</i>) long-flowered.	Galatia.	1810.	—	H. ♀.	Bot. mag. 2779.
40	<i>alpèstre</i> . DC.	(<i>pu.</i>) oval-spiked.	Europe.	1789.	—	H. ♀.	Eng. bot. v. 3. t. 190.
41	<i>mèdium</i> . DC.	(<i>pu.</i>) Cow-grass.	Britain.	7. 8.	H. ♀.	
42	<i>bracteàtum</i> . DC.	(<i>pu.</i>) large-bracted.	Morocco.	1804.	6. 8.	H. ♂.	

43	<i>expansum</i> . DC.	(<i>pu.</i>) expanded.	1804.	6. 7.	H. 4.	
44	<i>pratense</i> . DC.	(<i>pu.</i>) common clover.	Britain.	5. 9.	H. 4.	Eng. bot. v. 25. t. 1770.
	<i>a perenne</i> .	(<i>pu.</i>) perennial.	-----	-----	H. 4.	Sincl. gr. wob. 221.
	<i>β sativum</i> .	(<i>pu.</i>) cultivated.	-----	-----	H. 4.	
45	<i>vaginatum</i> . Schl.	(<i>ye.</i>) sheathed.	Switzerland.	1824.	-----	H. 4.	
	<i>pratense β flavicans</i> . Ser.	in DC. prodr. 2. p. 195.	<i>ochroleucum</i> . γ. DC.				
46	<i>microphyllum</i> . DC.	(<i>p.</i>) small-leaved.	France.	1821.	5. 9.	H. 4.	
47	<i>noricum</i> . DC.	(<i>st.</i>) shaggy.	Carinthia.	1823.	6. 7.	H. 4.	Sturm deuts. 1. fas. 16
48	<i>pensylvanicum</i> . DC.	(<i>p.</i>) Buffalo-clover.	N. America.	1811.	6. 9.	H. 4.	
49	<i>pallidum</i> . DC.	(<i>wh.</i>) pale.	Hungary.	1803.	6. 8.	H. ⊙.	W. et K. hung. 1. t. 36.
50	<i>diffusum</i> . DC.	(<i>pu.</i>) diffuse.	-----	1801.	-----	H. ⊙.	----- 1. t. 59.
51	<i>hirtum</i> . DC.	(<i>pu.</i>) hairy.	S. Europe.	1806.	-----	H. ⊙.	Desf. atl. 2. t. 209. f. 1.
	<i>hispidum</i> . Desf.						
52	<i>pictum</i> . W.	(<i>pu.</i>) painted-leaved.	-----	-----	-----	H. ⊙.	
53	<i>pauciflorum</i> . DC.	(<i>pu.</i>) few-flowered.	Archipelago.	1828.	-----	H. ♂.	
54	<i>Cherleri</i> . DC.	(<i>st.</i>) hispid-headed.	S. Europe.	1750.	5. 7.	H. ⊙.	Barrel. ic. 859.
55	<i>globosum</i> . DC.	(<i>wh.</i>) globular-headed.	Levant.	1713.	6. 8.	H. ⊙.	
56	<i>clypeatum</i> . DC.	(<i>wh.</i>) oriental.	-----	1711.	-----	H. ⊙.	Alpin. exot. t. 306.
57	<i>stellatum</i> . DC.	(<i>ro.</i>) star-headed.	England.	7. 8.	H. ⊙.	Eng. bot. v. 22. t. 154.
58	<i>leucanthum</i> . DC.	(<i>wh.</i>) white-flowered.	Tauria.	1823.	6. 8.	H. ⊙.	
59	<i>Waldsteiniænum</i> . (<i>pu.</i>)	Waldstein's.	Hungary.	1826.	-----	H. ⊙.	W. et K. hung. 3. t. 200.
	<i>reflexum</i> . W. K. non L.						
60	<i>saxatile</i> . DC.	(<i>wh.</i>) rock.	Switzerland.	1816.	6. 8.	H. ♂.	All ped. t. 59. f. 3.
61	<i>suffocatum</i> . DC.	(<i>wh.</i>) suffocated.	England.	-----	H. ⊙.	Eng. bot. v. 15. t. 1049.
62	<i>glomeratum</i> . DC.	(<i>ro.</i>) round-headed.	-----	6. 7.	H. ⊙.	----- v. 15. t. 1066.
63	<i>parviflorum</i> . DC.	(<i>li.</i>) small-flowered.	Hungary.	1805.	7. 8.	H. ⊙.	Sturm deuts. 1. fasc. 15.
	<i>strictum</i> . Sturm.						
64	<i>strictum</i> . DC.	(<i>bh.</i>) upright.	S. Europe.	-----	-----	H. ⊙.	W. et K. hung. 1. t. 37.
65	<i>repens</i> . DC.	(<i>wh.</i>) white clover.	Britain.	5. 9.	H. 4.	Eng. bot. v. 25. t. 1700.
	<i>β pentaphyllum</i> . P. S. (<i>w.</i>)	purple 5-leaved.	-----	-----	H. 4.	
66	<i>anomalum</i> . DC.	(<i>wh.</i>) anomalous.	-----	1827.	-----	H. 4.	Schrank pl. rar. t. 47.
67	<i>pallescens</i> . DC.	(<i>st.</i>) pale.	Hungary.	1804.	6. 8.	H. 4.	Sturm deuts. fl. 1. fas. 16
68	<i>cæspitosum</i> . DC.	(<i>wh.</i>) turfy.	Switzerland.	1815.	-----	H. 4.	Vill. delph. 3. t. 41.
69	<i>angulatum</i> . DC.	(<i>bh.</i>) angular.	Hungary.	1803.	-----	H. ⊙.	W. et K. hung. 1. t. 27.
70	<i>suavæolens</i> . DC.	(<i>pu.</i>) sweet-scented.	S. Europe.	1818.	-----	H. ⊙.	W. hort. berol. t. 108.
71	<i>hybridum</i> . DC.	(<i>wh.</i>) hybrid.	-----	1805.	-----	H. ⊙.	Sturm deuts. fl. 1. fas. 15.
72	<i>Micheliænum</i> . DC.	(<i>st.</i>) Michel's.	Italy.	1815.	-----	H. ⊙.	Mich. n. gen. t. 25. f. 25.
73	<i>élegans</i> . DC.	(<i>li.</i>) elegant.	S. Europe.	1818.	-----	H. 4.	Savi. fl. pi. 2. t. 1. f. 2
	<i>formosum</i> . Savi. Vail. par. t. 22. f. 1.						
74	<i>reflexum</i> . DC.	(<i>pu.</i>) reflexed.	Virginia.	1794.	-----	H. 4.	
75	<i>montanum</i> . DC.	(<i>wh.</i>) mountain.	Europe.	1786.	7. 8.	H. 4.	Flor. dan. t. 1172.
76	<i>rupestre</i> . DC.	(<i>wh.</i>) flat-headed.	Italy.	1824.	-----	H. 4.	
77	<i>Prutetiænum</i> . DC.	(<i>re.</i>) soft hairy.	-----	1828.	-----	H. 4.	
78	<i>subterræneum</i> . DC.	(<i>w.</i>) subterraneous.	England.	5. 6.	H. ⊙.	Eng. bot. v. 15. t. 1048.
79	<i>vesiculosum</i> . DC.	(<i>re.</i>) recurved.	Hungary.	1805.	6. 8.	H. ⊙.	W. et K. hung. 2. t. 165.
	<i>recurvum</i> . W. K.						
80	<i>spumosum</i> . DC.	(<i>pu.</i>) bladdered.	France.	1771.	-----	H. ⊙.	Cupan. panp. t. 69. f. 1.
81	<i>resupinatum</i> . DC.	(<i>pu.</i>) resupinate.	Germany.	1713.	-----	H. ⊙.	Sturm deuts. fl. 1. fas. 16
82	<i>fragiferum</i> . DC.	(<i>li.</i>) Strawberry.	England.	7. 8.	H. 4.	Eng. bot. v. 15. t. 1050.
83	<i>tomentosum</i> . DC.	(<i>ye.</i>) woolly.	S. Europe.	1640.	6. 8.	H. ⊙.	Barrel. ic. 864.
84	<i>physodes</i> . DC.	(<i>li.</i>) swollen-calyx'd.	Iberia.	1829.	-----	H. 4.	
85	<i>alatum</i> . DC.	(<i>li.</i>) netted-calyx'd.	Sicily.	1820.	7. 8.	H. ⊙.	Cupan. panp. t. 97. f. 1
	<i>Cupani</i> . Tineo.						
86	<i>uniflorum</i> . DC.	(<i>re.</i>) one-flowered.	S. Europe.	1822.	6. 8.	H. 4.	Buxb. cent. 3. t. 31. f. 1.
	<i>β Sternbergiænum</i> . DC.	(<i>wh.</i>) Sternberg's.	-----	-----	-----	H. 4.	----- 3. p. 18. t. 31. f. 2.
87	<i>eximium</i> . DC.	(<i>pu.</i>) choice.	Dahuria.	1828.	-----	H. 4.	
	<i>β albiflorum</i> . DC.	(<i>wh.</i>) white-flowered.	Altay.	-----	-----	H. 4.	
88	<i>alpinum</i> . DC.	(<i>re. wh.</i>) alpine.	Italy.	1775.	-----	H. 4.	Sturm deut. fl. 1. fasc. 15.
89	<i>involutum</i> . DC.	(<i>re.</i>) involucred.	Mexico.	1825.	-----	H. ⊙.	Kth. pl. legum. t. 53.
90	<i>Gussoni</i> . DC.	(<i>pu.</i>) Gussone's.	Sicily.	1822.	-----	H. 4.	Bonan. sic. t. 245.
91	<i>fimbriatum</i> . B. R.	(<i>re.</i>) fringed.	N. America.	1826.	9. 10.	H. 4.	Bot. reg. 1070.
92	<i>tridentatum</i> . B. R.	(<i>re.</i>) three-toothed.	-----	-----	8. 10.	H. 4.	
93	<i>cyathiferum</i> . B. R.	(<i>re.</i>) cup-like.	-----	-----	-----	H. 4.	
94	<i>badium</i> . DC.	(<i>br.</i>) villous-stalked.	Pyrenees.	6. 8.	H. 4.	Sturm deuts. fl. 1. fas. 16.
95	<i>agrarium</i> . DC.	(<i>ye.</i>) golden.	Europe.	1815.	-----	H. ⊙.	----- fl. 1. fasc. 16.
96	<i>spadiceum</i> . DC.	(<i>ye.</i>) bay-coloured.	-----	1778.	-----	H. 4.	Bot. mag. 557.
97	<i>decipiens</i> . DC.	(<i>ye.</i>) decipient.	-----	1827.	6. 8.	H. ⊙.	
98	<i>speciosum</i> . DC.	(<i>br.</i>) large-flowered.	Candia.	1752.	-----	H. ⊙.	Labill. dec. 5. t. 10.
	<i>comosum</i> . Labil.						

99 procumbens. DC. (st.)	Hop.	Britain.	6. 7.	H. ☉.	Eng. bot. v. 14. t. 945.
100 parisiense. DC.	Paris.	France.	—	H. ☉.	Sturm deuts. 1. fas. 16.
	<i>pätens.</i> Sturm.					
101 Sebastiani. DC. (ye.)	Sebastian's.	Italy.	1823.	—	H. ☉.	Sebas. pl. rom. fas. 2. t. 4.
102 flavescens. DC. (ye.)	yellowish.	Sicily.	1828.	6. 8.	H. ☉.	
103 minus. E.B. (ye.)	lesser yellow.	Britain.	—	H. ☉.	Eng. bot. v. 18. t. 1256.
104 filiforme. E.B. (ye.)	slender yellow.	—	—	H. ☉.	— v. 18. t. 1257.
105 comosum. W. (wh.)	tufted.	N. America.	1798.	—	H. ♀.	
106 tenuifolium. DC. (wh.)	slender-leaved.	Naples.	1824.	—	H. ☉.	
107 capense. DC. (st.)	Cape.	C. B. S.	1825.	—	G. ♀.	
108 congestum. DC. (wh.)	close-headed.	Sicily.	1829.	—	H. ☉.	
109 formosum. DC. (pi.)	handsome.	Isl. Melo.	1828.	—	H. ♂.	
110 lasiocepalum. DC. (w.)	woolly-headed.	C. B. S.	1825.	—	H. ☉.	
111 villosum. Pr. (wh.)	villous.	Sicily.	1818.	5. 7.	H. ☉.	
112 plicatum. Pr. (br.)	plaited.	—	1824.	6. 8.	H. ☉.	
113 Ehrenbergii. H. ber. (w.)	Ehrenberg's.	Egypt.	1826.	—	H. ☉.	
114 libanaticum. E. (wh.)	Lebanon.	Mt. Lebaron.	1827.	—	H. ☉.	
115 albiceps. E. (wh.)	white-headed.	Egypt.	1829.	—	H. ☉.	
LUPINASTER. Mh.	LUPINASTER.	Diadelphia	Decandria.			
1 pentaphyllum. Mh. (re.)	five-leaved.	Siberia.	1741.	7. 8.	H. ♀.	Bot. mag. 879.
	<i>Trifolium Lupinaster.</i> B.M. <i>Pentaphyllum Lupinaster.</i> P.S.					
2 albens. F. (wh.)	white-flowered.	Volga.	1827.	—	H. ♀.	
3 purpurascens. F. (pu.)	purple.	—	1821.	6. 8.	H. ♀.	
4 caerulea. F. (pu.)	blue purple.	—	1826.	—	H. ♀.	
DORYCNIUM. DC.	DORYCNIUM.	Diadelphia	Decandria.			
1 rectum. DC. (ro.)	upright.	S. Europe.	1640.	6. 8.	H. ♀.	Barrel. ic. t. 544.
	<i>Lotus rectus.</i> W.					
2 latifolium. DC. (wh.)	broad-leaved.	Iberia.	1818.	6. 9.	H. ♀.	
3 hirsutum. DC. (ro.)	hairy.	S. Europe.	1683.	—	H. ♀.	Bot. mag. 336.
	<i>Lotus hirsutus.</i> B.M.					
4 sericeum. (bh.)	silky.	—	1820.	—	H. ♀.	
	<i>Lotus sericeus.</i> DC. cat. h. monsp. p. 122.					
5 argenteum. DC. (ye.)	silvery.	Egypt.	1825.	—	H. ♀.	Delil. fl. ag. 113. t. 40.
6 parviflorum. DC. (ye.)	small-flowered.	S. Europe.	1824.	7. 8.	H. ☉.	Desf. atl. 2. t. 211.
7 subbiflorum. DC. (ye.)	two-flowered.	Spain.	1820.	6. 8.	H. ☉.	
8 herbaceum. DC. (wh.)	herbaceous.	S. Europe.	1802.	6. 9.	H. ♀.	Vill. dauph. 3. t. 41.
9 suffruticosum. DC. (wh.)	suffrutescent.	—	1640.	7. 9.	F. ♀.	Lobel. ic. 2. p. 51. f. 1. 2.
10 microphyllum. (ro.)	small-leaved.	C. B. S.	1826.	—	G. ♀.	Bot. mag. 2808.
	<i>Lotus microphyllum.</i> B.M. 2808.					
LOTUS. DC.	BIRD'S-FOOT TREFOIL.	Diadelphia	Decandria.			
1 edulis. DC. (ye.)	esculent.	S. Europe.	1710.	7. 8.	H. ☉.	Cavan. ic. 2. t. 157.
2 ornithopodioides. (ye.)	claw-podded.	—	1683.	6. 8.	H. ☉.	— 2. t. 163.
3 peregrinus. DC. (ye.)	flat-podded.	—	1713.	7. 8.	H. ☉.	
4 indicus. DC. (ye.)	Indian.	E. Indies.	—	H. ☉.	Pluk. phyt. t. 200. f. 7.
5 tetraphyllum. DC. (ye.)	four-leaved.	Archipelago.	1828.	—	H. ☉.	Viv. fl. lib. t. 17. f. 13.
6 flexuosus. DC. (ye.)	flexuose.	1820.	6. 8.	H. ☉.	
7 glaucus. DC. (ye.)	glaucous.	Madeira.	1777.	—	G. ♂.	
8 sessilifolius. DC. (ye.)	sessile leaved.	Canaries.	1816.	6. 9.	G. ♀.	
9 anthylloides. DC. (ye.)	Anthyllis-like.	C. B. S.	1812.	—	G. ♀.	Venten. malm. t. 92.
10 atropurpureus. DC. (da.)	dark-purple.	Cap. Verd Isl.	1823.	3. 9.	G. ♀.	
11 jacobæus. DC. (da.)	dark-flowered.	—	1714.	1. 12.	G. ♀.	Bot. mag. 79.
12 arenarius. DC. (ye.)	sand.	Portugal.	1824.	6. 8.	H. ☉.	
13 creticus. DC. (ye.)	silver-leaved.	Levant.	1680.	6. 9.	G. ♀.	Cavan. ic. 2. t. 156.
	<i>β varians.</i> DC. (ye.) <i>variable.</i>	—	1829.	—	G. ♀.	
14 cytisoïdes. DC. (ye.)	downy.	S. Europe.	1752.	7. 8.	H. ♀.	Barrel. ic. t. 1031.
15 Dioscoridis. DC. (ye.)	Dioscorides's.	Crete.	1658.	6. 8.	H. ☉.	All. ped. 1. t. 59. f. 1.
16 Gebelia. DC. (ro.)	Aleppo.	Aleppo.	1823.	5. 9.	F. ♀.	Vent. h. cels. t. 57.
17 arabicus. DC. (re.)	red-flowered.	Arabia.	1773.	7. 9.	F. ♀.	Jacq. vind. t. 155.
18 australis. DC. (re.)	New Holland.	N. S. W.	1803.	5. 9.	G. ♀.	Bot. mag. 1365.
19 Candolleanus. ed. 1. (re.)	De Candolle's.	—	1812.	6. 9.	G. ♀.	
	<i>australis β angustifoliola.</i> DC.					
20 albidus. B.C. (wh.)	white-flowered.	—	1823.	—	G. ♀.	Lodd. bot. cab. 1063
21 obovatus. ed. 1. (ye.)	glaucous obovate.	—	1803.	4. 9.	G. ♀.	
22 decumbens. DC. (ye.)	decumbent.	France.	1820.	5. 7.	H. ♀.	
23 Forsteri. (ye.)	Forster's.	Britain.	—	H. ♀.	
	<i>decumbens.</i> E.F. non DC.					
24 pilosissimus. DC. (ye.)	hairy.	S. France.	1826.	6. 8.	H. ☉.	
25 hispidus. DC. (ye.)	hispid.	S. Europe.	1820.	—	H. ☉.	Loisel. fl. gal. t. 16.
26 suaveolens. DC. (ye.)	fragrant.	—	1804.	—	H. ♀.	

27	<i>angustissimus</i> . DC. (<i>ye.</i>)	narrow-podded.	S. Europe.	5. 7.	H. ♂.	Bauh. hist. 2. p. 356. f. 2.
28	<i>diffusus</i> . DC. (<i>ye.</i>)	slender-podded.	England.	—	H. ⊙.	Eng. bot. v. 13. t. 925.
29	<i>ciliatus</i> . DC. (<i>ye.</i>)	ciliated.	Italy.	1820.	6. 8.	H. ⊙.	
30	<i>gracilis</i> . DC. (<i>ye.</i>)	slender.	Hungary.	1818.	5. 7.	H. ⊙.	W. et K. hung. 3. t. 220.
31	<i>lanuginosus</i> . DC. (<i>ro.</i>)	drooping-fl'd.	Levant.	1818.	7. 8.	G. ♀.	
32	<i>conimbricensis</i> . DC. (<i>bh.</i>)	Portuguese.	Portugal.	1800.	6. 8.	H. ⊙.	Brot. phyt. t. 53.
33	<i>glaberrimus</i> . DC. (<i>bh.</i>)	smooth.	1820.	—	H. ⊙.	
34	<i>odoratus</i> . DC. (<i>ye.</i>)	sweet-scented.	Barbary.	1804.	—	H. ♀.	Bot. mag. 1233.
35	<i>corniculatus</i> . E.B. (<i>ye.</i>)	common.	Britain.	—	H. ♀.	Eng. bot. v. 30. t. 2000.
36	<i>major</i> . E.B. (<i>ye.</i>)	large hairy.	—	—	H. ♀.	— v. 30. t. 2001.
37	<i>tenuis</i> . W.K. (<i>ye.</i>)	slender.	Hungary.	1816.	—	H. ♀.	
	<i>depressus</i> . W. enum. <i>humifusus</i> . W. en. <i>ex</i> .	Link enum.					
38	<i>pedunculatus</i> . DC. (<i>ye.</i>)	long-peduncled.	Spain.	1814.	—	H. ♀.	Cavan. ic. 2. t. 164.
39	<i>palustris</i> . DC. (<i>ye.</i>)	marsh.	Levant.	1824.	—	H. ♀.	
TETRAGONOLOBUS. DC. WINGED PEA. Diadelphia Decandria.							
1	<i>purpureus</i> . DC. (<i>pu.</i>)	purple-flower'd.	S. Europe.	1596.	6. 8.	H. ⊙.	Bot. mag. 151.
	<i>Lotus tetragonolobus</i> . B.M.						
2	<i>biflorus</i> . DC. (<i>ye.</i>)	two-flowered.	Sicily.	1754.	—	H. ⊙.	Desf. atl. t. 210.
3	<i>conjugatus</i> . DC. (<i>pu.</i>)	twin-podded.	Montpelier.	1759.	—	H. ⊙.	
4	<i>siliquosus</i> . L. en. (<i>ye.</i>)	square-podded.	S. Europe.	1683.	7. 8.	H. ♀.	Jacq. aust. 4. t. 361.
5	<i>maritimus</i> . L. en. (<i>ye.</i>)	sea-side.	—	—	—	H. ♀.	Flor. dan. 800.

Subtribus III. *CLITORIÆ*. DC. prodr. p. 216.

PSOR'ALEA. DC.		PSOR'ALEA. Diadelphia Decandria. L.					
1	<i>odoratissima</i> . DC. (<i>bl.</i>)	sweet-scented.	C. B. S.	1795.	5. 10.	G. ♀.	Jacq. schœnb. 2. t. 229.
	<i>pinnata</i> . Andr. rep. 474. <i>nec aliorum</i> .						
2	<i>arborea</i> . B.M. (<i>bl.</i>)	tree.	—	1814.	—	G. ♀.	Bot. mag. 2090.
3	<i>pinnata</i> . DC. (<i>bl.</i>)	winged-leaved.	—	1690.	5. 7.	G. ♀.	Herm. lugd. 273. ic.
4	<i>laevigata</i> . DC. (<i>pu.</i>)	smooth.	—	1824.	—	G. ♀.	
5	<i>verrucosa</i> . DC. (<i>bl.</i>)	warted.	—	1774.	5. 8.	G. ♀.	Jacq. schœnb. 2. t. 226.
	<i>angustifolia</i> . Jacq.						
6	<i>filiformis</i> . DC. (<i>bl.</i>)	slender.	—	1821.	—	G. ♀.	
7	<i>axillaris</i> . DC. (<i>bl.</i>)	axillary-flower'd.	—	1816.	6. 7.	G. ♀.	
8	<i>tenuifolia</i> . DC. (<i>bl.</i>)	slender-leaved.	—	1793.	—	G. ♀.	Jacq. schœnb. 2. t. 225.
9	<i>fascicularis</i> . DC. (<i>bl.</i>)	fascicle-flowered.	—	1816.	—	G. ♀.	
10	<i>multicaulis</i> . DC. (<i>v.</i>)	many-stalked.	—	1793.	8. 10.	G. ♀.	Jacq. schœnb. 2. t. 230.
11	<i>aphylla</i> . DC. (<i>bl.</i>)	leafless.	—	1790.	6. 8.	G. ♀.	Bot. mag. 1727.
12	<i>lathyrifolia</i> . DC. (<i>bl.</i>)	Lathyrus-leaved.	—	1823.	—	G. ♀.	Balb. h. taur. p. 25. ic.
13	<i>decumbens</i> . DC. (<i>bl.</i>)	decumbent.	—	1774.	4. 6.	G. ♀.	Lodd. bot. cab. 3. t. 282.
14	<i>repens</i> . DC. (<i>bl.</i>)	creeping	—	—	7. 8.	G. ♀.	
15	<i>hirta</i> . DC. (<i>bl.</i>)	hairy.	—	1713.	5. 9.	G. ♀.	
16	<i>Jacquiniana</i> . (<i>bl.</i>)	Jacquin's.	—	—	—	G. ♀.	Jacq. schœnb. 2. t. 228.
	<i>hirta</i> . Jacq. <i>nec aliorum</i> .						
17	<i>aculeata</i> . DC. (<i>bl.</i>)	prickle-leaved.	—	1774.	—	G. ♀.	Andr. reposit. 146.
18	<i>bracteata</i> . DC. (<i>bl.</i>)	oval-spiked.	—	1731.	6. 8.	G. ♀.	Bot. mag. 446.
19	<i>involuta</i> . DC. (<i>bl.</i>)	large-bracted.	—	1824.	7. 8.	G. ♀.	
20	<i>spicata</i> . DC. (<i>bl.wh.</i>)	long-spiked.	—	1774.	—	G. ♀.	Andr. reposit. 411.
21	<i>Stachydis</i> . DC. (<i>bl.</i>)	Stachy's-like.	—	1793.	4. 6.	G. ♀.	
22	<i>striata</i> . DC. (<i>bl.</i>)	streaked.	—	1816.	6. 8.	G. ♀.	
23	<i>argentea</i> . DC. (<i>bl.</i>)	silvery.	—	—	—	G. ♀.	
24	<i>tomentosa</i> . DC. (<i>bl.</i>)	woolly.	—	1825.	—	G. ♀.	
25	<i>capitata</i> . DC. (<i>bl.</i>)	headed.	—	1793.	—	G. ♀.	
26	<i>corylifolia</i> . DC. (<i>vi.</i>)	Hazel-leaved.	Arabia.	1739.	6. 7.	S. ♂.	Bot. mag. 665.
27	<i>virgata</i> . DC. (<i>bl.</i>)	twiggy.	Florida.	1826.	6. 8.	H. ♀.	
28	<i>arenaria</i> . DC. (<i>bl.</i>)	sand.	Missouri.	1823.	—	H. ♀.	
	<i>lanceolata et elliptica</i> . Ph. <i>ex</i> Nutt.						
29	<i>palestina</i> . DC. (<i>bl.</i>)	Palestine.	Levant.	1771.	4. 9.	F. ♀.	Jacq. vind. 2. t. 181.
30	<i>bituminosa</i> . DC. (<i>pu.</i>)	bituminous.	Italy.	1570.	—	F. ♀.	Schkuhr hand. 2. t. 210.
31	<i>sericea</i> . DC. (<i>pu.</i>)	long-peduncled.	C. B. S.	1815.	1. 12.	G. ♀.	Bot. reg. 223.
	<i>pedunculata</i> . B.R.						
32	<i>Mutisii</i> . DC. (<i>pu.</i>)	Mutis's.	Mexico.	1828.	6. 8.	G. ♀.	Kth. pl. legum. t. 54.
33	<i>esculenta</i> . DC. (<i>bl.</i>)	Bread-root.	Missouri.	1811.	—	H. ♀.	Pursh. amer. 2. t. 22.

34	<i>cuspidata</i> . DC. (<i>bl.</i>) large-rooted.	Louisiana.	1811.	6. 8.	H. 4.	
	<i>macrorhiza</i> . Fraser.					
35	<i>incana</i> . DC. (<i>bl.</i>) silky.	Missouri.	1813.	—	H. 4.	
	<i>argophylla</i> . Ph.					
36	<i>lupinella</i> . DC. (<i>pu.</i>) narrow-leaved.	Carolina.	1812.	—	H. 4.	
37	<i>tenuiflora</i> . DC. (<i>pu.</i>) slender-flower'd.	Missouri.	1826.	—	H. 4.	
38	<i>longifolia</i> . DC. (<i>wh.</i>) long-leaved.	Louisiana.	1811.	—	H. 4.	
39	<i>melilotoides</i> . DC. (<i>bl.</i>) Melilot-like.	Carolina.	1814.	—	F. 4.	Bot. reg. 454.
40	<i>Onobrychis</i> . DC. (<i>pu.</i>) rough-podded.	Louisiana.	1812.	—	H. 4.	— t. 453.
41	<i>glandulosa</i> . DC. (<i>v.</i>) glandular.	Peru.	1770.	5. 9.	H. 2.	Swt. br. fl. gar. 3.t.296.
42	<i>pubescens</i> . DC. (<i>bl.</i>) pubescent.	Lima.	1823.	—	G. 3.	Bot. reg. 968.
43	<i>canescens</i> . DC. (<i>bl.</i>) canescent.	Carolina.	—	6. 8.	F. 4.	
44	<i>divaricata</i> . DC. (<i>bl.</i>) divaricate.	Peru.	1820.	5. 9.	G. 2.	
45	<i>dentata</i> . DC. (<i>wh.pu.</i>) tooth-leaved.	Madeira.	1816.	—	F. 2.	Lobel. ic. 2. t. 31. f. 1.
	<i>americana</i> . Jacq. schœnb. t. 227.					
CARMICHÆLIA. B.R. CARMICHÆLIA. Diadelphia Decandria.						
	<i>australis</i> . B.R. (<i>li.</i>) New Zealand.	New Zealand.	1822.	3. 5.	G. 2.	Bot. reg. 912.
	<i>Lotus arboreus</i> . Forster.					
INDIGO'FERA. DC. INDIGO. Diadelphia Decandria. L.						
1	<i>linifolia</i> . DC. (<i>wh.</i>) Flax-leaved.	E. Indies.	1792.	7. 8.	S. ⊙.	Roxb. cor. 2. t. 194.
2	<i>paniculata</i> . DC. (<i>re.</i>) paniced.	Sierra Leon.	1824.	—	S. 2.	
3	<i>filifolia</i> . DC. (<i>re.</i>) filiform-leaved.	C. B. S.	1812.	7. 10.	G. 2.	
4	<i>echinata</i> . DC. (<i>re.</i>) prickly-podded.	E. Indies.	1824.	6. 9.	S. 4.	
5	<i>cordifolia</i> . DC. (<i>pu.</i>) heart-leaved.	—	1826.	—	S. 2.	
6	<i>monophylla</i> . DC. (<i>pu.</i>) simple-leaved.	N. S. W.	—	—	G. 2.	
7	<i>diphylla</i> . DC. (<i>ro.</i>) two-leaved.	Africa.	1824.	7. 10.	S. ⊙.	
8	<i>subulata</i> . DC. (<i>li.</i>) awl-stipuled.	W. Indies.	—	—	S. ⊙.	
9	<i>Lechenaultii</i> . DC. (<i>pu.</i>) Lechenault's.	Bengal.	1826.	7. 10.	S. ⊙.	
10	<i>trifoliata</i> . DC. (<i>re.</i>) trifoliate.	E. Indies.	1818.	7. 8.	S. 4.	
11	<i>multicaulis</i> . DC. (<i>re.</i>) many-stalked.	Nepaul.	1824.	7. 10.	S. ⊙.	
12	<i>glandulosa</i> . DC. (<i>re.</i>) glandular.	E. Indies.	1818.	5. 7.	S. 4.	
13	<i>biflora</i> . DC. (<i>pu.</i>) two-flowered.	—	1826.	—	S. 2.	
14	<i>denudata</i> . DC. (<i>pu.</i>) smooth-leaved.	C. B. S.	1790.	—	G. 2.	Jacq. schœnb. 2. t. 233.
15	<i>amœna</i> . DC. (<i>sc.</i>) scarlet-flowered.	—	1774.	3. 5.	G. 2.	Bot. reg. 300.
16	<i>rigida</i> . DC. (<i>re.</i>) rigid.	E. Indies.	1820.	5. 8.	S. 2.	
17	<i>virgata</i> . DC. (<i>re.</i>) twiggy.	Nepaul.	1823.	7. 8.	S. 2.	
18	<i>argentea</i> . DC. (<i>re.</i>) silvery.	Egypt.	1776.	—	S. 2.	L'Herit. strip. t. 79.
19	<i>tinctoria</i> . DC. (<i>re.</i>) East Indian.	E. Indies.	1731.	—	S. 2.	Rheed. mal. 1. t. 54.
20	<i>brachycarpa</i> . DC. (<i>re.</i>) short-podded.	W. Indies.	—	S. 2.	
21	<i>A'nil</i> . DC. (<i>re.</i>) West Indian.	—	1731.	—	S. 2.	Lam. ill. t. 626. f. 2.
22	<i>coerulea</i> . H.B. (<i>pu.</i>) blue-flowered.	E. Indies.	1820.	6. 7.	S. 2.	
23	<i>leptostachya</i> . DC. (<i>pu.</i>) slender-spiked.	—	1827.	6. 8.	S. 2.	
24	<i>atropurpurea</i> . DC. (<i>pu.</i>) dark-purple.	Nepaul.	1820.	7. 8.	S. 2.	
25	<i>cylindrica</i> . DC. (<i>ro.</i>) cylindrical-podd'd.	C. B. S.	1822.	6. 8.	G. 2.	
26	<i>junceae</i> . DC. (<i>ro.</i>) rushy.	—	7. 10.	G. 2.	Herb. amat. t. 227.
	<i>aphylla</i> . L. enum. <i>Lebeckia contaminata</i> . B.R. 104. <i>nuda</i> . B.M. 2214.					
27	<i>australis</i> . DC. (<i>li.</i>) round-stemm'd.	N. S. W.	1790.	3. 6.	G. 2.	Bot. reg. 386.
28	<i>angulata</i> . B.R. (<i>li.</i>) angular-stalked.	—	1824.	—	G. 2.	— t. 991.
29	<i>macrostachya</i> . DC. (<i>ro.</i>) long-spiked.	China.	1822.	4. 6.	G. 2.	Vent. malm. t. 44.
30	<i>frutescens</i> . DC. (<i>ro.</i>) frutescent.	C. B. S.	1823.	7. 9.	G. 2.	
31	<i>divaricata</i> . DC. (<i>ru.</i>) spreading.	1824.	—	G. 2.	Jacq. schœnb. t. 365.
32	<i>mucronata</i> . DC. (<i>re.</i>) mucronate.	Jamaica.	—	—	S. 2.	
33	<i>elliptica</i> . H.B. (<i>re.</i>) elliptic-leaved.	Bengal.	1820.	7. 8.	S. 2.	
34	<i>pulchella</i> . H.B. (<i>re.</i>) pretty.	E. Indies.	1823.	—	S. 2.	
35	<i>arborea</i> . H.B. (<i>re.</i>) tree.	—	—	S. 2.	
36	<i>purpurascens</i> . H.B. (<i>p.</i>) purplish.	—	1827.	7. 8.	S. 2.	
37	<i>violacea</i> . H.B. (<i>vi.</i>) violet-coloured.	—	1825.	—	S. 2.	
38	<i>uncinata</i> . H.B. (<i>re.</i>) hooked.	—	—	—	S. 2.	
39	<i>circinnata</i> . Rox. (<i>re.</i>) rounded.	—	1822.	—	S. 2.	
40	<i>lateritia</i> . DC. (<i>re.</i>) brick-coloured.	Guinea.	—	—	S. ⊙.	Jacq. ic. t. 359.
	<i>hirsuta</i> . Jacq. non Linn.					
41	<i>viscosa</i> . DC. (<i>re.</i>) clammy.	E. Indies.	1806.	6. 8.	S. ⊙.	Wend. sert. han. 2. t. 12.
42	<i>dendroides</i> . DC. (<i>ro.</i>) tree-like.	Guinea.	1822.	—	S. ⊙.	Jacq. ic. 3. t. 571.
43	<i>polyphylla</i> . DC. (<i>re.</i>) many-flowered.	Nepaul.	1825.	4. 8.	G. 4.	
44	<i>heterotricha</i> . DC. (<i>ro.</i>) various-haired.	C. B. S.	1816.	—	G. 2.	
45	<i>hirsuta</i> . DC. (<i>pu.</i>) hairy-leaved.	E. Indies.	1739.	7. 9.	S. 2.	Burm. zeyl. 37. t. 14.
46	<i>endecaphylla</i> . DC. (<i>re.</i>) eleven-leaved.	Guinea.	1822.	—	S. ⊙.	Bot. reg. 789.
47	<i>alternans</i> . DC. (<i>re.</i>) alternate-leav'd.	C. B. S.	1816.	—	G. 2.	
48	<i>fragrans</i> . DC. (<i>re.</i>) fragrant.	E. Indies.	1822.	—	S. 4.	

49	<i>pusilla</i> . DC.	(re.) small.	Madagascar.	1822.	7. 9.	S. h.	
50	<i>glabra</i> . DC.	(re.) smooth.	E. Indies.	1821.	—	S. ⊙.	Pluk. alm. t. 166. f. 1.
51	<i>enneaphylla</i> . DC.	(pu.) trailing.	—	1776.	—	S. ⊙.	— t. 166. f. 2.
52	<i>cytisoïdes</i> . DC.	(ro.) angular-stem'd.	C. B. S.	1774.	—	G. h.	Bot. mag. 742.
53	<i>lotoïdes</i> . DC.	(ro.) Lotus-like.	—	1816.	—	G. h.	Comm. hort. 2. t. 81.
54	<i>angustifolia</i> . DC.	(pu.) narrow-leaved.	—	1774.	6. 10.	G. h.	Bot. mag. 465.
55	<i>aspalathoïdes</i> . DC.	(re.) Aspalathus-like.	Ceylon.	1823.	4. 6.	S. h.	
56	<i>filifórmis</i> . DC.	(ro.) filiform.	C. B. S.	1816.	—	G. h.	
57	<i>alopecuroïdes</i> . DC.	(ro.) Fox-tail.	—	1825.	—	G. h.	
58	<i>coriàcea</i> . DC.	(ro.) leathery-leaved.	—	1774.	7. 8.	G. h.	
59	<i>sarmentosa</i> . DC.	(ro.) dwarf.	—	1786.	6. 8.	G. h.	
60	<i>microphylla</i> . P.S.	(ro.) small-leaved.	—	1812.	1. 12.	G. h.	
61	<i>digitata</i> . DC.	(ro.) finger-leaved.	—	1820.	4. 8.	G. h.	
62	<i>sessilifolia</i> . DC.	(ro.) sessile-leaved.	—	1816.	—	G. h.	
63	<i>spinosa</i> . DC.	(re.) spiny.	Arabia.	1822.	—	S. h.	
64	<i>càndicans</i> . DC.	(ro.) white-leaved.	C. B. S.	1774.	5. 9.	G. h.	Bot. mag. 198.
65	<i>psoraloïdes</i> . DC.	(ro.) Psoralea-like.	—	1758.	7. 8.	G. h.	— t. 476.
66	<i>stipularis</i> . DC.	(ro.) stipuled.	—	1816.	6. 7.	G. h.	
67	<i>incana</i> . DC.	(ro.) hoary.	—	1812.	5. 7.	G. h.	Bot. reg. 957.
68	<i>trita</i> . DC.	(re.) oval-leaved.	E. Indies.	1802.	6. 8.	S. ♂.	
69	<i>procumbens</i> . DC.	(re.) procumbent.	C. B. S.	1816.	5. 7.	G. h.	
70	<i>prostrata</i> . DC.	(re.) prostrate.	E. Indies.	1828.	8. 10.	S. ⊙.	
CLITORIA. DC.		CLITORIA. Diadelphia Decandria.		L.			
1	<i>lascivia</i> . Boj.	Madagascar.	Madagascar.	1826.	S. h. ∩.
2	<i>heterophylla</i> . DC.	(bl.) various-leaved.	E. Indies.	1812.	7. 8.	S. ⊙. ∩.	Bot. mag. 2111.
3	<i>Ternatea</i> . DC.	(bl.wh.) wing-leaved.	—	1739.	5. 9.	S. h. ∩.	Rheed. mal. 8. t. 33.
	<i>α cærulea</i> .	(bl.) blue-flowered.	—	—	—	S. h. ∩.	Bot. mag. 1542.
	<i>β álba</i> .	(wh.) white-flowered.	—	—	S. h. ∩.	
4	<i>mariàna</i> . DC.	(bl.) Maryland.	N. America.	1759.	8. 9.	H. 4. ∩.	
5	<i>mexicana</i> . DC.	(pu.) Mexican.	Mexico.	1823.	6. 8.	G. 4. ∩.	
6	<i>virginiàna</i> . DC.	(pu.) Virginian.	America.	1732.	7. 8.	G. 4. ∩.	Dill. elt. t. 76.
	<i>calcarigera</i> . Sal.	par. lond. t. 51.					
7	<i>occidentàlis</i> .	(pu.) West Indian.	Trinidad.	1824.	6. 8.	S. h. ∩.	Bot. reg. 1047.
	<i>virginiàna</i> . B.R.	1047. non Linn.					
8	<i>brasiliàna</i> . DC.	(bl.) Brazilian.	Brazil.	1759.	—	S. 4. ∩.	Breyn. cent. t. 32.
9	<i>Plumièri</i> . DC.	(pu.) Plumier's.	W. Indies.	1815.	8. 11.	S. h. ∩.	Bot. reg. 268.
10	<i>erecta</i> . H.B. erect.	S. America.	1822.	S. h.	
11	<i>Berteriàna</i> . DC.	(ye.) Bertero's.	St. Domingo.	1824.	6. 8.	S. 4. ∩.	
12	<i>arborescens</i> . DC. tree.	Trinidad.	1804.	S. h.	
NEUROCA'RPUM. DC.		NEUROCA'RPUM. Diadelphia Decandria.					
1	<i>guianense</i> . DC.	(pu.) Guiana.	Guiana.	1826.	6. 8.	S. 4.	Aubl. guian. 2. t. 305.
2	<i>falcatum</i> . DC.	(pu.) sickle-podded.	St. Domingo.	—	—	S. h. ∩.	Plum. spec. 8. t. 85.
COLOG'ANIA. DC.		COLOG'ANIA. Diadelphia Decandria.					
1	<i>intermèdia</i> . DC.	(fl.) intermediate.	Mexico.	1824.	6. 8.	G. 4. ∩.	
2	<i>angustifolia</i> . DC.	(vi.) narrow-leaved.	—	—	—	G. 4. ∩.	Kth. mim. 209. t. 58.
3	<i>Broussonètii</i> . DC.	(vi.) Broussonnet's.	1820.	—	S. 4. ∩.	
GALA'CTIA. DC.		GALA'CTIA. Diadelphia Decandria.					
1	<i>péndula</i> . DC.	(ro.) pendulous.	Jamaica.	1794.	7. 8.	S. h. ∩.	Bot. reg. 269.
2	<i>sericea</i> . DC.	(pu.) silky.	Isl. Bourbon.	1824.	—	S. h. ∩.	
3	<i>cubensis</i> . DC.	(ro.) Cuba.	Cuba.	1826.	—	S. 4. ∩.	
4	<i>móllis</i> . DC.	(pu.) soft.	Carolina.	—	G. 4. ∩.	Dill. elth. 1. f. 170.
5	<i>glabèlla</i> . DC.	(re.) smooth.	—	1826.	6. 8.	G. 4. ∩.	
VILMOR'INIA. DC.		VILMOR'INIA. Diadelphia Decandria.					
	<i>multiflora</i> . DC.	(pu.) many-flowered.	W. Indies.	1823.	7. 8.	S. h.	
	<i>Clitoria multiflora</i> .	Swartz.					
COLL'EA. DC.		COLL'EA. Monadelphia Pent-Decandria.					
1	<i>speciosa</i> . DC.	(pu.) pentandrous.	Peru.	1824.	6. 8.	G. h.	DC. leg. me. p. 245. t. 40.
2	<i>trinèrvia</i> . DC.	(pu.) decandrous.	E. Indies.	1826.	—	S. h.	— p. 247. t. 41.
OTO'PTERA. DC.		OTO'PTERA. Monadelphia Decandria.					
	<i>Burchèllii</i> . DC.	(pu.) Burchell's.	C. B. S.	1816.	5. 7.	G. h. ∩.	DC. leg. mem. 250. t. 42.
PUER'ARIA. DC.		PUER'ARIA. Monadelphia Decandria.					
1	<i>tuberosa</i> . DC.	(ye.) tuberous-root'd.	E. Indies.	1806.	6. 8.	S. h. ∩.	
	<i>Hedysarum tuberosum</i> .	W.					
2	<i>Wallichii</i> . DC.	(ye.) Wallich's.	Nepaul.	1826.	4. 6.	G. h. ∩.	DC. leg. mem. 254. t. 43.
DUM'ASIA. DC.		DUM'ASIA. Diadelphia Decandria.					
1	<i>villosa</i> . DC.	(ye.) villous.	Nepaul.	1824.	8. 12.	G. h. ∩.	DC. leg. mem. 257. t. 44.
2	<i>pubescens</i> . DC.	(ye.) pubescent.	—	—	—	G. h. ∩.	Bot. reg. 962.
GLYCINE. DC.		GLYCINE. Diadelphia Decandria.		L.			
1	<i>clandestina</i> . DC.	(bl.) hidden-flower'd.	N. S. W.	1810.	4. 8.	G. h. ∩.	

2	dèbilis. DC.	(ye.) hairy.	E. Indies.	1778.	6. 7.	S. 2.	⌞	
3	mínima. DC.	(bl.) small.	N. S. W.	1812.	4. 10.	G. 2.	⌞	
4	striàta. DC.	(li.) streaked.	S. America.	1823.	7. 9.	S. 1.	⌞	Jacq. vind. 1. t. 76.
5	parviflòra. DC.	(re.) small-flowered.	E. Indies.	1812.	7. 8.	S. 3.	⌞	
6	senegalénsis. DC.	(ye.) Senegal.	Senegal.	1822.	—	S. 2.	⌞	
7	heterophylla. DC.	(ye.) various-leaved.	C. B. S.	1816.	6. 8.	G. 2.	⌞	
8	argénteà. DC.	(ye.) silvery-leaved.	—	—	—	G. 2.	⌞	
9	secúnda. DC.	(ye.) side-flowering.	—	1825.	6. 9.	G. 2.	⌞	
CHÆTOCALYX. DC. CHÆTOCALYX. Diadelphia Decandria.								
	vincentina. DC.	(ye.) St. Vincent.	W. Indies.	1823.	6. 8.	S. 1.	⌞	Bot. reg. 799.
	<i>Glycine vincentina</i> . B.R. 799.							

Subtribus IV. *GALEGEÆ*. DC. prodr. 2. p. 243.

PETALOSTEMUM. DC. PETALOSTEMUM. Monadelphia Pentandria.								
1	cándidum. DC.	(wh.) white.	N. America.	1811.	7. 8.	H. 2.		Mich. amer. 2. t. 37. f. 1.
2	carneum. DC.	(li.) flesh-coloured.	Florida.	—	—	H. 2.		
3	violáceum. DC.	(pu.) purple-flower'd.	Missouri.	—	7. 9.	H. 2.		Bot. mag. 1707.
4	villòsum. DC.	(ro.) villous.	—	1826.	—	H. 2.		
5	corymbòsum. DC.	(wh.) corymbose.	Carolina.	1806.	—	H. 2.		
	<i>Dalea Kuhnistèra</i> . w. <i>Kuhnistèra carolinénsis</i> . Lam. <i>Cylipògon virgatum</i> . Rafin.							
D'ALEA. DC. D'ALEA. Monadelphia Decandria.								
1	laxiflòra. DC.	(wh.) loose-flowered.	Louisiana.	1811.	7. 8.	H. 2.		
2	áurea. DC.	(ye.) golden.	—	—	—	H. 2.		
3	alopécuroides. DC.	(w.) Fox-tail.	—	1812.	—	H. 2.		Mich. amer. 2. t. 38.
	<i>Dalea Linn'æi</i> . Mich.							
4	Cliffortiàna. w.	(bl.) Vera Cruz.	Vera Cruz.	1737.	7. 8.	H. 2.		Linn. h. cliff. t. 22.
5	Lagòpus. DC.	(vi.) downy-spiked.	Mexico.	1780.	10. 11.	G. 2.		Cavan. ic. 1. t. 86.
6	seríceà. DC.	(d.vi.) silky.	—	1825.	9. 11.	G. 2.		Kth. mim. 166. t. 48.
	<i>gracilis</i> . Kth.							
7	tuberculàta. DC.	(pu.) tubercled.	—	—	—	G. 2.		
8	citriodòra. DC.	(r.) leafy.	New Spain.	1780.	10. 11.	G. 2.		Cavan. ic. 3. t. 271.
	<i>Psoràlea citriodòra</i> . Cav. <i>foliolòsa</i> . H.K.							
9	lùtea. DC.	(ye.) yellow.	Mexico.	1823.	7. 9.	G. 2.		Cavan. ic. 4. t. 325.
10	mutábilis. DC.	(r.) changeable.	—	1821.	9. 10.	G. 2.		Bot. mag. 2486.
	<i>bicolor</i> . Hook. ex. flor. 43.							
11	nùtans. DC.	(vi.) nodding.	—	1824.	7. 9.	G. 2.		Cavan. ic. 3. t. 201.
12	reclinàta. DC.	(vi.) reclining.	—	—	5. 8.	G. 2.		
13	tomentòsa. DC.	(vi.) woolly.	—	1823.	7. 9.	G. 2.		Cavan. ic. 3. t. 240.
14	prostràta. DC.	(ye.) prostrate.	—	1826.	—	G. 2.		
15	mucronàta. DC.	(wh.) mucronate.	—	—	—	G. 2.		
16	Thouíni. DC.	(vi.) Thouin's.	—	1824.	6. 9.	H. 2.		Schrank hort. mon. t. 9.
17	phymatòdes. DC.	(vi.) obovate-leaved.	Caracas.	—	7. 9.	G. 2.		Jacq. ic. 3. t. 563.
18	enneaphylla. DC.	(re.) nine-leaved.	W. Indies.	1772.	—	S. 2.		
GLYCYRRHIZA. DC. LIQUORICE. Diadelphia Decandria. L.								
1	glàbra. DC.	(pu.) common.	S. Europe.	1562.	7. 9.	H. 2.		Lam. ill. t. 625. f. 2.
2	glandulifera. DC.	(pu.) glandular.	Hungary.	1805.	6. 8.	H. 2.		W. et K. hung. 1. t. 21.
3	lepidòta. DC.	(wh.) scaly.	Missouri.	1811.	7. 8.	H. 2.		Bot. mag. 2150.
4	foétida. DC.	(ye.) strong-scented.	Barbary.	1823.	6. 9.	H. 2.		Desf. atl. 2. t. 199.
5	echinàta. DC.	(pu.) prickly-headed.	Italy.	1596.	—	H. 2.		Bot. mag. 2151.
6	aspérrima. DC.	(li.) rough.	Siberia.	1795.	7. 8.	H. 2.		Pall. it. app. t. M. f. 3.
7	uralénsis. DC.	(li.) Siberian.	—	1826.	—	H. 2.		
8	hirsùta. DC.	(li.) hairy.	Levant.	1739.	—	H. 2.		
GAL'EGA. DC. GOAT'S-RUE. Monadelphia Decandria.								
1	officinàlis. DC.	(pu.) officinal.	Spain.	1568.	6. 9.	H. 2.		Schk. hand. 2. t. 208.
	<i>α purpùrea</i> . (pu.) purple-flowered.							
	<i>β álba</i> . (wh.) white-flowered.							
2	pérsica. DC.	(wh.) Persian.	Persia.	1816.	—	H. 2.		Swt. br. fl. gar. 3. t. 214.
3	bilòba. B.F.G.	(pu.) two-lobed.	1823.	—	H. 2.		2. t. 159.
4	orientàlis. DC.	(bl.) oriental.	Levant.	1801.	—	H. 2.		Bot. reg. 326.
TEPHR'OSIA. DC. TEPHR'OSIA. Mono-Diadelphia Decandria.								
1	suberòsa. DC.	(ro.) cork-barked.	E. Indies.	1818.	5. 8.	S. 2.		
	<i>Robinia suberòsa</i> . H.B.							
2	fruticòsa. DC.	(ro.) frutescent.	—	1820.	S. 2.	⌞	

3	sophoroïdes. DC. (<i>wh.</i>)	Sophora-like.	Nepaul.	1826.	G. h.	
4	brachystàchya. DC. (<i>ro.</i>)	short-spiked.	—————	—————	G. h.	
5	cándida. DC. (<i>ro.</i>)	white-leaved.	E. Indies.	1810.	5. 8.	S. h.	
	<i>Robinia cándida.</i> H.B.						
6	toxicària. DC. (<i>bh.</i>)	Fish poison.	S. America.	1791.	—	S. h.	Plum. ic. t. 135.
7	virginiàna. DC. (<i>re.</i>)	Virginian.	Virginia.	1765.	6. 8.	H. 4.	Pluk. alm. t. 23. f. 2.
8	hispídula. DC. (<i>li.</i>)	bristle-podded.	—————	1826.	—	H. 4.	
9	ochroleùca. DC. (<i>st.</i>)	straw-colour'd.	W. Indies.	1799.	—	S. h.	Jacq. ic. t. 150.
10	carib'æa. DC. (<i>re. wh.</i>)	various-colour'd.	Caribeas.	1786.	—	S. h.	Jacq. amer. t. 125.
11	grandiflòra. DC. (<i>re.</i>)	large-flowered.	C. B. S.	1774.	6. 9.	I. h.	Bot. reg. 769.
	<i>Galèga grandiflòra.</i> B.R. <i>Galèga ròsea.</i> Lam.						
12	villòsa. DC. (<i>pu.</i>)	villous.	E. Indies.	1779.	6. 8.	S. 4.	Burm. zeyl. t. 33.
13	purpùrea. DC. (<i>pu.</i>)	purple.	—————	1768.	7. 8.	S. 4.	————— t. 32.
	<i>Galèga purpùrea.</i> L.						
14	lanceafòlia. DC. (<i>st.</i>)	lance-leaved.	—————	1824.	—	S. h.	
15	argénteà. DC. (<i>pu.</i>)	silvery.	—————	1826.	S. 4.	Pluk. alm. t. 52. f. 1.
16	piscatória. DC. (<i>pu.</i>)	woolly.	—————	1778.	6. 8.	S. h.	
17	leucántha. DC. (<i>wh.</i>)	white-flowered.	Mexico.	1826.	6. 10.	G. h.	H. et B.n.gen.a.6.t.57.
18	coronillafòlia. DC. (<i>st.</i>)	Coronilla-leav'd.	Bourbon.	—	S. h.	
19	capénsis. DC. (<i>re.</i>)	Cape.	C. B. S.	1823.	5. 9.	G. h.	Jacq. ic. t. 574.
20	cinèrea. DC. (<i>vi.</i>)	cinereous.	W. Indies.	1824.	6. 9.	S. 0.	————— t. 575.
21	hypargy'rea. DC. (<i>pu.</i>)	various-leaved.	E. Indies.	1825.	—	S. h.	
	<i>heterophy'lla.</i> F.						
22	strícta. DC. (<i>pu.</i>)	straight-podded.	C. B. S.	1774.	5. 6.	I. h.	Jacq. schœnb. t. 236.
23	lineàris. DC. (<i>pu.</i>)	linear-leaved.	Guinea.	1822.	S. h.	
24	pállens. DC. (<i>li.</i>)	pale-flowered.	C. B. S.	1787.	6. 8.	I. h.	
25	apollínea. DC. (<i>bl.</i>)	Egyptian.	Egypt.	1822.	6. 7.	F. 4.	Delil. fl. eg. t. 53. f. 5.
26	trícòlor. (<i>bl.</i>)	three-coloured.	N. Holland.	1824.	7. 9.	G. 4.	Hook. ex. flor. t. 155.
	<i>Galèga trícòlor.</i> H.E.F.						
27	Barclayàna. (<i>pu.</i>)	Mr. Barclay's.	Madagascar.	1823.	5. 10.	S. h. ~.	Hook. ex. flor. t. 188.
	<i>Dalbèrgia Barcláyii.</i> H.E.F.						
28	Telfáirii. (<i>pu.</i>)	Mr. Telfair's.	—————	—————	—————	S. h. ~.	
29	Coloníla. L.T. (<i>pu.</i>)	Colonil.	E. Indies.	1818.	6. 8.	S. h.	
30	racemòsa. (<i>pu.</i>)	racemed.	—————	1822.	—	S. h. ~.	
	<i>Robinia racemòsa.</i> H.B.						
31	pentaphy'lla. (<i>pu.</i>)	five-leaved.	—————	1824.	—	S. h.	
	<i>Galèga pentaphy'lla.</i> H.B.						
32	biflòra. DC. (<i>pu.</i>)	two-flowered.	1826.	6. 9.	G. h.	
33	capitulàta. DC. (<i>pu.</i>)	headed.	Owyhee.	—	—	S. 4.	
34	incàna. (<i>pu.</i>)	hoary.	E. Indies.	1820.	—	S. h.	
	<i>Galèga incàna.</i> H.B.						
35	Heyniàna. (<i>bl.</i>)	Heyne's.	—————	1807.	7. 9.	S. h.	
	<i>Galèga Heyniàna.</i> H.B.						
36	seríceà. DC. (<i>pu.</i>)	silky.	C. B. S.	1824.	—	I. h.	
37	filifòlia. DC. (<i>re.</i>)	filiform-leaved.	—————	—————	—————	I. h.	
	AMORPHA. DC.	BASTARD INDIGO. Monadelphia Decandria.					
1	fruticòsa. DC. (<i>bl.</i>)	shrubby.	Carolina.	1724.	6. 8.	H. h.	Bot. reg. 427.
2	croceolanàta. W.D. (<i>pu.</i>)	yellow-haired.	—————	1812.	—	H. h.	Wats. dend. brit. t. 139.
3	fràgrans. B.F.G. (<i>pu.</i>)	fragrant.	—————	—	—	H. h.	Swt. br. fl. gar. t. 241.
	<i>nàna.</i> Bot. mag. t. 2112. <i>nec aliorum.</i>						
4	emarginàta. L.C. (<i>bl.</i>)	emarginate.	—————	—	—	H. h.	
	<i>fruticòsa β emarginàta.</i> Ph.						
5	Lewisii. L.C. (<i>bl.</i>)	Lewis's.	—————	—	—	H. h.	
	<i>fruticòsa γ angustifòlia.</i> Ph.						
6	glàbra. DC. (<i>pu.</i>)	smooth.	—————	—	—	H. h.	
7	nàna. DC. (<i>pu.</i>)	dwarf.	Missouri.	1811.	7. 8.	H. h.	
	<i>microphy'lla.</i> Ph.						
8	herbàcea. DC. (<i>pu.</i>)	pubescent.	Carolina.	1803.	6. 8.	H. h.	Lodd. bot. cab. 689
	<i>pubescens.</i> Ph.						
9	canéscens. DC. (<i>bl.</i>)	canescent.	Missouri.	1812.	7. 8.	H. h.	
	NISS'OLIA. DC.	NISS'OLIA. Mono-Diadelphia Decandria.					
1	fruticòsa. DC. (<i>st.</i>)	shrubby.	S. America.	1766.	7. 11.	S. h. ~.	Jacq. vind. t. 167.
2	racemòsa. DC. (<i>st.</i>)	racemed.	W. Indies.	6. 8.	S. h. ~.	
3	glàbrata. DC. (<i>wh.</i>)	smooth-leaved.	S. America.	1818.	7. 11.	S. h.	
4	robiniaefòlia. DC.	Robinia-leaved.	St. Vincent.	1824.	S. h.	
5	micróptera. DC. (<i>ye.</i>)	small-winged.	—	5. 8.	S. h.	
6	retùsa. DC. (<i>ye.</i>)	retuse-leaved.	S. America.	1823.	S. h. ~.	
	MULLERA. DC.	MULLERA. Monadelphia Octo-Decandria.					
	moniliformis. DC.	bracelet.	Guiana.	1792.	S. h.	Aubl. guian. 4. t. 356.

LONCHOCA'RPUS. DC. LONCHOCA'RPUS. Mono-Diadelphia Decandria.							
1	domingensis. DC.	(re.) oval-leaved.	St. Domingo.	1759.	S. h.	
2	violaceus. DC.	(vi.) violet.	W. Indies.	—	5. 8.	S. h.	Jacq. amer. t. 177. f. 49.
	<i>Robinia violacea.</i> Jacq.						
3	formosianus. DC.	(vi.) Formosa.	Africa.	1822.	S. h.	Beauv. fl. owar. 2 t. 76.
4	sericeus. DC.	(pu.) silky.	W. Indies.	1823.	S. h.	
5	pyxidarius. DC.	(pu.) Cuba.	Cuba.	1822.	S. h.	
6	latifolius. DC.	(pu.) broad-leaved.	S. America.	1814.	S. h.	
	<i>Amerimnum latifolium.</i> W.						
7	pubescens. DC.	(pu.) pubescent.	Caracas.	1820.	S. h.	
8	roseus. DC.	(ro.) rose-coloured.	S. America.	S. h.	
9	sèpium. DC.	(ro.) hedge.	W. Indies.	1820.	S. h.	Jacq. amer. t. 129. f. 101.
10	Swartzii. DC.	(ro.) Swartz's.	—	—	S. h.	
	<i>Robinia sèpium.</i> Sw.						
11	Nicou. DC.	(pu.) climbing.	Guiana.	1826.	S. h.	Aubl. guian. 2. t. 308.
	<i>Robinia Nicou.</i> Aubl. <i>scandens.</i> W.						
ROBI'NIA. DC. ROBI'NIA. Diadelphia Decandria. L.							
1	Pseudacacia. DC.	(wh.) com. or Locust Tree.	N. Amer.	1640.	5. 6.	H. 5.	Schmidt arb. 1. t. 32.
2	inermis. DC.	(wh.) spineless.	—	H. 5.	
	<i>spectabilis.</i> L.C.						
3	macrophylla. L.C.	(ro.) long-leaved.	Siberia.	1797.	6. 7.	H. 5.	
4	sophoræfolia. L.C.	(wh.) Sophora-leaved.	Hybrid.	1811.	—	H. 5.	
5	amorphæfolia. L.en.	(w.) Amorpha-leav'd.	—	1820.	—	H. 5.	
6	umbraculifera. DC.	(w.) Parasol.	—	1811.	H. 5.	
	<i>Robinia inermis.</i> Dum. Cours. non DC.						
7	dùbia. DC.	(bh.) doubtful.	—	—	H. 5.	
8	stricta. L.C.	(wh.) upright.	—	H. 5.	
9	tortuosa. DC.	(wh.) twisting.	—	6. 7.	H. 5.	
10	monstròsa. L.C.	(wh.) monstrous.	—	—	H. 5.	
11	péndula. L.en.	(wh.) pendulous.	—	—	H. 5.	
12	viscosa. DC.	(bh.) clammy.	N. America.	1797.	6. 8.	H. 5.	Venten. cels. t. 4.
	<i>glutinosa.</i> Bot. mag. 580.						
13	hispida. DC.	(ro.) Rose Acacia.	Carolina.	1743.	5. 9.	H. h.	Bot. mag. 311.
14	rosea. Ell.	(ro.) smooth-branch'd.	—	1812.	—	H. h.	
15?	guineensis. W.en.	(ro.) Guinea.	Guinea.	1821.	S. h.	
	<i>Cytisus hispidus.</i> W.						
16?	purpurea. L.en.	(pu.) purple.	1816.	4. 6.	S. h.	
POIT'ÆA. DC. POIT'ÆA. Diadelphia Decandria.							
	galegoïdes. DC.	(ro.) Galega-like.	St. Domingo.	1826.	S. h.	Venten. choix. t. 36.
COURS'ETIA. DC. COURS'ETIA. Diadelphia Decandria.							
1	tomentosa. DC.	(ye.) woolly.	Peru.	1824.	6. 8.	G. h.	Cavan. ic. t. 84.
	<i>Lathyrus fruticosus.</i> Cav. <i>O'robis tomentosus.</i> Df. <i>Vicia fruticosa.</i> W.						
2	virgata. DC.	(ye.) slender.	Trinidad.	1820.	—	S. h.	Cavan. ic. t. 293.
	<i>Æschynomene virgata.</i> Cav.						
SESBA'NIA. DC. SESBA'NIA. Diadelphia Decandria.							
1	ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1680.	7. 8.	S. ♂.	Alp. ægypt. 81. t. 82.
2	occidentalis. DC.	(ye.) West Indian.	W. Indies.	1823.	6. 8.	S. h.	Plum. ed Bur. t. 125. f. 1.
3	aculeata. DC.	(ye.) prickly.	E. Indies.	1690.	7. 10.	S. ⊙.	Jacq. ic. t. 564.
4	cannabina. DC.	(ye.) Hemp-like.	—	1800.	—	S. ⊙.	
5	affinis. DC.	(ye.) likened.	—	1822.	5. 8.	S. ♂.	
6	picta. DC.	(std.) painted.	W. Indies.	—	4. 9.	S. h.	Bot. reg. 873.
7	macrocarpa. DC.	(st.) long-podded.	Louisiana.	—	7. 10.	H. ⊙.	Bart. fl. amer. 1. t. 28.
8	paludosa. DC.	(ye.) marsh.	E. Indies.	1810.	—	S. ⊙.	
9	gracilis. DC.	(ye.) slender.	1824.	—	S. ⊙.	
10	sericea. DC.	(ye.) silky.	E. Indies.	1818.	—	S. ⊙.	
11	procumbens. H.B.	(ye.) procumbent.	—	—	—	S. ⊙.	
12	uliginosa.	(ye.) swamp.	—	—	—	S. ⊙.	
	<i>Æschynomene uliginosa.</i> H.B.						
AGATI. DC. AGATI. Diadelphia Decandria.							
1	grandiflora. DC.	(bh.) great-flowered.	E. Indies.	1768.	7. 8.	S. h.	Rheed. mal. 1. t. 51.
	<i>Sesbania grandiflora.</i> P.s. <i>Æschynomene grandiflora.</i> L. <i>Coronilla grandiflora.</i> W.						
2	coccinea. DC.	(sc.) red-flowered.	E. Indies.	1824.	7. 8.	S. h.	Rumph. amb. 1. t. 77.
GLOTTIDIUM. DC. GLOTTIDIUM. Diadelphia Decandria.							
	floridanum. DC.	(ye.) flat-podded.	Florida.	1822.	7. 8.	S. ⊙.	Jacq. ic. 1. t. 148.
	<i>Sesbania platycarpa.</i> P.s. <i>Robinia vesicaria.</i> Jacq. <i>Phaca floridana.</i> W.						
PISCI'DLA. DC. JAMAICA DOGWOOD. Monadelphia Decandria.							
1	Erythrina. DC.	(v.) oval-leaved.	W. Indies.	1690.	S. h.	Sloan. jam. 2. t. 176. f. 4-5.
2	carthagenensis. DC.	(v.) obovate-leaved.	—	S. h.	Plum. ed Bur. t. 133. f. 2.

DAUBENTONIA. DC. DAUBENTONIA. Diadelphia Decandria.						
1	<i>punicea. DC. (pu.)</i> red-flowered.	Mexico.	1824.	S. h.	Cavan. ic. 4. t. 316.
2	<i>longifolia. DC. (ye.)</i> long-leaved.	New Spain.	1828.	S. h.	— 4. t. 315.
CORYNE'LLA. DC. CORYNE'LLA. Diadelphia Decandria.						
	<i>polyantha. DC. (pu.)</i> many-flowered.	W. Indies	1821.	S. h.	
	<i>Robinia polyantha. Swartz.</i>					
CARAG'ANA. DC. CARAG'ANA. Diadelphia Decandria.						
1	<i>Altagana. DC. (ye.)</i> flat-podded.	Dahuria.	1789.	4. 6.	H. h.	L'Herit. stirp. t. 76.
2	<i>microphylla. DC. (ye.)</i> small-leaved.	Siberia.	1816.	—	H. h.	Pall. ross. t. 42. f. 1-2.
3	<i>arenaria. L.C. (ye.)</i> sand.	—	1802.	6. 7.	H. h.	Bot. mag. 18-6.
	<i>Robinia Caragana. β. arenaria. B.M.</i>					
4	<i>arborescens. DC. (ye.)</i> common.	—	1752.	4. 6.	H. h.	Schmidt arb. 1. t. 33.
	<i>Robinia Caragana. L.</i>					
5	<i>Chamlagu. DC. (ye.)</i> shining.	China.	1773.	5. 6.	H. h.	L'Herit. stirp. t. 77.
6	<i>frutescens. DC. (ye.)</i> shrubby.	Siberia.	1752.	4. 6.	H. h.	Swt. br. fl. gar. 3. t. 227.
7	<i>mollis. M.B. (ye.)</i> soft-leaved.	Tauria.	1822.	—	H. h.	
8	<i>grandiflora. DC. (ye.)</i> large-flowered.	Iberia.	—	—	H. h.	
9	<i>pygmæa. DC. (ye.)</i> pigmy.	Siberia.	1751.	—	H. h.	Bot. reg. 1021.
10	<i>mongolica F. (ye.)</i> Mongolian.	Tartary.	1826.	—	H. h.	
11	<i>Redowskii. F. (ye.)</i> Redowski's.	Siberia.	1822.	—	H. h.	DC. leg. mem. t. 11. f. 45.
12	<i>spinosa. DC. (ye.)</i> thorny.	—	1775.	—	H. h.	Pall. ross. 1. t. 41.
13	<i>tragacanthoides. DC. (y.)</i> Goat's-thorn-like.	—	1816.	—	H. h.	Pall. astr. t. 86.
14	<i>jubata. DC. (bh.)</i> bearded.	—	1796.	—	H. h.	— p. 113. t. 85.
HALIMODE'NDRON. DC. SALT-TREE. Diadelphia Decandria.						
1	<i>argenteum. DC. (pu.)</i> silvery-leaved.	Iberia.	1779.	5. 6.	H. h.	Bot. mag. 1016.
2	<i>triflorum. (pu.)</i> smooth-leaved.	—	—	H. h.	L'Herit. stirp. n. 162.
	<i>Robinia triflora. L'Herit.</i>					
CALOPHA'CA. DC. CALOPHA'CA. Diadelphia Decandria.						
	<i>wolgatica. DC. (ye.)</i> wing-leaved.	Siberia.	1786.	5. 6.	H. h.	Wats. dend. brit. 83.
	<i>Cytisus wolgaticus. L. pinnatus. Pall. ross. 1. t. 47.</i>					
COLUTEA. DC. BLADDER SENNA. Diadelphia Decandria.						
1	<i>arborescens. DC. (ye.)</i> common.	S. Europe.	1568.	6. 8.	H. h.	Bot. mag. 81.
2	<i>cruenta. DC. (re.)</i> red-flowered.	Levant.	1710.	—	H. h.	Schmidt arb. t. 119.
3	<i>Haléppica. DC. (ye.)</i> Pocock's.	—	1752.	5. 10.	H. h.	— t. 120.
	<i>Pocockii. H.K. Istria. Mill. ic. t. 100.</i>					
4	<i>mèdia. DC. (ye.)</i> smaller.	6. 8.	H. h.	Wats. dend. brit. t. 140.
5	<i>nepalensis. DC. (ye.)</i> Nepaul.	Nepaul.	1822.	8. 9.	H. h.	Bot. mag. 2622.
SPHÆROPH'YSA. DC. SPHÆROPH'YSA. Diadelphia Decandria.						
1	<i>Salsula. DC. (re.)</i> salt-field.	Dahuria.	1829.	H. h.	Pall. itin. 4. t. 9. f. 1.
2	<i>caspica. DC. (pu.)</i> Caspian.	Caucasus.	—	H. h.	
	<i>Colutea caspica. M.B. Phaca Salsula. Bieb. casp. 210.</i>					
SWAINS'ONA. DC. SWAINS'ONA. Diadelphia Decandria.						
1	<i>galegifolia. DC. (sc.)</i> red-flowered.	N. S. W.	1800.	7. 8.	G. h.	Bot. mag. 792.
2	<i>coronillæfolia. DC. (pu.)</i> purple-flowered.	—	1802.	—	G. h.	— t. 1725.
3	<i>lessertiæfolia. DC. (pu.)</i> small-flowered.	N. Holland.	1822.	—	G. h.	
4	<i>astragalifolia. C.C. (wh.)</i> white-flowered.	N. S. W.	1802.	—	G. h.	Bot. reg. 994.
	<i>galegifolia. var. albiflora. B.R.</i>					
LESSE'RTIA. DC. LESSE'RTIA. Diadelphia Decandria.						
1	<i>annua. DC. (pu.)</i> annual.	C. B. S.	1731.	6. 7.	G. ⊙.	Hook. exot. flor. t. 81.
2	<i>diffusa. DC. (pu.)</i> procumbent.	—	1792.	7. 8.	G. ⊙.	Jacq. ic. 3. t. 576.
	<i>Galéga dubia. Jacq.</i>					
3	<i>fruticosa. B.R. (pu.)</i> frutescent.	—	1826.	—	G. ⊙.	Bot. reg. 970.
4	<i>perennans. DC. (ro.)</i> perennial.	—	1753.	—	G. 4.	Jacq. vind. 3. t. 3.
	<i>Colutea perennans. Jacq. fistulosa. Hort.</i>					
5	<i>púlchra. DC. (ro.)</i> pretty.	—	1817.	5. 8.	G. ⊙.	Bot. mag. 2064.
6	<i>falciformis. DC. (pu.)</i> sickle-podded.	—	1825.	—	G. ♂.	DC. leg. mem. t. 46.
7	<i>annularis. DC. (pu.)</i> ring-podded.	—	1816.	—	G. ⊙.	
8	<i>brachystachya. DC. (pu.)</i> short-spiked.	—	—	—	G. h.	
9	<i>prostrata. DC. (pu.)</i> prostrate.	—	1820.	—	G. ⊙.	
10	<i>virgata. L.O. (pu.)</i> slender.	—	1828.	6. 8.	G. ⊙.	
11	<i>vesicaria. DC. (pu.)</i> bladder-podded.	—	1825.	—	G. ♂.	
12	<i>tomentosa. DC. (pu.)</i> woolly.	—	1822.	—	G. 4.	
13	<i>procumbens. DC. (pu.)</i> procumbent.	—	—	G. h.	
SUTHERLA'NDIA. DC. SUTHERLA'NDIA. Diadelphia Decandria.						
1	<i>frutescens. DC. (sc.)</i> frutescent.	C. B. S.	1683.	6. 9.	F. h.	Bot. mag. 181.
	<i>Colutea frutescens. B.M.</i>					
	<i>β canescens. (sc.)</i> hoary-l'd. dwarf.	—	1816.	—	F. h.	
2	<i>microphylla. DC. (sc.)</i> small-leaved.	—	—	—	F. h.	

Subtribus V. *ASTRAGALEÆ*. DC. prodr. 2. p. 273.

PHACA. DC.		BASTARD VETCH. Diadelphia Decandria.						
1	batica. DC.	(wh.)	hairy.	Spain.	1640.	7. 8.	H. 2.	Moris. his. s. 2. t. 8. f. 1.
2	frigida. DC.	(st.)	small.	Austria.	1795.	—	H. 2.	Jacq. aust. t. 166.
3	alpina. DC.	(st.)	Alpine.	—	1759.	—	H. 2.	Jacq. ic. 1. t. 151.
4	membranæea. F.	(st.)	membranous.	Dahuria.	1823.	—	H. 2.	
5	lutea. Led.	(ye.)	yellow.	Siberia.	1827.	—	H. 2.	
6	cæspitosa. DC.	(st.)	tufted.	Missouri.	1826.	—	H. 2.	
	<i>Astragalus triphyllus</i> . Ph.							
7	densifolia. DC.	(re.)	dense-leaved.	California.	1822.	—	H. 2.	
8	glabra. DC.	(v.)	smooth.	S. Europe.	—	—	H. 2.	
9	australis. DC.	(pa.)	trailing.	—	1779.	5. 6.	H. 2.	Lodd. bot. cab. 490.
10	astragalina. DC.	(v.)	procumbent.	Europe.	1771.	6. 7.	H. 2.	— t. 429.
11	lapponica. DC.	(v.)	Lapland.	Lapland.	1824.	7. 8.	H. 2.	Flor. dan. t. 51.
12	oroboides. DC.	(bl.)	Orobus-like.	N. Europe.	1826.	—	H. 2.	— 8. t. 1396.
13	triangularis. F.	(bl.)	triangular.	Siberia.	1824.	—	H. 2.	
14	exaltata. F.	tall.	Altay.	1828.	H. 2.	
15	arenaria. DC.	(pu.)	sand.	Siberia.	1796.	7. 8.	H. 2.	Pall. it. 4. t. 19. f. 3-4.
	OXYTROPIS. DC.		OXYTROPIS. Diadelphia Decandria.					
1	montana. DC.	(bl.)	mountain.	Europe.	1531.	7. 8.	H. 2.	Bot. mag. 843.
	<i>Astragalus montanus</i> . B.M.							
2	cyanea. DC.	(bl.)	bright blue.	Iberia.	1826.	—	H. 2.	
3	sordida. DC.	(pa.)	sordid.	N. Europe.	5. 8.	H. 2.	Flor. dan. t. 1041.
4	argyræa. DC.	(pu.)	silvery.	Altay.	1828.	—	H. 2.	
5	uralensis. DC.	(pu.)	villous.	Siberia.	1800.	6. 8.	H. 2.	Pall. ast. t. 42. f. A.
6	sericea. DC.	(pu.)	hairy mountain.	Scotland.	5. 8.	H. 2.	Eng. bot. t. 466.
7	cærulea. DC.	(bl.)	blue-flowered.	Siberia.	1827.	6. 8.	H. 2.	Pall. ast. t. 52.
8	arctica. DC.	(pu.)	northern.	Melville Isl.	—	—	H. 2.	
9	argentata. DC.	(pa.)	silver-leaved.	Siberia.	—	—	H. 2.	Pall. ast. t. 48.
10	ambigua. DC.	(pu.)	ambiguous.	—	1824.	5. 8.	H. 2.	— t. 43.
11	setosa. DC.	(pu.)	pointed-calyxed.	—	1828.	6. 8.	H. 2.	— t. 44.
12	Lamberti. DC.	(pu.)	Mr. Lambert's.	Missouri.	1811.	8. 9.	H. 2.	Bot. mag. 2147.
13	grandiflora. DC.	(ro.)	large-flowered.	Siberia.	1824.	5. 8.	H. 2.	Pall. astr. t. 46.
14	candicans. DC.	(pa.)	hoary.	—	1827.	6. 8.	H. 2.	— t. 49.
15	songarica. DC.	(vi.)	spear-podded.	—	1824.	5. 8.	H. 2.	— t. 51.
16	sylvatica. DC.	(pu.)	wood.	—	1820.	—	H. 2.	— t. 78.
17	longirostra. DC.	(pu.)	long-beaked.	—	1824.	6. 8.	H. 2.	DC. astr. n. 17. t. 5.
	<i>Gmelini</i> . F.							
18	brevirostra. DC.	(pu.)	short-beaked.	Altay.	1802.	7. 9.	H. 2.	DC. astr. n. 19. t. 6.
	<i>Astragalus altaicus</i> . Pall. astr. t. 45.							
19	filiformis. DC.	(bl.)	filiform.	Dahuria.	1824.	7. 8.	H. 2.	DC. astr. n. 16. t. 4.
20	nigræscens. DC.	(bl.)	black-haired.	Siberia.	1828.	—	H. 2.	Pall. astr. t. 53.
21	campêstris. DC.	(st.)	field.	Scotland.	—	H. 2.	Eng. bot. v. 36. t. 2522.
	<i>Astragalus campêstris</i> . E.B.							
22	sulphurea. F.	(st.)	sulphur-color'd.	Siberia.	1827.	7. 8.	H. 2.	
23	microphylla. DC.	(pu.)	small-leaved.	—	1823.	—	H. 2.	Pall. ast. t. 76.
24	pumila. DC.	(bl.)	small.	—	1828.	—	H. 2.	
25	verticillaris. DC.	(pu.)	whorl-leaved.	—	1824.	—	H. 2.	Amm. ruth. t. 19. f. 1.
26	myriophylla. DC.	(va.)	many-leaved.	—	—	—	H. 2.	Pall. astr. t. 71.
27	oxyphylla. DC.	(pu.)	sharp-leaved.	—	1823.	7. 9.	H. 2.	— t. 74.
28	prostrata. DC.	(pu.)	prostrate.	—	1820.	6. 9.	H. 2.	— t. 72.
	<i>Astragalus dahuricus</i> . Pall. ast. <i>Phaca prostrata</i> . L.							
29	pilosa. DC.	(st.)	hairy.	Siberia.	1732.	6. 8.	H. 2.	Bot. mag. 2483.
30	floribunda. DC.	(pu.)	many-flowered.	—	1827.	5. 8.	H. 2.	Pall. astr. t. 37.
31	glabra. DC.	(vi.)	smooth.	Dahuria.	—	—	H. 2.	DC. astr. n. 31. t. 8.
32	deflexa. DC.	(vi.)	small-flowered.	Siberia.	1800.	6. 8.	H. 2.	L'Herit. stirp. t. 80.
	<i>Astragalus retroflexus</i> . Pall. astr. t. 27. <i>hians</i> . Jacq. ic. t. 252. <i>parviflorus</i> . Lam.							
33	Fischeri. DC.	(bl.)	Fischer's.	Siberia.	1828.	—	H. 2.	
34	vaginata. DC.	(bl.)	sheathed.	—	—	—	H. 2.	
35	tenella. DC.	(bl.)	slender.	—	—	—	H. 2.	
36	dichoptera. DC.	(bl.)	pubescent.	—	1815.	—	H. 2.	
37	longicuspis. Led.	(pu.)	long-pointed.	—	1827.	—	H. 2.	
	ASTRAGALUS. DC.		MILK-VETCH. Diadelphia Decandria. L.					
1	hypoglottis. DC.	(pu.)	purple mountain.	Britain.	6. 7.	H. 2.	Eng. bot. v. 4. t. 274.
2	dasyglottis. DC.	(pu.)	creeping-root'd.	Siberia.	1828.	—	H. 2.	

3	<i>purpureus</i> . DC.	(<i>pu.</i>) purple.	S. France.	1824.	6. 7.	H. 4.	DC. astr. n. 17. t. 12.
4	<i>sincicus</i> . L.	(<i>ro.</i>) Chinese annual.	China.	1763.	7. 9.	H. ☉.	Bot. mag. 1350.
	<i>lotoïdes</i> . DC.						
5	<i>onobrychioïdes</i> . DC.	(<i>pu.</i>) Saintfoin-like.	Persia.	1828.	—	H. ½.	DC. astr. n. 39. t. 16.
	<i>canescens</i> . DC.	ast. <i>cephalotes</i> . Pall.	astr. t. 24.				
6	<i>leontinus</i> . DC.	(<i>pu.</i>) Lion's-tail.	Austria.	1816.	5. 7.	H. 4.	Lodd. bot. cab. 432.
7	<i>Donianus</i> . DC.	(<i>pu.</i>) Mr. D. Don's.	Nepaul.	1821.	8. 9.	H. 4.	
	<i>macrorrhizus</i> . D.P.	non Cav.					
8	<i>arenarius</i> . DC.	(<i>bl.</i>) sand.	N. Europe.	1798.	6. 7.	H. 4.	Retz. obs. 3. t. 3.
9	<i>bayonensis</i> . DC.	(<i>pu.</i>) woolly-podded.	S. France.	1828.	—	H. 4.	
10	<i>macropterus</i> . DC.	(<i>pu.</i>) large-winged.	Siberia.	1827.	—	H. 4.	
11	<i>tauricus</i> . DC.	(<i>pu.</i>) Taurian.	Tauria.	1824.	7. 8.	H. 4.	Pall. astr. t. 38.
12	<i>austriacus</i> . DC.	(<i>pu.</i>) Austrian.	Austria.	1640.	6. 7.	H. 4.	Jacq. aust. 2. t. 195.
13	<i>olopterus</i> . DC.	(<i>pa.</i>) long-racemed.	Altay.	1827.	—	H. 4.	
14	<i>melilotoïdes</i> . DC.	(<i>pu.</i>) Melilot-like.	Siberia.	1785.	—	H. 4.	Pall. astr. t. 41.
15	<i>sulcatus</i> . DC.	(<i>pu.</i>) furrowed.	—	—	7. 8.	H. 4.	Jacq. vind. 3. t. 40.
16	<i>gracilis</i> . DC.	(<i>li.</i>) slender.	Missouri.	1812.	6. 7.	H. 4.	
17	<i>subulatus</i> . DC.	(<i>pu.</i>) awl-podded.	Tauria.	1806.	5. 8.	H. 4.	Pall. astr. t. 20.
18	<i>ceratoïdes</i> . DC.	(<i>pu.</i>) triangular-pod'd.	Altay.	1827.	—	H. 4.	— t. 20. A.
19	<i>virgatus</i> . DC.	(<i>pu.</i>) twiggy.	Siberia.	1806.	—	H. ½.	— t. 18.
	<i>varius</i> . Gmel. itin. 2. t. 17.						
20	<i>brachylobus</i> . DC.	(<i>pu.</i>) short-podded.	—	1827.	—	H. ½.	
21	<i>dahuricus</i> . DC.	(<i>pu.</i>) Dahurian.	Dahuria.	1824.	—	H. 4.	Pall. it. 3. ap. t. w. f. 1.
22	<i>Stevenianus</i> . DC.	(<i>pu.</i>) Steven's.	Iberia.	1829.	H. 4.	
23	<i>tenuifolius</i> . W.	(<i>pu.</i>) fine-leaved.	Siberia.	1780.	7. 8.	H. 4.	Swt. br. fl. gar. t. 73.
	<i>linearifolius</i> . DC.						
24	<i>Onobrychis</i> . DC.	(<i>pu.</i>) purple-spiked.	Europe.	1640.	6. 8.	H. 4.	Jacq. aust. 1. t. 38.
25	<i>flaccidus</i> . DC.	(<i>wh.</i>) flaccid.	Iberia.	1826.	—	H. 4.	
26	<i>vimineus</i> . DC.	(<i>pu.</i>) twiggy.	Siberia.	1824.	7. 8.	H. ½.	Pall. astr. t. 21.
27	<i>fruticosus</i> . DC.	(<i>pu.</i>) woody	—	1804.	6. 8.	H. ½.	— t. 19.
28	<i>adsurgens</i> . DC.	(<i>bl.</i>) assurgent.	—	1824.	—	H. 4.	— t. 31.
29	<i>Laxmanni</i> . DC.	(<i>pa.</i>) Laxmann's.	—	1804.	—	H. 4.	Jacq. vind. 3. t. 37.
30	<i>missouriensis</i> . DC.	(<i>pu.</i>) Missouri.	Missouri.	1826.	6. 8.	H. 4.	
31	<i>caryocarpus</i> . DC.	(<i>vi.</i>) swelled-podded.	Louisiana.	1811.	—	H. 4.	Bot. reg. 176.
32	<i>pentaglottis</i> . DC.	(<i>pu.</i>) rough Spanish.	Spain.	1739.	6. 7.	H. ☉.	Cavan. ic. 2. t. 188.
33	<i>Glaux</i> . DC.	(<i>pu.</i>) small Spanish.	—	1596.	—	H. ☉.	Clus. hist. 2. p. 242.
34	<i>oxyglottis</i> . DC.	(<i>pu.</i>) sharp-podded.	Tauria.	1824.	6. 9.	H. ☉.	
35	<i>psiloglottis</i> . DC.	(<i>pu.</i>) smooth-podded.	Astracan.	1829.	—	H. ☉.	
36	<i>cruciatus</i> . DC.	(<i>pu.</i>) oblong-leaved.	Iberia.	1823.	—	H. ☉.	
37	<i>Stella</i> . DC.	(<i>pu.</i>) star-podded.	S. Europe.	1658.	—	H. ☉.	Lobel. ic. 2. t. 83.
38	<i>tribuloïdes</i> . DC.	(<i>pu.</i>) Caltrops-like.	Egypt.	1828.	—	H. ☉.	
39	<i>sesameus</i> . DC.	(<i>pu.</i>) Sesama.	S. Europe.	1616.	—	H. ☉.	Garid. prov. t. 12.
40	<i>vesicarius</i> . DC.	(<i>pa.</i>) white Italian.	Europe.	1737.	7. 8.	H. 4.	Vill. dauph. t. 42. f. 1.
	<i>albidus</i> . W. et K. hung. 1. t. 40.	<i>dealbatus</i> . Pall.	astr. t. 23. f. 1.				
41	<i>albicaulis</i> . DC.	(<i>wh.</i>) white-stalked.	Caucasus.	1803.	7. 8.	H. 4.	DC. astr. n. 59. t. 21.
	<i>dealbatus</i> Pall. ast. t. 23. f. 2 et 3.	<i>Oxytropis dealbata</i> . P.S.					
42	<i>Nuttallianus</i> . DC.	(<i>bl.</i>) Nuttall's.	N. America.	1826.	6. 8.	H. 4.	
	<i>micranthus</i> . N. non Desv.						
43	<i>cymbacarpus</i> . DC.	(<i>pa.</i>) boat-podded.	Portugal.	1800.	—	H. ☉.	Brot. phyt. t. 59.
44	<i>striatellus</i> . DC.	(<i>bl.</i>) striated.	Tauria.	1829.	—	H. ☉.	Bieb. cent. 1. t. 20.
45	<i>annularis</i> . DC.	(<i>ro.</i>) ring-podded.	Egypt.	1800.	—	H. ☉.	DC. astr. app. n. 6. t. 1.
46	<i>hispidulus</i> . DC.	(<i>pa.</i>) rough-podded.	—	1828.	—	H. ☉.	
47	<i>scorpioïdes</i> . DC.	(<i>bl.</i>) blue-flowered.	Spain.	1816.	6. 9.	H. ☉.	
	<i>canaliculatus</i> . W. enum. ex Link enum. 2. p. 254.						
48	<i>mareoticus</i> . DC.	(<i>li.</i>) Alexandrian.	Egypt.	1828.	—	H. ☉.	Delil. fl. eg. t. 39. f. 1.
49	<i>corrugatus</i> . DC.	(<i>pu.</i>) rugged-podded.	—	—	—	H. ☉.	
50	<i>reticulatus</i> . DC.	(<i>pa.</i>) netted.	Volga.	—	—	H. ☉.	
51	<i>contortuplicatus</i> . DC.	(<i>st.</i>) wave-pod'd.	Siberia.	1764.	7. 8.	H. ☉.	Pall. astr. t. 79.
52	<i>trimestris</i> . DC.	(<i>st.</i>) Egyptian.	Egypt.	1739.	—	H. ☉.	Jacq. vind. 2. t. 174.
53	<i>ægiceras</i> . DC.	(<i>st.</i>) Goat's-horn.	1816.	6. 8.	H. ☉.	
54	<i>brachyceras</i> . DC.	(<i>st.</i>) short-podded.	Persia.	1828.	—	H. ☉.	
55	<i>hamosus</i> . DC.	(<i>st.</i>) hook-podded.	Spain.	1633.	—	H. ☉.	Moris. ox. s. 2. t. 9. f. 10.
	<i>buceras</i> . W. enum. ex Link enum.						
56	<i>epiglottis</i> . DC.	(<i>st.</i>) heart-podded.	S. Europe.	1737.	—	H. ☉.	Herm. lugd. t. 77.
57	<i>triangularis</i> . DC.	(<i>st.</i>) triangular.	1828.	—	H. ☉.	
58	<i>bæticus</i> . DC.	(<i>st.</i>) slender-podded.	S. Europe.	1759.	—	H. ☉.	Munt. phyt. t. 110.
59	<i>capitatus</i> . W.	(<i>st.</i>) headed.	Levant.	—	7. 8.	H. 4.	
60	<i>microphyllus</i> . DC.	(<i>st.</i>) small-leaved.	Siberia.	1773.	6. 7.	H. 4.	
61	<i>semibilocularis</i> . DC.	(<i>st.</i>) semibilocular.	—	1804.	6. 8.	H. 4.	DC. astr. n. 64. t. 23.

62 réptans. DC.	(wh.) creeping.	Mexico.	1829.	6. 8.	F. 4.	Willd. hort. ber. 2. t. 88.
63 odorátus. DC.	(st.) sweet-scented.	Levant.	1816.	—	H. 4.	DC. astr. n. 67. t. 24.
64 stipulátus. DC.	(st.) large-stipuled.	Nepaul.	1821.	8. 9.	H. 4.	Bot. mag. 2380.
65 glycyphy'llos. DC.	(st.) sweet-leaved.	Britain.	6. 7.	H. 4.	Eng. bot. 3. t. 203.
66 depressus. DC.	(st.) depressed.	Europe.	1772.	5. 6.	H. 4.	Lodd. bot. cab. 680.
67 leucoph'æus. DC.	(wh.) dwarf-white.	1776.	5. 8.	H. 4.	————— t. 111.
68 Cicer. DC.	(st.) bladder-podd'd.	Europe.	1570.	6. 7.	H. 4.	Jacq. aust. t. 251.
69 uliginosus. DC.	(st.) marsh.	Siberia.	1752.	6. 8.	H. 4.	Pall. astr. t. 26.
70 micránthus. DC.	(st.) small-blossom'd.	1824.	—	H. 4.	
71 canadénsis. DC.	(st.) woolly.	N. America.	1732.	6. 7.	H. 4.	Lodd. bot. cab. 372.
72 carolinianus. DC.	(st.) Carolina.	—————	—	—	H. 4.	Dill. elth. t. 39. f. 45.
73 faleátus. DC.	(st.) sickle-podded.	Siberia.	1737.	—	H. 4.	DC. astr. n. 70. t. 26.
	<i>viréscens. H.K.</i>					
74 faleifórmis. DC.	(st.) sickle-like.	Barbary.	—	H. 4.	Desf. atl. 2. t. 207.
75 asper. DC.	(st.) rough Astracan.	Siberia.	1796.	7. 8.	H. 4.	Jacq. ic. 1. t. 33.
	<i>chloránthus. Pall. astr. t. 25.</i>					
76 chinénsis. DC.	(st.) upright.	Chinese.	1795.	6. 8.	H. 4.	Linn. f. decad. 1. t. 3.
77 galegifórmis. DC.	(st.) Goat's-rue-like.	Siberia.	1729.	—	H. 4.	Pall. astr. t. 29.
78 racemósus. DC.	(wh.) racemed.	Louisiana.	1827.	6. 8.	H. 4.	
	<i>galegoídes. N.</i>					
79 alopecias. DC.	(ye.) axillary-headed.	Siberia.	1823.	—	H. 4.	Pall. astr. p. 12. t. 9.
80 alopecuroídes. DC.	(ye.) Foxtail-like.	—————	1737.	—	H. 4.	————— t. 8.
81 narbonénsis. DC.	(ye.) French.	S. Europe.	1780.	—	H. 4.	————— t. 10.
82 pónticus. DC.	(ye.) villous-calyxed.	Tauria.	1824.	—	H. 4.	————— t. 11.
83 vulpinus. DC.	(ye.) Fox-tail.	Siberia.	1815.	—	H. 4.	————— t. 7.
	<i>alopécuroídes. Pall. astr. t. 7.</i>					
84 macrocéphalus. DC.	(ye.) large-headed.	Persia.	1829.	—	H. 4.	
85 christiánus. DC.	(st.) great-yellow.	Armenia.	1737.	7. 8.	H. 4.	Tourn. it. 2. t. 254.
86 tomentósus. DC.	(st.) downy-leaved.	Egypt.	1800.	—	H. 4.	DC. astr. n. 80. t. 29.
87 Siebèri. DC.	(st.) Sieber's.	—————	1828.	—	H. 4.	
88 Bárba-Jòvis. DC.	(pu.) silvery-leaved.	Armenia.	—	H. 4.	
	<i>Tragacántha argétea. Mill.</i>					
89 caucásicus. DC.	(wh.) Caucasian.	Caucasus.	1822.	—	H. ½.	Pall. astr. p. 2. t. 2.
90 breviflórus. DC.	(pu.) short-flowered.	Armenia.	1826.	6. 8.	H. ½.	Lodd. bot. cab. 1388.
91 arnacántha. DC.	(li.) prickly-leaved.	Tauria.	1640.	—	H. ½.	Pall. astr. p. 1. t. 1.
	<i>Potèrium. Pall. ast. nec aliorum.</i>					
92 sículus. DC.	(bh.) Sicilian.	Sicily.	1827.	—	H. ½.	
93 Potèrium. DC.	(wh.) small goat's-thorn.	S. Europe.	1640.	—	H. ½.	Morris. ox. s. 2. t. 13. f. 2.
94 massiliénsis. DC.	(wh.) sea-side.	—————	1827.	—	H. ½.	Duham. arb. 2. t. 100.
	<i>Tragacántha. Pall. astr. t. 4. f. 1. 2.</i>					
95 aristátus. DC.	(wh.) awned.	Pyrenees.	1791.	5. 7.	H. ½.	Garid. aix. t. 104.
96 lagúrus. DC.	(ye.) hare's-tail'd.	Armenia.	1829.	—	H. ½.	DC. astr. n. 104. t. 36.
97 armátus. W.	(ye.) armed.	Barbary.	6. 7.	H. ½.	Desf. atl. 2. t. 194.
	<i>Anthy'llis tragacanthóides. Desf.</i>					
98 balicácabus. DC.	(ye.) bladdered.	Armenia.	1806.	—	H. 4.	Schreb. dec. p. 5. t. 3.
	<i>Phàca vesicària. Schreb.</i>					
99 laguroídes. DC.	(pu.) Hare's-tail-like.	Siberia.	1829.	H. 4.	Pall. astr. t. 16.
100 ammod'ytes. DC.	(wh.) silky-leaved.	—————	1823.	6. 7.	H. 4.	————— p. 7. t. 5.
101 dasyánthus. DC.	(ye.) woolly-headed.	—————	1828.	—	H. 4.	————— p. 79. t. 65.
	<i>eriocéphalus. W. et K. hung. 1. t. 46.</i>					
102 caprinus. DC.	(ye.) scented.	Barbary.	1683.	—	H. 4.	Moris. ox. s. 2. t. 24. f. 3.
103 longiflórus. DC.	(ye.) long-flowered.	Tartary.	—	—	H. 4.	Pall. astr. t. 60.
104 utriger. DC.	(ye.) turgid-podded.	—————	1825.	—	H. 4.	————— t. 61.
105 excápus. DC.	(ye.) hairy-podded.	Hungary.	1787.	5. 7.	H. 4.	Jacq. ic. 3. t. 561.
106 diffúsus. DC.	(st.) diffuse.	Tauria.	1824.	6. 7.	H. 4.	Pall. astr. t. 68.
107 buchtorménsis. DC.	(y.) pointed-podd'd.	Siberia.	1826.	—	H. 4.	————— t. 62. f. A.
108 monspessulanus. DC.	(pu.) Montpellier.	S. Europe.	1710.	7. 8.	H. 4.	Bot. mag. 375.
109 incánus. DC.	(pu.) hoary.	—————	1759.	6. 7.	H. 4.	Magn. monsp. p. 32. ic.
110 macrorrhizus. DC.	(pu.) long-rooted.	Spain.	1821.	6. 8.	H. 4.	Cavan. ic. 2. t. 133.
111 brachycárpus. DC.	(pu.) short-podded.	Siberia.	1820.	—	H. 4.	Bot. mag. 2335.
112 physódes. DC.	(pu.) inflated	—————	1759.	—	H. 4.	DC. astr. n. 127. t. 48.
113 Pallásii. DC.	(pu.) Pallas's.	Caucasus.	1828.	—	H. 4.	Pall. astr. t. 59.
114 testiculátus. DC.	(bh.) woolly-podded.	—————	1824.	—	H. 4.	————— t. 67.
115 rupifrágus. DC.	(pu.) dry rock.	Tauria.	1828.	—	H. 4.	————— t. 70.
116 redúncus. DC.	(pu.) crook-podded.	Volga.	—	—	H. 4.	————— p. 109. t. 82.
117 chlorostàchys. H.C.	(st.) straw-colour'd.	N. America.	1826.	9. 10.	H. 4.	
118 uncátus. DC.	(wh.) hooked.	Aleppo.	1768.	7. 8.	H. 4.	
119 ràdicans. DC.	(pu.) rooting-branch'd.	1828.	—	H. 4.	

BISE'RRULA. DC. HATCHET-VETCH. *Diadelphia Decandria. L.*
Pelecînus. DC. (bl.) common. S. Europe. 1640. 7. 9. H. ☉. Tourn. inst. 417. t. 201.

Tribus III. **HEDYSAREÆ. DC. prodr. 2. p. 307.**

Subtribus I. **CORONILLEÆ. DC. loc. cit. p. 308.**

SCORPIURUS. DC. CATERPILLAR. *Diadelphia Decandria. L.*
 1 *lavigâta. DC. (ye.)* smooth. Levant. 1820. 6. 8. H. ☉. Flor. græc. t. 718.
 2 *muricâta. DC. (ye.)* two-flowered. S. Europe. 1640. — H. ☉. Moris. ox. s. 2. t. 11. f. 1.
 3 *sulcâta. DC. (ye.)* three-flowered. — 1596. — H. ☉. Desf. atl. 2. f. 4.
 4 *acutifolia. DC. (ye.)* acute-leaved. Corsica. 1828. — H. ☉. Viv. fl. lyb. t. 19. f. 4.
 5 *vermiculâta. DC. (ye.)* common. S. Europe. 1621. — H. ☉. Moris. ox. s. 2. t. 11. f. 3.
CORONILLA. DC. CORONILLA. *Diadelphia Decandria. L.*
 1 *E'merus. DC. (ye.)* Scorpion Senna. France. 1596. 4. 6. H. ♀. Bot. mag. 445.
 2 *júncea. DC. (ye.)* rush-like. — 1656. 6. 8. F. ♀. Bot. reg. 820.
 3 *valentína. L. (ye.)* nine-leaved. S. Europe. 1596. 2. 6. F. ♀. Bot. mag. 185.
 stipulâris. Lam.
 4 *pentaphýlla. DC. (ye.)* five-leaved. Algiers. 3. 6. F. ♀. Mill. ic. t. 289. f. 2.
 5 *argénteá. DC. (ye.)* silvery-leaved. Crete. 1664. 5. 6. F. ♀. — 2. t. 289. f. 3.
 6 *gláuca. DC. (ye.)* seven-leaved. France. 1722. 9. 5. F. ♀. Bot. mag. t. 13.
 7 *viminâlis. DC. (bh.)* slender. Mogador. 1798. 5. 11. G. ♀. Sal. par. lond. t. 13.
 8 *mínima. DC. (ye.)* least. S. Europe. 1658. 7. 8. H. ♀. Bot. mag. 2179.
 9 *coronâta. DC. (ye.)* large-headed. — 1776. 6. 8. H. ♀. Clus. hist. 1. p. 98. f. 2.
 10 *montâna. DC. (ye.)* mountain. Europe. 1816. 6. 9. H. ♀. Scop. carn. ed. 2. t. 44.
 coronâta. B.M. 907. non L.
 11 *ibérica. DC. (ye.)* Iberian. Iberia. 1818. 7. 10. H. ♀. Swt. br. fl. gar. t. 25.
 12 *parviflora. DC. (ye.)* small-flowered. Crete. 1828. — F. ♀.
 13 *crética. DC. (v.)* Cretan. — 1731. 6. 8. H. ☉. Jacq. vind. 1. t. 25.
 14 *vâria. DC. (pu.)* purple. Europe. 1597. 6. 11. H. ♀. Bot. mag. 258.
ASTROL'OBIMUM. DC. ASTROL'OBIMUM. *Diadelphia Decandria.*
 1 *ebracteâtum. DC. (ye.)* round-podded. Portugal. 5. 6. H. ☉. Dalech. his. 1. 487. f. 1.
 Ornithòpus lærigâtus. Sm. nudiflorus. Lag. ebracteâtus. Brot.
 2 *dûrum. DC. (ye.)* perennial. S. Europe. 1805. 6. 7. H. ♀. Cavan. ic. 1. t. 41.
 3 *repândum. DC. (ye.)* repand. Barbary. — — H. ☉. Lam. ill. t. 631. f. 4.
 4 *scorpioides. DC. (ye.)* Purslane-leav'd. S. Europe. 1596. — H. ☉. Cavan. ic. 1. t. 37.
 Ornithòpus scorpioides. L. trifoliâtus. Lam.
ORNITH'OPUS. DC. BIRD'S-FOOT. *Diadelphia Decandria. L.*
 1 *compréssus. DC. (ye.)* hairy. S. Europe. 1730. 6. 7. H. ☉. Berg. phyt. t. 191.
 2 *intermedius. RO. (ro.)* intermediate. Portugal. 1816. — H. ☉.
 sativus. Brot. fl. lus. 2. p. 160.
 3 *perpusillus. DC. (r.)* common. Britain. 5. 6. H. ☉. Eng. bot. v. 6. t. 369.
HIPPOCR'EPIS. DC. HORSESHOE-VETCH. *Diadelphia Decandria. L.*
 1 *baleàrica. DC. (ye.)* shrubby. Minorea. 1776. 5. 6. F. ♀. Bot. mag. 427.
 2 *helvética. (ye.)* Swiss. Switzerland. 1822. 5. 8. H. ♀.
 3 *comòsa. DC. (ye.)* tufted. England. 4. 8. H. ♀. Eng. bot. 1. t. 31.
 4 *gláuca. DC. (ye.)* glaucous. Naples. 1825. 5. 8. H. ♀. Ten. fl. neap. 2. t. 69.
 5 *syriaca. E. (ye.)* Syrian. Syria. 1826. 6. 8. H. ☉.
 6 *scâbra. DC. (ye.)* rough. Spain. — — H. ☉.
 7 *multisiliquòsa. DC. (ye.)* many-podded. S. Europe. 1683. — H. ☉. Schkuhr hand. 2. t. 266.
 8 *monocârpa. DC. (ye.)* one-podded. Caucasus. 1825. — H. ☉.
 9 *unisiliquòsa. DC. (ye.)* single-podded. Italy. 1570. 6. 7. H. ☉. Lam. ill. t. 630. f. 3.
 10 *ciliâta. DC. (ye.)* ciliated. Spain. 1823. 6. 8. H. ☉.
 11 *biflora. DC. (ye.)* two-flowered. 1824. — H. ☉.
SECURIGERA. DC. HATCHET-VETCH. *Diadelphia Decandria.*
 Coronilla. DC. (ye.) common. S. Europe. 1562. 7. 8. ☉. Lam. ill. t. 629.

Subtribus II. **EUHEDISAREÆ. DC. prodr. 2. p. 313.**

PICTETIA. DC. PICT'ETIA. *Diadelphia Decandria.*
 aristâta. DC. (ye.) awned. St. Domingo. 1820. 4. 6. S. ♀. DC. leg. mem. t. 47. f. 2.
Æschynómene aristâta. Jacq. schoenb. 2. t. 237.

ORMOCA'RPUM. DC.	ORMOCA'RPUM.	Diadelphia Decandria.				
sennoïdes. DC.	(ye.) Senna-like.	E. Indies.	1818.	6.7.	S. h.	
	<i>Hedy'sarum sennoïdes.</i> W.					
POIR'ETIA. DC.	POIR'ETIA.	Monadelphia Decandria.				
scândens. DC.	(ye.) climbing.	St. Domingo.	1826.	S. h. ~.	Venten. choix. t. 42.
	<i>Turpinia punctata.</i> P.S. <i>Glycine punctata.</i> Lam. ill. t. 609.					
TETRAN'EMA.	TETRAN'EMA.	Monadelphia Decandria.				
nütans.	(li.) drooping-fl'd.	E. Indies.	1823.	5.8.	S. h.	Bot. mag. 2867.
	<i>Hedy'sarum nütans.</i> Gr. <i>Desmòdium nütans.</i> B.M.					
ZO'RNIA. DC.	ZO'RNIA.	Monadelphia Decandria.				
1 angustifòlia. DC.	(ye.) narrow-leaved.	E. Indies.	1733.	7.8.	S. ⊙.	Rheed. mal. 9. t. 82.
	<i>diphy'lla.</i> P.S. <i>Hedy'sarum diphy'llum.</i> L.					
2 reticulàta. DC.	(ye.) netted-bracted.	W. Indies.	—	S. ⊙.	
3 thymifòlia. DC.	(ye.) Thyme-leaved.	Mexico.	1826.	—	G. h.	
4 zeylonénsis. DC.	(ye.) Ceylon.	Ceylon.	1733.	—	S. ⊙.	Burm. zeyl. t. 50. f. 1.
	<i>conjugàta.</i> Sm. <i>Hedy'sarum conjugàtum.</i> W.					
5 dyctiocárpa. DC.	(ye.) netted-podded.	N. Holland.	1824.	—	H. ⊙.	
6 tetraphy'lla. DC.	(ye.) four-leaved.	Carolina.	1823.	—	H. 4.	Mich. amer. 2. t. 41.
7 capénsis. DC.	(ye.) Cape.	C. B. S.	1824.	5.6.	G. 4.	Thunb. n. ac. ups. 6. t. 3.
STYLOSA'NTHES. DC.	STYLOSA'NTHES.	Monadelphia Decandria.				
1 procúmbens. DC.	(ye.) procumbent.	Jamaica.	1820.	6.8.	S. h.	Swar. ac. h. 1789. t. 11. f. 1
2 viscòsa. DC.	(ye.) viscous.	—	—	—	S. h.	— t. 9. f. 2.
3 mucronàta. DC.	(ye.) mucronate.	E. Indies.	1818.	—	S. h.	Burm. zeyl. t. 106. f. 2.
	<i>Hedy'sarum hamàtum.</i> Burm. <i>A'rachis fruticòsa.</i> Retz.					
4 elatior. DC.	(ye.) tall.	Carolina.	1823.	7.8.	H. 4.	Pluk. alm. t. 447. f. 7.
5 guianénsis. DC.	(ye.) Guiana.	Guiana.	1826.	—	S. ⊙.	Aubl. guian. 2. t. 309.
ADE'SMIA. DC.	ADE'SMIA.	Decandria Monogynia.				
1 muricàta. DC.	(ye.) prickly-podded.	Patagonia.	1793.	6.7.	G. 4.	Jacq. ic. 3. t. 568.
	<i>Hedy'sarum muricàtum.</i> Jacq. <i>Patagònum Hedysaroides.</i> Schk.					
2 hispídula. DC.	(ye.) hispid.	Peru.	1826.	6.8.	G. 4.	DC. leg. mem. t. 48.
3 pappòsa. DC.	(ye.) feathery-podd'd.	Chili.	1823.	—	G. 4.	
ÆSCHYNO'MENE. DC.	ÆSCHYNO'MENE.	Diadelphia Decandria. L.				
1 áspera. DC.	(ye.) rough-stemm'd.	E. Indies.	1759.	6.7.	S. ⊙.	Breyn. cent. 51. t. 52.
2 sensitiva. DC.	(wh.) sensitive.	W. Indies.	1733.	5.8.	S. h.	Plum. ic. t. 139.
3 índica. DC.	(ye.) Indian.	E. Indies.	1799.	6.7.	S. ⊙.	Rheed. mal. 9. t. 18.
4 americàna. DC.	(ye.) hairy.	Jamaica.	1732.	7.8.	S. ⊙.	Sloan. jam. 1. t. 118. f. 3.
5 pátula. DC.	(ye.) spreading.	Mauritius.	1826.	6.8.	S. h.	
6 subviscòsa. DC.	(v.) glandular.	E. Indies.	1820.	9.10.	S. ⊙.	
7 hispida. DC.	(ye.) hispid.	N. America.	1803.	8.9.	H. ⊙.	Bart. fl. amer. t. 29.
8 micrántha. DC.	(ye.) small-flowered.	Madagascar.	1826.	6.8.	S. 4.	
9 viscídula. DC.	(ye.) viscous.	N. America.	1818.	7.8.	H. ⊙.	
10 falcàta. DC.	(ye.) sickle-podded.	Brazil.	1825.	—	S. ⊙.	
11 péndula. Boj.	(ye.) pendulous.	Madagascar.	—	—	S. ⊙.	
SMITHIA. DC.	SMITHIA.	Diadelphia Decandria.				
1 sensitiva. DC.	(ye.) sensitive.	E. Indies.	1785.	7.10.	S. ⊙.	Sal. par. lond. t. 92.
2 conférta. DC.	(ye.) close-flowered.	N. Holland.	1825.	—	S. ⊙.	
3 áspera. H.B.	(ye.) rough.	E. Indies.	1812.	—	S. ⊙.	
LO'UREA. DC.	LO'UREA.	Diadelphia Decandria.				
1 Vespertiliònis. DC.	(w.) bat-winged.	Cochinchina.	1780.	7.8.	S. ♂.	Jacq. ic. 3. t. 566.
	<i>Hedy'sarum Vespertiliònis.</i> Jacq. <i>Christia lunàta.</i> Moench.					
2 renifórmis. DC.	(pu.) kidney-leaved.	China.	1826.	—	S. ♂.	
UR'ARIA. DC.	UR'ARIA.	Diadelphia Decandria.				
1 picta. DC.	(pu.) painted-leaved.	Guinea.	1788.	6.8.	S. ♂.	Jacq. ic. 3. t. 567.
	<i>Hedy'sarum pictum.</i> Jacq.					
2 crinita. DC.	(br.) crook-podded.	E. Indies.	1780.	7.9.	S. h.	Burm. ind. t. 56.
3 lagopóides. DC.	(wh.) Harefoot-like.	—	1790.	—	S. h.	— t. 53. f. 2.
	<i>Hedy'sarum lagopodioides.</i> L. <i>Lespedèza lagopodioides.</i> P. S.					
4 Lágopus. DC.	(pu.) Hare's-foot.	Nepaul.	1823.	6.8.	S. h.	
5 hamòsa.	(wh.) hooked.	E. Indies.	—	6.7.	S. 4.	
	<i>Doódia hamòsa et Hedy'sarum hamòsum.</i> H.B.					
6 alopecuroídes.	(wh.) Fox-tail.	E. Indies.	—	—	S. 4.	
	<i>Doódia alopecuroídes et Hedy'sarum alopecuroídes.</i> H.B.					
7 lagocéphala. DC.	(ye.) hairy.	Brazil.	—	7.9.	S. 4.	
NICOLS'ONIA. DC.	NICOLS'ONIA.	Diadelphia Decandria.				
1 barbàta. DC.	(pu.) bearded.	W. Indies.	1826.	6.8.	S. 4.	
DESMODIUM. DC.	DESMODIUM.	Diadelphia Decandria.				
1 dùbium. B.R.	doubtful.	Nepaul.	1823.	7.8.	S. h.	Bot. reg. 967.
2 umbellàtum. DC.	(wh.) umbel-flower'd.	E. Indies.	1801.	6.7.	S. h.	Jacq. schoenb. 3. t. 297.
3 auriculàtum. DC.	(pu.) eared.	Timor.	1825.	—	S. h.	

4	triquètrum. DC.	(pu.) triangular.	E. Indies.	1802.	7. 8.	S. ♂.	Burm. ind. t. 52. f. 2.
5	pseudotriquetrum. DC.	(pu.) three-sided.	Nepaul.	1818.	—	S. ♂.	
6	alatum. DC.	(pu.) winged-stalked.	E. Indies.	1809.	—	S. h.	
7	gyrans. DC.	(re.) moving plant.	—	1775.	7. 9.	S. ♂.	Jacq. ic. t. 565.
8	gyroïdes. DC.	(li.) gyrans-like.	—	1818.	—	S. h.	
9	gangeticum. DC.	(li.) oval-leaved.	—	1762.	—	S. h.	Burm. zeyl. t. 49.
10	maculatum. DC.	(li.) spotted.	—	1732.	6. 8.	S. ☉.	Dill. elth. 1. t. 141. f. 108.
	<i>Hedy'sarum maculatum</i> . L. <i>Æschynomene maculata</i> . Poir.						
11	sagittatum. DC.	(re.) arrow-leaved.	—	1807.	—	S. ♀.	
12	angustifolium. DC.	(pu.) narrow-leaved.	Mexico.	1825.	—	S. h.	
13	latifolium. DC.	(bl.) broad-leaved.	E. Indies.	1800.	7. 8.	S. h.	Bot. reg. t. 356.
	<i>Hedy'sarum latifolium</i> . B.R.						
14	velutinum. DC.	(vi.) velvety.	Trinidad.	1820.	—	S. h.	
15	lasiocarpum. DC.	(ro.) woolly-podded.	Guinea.	1822.	7. 9.	S. h.	Beauv. fl. ow. 1. t. 18.
16	canadense. DC.	(pu.) Canadian.	N. America.	1640.	—	H. ♀.	Corn. canad. t. 45.
17	canescens. DC.	(pu.) canescent.	—	1733.	—	H. ♀.	
18	marylandicum. DC.	(p.) Maryland.	—	1725.	7. 10.	H. ♀.	Dill. elth. t. 144. f. 177.
19	obtusum. DC.	(vi.) obtuse.	—	1805.	7. 8.	H. ♀.	
20	ciliare. DC.	(vi.) fringed.	—	1823.	—	H. ♀.	
21	viridiflorum. DC.	(pu.) green-flower'd.	—	1787.	7. 9.	H. ♀.	Pluk. alm. t. 308. f. 5.
22	laevigatum. DC.	(pu.) smooth-stalk'd.	—	1826.	—	H. ♀.	
23	bracteosum. DC.	(pu.) bracted.	—	1806.	7. 8.	H. ♀.	
24	cuspidatum. DC.	(pu.) sharp-pointed.	—	—	—	H. ♀.	
25	glabellum. DC.	(pu.) smooth.	—	1824.	7. 9.	H. ♀.	
26	paniculatum. DC.	(pu.) panicled.	—	1781.	7. 8.	H. ♀.	Pluk. alm. t. 432. f. 6.
27	acuminatum. DC.	(pu.) glutinous.	—	1805.	—	H. ♀.	
	<i>Hedy'sarum glutinosum</i> . W. <i>acuminatum</i> . Ph.						
28	nudiflorum. DC.	(pu.) naked-flowered.	—	1823.	—	H. ♀.	
29	pauciflorum. DC.	(wh.) small-flowered.	—	1828.	—	H. ♀.	
30	rotundifolium. DC.	(pu.) round-leaved.	—	1733.	—	H. ♀.	
31	Aparines. DC.	(li.) hairy-stalked.	Mexico.	1820.	7. 9.	S. h.	
32	cinereum. DC.	(pu.) white-branched.	—	1826.	—	S. h.	H. et B. n. pl. am. 6. t. 599.
33	uncinatum. DC.	(vi.) uncinata.	Caracas.	1823.	6. 7.	S. h.	Jacq. schœnb. 3. t. 208.
34	incanum. DC.	(pu.) hoary.	W. Indies.	1820.	7. 8.	S. h.	Plum. ed. Bur. t. 149. f. 1.
35	erythrinaefolium. DC.	(wh.) Erythrina-ld.	Trinidad.	—	—	S. h.	
36	supinum. DC.	(pu.) trailing.	Jamaica.	—	—	S. h.	Sloan. jam. 1. t. 118. f. 2.
37	tortuosum. DC.	(pu.) twisted-podded.	—	1781.	—	S. h.	— 1. t. 116. f. 2.
38	adscendens. DC.	(pu.) ascending.	—	1820.	7. 9.	S. h.	H. et B. n. pl. am. 6. t. 597.
39	mexicanum.	(bl.) Mexican.	Mexico.	1820.	11. 5.	S. h.	Bot. reg. 815.
	<i>Hedy'sarum adscendens</i> β? <i>cœruleum</i> . DC.						
40	trigonum. DC.	(li.) trigonal.	Jamaica.	1733.	7. 9.	S. h.	
41	spirale. DC.	(wh.) spiral-podded.	—	—	S. h. ~.	
42	asperum. DC.	(pa.) harsh.	1820.	6. 8.	S. h.	
43	cæspitosum. DC.	(bh.) tufted.	Mauritius.	—	—	S. ♀.	
44	mauritianum. DC.	(wh.) creeping-rooted.	—	1822.	7. 9.	S. ♀.	
45	Scalpe. DC.	(pu.) repand-leaved.	Madagascar.	1823.	7. 8.	S. h.	
	<i>Hedy'sarum repandum</i> . Poir. non Vahl.						
46	diversifolium. DC.	(li.) different-leav'd.	—	1820.	—	S. h.	
47	spectabile.	(pu.) showy.	Zanzibar.	1825.	S. h.	
	<i>Hedy'sarum spectabile</i> . Boj.						
48	triflorum. DC.	(pu.) three-flowered.	India.	1796.	6. 7.	S. ♀.	Burm. ind. t. 54. f. 2.
49	heterophyllum. DC.	(pu.) various-leav'd.	Ceylon.	1820.	—	S. ♀.	Burm. zeyl. t. 54. f. 1.
50	parvifolium. DC.	(pu.) slender.	Nepaul.	1823.	7. 9.	S. h.	
	<i>Hedy'sarum tenellum</i> . D.P. non Kth.						
51	Roxburghii.	(pu.) Roxburgh's.	E. Indies.	1825.	—	S. h.	
	<i>diffusum</i> . DC. p. 335. non p. 336.						
52	floribundum. D.P.	(pu.) abundant-fl'd.	Nepaul.	1823.	—	S. h.	
53	retusum. D.P.	(pu.) retuse-leaved.	—	—	—	S. h.	
54	confertum. DC.	(li.) close-flowered.	—	1826.	—	S. h.	
55	sambuense. D.P.	(li.) villous-leaved.	—	—	—	S. h.	
56	concinnum. DC.	(li.) neat.	—	1823.	—	S. h.	
57	trichocaulum. DC.	(vi.) hairy-stalked.	—	1827.	—	S. h.	
58	Leschenaultii. DC.	(li.) Leschenault's.	E. Indies.	—	—	S. h.	
59	capitatum. DC.	(pu.) headed.	Ceylon.	7. 8.	S. h.	Burm. ind. t. 54. f. 1.
	<i>Hedy'sarum conicum</i> . Poir.						
60	laxum. DC.	(li.) loose.	Nepaul.	1828.	—	S. h. ~.	
61	tomentosum. DC.	(wh.) woolly.	China.	1782.	6. 7.	G. ♀.	
62	repens. DC.	(pu.) creeping.	W. Indies.	1820.	—	S. h.	
63	malacophyllum. DC.	(li.) soft-leaved.	Manila.	1822.	—	S. ♀.	

64	<i>grandifolium</i> . DC. (<i>li.</i>) large-leaved.	E. Indies.	1822.	6. 7.	S. h.	
65	<i>serotinum</i> . DC. (<i>pu.</i>) late-flowering.	N. America.	1806.	8. 10.	H. 4.	
66	<i>cephalotes</i> . H.B. (<i>li.</i>) close-headed.	E. Indies.	1825.	6. 8.	S. h.	
67	<i>altissimum</i> . (<i>pa.</i>) tallest.	—————	—————	S. h.	
68	<i>heptaphyllum</i> . (<i>li.</i>) seven-leaved.	—————	1820.	6. 8.	S. h.	
69	<i>abyssinicum</i> . DC. (<i>li.</i>) Abyssinian.	Abyssinia.	1802.	7.	S. 4.	
70	<i>bracteatum</i> . H.B. (<i>li.</i>) bracted.	E. Indies.	1820.	7. 8.	S. h.	
71	<i>rhomboideum</i> . (<i>pa.</i>) rhomboid.	—————	—————	7. 9.	S. h.	
	<i>Hedy'sarum rhombifolium</i> . H.B. non Elliot.					
72	<i>orbiculatum</i> . H.B. (<i>li.</i>) round-leaved.	—————	1818.	—	S. h.	—
73	<i>recurvatum</i> . H.B. (<i>li.</i>) recurved.	—————	1824.	—	S. h.	—
74	<i>divergens</i> . H.B. (<i>pa.</i>) divergent.	—————	—————	—	S. h.	—
75	<i>purpureum</i> . H.B. (<i>pu.</i>) purple-flowered.	—————	1818.	6. 8.	S. 4.	—
76	<i>patens</i> . H.B. (<i>li.</i>) spreading	—————	1824.	—	S. 4.	—
77	<i>arboresum</i> tree.	—————	1818.	S. h.	—
	<i>Hedy'sarum arboresum</i> . H.B.					
78	<i>lacteum</i> . Boj. (<i>st.</i>) milk-coloured.	Zanzibar.	1825.	10. 11.	S. 3.	—
79	<i>Helsinbergii</i> . Boj. Helsinberg's.	Madagascar.	—	S. h.	—
	DICERMA. DC. DICERMA. Diadelphia Decandria.					
1	<i>pulchellum</i> . DC. (<i>ye.</i>) neat.	E. Indies.	1799.	7. 8.	S. h.	Burm. zeyl. t. 52.
	<i>Hedy'sarum pulchellum</i> . w. <i>Zornia pulchella</i> . P.S. <i>Phyllodium pulchellum</i> .					Desv.
2	<i>elegans</i> . DC. (<i>ye.</i>) elegant.	China.	1826.	7. 8.	G. h.	—
3	<i>biarticulatum</i> . DC. (<i>ye.</i>) two-jointed.	E. Indies.	1808.	—	S. h.	Burm. zeyl. t. 50. f. 2.
	<i>Hedy'sarum biarticulatum</i> . L.					
	HEDY'SARUM. DC. HEDY'SARUM. Diadelphia Decandria. L.					
1	<i>grandiflorum</i> . DC. (<i>st.</i>) large-flowered.	Iberia.	1820.	6. 8.	H. 4.	Pall. itin. 2. p. 743. t. Y.
	<i>sericeum</i> . M.B. <i>Astragalus grandiflorus</i> . L.					
2	<i>argenteum</i> . DC. (<i>pu.</i>) silvery.	Siberia.	1827.	—	H. 4.	Gmel. sib. 4. t. 13.
3	<i>candidum</i> . DC. (<i>pu.</i>) silver-leaved.	—————	1796.	7. 8.	H. 4.	—
4	<i>splendens</i> . DC. (<i>pa.</i>) glossy-leaved.	—————	1828.	—	H. 4.	—
5	<i>pallidum</i> . DC. (<i>pa.</i>) pale-flowered.	Barbary.	1811.	—	H. 4.	—
6	<i>coronarium</i> . DC. (<i>sc.</i>) F. Honeysuckle.	Italy.	1596.	6. 8.	H. 3.	Gært. fruct. 2. t. 155.
	<i>a coccineum</i> . (<i>sc.</i>) scarlet-flowered.	—————	—————	—	H. 3.	—
	<i>β album</i> . (<i>wh.</i>) white-flowered.	—————	—————	—	H. 3.	—
7	<i>humile</i> . DC. (<i>pu.</i>) dwarf.	Spain.	1640.	7. 8.	H. 4.	J. Bauh. his. 2. p. 336. f. 1.
8	<i>spinosissimum</i> . DC. (<i>pu.</i>) thorny.	—————	1731.	—	H. 4.	Pluk. alm. t. 50. f. 2.
9	<i>capitatum</i> . DC. (<i>ro.</i>) headed.	Barbary.	—	H. 4.	Bot. mag. 1251.
10	<i>flexuosum</i> . DC. (<i>pu.</i>) wave-podded.	Asia.	1680.	—	H. 4.	Schk. hand. 2. t. 207.
11	<i>carneum</i> . DC. (<i>fl.</i>) flesh-coloured.	Siberia.	1818.	—	H. 4.	Lodd. bot. cab. 312.
12	<i>elongatum</i> . F. (<i>pu.</i>) long-stalked.	Russia.	1823.	6. 8.	H. 4.	————— t. 1401.
13	<i>lasiocarpum</i> . DC. (<i>pu.</i>) woolly-podded.	Altay.	1824.	—	H. 4.	—
14	<i>tauricum</i> . DC. (<i>ro.</i>) Taurian.	Tauria.	1804.	7. 8.	H. 4.	Bieb. cent. 2. t. 85.
	<i>roseum</i> . Bot. mag. t. 996. non DC.					
15	<i>roseum</i> . DC. (<i>ro.</i>) rose-coloured.	Siberia.	1803.	—	H. 4.	—
16	<i>altaicum</i> . DC. (<i>pu.</i>) Altay.	—————	1828.	—	H. 4.	—
17	<i>venustum</i> . DC. (<i>pu.</i>) handsome.	Altay.	—	—	H. 4.	—
18	<i>fruticosum</i> . DC. (<i>li.</i>) shrubby.	Siberia.	1782.	6. 7.	H. h.	Pall. it. 3. . 5. f. 1.
19	<i>ibericum</i> . DC. (<i>li.</i>) Iberian.	Iberia.	1824.	6. 8.	H. 4.	—
20	<i>Razoumowianum</i> . DC. (<i>li.</i>) net-podded.	Scythia.	1828.	—	H. 4.	—
21	<i>cretaceum</i> . DC. (<i>pu.</i>) slender-spiked.	Volga.	1818.	—	H. 4.	—
22	<i>consanguineum</i> . DC. (<i>pu.</i>) related.	Altay.	—	—	H. 4.	—
23	<i>obscurum</i> . DC. (<i>pu.</i>) creeping-rooted.	Europe.	1640.	7. 8.	H. 4.	Bot. mag. 282.
24	<i>brachisema</i> . DC. (<i>pu.</i>) short-lipped.	Altay.	1820.	—	H. 4.	Gmel. sib. 4. t. 10.
25	<i>sibiricum</i> . DC. (<i>pu.</i>) Siberian.	Siberia.	1798.	6. 7.	H. 4.	Lam. ill. t. 628. f. 3.
26	<i>alpinum</i> . W. (<i>pu.</i>) Alpine.	—————	—	—	H. 4.	Bot. mag. 2213.
27	<i>caucasicum</i> . DC. (<i>pu.</i>) Caucasian.	Caucasus.	1824.	6. 8.	H. 4.	—
28	<i>argyrophyllum</i> . F. (<i>pu.</i>) silvery-leaved.	Altay.	1827.	—	H. 4.	—
	ONOBRY'CHIS. DC. SAINTFOIN. Diadelphia Decandria.					
1	<i>sativa</i> . DC. (<i>ro.</i>) common.	Britain.	6. 7.	H. 4.	Eng. bot. v. 2. t. 96.
	<i>Hedy'sarum Onobry'chis</i> . Jacq. aust. t. 352.					
2	<i>tanaitica</i> . F. (<i>ro.</i>) spreading.	Siberia.	1823.	—	H. 4.	—
3	<i>carpathica</i> . DC. (<i>ro.</i>) Carpathian.	Carp. Mount.	1818.	—	H. 4.	—
4	<i>incurvata</i> . DC. (<i>ro.</i>) incurved.	1826.	—	H. 4.	—
5	<i>montana</i> . DC. (<i>pu.</i>) mountain.	Pyrenees.	1816.	—	H. 4.	—
6	<i>conferta</i> . DC. (<i>pu.</i>) close-flowered.	Caucasus.	1827.	6. 8.	H. 4.	—
7	<i>procumbens</i> . DC. (<i>ro.</i>) procumbent.	Iberia.	1823.	—	H. 4.	—
8	<i>supina</i> . DC. (<i>ro.</i>) trailing.	S. Europe.	1816.	—	H. 4.	—
9	<i>glabra</i> . DC. (<i>ro.</i>) smooth.	Tauria.	1829.	—	H. 4.	—
10	<i>arenaria</i> . DC. (<i>ro.</i>) sand.	Hungary.	1818.	—	H. 4.	—

11	mareótica. DC.	(ro.)	villous-calyxed.	Siberia.	1829.	6. 8.	H. 4.		
12	álba. DC.	(wh.)	white-flowered.	Hungary.	1804.	7. 8.	H. 4.	W. et K. hung. 2. t. 111.	
13	petræa. DC.	(wh.)	stone.	Caucasus.	1818.	6. 8.	H. 4.		
14	gracilis. DC.	(li.)	slender.	Poland.	1828.	—	H. 4.		
15	saxatilis. DC.	(wh.)	rock.	S. France.	1790.	—	H. 4.	All. ped. 1191. t. 19. f. 1.	
16	Caput-galli. DC.	(ri.)	Cock's-head.	S. Europe.	1731.	7. 8.	H. 4.	Lobel. ic. 2. p. 81. f. 1.	
17	Crista-galli. DC.	(ri.)	Cock's-comb.	—	1710.	6. 8.	H. 4.	Gært. fruct. 2. t. 115.	
18	foveolata. DC.	(ri.)	Sicilian.	Sicily.	1828.	—	H. 4.		
19	æquidentata. DC.	(re.)	equal-toothed.	Levant.	1823.	—	H. 4.	Desv. j. bot. 1. t. 23.	
20	Pallasii. DC.	(st.)	Pallas's.	Tauria.	—	—	H. 4.	Bieb. pl. ros. 1. t. 35.	
	<i>Buxbaumiana</i> . s.s. <i>Hedy'sarum Pallasii</i> . w. Buxb. cent. 2. t. 42.								
21	radiata. DC.	(st.)	rayed.	Caucasus.	1823.	7. 9.	H. 4.	Desf. an. mus. 12. t. 13.	
	<i>Hedy'sarum Buxbaumii</i> . M.B.								
22	ptolemæica. DC.	(ye.)	striped-flower'd.	Egypt.	1829.	—	H. 4.	Delil. fl. eg. t. 39. f. 1.	
ELEIOTIS. DC.		ELEIOTIS. Diadelphia Decandria.							
1	monophylla. DC.	(li.)	simple-leaved.	E. Indies.	1820.	4. 8.	S. 4.	Burm. ind. t. 50. f. 2.	
2	sororia. DC.	(bh.)	ternate-leaved.	—	—	—	S. 4.	Desv. j. bot. 3. t. 6. f. 31.	
	<i>Hedy'sarum sororium</i> . L.								
LESPÉDEZA. DC.		LESPÉDEZA. Diadelphia Decandria.							
1	júncea. DC.	(wh.)	slender-branch'd.	Siberia.	1776.	7. 8.	G. 4.	Linu. f. dec. 1. t. 4.	
	<i>Hedy'sarum júnceum</i> . L. <i>Anthy'llis cuneata</i> . Dum. Cours.								
2	reticulata. DC.	(pu.)	netted.	N. America.	1823.	—	H. 4.		
3	sessiliflora. DC.	(pu.)	sessile-flowered.	—	—	—	H. 4.		
4	eriocarpa. DC.	(ri.)	woolly-podded.	Nepaul.	1812.	7. 9.	G. 4.		
5	frutescens. DC.	(pu.)	frutescent.	Carolina.	1739.	—	G. 4.	Jacq. vind. 3. t. 89.	
6	capitata. DC.	(li.)	headed.	N. America.	1789.	6. 8.	H. 4.		
7	angustifolia. DC.	(li.)	narrow-leaved.	Carolina.	1827.	—	H. 4.		
8	Stuvei. DC.	(pu.)	Stuve's.	New Jersey	1823.	7. 9.	H. 4.		
9	polystachya. DC.	(wh.)	hairy.	N. America.	1789.	6. 8.	H. 4.	Mich. amer. 2. t. 40.	
	<i>Hedy'sarum hirtum</i> . w.								
10	villosa. DC.	(wh.)	villous.	—	1812.	—	H. 4.		
11	violacea. DC.	(ri.)	violet-colour'd.	—	1789.	7. 8.	H. 4.		
12	divergens. DC.	(ri.)	divergent.	—	1827.	—	H. 4.		
13	procumbens. DC.	(pu.)	procumbent.	—	1812.	—	H. 4.	Mich. amer. 2. t. 39.	
14	prostrata. DC.	(pu.)	prostrate.	—	1818.	—	H. 4.		
EBENUS. DC.		EBENUS. Monadelphia Decandria.							
1	crética. DC.	(bh.)	Cretan.	Crete.	1737.	6. 7.	F. 4.	Bot. mag. 1092.	
	<i>Anthy'llis crética</i> . Lam.								
2	pinnata. DC.	(pi.)	wing-leaved.	Barbary.	1786.	7. 8.	G. 4.	Desf. ac. par. 1. t. 3.	
	<i>Anthy'llis sericea</i> . w.								
3	Sibthorpii. DC.	(pi.)	Sibthorp's.	Greece.	1826.	—	G. 4.	DC. leg. mem. t. 53.	
FLEMINGIA. DC.		FLEMINGIA. Diadelphia Decandria.							
1	stricta. DC.	(re.)	straight.	E. Indies.	1798.	7. 9.	S. 4.	Roxb. corom. 3. t. 248.	
2	semialata. DC.	(ro.)	winged.	Nepaul.	1805.	7. 8.	S. 4.	— 3. t. 249.	
3	congesta. DC.	(re.)	crowded spiked.	E. Indies.	1802.	7. 9.	S. 4.		
4	nana. DC.	(re.)	dwarf.	—	1804.	8. 9.	S. 4.		
5	lineata. DC.	(re.)	branch-spiked.	—	1793.	7. 8.	S. 4.	Burm. ind. t. 53. f. 1.	
6	angustifolia. DC.	(re.)	narrow-leaved.	—	1812.	7. 9.	S. 4.		
7	procumbens. DC.	(re.)	procumbent.	—	1816.	8.	S. 4.		
8	prostrata. DC.	(re.)	prostrate.	China.	1820.	7. 9.	S. 4.		
9	strobilifera. DC.	(wh.)	Beech-leaved.	E. Indies.	1787.	—	S. 4.	Bot. reg. 617.	
	<i>Hedy'sarum strobiliferum</i> . L. <i>Zornia strobilifera</i> . P.S.								

Subtribus III. ALHAGEÆ. DC. prodr. 2. p. 352.

ALHAGI. DC.		ALHAGI. Diadelphia Decandria.							
1	maurorum. DC.	(re.)	Levant.	Levant.	1714.	7. 8.	G. 4.	Tourn. cor. 54. t. 489.	
	<i>Hedy'sarum Alhagi</i> . L. <i>mannifera</i> . Dv. <i>Manna hebraica</i> . D.D.								
2	camelorum. DC.	(re.)	Caspian.	Caucasus.	1824.	—	H. 4.		
ALSICARPUS. DC.		ALSICARPUS. Diadelphia Decandria.							
1	bupleurifolius. DC.	(li.)	Bupleurum-ld.	E. Indies.	1793.	7. 8.	S. 4.	Bot. mag. 1722.	
	<i>Hedy'sarum bupleurifolium</i> . Roxb. corom. 2. t. 194.								

2	<i>vaginàlis</i> . DC. (pu.) sheathed.	E. Indies.	1790.	7. 8.	S. ☉.	Burm. zeyl. t. 49. f. 1.
3	<i>nummularifolius</i> . DC. (pu.) moneywort.	————	1777.	7. 9.	S. ☉.	Petiv. gaz. t. 26 f. 1.
4	<i>monilifer</i> . DC. (pu.) neck-lace.	————	1824.	—	S. ♀.	Burm. ind. t. 52. f. 3.
5	<i>glumaceus</i> . DC. (vi.) rugged-podded.	Arabia.	—	—	G. ♀.	
6	<i>styracifolius</i> . DC. (pu.) Storax-leaved.	E. Indies.	1796.	—	S. ♀.	

Hedy'sarum styracifolium. L.

Tribus IV. *VICIEÆ*. DC. prodr. 2. p. 353.

CICER . DC.		CHICK-PEA . <i>Diadelphia Decandria</i> . L.				
1	<i>arietinum</i> . DC.	common.	S. Europe.	1548.	7. 8.	H. ☉. Bot. mag. 2274.
2	<i>songaricum</i> . DC.	large-flowered.	Persia.	1828.	—	H. ☉. DC. leg. mem. t. 54.
FABA . DC.		BEAN . <i>Diadelphia Decandria</i> .				
	<i>vulgàris</i> . DC. (wh. bk.) common.		Egypt.	5. 8.	H. ☉. Tourn. inst. t. 222.
a	<i>equina</i> . (wh. bk.) Horse.		————	—	H. ☉.
β	<i>pracox</i> . (wh. bk.) Mazagon.		————	—	H. ☉.
γ	<i>ensiformis</i> . (wh. bk.) long-pod.		————	—	H. ☉.
δ	<i>albiflora</i> . (wh.) white-blossomed.		————	—	H. ☉.
ε	<i>purpurea</i> . (pu.) purple-flowered.		————	—	H. ☉.
ζ	<i>macrospërma</i> . (wh. bk.) broad Windsor.		————	—	H. ☉.
η	<i>chlorospërma</i> . (wh. bk.) green Windsor.		————	—	H. ☉.
VICIA . DC.		VETCH . <i>Diadelphia Decandria</i> .				
1	<i>pisiformis</i> . DC. (st.) Pea-shaped.		S. Europe.	1739.	7. 8.	H. ♀. Jacq. aust. 4. t. 364.
2	<i>amœna</i> . DC. (pu.) beautiful.		Siberia.	1829.	—	H. ♀. Gmel. sib. 4. n. 11. t. 3?
3	<i>caroliniàna</i> . DC. (wh.) Carolina.		Carolina.	—	—	H. ♀.
4	<i>dumetorum</i> . DC. (vi.) great wood.		France.	1752.	5. 7.	H. ♀. Sturm deuts. 1. fas. 31.
5	<i>dentata</i> . F. (vi.) toothed.		Russia.	1818.	6. 7.	H. ♀.
6	<i>sylvatica</i> . DC. (wh. vi.) wood.		Britain.	7. 8.	H. ♀. Eng. bot. 2. t. 79.
7	<i>americàna</i> . DC. (vi.) American.		N. America.	1818.	—	H. ♀.
8	<i>variegata</i> . DC. (v.) variegated.		Caucasus.	1829.	—	H. ♀. Desf. cor. p. 86. t. 66.
9	<i>purpurea</i> . DC. (pu.) purple.		Tauria.	1827.	—	H. ♀.
10	<i>alpestris</i> . DC. (pu.) alpine.		————	1828.	—	H. ♀.
11	<i>cassubica</i> . DC. (vi.) Cassubian.		Germany.	1711.	6. 7.	H. ♀. Sturm deuts. 1. fas. 31.
12	<i>abbreviata</i> . DC. (vi.) abbreviated.		Caucasus.	1818.	—	H. ♀.
13	<i>cinèrea</i> . DC. (pa. bl.) ash-coloured.		Tauria.	1829.	—	H. ♀.
14	<i>Cracca</i> . DC. (vi.) tufted.		Britain.	7. 9.	H. ♀. Eng. bot. 17. t. 1168.
15	<i>Bivonea</i> . DC. (ro.) Bivoni's.		Sicily.	1828.	—	H. ♀.
16	<i>Gerardi</i> . DC. (vi.) Gerard's.		S. Europe.	1711.	6. 7.	H. ♀. Jacq. aust. t. 229.
17	<i>pseudocracca</i> . DC. (vi.) slender-leaved.		Italy.	1824.	7. 9.	H. ☉.
	<i>tenuifolia</i> . Tenore. non Roth.		————	—	—	—
18	<i>microphylla</i> . DC. (li.) small-leaved.		Archipelago.	1828.	6. 8.	H. ♀.
19	<i>polyphylla</i> . DC. (li.) many-leaved.		Algiers.	1823.	—	H. ♀.
20	<i>tenuifolia</i> . DC. (vi.) slender-leaved.		Germany.	1799.	6. 7.	H. ♀. Sturm deuts. 1. fas. 31.
21	<i>consentina</i> . DC. (st.) straw-coloured.		Naples.	1824.	—	H. ♀.
22	<i>capensis</i> . DC. (pu.) Cape.		C. B. S.	1802.	6. 8.	G. ♀.
23	<i>canescens</i> . DC. (bl.) hoary.		Libanus.	1800.	—	H. ☉. Labil. dec. syr. 1. t. 7.
24	<i>ochroleuca</i> . DC. (st.) sulphur-color'd.		Italy.	1824.	—	H. ♀.
25	<i>punctata</i> . DC. (pu.) spot-leaved.		Switzerland.	1826.	—	H. ☉.
26	<i>onobrychioïdes</i> . DC. (pu.) Saintfoin-like.		Europe.	1789.	—	H. ☉. Sturm deuts. 1. fas. 31.
27	<i>atropurpurea</i> . DC. (d. pu.) dark-purple.		Algiers.	1815.	—	H. ☉. Bot. reg. t. 871.
28	<i>benghalensis</i> . DC. (sc.) Bengal.		E. Indies.	1792.	7. 9.	H. ☉. Herm. lugd. t. 625.
29	<i>perennis</i> . DC. (pu.) perennial.		S. Europe.	1820.	6. 8.	H. ♀.
30	<i>longifolia</i> . DC. (st.) long-leaved.		Syria.	1824.	—	H. ♀.
31	<i>argentea</i> . DC. (ro.) silvery.		Pyrenees.	1829.	—	H. ♀.
32	<i>villòsa</i> . DC. (pu.) villous.		Germany.	1815.	—	H. ☉. Sturm deuts. 1. fas. 31.
33	<i>dispërma</i> . DC. (li.) two-seeded.		S. France.	1826.	—	H. ☉.
34	<i>biennis</i> . DC. (vi.) biennial.		Siberia.	1753.	7. 9.	H. ♂. Gmel. sib. 4. t. 2.
35	<i>Nissoliàna</i> . DC. (re.) red-flowered.		Levant.	1773.	6. 7.	H. ☉.
36	<i>pellucida</i> . DC. (pu.) pellucid.		C. B. S.	1812.	6. 8.	G. ♀. Jacq. schoenb. 2. t. 222.
37	<i>biflora</i> . DC. (bl.) two-flower'd.		Algiers.	1801.	—	H. ☉. Desf. atl. 2. t. 197.
38	<i>calcarata</i> . DC. (pu.) spurred.		————	1790.	7. 9.	H. ☉.
	<i>monántha</i> . W.		————	—	—	—
39	<i>syriaca</i> . DC. (vi.) Syrian.		Syria.	1822.	—	H. ☉.
40	<i>pimpinelloïdes</i> . DC. (pu.) Pimpinella-like.		Rome.	—	6. 9.	H. ☉.

41	<i>sativa</i> . DC.	(<i>pu.</i>) common.	Britain.	5. 7.	H. ⊙.	Eng. bot. 5. t. 334.
	<i>α nemoralis</i> . P.S.	(<i>pu.</i>) wood.	—————	———	H. ⊙.	Sturm deuts. 1. fas. 31.
	<i>β segetalis</i> . DC.	(<i>pu.</i>) hedge.	—————	———	H. ⊙.	Eng. bot. 5. t. 331.
42	<i>leucosperma</i> . L.en.	(<i>wh.</i>) white-seeded.	———	H. ⊙.	
43	<i>angustifolia</i> . W.en.	(<i>pu.</i>) narrow-leaved.	Europe.	———	H. ⊙.	Sturm deuts. 1. fas. 31.
44	<i>megalosperma</i> . W.en.	(<i>pu.</i>) large-seeded.	Tauria.	1798.	6. 8.	H. ⊙.	
45	<i>incisa</i> . DC.	(<i>pu.</i>) cut-leaved.	—————	1829.	———	H. ⊙.	
46	<i>repens</i> . DC.	(<i>pu.</i>) creeping.	Archipelago.	1828.	———	H. 4.	
47	<i>canadensis</i> . DC.	(<i>li.</i>) Canadian.	Canada.	———	———	H. ⊙.	
48	<i>globosa</i> . DC.	(<i>bl.</i>) globular.	1804.	———	H. ⊙.	
49	<i>cordata</i> . DC.	(<i>pu.</i>) heart-leaved.	Germany.	1828.	———	H. ⊙.	Sturm deuts. 1. fas. 32.
50	<i>pilosa</i> . DC.	(<i>pu.</i>) pilose.	Tauria.	1820.	———	H. ⊙.	
51	<i>peregrina</i> . DC.	(<i>pu.</i>) broad-podded.	S. Europe.	1779.	7. 8.	H. ⊙.	Sturm deuts. 1. fas. 32.
52	<i>Michauxii</i> . DC.	(<i>wh.</i>) Michaux's.	1803.	———	H. ⊙.	
53	<i>amphicarpa</i> . DC.	(<i>pu.</i>) subterraneous.	S. France.	1815.	———	H. ⊙.	Ger. m. an. 6. v. 3. p. 341.
54	<i>lathyroides</i> . DC.	(<i>pu.</i>) spring.	Britain.	4. 6.	H. ⊙.	Eng. bot. 1. t. 30.
55	<i>laevigata</i> . DC.	(<i>br.</i>) smooth-podded.	England.	7. 9.	H. 4.	————— 7. t. 483.
56	<i>dubia</i> . DC.	(<i>pu.</i>) doubtful.	1827.	———	H. 4.	
57	<i>lutea</i> . DC.	(<i>ye.</i>) yellow-flowered.	Britain.	6. 8.	H. 4.	Eng. bot 7. t. 481.
58	<i>hirta</i> . P.S.	(<i>wh.</i>) hairy.	France.	1820.	———	H. 4.	
59	<i>hybrida</i> . DC.	(<i>st.</i>) hairy-flower'd.	England.	———	H. 4.	Eng. bot. 7. t. 482.
60	<i>spuria</i> . DC.	(<i>st.</i>) spurious.	Sicily.	1826.	———	H. 4.	
61	<i>grandiflora</i> . DC.	(<i>ye.</i>) large-flowered.	Switzerland.	1823.	———	H. ♂.	Scop. fl. carn. 2. t. 42.
62	<i>sordida</i> . DC.	(<i>ye.</i>) large-yellow.	Hungary.	1802.	———	H. ⊙.	W. et K. hung. 2. t. 134.
63	<i>Biebersteinii</i> . DC.	(<i>ye.</i>) Bieberstein's.	Poland.	1823.	———	H. 4.	
64	<i>tricolor</i> . DC.	(<i>ye. pu.</i>) three-coloured.	Naples.	1827.	———	H. ⊙.	Seb. et Maur. pr. rom. t. 4.
65	<i>sepium</i> . DC.	(<i>pu.</i>) bush.	Britain.	5. 6.	H. 4.	Eng. bot. 22. t. 1515.
66	<i>pannonica</i> . DC.	(<i>wh.</i>) Hungarian.	Hungary.	1658.	6. 7.	H. ⊙.	Jacq. aust. 1. t. 34.
67	<i>pyrenaica</i> . DC.	(<i>pu.</i>) Pyrenean.	Pyrenees.	1828.	———	H. ⊙.	DC. ic. rar. 1. t. 33.
68	<i>striata</i> . M.B.	(<i>std.</i>) striped.	Tauria.	1824.	———	H. ⊙.	
69	<i>truncatula</i> . DC.	(<i>st.</i>) truncate-leav'd.	Caucasus.	1828.	6. 8.	H. ⊙.	
70	<i>arbonensis</i> . DC.	(<i>d. pu.</i>) broad-leaved.	France.	1596.	———	H. ⊙.	Roth. abhand. 10. t. 2.
71	<i>serratifolia</i> . W.	(<i>pu.</i>) saw-leaved.	Hungary.	1723.	———	H. ⊙.	Sturm fl. germ. 1. fas. 32.
72	<i>platycarpus</i> . DC.	(<i>pu.</i>) flat-podded.	Germany.	———	———	H. ⊙.	Roth. abhand. 10. t. 1.
73	<i>bicolor</i> . DC.	(<i>v.</i>) two-coloured.	1818.	———	H. 4.	
ERVUM. DC. TARE. Diadelphia Decandria. L.							
1	<i>Léns</i> . DC.	(<i>pa.</i>) Lentil.	France.	1548.	5. 7.	H. ⊙.	Sturm fl. germ. 1. fas. 32.
<i>Cicer Léns</i> . W. <i>Léns esculenta</i> . Moench.							
2	<i>nigricans</i> . DC.	(<i>pa.</i>) dark-seeded.	Tauria.	1823.	6. 7.	H. ⊙.	
<i>lentoides</i> . T.P.							
3	<i>lenticula</i> . DC.	(<i>bl.</i>) one-flowered.	Carinthia.	1824.	6. 8.	H. ⊙.	Sturm fl. germ. 1. fas. 32.
<i>soloniense</i> . Schrank pl. rar. t. 48. <i>uniflorum</i> . Seb. rom. pl. fas. 2. t. 4.							
4	<i>hirsutum</i> . DC.	(<i>pu. wh.</i>) hairy.	Britain.	6. 7.	H. ⊙.	Eng. bot. 14. t. 970.
5	<i>dispermum</i> . S.S.	(<i>li.</i>) two-seeded.	E. Indies.	1824.	6. 8.	H. ⊙.	
6	<i>camelorum</i> . S.S.	(<i>li.</i>) broad-podded.	———	———	H. ⊙.	
7	<i>pendulum</i> . S.S.	(<i>li.</i>) pendulous-podd'd.	E. Indies.	1828.	———	H. ⊙.	
8	<i>Ervillea</i> . DC.	(<i>pu.</i>) officinal.	S. Europe.	1596.	6. 8.	H. ⊙.	Sturm fl. germ. 1. fas. 32.
<i>Ervillea sativa</i> . L. en. <i>Vicia Ervillea</i> . W.							
9	<i>monanthos</i> . DC.	(<i>li.</i>) single-flowered.	—————	1790.	7. 8.	H. ⊙.	Sturm fl. ge. 1. fas. 32. ic.
<i>Vicia articulata</i> . W. <i>Lathyrus monanthos</i> . W. en.							
10	<i>agrigeninum</i> . DC.	(<i>li.</i>) Sicilian.	Sicily.	1827.	———	H. ⊙.	
11	<i>tetraspermum</i> . DC.	(<i>li.</i>) four-seeded.	Britain.	6. 8.	H. ⊙.	Eng. bot. 17. t. 1223.
12	<i>gracile</i> . DC.	(<i>li.</i>) slender.	S. Europe.	1823.	———	H. ⊙.	Lois. fl. gal. t. 12.
<i>tenuissimum</i> . P.S. <i>longifolium</i> T.N. <i>Vicia laxiflora</i> . Brot. phyt. t. 54.							
13	<i>pubescens</i> . DC.	(<i>li.</i>) pubescent.	S. Europe.	1828.	6. 8.	H. ⊙.	
14	<i>Loiseleurii</i> . DC.	(<i>li.</i>) Loiseleur's.	Tauria.	———	———	H. ⊙.	
15	<i>diphyllum</i> . DC.	(<i>li.</i>) two-leaved.	———	———	H. ⊙.	
PISUM. DC. PEA. Diadelphia Decandria. L.							
1	<i>sativum</i> . DC.	(<i>wh.</i>) cultivated.	S. Europe.	5. 10.	H. ⊙.	Lam. ill. t. 633.
<i>α saccharatum</i> . DC. (<i>wh.</i>) sugar.							
<i>β macrocarpon</i> . DC. (<i>wh.</i>) marrowfat.							
<i>γ viride</i> . (<i>wh.</i>) green marrowfat.							
<i>δ rugosum</i> . (<i>wh.</i>) Knight's marrowfat.							
<i>ε chlorospermum</i> . (<i>wh.</i>) green rouncival.							
<i>ζ carulescens</i> . (<i>wh.</i>) blue Prussian.							
<i>η prolificum</i> . (<i>wh.</i>) prolific.							
<i>θ precoce</i> . (<i>wh.</i>) early Charlton.							
<i>i uniflorum</i> . (<i>wh.</i>) early frame.							

κ <i>hàmile.</i>	(wh.) dwarf.	S. Europe.	—	H. ⊙.	
λ <i>umbellatum.</i> DC.	(pi.) rose or crown.	—	—	H. ⊙.	Tabern. icon. t. 495.
μ <i>quadratum.</i> DC.	(pu.) grey or swine's.	—	—	H. ⊙.	
2 <i>elatum.</i> DC.	(pa.pu.) upright.	Iberia.	1827.	6. 10.	H. ⊙.	
3 <i>arvense.</i> DC.	(pu.) field.	Europe.	6. 9.	H. ⊙.	Moris. his. 2. s. 2 t. 1. f. 4.
4 <i>maritimum.</i> DC.	(pu.) sea.	England.	7. 8.	H. 4.	Eng. bot. 15. t. 1046.
5 <i>americanum.</i> DC.	(pu.) American.	America.	—	H. ⊙.	
6 <i>Jomardi.</i> DC.	(wh.) angular-stalk'd.	Egypt.	1818.	6. 9.	H. ⊙.	
7 <i>thebaicum.</i> DC.	(wh.) short-peduncled.	—	—	H. ⊙.	
LATHYRUS. DC. LATHYRUS. Diadelphia Decandria. L.						
1 <i>sylvestris.</i> DC.	(pu.) wood.	Britain.	7. 8.	H. 4.	Eng. bot. v. 12. t. 805.
2 <i>intermedius.</i> DC.	(ro.) intermediate.	N. Europe.	1818.	7. 8.	H. 4.	Flor. dan. t. 785.
3 <i>magellanicus.</i> DC.	(pu.) Lord Anson's Pea.	Cape Horn.	1744.	—	H. 4.	
4 <i>latifolius.</i> DC.	(ro.) everlasting Pea.	England.	7. 9.	H. 4.	Eng. bot. v. 16. t. 1108.
β <i>albiflorus.</i>	(wh.) white-flowered.	—	H. 4.	
5 <i>rotundifolius.</i> DC.	(ro.) round-leaved.	Tauria.	1822.	—	H. 4.	Bieb. cent. 1. t. 22.
6 <i>pratensis.</i> DC.	(ye.) meadow.	Britain.	6. 8.	H. 4.	Eng. bot. v. 10. t. 670.
7 <i>tuberosus.</i> DC.	(ro.) tuberous-rooted.	Europe.	1596.	7. 8.	H. 4.	Bot. mag. 111.
8 <i>roseus.</i> DC.	(ro.) rose-coloured.	Iberia.	1828.	—	H. 4.	
9 <i>pisiformis.</i> DC.	(std.) Siberian.	Siberia.	1759.	6. 8.	H. 4.	Linn. fil. dec. t. 20.
10 <i>mutabilis.</i> B.F.G.	(std.) changeable.	—	1825.	—	H. 4.	Swt. br. fl. gar. t. 194.
11 <i>venosus.</i> DC.	(pu.) veined.	N. America.	1823.	7. 8.	H. 4.	
12 <i>californicus.</i> B.R.	(pu.) Californian.	California.	1827.	6. 10.	H. 4.	Bot. reg. 1144.
13 <i>palustris.</i> DC.	(pu.) marsh.	Britain.	7. 8.	H. 4.	Eng. bot. v. 3. t. 169.
14 <i>myrtifolius.</i> DC.	(pu.) Myrtle-leaved.	N. America.	1823.	—	H. 4.	
15 <i>polymorphus.</i> DC.	(pu.) variable.	Missouri.	—	—	H. 4.	
16 <i>heterophyllus.</i> DC.	(li.) various-leaved.	Europe.	1731.	7. 9.	H. 4.	J. Bauh. his. 2. p. 304. f. 1.
17 <i>stipulaceus.</i> DC.	(pu.) large-stipuled.	N. America.	1827.	—	H. 4.	
18 <i>Aphaca.</i> DC.	(st.) yellow vetchling.	England.	6. 7.	H. ⊙.	Eng. bot. v. 17. t. 1167.
19 <i>Nissolia.</i> DC.	(cr.) crimson.	—	5. 6.	H. ⊙.	— v. 2. t. 112.
20 <i>inconspicuus.</i> DC.	(pa.) small-flowered.	Levant.	1739.	7. 8.	H. ⊙.	
21 <i>sphaericus.</i> DC.	(sc.) scarlet.	S. Europe.	1800.	6. 7.	H. ⊙.	DC. ic. rar. 1. t. 32.
<i>coccineus.</i> P.S. <i>axillaris.</i> Lam.	<i>inconspicuus.</i> Jacq.	vind. t. 86.				<i>Orob. coccineus.</i> Lodd. b. cab. t. 883.
22 <i>micranthus.</i> DC.	(pu.) small-blossom'd.	S. France.	6. 7.	H. ⊙.	
23 <i>angulatus.</i> DC.	(pu.) angular-seeded.	S. Europe.	1683.	—	H. ⊙.	Buxb. cent. 3. t. 42. f. 2.
24 <i>longepedunculatus.</i> DC.	(pu.) long-stalked.	1824.	6. 9.	H. ⊙.	
25 <i>leptophyllus.</i> DC.	(pu.) slender-leaved.	Caucasus.	1828.	—	H. ⊙.	
26 <i>setifolius.</i> DC.	(ro.) bristle-leaved.	S. Europe.	1739.	6. 7.	H. ⊙.	J. Bauh. 2. p. 308. ic.
27 <i>amphicarpos.</i> DC.	(li.) Earth Pea.	Levant.	1680.	6. 9.	H. ⊙.	Swt. br. fl. gar. 3. t. 236.
28 <i>sativus.</i> DC.	(bl.wh.) chickling vetch.	S. Europe.	1640.	6. 8.	H. ⊙.	Jacq. f. eclog. t. 116.
α <i>cæruleus.</i>	(bl.) blue-flowered.	—	—	—	H. ⊙.	Bot. mag. 115.
β <i>albus.</i>	(wh.) white-flowered.	—	—	—	H. ⊙.	
29 <i>Cicera.</i> DC.	(pu.) flat-podded.	—	1633.	—	H. ⊙.	Jacq. f. eclog. t. 115.
30 <i>annuus.</i> DC.	(ye.) yellow annual.	—	1621.	—	H. ⊙.	Buxb. cent. 3. t. 42. f. 1.
31 <i>hirsutus.</i> DC.	(pu.) rough-podded.	England.	7. 8.	H. ⊙.	Eng. bot. v. 18. t. 1255.
32 <i>hirtus.</i> DC.	(pu.) hairy.	1824.	7. 9.	H. ⊙.	
33 <i>odoratus.</i> DC.	(va.) Sweet Pea.	Sicily.	1700.	6. 9.	H. ⊙.	Bot. mag. t. 60.
α <i>purpureus.</i> DC.	(pu.) dark-purple.	—	—	—	H. ⊙.	— t. 60.
β <i>ruber.</i>	(re.) red-flowered.	—	—	H. ⊙.	
γ <i>roseus.</i> DC.	(ro.) painted lady.	Ceylon.	—	—	H. ⊙.	
δ <i>albus.</i>	(wh.) white-flowered.	—	—	—	H. ⊙.	
34 <i>grandiflorus.</i> DC.	(pu.) large-flowered.	Italy.	1814.	—	H. 4.	Bot. mag. t. 1938.
35 <i>tingitanus.</i> DC.	(pu.) Tangier Pea.	Barbary.	1680.	—	H. ⊙.	— t. 100.
36 <i>bithynicus.</i> DC.	(vi.) tumid-podded.	S. Europe.	1816.	6. 8.	H. ⊙.	All. ped. 1. t. 26. f. 2.
<i>tumidus.</i> W. <i>turgidus.</i> Lam.	<i>Vicia bithynica.</i> L.					
37 <i>incurvus.</i> DC.	(pu.) curve-podded.	Siberia.	1802.	7. 8.	H. 4.	Roth abh. 13. t. 4.
38 <i>alatus.</i> DC.	(pu.) wing-stalked.	Italy.	1829.	—	H. ⊙.	
39 <i>Clymenum.</i> DC.	(re.bl.) various-flower'd.	Levant.	1713.	6. 7.	H. ⊙.	Pluk. alm. t. 114. f. 6.
40 <i>articulatus.</i> DC.	(ro.wh.) joint-podded.	S. Europe.	1640.	7. 9.	H. ⊙.	Bot. mag. 258.
41 <i>auriculatus.</i> Bert.	(pu.) eared.	Italy.	1820.	6. 8.	H. ⊙.	
42 <i>spurius.</i> DC.	(pu.) bastard.	1815.	—	H. ⊙.	
43 <i>tenuifolius.</i> DC.	(bl.) slender-leaved.	Algiers.	1824.	6. 7.	H. ⊙.	
44 <i>Ochrus.</i> DC.	(ye.) pale-yellow.	S. Europe.	1633.	—	H. ⊙.	Schk. hand. 2. t. 280.
<i>Ochrus pallida.</i> P.S. <i>Pisum Ochrus.</i> L.						
45 <i>purpureus.</i> DC.	(pu.) purple-flower'd.	Levant.	1826.	6. 8.	H. 4.	Desf. cor. p. 81. t. 61.
46 <i>cornutus.</i> DC.	(pu.) horned.	1824.	—	H. ⊙.	
47 <i>aphyllus.</i>	(pu.) leafless.	Smyrna.	1828.	7. 8.	H. ⊙.	
PLATYSTYLIS. B.F.G. PLATYSTYLIS. Diadelphia Decandria.						
1 <i>cyanea.</i> B.F.G.	(bl.) blue-flowered.	Iberia.	1826.	7. 8.	H. 4.	Swt. br. fl. gar. 3. t. 239.

2	sessilifolius. B.F.G. (pu.)	sessile-leaved.	Levant.	1824.	6. 8.	H. 4.	Buxb. cent. 2. t. 38.
	<i>Orobis sessilifolius.</i>		Bot. Mag. 2796.	<i>digitatus.</i>	M.B.		
O'ROBUS. DC. BITTER VETCH. Diadelphia Decandria. L.							
1	hirsutus. DC.	(li.) hairy.	Levant.	1818.	5. 6.	H. 4.	Bot. mag. t. 2345.
2	formosus. DC.	(pu.) handsome.	Caucasus.	1824.	—	H. 4.	
3	lathyroides. DC.	(bl.) upright.	Siberia.	1758.	6. 7.	H. 4.	Bot. mag. t. 2098.
4	vernus. DC.	(pu.) spring.	Europe.	1629.	3. 4.	H. 4.	— t. 521.
5	venosus. DC.	(bl.) veined.	Siberia.	1818.	5. 6.	H. 4.	Gmel. fl. sib. 4. t. 5.
6	alpestris. DC.	(pu.) alpine.	Hungary.	1818.	—	H. 4.	W. et K. hung. 2. t. 126.
7	multiflorus. DC.	(li.) many-flowered.	Italy.	1824.	5. 7.	H. 4.	
8	variegatus. DC.	(pu.) variegated.	Naples.	1818.	5. 6.	H. 4.	Ten. fl. nap. t. 68.
9	vicioides. DC.	(pu.) Vetch-like.	Hungary.	—	6. 8.	H. 4.	W. et K. hung. 3. t. 242.
	<i>Vicia oroboides.</i>	W.K.					
10	luteus. DC.	(ye.) yellow.	Siberia.	1759.	6. 7.	H. 4.	Lodd. bot. cab. 783.
11	lavigatus. DC.	(ye.) smooth.	Hungary.	1818.	—	H. 4.	W. et K. hung. 3. t. 243.
12	aurantius. DC.	(ye.) orange-color'd.	Iberia.	1824.	6. 8.	H. 4.	
13	sylvaticus. DC.	(std.) wood.	Britain.	6. 7.	H. 4.	Eng. bot. v. 8. t. 518.
14	ochroleucus. DC.	(st.) straw-colour'd.	Hungary.	1816.	—	H. 4.	W. et K. hung. 2. t. 118.
15	niger. DC.	(pu.) black-rooted.	Europe.	1596.	5. 7.	H. 4.	Bot. mag. t. 2261.
16	erectus. DC.	(pu.) upright.	1820.	6. 7.	H. 4.	
17	tuberosus. DC.	(pu.) tuberous-rooted.	Britain.	5. 6.	H. 4.	Eng. bot. v. 17. t. 1153.
18	pyrenæicus. L.	(pu.) Pyrenean.	Pyrenees.	1699.	—	H. 4.	Pluk. alm. t. 210. f. 2.
19	tenuifolius. Roth.	(pu.) slender-leaved.	Germany.	1818.	5. 6.	H. 4.	
20	varius. DC.	(v.) parti-coloured.	Italy.	1759.	—	H. 4.	Bot. mag. t. 675.
21	angustifolius. DC.	(v.) narrow-leaved.	Siberia.	1766.	—	H. 4.	Gmel. sib. 4. p. 14. t. 5.
22	canescens. DC.	(bl.wh.) canescent.	S. Europe.	1823.	—	H. 4.	
23	pallescens. M.B.	(wh.) pale-flowered.	Tauria.	1824.	—	H. 4.	
24	albus. DC.	(wh.) white-flowered.	Austria.	1794.	—	H. 4.	Swt. br. fl. gar. 1. t. 22.
	<i>pannonicus.</i>	Jacq. aust. 1. t. 39.					
25	atropurpureus. DC.	(d.pu.) dark-purple.	Algiers.	1826.	6. 7.	H. 4.	Desf. atl. 2. t. 196.
26	Fischeri. B.F.G. (d.pu.)	Fischer's.	Siberia?	1827.	—	H. 4.	Swt. br. fl. gar. 3. t. 289.
27	saxatilis. DC.	(pu.) rock.	S. France.	1823.	6. 8.	H. ⊙.	Venten. cels. t. 94.
28	longifolius. N.	(li.) long-leaved.	Missouri.	1827.	—	H. 4.	

Tribus V. *PHASEOLEÆ*. DC. prodr. 2. p. 381.

ABRUS. DC. WILD LIQUORICE. Monadelphia Enneandria.							
	precatorius. DC.	(ro.) common.	India.	1680.	3. 5.	S. ½. ∪.	Rheed. mal. 3. t. 39.
	α erythrospërma.	(ro.) red-seeded.	—	—	—	S. ½. ∪.	Rumph. amb. 5. t. 32.
	β melanospërma.	(ro.) black-seeded.	—	—	—	S. ½. ∪.	
SWE'ETIA. DC. SWE'ETIA. Diadelphia Decandria.							
1	longifolia. DC.	(pu.) long-leaved.	S. America.	1824.	6. 7.	S. ½. ∪.	Jacq. ic. 3. t. 572.
	<i>Galega longifolia.</i>	Jacq. Tephrosia longifolia. P.S.					
2	filiformis. DC.	(pu.) slender.	—	—	—	—	—
3	lignosa. DC.	(pu.) woody.	Trinidad.	1826.	—	S. ½. ∪.	Jacq. ic. 3. t. 573.
	<i>Glycine lignosa.</i>	P.S.		1820.	S. ½. ∪.	
MACRANTHUS. DC. MACRANTHUS. Diadelphia Decandria.							
	cochinchinensis. DC.	(wh.) eatable-podd'd.	Cochinchina.	1826.	6. 9.	H. ⊙. ∪.	
WESTONIA. S.S. WESTONIA. Monadelphia Decandria.							
	trifoliata. S.S.	(st.re) trifoliolate.	1820.	6. 8.	S. ⊙.	
	<i>Róthia trifoliata.</i>	DC. Glycine humifusa. W. en.					
TERAMNUS. DC. TERAMNUS. Monadelphia Pentandria.							
1	volubilis. DC.	(re.) twining.	Jamaica.	1822.	7. 8.	S. ½. ∪.	
2	uncinatus. DC.	(re.) hooked.	—	—	—	—	—
AMPHICARP'ÆA. DC. AMPHICARP'ÆA. Diadelphia Decandria.							
1	monoica. DC.	(pa.) pale-flowered.	N. America.	1781.	8. 10.	H. ⊙. ∪.	Rœm. arch. 1. p. 3. t. 2.
2	comosa.	(bl.) tufted.	—	1812.	7. 9.	H. 4. ∪.	
	<i>Glycine comosa.</i>	Ph.					
3	sarmentosa. DC.	(pa.) sarmentose.	—	1805.	—	H. ⊙. ∪.	Schk. bot. an. 12. t. 2.
	<i>Glycine sarmentosa.</i>	Ph. monoica. Schkuhr.					
KENN'EDYA. DC. KENN'EDYA. Diadelphia Decandria.							
1	rubicunda. DC.	(cr.) dingy-flowered.	N. S. W.	1788.	3. 8.	G. ½. ∪.	Bot. mag. 208.
2	prostrata. DC.	(sc.) scarlet one-fl.	—	1790.	—	G. ½. ∪.	— t. 270.
	<i>Glycine coccinea.</i>	B.M.					
3	coccinea. DC.	(sc.) many-flowered.	N. Holland.	1803.	5. 8.	G. ½. ∪.	Swt. fl. aust. t. 23.
4	Comptoniana. DC.	(pu.) Comptonian.	—	—	3. 6.	G. ½. ∪.	Bot. reg. 298.
	<i>Glycine Comptoniana.</i>	B.R.					

5 heterophylla. ψ . (pu.) various-leaved.	H. Holland.	1826.	G. h . \smile .
6 inophylla. ψ . (pu.) few-leaved.	—————	1825.	G. h . \smile .
7 dilatata. ψ . (pu.) dilated-leaved.	—————	—————	G. h . \smile .
8 monophylla. (pu.) simple-leaved.	N. S. W.	1790.	3. 8.	G. h . \smile . Vent. malm. t. 106.
<i>Glycine bimaculata</i> . Bot. mag. t. 263.				
9 ovata. DC. (pu.) oval-leaved.	—————	1820.	—	G. h . \smile . Bot. mag. 2169.
<i>cordata</i> . Bot. reg. 944.				
RHYNCHOSIA. DC. RHYNCHOSIA. Diadelphia Decandria.				
1 reniformis. DC. (ye.) kidney-leaved.	Carolina.	1806.	7. 8.	F. ψ .
2 difformis. DC. (ye.) downy climbing.	—————	1732.	6. 9.	F. ψ . \smile . Dill. elth. t. 26. f. 29.
<i>Glycine tomentosa</i> β <i>volubilis</i> . M.				
3 erecta. DC. (br.) upright.	—————	—	F. ψ .
4 caribæa. DC. (ye.) trailing.	W. Indies.	1742.	9. 10.	S. h . \smile . Bot. reg. t. 275.
<i>Glycine caribæa</i> . B.R.				
5 mollis. DC. (ye.) soft-leaved.	Guinea.	1823.	6. 7.	S. h . \smile . Hook. ex. flor. 201.
<i>Glycine mollis</i> . H. E. F.				
6 minima. DC. (ye.) slender-stalked.	W. Indies.	—	—	S. h . \smile . Jacq. obs. 1. t. 22.
7 volubilis. DC. (ye.) black-podded.	China.	1826.	—	S. h . \smile .
8 phaseoloides. DC. (ye.) Abrus-seeded.	W. Indies.	1820.	—	S. h . \smile . Bot. mag. t. 2284.
9 precatòria. DC. (ye.) Abrus-like.	S. America.	—	—	S. h . \smile .
10 macrophylla. DC. (ye.) large-leaved.	Cuba.	1826.	—	S. h . \smile .
11 reticulata. DC. (ye.) netted.	Jamaica.	1779.	7. 9.	S. h . \smile .
12 rhombifolia. DC. (ye.) rhomb-leaved.	E. Indies.	1815.	5. 8.	S. h . \smile .
13 medicaginea. DC. (ye.) Medick-like.	Ceylon.	1826.	—	S. h . \smile . Burm. zeyl. 188. t. 88.
14 suavèolens. DC. (ye.) sweet-scented.	E. Indies.	1816.	—	S. h .
15 viscida. DC. (ye.) viscous.	—————	1823.	6. 7.	S. h . \smile .
16 viscosa. DC. (ye.) clammy.	—————	1824.	—	S. h . \smile .
17 Fridericiàna. DC. (ye.) blunt-leaved.	Manilla.	1826.	—	S. h . \smile .
18 scarabœoides. DC. (ye.) rough-stemmed.	E. Indies.	—	—	S. \odot . \smile . Pluk. alm. t. 52. f. 3.
19 biflora. DC. (ye.) two-flowered.	E. Indies.	1827.	6. 8.	S. \odot . \smile .
20 angustifolia. DC. (ye.) narrow-leaved.	C. B. S.	1795.	—	G. h . \smile . Jacq. schœn. 2. t. 231.
21 Tôtta. DC. (ye.) smooth-stemm'd.	—————	1819.	—	G. h . \smile .
FAG'ELIA. DC. FAG'ELIA. Diadelphia Decandria.				
bituminosa. DC. (ye.) clammy.	C. B. S.	1774.	4. 9.	G. h . \smile . Bot. reg. t. 261.
<i>Glycine bituminosa</i> . B.R.				
WISTERIA. DC. WISTERIA. Diadelphia Decandria.				
1 frutescens. DC. (bl.) handsome.	N. America.	1724.	6. 9.	H. h . \smile . Bot. mag. t. 2103.
<i>speciosa</i> . N. <i>Glycine frutescens</i> . B.M. <i>Apios frutescens</i> . Ph.				
2 chinensis. DC. (p.bl.) Chinese.	China.	1818.	5. 7.	H. h . \smile . Swt. br. fl. gar. 3. t. 211.
<i>Glycine chinensis</i> . Bot. mag. 2083. <i>sinensis</i> . Bot. reg. 650.				
'APIOS. DC. 'APIOS. Diadelphia Decandria.				
tuberosa. DC. (ro.) tuberous-rooted.	N. America.	1640.	8. 9.	H. ψ . \smile . Bot. mag. t. 1198.
<i>Glycine 'Apios</i> . B.M.				
AMPH'ODUS. B.R. AMPH'ODUS. Diadelphia Decandria.				
ovatus. B.R. (pu.) oval-leaved.	Trinidad.	1824.	4. 6.	S. h . \smile . Bot. reg. t. 1101.
PHAS'EOLUS. DC. KIDNEY BEAN. Diadelphia Decandria. L.				
1 Caracalla. DC. (pu.) Snail-flower.	E. Indies.	1690.	8. 9.	S. ψ . \smile . Bot. reg. t. 341.
2 tuberosus. DC. (ye.) tuberous-rooted.	China.	1825.	—	S. ψ . \smile .
3 perennis. DC. (pu.) perennial.	Carolina.	1823.	7. 9.	F. ψ . \smile .
4 macrostachyus. DC. (pu.) long-spiked.	N. America.	1824.	—	H. ψ . \smile .
5 alatus. DC. (pu.) winged.	Carolina.	1732.	7. 8.	H. \odot . Dill. elth. t. 235. f. 303.
6 multiflorus. DC. (sc.) scarlet-runner.	S. America.	1633.	6. 10.	H. ψ . \smile . Schk. hand. 2. t. 199. a.
<i>a coccineus</i> . DC. (sc.) scarlet-flowered.				
<i>β albiflorus</i> . DC. (wh.) white-flowered.				
7 vulgaris. DC. (wh.li.) common.	E. Indies.	1597.	5. 9.	H. \odot . \smile . Lobel. ic. 2. p. 59. ic.
8 compressus. DC. (wh.) white-runner.	6. 9.	H. \odot . \smile . Savi. mem. 3. t. 10. f. 20.
9 oblongus. DC. (li.) oblong-seeded.	—	H. \odot . \smile . — 3. p. 17. t. 10. f. 14.
10 saponaceus. DC. (wh.) spotted-white.	—	H. \odot . \smile . — 3. p. 19. t. 10. f. 15.
11 tumidus. DC. (wh.) thick-seeded.	—	H. \odot . \smile . — 3. p. 19. t. 10. f. 16.
12 hæmatocarpus. DC. (li.) red-podded.	—	H. \odot . \smile . — 3. p. 20. t. 10. f. 17.
13 sphæricus. DC. (li.) roundish-seeded.	—	H. \odot . \smile . — 3. p. 20. t. 10. f. 18.
14 gonospermus. DC. (wh.) angular-seeded.	—	H. \odot . \smile . — 3. p. 21. t. 10. f. 19.
15 derasus. DC. (gr.wh.) narrow-podded.	Brazil.	1823.	—	H. \odot . \smile . Schk. h. mon. 1. t. 89.
16 lunatus. DC. (gr.) cimeter-podded.	E. Indies.	1779.	—	S. \odot . \smile . Hout. syst. 8. t. 63. f. 1.
17 inamœnus. DC. (gr.wh.) various-colour'd.	Africa.	1794.	7. 8.	H. \odot . \smile . Jacq. vind. t. 66.
18 Xuarèsii. DC. (gr.wh.) pointed-leaved.	1823.	6. 9.	H. \odot . \smile .
19 adenanthus. DC. (wh.bl.) painted-flower'd.	Guiana.	1821.	—	S. \odot . \smile .
20 macrocarpus. DC. (wh.) long-podded.	—	H. \odot . \smile .
21 calcaratus. H. B. (li.) spurred.	E. Indies.	1820.	7. 8.	S. δ . \smile .

22	<i>dolichoïdes</i> . H.B. (<i>pu.</i>) Dolichos-like.	E. Indies.	1820.	7. 8.	S. 4. ∪.	
23	<i>minimus</i> . H.B. (<i>li.</i>) small.	China.	1823.	—	H. ⊙. ∪.	
24	<i>angustifolius</i> . H.B. (<i>li.</i>) narrow-leaved.	—	1818.	6. 8.	H. ⊙. ∪.	
25	<i>microspérnus</i> . DC. (<i>pu.</i>) small-seeded.	Cuba.	1821.	6. 9.	S. ⊙.	
26	<i>heterophyllus</i> . DC. (<i>re.</i>) different-leaved.	Mexico.	1818.	7. 8.	H. ⊙. ∪.	
27	<i>aconitifolius</i> . DC. (<i>ye.</i>) Aconite-leaved.	E. Indies.	1731.	6. 8.	S. ⊙. ∪.	Jacq. obs. 3. t. 52.
28	<i>sublobatus</i> . H.B. (<i>li.</i>) lobed-leaved.	—	1820.	—	S. ⊙. ∪.	
29	<i>subtrilobus</i> . L.en. (<i>ye.</i>) acute-lobed.	Brazil.	1818.	—	S. ⊙. ∪.	
30	<i>diversifolius</i> . DC. (<i>pu.</i>) various-leaved.	N. America.	1806.	6. 8.	H. ⊙.	
31	<i>trilobus</i> . DC. (<i>pu.</i>) three-lobed.	E. Indies.	1777.	7. 8.	S. ⊙.	Burm. ind. t. 50. f. 1.
32	<i>angulosus</i> . DC. (<i>bh.</i>) angular-stalked.	S. America.	1818.	7. 8.	S. ⊙. ∪.	
33	<i>farinosus</i> . DC. (<i>re.</i>) mealy.	E. Indies.	1759.	—	S. 4. ∪.	Niss. act. par. 1730. t. 42.
34	<i>stipularis</i> . DC. (<i>ye.</i>) large-stipuled.	Peru.	1805.	—	H. ⊙.	
35	<i>mesoleucus</i> . L.en. (<i>wh.</i>) Brazilian.	Brazil.	1818.	—	H. ⊙. ∪.	
36	<i>helvulus</i> . DC. (<i>ro.</i>) pale red.	Carolina.	1732.	—	H. ⊙. ∪.	Dill. elth. t. 233. f. 300.
37	<i>vexillatus</i> . DC. (<i>bh.</i>) sweet-scented.	—	—	—	H. ⊙. ∪.	Jacq. vind. 2. t. 102.
38	<i>Mungo</i> . DC. (<i>ye.</i>) small-fruited.	E. Indies.	1790.	6. 7.	H. ⊙.	
39	<i>hirtus</i> . W. (<i>ye.</i>) hairy.	C. B. S.	1818.	7. 8.	H. ⊙. ∪.	
40	<i>Hernandèsii</i> . DC. (<i>ye.</i>) Hernandez.	Mexico.	1824.	—	H. ⊙.	Hern. mex. 887. ic.
41	<i>chrysanthos</i> . DC. (<i>ye.</i>) golden-flowered.	—	H. ⊙.	
42	<i>radiatus</i> . DC. (<i>bh.</i>) rayed.	China.	1732.	6. 7.	H. ⊙.	Dill. elth. t. 235. f. 305.
43	<i>scaber</i> . DC. (<i>st.</i>) rough-podded.	6. 9.	H. ⊙.	Moris. ox. s. 2. t. 5. f. 8.
44	<i>lathyroides</i> . DC. (<i>re.</i>) Lathyrus-like.	Jamaica.	1786.	7. 8.	S. ⊙.	Sloan. hist. 1. t. 116. f. 1.
45	<i>semierectus</i> . DC. (<i>re.</i>) dark-red.	S. America.	1732.	—	S. ⊙. ∪.	Bot. reg. t. 743.
46	<i>violaceus</i> . DC. (<i>ri wh.</i>) violet-flowered.	Africa?	6. 9.	H. ⊙.	
47	<i>Max</i> . DC. (<i>re.</i>) hairy-podded.	E. Indies.	1758.	6. 7.	S. ⊙.	Rumph. amb. 5. t. 140.
48	<i>glaber</i> . H.B. (<i>li.</i>) smooth.	Mauritius.	1823.	7. 8.	S. ⊙.	
49	<i>torosus</i> . H.B. (<i>li.</i>) twisted-podded.	Nepaul.	—	—	H. ⊙.	
SOJA. DC.		SOY. Diadelphia Decandria.				
	<i>hispida</i> . DC. (<i>ri.</i>) hispid.	E. Indies.	1790.	7. 8.	S. ⊙.	Jacq. ic. 1. t. 145.
	<i>Dolichos Soja</i> . Jacq. <i>Soja japonica</i> . Savi.	—	—	—	S. ⊙.	
	<i>pallida</i> . DC. (<i>ye.</i>) pale-flowered.	—	—	S. ⊙.	
DO'LICHOS. DC.		DO'LICHOS. Diadelphia Decandria.				
	<i>1 lignosus</i> . DC. (<i>ro.</i>) woody.	E. Indies.	1776.	7. 8.	S. h. ∪.	Smith spicil. t. 21.
	<i>β? falciformis</i> . (<i>ro.</i>) falcate-podded.	C. B. S.	—	—	G. h. ∪.	Bot. mag. t. 382.
	<i>2 Jacquini</i> . DC. (<i>wh.</i>) Jacquin's.	W. Indies.	1822.	7. 9.	S. h. ∪.	
	<i>3 spurius</i> . DC. (<i>pu.</i>) spurious.	Guiana.	1826.	—	S. h. ∪.	
	<i>4 tuberosus</i> . DC. (<i>li.</i>) tuberous-rooted.	Martinica.	—	—	S. h. ∪.	Plum. ed. Burm. t. 220.
	<i>5 articulatus</i> . DC. (<i>pu.</i>) jointed.	St. Domingo.	1828.	—	S. h. ∪.	
	<i>6 hirsutus</i> . DC. (<i>pu.</i>) hirsute.	China.	1802.	6. 7.	G. h. ∪.	Kæmpf. ic. t. 41.
	<i>7 pubescens</i> . DC. (<i>st.</i>) pubescent.	S. America.	1826.	7. 9.	G. ⊙. ∪.	
	<i>8 pilosus</i> . DC. (<i>li.</i>) hairy-podded.	E. Indies.	1790.	7. 8.	S. ⊙. ∪.	
	<i>9 tetraspermus</i> . DC. (<i>li.</i>) four-seeded.	—	1816.	5. 8.	S. ♂. ∪.	
	<i>10 capensis</i> . DC. (<i>ye.</i>) Cape.	C. B. S.	1818.	—	G. 4. ∪.	
	<i>11 falcatus</i> . DC. (<i>li.</i>) falcate-podded.	E. Indies.	1820.	7. 8.	S. 4. ∪.	
	<i>12 heterophyllus</i> . DC. (<i>pu.</i>) various-leaved.	Canaries.	1827.	6. 9.	H. ⊙. ∪.	
	<i>13 luteus</i> . DC. (<i>ye.</i>) yellow-flowered.	Jamaica.	1812.	7. 8.	S. 4. ∪.	
	<i>14 biflorus</i> . DC. (<i>li.</i>) two-flowered.	E. Indies.	1776.	—	S. ⊙.	Pluk. alm. t. 213. f. 4.
	<i>15 Catiang</i> . DC. (<i>pu.</i>) small-podded.	—	1793.	—	S. ⊙.	
	<i>16 monachalis</i> . DC. (<i>pu.</i>) hybrid.	Portugal.	1826.	—	H. ⊙.	
	<i>17 sinensis</i> . DC. (<i>fl.</i>) Chinese.	China.	1776.	—	H. ⊙. ∪.	Rumph. amb. 5. t. 134.
	<i>18 niloticus</i> . DC. (<i>st.</i>) Egyptian.	Egypt.	1828.	—	H. ⊙. ∪.	Delil. fl. eg. t. 38. f. 1.
	<i>19 Lúbia</i> . DC. (<i>bl. wh.</i>) cultivated.	—	—	—	H. ⊙.	
	<i>20 vexillatus</i> . DC. (<i>st.</i>) hispid.	S. America.	—	H. ⊙. ∪.	Dill. elt. 2. f. 302.
	<i>21 lobatus</i> . DC. (<i>li.</i>) lobe-leaved.	C. B. S.	1818.	6. 7.	G. 4. ∪.	Hout. syst. 8. t. 64. f. 1.
	<i>22 virosus</i> . H.B. (<i>li.</i>) virose.	E. Indies.	—	5. 8.	S. ♂. ∪.	Rheed. mal. 8. t. 45.
	<i>23 gangeticus</i> . H.B. (<i>pu.</i>) Ganges.	Bengal.	1824.	6. 7.	S. 4. ∪.	
	<i>24 glutinosus</i> . H.B. (<i>pu.</i>) glutinous.	E. Indies.	1820.	—	S. 4. ∪.	
	<i>25 unguiculatus</i> . DC. (<i>li.</i>) Bird's-foot.	W. Indies.	1780.	—	S. ⊙. ∪.	Jacq. vind. 1. t. 23.
	<i>26 tranquebaricus</i> . DC. (<i>ri.</i>) Tranquebar.	E. Indies.	1801.	6. 7.	S. ⊙. ∪.	Jacq. vind. 3. t. 70.
	<i>27 melanophthalmus</i> . DC. (<i>ri.</i>) black-circled.	1822.	7. 9.	H. ⊙. ∪.	
	<i>28 sesquipedalis</i> . DC. (<i>wh.</i>) long-podded.	W. Indies.	1781.	8. 9.	S. ⊙. ∪.	Jacq. vind. 1. t. 67.
	<i>29 Brunelli</i> . DC. (<i>wh.</i>) branching.	1826.	6. 9.	S. ⊙.	
	<i>30 sphaerospérnos</i> . DC. (<i>st.</i>) round-seeded.	S. America.	1823.	7. 8.	S. ⊙.	Sloan. jam. 1. t. 117.
	<i>31 reticulatus</i> . DC. (<i>li.</i>) netted-leaved.	N. S. W.	1781.	6. 7.	G. h. ∪.	
	<i>32 phaseoloides</i> . H.B. (<i>li.</i>) Kidney Bean-like.	China.	1823.	7. 8.	G. 4. ∪.	
	<i>33 frutescens</i> . D.P. (<i>pu.</i>) frutescent.	Nepaul.	1824.	—	G. h.	
	<i>34 incanus</i> . Wal. (<i>pu.</i>) hoary.	E. Indies.	1825.	—	S. ⊙.	

VIGNA. DC.		VIGNA. Diadelphia Decandria.						
1 glabra. DC.	(ye.) smooth.	America.	1805.	7. 8.	H. ☉. ∪.	Jacq. vind. 1. t. 90.		
<i>Dolichos luteolus.</i> Jacq.								
2 villosa. DC.	(ye.) villous.	Chile.	1826.	—	H. ☉. ∪.			
LABLAB. DC.		LABLAB. Diadelphia Decandria.						
1 vulgaris. DC.	(pu.) common.	Egypt.	1694.	6. 7.	S. ☉.	Bot. mag. t. 896.		
<i>Dolichos Lablab.</i> B.M.								
2 purpureus.	(pu.) purple.	E. Indies.	1790.	5. 10.	S. 4. ∪.	Exot. bot. 2. t. 74.		
<i>Dolichos purpureus.</i> Bot. reg. t. 830.								
3 benghalensis.	(wh.) Bengal.	Bengal.	1820.	7. 8.	S. 4. ∪.	Jacq. vind. 2. t. 121.		
4 nankinicus. DC.	(wh.) Chinese.	China.	1821.	—	H. ☉. ∪.	Savi. dis. 1821. f. 8. d-g.		
5 leucocarpus. DC.	(wh.) white-podded.	E. Indies.	—	—	S. ☉. ∪.	— f. 9. a-d.		
6 cultratus. DC.	(wh.) sharp-edged.	Japan.	1818.	6. 7.	H. ☉. ∪.	Banks ic. kœmpf. t. 25.		
7 microcarpus. DC.	(pu.) short-podded.	E. Indies.	1824.	—	S. ☉. ∪.	Rumph. am. 5. t. 141. f. 1.		
8 perennans. DC.	(wh.) perennial.	China.	1823.	7. 8.	H. ☉. ∪.	— 5. t. 137.		
<i>Dolichos albus.</i> W.								
PACHYRHIZUS. DC.		PACHYRHIZUS. Diadelphia Decandria.						
1 angulatus. DC.	(vi.) angular-leaved.	E. Indies.	1781.	7. 8.	S. ½. ∪.	Rumph. amb. 5. t. 132.		
<i>Dolichos bulbosus.</i> L.								
2 trilobus. DC.	(pu.) three-lobed.	China.	1825.	6. 8.	S. ½. ∪.			
PAROCHÆTUS. D.P.		PAROCHÆTUS. Diadelphia Decandria.						
1 communis. D.P.	(li.) common.	Nepaul.	1827.	6. 8.	G. 4.			
2 major. D.P.	(li.) larger.	—	—	—	G. 4.			
DIOCLÆA. DC.		DIOCLÆA. Diadelphia Decandria.						
Jacquiniæna. DC.	(re.) Jacquin's.	Martinica.	1826.	6. 9.	S. ½. ∪.	Jacq. amer. t. 123.		
<i>Dolichos ruber.</i> Jacq.								
PSOPHOCA'RPIUS. DC.		PSOPHOCA'RPIUS. Diadelphia Decandria.						
tetragonolobus. DC.	(bl.) square-podded.	Mauritius.	1816.	9. 11.	S. ☉.	Rumph. amb. 5. t. 133.		
<i>Dolichos tetragonolobus.</i> L.								
CANAV'ALIA. DC.		CANAV'ALIA. Monadelphia Decandria.						
1 obtusifolia. DC.	(pu.) blunt-leaved.	E. Indies.	1818.	7. 8.	S. ½. ∪.	Rheed. mal. 8. t. 43.		
<i>Dolichos rotundifolius.</i> Vahl.								
β emarginata. DC.	(pu.) emarginate.	—	—	S. ½. ∪.	Jacq. schœn. 2. t. 221.		
2 gladiata. DC.	(bh.) sabre-podded.	—	1801.	6. 7.	S. ½. ∪.	Jacq. ic. 3. t. 560.		
<i>Dolichos gladiatus.</i> W. <i>Malocchia gladiata.</i> Savi.								
3 ensiformis. DC.	(pu.) cimeter-podded.	E. Indies.	1778.	7. 8.	S. ☉.	Jacq. ic. 3. t. 559.		
4 rosea. DC.	(ro.) rose-colour'd.	Jamaica.	1812.	—	S. ½.			
5 bonariensis. B.R.	(pu.) Buenos Ayres.	Buenos Ayres.	1826.	6. 10.	G. ½. ∪.	Bot. reg. t. 1199.		
MUC'UNA. DC.		COW-ITCH. Diadelphia Decandria.						
1 urens. DC.	(st.) broad-podded.	W. Indies.	1691.	6. 7.	S. ½. ∪.	Jacq. amer. t. 182. f. 84.		
<i>Dolichos urens.</i> L. <i>Stizolobium urens.</i> P.S.								
2 altissima. DC.	(li.) tallest.	Martinica.	1779.	6. 8.	S. ½. ∪.	Jacq. amer. t. 182. f. 85.		
3 pruriens. DC.	(vi.) common.	India.	1680.	—	S. ½. ∪.	Rheed. mal. 8. t. 85.		
<i>Dolichos pruriens.</i> L. <i>Stizolobium pruriens.</i> P.S. <i>Carpopogon pruriens.</i> H.B.								
4 gigantea. DC.	(pa.) gigantic.	E. Indies.	1815.	7. 9.	S. ½. ∪.	Rheed. mal. 8. t. 36.		
5 elliptica. DC.	(li.) elliptic-leaved.	Peru.	1828.	G. ½. ∪.			
6 mitis. DC.	(li.) oblique-leaved.	—	1823.	7. 9.	G. ½. ∪.			
<i>Negrætia mitis.</i> R.P.								
7 comosa. DC.	(wh.) tufted.	Guiana.	1827.	—	S. ½. ∪.			
8 monosperma. DC.	(li.) one-seeded.	E. Indies.	1818.	—	S. ½. ∪.			
<i>Carpopogon monospermum.</i> H.B.								
9 atropurpurea. DC.	(d.pu.) dark-purple.	—	1820.	—	S. ½. ∪.			
10 anguinea.	(pu.) snake-like.	—	1822.	S. ½. ∪.			
<i>Carpopogon anguineum.</i> Roxb.								
11 nivea. DC.	(wh.) snowy-white.	—	1820.	7. 9.	S. ☉. ∪.			
12 imbricata. DC.	(pu.) imbricated.	—	1815.	—	S. ½. ∪.			
13 bracteata. DC.	(pu.) bracteate.	—	1822.	—	S. ½. ∪.			
14 capitata.	(pu.) headed.	—	—	8. 11.	S. ☉. ∪.			
<i>Carpopogon capitatum.</i> H.B.								
PHYLLOLOBIUM. DC.		PHYLLOLOBIUM. Diadelphia Decandria. S.S.						
1 chinense. DC.	(wh.) Chinese.	China.	1818.	6. 8.	G. 4.			
2 zanzibarense. Boj.	.. Zanzibar.	Zanzibar.	1825.	S. ½.			
CAJANUS. DC.		PIGEON PEA. Diadelphia Decandria.						
1 bicolor. DC.	(ye.pu.) two-coloured.	E. Indies.	1687.	7. 8.	S. ½.	Jacq. vind. 2. t. 119.		
<i>Cytisus pseudo-cajan.</i> Jacq.								
2 flavus. DC.	(ye.) yellow-flowered.	—	—	—	S. ½.	Jacq. obs. 1. t. 1.		
<i>Cytisus Cajan.</i> L.								
LUPINUS. DC.		LUPINE. Monadelphia Decandria.						
1 albus. DC.	(wh.) white.	Levant.	1596.	7. 8.	H. ☉.	Blackw. herb. t. 282.		

2	Térnis. DC.	(wh.bl.) Egyptian.	Egypt.	1802.	6. 7.	H. ☉.	
3	várius. DC.	(bl.) variable.	S. Europe.	1596.	7. 9.	H. ☉.	J. Bauh. his. 2. p. 289. ic.
4	hirsútus. DC.	(bl.) blue-flowered.	————	1629.	————	H. ☉.	
5	bracteoláris. DC.	(bl.) bracteolate.	Monte Video.	1828.	————	H. ☉.	
6	pilósus. DC.	(ro.) rose.	S. Europe.	1710.	————	H. ☉.	
7	angustifólius. DC.	(bl.) narrow-leaved.	————	1686.	————	H. ☉.	Knor. del. 2. t. L. 7.
8	linifólius. DC.	(bl.) Flax-leaved.	————	1790.	————	H. ☉.	Roth. abhand. 14. t. 5.
9	lúteus. DC.	(ye.) yellow.	S. Europe.	1596.	————	H. ☉.	Bot. mag. t. 140.
	β sulphúreus.	(st.) straw-coloured.	————	————	————	H. ☉.	
10	microcárpus. DC.	(bl.) small-podded.	Chile.	1822.	4. 6.	H. ☉.	Bot. mag. t. 2413.
11	micránthus. B.R.	(pu.) small-flowered.	Columbia.	1827.	5. 7.	H. ☉.	Bot. reg. t. 1251.
12	áridus. B.R.	(bl.pu.) arid.	————	————	6. 9.	H. ♂.	———— t. 1242.
13	bícolor. B.R.	(bl.wh.) two-coloured.	————	————	5. 10.	H. ♀.	———— t. 1109.
14	lépidus. B.R.	(bl.li.) lively.	————	————	7. 10.	H. ♀.	———— t. 1149.
15	laxiflórus. B.R.	(bl.pi.) lax-flowered.	————	————	8. 10.	H. ♀.	———— t. 1140.
16	littorális. B.R.	(pu.bl.) shore.	————	————	6. 10.	H. ♀.	———— t. 1198.
17	ornátus. B.R.	(bl.) adorned.	————	————	5. 11.	H. ♀.	———— t. 1216.
18	plumósus. B.R.	(bl.) feathered.	————	————	————	H. ♀.	———— t. 1217.
19	Sabini. D.	(bl.) Sabine's.	————	————	6. 10.	H. ♀.	
20	mexicanus. DC.	(bl.) Mexican.	Mexico.	1819.	7. 9.	F. ♀.	Bot. reg. t. 457.
21	perénis. DC.	(bl.) smooth perenial.	N. America.	1658.	5. 8.	F. ♀.	Bot. mag. t. 202.
	β albiflórus.	(wh.) white-flowered.	————	1817.	————	F. ♀.	
22	polyphyllus. B.R.	(bl.) many-leaved.	Columbia.	1827.	————	H. ♀.	Bot. reg. t. 1096.
23	leucophyllus. B.R.	(pu.) white-leaved.	————	————	6. 8.	H. ♀.	———— t. 1124.
24	nootkaténsis. DC.	(bl.) hairy perennial.	Nootka sound.	1794.	————	H. ♀.	———— t. 1311.
	β variábilis.	(va.) variable coloured.	————	————	————	H. ♀.	———— t. 2136.
25	variegátus. F.	(r.) variegated.	Silka.	1828.	————	H. ♀.	
26	argyræus. DC.	(bl.) silvery-leaved.	————	————	————	F. ♀.	
27	arbústus. B.R.	(pu.) half-shrubby.	California.	1827.	6. 9.	F. ♀.	Bot. reg. 1230.
28	canaliculátus. B.F.G.	(bl.) channel-ld.	Buenos Ayres.	1828.	6. 9.	H. ♀.	Swt. br. fl. gar. t. 283.
29	versicolor. B.F.G.	(r.) various-colour'd.	Mexico.	1828.	————	H. ♀.	———— ser. 2. t. 12.
30	tomentósus. DC.	(ra.) woolly.	Peru.	1826.	6. 10.	H. ♀.	Swt. br. fl. gar. t. 261.
31	arbóreus. DC.	(ye.) tree.	S. America.	1793.	7. 9.	H. ♀.	Bot. mag. t. 682.
32	mutábilis. B.F.G.	(wh.y.) changeable.	Begota.	1825.	————	F. ♀.	Swt. br. fl. gar. t. 130.
33	villósus. DC.	(pu.) simple-leaved.	Carolina.	1787.	————	F. ♀.	Pursh. fl. amer. 2. t. 21.
CYLISTA. DC. CYLISTA. Diadelphia Decandria.							
1	scariósa. DC.	(bh.) rough.	E. Indies.	1806.	4. 6.	S. ♀. ∪.	Roxb. corom. 1. t. 92.
2	tomentósa. DC.	(ye.) tomentose.	————	1818.	————	S. ♀. ∪.	———— t. 221.
3	albiflóra. DC.	(wh.) white-flowered.	Mauritius.	4. 5.	S. ♀. ∪.	Bot. mag. t. 1859.
4	villósa. DC.	(wh.) hairy.	C. B. S.	1776.	4. 6.	G. ♀. ∪.	Andr. rep. t. 446.
<i>Dolichos hirtus. A.R.</i>							
ERYTHRINA. DC. CORAL-TREE. Diadelphia Decandria. L.							
1	herbácea. DC.	(sc.) herbaceous.	Carolina.	1724.	6. 9.	G. ♀.	Bot. mag. t. 877.
2	cárnea. DC.	(fl.) flesh-coloured.	Vera Cruz.	1733.	5. 6.	G. ♀.	Trew. ehr. 2. t. 8.
	β pubéscens.	(fl.) pubescent-leaved.	————	————	————	G. ♀.	Bot. reg. t. 389.
3	Coralodéndron. DC.	(sc.) common.	W. Indies.	1690.	————	S. ♀.	Comm. h. ams. 1. t. 108.
4	enneándra. DC.	(sc.) nine-anthered.	————	————	S. ♀.	Jacq. schœn. 4. t. 466.
	velútina. Jacq. non w.	————	————	————	————	S. ♀.	
5	macrophylla. DC.	(sc.) large-leaved.	————	1816.	————	S. ♀.	
6	mitis. DC.	(sc.) smooth-stem'd.	Caracas.	1818.	6. 8.	S. ♀.	Jacq. schœn. 2. t. 216.
7	poianthes. DC.	(sc.) crowded-flower'd.	————	1826.	4. 6.	S. ♀.	Bot. reg. t. 1246.
8	secundiflóra. DC.	(sc.) side-flowering.	Brazil.	1818.	————	S. ♀.	Linn. trans. 14. t. 12.
9	speciósa. DC.	(sc.) large-flowered.	W. Indies.	1805.	5. 10.	S. ♀.	Andr. rep. t. 443.
10	umbrósa. DC.	(sc.) deltoid-leaved.	Caracas.	1824.	S. ♀.	
11	Humeána. s.s.	(sc.) Sir A. Hume's.	C. B. S.	1818.	5. 6.	S. ♀.	Bot. mag. t. 2431.
	cáffra. Bot. reg. t. 736. non Thunb.	————	————	————	————	S. ♀.	
12	cáffra. Th.	(pu.) Cape-tree.	————	1816.	S. 5.	
13	fúlgens. DC.	(sc.) fulgent.	E. Indies.	1801.	5. 10.	S. ♀.	
14	arborescens. DC.	(cr.) arborescent.	Nepaul.	1818.	S. ♀.	Roxb. corom. 3. t. 219.
15	indica. DC.	(sc.) Indian.	E. Indies.	1814.	5. 6.	S. ♀.	Rheed. mal. 6. t. 7.
16	pieta. DC.	(cr.) prickly-leaved.	————	1696.	5. 10.	S. ♀.	Rumph. amb. 2. t. 77.
17	aculeatíssima. Df.	(sc.) very prickly.	————	1816.	————	S. ♀.	
18	velútina. DC.	(sc.) velvety.	Caracas.	1824.	S. ♀.	
19	fúscá. DC.	(br.re.) red-brown.	China.	1800.	S. ♀.	Rumph. amb. 2. t. 78.
20	laurifólia. Jacq.	(sc.) Laurel-leaved.	Brazil.	5. 10.	H. ♀.	Swt. br. fl. gar. t. 142.
21	crista-gállí. DC.	(sc.) Cockseomb.	————	1771.	6. 10.	H. ♀.	———— t. 1214.
22	nervósa. DC.	(sc.) nerved-leaved.	————	1824.	————	S. ♀.	
23	gláuca. DC.	(sn.) glaucous.	Caracas.	————	S. ♀.	
24	piscidióides. DC.	(sc.) Piscidia-leaved.	E. Indies.	1800.	S. ♀.	

25	<i>incana</i> . W.	(sc.) hoary.	1820.	6. 8.	S. h.	
26	<i>lithosperma</i> . W.H. stony-seeded.	N. Holland.	1824.	S. h.	
27	<i>arborea</i> . D.L. tree.	Trinidad.	1822.	S. h.	
28	<i>stricta</i> . H.B.	(sc.) upright.	E. Indies.	1816.	4. 6.	S. h.	
29	<i>ovalifolia</i> . H.B. oval-leaved.	—————	—————	S. h.	
30	<i>suberosa</i> . H.B. cork-barked.	—————	1818.	S. h.	
31	<i>resupinata</i> . H.B. resupinate.	—————	1822.	S. h.	
32	<i>abyssinica</i> . DC. Abyssinian.	Africa.	1820.	S. h.	
RUDO'LPHIA. DC. RUDO'LPHIA.			Diadelphia	Decandria.			
1	<i>volubilis</i> . DC.	(sc.) twining.	Portorico.	1820.	S. h.	Vahl ecl. 3. t. 30.
2	<i>portoricensis</i> .	(sc.) Portorico.	—————	1820.	S. h.	—
<i>Erythrina portoricensis</i> . Df.							
3	<i>dubia</i> . DC.	(sc.) doubtful.	S. America.	1815.	S. h.	H. et B. n. gen. 6. t. 591.
B'UTEA. DC. B'UTEA.			Diadelphia	Decandria.			
1	<i>frondosa</i> . DC.	(sc.) downy-branch'd.	E. Indies.	1796.	S. h.	Roxb. corom. 1. t. 21.
2	<i>superba</i> . DC.	(sc.) smooth-branch'd.	—————	1798.	S. h.	————— v. 1. t. 22.
3	<i>parviflora</i> . DC.	(sc.) small-flowered.	Coromandel.	1820.	S. h.	

Tribus VI. *DALBERGIEÆ*. DC. prod. 2. p. 415.

DE'RRIS. DC.		DE'RRIS. Monadelphia Decandria.					
	<i>trifoliata</i> . DC.	(wh.) three-leaved.	China.	1826.	4. 6.	G. h.	—
PONG'AMIA. DC.		PONG'AMIA. Monadelphia Decandria.					
1	<i>glabra</i> . DC.	(wh.) smooth-leaved.	E. Indies.	1699.	6. 8.	S. h.	Vent. malm. t. 28.
2	<i>elliptica</i> .	(wh.) elliptic-leaved.	—————	1820.	—	S. h.	—
<i>Galedupa elliptica</i> . H.B.							
3	<i>chinensis</i> . DC.	(ye.) Chinese.	China.	1827.	—	S. h.	
4	<i>uliginosa</i> . DC. marsh.	E. Indies.	—	S. h.	—
5	<i>piscidia</i> Piscidia-leaved.	—————	1816.	S. h.	
<i>Galedupa piscidia</i> . H.B.							
6	<i>marginata</i> . H.B. margined.	—————	1824.	S. h.	—
DALBERGIA. DC.		DALBERGIA. Mono-Diadelphia Decandria.					
1	<i>ougeinensis</i> . DC.	(wh.) Hindoo.	E. Indies.	1828.	S. h.	
2	<i>latifolia</i> . DC.	(wh.) broad-leaved.	—————	1811.	S. h.	Roxb. corom. 2. t. 113.
3	<i>Sissoo</i> . DC.	(wh.) large.	—————	1823.	S. h.	
4	<i>rubiginosa</i> . DC.	(wh.) rusty.	—————	1811.	6. 8.	S. h.	Roxb. corom. 2. t. 115.
5	<i>robusta</i> . DC.	(wh.) robust.	—————	—	S. h.	
6	<i>scandens</i> . DC.	(ro.) scandent.	—————	—	5. 7.	S. h.	Roxb. corom. 2. t. 192.
7	<i>volubilis</i> . DC.	(wh.) twining.	—————	1820.	—	S. h.	— v. 2. t. 191.
8	<i>frondosa</i> . DC.	(wh.) frondose.	—————	1818.	S. h.	
9	<i>paniculata</i> . DC.	(wh.) panicked.	—————	1811.	S. h.	Roxb. corom. 2. t. 114.
10	<i>emarginata</i> . H.B.	(wh.) emarginate.	—————	1823.	S. h.	
11	<i>zeylanica</i> . H.B.	(wh.) Ceylon.	Ceylon.	1816.	S. h.	
12	<i>marginata</i> . H.B.	(wh.) margined.	E. Indies.	1820.	5. 7.	S. h.	—
13	<i>tamarindifolia</i> . H.B.	(wh.) Tamarind-leav'd.	—————	—	S. h.	—
14	<i>stipulacea</i> . H.B.	(wh.) stipuled.	—————	—	6. 8.	S. h.	
15	<i>rimosa</i> . H.B.	(wh.) rimose.	—————	1824.	S. h.	
16	<i>alata</i> . H.B.	(wh.) winged.	—————	1823.	S. h.	
17	<i>Crówei</i> . DC.	(wh.) Silhet.	—————	—	S. h.	
PTEROCA'RPUS. DC.		PTEROCA'RPUS. Mono-Diadelphia Decandria.					
1	<i>Dráco</i> . DC.	(ye.) officinal.	S. America.	1818.	S. h.	Jacq. amer. t. 183. f. 92.
<i>hemiptera</i> . Gært.							
2	<i>suberosus</i> . DC.	(ye.) corky.	Guiana.	1826.	S. h.	Aubl. guian. 2. t. 299.
3	<i>Marsupium</i> . DC.	(st.) leathery-leaved.	E. Indies.	1811.	S. h.	Roxb. corom. 2. t. 116.
4	<i>dalbergioides</i> . DC.	(ye.) Andaman red-wood.	—————	1820.	S. h.	
5	<i>indicus</i> . DC.	(ye.) Indian.	—————	1818.	S. h.	
6	<i>santalinus</i> . DC.	(ye.) red sandal wood.	—————	1800.	S. h.	
7	<i>santalinoides</i> . DC.	(ye.) African.	Sierra Leon.	1826.	S. h.	
8	<i>flavus</i> . DC.	(ye.) yellow-barked.	China.	—	S. h.	Rumph. amb. 3. t. 117.
9	<i>scandens</i> . DC.	(vi.) climbing.	Caracas.	1822.	6. 8.	S. h.	—
<i>Amerimnum scandens</i> . W.							
DREPANOCA'RPUS. DREPANOCA'RPUS.		Monadelphia Decandria.					
	<i>lunatus</i> . DC.	(wh.) crescent-podded.	S. America.	1792.	S. h.	Pla. ed. Burm. t. 201. f. 2.
<i>Pterocarpus lunatus</i> . L. <i>Pterocarpus úpterus</i> . Gært. fruct. t. 156.							

ECASTAPHYLLUM. DC. ECASTAPHYLLUM. Diadelphia Octo-Decandria.	
Bróunei. DC. (wh.) Browne's.	W. Indies. 1733. 6. 8. S. h. ∪. Brown. jam. t. 32. f. 1.
<i>Pterocárpus Ecastaphyllum.</i> L.	
AMERIMNUM. DC. AMERIMNUM. Monadelphia Decandria.	
Bróunei. DC. (wh.) Browne's.	W. Indies. 1793. 6. 8. S. h. Brown. jam. 288. t. 32. f. 3
BR'YA. DC. BR'YA. Monadelphia Decandria.	
E'benus. DC. (ye.) Jamaica Ebony.	W. Indies. 1713. 7. 8. S. h. Brown. jam. t. 31. f. 2.

Subordo II.—*Tribus* VII. **SWARTZIEÆ.** DC. prodr. 2. p. 422.

SWA'RTZIA. DC. SWA'RTZIA Monadelphia Dec-Polyandria.	
1 simplicifolia. DC. (ye.) simple-leaved.	W. Indies. 1822. S. h.
<i>Rittera simplex.</i> Vahl. <i>Póssira simplex.</i> Swartz.	
2 grandiflora. DC. (ye.) great-flowered.	Trinidad. 1822. S. h. Vahl. pl. am. dec. 1. t. 9.
3 pinnata. DC. (ye.) wing-leaved.	----- 1820. S. h. Corr. an. mus. 9. t. 24. f. 2.
4 tomentosa. DC. (ye.) woolly.	Cayenne. 1826. S. h. Aubl. guian. 2. t. 307.
BA'PHIA. DC. BA'PHIA. Decandria Monogynia.	
nítida. DC. (wh.) glossy.	Sierra Leone. 5. 9. S. h. Lodd. bot. cab. t. 367.

Subordo III.—*Tribus* VIII. **MIMOSEÆ.** DC. prodr. 2. p. 424.

ENTADA. DC. ENT'ADA. Polygamia Monœcia.	
1 Gigalobium. DC. (wh.) West Indian.	W. Indies. 1780. 4. 6. S. h. ∪.
2 Purs'ætha. DC. (wh.) East Indian.	E. Indies. ----- S. h. ∪. Rumph. amb. 5. t. 4.
<i>Parrana.</i> s.s. <i>Acácia scândens.</i> W. <i>Mimosa scândens.</i> L.	
3 monostachya. DC. (wh.) single-spiked.	----- S. h. ∪. Rheed. mal. 9. t. 77.
<i>Rheidii.</i> s.s. <i>Mimosa Entada.</i> W.	
4 polystachya. DC. (wh.) many-spiked.	W. Indies. 1816. 4. 9. S. h. ∪. DC. leg. mem. t. 61—62.
MIMÓSA. DC. SENSITIVE-PLANT. Polygamia Monœcia. L.	
1 sensitiva. DC. (ro.) true.	Brazil. 1648. 4. 9. S. h. Botan. regist. t. 25.
2 obtusifolia. DC. (ro.) blunt-leaved.	----- 1816. ----- S. h.
3 strigosa. DC. (ro.) strigose.	S. America. 1822. ----- S. h.
4 floribunda. DC. (ro.) many-flowered.	Cumana. 1824. 6. 7. S. h.
5 viva. DC. (ro.) lively.	Jamaica. 1739. 7. 9. S. 4. Sloan. his. 2. t. 182. f. 7.
6 polycarpa. DC. (ro.) many-podded.	Peru. 1816. ----- S. h. Kth. mim. p. 8. t. 3.
7 pudica. DC. (ro.) humble-plant.	Brazil. 1638. 4. 9. S. h. Bot. reg. v. 11. t. 941.
8 pudibunda. DC. (ro.) fringe-stipuled.	----- 1822. ----- S. h.
9 polydactyla. DC. (ro.) many-fingered.	Demerara. 1824. ----- S. h. Kth. mim. p. 14. t. 5.
10 hamata. DC. (ro.) hooked.	E. Indies. 1820. 4. 9. S. h.
11 intermedia. DC. (ro.) intermediate.	Caracas. 1825. ----- S. h. Kth. mim. p. 16. t. 6.
12 viscida. DC. (ro.) viscid.	Brazil. ----- S. h.
13 canescens. DC. (wh.) canescent.	Guinea. 1826. ----- S. h.
14 hispida. DC. (wh.) hispid.	Caracas. 1824. 6. 9. S. h.
15 ciliata. DC. (wh.) ciliated.	Brazil. ----- S. h.
16 polyacantha. DC. (wh.) many-spined.	Africa. 1828. ----- S. h. Bruce itin. 5. t. 7.
17 asperata. DC. (wh.) various spined.	W. Indies. 1822. 6. 7. S. h. DC. leg. mem. t. 63.
18 pigra. L. (wh.) straight-spined.	Vera Cruz. 1733. ----- S. h. Mill. ic. 2. t. 182. f. 3.
19 Sicaria. DC. (wh.) subulate-spined.	Brazil. 1828. ----- S. h.
20 rubicaulis. DC. (st.) Bramble-stalk'd.	E. Indies. 1799. 6. 7. S. h. Roxb. corom. 2. t. 200.
<i>octandra.</i> R.C. <i>spinosiliqua.</i> Rottler. <i>Rottleri.</i> S.S.	
21 Ceratonia. DC. (wh.) round-leaved.	St. Domingo. 1800. S. h. Plum. ed. Burn. 17. t. 5.
<i>Acácia Ceratonia.</i> W.	
22 casta. DC. (wh.) chaste.	E. Indies. 1741. 6. 8. S. h. Comm. hort. 1. t. 23.
23 angulata. s.s. (wh.) angular-stalked.	Brazil. 1826. ----- S. h.
24 latispinosa. s.s. (ye.) broad-spined.	Madagascar. 1822. ----- S. h.
25 Barclayana. Mr. Barclay's.	----- S. h.
26 brasiliensis. s.s. (wh.) Brazilian.	Brazil. 1824. 6. 8. S. h.
27 abstergens. s.s. (ro.) spotted-stalked.	E. Indies. 1818. ----- S. h.
28 ferruginea. s.s. (ro.) ferruginous.	----- S. h.

GAGNEB'INA. DC. GAGNEB'INA. Decandria Monogynia.					
1	tamariscina. DC. (st.) Tamarisk-like. Mauritius. 1824. S. h.	DC. leg. mem. t. 64. f. B.			
	<i>Acacia tamariscina</i> . W. <i>Mimosa tamariscina</i> . Lam. Pluk. t. 329. f. 3.				
2	axillaris. DC. (st.) axillary-spiked. Mauritius. 1822. S. h.	DC. leg. mem. t. 64. f. A.			
ERYTHROPHLEUM. B. RED-WATER-TREE. Decandria Monogynia.					
	leonense. G.D. Sierra Leone. Sierra Leone. 1822. S. h.				
PA'RKIA. B. PA'RKIA. Monadelphia Decandria.					
	africana. B. (cr.) African. Africa. 1822. 6. 8. S. h.	Beauv. fl. ow. 2. t. 90.			
	<i>Inga biglobosa</i> . DC. <i>Mimosa biglobosa</i> . Jacq. amer. t. 179. f. 87.				
INGA. DC. I'NGA. Polygamia Monœcia.					
1	quassiaefolia. DC. (wh.) Quassia-leaved. Brazil. 1820. S. h.				
2	pilosiuscula. DC. (wh.) glossy-leaved. Cayenne. 1827. S. h.	Vahl. ecl. 3. t. 24.			
	<i>Mimosa lucida</i> . Vahl.				
3	setifera. DC. (wh.) setiferous. Guiana. 1824. S. h.				
4	alba. DC. (wh.) white. Cayenne. 1804. 7. 8. S. h.				
5	Feuillei. DC. (wh.) Feuillee's. Peru. 1824. ——— S. h.	Feuil. obs. 3. p. 2. t. 19.			
6	fastuosa. DC. (re.) villous-flower'd. Caracas. 1820. S. h.	Jacq. fragm. t. 10.			
	<i>Mimosa fastuosa</i> . Jacq.				
7	sapindoïdes. DC. (wh.) Soap-berry-like. ——— 1826. S. h.				
8	spuria. DC. (wh.) spurious. Cumana. 1823. 7. 8. S. h.	Kth. mim. 39. t. 12.			
9	vera. DC. (wh.) sweet-fruited. S. America. 1739. ——— S. h.	Sloan. his. t. 183. f. 1.			
	<i>Mimosa Inga</i> . L.				
10	rhoifolia. DC. (wh.) Rhus-leaved. Brazil. 1815. ——— S. h.				
11	Bourgoni. DC. (st.) Beech-leaved. W. Indies. 1752. ——— S. h.	Aubl. guian. 2. t. 358.			
	<i>marginata</i> . W. <i>Mimosa fagifolia</i> . L. non Jacq.				
12	<i>marginata</i> . DC. margined. Caracas. ——— ——— S. h.				
13	laurina. DC. (wh.) Laurel-leaved. ——— 1768. 3. 5. S. h.				
14	punctata. DC. (wh.) white-spotted. ——— 1818. ——— S. h.	Jacq. amer. t. 164.			
	<i>Mimosa fagifolia</i> . Jacq. non L.				
15	splendens. DC. (wh.) shining-leaved. ——— 1825. S. h.				
16	nodosa. DC. (wh.) knobbed. Ceylon. 1690. 4. 6. S. h.	Pluk. alm. t. 211. f. 5.			
17	microphylla. DC. (wh.) small-leaved. Cumana. 1815. S. h.				
18	dulcis. DC. (wh.) Sappan fruit. E. Indies. 1800. 5. 7. S. h.	Roxb. corom. 1. t. 99.			
19	Unguis-cati. DC. (wh.) four-leaved. W. Indies. 1690. 4. 6. S. h.	Jacq. schoen. 2. t. 34.			
20	mellifera. DC. (wh.) honey-bearing. Arabia. 1826. S. h.				
21	ligustrina. DC. (wh.) Privet-leaved. Caracas. ——— S. h.	Jacq. frag. t. 32. f. 5.			
22	fœtida. DC. (wh.) strong-smelling. W. Indies. 1818. S. h.	Jacq. schoen. 3. t. 390.			
23	tergèmina. DC. (pu.) trifoliolate. Martinica. ——— 4. 6. S. h.	Jacq. amer. t. 177. f. 81.			
24	emarginata. DC. (ro.) emarginate. Mexico. 1825. S. h.	Kth. mim. 54. t. 17.			
25	latifolia. DC. (ro.) broad-leaved. ——— 1768. 3. 5. S. h.	Plum. ed. Burm. t. 9.			
26	circinàlis. DC. (sc.) spiral-podded. W. Indies. 1726. 4. 6. S. h.	Catesb. car. 2. t. 97.			
27	purpurea. DC. (pu.) Soldier-wood. ——— 1733. 3. 5. S. h.	Bot. reg. t. 129.			
	<i>Mimosa purpurea</i> . Andr. reposit. t. 372.				
28	xylocarpa. DC. (wh.) woody-podded. E. Indies. 1822. 4. 7. S. h.	Roxb. corom. 1. t. 100.			
29	bigèmina. DC. (wh.) two-paired. ——— 1823. ——— S. h.	Rheed mal. 6. t. 12.			
30	Jirंगा. DC. (wh.) twisted-podded. ——— 1828. S. h.				
31	comosa. DC. (wh.) tufted. Jamaica. 1820. 4. 6. S. h.				
32	cyclocarpa. DC. (wh.) shell-podded. Caracas. 1826. S. h.	Jacq. fragm. t. 34. f. 1.			
33	Samán. DC. linear-podded. Jamaica. ——— S. h.	————— t. 9.			
34	corcondiana. DC. (wh.) Coromandel. E. Indies. 1818. S. h.				
35	pulcherrima. Cerv. (pu.) handsome. Mexico. 1822. S. h.				
ANNESLE'IA. P.L. ANNESLE'IA. Monadelphia Polyandria.					
1	grandiflora. (cr.) large-flowered. Mexico. 1769. 6. 9. S. h.	Andr. reposit. t. 592.			
	<i>Mimosa grandiflora</i> . A.R. <i>Acacia grandiflora</i> . W. <i>Inga anomala</i> . Kth. mim. t. 22.				
2	Houstoni. (cr.) Houstoun's. Vera Cruz. 1729. 9. 11. S. h.	Bot. reg. t. 98.			
	<i>falcifolia</i> . Sal. par. lond. 64. <i>Acacia Houstoni</i> . W. <i>Inga? Houstoni</i> . DC.				
SCHRA'NKIA. DC. SCHRA'NKIA. Polygamia Monœcia.					
1	aculeata. DC. (ro.) prickly. Vera Cruz. 1733. 7. 8. S. 4.	Mill. ic. 1. t. 182. f. 1.			
2	leptocarpa. DC. (ro.) slender-podd'd. St. Domingo. 1827. ——— S. 4.				
3	uncinata. DC. (ro.) hooked. N. America. 1789. ——— H. 4.	Vent. choix. t. 28.			
DARLINGTONIA. DC. DARLINGTONIA. Pentandria Monogynia.					
1	brachyloba. DC. (wh.) short-podded. N. America. 1803. 9. 10. H. 4.	DC. leg. mem. t. 66.			
2	glandulosa. DC. (wh.) glandular. ——— 1806. ——— F. 4.	Vent. choix. t. 27.			
	<i>Mimosa glandulosa</i> . M.				
DESMA'NTHUS. DC. DESMA'NTHUS. Polygamia Monœcia.					
1	lacustris. DC. (st.) marsh. S. America. 1823. 6. 8. S.w. 0.	H. et B. pl. æq. 1. t. 16.			
2	nâtans. DC. (ye.) floating. China. 1800. 7. 9. S.w. 0.	Andr. reposit. t. 629.			
3	polyphyllus. DC. (wh.) many-leaved. 1826. ——— S.w. 0.				
4	triquètrus. DC. (wh.) triquetrous. E. Indies. 1823. ——— S.w. 0.				

5	plenus. DC.	(ye.) double-yellow.	Vera Cruz.	1733.	7. 9.	S. w. ☉.	Mill. ic. t. 182. f. 2.
6	depressus. DC.	(wh.) depressed.	W. Indies.	1828.	S. h̄.	Kth. mim. p. 115. t. 35.
7	diffusus. DC.	(wh.) prostrate.	—	1731.	7. 9.	S. h̄.	Pluk. alm. t. 307. f. 3.
8	virgatus. DC.	(wh.) twiggy.	E. Indies.	1774.	—	S. h̄.	Jacq. vind. 1. t. 80.
9	strictus. DC.	(wh.) upright.	Caribees.	1827.	—	S. h̄.	
10	punctatus. DC.	(wh.) spotted-stalked.	Jamaica.	1636.	—	S. ♂.	Comm. hort. 1. t. 31.
11	divergens. DC.	(ye.) prickly.	Abyssinia.	1816.	6. 7.	S. h̄.	Bruce itin. 5. t. 6.
12	callistachys. DC.	(ro.ye.) pretty-spiked.	1820.	—	S. h̄.	
13	cinereus. DC.	(ro.ye.) ash-coloured.	E. Indies.	1739.	—	S. h̄.	Roxb. corom. 2. t. 174.
	<i>Mimosa cinerea</i> . R.C.						
14	nutans. DC.	(ro.ye.) nodding.	Senegal.	1826.	—	S. h̄.	
	ADENANTHERA. DC. BASTARD FLOWER-FENCE. Decandria Monogynia.						
1	pavonina. DC.	(st.) pale-pellow.	E. Indies.	1759.	5. 8.	S. h̄.	Rumph. amb. 3. t. 109.
2	falcata. DC.	(ye.) woolly-leaved.	—	1812.	—	S. h̄.	— 3. t. 111.
	PROSOPIS. DC. PROSOPIS. Polygamia Monœcia.						
1	spicigera. DC.	(ye.) eatable-podded.	E. Indies.	1812.	6. 7.	S. h̄.	Roxb. corom. 1. t. 63.
2	Adenantha. DC.	(ye.) prickly.	Coromandel.	1821.	S. h̄.	
	<i>Adenantha aculeata</i> . H.B.						
3	horrida. DC.	(wh.) long-spined.	S. America.	1826.	S. h̄.	Kth. mim.p. 106. t. 33.
4	dulcis. DC.	(wh.) sweet-podded.	New Spain.	1824.	S. h̄.	— p. 110. t. 31.
5	siliquastrum. DC.	(wh.) falcate-podded.	Chile.	1827.	S. h̄.	
6	cumanensis. DC.	(wh.) Cumana.	Cumana.	1824.	S. h̄.	
7	domingensis. DC.	(wh.) St. Domingo.	St. Domingo.	1826.	S. h̄.	
8	juliflora. DC.	(ye.) long-spiked.	Jamaica.	1793.	5. 6.	S. h̄.	
	<i>Acacia juliflora</i> . W. <i>Mimosa juliflora</i> . Swartz.						
	LAGONYCHIUM. DC. LAGONYCHIUM. Decandria Monogynia.						
	Stephaniænum. DC.	Stephan's.	Levant.	1821.	H. h̄.	Breyn. cent. 1. t. 56. f. 4.
	ACACIA. DC. ACACIA. Polygamia Monœcia.						
1	alata. DC.	(ye.) wing-stalked.	N. Holland.	1803.	4. 7.	G. h̄.	Bot. reg. 396.
2	dolabriformis. DC.	(ye.) hatchet-leaved.	—	1818.	4. 6.	G. h̄.	
3	decipiens. DC.	(ye.) paradoxical.	—	1803.	3. 6.	G. h̄.	Bot. mag. t. 1745.
4	biflora. DC.	(ye.) two-flowered.	—	—	—	G. h̄.	Wendl. dis. n. 3. t. 2.
5	hastulata. DC.	(ye.) hastulate.	—	1824.	4. 6.	G. h̄.	
6	nervosa. DC.	(ye.) nervose.	—	—	—	G. h̄.	
7	paradoxa. DC.	(ye.) wave-leaved.	—	1818.	3. 6.	G. h̄.	Wendl. dis. n. 4. t. 3.
	<i>undulata</i> . Bot. reg. t. 843.						
8	ornithophora. S.F.A.	(ye.) Bird-leaved.	—	1825.	4. 6.	G. h̄.	Swt. fl. aust. t. 24.
9	armata. DC.	(ye.) armed.	—	1803.	—	G. h̄.	Bot. mag. t. 1653.
10	hybrida.	(ye.) Whitley's mule.	Hybrid.	1822.	3. 6.	G. h̄.	Lodd. bot. cab. 1342.
11	genistifolia. DC.	(ye.) Genista-leaved.	N. Holland.	1820.	—	G. h̄.	
12	juniperina. DC.	(st.) Juniper-leaved.	N. S. W.	1790.	—	G. h̄.	Vent. malm. t. 64.
	<i>ulicifolia</i> . Wendl. coll. 2. t. 6. <i>Mimosa ulicina</i> . Sal. prodr.						
13	Brownii. DC.	(st.) Brown's.	N. S. W.	1796.	—	G. h̄.	
	<i>acicularis</i> . H.K. non w.						
14	echinula. DC.	(st.) pungent.	—	1824.	—	G. h̄.	
15	pugioniformis. DC.	(st.) needle-leaved.	—	1803.	—	G. h̄.	Wendl. dis. 26. t. 9.
16	asparagoides. F.T.	(st.) Asparagus-like.	—	1824.	—	G. h̄.	
17	Cunninghamii.	(ye.) Cunningham's.	—	1825.	—	G. h̄.	
	<i>taxifolia</i> . F.T. non w.						
18	diffusa. DC.	(ye.) spreading.	—	1822.	3. 6.	G. h̄.	Bot. reg. t. 634.
	<i>prostrata</i> . Lodd. bot. cab. 631.						
19	sulcata. DC.	(ye.) furrowed-leaved.	N. Holland.	1803.	4. 8.	G. h̄.	Bot. reg. v. 11. t. 928.
20	canaliculata.	(ye.) glaucous-furrow'd.	—	1823.	5. 8.	I. h̄.	
21	saligna. DC.	(ye.) Willow-leaved.	—	1820.	3. 6.	G. h̄.	Labil. n. hol. 2. t. 235.
22	emarginata. DC.	(st.) emarginate.	—	1816.	—	G. h̄.	
23	striata. DC.	(ye.) upright.	N. S. W.	1790.	2. 5.	G. h̄.	Bot. mag. t. 1121.
24	leprosa. DC.	(ye.) leprous.	—	1824.	3. 6.	G. h̄.	
25	dodoneæfolia. DC.	(ye.) clammy.	—	1818.	4. 6.	G. h̄.	Wendl. dis. n. 19. t. 7.
	<i>riscosa</i> . Wendl.						
26	verniciflua. F.T.	(ye.) varnished.	—	1819.	3. 6.	G. h̄.	
27	lanigera. F.T.	(ye.) woolly-stem'd.	—	1824.	—	G. h̄.	Bot. mag. t. 2922.
	<i>virgata</i> . Lodd. bot. cab. 1246.						
28	multinervia. DC.	(ye.) many-nerved.	N. Holland.	—	—	G. h̄.	
29	eglandulosa. DC.	(ye.) glandless.	—	—	—	G. h̄.	
30	hispidula. DC.	(ye.) little harsh.	N. S. W.	1794.	4. 5.	G. h̄.	Sm. nov. holl. t. 16.
31	cochlearis. DC.	(ye.) spoon-leaved.	N. Holland.	1820.	3. 6.	G. h̄.	Labill. n. holl. 2. t. 234.
32	coriacea. DC.	(ye.) leathery.	—	1824.	—	G. h̄.	
33	anceps. DC.	(ye.) flat-edged.	—	—	—	G. h̄.	
34	laurifolia. DC.	(ye.) Laurel-leaved.	S. Sea Isl.	1775.	—	G. h̄.	

35	<i>elongata</i> . DC.	(<i>ye.</i>) elongated.	N. S. W.	1824.	3. 6.	G. h.	
36	<i>trinervata</i> . DC.	(<i>ye.</i>) three-nerved.	————	1823.	4. 6.	G. h.	
37	<i>calamifolia</i> . DC.	(<i>ye.</i>) quill-leaved.	————	1822.	1. 12.	G. h.	Bot. reg. t. 839.
38	<i>quadrilateralis</i> . DC.	(<i>ye.</i>) tetragonal-leav'd	————	————	4. 6.	G. h.	
39	<i>falcata</i> . DC.	(<i>st.</i>) sickle-leaved.	————	1790.	5. 6.	G. h.	Lodd. bot. cab. 1115.
40	<i>falciformis</i> . DC.	(<i>st.</i>) sickle-shaped.	————	1824.	4. 6.	G. h.	
41	<i>penninervis</i> . DC.	(<i>wh.</i>) feather-nerved.	————	1822.	————	G. h.	Bot. mag. t. 2754.
	<i>impressa</i> . Bot. reg. v. 13, t. 1115!						Lodd. bot. cab. 1319.
42	<i>platyphylla</i> .	(<i>st.</i>) broad-leaved.	N. Holland.	————	————	I. h.	
43	<i>melanoxylon</i> . DC.	(<i>wh.</i>) black-wooded.	V. Diem. Isl.	1808.	————	G. h.	Bot. mag. t. 1659.
44	<i>heterophylla</i> . DC.	(<i>ye.</i>) various-leaved.	Bourbon.	1820.	S. h.	
45	<i>amœna</i> . DC.	(<i>st.</i>) handsome.	N. S. W.	1824.	4. 6.	G. h.	Wendl. dis. 16. t. 4.
46	<i>myrtifolia</i> . DC.	(<i>st.</i>) Myrtle-leaved.	————	1789.	2. 5.	G. h.	Swt. flor. aust. t. 49.
47	<i>vestita</i> . DC.	(<i>ye.</i>) clothed.	N. Holland.	1820.	3. 6.	G. h.	Bot. reg. t. 698.
48	<i>marginata</i> . DC.	(<i>ye.</i>) thick margined.	N. S. W.	1803.	4. 6.	G. h.	Wendl. dis. 19. t. 5. A.
49	<i>pyrifolia</i> . DC.	(<i>ye.</i>) Pear-leaved.	————	1824.	————	G. h.	
50	<i>binervata</i> . DC.	(<i>ye.</i>) two-nerved.	————	————	————	G. h.	
51	<i>bivenosa</i> . DC.	(<i>ye.</i>) two-veined.	————	————	————	G. h.	
52	<i>buxifolia</i> . F.T.	(<i>ye.</i>) Box-leaved.	————	————	3. 5.	G. h.	
53	<i>lunata</i> . DC.	(<i>ye.</i>) lunate-leaved.	V. Diem. Isl.	1816.	3. 6.	G. h.	Swt. flor. aust. t. 42.
	<i>β brevifolia</i> . B.C.	(<i>ye.</i>) short-leaved.	————	————	————	G. h.	Lodd. bot. cab. t. 1235.
54	<i>obtusata</i> . DC.	(<i>ye.</i>) obtuse.	N. S. W.	1824.	4. 6.	G. h.	
55	<i>crassiuscula</i> . DC.	(<i>st.</i>) thick-leaved.	————	1803.	2. 6.	G. h.	Wendl. dis. 20. t. 8.
56	<i>suaveolens</i> . DC.	(<i>st.</i>) sweet-scented.	————	1790.	————	G. h.	Lodd. bot. cab. t. 730.
	<i>β platycarpa</i> . DC.	(<i>st.</i>) flat-podded.	————	————	————	G. h.	
57	<i>angustifolia</i> . DC.	(<i>st.</i>) narrow-leaved.	————	————	————	G. h.	Lodd. bot. cab. t. 768.
	<i>Mimosa angustifolia</i> . Jacq. schœnb. 3. t. 391.						
58	<i>linifolia</i> . DC.	(<i>wh.</i>) Flax-leaved	————	————	————	G. h.	Bot. mag. t. 2168.
59	<i>abietina</i> . DC.	(<i>wh.</i>) Fir-leaved.	————	---	3. 6.	G. h.	
60	<i>subulata</i> . DC.	(<i>ye.</i>) awl-leaved.	N. Holland.	1824.	4. 6.	G. h.	Bonpl. nav. t. 45.
61	<i>spinulosa</i> .	(<i>ye.</i>) small-spined.	————	1822.	3. 6.	I. h.	
62	<i>cordifolia</i> . ψ.	(<i>ye.</i>) heart-leaved.	————	1824.	4. 6.	I. h.	
63	<i>dillwyniæfolia</i> . ψ.	(<i>st.</i>) Dillwynia-leaved.	————	————	————	G. h.	
64	<i>thegonocarpa</i> . ψ.	(<i>ye.</i>) angular-podded.	————	————	————	G. h.	
65	<i>rigens</i> . ψ.	(<i>ye.</i>) stiff.	————	————	————	G. h.	
66	<i>Cyclopis</i> . ψ.	(<i>ye.</i>) Cyclopia-like.	————	————	————	G. h.	
67	<i>muconulata</i> . ψ.	(<i>ye.</i>) sharp-pointed.	————	————	————	G. h.	
68	<i>oleifolia</i> . ψ.	(<i>ye.</i>) Olive-leaved.	————	————	————	G. h.	
69	<i>pendula</i> . ψ.	(<i>wh.</i>) pendulous.	————	————	————	G. h.	
70	<i>leucophylla</i> . C.C.	(<i>ye.</i>) white-leaved.	————	1820.	3. 6.	I. h.	
71	<i>taxifolia</i> . DC.	(<i>ye.</i>) Yew-leaved.	China.	————	————	G. h.	
72	<i>Oxycèdrus</i> . DC.	(<i>ye.</i>) sharp-leaved.	N. S. W.	1824.	4. 6.	G. h.	Swt. flor. aust. t. 6.
	<i>taxifolia</i> . Lodd. bot. cab. t. 1225. non w.						
73	<i>verticillata</i> . DC.	(<i>ye.</i>) whorl-leaved.	V. Diem. Isl.	1780.	3. 5.	G. h.	Bot. mag. t. 110.
	<i>α glabra</i> . DC.	(<i>ye.</i>) smooth-leaved.	————	————	————	G. h.	
	<i>β angusta</i> . DC.	(<i>ye.</i>) narrow-leaved.	————	————	————	G. h.	Vent. malm. t. 63.
	<i>γ latifolia</i> . DC.	(<i>ye.</i>) broad-leaved.	————	————	————	G. h.	Wendl. coll. 1. t. 30.
74	<i>linearis</i> . B.M.	(<i>wh.</i>) linear-leaved.	N. S. W.	1812.	8. 12.	G. h.	Bot. mag. t. 2156.
75	<i>longissima</i> . W.A.	(<i>ye.</i>) long-linear-ld.	————	————	————	G. h.	Wendl. dis. 31. t. 11.
76	<i>uncinata</i> . C.C.	(<i>ye.</i>) hooked-leaved.	N. Holland.	1823.	9. 1.	G. h.	
77	<i>mucronata</i> . DC.	(<i>wh.</i>) mucronate.	N. S. W.	1812.	————	G. h.	Bot. mag. t. 2747.
78	<i>floribunda</i> . DC.	(<i>wh.</i>) many-flowered.	————	1796.	5. 6.	G. h.	Vent. choix. t. 13.
79	<i>doratoxylon</i> . F.T.	(<i>ye.</i>) spear-wood.	————	1824.	3. 6.	G. h.	
80	<i>obtusifolia</i> . F.T.	(<i>ye.</i>) blunt-leaved.	————	————	4. 6.	G. h.	
81	<i>homomalla</i> . DC.	(<i>ye.</i>) downy-leaved.	————	————	————	G. h.	Wendl. dis. 34. t. 13.
82	<i>longifolia</i> . DC.	(<i>ye.</i>) long-leaved.	————	1792.	3. 6.	G. h.	Bot. mag. t. 1827.
	<i>β latifolia</i> .	(<i>ye.</i>) broader-leaved.	————	————	————	G. h.	———— t. 2166.
83	<i>intertexta</i> . DC.	(<i>ye.</i>) netted-veined.	————	1824.	4. 6.	G. h.	
84	<i>glaucescens</i> . DC.	(<i>ye.</i>) glaucescent.	————	1790.	2. 6.	G. h.	Willd. hort. ber. t. 101.
85	<i>leucolobia</i> .	(<i>ye.</i>) white-podded.	————	1824.	3. 6.	G. h.	
	<i>dealbata</i> . F.T. non Link.						
86	<i>cinerascens</i> . DC.	(<i>ye.</i>) greyish.	————	————	————	G. h.	
87	<i>subcœrulea</i> . B.R.	(<i>ye.</i>) bluish-leaved.	N. Holland.	————	4. 6.	I. h.	Bot. reg. t. 1075.
88	<i>rubida</i> . F.T.	(<i>st.</i>) red-margined.	N. S. W.	1824.	————	G. h.	
89	<i>Sophoræ</i> . DC.	(<i>ye.</i>) Sophora-podd'd.	V. Diem. Isl.	1805.	————	G. h.	Labil. n. holl. 2. t. 237.
90	<i>heteromalla</i> . C.C.	(<i>ye.</i>) broad woolly-ld.	N. Holland.	1822.	————	I. h.	
91	<i>coronillæfolia</i> . DC.	(<i>ye.</i>) Coronilla-leaved.	Mogador.	1826.	4. 5.	G. h.	
92	<i>strumbulifera</i> . DC.	(<i>ye.</i>) twisted-podded.	Peru.	1823.	4. 7.	G. h.	
93	<i>reticulata</i> . DC.	(<i>ye.</i>) netted.	C. B. S.	1816.	4. 6.	G. h.	Pluk. alm. t. 123. f. 2.

94	pulchélla. DC.	(ye.) zigzag spiny.	N. Holland.	1803.	4. 7.	G. h.	Lodd. bot. cab. t. 212.
95	hispidíssima. DC.	(ye.) hispid.	—————	1824.	4. 6.	G. h.	
96	detinens. DC.	(ye.) detaining.	C. B. S.	1816.	6. 10.	I. h.	
97	viridirâmis. DC.	(ye.) green-branched.	—————	—————	4. 6.	I. h.	
98	cassioïdes. DC.	(ye.) Cassia-like.	S. America.	1822.	—————	S. h.	
99	díptera. DC.	(ye.) two-winged.	—————	—————	S. h.	
100	lophanthoïdes. DC.	(st.) crested.	Jamaica.	1826.	5. 6.	S. h.	
101	lophantha. DC.	(st.) two-spiked.	N. Holland.	1803.	11. 4.	G. h.	Bot. reg. t. 361.
	<i>Mimosa elegans</i> . Andr. reposit. 563.						
102	guianénsis. DC.	(wh.) Guiana.	Guiana.	1803.	S. h.	Aubl. guian. 2. t. 357.
103	elephantina. B.T.	(ye.) Elephant.	C. B. S.	1816.	I. h.	
104	pulchérrima. DC.	(re.) beautiful.	Brazil.	1826.	S. h.	
105	aspidioïdes. DC.	(wh.) Aspidium-leav'd.	Guiana.	1827.	S. h.	
106	dealbâta. DC.	(ye.) white-leaved.	V. Diem. Isl.	1818.	3. 6.	G. h.	Bot. reg. t. 371.
	<i>decurrens</i> β <i>mollis</i> . B.R.						
107	Wallichiana. DC.	(ye.) Wallich's.	E. Indies.	1827.	S. h.	
108	adenanthera. H.B.	... perennial.	—————	1825.	S. 4.	
109	ferruginea. DC.	(wh.) ferruginous.	—————	—————	S. h.	
110	Súndra. DC.	(ye.) hook-spined.	—————	1789.	5. 6.	S. h.	Roxb. corom. 3. t. 225.
111	Súma. H.B.	(ye.) Saumee-tree.	—————	1822.	—————	S. h.	
112	Catèchu. DC.	(ye.) medicinal.	—————	1790.	—————	S. h.	Roxb. corom. 2. t. 175.
113	fasciculâta. DC.	(wh.) fascicled.	Mexico.	1828.	S. h.	Kth. mim. 75. t. 23.
114	cáffra. DC.	(ye.) Hottentot.	C. B. S.	1816.	5. 6.	I. h.	
115	Senegal. DC.	(wh.) Senegal.	Africa.	1823.	S. h.	
116	cornigera. DC.	(ye.) Cuckold-tree.	S. America.	1692.	5. 6.	S. h.	
	<i>a americana</i> . DC. (ye.) brown-spined.						
	β <i>indica</i> . DC. (ye.) yellow-spined.						
117	latrònum. DC.	(wh.) white-spined.	—————	1824.	—————	S. h.	Comm. hort. 1. t. 107. Sebathes. 1. t. 70. f. 13.
118	Séyal. DC.	(ye.) Egyptian.	Egypt.	1828.	G. h.	Delil. fl. eg. t. 52. f. 2.
119	hórrida. DC.	(ye.) common-cape.	C. B. S.	1823.	3. 5.	I. h.	Pluk. t. 121. f. 4.
	<i>Mimosa leucacantha</i> . Jacq. <i>capénsis</i> . B.T.						
120	ebúrnea. DC.	(ye.) ivory-thorned.	E. Indies.	1792.	4. 6.	S. h.	Roxb. corom. 2. t. 199.
121	tortuòsa. DC.	(st.) twisted.	Jamaica.	1822.	S. h.	
122	Burmanniana. DC.	(ye.) Burmann's.	E. Indies.	1824.	S. h.	
123	vèra. DC.	(ye.) Egyptian-thorn.	Egypt.	1596.	7. 8.	I. h.	Vest egypt. t. 8.
	<i>Mimosa nilótica</i> . L.						
124	arábica. DC.	(ye.) Gum Arabic.	Arabia.	6. 8.	S. h.	Roxb. corom. 2. t. 149.
125	hebeclâda. DC.	(ye.) stoloniferous.	C. B. S.	1816.	4. 6.	I. h.	
	<i>stolonifera</i> . B.T.						
126	mauroceâna. DC.	(wh.) Marocca.	Marocca.	—————	G. h.	
127	farnesiâna. DC.	(ye.) Sponge-tree.	St. Domingo.	1656.	6. 8.	I. h.	Duham. ar. ed. n. 2. t. 28.
128	álba. DC.	(wh.) white.	E. Indies.	1828.	S. h.	
129	álbicans. DC.	(wh.) whitish.	Mexico.	1827.	S. h.	Kth. mim. 87. t. 27.
130	leucophlára. DC.	(st.) panicled.	E. Indies.	1812.	4. 6.	S. h.	Roxb. corom. 2. t. 150.
131	hæmatóxylon. DC.	(ye.) hoary.	C. B. S.	1816.	S. h.	
	<i>atomiphylla</i> . B.T.						
132	tomentòsa. DC.	(st.) tomentose.	E. Indies.	—————	5. 7.	S. h.	
133	índica. DC.	(ye.) Indian.	—————	1824.	S. h.	
134	flexuòsa. DC.	(ye.) flexuose.	Cumana.	1822.	S. h.	
135	peruviâna. DC.	(ye.) Peruvian.	Peru.	—————	S. h.	
136	braehyacantha. DC.	... short-spined.	S. America.	1816.	S. h.	
137	ciliâta. DC. fringed.	—————	1823.	S. h.	
138	aciculâris. DC. needle-spined.	—————	—————	S. h.	
139	Giráffæ. DC.	(ye.) Camelopard's.	C. B. S.	1816.	I. h.	
140	rhodacantha. DC.	(ye.) red-spined.	—————	S. h.	
141	heteracantha. DC.	(ye.) various-spined.	C. B. S.	—————	I. h.	
142	Bancroftiana. DC.	(st.) Bancroft's.	Jamaica.	1826.	S. h.	
143	polycéphala. DC.	(wh.) many-headed.	Mauritius.	—————	S. h.	
144	subinérmis. DC.	(ye.) scarcely spiny.	Jamaica.	—————	S. h.	
145	édulis. W. en. eatable.	S. America.	1822.	S. h.	
146	acanthocárpa. DC.	(bh.) prickly-podd'd.	New Spain.	1818.	4. 7.	F. h.	
	<i>Mimosa aculeaticarpa</i> . P.S.						
147	acantholòba. DC.	(st.) prickly-fruited.	S. America.	1822.	S. h.	
148	conciúna. DC.	(bh.) neat.	E. Indies.	1794.	6. 8.	S. h.	
149	tamarindifolia. DC.	(wh.) Tamarind-ld.	W. Indies.	1774.	S. h.	Jacq. schœnb. 3. t. 396.
150	I'ntsia. DC.	(st.) angular-stalked.	E. Indies.	1778.	6. 8.	S. h.	Rheed. mal. 6. t. 4.
151	pennâta. DC.	(ye.) fine-leaved.	—————	1773.	—————	S. h.	Burm. zeyl. 2. t. 1.
152	c'æsia. DC.	(wh.) gray.	—————	—————	—————	S. h.	Pluk. mant. 1. t. 330. f. 3.
153	centrophylla. DC.	(wh.) prickly-leaved.	Jamaica.	1826.	—————	S. h.	

154 Courantiàna. DC. (wh.) Courant's.	1824.	6. 8.	S. h.	
155 arróphula. DC. (wh.) Nepaul.	Nepaul.	1823.	G. h.	
156 scândens. DC. climbing.	Brazil.	1826.	S. h.).
157 sarmentòsa. DC. trailing.	—	S. h.	
158 trichòdes. DC. (wh.) wanted-stalked.	Caracas.	1824.	6. 8.	S. h.	Jacq. schoenb. 3. t. 394.
159 formòsa. DC. (wh.) handsome.	Mexico.	1826.	S. h.	Kth. mim. t. 32.
160 nigricans. DC. (st.) unequal-winged.	N. Holland.	1803.	5. 7.	G. h.	Bot. mag. t. 2188.
161 strigòsa. DC. (ye.) ciliate-winged.	—	—	3. 6.	G. h.	
<i>ciliàta. H.K. nec aliorum.</i>					
162 vâga. DC. (st.) Brazilian.	Brazil.	1823.	S. h.	Marcg. bras. p. 111. f. 1.
163 Lèbbeck. DC. (pa.) Egyptian.	Egypt.	4. 6.	G. h.	Pluk. mant. 2. t. 331. f. 1.
164 pròcera. DC. (pa.) lofty.	Coromandel.	1824.	S. h.	Roxb. corom. 2. t. 121.
165 odoratíssima. DC. (pa.) fragrant.	—	1790.	4. 6.	S. h.	— 2. t. 120.
166 speciòsa. DC. (wh.) splendid.	E. Indies.	1742.	8. 9.	S. h.	Jacq. ic. 1. t. 198.
167 glàuca. DC. (wh.) glaucous.	S. America.	1690.	6. 9.	S. h.	Trew ehret. t. 46.
168 leucocéphala. DC. (wh.) white-headed.	—	1818.	4. 6.	S. h.	
169 laisiliqua. DC. (wh.) broad-podded.	W. Indies.	1777.	3. 6.	S. h.	Plum. ed. Burm. t. 6.
170 portoricénsis. DC. (wh.) Porto Rico.	Porto Rico.	1820.	S. h.	Jacq. ic. 3. t. 633.
171 caracasàna. DC. (pu.) Caracas.	Caracas.	1823.	S. h.	— 3. t. 632.
172 Lambertiana. DC. (pu.) Mr. Lambert's.	Mexico.	1820.	7. 9.	G. h.	Bot. reg. t. 721.
173 tetragòna. DC. (wh.) square-stalked.	Caracas.	1822.	S. h.	
174 quadrangulâris. DC. (wh.) quadrangular.	1816.	5. 7.	S. h.	Bot. mag. t. 2651.
175 discolor. DC. (ye.) two-coloured.	N. S. W.	1788.	3. 6.	G. h.	— t. 1759.
<i>Mimòsa discolor. Andr. reposit. t. 235. Mimòsa boltrycéphala. Vent. cels. t. 1.</i>					
176 angulàta. DC. (ye.) angular.	N. Holland.	1824.	4. 6.	G. h.	
177 pubéscens. DC. (ye.) hairy-stemmed.	N. S. W.	1790.	3. 6.	G. h.	Bot. mag. t. 1263.
178 filicina. DC. (wh.) fern-leaved.	Mexico.	1825.	4. 6.	G. h.	Cavan. ic. 1. t. 78.
179 villosa. DC. (wh.) villous.	Jamaica.	1826.	—	S. h.	
180 frondòsa. DC. (wh.) frondose.	E. Indies.	1816.	S. h.	
181 venústa. W. en. (ye.) charming.	S. America.	—	S. h.	
182 stipulàta. DC. (wh.) stipuled.	Bengal.	1820.	5. 6.	S. h.	
183 divaricàta. DC. (wh.) straddling.	E. Indies.	—	—	S. h.	Jacq. schoenb. t. 395.
184 umbellulifera. DC. (wh.) small-umbell'd.	Mexico.	1825.	—	G. h.	Kth. mim. t. 31.
185 arbòrea. DC. (bh.) tree.	Jamaica.	1768.	—	S. h.	Sloan. his. 2. t. 182. f. 1. 2.
186 amàra. DC. (wh.) bitter.	Coromandel.	1823.	4. 6.	S. h.	Roxb. corom. 2. t. 122.
187 Nemù. DC. (bh.) Japan tree.	Japan.	—	G. h.	Banks ic. Kæmpf. t. 19.
188 Julibrissin. DC. (bh.) smooth tree.	Levant.	1745.	8. 9.	H. h.	Scop. insub. 1. t. 8.
189 polyphy'lla. DC. (wh.) many-leaved.	St. Martha.	1826.	6. 9.	S. h.	
190 decúrrens. DC. (ye.) decurrent.	N. S. W.	1790.	5. 7.	G. h.	Vent. malm. t. 61.
191 mollíssima. DC. (ye.) soft-leaved.	—	1818.	4. 6.	G. h.	Swt. flor. aust. t. 12.
192 esculénta. DC. (wh.) eatable.	New Spain.	1829.	S. h.	Flor. mexic. ic. ined.
193 peregrina. DC. (wh.) white-flowered.	S. America.	1780.	7. 8.	S. h.	Kth. mim t. 30.
194 gràta. DC. (wh.) grateful.	Brazil.	1828.	S. h.	
195 microphy'lla. DC. (wh.) small-leaved.	Caracas.	1826.	S. h.	
196 chrysostachys. (ye.) golden-spiked.	Mauritius.	1823.	S. h.	
197 lùcida. H. B. glossy.	E. Indies.	1816.	S. h.	
198 Sirissa. H. B. (wh.) Shireesh.	—	—	S. h.	
199 elàta. H. B. (wh.) tall.	—	1820.	S. h.	
200 Kalkòra. H. B. (wh.) large.	—	—	S. h.	
201 Smithiana. H. B. Smith's.	Silhet.	1823.	S. h.	
202 semicordàta. H. B. (wh.) semicordate.	E. Indies.	—	S. h.	
203 fruticòsa. H. B. (wh.) frutescent.	China.	1820.	5. 6.	G. h.	
204 pedunculàta. H. B. (wh.) peduncled.	E. Indies.	1822.	S. h.	
205 triquètra. H. B. (wh.) triquetrous.	Coromandel.	1824.	S. h.	
206 robústa. B. T. (ye.) robust.	C. B. S.	1816.	I. h.	
207 litakunénsis. B. T. (ye.) Litakun.	—	—	I. h.	
208 guilandinaefolia. (gr.) Guilandina-ld.	N. Holland.	1818.	7. 9.	I. h.	

Subordo IV. CÆSALPINÆ.

Tribus V. GEOFFRÆ. DC. prodr. 2. p. 473.

ARACHIS. DC.	EARTH-NUT. Diadelphia Decandria. L					
1 hypog'æa. DC.	(ye.) American.	S. America.	1712.	5. 6.	H. ⊙.	Trew ehret. t. 3. f. 3.
2 africana. W.	(ye.) African.	Africa.	1824.	—	H. ⊙.	

VOANDZE'IA. DC.	VOANDZE'IA. Diadelphia Decandria.					
subterranea. DC. (ye.)	subterraneous. Madagascar. 1820. 6. 8.	S. ☉.				DC. leg. me. t. 20. f. 106.
<i>Glycine subterranea.</i>	Linn. dec. 37. t. 17.					
PERA'LTEA. DC.	PERA'LTEA. Diadelphia Decandria.					
lupinoïdes. DC. (pu.)	Lupine-like. New Spain. 1827. 9. 11.	F. h.				H. et B. n. gen. 6. t. 589.
BRONGNIA'RTIA. DC.	BRONGNIA'RTIA. Diadelphia Decandria.					
podalyrioides. DC. (fl.)	Podalyria-like. New Spain. 1827. 9. 11.	F. h.				H. et B. n. gen. 6. t. 588.
AND'IRA. DC.	AND'IRA. Diadelphia Decandria.					
1 racemosa. DC. (pu.)	racemed. Brazil. 1824.	S. h.				Aubl. gui. sup. t. 373.
2 inermis. DC. (pu.)	bastard cabbage-tree. Jamaica. 1778.	S. h.				Phil. trans. 1777. t. 10.
GEOFFRO'YA. DC.	GEOFFRO'YA. Diadelphia Decandria.					
1 spinosa. DC. (st.)	spiny. S. America. 1823.	S. h.				Jacq. amer. t. 180. f. 62.
2 Bredemeyeri. DC. (ye.)	striated. Caracas. 1824.	S. h.				
<i>Robinia striata.</i>	W.					
3 violacea. DC. (vi.)	violet. Guiana. 1827.	S. h.				Aubl. guian. t. 301.
BROWNEA. DC.	BROWNEA. Monadelphia Dec-Dodecandria.					
1 Rosa. DC. (ro.)	mountain Rose. Trinidad. 1816.	S. h.				Ber. act. ang. 1771. t. 8-9.
<i>speciosa.</i>	Sieber.					
2 coccinea. DC. (sc.)	scarlet-flower'd. W. Indies. 1793. 7. 9.	S. h.				Jacq. amer. t. 121.
3 latifolia. DC. (ro.)	broad-leaved. Caracas. 1826.	S. h.				Jacq. fragm. t. 17.
4 racemosa. DC. (ro.)	racemed. ———— ————	S. h.				————— t. 18-19.
5 grandiceps. DC. (ro.)	close-headed. ———— ————	S. h.				————— t. 22-23.
DIPTERIX. DC.	TONQUIN BEAN. Monadelphia Octo-Decandria.					
odorata. DC. (pu.)	sweet-scented. Guiana. 1793.	S. h.				Aubl. guian. 3. t. 296.
<i>Coumaroua odorata.</i>	Aubl. <i>Baryosma Tonga</i> , Gært. fruct. 2. t. 93.					

Tribus X. **CASSIÆ.** DC. prodr. 2. p. 478.

MORINGA. DC.	HORSE-RADISH-TREE. Decandria Monogynia.					
1 pterigospérma. DC. (st.)	wing-seeded. E. Indies. 1759.	S. h.				Jacq. ic. 3. t. 461.
<i>oleifera.</i>	Lam. <i>Zeylanica.</i> P.S. <i>Hyperanthera Moringa.</i> Vahl. <i>Guilandina Moringa.</i> L.					
2 polygona. DC. (st.)	many-sided. ———— 1822.	S. h.				
GLEDITSCHIA. DC.	GLEDITSCHIA. Polygamia Diœcia. L.					
1 triacanthos. DC. (gr.)	three-thorned. N. America. 1700. 6. 8.	H. 5.				Wats. dend. brit. 2. t. 138.
β inermis. DC. (gr.)	spineless. ———— ————	H. 5.				DC. leg. mem. t. 22. f. 109
2 brachycarpa. DC. (gr.)	curved-spined. ———— ————	H. 5.				
3 monospérma. DC. (gr.)	single-seeded. ———— ————	H. 5.				
4 sinensis. DC. (gr.)	Chinese. China. 1774. ————	H. 5.				Mich. f. arb. 3. t. 10.
<i>horrida.</i>	W.					DC. leg. mem. 1. t. 1.
5 macracantha. DC. (gr.)	large-spined. ———— ————	H. 5.				
6 ferox. DC. (gr.)	flat-spined. ———— ————	H. 5.				
<i>orientalis.</i>	Bosc.					
7 caspica. DC. (gr.)	Caspian. Caucasus. 1822. ————	H. h.				
8 micracantha. L.C. (gr.)	small-spined. ———— ————	H. h.				
9 indica. DC. (gr.)	Indian. E. Indies. 1812.	S. h.				
10 lavis. L.C. (gr.)	smooth. ———— ————	H. h.				
11 latisiliqua. L.C. (gr.)	broad-podded. ———— ————	H. 5.				
GYMNOCLADUS. DC.	KENTUCKY COFFEE-TREE. Diœcia Decandria.					
canadensis. DC. (wh.)	Canadian. N. America. 1748. 5. 6.	H. 5.				Mich. amer. 2. t. 51.
<i>Guilandina dioica.</i>	L.					
GUILANDINA. DC.	NICKER-TREE. Decandria Monogynia. L.					
1 Bonduc. L.T. (ye.)	Sumatra. Sumatra. 1640.	S. h.				Rumph. amb. 5. t. 48.
2 Bonducella. L.T. (ye.)	common. E. Indies. ————	S. h.				Schrank. h. mon. t. 68.
3 microphylla. DC.	small-leaved. ————	S. h.				Rumph. amb. 5. t. 49. f. 2?
COULTERIA. DC.	COULTERIA. Decandria Monogynia.					
1 tinctoria. DC. (ye.)	dyer's. Peru. 1818.	S. h.				H. et B. n. ge. am. 6. t. 569.
<i>Poinciana Tara.</i>	R.P. <i>Casalpinia pectinata.</i> Cavan.					
2 mexicana. DC. (ye.)	Mexican. New Spain. 1826.	S. h.				Flor. mexic. ic. ined.
CESALPINIA. DC.	BRASILETTO. Decandria Monogynia. L.					
1 Nuga. DC. (ye.)	acute-leaved. Amboyna. 1801. 4. 6.	S. h.				Rumph. amb. 5. t. 50.
2 paniculata. DC. (ye.)	panicled. E. Indies. 1812.	S. h.				Rheed. mal. 6. t. 19.
3 brasiliensis. DC. (ye.)	Brazilian. Brazil. 1818. 4. 6.	S. h.				
4 Sappan. DC. (ye.)	narrow-leaved. E. Indies. 1773. ————	S. h.				Roxb. corom. 1. t. 16.

5 dig'yna. DC.	(ye.) digynous.	E. Indies.	1828.	S. h.	Will.n.ac.1803.v.4.t.3.
6 mimosoides. DC.	(ye.) Mimosa-leaved.	—————	1806.	5. 7.	S. h.	Rheed. mal. 6. t. 8.
7 bijuga. DC.	(ye.) broad-leaved.	Jamaica.	1770.	6. 9.	S. h.	Sloan.j. 2. t. 181. f. 2. 3.
8 bahamensis. DC.	(wh.) emarginate.	Bahama.	1823.	S. h.	Catesb. car. 2. t. 51.
9 Crista. DC.	(ye.) oval-leaved.	Jamaica.	4. 6.	S. h.	Plum. gen. 28. t. 9.
10 glandulosa. DC.	(ye.) glandular.	St. Domingo.	1828.	S. h.	
11 Cacalaco. DC.	(ye.) round-leaved.	Mexico.	1826.	S. h.	H. et B. pl. æq. 2. t. 137.
12 coriaria. DC.	(ye.) leathery.	W. Indies.	—————	S. h.	Kth. min. t. 45.
13 lebbekkoïdes. DC.	(ye.) Lebbek-podd'd.	China.	1812.	S. h.	
14 punctata. DC.	(ye.) dotted-leaved.	Brazil.	1818.	S. h.	
15 procera. s.s.	(ye.) tall.	Cuba.	1822.	S. h.	
16 cassioides. DC.	(ye.) Cassia-like.	S. America.	1823.	S. h.	
17 mucronata. DC.	(ye.) mucronate.	Brazil.	—————	S. h.	
18 olæosperma. H.B.	(ye.) oil-seeded.	E. Indies.	1800.	5. 6.	S. h. ∪.	
19 cucullata. H.B.	(ye.) hooded.	—————	1822.	S. h. ∪.	
20 sepiaria. H.B.	(ye.) Mysore-thorn.	—————	1806.	6. 9.	S. h. ∪.	
21 resupinata. H.B.	(ye.) resupinate.	—————	1828.	S. h. ∪.	
22 enneaphylla. H.B.	(ye.) nine-leaved.	—————	1812.	S. h. ∪.	
23 chinensis. H.B.	(ye.) Chinese.	China.	—————	S. h. ∪.	
24 tortuosa. H.B.	(ye.) twisting.	E. Indies.	1822.	S. h. ∪.	
25 sumatrana. H.B.	(ye.) Sumatra.	—————	—————	S. h. ∪.	
POINCIANA. DC.	FLOWER FENCE.	Decandria Monogynia.	L.			
1 regia. B.M.	(sc.) superb.	Madagascar.	1827.	S. h.	Bot. mag. t. 2884.
2 pulcherrima. DC.	(or.) Barbadoes.	E. Indies.	1691.	6. 9.	S. h.	————— t. 995.
3 elata. DC.	(ye.) fringe-petal'd.	—————	1778.	—————	S. h.	
<i>Casalpinia elata. s.s.</i>						
HOFFMANSE'GGIA. DC.	HOFFMANSE'GGIA.	Decandria Monogynia.				
1 falcaria. DC.	(ye.) sickle-podded.	Chile.	1806.	7. 8.	F. 4.	Cavan. ic. t. 392.
2 prostrata. DC.	(ye.) prostrate.	Lima.	1824.	—————	F. 4.	
MELANOSTICTA. DC.	MELANOSTICTA.	Decandria Monogynia.				
Burchellii. DC.	(ye.) Burchell's.	C. B. S.	1816.	G. h.	DC. leg. mem. t. 69.
POMARIA. DC.	POMARIA.	Decandria Monogynia.				
glandulosa. DC.	(ye.) glandular.	New Spain.	1826.	5. 6.	G. h.	Cavan. ic. 5. t. 402.
HEMATOXYLON. D.	LOGWOOD.	Decandria Monogynia.	L.			
campechianum. DC.	(ye.) common.	S. America.	1724.	S. h.	Catesb. car. 2. t. 66.
PARKINSONIA. DC.	PARKINSONIA.	Decandria Monogynia.	L.			
aculeata. DC.	(ye.) prickly.	W. Indies.	1739.	6. 9.	S. h.	Jacq. amer. t. 80.
CA'DIA. DC.	CA'DIA.	Decandria Monogynia.				
varia. DC.	(bh.) various-colour'd.	Arabia.	1755.	7. 10.	S. h.	Picc. hort. pan. 9. ic.
<i>purpurea. w. Spandoncea tamarindifolia. Desf.</i>						
CERATONIA. DC.	CAROB-TREE.	Polygamia Dioecia.				
Siliqua. DC.	(gr.) St. John's bread.	Levant.	1570.	9. 10.	G. h.	Andr. reposit. 567.
HARDWICKIA. DC.	HARDWICKIA.	Oct-Decandria Monogynia.				
1 binata. DC.	(ye.) binate-leaved.	E. Indies.	1824.	S. h.	Roxb. corom. t. 209.
2 pinnata. DC.	(ye.) pinnate-leaved.	—————	1826.	S. h.	
JON'ESIA. DC.	JON'ESIA.	Octandria Monogynia.				
Asoca. DC.	(or.) winged-leaved.	E. Indies.	1796.	4. 6.	S. h.	Rheed. mal. 5. t. 59.
<i>pinnata. w. Saraca indica. L.</i>						
TACHIGALIA. DC.	TACHIGALIA.	Decandria Monogynia.				
paniculata. DC.	(ye.) paniced.	Guiana.	1827.	S. h.	Aubl. guian. 1. t. 143. f 1.
MOLDENHAW'ERA. DC.	MOLDENHAW'ERA.	Decandria Monogynia.				
floribunda. DC.	(ye.) many-flowered.	Brazil.	1828.	S. h.	Neuw. reis. v. 2. ic.
TAMARINDUS. DC.	TAMARIND-TREE.	Monadelphia Triandria.				
1 indica. DC.	(ye.) East Indian.	E. Indies.	1633.	6. 7.	S. h.	Rheed. mal. 1. t. 23.
2 occidentalis. DC.	(ye.) West Indian.	W. Indies.	—————	—————	S. h.	Jacq. amer. t. 10.
CA'SSIA. DC.	CA'SSIA.	Decandria Monogynia.	L.			
1 brasiliانا. DC.	(ye.) large.	Brazil.	1822.	S. h.	Breyn. cent. t. 21.
<i>grandis. L. mollis. Vahl. Cathartocarpus grandis. p.s.</i>						
2 ferruginea. DC.	(ye.) ferruginous.	Brazil.	1828.	S. h.	
3 Roxburghii. DC.	(ye.) Roxburgh's.	Coromandel.	1823.	6. 7.	S. h.	
<i>marginatus. H.B. non w.</i>						
4 trinitatis. DC.	(ye.) Trinidad.	Trinidad.	1824.	S. h.	
5 javanica. DC.	(fl.) Java.	Java.	1779.	6. 7.	S. h.	Rumph. amb. 2. t. 22.
6 Fistula. DC.	(ye.) purging.	E. Indies.	1731.	—————	S. h.	Woody. med. bot. t. 163.
7 rhombifolia. H.B.	(ye.) rhomb-leaved.	—————	1820.	—————	S. h.	
8 nodosa. H.B.	(ye.) knotted.	—————	1824.	—————	S. h.	
9 conspicua. G.D.	(ye.) drumstick-tree.	Sierra Leon.	1822.	S. h.	
10 bacillaris. DC.	(ye.) smooth.	Surinam.	1818.	—————	S. h.	Houst. rel. t. 17.
<i>Cathartocarpus Bacillus. Bot. Reg. t. 881.</i>						

11	<i>speciosa</i> . DC.	(<i>ye.</i>) handsome.	Brazil.	1828.	6. 8.	S. h.	
12	<i>melanocarpa</i> . DC.	(<i>ye.</i>) black-podded.	Jamaica.	1825.	—	S. h.	
13	<i>corymbosa</i> . DC.	(<i>ye.</i>) corymbose.	Buenos Ayres.	1796.	7. 8.	S. h.	Bot. mag. t. 633.
14	<i>floribunda</i> . DC.	(<i>ye.</i>) many-flowered.	New Spain.	1822.	5. 8.	S. h.	
15	<i>levigata</i> . DC.	(<i>ye.</i>) smooth.	—	1811.	—	S. h.	
16	<i>pendula</i> . DC.	(<i>ye.</i>) pendulous.	S. America.	1820.	...	S. h.	
17	<i>torosa</i> . DC.	(<i>ye.</i>) twisted.	China.	1807.	5. 7.	G. h.	Jacq. ic. 1. t. 73.
	<i>chinensis</i> . Jacq. non Lam.						
18	<i>chinensis</i> . DC.	(<i>ye.</i>) Chinese.	—	—	—	G. h.	
19	<i>gigantea</i> . DC.	(<i>ye.</i>) gigantic.	Jamaica.	1825.	...	S. h.	
20	<i>coromandeliana</i> . DC. (<i>or.</i>)	Coromandel.	Coromandel.	1822.	5. 7.	S. h.	Jacq. fragm. t. 100.
21	<i>Sòphera</i> . DC.	(<i>ye.</i>) round-podded.	E. Indies.	1653.	7. 9.	S. h.	Burm. zeyl. t. 98.
22	<i>alata</i> . DC.	(<i>ye.</i>) winged-podded.	S. America.	1731.	...	S. h.	Jacq. obs. 2. t. 45. f. 2.
23	<i>Rumphiana</i> . DC.	(<i>ye.</i>) Rumphius's.	E. Indies.	1822.	...	S. h.	Rumph. amb. 7. t. 18.
24	<i>bracteata</i> . DC.	(<i>ye.</i>) bracteate.	Surinam.	—	...	S. h.	
25	<i>obovata</i> . DC.	(<i>ye.</i>) obovate-leaved.	Egypt.	1640.	7. 9.	G. ⊙.	Jacq. f. ecl. 1. t. 87.
	<i>Senna</i> . Lam. ill. t. 332. f. 2.						
26	<i>lanceolata</i> . DC.	(<i>ye.</i>) spear-leaved.	—	1759.	6. 8.	G. ⊙.	Tabern. ic. 507.
	<i>orientalis</i> . P. s. <i>acutifolia</i> . Delil. ill. eg. 75. t. 27. f. 1.						
27	<i>ligustrinoides</i> . DC.	(<i>ye.</i>) Privet-like.	Arabia.	1829.	—	G. h.	
28	<i>Browniana</i> . DC.	(<i>ye.</i>) Brown's.	Mexico.	1828.	...	S. h.	Kth. mim. t. 41.
29	<i>cuspidata</i> . W. en.	(<i>ye.</i>) sharp-pointed.	S. America.	1820.	5. 7.	S. h.	
30	<i>sericea</i> . DC.	(<i>ye.</i>) silky-leaved.	—	1731.	5. 8.	S. ⊙.	Jacq. ic. 3. t. 459.
	<i>sensitiva</i> . Jacq.						
31	<i>obtusifolia</i> . DC.	(<i>ye.</i>) blunt-leaved.	Jamaica.	1732.	7. 8.	S. ⊙.	Dill. elth. t. 62. f. 72.
32	<i>humilis</i> . DC.	(<i>ye.</i>) dwarf.	S. America.	—	S. ⊙.	Plum. ed. Burm. t. 76. f. 2.
33	<i>Tora</i> . DC.	(<i>st.</i>) oval-leaved.	E. Indies.	1693.	—	S. ⊙.	Dill. elth. t. 63. f. 73.
34	<i>toroides</i> . H. B.	(<i>st.</i>) Mysore.	—	1812.	—	S. ⊙.	
35	<i>ciliaris</i> . DC.	(<i>ye.</i>) fringe-stipuled.	—	—	—	S. ♂.	
36	<i>Tagera</i> . DC.	(<i>ye.</i>) long-podded.	—	1803.	—	S. ♂.	Rheed. mal. 2. t. 53.
37	<i>venustula</i> . DC.	(<i>ye.</i>) pretty.	Cumana.	1825.	—	S. h.	
38	<i>aversiflora</i> . B. M.	(<i>ye.</i>) contrary-flower'd.	Brazil.	1823.	4. 12.	S. h.	Bot. mag. t. 2638.
39	<i>vininea</i> . DC.	(<i>ye.</i>) twiggy.	W. Indies.	1786.	6. 7.	S. h.	Sloan. jam. 2. t. 180. f. 67.
40	<i>chryso-tricha</i> . DC.	(<i>ye.</i>) golden-podded.	Guiana.	1828.	—	S. h.	Coll. mon. p. 99. t. 13.
41	<i>Apoucouita</i> . DC.	(<i>ye.</i>) acuminate.	—	1823.	—	S. h.	Aubl. gui. 1. t. 146.
	<i>acuminata</i> . W. non Moench.						
42	<i>seuroides</i> . DC.	(<i>ye.</i>) Senna-leaved.	E. Indies.	1808.	7. 8.	S. h.	Jacq. ic. 1. t. 70.
43	<i>bicapsularis</i> . DC.	(<i>ye.</i>) six-leaved.	W. Indies.	1730.	5. 6.	S. h.	Bot. mag. t. 633.
44	<i>mollissima</i> . DC.	(<i>ye.</i>) soft-leaved.	S. America.	1816.	7. 8.	S. h.	
45	<i>artemisioides</i> . DC.	(<i>ye.</i>) Wormwood-like.	N. S. W.	1823.	4. 7.	G. h.	
46	<i>glutinosa</i> . DC.	(<i>ye.</i>) glutinous.	N. Holland.	—	—	G. h.	
47	<i>oxyadena</i> . DC.	(<i>ye.</i>) acute-glanded.	Jamaica.	1820.	—	S. h.	
48	<i>dispar</i> . DC.	(<i>ye.</i>) various-leaved.	S. America.	1822.	5. 8.	S. h.	
49	<i>acapulcensis</i> . DC.	(<i>ye.</i>) Acapulco.	Mexico.	1824.	—	S. h.	
50	<i>sulfurea</i> . DC.	(<i>st.</i>) straw-coloured.	E. Indies.	1800.	—	S. h.	Rheed. mal. 6. t. 9-10.
	<i>arborescens</i> . Vahl. non Miller.						
51	<i>coluteoides</i> . DC.	(<i>ye.</i>) Colutea-like.	—	S. h.	Coll. mon. 102. t. 12.
52	<i>Barclayana</i> . S. F. A.	(<i>ye.</i>) Mr. Barclay's.	N. Holland.	1824.	6. 10.	G. h.	Swt. flor. aust. t. 32.
53	<i>biflora</i> . DC.	(<i>ye.</i>) two-flowered.	W. Indies.	1766.	12. 4.	S. h.	Bot. mag. t. 910.
54	<i>tomentosa</i> . DC.	(<i>st.</i>) tomentose.	S. America.	1822.	6. 8.	S. h.	Jacq. ic. 1. t. 72.
	<i>multiglandulosa</i> . Jacq.						
55	<i>mexicana</i> . DC.	(<i>ye.</i>) Mexican.	Mexico.	1824.	—	S. h.	Jacq. schoenb. t. 203.
56	<i>stipulacea</i> . DC.	(<i>ye.</i>) large-stipuled.	Chile.	1786.	—	S. h.	Feuill. per. 3. t. 42.
57	<i>auriculata</i> . DC.	(<i>ye.</i>) eared.	E. Indies.	1777.	7. 9.	S. h.	Pluk. alm. t. 314. f. 4.
58	<i>frondosa</i> . DC.	(<i>ye.</i>) smooth shrubby.	W. Indies.	1769.	3. 4.	S. h.	Jacq. ic. 1. t. 74.
59	<i>australis</i> . B. M.	(<i>ye.</i>) New Holland.	N. Holland.	1820.	5. 12.	L. h.	Bot. mag. t. 2676.
60	<i>polyphylla</i> . DC.	(<i>ye.</i>) many-leaved.	Portorico.	1828.	6. 9.	S. h.	Jacq. ic. t. 460.
61	<i>marginata</i> . DC.	(<i>ye.</i>) white-edged.	Surinam.	1822.	—	S. h.	
62	<i>egyptiaca</i> . DC.	(<i>ye.</i>) Egyptian.	Egypt.	1823.	7. 9.	G. ⊙.	
63	<i>esculenta</i> . H. B.	(<i>ye.</i>) esculent.	E. Indies.	—	—	S. ⊙.	
64	<i>occidentalis</i> . DC.	(<i>ye.</i>) occidental.	W. Indies.	1759.	3. 8.	S. h.	Bot. reg. t. 83.
65	<i>purpurea</i> . DC.	(<i>ye.</i>) purple-stalked.	E. Indies.	1823.	6. 11.	S. h.	— t. 856.
66	<i>hirsuta</i> . DC.	(<i>ye.</i>) hairy.	S. America.	1778.	7. 9.	S. h.	Jacq. schoenb. t. 270.
	<i>caracasana</i> . Jacq.						
67	<i>linearis</i> . DC.	(<i>ye.</i>) linear-podded.	Carolina.	1828.	5. 7.	F. 2.	
68	<i>patala</i> . DC.	(<i>ye.</i>) shining.	W. Indies.	1778.	8. 9.	S. h.	
69	<i>pubescens</i> . DC.	(<i>ye.</i>) pubescent.	1818.	5. 8.	S. h.	Jacq. fragm. t. 57.
70	<i>sulcata</i> . DC.	(<i>ye.</i>) furrowed.	S. America.	1826.	6. 8.	S. h.	Coll. mon. p. 110. t. 6.
71	<i>ruscifolia</i> . DC.	(<i>ye.</i>) Ruscus-leaved.	Caracas.	1816.	5. 7.	G. h.	Jacq. ic. 1. t. 71.

72	<i>ligustrina</i> . DC.	(<i>ye.</i>) Privet-leaved.	America.	1726.	6. 8.	S. h.	Bot. reg. t. 109.
73	<i>robinioïdes</i> . DC.	(<i>ye.</i>) Robinia-like.	S. America.	1820.	—	S. h.	Schkuhr hand. 1. t. 113.
74	<i>marylandica</i> . DC.	(<i>ye.</i>) Maryland.	N. America.	1723.	8. 10.	H. 4.	
75	<i>latifolia</i> . DC.	(<i>ye.</i>) broad-leaved.	Trinidad.	1826.	6. 8.	S. h.	
76	<i>arborescens</i> . DC.	(<i>ye.</i>) arborescent.	New Spain.	—	S. h.	
77	<i>opaca</i> . Gr.	(<i>or.</i>) dull-leaved.	S. America.	1825.	8. 12.	S. h.	
78	<i>pulchella</i> . Boj.	(<i>ye.</i>) pretty.	Zanzibar.	1825.	7. 9.	S. h.	
79	<i>Millèri</i> . DC.	(<i>ye.</i>) Miller's.	Jamaica.	6. 8.	S. h.	
80	<i>Houstoniana</i> . DC.	(<i>ye.</i>) Houstoun's.	—	7. 10.	S. ⊙.	
81	<i>Plumièri</i> . DC.	(<i>ye.</i>) Plumier's.	Guadaloupe.	1822.	—	S. h.	Plum. ed. Burm. t. 77.
	<i>planisiliqua</i> . Lam.	non Linn.					
82	<i>hirta</i> . DC.	(<i>ye.</i>) hairy-branched.	S. America.	1822.	6. 9.	S. h.	
83	<i>sumatrana</i> . DC.	(<i>ye.</i>) Sumatra.	Sumatra.	1823.	—	S. h.	
84	<i>formosa</i> .	(<i>ye.</i>) beautiful.	E. Indies.	—	—	S. h.	
	<i>speciosa</i> . H.B.	non Schrader.					
85	<i>emarginata</i> . DC.	(<i>ye.</i>) notch-leaved.	Jamaica.	1759.	5. 6.	S. h.	Sloan. his. 2. t. 180. f. 1-4.
86	<i>atomaria</i> . DC.	(<i>ye.</i>) woolly-leaved.	S. America.	1822.	3. 8.	S. h.	
87	<i>reticulata</i> . DC.	(<i>ye.</i>) netted-leaved.	Brazil.	—	4. 6.	S. h.	
88	<i>spectabilis</i> . DC.	(<i>ye.</i>) showy.	Caracas.	1823.	5. 7.	S. h.	Coll. mon. p. 115. t. 7.
89	<i>setigera</i> . DC.	(<i>ye.</i>) seta-bearing.	E. Indies.	1826.	—	S. h.	
90	<i>montana</i> . DC.	(<i>ye.</i>) mountain.	—	1822.	—	S. h.	
91	<i>Absus</i> . DC.	(<i>sn.</i>) four-leaved.	Ceylon.	1777.	6. 7.	S. ⊙.	Burm. zeyl. t. 97.
92	<i>hispida</i> . DC.	(<i>ye.</i>) hispid.	Cayenne.	1826.	—	S. ⊙.	
93	<i>diphylla</i> . DC.	(<i>ye.</i>) two-leaved.	W. Indies.	1781.	5. 7.	S. ♂.	Cavan. ic. 5. t. 600. f. 1.
94	<i>bifoliolata</i> . DC.	(<i>ye.</i>) two-leafleted.	Brazil.	1825.	—	S. h.	Coll. mon. 120. t. 9. f. B.
95	<i>exigua</i> . H.B.	(<i>ye.</i>) dwarf.	Bengal.	1820.	8. 10.	S. ⊙.	
96	<i>gracilis</i> . DC.	(<i>ye.</i>) slender.	S. America.	1816.	6. 8.	S. h.	Kth. mim. t. 36.
97	<i>uniflora</i> . DC.	(<i>re.</i>) one-flowered.	Brazil.	1824.	—	S. h.	
98	<i>lineata</i> . DC.	(<i>ye.</i>) lined.	Jamaica.	1820.	5. 7.	S. h.	
99	<i>prostrata</i> . DC.	(<i>ye.</i>) prostrate.	S. America.	1823.	7. 9.	S. h.	
100	<i>triflora</i> . DC.	(<i>ye.</i>) three-flowered.	1825.	—	S. ⊙.	Jacq. schœnb. t. 480.
101	<i>Burmanni</i> . DC.	(<i>ye.</i>) Burmann's.	C. B. S.	1816.	—	G. h.	
102	<i>virgata</i> . DC.	(<i>ye.</i>) slender-twigg'd.	Jamaica.	1820.	5. 8.	S. h.	
103	<i>nictitans</i> . DC.	(<i>ye.</i>) Virginian.	N. America.	1800.	7.	G. ♂.	Linn. hort. cliff. t. 36.
104	<i>chamæcrista</i> . DC.	(<i>ye.</i>) dwarf.	America.	1699.	6. 9.	G. ♂.	Bot. mag. t. 157.
105	<i>chamæcristoïdes</i> . DC.	(<i>ye.</i>) large-flow'd.	Vera Cruz.	—	S. h.	
106	<i>stricta</i> . Sck.	(<i>ye.</i>) straight.	Jamaica.	—	S. ♂.	Schk. hort. mon. t. 34.
107	<i>glandulosa</i> . DC.	(<i>ye.</i>) glandular.	W. Indies.	1822.	—	S. ♂.	
108	<i>mimosoïdes</i> . DC.	(<i>ye.</i>) Mimosa-leaved.	E. Indies.	1806.	—	S. ⊙.	
109	<i>capensis</i> . DC.	(<i>ye.</i>) Cape.	C. B. S.	1816.	4. 6.	G. h.	Coll. mon. 124. t. 19.
110	<i>pumila</i> . DC.	(<i>ye.</i>) small.	E. Indies.	1820.	7. 10.	S. ⊙.	Pluk. alm. t. 120. f. 1.
111	<i>procumbens</i> . DC.	(<i>ye.</i>) procumbent.	N. America.	1806.	6. 9.	H. ⊙.	Comm. petrop. t. 11.
112	<i>Wallichiana</i> . DC.	(<i>ye.</i>) fine-leaved.	Nepaul.	1812.	—	S. ⊙.	
	<i>dimidiata</i> . D.P.						
113	<i>tenera</i> .	(<i>ye.</i>) small-branched.	E. Indies.	1818.	—	S. ♂.	
	<i>tenella</i> . H.B.	non Kth.					
114	<i>microphylla</i> . DC.	(<i>ye.</i>) small-leaved.	W. Indies.	1822.	—	S. ⊙.	
115	<i>Hornemanni</i> . DC.	(<i>ye.</i>) Hornemann's.	1827.	—	S. ⊙.	
	<i>tenosa</i> . Horn.	non Zucc.					
	AFZELIA . DC.	AFZ'ELIA . Octandria Monogynia.					
	<i>africana</i> . DC.	(<i>cr.</i>) African.	Sierra Leone.	1821.	S. h.	
	SCHOTIA . DC.	SCHO'TIA . Decandria Monogynia.					
1	<i>speciosa</i> . DC.	(<i>cr.</i>) superb.	C. B. S.	1759.	7. 12.	I. h.	Andr. reposit. t. 348.
2	<i>tamarindifolia</i> . DC.	(<i>cr.</i>) Tamarind-leav'd.	—	1795.	5. 9.	I. h.	Bot. mag. t. 1153.
3	<i>stipulata</i> . DC.	(<i>cr.</i>) falcate-stipuled.	—	1794.	—	I. h.	
4	<i>alata</i> . DC.	(<i>re.</i>) winged.	—	1816.	6. 7.	I. h.	
5	<i>simplicifolia</i> . DC.	(<i>re.</i>) simple-leaved.	—	—	—	I. h.	
6	<i>latifolia</i> . DC.	(<i>re.</i>) broad-leaved.	—	—	5. 8.	I. h.	Hook. ex. flor. t. 159.
	<i>Omphalobium</i>	<i>Schotia</i> . s.s. Jacq. ecl. ic.					
	COPAI'FERA . DC.	BALSAM OF CAPEVI . Decandria Monogynia. L.					
1	<i>officinalis</i> . DC.	(<i>st.</i>) officinal.	S. America.	1774.	S. h.	H. et B. n. gen. 7. t. 659.
2	<i>guianensis</i> . DC.	(<i>st.</i>) Guiana.	Guiana.	1826.	S. h.	
3	<i>coriacea</i> . DC.	(<i>st.</i>) leathery-leaved.	Brazil.	1824.	S. h.	
	CYNOMETRA . DC.	CYNOM'ETRA . Decandria Monogynia. L.					
1	<i>cauliflora</i> . DC.	(<i>re.</i>) stem-flowered.	E. Indies.	1804.	S. h.	Rumph. amb. 1. t. 62.
2	<i>ramiflora</i> . DC.	(<i>re.</i>) branch-flowered.	—	1826.	S. h.	— 1. t. 63.
3	<i>polyandra</i> . DC.	(<i>re.</i>) many stamen'd.	—	1822.	S. h.	Roxb. corom. t. 286.
	PARIV'OA . DC.	PARIV'OA . Diadelphia Decandria.					
	<i>grandiflora</i> . DC.	(<i>pu.</i>) large-flowered.	Cayenne.	1816.	S. h.	Aubl. guian. 2. t. 303
	<i>Dimorpha grandiflora</i> .	Linn. trans. 9. t. 20.					

O'UTEA. DC.		O'UTEA. Tri-Tetrandria Monogynia.					
1	guianensis. DC. (wh.)	Guiana.	Guiana.	1827.	S. h.	Aubl. guian. 1. t. 9.
2	bijuga. DC. (wh.)	two-paired.	E. Indies.	1823.	S. h.	Linn. trans. 12. t. 17.
	<i>Macrolobium bijugum.</i>	Linn. trans.					
VOU'APA. DC.		VOU'APA. Triandria Monogynia.					
	bifolia. DC.	two-leaved.	Guiana.	1823.	S. h.	Aubl. guian. 1. t. 7.
HYMEN'EA. DC.		LOCUST-TREE. Decandria Monogynia.					
1	Courbaril. DC. (wh.)	leathery-leaved.	S. America.	1688.	6. 8.	S. h.	Lam. ill. t. 330. f. 1.
2	Candolleana. DC. (wh.)	Decandolle's.	Mexico.	1825.	S. h.	H. et B. n. gen. 6. t. 566.
3	verrucosa. DC. (wh.)	wart-podded.	Madagascar.	1808.	6. 7.	S. h.	Lam. ill. t. 330. f. 2.
BAUHINIA. DC.		BAUHINIA. Monadelphia v. Decandria Monogynia.					
1	divaricata. DC. (wh.)	dwarf.	W. Indies.	1742.	6. 9.	S. h.	Linn. hort. cliff. t. 15.
2	Lamarckiana. DC. (wh.)	Lamarck's.	S. America.	—	S. h.	
3	spathacea. DC. (wh.)	spathaceous.	New Spain.	1825.	—	S. h.	
4	subrotundifolia. DC. (w.)	round-leaved.	S. America.	1816.	4. 6.	S. h.	Cavan. ic. 5. t. 406.
5	aurita. DC. (wh.)	long-eared.	Jamaica.	1756.	9. 10.	S. h.	Miller ic. t. 61.
6	porrecta. DC. (wh.)	smooth-leaved.	W. Indies.	1737.	7. 8.	S. h.	Bot. mag. t. 1708.
7	latifolia. DC. (wh.)	broad-leaved.	New Spain.	1825.	S. h.	Cavan. ic. t. 405.
8	candida. DC. (wh.)	white-flowered.	E. Indies.	1777.	5. 6.	S. h.	
9	acuminata. DC. (wh.)	acute-leaved.	—	1808.	7. 8.	S. h.	Rheed. mal. 1. t. 34.
10	grandiflora. DC. (wh.)	large-flowered.	Peru.	1824.	S. h.	
11	aculeata. DC. (wh.)	prickly-stalked.	W. Indies.	1737.	6. 8.	S. h.	Plum. ed. Bur. t. 44. f. 1.
12	forcicata. DC. (wh.)	forked.	Brazil.	1824.	—	S. h.	
13	emarginata. DC. (wh.)	emarginate.	Carthagera.	—	S. h.	
14	rufescens. DC.	rufous.	Africa.	1816.	S. h.	
15	parviflora. DC. (wh.)	small-flowered.	E. Indies.	1808.	S. h.	
16	U'ngula. DC. (wh.)	villous-leaved.	Caracas.	1827.	S. h.	Jacq. fragm. t. 15. f. 1.
	<i>aculeata.</i> Jacq. amer. t. 177. f. 2.						
17	variegata. DC. (v.)	variegated-fl'd.	E. Indies.	1690.	6. 7.	S. h.	Rheed. mal. 1. t. 32.
18	tomentosa. DC. (st.)	tomentose.	—	1808.	S. h.	Burm. zeyl. t. 18.
19	pubescens. DC. (wh.)	pubescent.	W. Indies.	1824.	S. h.	
20	multinervia. DC. (wh.)	many-nerved.	Caracas.	1825.	S. h.	
21	racemosa. DC.	large-leaved.	E. Indies.	1790.	S. h.	Vahl. symb. 3. t. 62.
22	purpurea. DC. (pu.)	purple.	—	1778.	S. h.	Rheed. mal. 1. t. 33.
23	retusa. DC. (wh.)	retuse-leaved.	—	1822.	S. h.	
24	corymbosa. DC. (wh.)	corymbose.	China.	1816.	S. h.	DC. leg. mem. t. 70.
25	anguina. DC. (wh.)	snake.	E. Indies.	1818.	S. h.	Roxb. corom. 3. t. 285.
	<i>scandens.</i> L. excl. synonym. Rumph. Rheed. mal. 8. t. 30-31.						
26	Lingua. DC. (st.)	tongue-leaved.	E. Indies.	1799.	S. h.	Rumph. amb. 5. t. 1.
	<i>scandens.</i> L. excl. syn. Rheed.						
27	coccinea. DC. (sc.)	scarlet-flowered.	China.	1826.	S. h.	
28	guianensis. DC. (wh.)	Guiana.	Guiana.	1824.	S. h.	Aubl. guian. 1. t. 145.
29	heterophylla. DC. (wh.)	various-leaved.	Caracas.	1824.	S. h.	Kth. mim. t. 46.
30	cumanensis. DC. (wh.)	Cumana.	Cumana.	—	7. 8.	S. h.	Bot. reg. t. 1133.
31	anatomica. L. en.	jagged-leaved.	S. America.	1816.	S. h.	
32	triandra. H.B. (wh.)	triandrous.	E. Indies.	1823.	S. h.	
33	semibifida. H.B. (wh.)	half-cleft.	—	1818.	S. h.	
34	malabaria. H.B.	Malabar.	Malabar.	1823.	S. h.	
35	ferruginea. H.B.	ferruginous.	E. Indies.	1822.	S. h.	
36	cordifolia. H.B.	heart-leaved.	—	1828.	S. h.	
37	spicata.	spiked.	—	1820.	S. h.	
38	speciosa. L.C.	handsome.	S. h.	
39	microphylla. L.C.	small-leaved.	S. h.	
40	esculenta. B.T. (wh.)	eatable-rooted.	C. B. S.	1816.	—	I. 4.	
CERCIS. DC.		JUDAS-TREE. Decandria Monogynia. L.					
1	Siliquastrum. DC. (ro.)	European.	S. Europe.	1596.	5. 6.	H. h.	Bot. mag. t. 1138.
2	canadensis. DC. (ro.)	American.	N. America.	1730.	—	H. h.	Miller ic. t. 2.
CRUDYA. DC.		CRUDYA. Octo-Decandria Monogynia.					
1	spicata. DC. (wh.)	spiked.	Guiana.	1825.	S. h.	Aubl. guian. 1. t. 147.
	<i>Apalatoa spicata.</i> Aubl.						
2	aromatica. DC. (gr.)	aromatic.	—	1828.	S. h.	Aubl. guian. 1. t. 148.
	<i>Touchiroa aromatica.</i> Aubl.						
COD'ARIUM. DC.		VELVET TAMARIND. Diandria Monogynia.					
1	acutifolium. DC. (re.)	acute-leaved.	Sierra Leone.	1800.	S. h.	Rœm. arch. 1. t. 6.
	<i>nitidum.</i> Vahl. <i>Dialium guineense.</i> W.						
2	obtusifolium. DC. (re.)	blunt-leaved.	—	—	S. h.	

Tribus X. *DETARIEÆ*. DC. prodr. 2. p. 521.

DETARIUM. DC. DETARIUM. Decandria Monogynia.
senegalensis. DC. (gr.) Senegal. Senegal. 1822. S. h.

ORDO LXXV.

CHRYSOBALANÆÆ. *Brown cong. p. 14.*

CHRYSOBA'LANUS. DC. COCOA PLUM. Icosandria Monogynia. L.
1 Icáco. DC. (wh.) West Indian. W. Indies. 1752. 4. 6. S. h. Jacq. amer. t. 94.
2 ellipticus. DC. (wh.) Pigeon plum. Sierra Leone. 1822. S. h.
3 oblongifólius. DC. (wh.) American. Georgia. 1812. 4. 5. G. h.
PARIN'ARIUM. DC. PARIN'ARIUM. Dodecandria Monogynia.
1 excélsium. G.D. (wh.) rough plum. Sierra Leone. 1822. S. h. Loud. encycl. pl. f. 5072.
2 macrophy'llum. G.D. (w.) gingerbread plum. ———— ———— S. h.
GRANG'ERIA. DC. GRANG'ERIA. Dodecandria Monogynia.
borbónica. DC. (wh.) Bourbon. Bourbon. 1822. S. h. Lam. ill. t. 427.
HIRTE'LLA. DC. HIRTE'LLA. Tri-Dodecandria Monogynia.
1 triándra. DC. (wh.) triandrous. W. Indies. 1782. S. h. Jacq. amer. t. 8.
 americana. Jacq. non Aubl. *paniculata*. R.S.
2 glandulòsa. DC. (wh.) glandular. Brazil. 1827. S. h. Spreng. anl. t. 7. f. 1-4.
3 racemòsa. DC. (bl.) racemed. Guiana. 1782. S. h. Aubl. guian. 1. t. 98.
 americana. Aubl. non Jacq.
4 oblongifólia. DC. (ro.) oblong-leaved. New Spain. 1826. S. h.
5 nemoròsa. DC. (ye.) wood. Brazil. 1825. S. h.

ORDO LXXVI.

AMYGDALINÆÆ. *D. Don prodr. flor. nepal. p. 239.*

AMYGDALUS. K.S. ALMOND. Icosandria Monogynia. L.
1 nàna. w. (pi.) common dwarf. Russia. 1683. 3. 4. H. h. Bot. mag. t. 161.
2 geórgica. Df. (pi.) Georgian. Georgia. 1820. ———— H. h.
3 campéstris. Bes. (pi.) Besser's. Poland. 1829. ———— H. h.
 Besseriàna. Schott.
4 orientàlis. w. (ro.) silvery-leaved. Levant. 1756. ———— F. h.
 argénteà. Lam.
5 incàna. w. (ro.) woolly. Caucasus. ———— H. h. Pall. ross. 1. t. 7.
6 prostràta. K.S. (pi.) prostrate. Crete. 1802. 5. H. h. Bot. reg. t. 136.
 Prúnus prostràta. B.R.
7 pùmila. w. (pi.) double dwarf. Africa. 1683. 5. 6. H. h. Bot. mag. t. 2176.
 Prúnus sinénsis. P.S. *Prúnus japonica*, B.R. is a very different plant, and a true *Cérasus*.
8 sibírica. L.C. (pi.) Siberian. Siberia. 1820. 3. 4. H. h.
9 commúnis. DC. (pi.) common. Barbary. 1548. ———— H. 5.
 a amara. DC. (pi.) bitter. ———— ———— H. 5. Lam. ill. t. 430. f. 2.
 β dúlcis. DC. (bh.) sweet. ———— ———— H. 5. Nois. jard. fr. t. 3. f. 2.
 γ frágilis. DC. (bh.) tender. ———— ———— H. 5. Bot. reg. t. 1160.
 ε macrocarpa. DC. (pi.) large-fruited. ———— H. 5. Nois. jard. fr. t. 3. f. 1.
 ε persicoídes. DC. (pi.) Almond Peach. Hybrid. ———— H. 5.
10 cochinchinénsis. DC. (pi.) Chinese. Cochinchina. 1825. ———— H. 5. Nois. j. fr. 1-16. 22-35. ic.
11 Pérsica. w. (pi.) common Peach. Persia. 1562. 4. 5. H. 5.
 β flore plèno. (pi.) double-blossomed. ———— H. 5.
 δ nàna. (pi.) dwarf. China. 1826. ———— H. h.
 ε nectarina. (pi.) Nectarine. Persia. 1562. ———— H. 5. Nois. jard. fr. t. 20-21.

ARMENIACA. DC.		APRICOT. Icosandria Monogynia.					
1	vulgâris. DC.	(wh.) common.	Levant.	1548.	2. 4.	H. 5.	Lam. ill. t. 431.
	<i>a ovalifolia</i> . DC.	(wh.) oval-leaved.	—————	—————	—————	H. 5.	Nois. jar. fr. t. 1-2. f. 1-2.
	<i>β cordifolia</i> . DC.	(wh.) heart-leaved.	—————	—————	—————	H. 5.	————— t. 1. f. 3. t. 2. f. 3.
2	dasycarpa. DC.	(wh.) black-fruited.	3. 4.	H. 5.	Bot. reg. t. 1243.
	<i>Prunus dasycarpa</i> . B.R.						
	<i>β persicifolia</i> . DC.	(wh.) Peach-leaved.	—————	H. ½.	Du. ar. ed. no. 5. t. 52. f. 1.
3	sibirica. DC.	(pi.) Siberian.	Siberia.	1788.	4.	H. ½.	Pall. ross. 1. t. 8.
4	brigiatica. DC.	(wh.) spiny.	S. Europe.	—————	H. ½.	Duh. arb. ed. n. 5. t. 59.
PRUNUS. DC.		PLUM-TREE. Icosandria Monogynia. L.					
1	spinosa. DC.	(wh.) Sloe-tree.	Britain.	3. 4.	H. ½.	Eng. bot. v. 12. t. 842.
	<i>a vulgâris</i> . DC.	(wh.) common.	—————	—————	H. ½.	Duham. ed. n. 5. t. 54. f. 1.
	<i>β microcarpa</i> . DC.	(wh.) small-fruited.	—————	—————	H. ½.	
	<i>γ macrocarpa</i> . DC.	(wh.) large-fruited.	—————	—————	H. ½.	
	<i>δ ovata</i> . DC.	(wh.) oval-leaved.	—————	—————	H. ½.	Blackw. herb. t. 494.
2	insititia. DC.	(wh.) Bullace-tree.	Britain.	4.	H. ½.	Eng. bot. v. 12. t. 841.
3	candicans. DC.	(wh.) snowy.	1818.	4. 5.	H. ½.	Bot. reg. t. 1135.
4	Cocconia. DC.	(wh.) twin-flowered.	Calabria.	1826.	—————	H. ½.	
5	maritima. DC.	(wh.) sea-side.	N. America.	1800.	—————	H. ½.	
6	pubescens. DC.	(wh.) pubescent.	1819.	—————	H. ½.	
7	divaricata. DC.	(wh.) spreading.	Caucasus.	1828.	H. ½.	
8	cerasifera. s.s.	(wh.) Myrobalan.	N. America.	1629.	4. 5.	H. 5.	Duham. arb. 2. t. 2. f. 15.
9	pyramidalis. DC.	(wh.) pyramidal.	Europe.	4.	H. 5.	————— 2. t. 15—20.
10	domestica. DC.	(wh.) common.	England.	—————	H. 5.	Eng. bot. v. 25. t. 1783.
	<i>a armenioides</i> . DC.	(wh.) Apricot-like.	—————	H. 5.	Duham. arb. 2. t. 13—14.
	<i>β Claudiâna</i> . DC.	(wh.) Reine Claude.	—————	H. 5.	————— 2. t. 11—12.
	<i>γ damascena</i> . DC.	(wh.) Damson.	—————	H. 5.	————— 2. n. 13. t. 5.
	<i>δ turonensis</i> . DC.	(wh.) Monsieur hatif, &c.	—————	H. 5.	————— 2. n. 16. t. 20. f. 1.
	<i>ε Juliâna</i> . DC.	(wh.) Saint Julien.	—————	H. 5.	Duh. ed. nov. 5. t. 54. f. 2.
	<i>ζ Catherinea</i> . DC.	(wh.) Saint Catherine.	—————	H. 5.	Duham. arb. 2. f. 1.
	<i>η Aubertiâna</i> . DC.	(wh.) Imperatrice.	—————	H. 5.	Nois. jar. fr. t. 57-58. f. 4.
CERASUS. DC.		CHERRY TREE. Icosandria Monogynia.					
1	avium. DC.	(wh.) small-fruited.	Britain.	4. 5.	H. 5.	Blackw. t. 425.
	<i>a silvestris</i> .	(wh.) wood.	—————	—————	H. 5.	
	<i>β macrocarpa</i> . DC.	(wh.) large-fruited.	—————	H. 5.	Du. ed. no. 1. n. 2. t. 4. f. D.
	<i>γ pallida</i> . DC.	(wh.) pale-fruited.	—————	H. 5.	————— 5. n. 3. t. 4. f. B. C.
	<i>δ multipléx</i> . DC.	(wh.) double-blossomed.	—————	H. 5.	
2	duracina. DC.	(wh.) hard-fruited.	Europe.	—————	H. 5.	
	<i>a cordigera</i> . DC.	(wh.) Bigarreaux.	—————	H. 5.	Nois. jard. fr. t. 6. f. 1.
	<i>β obtusata</i> . DC.	(wh.) blunt-fruited.	—————	H. 5.	Duh. ed. no. 5. t. 18. f. B.
	<i>γ mamillaris</i> . DC.	(wh.) large-leaved.	—————	H. 5.	————— 5. n. 12. t. 16. f. A.
3	juliâna. DC.	(wh.) early.	S. Europe.	—————	H. 5.	————— 5. n. 5. t. 15. f. A.
	<i>β Heaumiâna</i> . DC.	(wh.) long-leaved.	—————	—————	H. 5.	————— n. 29. t. 19.
	<i>γ pendula</i> . DC.	(wh.) pendulous-branch'd.	—————	—————	H. 5.	
4	Caproniâna. DC.	(wh.) common.	—————	—————	H. 5.	
	<i>a Montmorencyâna</i> . DC.	May Duke, &c.	—————	—————	H. 5.	Duh. ed. no. 5. n. 14. t. 7.
	<i>β pallescens</i> . DC.	(wh.) pale-fruited.	—————	—————	H. 5.	————— n. 18. t. 11.
	<i>γ gobelia</i> . DC.	(wh.) Keniish.	—————	—————	H. 5.	————— t. 12. f. A.
	<i>δ polygyna</i> . DC.	(wh.) polygynous.	—————	—————	H. 5.	Duham. arb. 4. t. 3.
	<i>ι multipléx</i> . DC.	(wh.) semi-double.	—————	H. 5.	————— p. 173. t. 5.
	<i>2 persiciflora</i> . DC.	(wh.) double-flowered.	—————	H. 5.	
	<i>κ variegata</i> . DC.	(wh.) striped-leaved.	—————	H. 5.	
	<i>θ griotta</i> . DC.	(wh.) globular-fruited.	—————	H. 5.	
	<i>ι cordigera</i> . DC.	(wh.) red-heart.	—————	H. 5.	Duh. ed. nov. n. 21. t. 14.
5	sempertlorens. DC.	(wh.) late-fruited.	N. America.	5. 6.	H. ½.	Duham. arb. 4. t. 16. f. 1.
6	chamæcerasus. DC.	(wh.) bastard.	Germany.	1597.	5.	H. ½.	Wats. dend. brit. 131.
7	persicifolia. DC.	(wh.) Peach-leaved.	N. America.	1818.	4. 5.	H. ½.	Jacq. ic. 1. t. 90.
8	pumila. DC.	(wh.) dwarf.	—————	1756.	5.	H. ½.	Mill. ic. t. 89. f. 2.
9	pygmaea. DC.	(wh.) small.	—————	1818.	—————	H. ½.	
10	nigra. DC.	(wh.) black-fruited.	Canada.	1773.	5. 6.	H. ½.	Bot. mag. t. 1117.
11	borealis. DC.	(wh.) northern.	N. America.	1818.	—————	H. ½.	
12	depressa. DC.	(wh.) depressed.	—————	1805.	5.	H. ½.	
13	Sus-quehannæ. W. en.	(wh.) glaucous-ld.	N. America.	1800.	—————	H. ½.	
14	hyemalis. DC.	(wh.) mountain.	—————	1805.	—————	H. ½.	
15	Chicasa. DC.	(wh.) Chicasaw.	—————	1806.	4. 5.	H. ½.	
16	pubescens. DC.	(wh.) pubescent.	—————	1822.	5.	H. ½.	
17	japónica. DC.	(pi.) Japan.	Japan.	1810.	3. 5.	H. ½.	Bot. reg. t. 27.
18	serrulata. H.C.	(bh.) saw-leaved.	China.	1822.	4. 5.	H. ½.	
19	salicina. H.C.	(bh.) Willow-like.	—————	—————	—————	H. ½.	

20	pseùdo-cérasus. DC. (<i>wh.</i>) Chinese. <i>paniculata</i> . B.R. non Thunb.	China.	1820.	4. 5.	F. ½.	Bot. reg. t. 800.
21	pensylvánica. DC. (<i>wh.</i>) Pensylvanian.	N. America.	1773.	5.	H. ½.	Willd. arb. t. 3. f. 3.
22	Maliáleb. DC. (<i>wh.</i>) perfumed.	S. Europe.	1714.	4. 5.	H. ½.	Jacq. aust. 3. t. 227.
23	Párus. DC. (<i>wh.</i>) Bird.	Britain.	—	H. ½.	Eug. bot. v. 20 t. 1383.
24	rúbra. W. (<i>wh.</i>) red-fruited.	England.	—	H. ½.	Willd. arb. t. 4. f. 2.
25	virginiána. DC. (<i>wh.</i>) Virginian.	N. America.	1724.	5. 6.	H. ½.	— t. 5. f. 1.
26	serotína. DC. (<i>wh.</i>) American Bird.	—	1629.	—	H. ½.	Wats. dend. brit. 48.
27	occidentális. DC. (<i>wh.</i>) West Indian.	Jamaica.	1784.	12. 1.	S. ½.	Catesb. car. 2. t. 94?
28	lusitánica. DC. (<i>wh.</i>) Portugal Laurel.	Portugal.	1648.	6.	H. ¾.	Mill. ic. t. 196. f. 1.
29	Hixa. W. en. (<i>wh.</i>) Teneriffe.	Teneriffe.	1821.	—	F. ¾.	—
30	Laurocérasus. DC. (<i>wh.</i>) Laurel.	Levant.	1629.	4. 5.	H. ¾.	Blackw. herb. t. 512.
31	caroliniána. DC. (<i>wh.</i>) evergreen.	Carolina.	1759.	5.	H. ¾.	—

ORDO LXXVII.

POMACEÆ. *D. Don prodr. flor. nepal. p. 236.*

ME'SPILUS. K.S.		ME'SPILUS. Icosandria Di-Pentagynia.				
1	germánica. DC. (<i>wh.</i>) Medlar.	England.	5. 7.	H. 5.	Eng. bot. v. 22. t. 1523.
	<i>α sylvéstris</i> . DC. (<i>wh.</i>) wild.	—	—	H. 5.	—
	<i>β stricta</i> . DC. (<i>wh.</i>) upright.	—	H. 5.	—
	<i>γ diffusa</i> . DC. (<i>wh.</i>) Dutch.	—	H. 5.	Duham. arb. fr. 1. t. 3.
2	grandiflora. s.s. (<i>wh.</i>) large-flow red.	S. Europe.	1800.	5. 6.	H. 5.	Exot. bot. 1. t. 18.
	<i>Smithii</i> . DC.	—	—	—	—	—
3	Pyracantha. s.s. (<i>wh.</i>) evergreen thorn.	—	1629.	5.	H. ¾.	Schmidt arb. t. 90.
4	crenulata. D.P. (<i>wh.</i>) crenulate.	Nepaul.	1818.	6. 7.	H. ¾.	—
5	mexicana. DC. (<i>wh.</i>) Mexican.	Mexico.	1824.	5. 6.	F. ¾.	—
6	Crús-gállí. L. (<i>wh.</i>) Cockspur-thorn.	N. America.	1691.	5. 6.	H. 5.	Wats. dend. brit. t. 56.
7	pyracanthifolia. (<i>wh.</i>) Pyracantha-leaved.	—	—	—	H. 5.	—
	<i>lúcida</i> . Dum-Cours. bot. cult. ed. 2. v. 5. p. 418. non Miller.	—	—	—	—	—
8	salicifolia. L.C. (<i>wh.</i>) Willow-leaved.	—	—	—	H. 5.	—
9	linearis. DF. (<i>wh.</i>) linear-leaved.	—	—	—	H. 5.	—
10	nána. Dum-C. (<i>wh.</i>) dwarf.	—	1826.	—	H. ½.	—
11	spinosíssima. L.C. (<i>wh.</i>) long-spined.	S. Europe.	—	H. ½.	Lodd. bot. cab. 1100.
12	punctata. W. en. (<i>wh.</i>) spotted-fruited.	N. America.	1746.	—	H. 5.	Wats. dend. brit. t. 57.
	<i>α rúbra</i> . Ph. (<i>wh.</i>) red-fruited.	—	—	—	H. ½.	—
	<i>β àurea</i> . Ph. (<i>wh.</i>) yellow-fruited.	—	—	—	H. ½.	—
13	elliptica. W. en. (<i>wh.</i>) oval-leaved.	—	1765.	5.	H. 5.	—
14	prunifolia. s.s. (<i>wh.</i>) Plum-leaved.	—	1812.	5. 6.	H. 5.	—
15	prunellifolia. DC. (<i>wh.</i>) Sloe-leaved.	—	1824.	—	H. ½.	—
16	latifolia. Poir. (<i>wh.</i>) broad-leaved.	N. America.	—	H. 5.	—
17	parvifolia. W. en. (<i>wh.</i>) Gooseberry-leav'd.	—	1704.	—	H. ½.	Wats. dend. brit. 65.
	<i>xanthocarpos</i> . s.s. <i>Cratægus parvifolia</i> . DC. <i>tomentosa</i> . L. Trew.	—	—	—	H. ½.	ehr. t. 17.
18	ovalifolia. DC. (<i>wh.</i>) oval-leaved.	—	—	H. ½.	—
19	viridis. DC. (<i>wh.</i>) smooth green.	—	—	H. ½.	—
20	pauciflora. Poir. (<i>wh.</i>) few-flowered.	Switzerland.	1818.	—	H. ½.	—
21	lúcida. DC. (<i>wh.</i>) glossy-leaved.	—	—	H. ½.	—
22	apiifolia. s.s. (<i>wh.</i>) Parsley-leaved.	—	1812.	—	H. ½.	—
23	pyrifolia. s.s. (<i>wh.</i>) Pear-leaved.	—	1765.	6.	H. 5.	Wats. dend. brit. t. 61.
24	glandulosa. s.s. (<i>wh.</i>) hollow-leaved.	N. America.	1750.	5. 6.	H. 5.	— brit. t. 58.
	<i>Cratægus sanguinea</i> . Pall. ross. 1. t. 11.	—	—	—	—	—
25	spatulata. s.s. (<i>wh.</i>) spatula-leaved.	—	1806.	—	H. 5.	Lodd. bot. cab. t. 1261.
26	coceinea. s.s. (<i>wh.</i>) scarlet-fruited.	—	1683.	4. 5.	H. 5.	Wats. dend. brit. t. 62.
27	purpurea. W.D. (<i>wh.</i>) purple-branch'd.	—	—	H. 5.	— t. 60.
28	cordata. s.s. (<i>wh.</i>) Maple-leaved.	—	1738.	5. 6.	H. 5.	— t. 63.
	<i>Cratægus cordata</i> . Bot. reg. t. 1151.	—	—	—	—	—
29	lobata. Poir. (<i>wh.</i>) lobed-leaved.	—	1818.	—	H. 5.	—
30	florentina. Be. (<i>wh.</i>) Florentine.	Florence.	1824.	—	H. 5.	—
31	nigra. s.s. (<i>wh.</i>) black-fruited.	Hungary.	1818.	—	H. 5.	Lodd. bot. cab. t. 1021.

32	pentágyna. s.s. (wh.) five-styled.	Hungary.	1818.	5. 6.	H. 5.	
33	fláva. W. en. (wh.) yellow-berried.	N. America.	1724.	—	H. 5.	Wats. dend. brit. t. 59.
34	físsa. Poir. (wh.) cloven-leaved.	—	1818.	—	H. 5.	
35	Oliveriána. DC. (wh.) Oliver's.	Levant.	—	—	H. 5.	
36	Poiretiána. DC. (wh.) Poiret's.	N. America.	—	H. 5.	
	<i>lineáris</i> . Poir. non P.S.					
37	dissécta. Dum. (wh.) cut-leaved.	Persia.	1828.	H. 5.	
38	Oxyacántha. s.s. (wh.) Hawthorn.	Britain.	5. 6.	H. 5.	Eng. bot. v. 35. t. 2504.
	<i>Cratægus Oxyacántha</i> . DC.					
	β major. (wh.) great-fruited.	—	—	H. 5.	
	γ àurea. (wh.) yellow-berried.	—	—	H. 5.	
39	pr'æcox. (wh.) Glastonbury.	3. 5.	H. 5.	
40	oxyacanthoídes. B.R. Hawthorn-like.	S. Europe.	5. 6.	H. 5.	Bot. reg. t. 1128.
	β multipléx. (wh.) double-flowered.	—	—	H. 5.	
41	élegans. Poir. (ro.) rose-coloured.	—	—	H. 5.	Blackw. herb. t. 149.
	β rubérrima. (re.) dark-red.	—	1827.	—	H. 5.	
42	eriocárpa. Lind. (wh.) woolly-fruited.	Britain.	—	H. 5.	
43	monógyna. Pal. (wh.) one-styled.	Siberia.	—	H. 5.	Pall. ross. 1. t. 12.
44	heterophy'lla. DC. (wh.) various-leaved.	Levant?	1818.	—	H. 5.	Bot. reg. t. 1161.
45	Azaròlus. s.s. (wh.) Azarole.	S. Europe.	1640.	—	H. 5.	Andr. reposit. t. 579.
46	Arònia. W. en. (wh.) Aronian.	Levant.	—	H. 5.	Pocock tr. t. 85.
47	orientális. Poir. (wh.) oriental.	—	1824.	—	H. 5.	
48	tanacetifòlia. A.R. (wh.) Tansy-leaved.	—	1789.	—	H. $\frac{1}{2}$.	Andr. reposit. t. 591.
49	odoratíssima. A.R. (wh.) sweet-scented.	Crimea.	—	H. $\frac{1}{2}$.	— t. 590.
50	Celsiána. W. en. (wh.) Cels's.	Levant.	1822.	—	H. $\frac{1}{2}$.	
51	laciniàta. DC. (wh.) jagged.	Sicily.	—	—	H. $\frac{1}{2}$.	
52	melanocárpa. s.s. (wh.) black-berried.	Tauria.	1818.	—	H. $\frac{1}{2}$.	
53	pectinàta. L. en. (wh.) pectinated.	Persia.	1824.	—	H. $\frac{1}{2}$.	
54	flabellàta. L.C. (wh.) fan-leaved.	1823.	—	H. $\frac{1}{2}$.	
55	pruinòsa. Lk. (wh.) frosted	1826.	—	H. $\frac{1}{2}$.	
56	succulénta. Scr. (wh.) succulent.	—	—	H. $\frac{1}{2}$.	
57	subvillòsa. Scr. (wh.) villous.	1827.	—	H. $\frac{1}{2}$.	
58	punícea. F. crimson.	Dahuria.	—	H. $\frac{1}{2}$.	
	RAPHIOL'EPIS. DC. RAPHIOL'EPIS.	Icosandria Digynia.				
1	índica. DC. (wh.) Indian.	China.	1806.	5. 8.	G. $\frac{1}{2}$.	Bot. mag. t. 1726.
	<i>Cratægus índica</i> . B.M.					
2	phæostemon. DC. (wh.) red-stamen'd.	—	1818.	—	G. $\frac{1}{2}$.	Bot. reg. t. 468.
	<i>índica</i> . Bot. reg. non Bot. mag.					
3	rùbra. DC. (wh.) red-stemmed.	—	1806.	—	G. $\frac{1}{2}$.	Lindl. coll. t. 3.
4	salicifòlia. DC. (wh.) Willow-leaved.	—	1820.	—	G. $\frac{1}{2}$.	Bot. reg. t. 652.
	PHOTI'NIA. DC. PHOTI'NIA.	Icosandria Digynia.				
1	serrulàta. DC. (wh.) smooth-leaved.	China.	1804.	4. 7.	H. $\frac{1}{2}$.	Bot. mag. t. 2105.
	<i>Cratægus glábra</i> . B.M.					
2	arbutifòlia. DC. (wh.) Arbutus-leaved.	California.	1796.	6. 8.	H. $\frac{1}{2}$.	Bot. reg. t. 491.
3	integrifòlia. DC. (wh.) entire-leaved.	Nepaul.	1820.	5. 6.	H. $\frac{1}{2}$.	
	<i>Pyrus integerrima</i> . D.P.					
4	dùbia. DC. (wh.) doubtful.	—	1822.	—	H. $\frac{1}{2}$.	Linn. trans. 13. t. 10.
	<i>Méspilus tinctòria</i> . D.P. <i>Méspilus bengalénsis</i> . Roxb.					
	ERIOB'OTRYA. DC. LOQUAT.	Icosandria Pentagynia.				
1	japónica. DC. (wh.) Japan.	Japan.	1787.	9. 10.	H. $\frac{1}{2}$.	Bot. reg. t. 365.
	<i>Méspilus japónica</i> . Vent. malm. t. 19.					
2	elliptica. DC. (wh.) elliptic-leaved.	Nepaul.	1822.	H. $\frac{1}{2}$.	
	<i>Méspilus Cuila</i> . D.P.					
	COTONEA'STER. DC. COTONEA'STER.	Icosandria Di-Pentagynia.				
1	vulgàris. DC. (wh.) common.	Europe.	1656.	4. 5.	H. $\frac{1}{2}$.	Flor. dan. t. 112.
	<i>Méspilus Cotoneáster</i> . L.					
2	affinis. DC. (bh.) likened.	Nepaul.	1820.	6. 7.	H. $\frac{1}{2}$.	
3	tomentòsa. DC. (wh.) Quince-leaved.	Europe.	1759.	4. 5.	H. $\frac{1}{2}$.	Wats. dend. brit. t. 55.
	<i>Méspilus eriocárpa</i> . W.D.					
4	denticulàta. K.S. (wh.) tooth-leaved.	Mexico.	1826.	F. $\frac{1}{2}$.	H. et B. n. ge. am. 6. t. 556.
5	laxiflòra. J.F. (wh.) loose-flowered.	Nepaul.	1820.	5. 7.	H. $\frac{1}{2}$.	
6	frígida. B.R. (wh.) mountain.	—	1823.	4. 5.	H. $\frac{1}{2}$.	Bot. reg. t. 1229.
7	acuminàta. DC. (bh.) pointed-leaved.	—	1820.	4. 6.	H. $\frac{1}{2}$.	Linn. trans. v. 13. t. 9.
	<i>Méspilus acuminàta</i> . Lodd. bot. cab. t. 919.					
8	rotundifòlia. B.R. (wh.) round-leaved.	—	—	—	H. $\frac{1}{2}$.	Bot. reg. t. 1187.
	<i>microphy'lla</i> β 'Uva úrsi'. B.R.					
9	microphy'lla. B.R. (wh.) small-leaved.	—	—	—	H. $\frac{1}{2}$.	Bot. reg. t. 1114.
10	buxifòlia. B.R. (wh.) Box-leaved.	—	1824.	—	H. $\frac{1}{2}$.	

AMELA'NCHIER. DC. AMELA'NCHIER. Icosandria Pentagynia.						
1	vulgàris. DC. (wh.) common.	S. Europe.	1596.	4. 5.	H. ½.	Schmidt. arb. t. 85.
	<i>Méspilus Amelánchier.</i> Jacq. aust. t. 300. <i>P'yrus Amelánchier.</i> W.					
2	Botryàpium. DC. (wh.) snowy.	N. America.	1746.	—	H. ½.	Schmidt. arb. t. 84.
	<i>Méspilus canadénsis.</i> L. <i>P'yrus Botryàpium.</i> w. <i>Arònia Botryàpium.</i> P.S.					
3	ovàlis. DC. (wh.) oval-leaved.	—	1800.	—	H. ½.	
4	sanguínea. DC. (wh.) red-branched.	—	1812.	—	H. ½.	Bot. reg. t. 1171.
AR'ONIA. P.S. AR'ONIA. Icosandria. Di-Pentagynia.						
1	arbutifòlia. N. (wh.) red-berried.	N. America.	1700.	5. 6.	H. ½.	Mill. ic. t. 109.
	<i>pyrifòlia.</i> P.S. <i>P'yrus arbutifòlia.</i> Ph.					
2	grandifòlia. (wh.) large-leaved.	—	—	H. ½.	Bot. reg. t. 1154.
	<i>P'yrus grandifòlia.</i> B.R.					
3	floribúnda. (wh.) many-flowered.	—	—	H. ½.	Bot. reg. t. 1006.
4	xanthocárpa. L.C. (wh.) yellow-fruited.	—	1820.	—	H. ½.	
5	melanocárpa. N. (wh.) black-fruited.	—	1700.	—	H. ½.	Schmidt. arb. t. 86.
6	chamæméspilus. P.S. (wh.) Bastard Quince.	Pyrenees.	1683.	—	H. ½.	— t. 87.
	<i>Méspilus chamæméspilus.</i> L. <i>Cratægus chamæméspilus.</i> Jacq. aust. t. 231.					
P'YRUS. DC. PEAR & APPLE. Icosandria Di-Pentagynia.						
1	commúnis. DC. (wh.) common Pear.	England.	4.	H. 5.	Eng. bot. v. 25. t. 1784.
	<i>a' Achras.</i> DC. (wh.) pointed-leaved.	—	—	H. 5.	
	<i>β pyràster.</i> DC. (wh.) round-leaved.	—	—	H. 5.	Gært. fr. t. 87. f. 2.
	<i>γ sativa.</i> DC. (wh.) cultivated.	—	—	H. 5.	
2	Bollwylleriana. DC. (wh.) woolly-leaved.	Germany.	1786.	4. 5.	H. 5.	Lodd. bot. cab. t. 1009.
3	salvifòlia. DC. (wh.) Sage-leaved.	France.	1824.	—	H. 5.	
4	amygdalifórmis. DC. (wh.) Almond-like.	—	1820.	—	H. 5.	
5	elæagnifòlia. DC. (wh.) Oleaster-leaved.	Tauria.	1818.	—	H. 5.	
6	salicifòlia. DC. (wh.) Willow-leaved.	Siberia.	1780.	5. 6.	H. 5.	Bot. reg. t. 514.
7	crenàta. D.P. (wh.) crenated.	Nepaul.	1820.	—	H. 5.	
8	sinàica. DC. (wh.) Mount Sinai.	Levant.	—	5.	H. 5.	Wats. dend. brit. t. 49.
	<i>pérsica.</i> P.S.					
9	nivàlis. DC. (wh.) white-leaved.	Austria.	—	H. 5.	Jacq. aust. 2. t. 107.
10	Pàshia. D.P. (wh.) rough-fruited.	Nepaul.	1825.	5. 6.	H. 5.	
11	Nússia. D.P. (wh.) small-fruited.	—	1823.	—	H. 5.	
12	sinénsis. B.R. (wh.) Chinese.	China.	—	—	H. 5.	Bot. reg. t. 1248.
13	acérba. DC. (bh.) sour.	Europe.	4. 5.	H. 5.	Flor. dan. t. 1101.
14	Màlus. DC. (bh.) common Apple.	Britain.	—	H. 5.	Eng. bot. v. 3. t. 179.
15	pr'æcox. (bh.) Paradise.	Russia.	1784.	4.	H. 5.	
16	dioíca. DC. (st.) linear petal'd.	4. 5.	H. 5.	
17	astracànica. DC. (bh.) Astracan.	Astracan.	1824.	—	H. 5.	
18	spectàbilis. DC. (pi.) Chinese Apple.	China.	1780.	5.	H. 5.	Bot. mag. t. 267.
19	prunifòlia. DC. (bh.) Siberian Crab.	Siberia.	1758.	4. 5.	H. 5.	Mill. ic. 2. t. 269.
20	tomentòsa. DC. (bh.) woolly.	—	1824.	—	H. 5.	
21	rubicúnda. DC. (bh.) red-fruited.	1820.	—	H. 5.	
22	baccàta. DC. (bh.) small Crab.	Siberia.	1784.	—	H. 5.	Pall. fl. ross. t. 10.
23	coronària. DC. (pi.) sweet-scented.	Virginia.	1724.	5.	H. 5.	Bot. reg. t. 651.
24	angustifòlia. DC. (bh.) narrow-leaved.	N. America.	1750.	—	H. ½.	Wats. dend. brit. 132.
25	pùmila. Mil. (bh.) dwarf evergreen.....	4. 5.	H. ½.	
26	'Aria. DC. (wh.) white-beam.	Britain.	5. 6.	H. 5.	Eng. bot. v. 26. t. 1858.
27	alpina. W. en. (wh.) Alpine.	Europe.	1820.	—	H. 5.	Duham. ed. nov. 4. t. 34.
	<i>longifòlia.</i> Duham.					
28	intermèdia. DC. (wh.) Swedish.	Sweden.	1789.	4. 5.	H. 5.	Flor. dan. 301.
29	latifòlia. P.S. (wh.) broad-leaved.	France.	5. 6.	H. 5.	Duham. arb. 1. t. 80.
30	èdulis. W. en. (wh.) eatable-fruited.	Europe.	1816.	—	H. 5.	Wats. dend. brit. t. 52.
31	lanàta. D.P. (wh.) woolly.	Nepaul.	1820.	—	H. 5.	
32	torminàlis. DC. (wh.) Wild Service.	England.	4. 5.	H. 5.	Eng. bot. v. 5. t. 298.
33	auriculàta. DC. (wh.) eared-leaved.	Egypt.	1828.	H. 5.	
34	pinnatífida. DC. (wh.) pinnatifid.	England.	5. 6.	H. 5.	Eng bot. v. 33. t. 23-31.
35	arbúscula. Poir. (wh.) little tree.	Germany.	—	H. 5.	
36	microcárpa. DC. (wh.) small-berried.	N. America.	—	H. 5.	
37	aucupària. DC. (wh.) Mountain Ash.	Britain.	—	H. 5.	Eng. bot. v. 5. t. 337.
38	americàna. DC. (wh.) purple-berried.	Canada.	1782.	—	H. 5.	Wats. dend. brit. t. 54.
39	sorbifòlia. W.D. (wh.) Service-leaved.	5.	H. 5.	— t. 53
40	Sórbus. DC. (wh.) Service-tree.	England.	5. 6.	H. 5.	Eng. bot. v. 5. t. 350.
	<i>doméstica.</i> E.B. <i>Sórbus doméstica.</i> L.					
41	lanuginòsa. DC. (wh.) woolly-leaved.	Hungary.	1820.	—	H. 5.	
42	spùria. DC. (bh.) spurious.	Hybrid.	—	H. 5.	Bot. reg. t. 1196.
	<i>hybrida.</i> Mœnch. Weis. t. 6. <i>Sórbus spuria.</i> P.S.					

CYDONIA. DC.		QUINCE.	Icosandria	Pentagynia.				
1	vulgàris. DC.	(wh.) common.	S. Europe.	1573.	5. 6.	H. 5.		Jacq. aust. 4. t. 312.
	<i>a maliformis.</i> DC.	(wh.) Apple-fruited.	—————	—————	—————	H. 5.		
	<i>β lusitanica.</i> DC.	(wh.) large-fruited.	—————	—————	—————	H. 5.		Duha. arb. fr. 1. p. 195. ic.
	<i>γ oblonga.</i> DC.	(wh.) oblong-fruited.	—————	—————	—————	H. 5.		Blackw. herb. t. 137.
2	sinénsis. DC.	(wh.) Chinese.	China.	1815.	4. 5.	H. 5.		Bot. reg. t. 905.
3	japónica. DC.	(sc.) Japan.	Japan.	1796.	1. 12.	H. ½.		Bot. mag. t. 692.
	<i>a rubra.</i>	(sc.) red-flowered.	—————	—————	—————	H. ½.		
	<i>Pyrus japónica.</i>	B.M. <i>Malus japónica.</i>	A.R. 462.					
	<i>β alba.</i>	(wh.) white-flowered.	—————	1812.	—————	H. ½.		Lodd. bot. cab. t. 541.

ORDO LXXVIII.

ROSACEÆ. *D. Don prodr. fl. nepal. p. 229.*

Tribus I. ROSEÆ. DC. prodr. 2. p. 596.

ROSA. DC.		ROSE.	Icosandria	Polygynia.	L.			
1	berberifolia. W.	(ye.) Berberry-ld.	Persia.	1790.	6. 8.	H. ½.		Redout. ros. 1. 27. t. 2.
	<i>simplicifolia.</i> P.L. 101.	<i>Lo-wea berberifolia.</i>	Bot. reg.	1261.				
2	ferox. L.R.	(pu.) hedgehog.	Caucasus.	1796.	6. 8.	H. ½.		Bot. reg. t. 420.
3	kamchatica. L.R.	(pu.) Kamtschatka.	Kamtschatka.	1802.	7. 8.	H. ½.		————— t. 419.
	<i>β nitens.</i> B.R.	(pu.) glossy.	—————	1820.	—————	H. ½.		————— t. 824.
4	involverata. L.R.	(wh.) floral-leaved.	China.	1814.	5. 10.	H. ½.	∪.	————— t. 739.
5	clinophylla. R.R.	(wh.) naked-flowered.	—————	1820.	—————	H. ½.	∪.	Redout. ros. 1. t. 10.
6	bracteata. L.R.	(wh.) Macartney.	—————	1795.	6. 10.	H. ½.	∪.	————— 1. t. 6.
	<i>β scabriuscula.</i> L.R.	(w.) rough Macartney.	—————	—————	—————	H. ½.	∪.	Bot. mag. 1377.
7	nitida. W.en.	(ro.) dwarf Labrador.	N. America.	1773.	7. 8.	H. ½.	∪.	Lindl. ros. t. 2.
8	vapa. B.R.	(ro.) double Burnet.	—————	1726.	—————	H. ½.		Redout. ros. 1. 7. t. 2.
9	lucida. W.	(re.) single Burnet.	—————	1773.	—————	H. ½.		Miss Lawr. ros. t. 24.
10	Lindleyi. S.S.	(ro.) spreading.	—————	1726.	—————	H. ½.		Lindl. ros. t. 3.
	<i>laxa.</i> L.R. non Retz.							
11	parviflora. W.	(bh.) small-flowered.	—————	1724.	—————	H. ½.		
	<i>a Single Pennsylvanian</i> (bh.)	—————	—————	—————	—————	H. ½.		Miss Lawr. ros. t. 68.
	<i>β Double Pennsylvanian</i> (bh.)	—————	—————	—————	—————	H. ½.		————— t. 66.
12	Woodsii. L.R.	(pi.) Woods's.	—————	1815.	6. 7.	H. ½.		
13	gemella. S.S.	(re.) twin-flowering.	—————	1800.	7. 8.	H. ½.		
14	Lyonii. S.S.	(ro.) Lyon's.	Tennessee.	1812.	—————	H. ½.		
15	florida. L.C.	(re.) flowering.	N. America.	—————	6. 7.	H. ½.		
16	carolina. L.R.	(re.) Carolina.	—————	1726.	—————	H. ½.		Lindl. ros. t. 4.
17	pennsylvanica. L.en.	(re.) Pennsylvanian.	—————	—————	—————	H. ½.		
18	blanda. L.R.	(re.) Hudson's Bay.	—————	1773.	5. 8.	H. ½.		Miss Lawr. ros. t. 27.
19	fraxinifolia. L.R.	(re.) Ash-leaved.	Newfoundland.	—————	4. 6.	H. ½.		Bot. reg. 458.
	<i>β Red Alpine Rose.</i> (re.)	—————	—————	—————	—————	H. ½.		Miss Lawr. ros. t. 75.
20	cinnamomea. E.B.	(ro.) Single Cinnamon.	England.	5.	H. ½.		Eng. bot. v. 34. t. 2388.
	<i>β flore semiplena.</i> (ro.)	semidouble.	—————	—————	H. ½.		
	<i>γ facundissima.</i> (ro.)	double Cinnamon.	Europe.	4. 5.	H. ½.		Lindl. ros. t. 5.
21	majalis. L.R.	(ro.) dwarf Cinnamon.	S. Europe.	—————	H. ½.		Flor. dan. t. 688.
22	frutetorum. S.S.	(bh.) short peduncul'd.	Volhynia.	1820.	5. 6.	H. ½.		
23	ambigua. S.S.	(bh.) ambiguous.	—————	—————	—————	H. ½.		
24	macrophylla. L.R.	(ro.) long-leaved.	Nepaul.	1822.	H. ½.		Lindl. ros. t. 6.
25	americana. L.en.	(ro.) American.	America.	—————	H. ½.		
26	alpina. L.R.	(re.) Alpine.	Europe.	1683.	6. 7.	H. ½.		Bot. reg. 424.
	<i>a Alpine Rose.</i> (re.)	common.	—————	—————	—————	H. ½.		Miss Lawr. ros. t. 30.
	<i>β pyrenæica.</i> L.R.	(re.) Pyrenean.	—————	—————	—————	H. ½.		Jacq. schœnb. 4. t. 416.
	<i>γ pendulina.</i> L.R.	(re.) pendulous.	—————	—————	—————	H. ½.		Miss Lawr. ros. t. 9.
27	pygmæa. S.S.	(ro.) pigmy.	Tauria.	1726.	—————	H. ½.		
28	rubella. E.B.	(re.) long-fruited.	England.	7.	H. ½.		Eng. bot. v. 36. t. 2521.
	<i>β melanocarpa.</i> L.R.	(re.) black-fruited.	—————	—————	H. ½.		

29 muricata. L.en.	(ro.) mucicate.	1823.	6. 7.	H. h.	
30 balsamica. s.s.	(ro.) balsamic.	—	—	H. h.	
31 stricta. L.R.	(ro.) upright.	N. America.	1726.	—	H. h.	Lindl. ros. t. 7.
	<i>Upright Carolina.</i> (ro.)	—	—	—	H. h.	Miss Lawr. ros. t. 36.
32 suavis. s.s.	(ro.) sweet.	1817.	—	H. h.	
33 acicularis. L.R.	(ro.) grey Siberian.	Siberia.	3. 4.	H. h.	Lindl. ros. t. 8.
34 pauciflora. Ly.	(ro.) few-flowered.	—	—	H. h.	
35 sulphurea. w.	(st.) double yellow.	Levant.	1629.	7.	H. h.	Bot. reg. 46.
36 lutescens. Ph.	(st.) yellowish.	Siberia.	1780.	5. 6.	H. h.	Lindl. ros. t. 9.
	<i>hispid.</i> Bot. mag. t. 1570.					
37 viminea. L.R.	(ro.) twiggy.	Russia.	1826.	5. 6.	H. h.	
38 spinosissima. E.B.	(wh.) Scotch.	Britain.	6. 7.	H. h.	Eng. bot. v. 3. t. 187.
	β <i>reversa.</i> L.R. (wh.) reversed prickle.	—	—	H. h.	Bot. reg. 431.
	γ <i>striped-flowered Scotch.</i> (std.)	—	—	H. h.	Miss Lawr. ros. t. 15.
	δ <i>Red Scotch.</i> (re.)	—	—	H. h.	— t. 62.
	ϵ <i>Double Scotch.</i> (wh.)	—	—	H. h.	— t. 63.
	ζ <i>Tall Scotch.</i> (wh.)	—	—	H. h.	— t. 19.
	η <i>Marbled Scotch.</i> (pu.) (wh.)	—	—	H. h.	— t. 78.
	θ <i>sanguisorbifolia.</i> L.R. (wh.) <i>Sanguisorba-ld.</i>	—	H. h.	
39 altaica. W.en.	(wh.) Pallas's.	Siberia.	—	H. h.	Pall. ros. 2. t. 75.
40 ochroleuca. L.en.	(st.) sulphur-color'd.	—	1814.	—	H. h.	
41 melanocarpa. s.s.	(wh.) small black fruited.	S. Europe.	1823.	—	H. h.	
42 grandiflora. L.R.	(wh.) large flowered.	Siberia.	5. 6.	H. h.	Bot. reg. 888.
43 myriacantha. DC.	(wh.) numerous-spin'd.	S. France.	1820.	—	H. h.	Lindl. ros. t. 10.
44 involuta. E.B.	(bh.) Dr. Walker's.	Hebrides.	6. 7.	H. h.	Eng. bot. v. 29. t. 2068.
45 reversa. L.R.	(bh.) reversed.	Hungary.	1817.	—	H. h.	W. et K. hung. 3. t. 264.
46 Biebersteinii. Ly.	(ro.) Bieberstein's.	Caucasus.	1821.	5.	H. h.	
47 Doniana. L.T.	(wh.) Mr. Don's.	Britain.	6. 7.	H. h.	
48 gracilis. L.T.	(ro.) slender.	—	7 8.	H. h.	Eng. bot. v. 9. t. 583.
	<i>rillosa.</i> E.B. non L.					
49 Sabini. L.T.	(ro.) Mr. Sabine's.	—	—	H. h.	
50 marginata. L.R.	(ro.) margined.	Germany.	1823.	—	H. h.	
51 coruscans. L.en.	(ro.) glittering.	—	—	H. h.	
52 damascena. L.R.	(re.) red damask.	Syria?	1575.	6. 7.	H. h.	Miss Lawr. ros. t. 38.
53 centifolia. L.R.	(ro.) Provins.	Caucasus.	1596.	—	H. h.	— t. 8.
	β <i>muscosa.</i> L.R. (ro.) single moss.	1724.	—	H. h.	Bot. reg. 53.
	γ <i>multiplax.</i> (ro.) double moss.	—	—	H. h.	Bot. mag. t. 69.
	δ <i>albiflora.</i> (wh.) white moss.	—	—	H. h.	Bot. reg. t. 102.
	ϵ <i>pomponia.</i> L.R. (pi.) <i>Pomponie.</i>	—	H. h.	Redout. ros. 1. 65. t. 21.
	ζ <i>bipinnata.</i> L.R. (pi.) <i>bipinnate.</i>	Caucasus.	—	H. h.	— 2. 11. t. 4.
54 gallica. L.R.	(re.) officinal.	Europe.	1596.	—	H. h.	Bot. reg. 448.
	β <i>pumila.</i> L.R. (re.) dwarf.	Austria.	1773.	—	H. h.	Jacq. aust. 2. t. 198.
55 pulchella. s.s.	(re.) neat.	France.	—	H. h.	
56 parvifolia. L.R.	(pu.) Burgundy.	Europe.	—	H. h.	Bot. reg. t. 452.
57 turbinata. L.R.	(ro.) Frankfort.	—	1629.	—	H. h.	Miss Lawr. ros. t. 69.
58 villosa. L.T.	(bh.) villous.	Britain.	6.	H. h.	Eng. bot. v. 35. t. 2459.
	<i>molli.</i> E.B.					
	α <i>single apple bearing.</i> (bh.)	—	—	H. h.	Miss Lawr. ros. t. 33.
	β <i>cærulea.</i> L.T. (bh.) blue-stalked.	—	—	H. h.	
	γ <i>concarifolia.</i> L.T. (bh.) concave-leaved.	Scotland.	—	H. h.	
	δ <i>suberecta.</i> L.T. (bh.) suberect.	Yorkshire.	—	H. h.	
	ϵ <i>double apple bearing.</i> (pi.)	—	—	H. h.	Miss Lawr. ros. t. 29.
59 scabriuscula. L.T.	(bh.) roughish.	Britain.	—	H. h.	Eng. bot. t. 1896.
60 heterophylla. L.T.	(bh.) various-leaved.	Scotland.	—	H. h.	
61 tomentosa. L.T.	(bh.) downy-ld. dog.	Britain.	—	H. h.	Eng. bot. v. 14. t. 990.
	β <i>sylvestris.</i> L.T. (bh.) wood.	—	—	H. h.	
	γ <i>canescens.</i> L.T. (bh.) canescent.	—	—	H. h.	
	δ <i>incana.</i> L.T. (bh.) hoary.	—	—	H. h.	
	ϵ <i>resinosa.</i> L.R. (re.) resinous.	Ireland.	—	H. h.	
62 nuda. L.T.	(bh.) naked.	Westmoreland.	..	—	H. h.	
63 alba. L.R.	(wh.) single white.	Europe.	1597.	6. 7.	H. h.	Miss Lawr. ros. t. 37.
64 montana. s.s.	(bh.) mountain.	Tauria.	1820.	—	H. h.	
65 hibernica. L.T.	(pi.) Irish.	Ireland.	6. 11.	H. h.	Eng. bot. v. 31. t. 2196.
66 lutea. L.R.	(ye.) yellow.	Germany.	1596.	6.	H. h.	Bot. mag. 363.
67 punicea. Mil.	(re. ye.) red and yellow.	Persia.	—	—	H. h.	— t. 1077.
68 Sherardi. Sm.	(bh.) Sherard's.	Britain.	6. 7.	H. h.	
69 Dicksoniana. L.B.	(bh.) Dickson's.	Ireland.	—	H. h.	
70 rubiginosa. E.B.	(ro.) sweet briar.	Britain.	—	H. h.	Eng. bot. v. 14. t. 991.
71 micrantha. L.T.	(ro.) small.	England.	—	H. h.	— v. 35. t. 2490.

72	sèpium. DC.	(bh.) hedge.	France.	—	H. h.	
73	Borreri. L.T.	(bh.) Borrer's.	Britain.	—	H. h.	Eng. bot. v. 36. t. 2579.
	<i>dumetorum. E.B. nec aliorum.</i>						
74	umbellata. DC.	(ro.) umbel-flowered.	—	—	H. h.	
75	adenophylla. s.s.	(bh.) glandulous.	1816.	—	H. h.	
76	pruinosa. L.C.	(ro.) frosted.	1817.	5. 6.	H. h.	
	<i>pulverulenta. L.R. non M.B.</i>						
77	glutinosa. L.R.	(bh.) glutinous.	Levant.	1821.	6. 7.	H. h.	Cupan. panp.ed.1.t.61
	<i>rubiginosa crética. Red. ros. 125. t. 47.</i>						
78	Montezumæ. K.S.	(ro.) Mexican.	Mexico.	1823.	H. h.	Redout. ros. 1. t. 16.
79	rèpens. Scop.	(bh.) creeping.	1825.	6. 7.	H. h.	
80	uncinata. Bes.	(bh.) hooked.	Poland.	1826.	—	H. h.	
81	Boreykiana. Bes.	(bh.) Boreyki's.	1827.	—	H. h.	
82	Fischeriana. Bes.	(bh.) Fischer's.	Russia.	1825.	—	H. h.	
83	gorenkensis. Bes.	(bh.) Gorenki.	—	—	—	H. h.	
84	guttensteiniensis. Bes.	(bh.) Guttenstein.	Poland.	1822.	—	H. h.	
85	Kosinskiana. Bes.	(bh.) Koscinski.	Europe.	1825.	—	H. h.	
86	polyphylla. Bes.	(bh.) many-leaved.	1827.	—	H. h.	
87	terebinthinea. Bes.	(bh.) Turpentine.	Germany.	1825.	—	H. h.	
88	Redowskiiana. Bes.	(bh.) Redowski's.	1828.	—	H. h.	
89	uncinella. Bes.	(bh.) small-hooked.	Europe.	1825.	—	H. h.	
90	dimorpha. Bes.	(bh.) variable.	Volhynia.	1821.	—	H. h.	
91	caryophyllæa. Bes.	(bh.) Clove-scent'd.	Poland.	1825.	—	H. h.	
92	glauca. Bes.	(bh.) glaucous.	—	—	—	H. h.	
93	nitidula. Bes.	(bh.) glossy.	Europa.	—	—	H. h.	
94	floribunda. Bes.	(bh.) abundant-fl'd.	—	1828.	—	H. h.	
95	solstitialis. Bes.	(bh.) summer.	Poland.	1821.	—	H. h.	
96	acuta. F.	(bh.) acute-leaved.	Caucasus.	—	—	H. h.	
97	purpurascens. F.	(pu.) purplish.	Tanaim.	—	—	H. h.	
98	rupicola. F.	(bh.) rocky.	Altay.	—	—	H. h.	
99	saxatilis. M.B.	(bh.) rock.	Tauria.	1825.	—	H. h.	
100	caucasica. M.B.	(bh.) Caucasian.	Caucasus.	1793.	5. 6.	H. h.	Lindl. ros. t. 11.
101	cæsia. L.T.	(bh.) grey-leaved.	Scotland.	7.	H. h.	Eng. bot. v. 33. t. 2367.
102	sarmentæa. L.T.	(ro.) sarmentose.	Britain.	6. 7.	H. h.	
	<i>β nitens. L.T. (ro.) glossy-leaved.</i>						
103	bractescens. L.T.	(bh.) long-bracted.	Lancashire.	—	H. h.	
104	dumetorum. L.T.	(bh.) bushy.	England.	6.	H. h.	
105	Forsteri. Sm.	(bh.) Forster's.	—	—	H. h.	
106	collina. L.T.	(bh.) hill.	—	—	H. h.	
107	canina. L.T.	(bh.) dog or hep.	Britain.	6. 7.	H. h.	Jacq. aust. 2. t. 197.
	<i>β cæra. L.T. (bh.) waxy.</i>						Eng. bot. v. 14. t. 912.
	<i>γ glandulifera. L.T. (bh.) glandular.</i>						
	<i>δ simpliciuscula. L.T. (bh.) simple-calyxed.</i>						
108	surulosa. L.T.	(bh.) surculose.	—	—	H. h.	
109	leucantha. L.en.	(wh.) white-flowered.	Siberia.	1824.	H. h.	
110	rubrifolia. L.R.	(re.) reddish-leaved.	S. Europe.	5. 6.	H. h.	Bot. reg. t. 430.
111	sericea. L.R.	(bh.) silky-leaved.	Nepaul.	1823.	H. h.	Lindl. ros. t. 12.
112	microphylla. L.R.	(re.) small-leaved.	China.	1822.	6. 8.	H. h.	Bot. reg. t. 919.
113	longifolia. W.	(bh.) Willow-leaved.	—	2. 10.	F. h.	Redout. ros. 2. 27. t. 12.
114	indica. W.	(ro.) common China.	—	1789.	1. 12.	H. h.	Miss Lawr. ros. t. 26.
	<i>β centifolia. (ro.) large-double.</i>						
	<i>γ purpurea. (pu.) purple China.</i>						
	<i>δ subalba. (bh.) whitish China.</i>						
	<i>ε media. (ro.) middle China.</i>						
	<i>ζ minor. (ro.) small China.</i>						
	<i>η fragrans. (pu.) animating.</i>						Andr. ros. ic.
115	odorata. (pa.) sweet-scented.		—	—	H. h.	
	<i>indica odorata. A.R. indica fragrans. R.R. 1. 115. t. 42.</i>						Bot. reg. 804.
	<i>β flavescens. (st.) yellow China.</i>						
116	sempertlorens. L.R.	(cr.) red China.	China.	1823.	—	H. h.	
	<i>α diversifolia. V. (re.) single.</i>			1789.	1. 12.	F. h.	Exot. bot. 2. t. 91.
	<i>β atrorubens. (cr.) double red.</i>			—	F. h.	Vent. cels. t. 35.
	<i>γ resplendens. (cr.) resplendent.</i>			1789.	F. h.	Bot. mag. 284.
	<i>δ fragrans. (re.) fragrant.</i>			—	F. h.	
	<i>ε Terneauxi. (re.) Terneaux's.</i>			1820.	—	F. h.	
	<i>ζ Bichonii. (re.) Bichon's.</i>			—	—	F. h.	
117	Lawranceana. L.R.	(bh.) Miss Lawrance's.	—	—	—	F. h.	
	<i>β flore pleno. (bh.) double-flowered.</i>			1810.	—	F. h.	Bot. reg. t. 538.
				1824.	—	F. h.	

118	<i>syst'yla</i> . L.T.	(bh.) clustered dog.	Britain.	6. 7.	H. h.	Eng. bot. v. 27. t. 1895.
	β <i>lanceolata</i> . L.R.	(bh.) spear-leaved.	Ireland.	—	H. h.	
	γ <i>Monsoniæ</i> . L.R.	(bh.) Lady Monson's.	England.	—	H. h.	
119	<i>arvensis</i> . L.T.	(wh.) field.	Britain.	—	H. h.	Eng. bot. v. 3. t. 188.
	β <i>scândens</i> .	(wh.) Ayrshire.	—	—	H. h. \smile .	Bot. mag. 2054.
120	<i>geminata</i> . Rau.	(bh.) Swiss.	Switzerland.	—	H. h.	
121	<i>sempervirens</i> . W.	(wh.) evergreen.	S. Europe.	1629.	6. 8.	H. h. \smile .	Bot. reg. t. 465.
122	<i>Boursoulti</i> .	(ro.) Boursoult's.	Hybrid.	1821.	4. 7.	H. h. \smile .	
123	<i>hyacinthina</i> .	(ro.) Hyacinth-scented.	—	—	—	H. h. \smile .	
124	<i>Grevillii</i> .	(ro. bh.) Greville's.	China.	—	H. h. \smile .	
125	<i>Roxburghii</i> .	(ro.) Roxburgh's.	—	—	H. h. \smile .	
126	<i>multiflora</i> . W.	(va.) many-flowered.	—	1804.	6. 8.	H. h. \smile .	Bot. reg. 425.
	α <i>rosea</i> .	(ro.) common.	—	—	—	H. h. \smile .	Bot. mag. t. 1059.
	β <i>albiflora</i> .	(wh.) white-flowered.	—	1825.	—	H. h. \smile .	
127	<i>Brunonii</i> . L.R.	(wh.) Mr. Brown's.	Nepaul.	1820.	—	H. h.	Lindl. ros. t. 14.
128	<i>moschata</i> . L.R.	(wh.) musk-scented.	Africa.	1596.	7. 9.	H. h.	Miss Lawr. ros. t. 64.
	β <i>fiore plèno</i> .	(wh.) double musk.	—	—	—	H. h.	— t. 53.
129	<i>nivea</i> . Dup.	(wh.) snow white.	Hybrid.	1823.	—	H. h.	Bot. reg. 861.
130	<i>Noisettiana</i> . R.R.	(bh.) Noisette's.	—	1816.	5. 11.	H. h.	
	β <i>grandiflora</i> .	(bh.) large-flowered.	—	1827.	—	H. h.	
	γ <i>Fraseri</i> .	(bh.) Fraser's.	—	1815.	—	H. h.	
	δ <i>purpurea</i> .	(pu.) purple.	—	1823.	—	H. h.	
131	<i>rubifolia</i> . L.R.	(re.) bramble-leav'd.	N. America.	1800.	7. 9.	H. h.	
	β <i>fenestralis</i> . L.R.	(re.) thin-leaved.	—	—	—	H. h.	Lindl. ros. t. 15.
132	<i>lævigata</i> . L.R.	(wh.) smooth.	Georgia.	1826.	—	H. h. \smile .	Bot. mag. t. 2847.
133	<i>sinica</i> . L.R.	(wh.) shining-leaved.	China.	1759.	6. 8.	F. h.	Lindl. ros. t. 16.
134	<i>Banksiæ</i> . L.R.	(wh.) Lady Banks's.	—	1807.	—	H. h. \smile .	Bot. reg. t. 397.
	α <i>albiflora</i> .	(wh.) white-flowered.	—	—	—	H. h. \smile .	Bot. mag. t. 1954.
	β <i>lutea</i> .	(ye.) yellow-flowered.	—	1823.	—	H. h. \smile .	— v. 13. t. 1105.

GARDEN VARIETIES.

I. *spinosissima*.

- 1 Aberdeen.
- 2 Aberfoil.
- 3 alba.
- 4 Alloa.
- 5 Ancram.
- 6 Anderson's double lady's
[blush.
- 7 Arbroath.
- 8 Argyll.
- 9 Arrochar.
- 10 Aurora borealis.
- 11 Balloch.
- 12 Banff.
- 13 Bannochburn.
- 14 Borisdale.
- 15 Bass.
- 16 Bengloe.
- 17 Ben Lomond.
- 18 Ben More.
- 19 Berwick.
- 20 bicolor.
- 21 Biggar.
- 22 Birnam.
- 23 Blair Athol.
- 24 Boharm.
- 25 Borthwick.
- 26 Buchan.
- 27 Bute.
- 28 Caithness.
- 29 Calder.
- 30 Callender.
- 31 Campsie.
- 32 *carnescens*.
- 33 Carron.
- 34 Cheviot.
- 35 ciphieri.

GARDEN VARIETIES.

- 36 Clydesdale.
- 37 Cromarty.
- 38 Dalkeith.
- 39 Dalrymple.
- 40 Dornock.
- 41 double blush Princess.
- 42 double blush Provins.
- 43 double crimson.
- 44 double crimson mottled.
- 45 double dark marbled.
- 46 double dark red.
- 47 double lady's blush.
- 48 double light marbled.
- 49 double light purple.
- 50 double pink.
- 51 double purple.
- 52 double rose blush.
- 53 Douglas.
- 54 Dumbarton.
- 55 Dumblane.
- 56 Dumfermline.
- 57 Dumfries.
- 58 Dunbar.
- 59 Duncrieff.
- 60 Dundee.
- 61 Dunglass.
- 62 Dunkeld.
- 63 Dunlop.
- 64 Dunmore.
- 65 Dutch double blush.
- 66 dwarf bicolor.
- 67 Dysart.
- 68 Eden.
- 69 Elgin.
- 70 Etterick.
- 71 Fairy.
- 72 Falkirk.

GARDEN VARIETIES.

- 73 Falkland.
- 74 Falla.
- 75 Fife.
- 76 *flavescens*.
- 77 Forfar.
- 78 Forth.
- 79 Fort William.
- 80 *fulgens*.
- 81 Furness.
- 82 Galloway.
- 83 Glasgow.
- 84 Glenco.
- 85 Glenfallach.
- 86 Glengarry.
- 87 Gourock.
- 88 Grahamston.
- 89 Grampian.
- 90 Greenock.
- 91 Haddington.
- 92 Halkirk.
- 93 Hamilton.
- 94 Hawick.
- 95 Hawthorndean.
- 96 Hector.
- 97 *humilis*.
- 98 Huntly.
- 99 *incarnata*.
- 100 Inverary.
- 101 Inverness.
- 102 Invermay.
- 103 Janus.
- 104 Jedburgh.
- 105 Jura.
- 106 Keith.
- 107 Kelso.
- 108 Kilmarnock.
- 109 Kincardine.

GARDEN VARIETIES.

- 110 Kinnaird.
 111 Kinross.
 112 Kircaldy.
 113 Kirkwall.
 114 Lanark.
 115 Laxford.
 116 Leith.
 117 Leslie.
 118 Lismore.
 119 Lochaber.
 120 Lochaird.
 121 Loch fine.
 122 Lochleven.
 123 Lochlomond.
 124 Lothian.
 125 Maidenkirk.
 126 Melrose.
 127 Monerieff.
 128 Monteith.
 129 Montgomery.
 130 Montrose.
 131 Mount Stuart.
 132 Mull.
 133 Moray.
 134 mutabilis.
 135 Nevis.
 136 Northumberland.
 137 Paisley.
 138 penicillata.
 139 Pentland.
 140 perpetual.
 141 picta. L.B.C. 687.
 142 Proteus.
 143 red, double light.
 144 Robertson.
 145 Rosslyn.
 146 Rothsay.
 147 rubicunda.
 148 Selkirk.
 149 Shetland.
 150 Sky.
 151 small double light purple.
 152 small double white.
 153 small double yellow.
 154 Staffa.
 155 Stirling.
 156 Strathmore.
 157 striata.
 158 Stronsa.
 159 Sutherland.
 160 Tiviotdale.
 161 Tarbet.
 162 Thornhill.
 163 Thurso.
 164 Tranent.
 165 true double red.
 166 two-coloured large double.
 167 two-coloured small double.
 168 variegata.
 169 venulosa glabra.
 170 venulosa hispida.
 171 white, large double.
 172 white, large semidouble.
 173 white, small double.
 174 Whitley's double white.
 175 yellow, globe double.
 176 yellow, large double.
 177 yellow, pale double.

GARDEN VARIETIES.

II. gallica.

- 178 admirable.
 179 aigle noir.
 180 aimable beaute.
 181 albanian.
 182 Amaranth.
 183 Antwerp.
 184 atlas.
 185 beaute rouge.
 186 beaute supreme.
 187 belle aurore.
 188 belle cramoisie.
 189 belle herminie.
 190 belle pourpre.
 191 belle violette.
 192 Bijou.
 193 Bishop. M.L.R. 20.
 194 black frizzled.
 195 blue.
 196 blue and purple.
 197 blush hundred-leaved.
 198 bouquet rouge royale.
 199 bright purple.
 200 Brunette.
 201 Brussels.
 202 Buonaparte.
 203 burning coal.
 204 cardinal M.L.R. 59.
 205 carmine.
 206 carmine, brillante.
 207 carmine, proliferous.
 208 carnation.
 209 Catalonian.
 210 champion.
 211 chancellor.
 212 changeable.
 213 cherry.
 214 Clementine.
 215 coquette.
 216 couleur de feu.
 217 cramoisie, grand.
 218 crown.
 219 Cupid.
 220 damask black.
 221 dark marbled.
 222 dark violet.
 223 delicious.
 224 dingy.
 225 double velvet.
 226 double marbled. M.L.R. 57.
 227 Duc de Guiche.
 228 Duchess d'Orleans.
 229 dutch crimson.
 230 dutch tree.
 231 dutch 100 leaved.
 232 early Ranunculus.
 233 enchanter.
 234 enfant de France.
 235 Eucharis.
 236 Fanny Bias.
 237 favourite purple.
 238 fiery.
 239 Flanders.
 240 Flemish.
 241 formidable.
 242 fringed. M.L.R. 82.
 243 garnet.
 244 gay.

GARDEN VARIETIES.

- 245 giant. M.L.R. 49.
 246 gloria mundi.
 247 gloria mundi flore pallido.
 248 gloria mundi pourpre.
 249 granaat appel.
 250 grand monarque.
 251 grand purple.
 252 grand Sultan.
 253 Henry IV.
 254 Hervy.
 255 imperatrice.
 256 incomparable.
 257 infernal.
 258 invincib'le.
 259 Italian.
 260 Josephine.
 261 Junon.
 262 king.
 263 La Dauphine.
 264 la grand belle pourpre.
 265 Leyden.
 266 light purple.
 267 Lisbon. M.L.R. 67.
 268 lively.
 269 L'ombre agreable.
 270 L'ombre superbe.
 271 lurid.
 272 maiden.
 273 Majorca.
 274 Malabar.
 275 Malta.
 276 manteau royal.
 277 marbled.
 278 marbled, grand.
 279 Margaret.
 280 matchless.
 281 Mauve.
 282 mignonne.
 283 mignonne, blush.
 284 mignonne, dark.
 285 mignonne, favorite.
 286 mignonne, incised.
 287 mignonne, red.
 288 mignonne, semidouble.
 289 mignonne, striped.
 290 mirabelle.
 291 Mogul.
 292 Montaubon.
 293 Morocco.
 294 mottled, black.
 295 mundi. M.L.R. 13.
 296 natalie.
 297 negrette.
 298 negro.
 299 ninon de l'Enclos.
 300 nonpareil.
 301 nonsuch.
 302 noir de Hollande.
 303 Normandy.
 304 officinal.
 305 officinal blush.
 306 officinal carmine.
 307 Orleans.
 308 ornement de parade.
 309 Pæstana.
 310 paradise.
 311 paragon.
 312 pavot.

GARDEN VARIETIES.

- 313 perruque.
 314 petite 100 leav'd. M.L.R. 55.
 315 petite panachée.
 316 phœnix.
 317 plicate. M.L.R. t. 87.
 318 Pluto. M.L.R. 32.
 319 Pomona.
 320 pompadour.
 321 pompone bizard.
 322 Poniatowsky.
 323 poppy.
 324 porcelaine.
 325 Portland.
 326 pourpre bouquet.
 327 pourpre charmante.
 328 pourpre de Tyr.
 329 pourprée, grand belle.
 330 pourprée, point.
 331 pourpre velours.
 332 prince.
 333 princess.
 334 prince William V.
 335 prolific.
 336 Pronville.
 337 Proserpine.
 338 Provins pulmonaire.
 339 purple blue.
 340 purple crimson.
 341 pyramidal.
 342 queen.
 343 Ranunculus.
 344 red and violet.
 345 Roi de France.
 346 Roi de pourpres.
 347 royal crimson.
 348 royal red.
 349 royal purple.
 350 royal virgin. M.L.R. 7.
 351 sable.
 352 Saint John's.
 353 Sanspareil.
 354 sceptre.
 355 semidouble velvet.
 356 shell. M.L.R. 89.
 357 single velvet.—51.
 358 Singleton's 100 leaved.—85.
 359 Spanish.
 360 stadtholder.
 361 Stepney. M.L.R. 46.
 362 striped nosegay.
 363 striped velvet.
 364 superb red.
 365 Sultan. M.L.R. 35.
 366 Trafalgar.
 367 triumphant.
 368 Tuscany. B.R. v. 6. t. 448.
 369 two-colored.
 370 Venetian.
 371 victory.
 372 violette and rouge.

III. *centifolia*.

- 373 aurora.
 374 Belle d'Aunay.
 375 Blandford, M.L.R. 21.
 376 black mottled.
 377 blush royal. M.L.R. 47.

GARDEN VARIETIES.

- 378 blush cabbage.
 379 Bourbon.
 380 bright crumpled.
 381 carmine.
 382 Centfeuilles Anemone.
 383 Centfeuilles de Bruxelles.
 384 Centfeuilles de Hesse.
 385 Centfeuilles gaufrée.
 386 chamois.
 387 cluster.
 388 Constance.
 389 Cumberland.
 390 dragon.
 391 Duchesse d'Angoulême.
 392 Duchesse de Berri.
 393 early 100 leaved.
 394 Elysian.
 395 emperor.
 396 grand chamois.
 397 grand marbled.
 398 grand Provins.
 399 Louis XVIII.
 400 Malta.
 401 mère gryone.
 402 mignonne, scarlet.
 403 mignonne, crimson.
 404 mignonne, purple.
 405 mottled purple.
 406 Neapolitan.
 407 one-sided.
 408 Œillet.
 409 pencilled.
 410 petite Hollande.
 411 Persian.
 412 pompone, gros.
 413 pourprée aimable.
 414 pourprée favorite.
 415 pourprée violette.
 416 Provins, single. R.R. 1. t. 1.
 417 Provins, common. M.L.R. 8.
 418 Provins, cabbage.
 419 Provins, blush cabbage.
 420 Provins, scarlet, M.L.R. 22.
 421 Provins, Childings.—43.
 422 Provins, blush.—1.
 423 Provins, white.—4.
 424 Provins, Shailer's.—76.
 425 Provins, Colvill's.
 426 Provins, damask.
 427 Provins, dwarf.
 428 Provins, invincible.
 429 Provins, Dutch.
 430 Provins, imperial.
 431 Provins, royal.
 432 Provins, early.
 433 Provins, semidouble.
 434 red Belgic.
 435 rouge superbe.
 436 sans petales.
 437 souchet.
 438 Spong's.
 439 superb carmine.
 440 surpassante.
 441 Syren.
 442 Trianon, Belle de
 443 Versailles.
 444 Vilmorin.

GARDEN VARIETIES.

- * *centifolia muscosa*.
 445 single moss.
 446 common moss.
 447 blush moss.
 448 dark moss.
 449 mottled moss.
 450 prolific moss.
 451 royal moss.
 452 scarlet moss.
 453 semidouble moss.
 454 striped moss.
 455 Shailer's white moss.
 456 Bristol white moss.
 † *centifolia pomponia*.
 457 de Meax. M.L.R. 31.
 458 de Rheims.—71.
 459 dwarf Bagshot.
 460 mignonne charmante.
 461 mossy de Meaux.
 462 mossy Pompone.
 463 Pompone. M.L.R. 50.
 464 proliferous Pompone.
 465 St. Francis. M.L.R. 88.
 466 small provins.
 IV. *damascena*.
 467 argentea.
 468 Aurora.
 469 bifera carnea.
 470 bifera de Naples.
 471 bifera grandiflora.
 472 Belgique carnée.
 473 Belgique violette.
 474 belle couronnee.
 475 blush Belgic. M.L.R. 70.
 476 blush monthly.—18.
 477 blush damask.—52.
 478 Brunswick.
 479 couronnée petite.
 480 damas argente.
 481 damas pourpre.
 482 early blush.
 483 Egyptian.
 484 Emperor.
 485 favorite mignonne.
 486 félicité.
 487 Goliath. M.L.R. t. 80.
 488 gracieuse.
 489 grande monarque.
 490 great royal. M.L.R. 58.
 491 imperial blush. M.L.R. 90.
 492 incomparable.
 493 lesser Belgic.
 494 pale cluster.
 495 paragon.
 496 Parnassus.
 497 Pæstana.
 498 petite 100-leaved.
 499 perpetual.
 500 prolific.
 501 quatre saisons.
 502 quatre saisons blanche.
 503 quatre saisons, flesh-colored.
 504 quatre saisons Francois.
 505 quatre saisons panaché.
 506 quatre saisons pompone.
 507 quatre saisons sans épines.
 508 quatre saisons, semidouble.

GARDEN VARIETIES.

- 509 red damask. M.L.R. 38.
 510 red monthly. M.L.R. 5.
 511 red Belgic.—83.
 512 rouge agathe.
 513 Swiss.
 514 valiant.
 515 Watson's blush.
 516 white damask.
 517 white monthly. M.L.R. 17.
 518 York and Lancaster.—10.
 519 Zealand.

V. *alba*.

- 520 agate.
 521 agate magnifique.
 522 agate Marie Louise.
 523 agate nouvelle.
 524 agate prolifere.
 525 agate royale.
 526 agate superb.
 527 agate thalie.
 528 belle aurore.
 529 belle Henriette.
 530 blanche à cœur vert.
 531 blanche de Belgique.
 532 bouquet blanc.
 533 celestial.
 534 cluster maiden's blush.
 [M.L.R. 23.
 535 double white blush.
 536 Duc d'York.
 537 Eliza.
 538 feuille fermée.
 539 full double white. M.L.R. 25.
 540 grand cuisse de nymphe.
 541 great maiden's blush.
 [M.L.R. 230.
 542 Joanne d'Arc.
 543 Moraga la favourite.
 544 muscat rouge.
 545 nova cœlestis.
 546 nova plena.
 547 petite cuisse de nymphe.
 548 rosea.
 549 semidouble white.
 550 Simonville.
 551 small maiden's blush.
 552 spineless virgin.
 553 thornless virgin.
 554 triangularis.

VI. *rubiginosa*.

- 555 Clementine sweet briar.
 556 cluster blush sweet briar.
 557 double mossy sweet briar.
 [M.L.R. 72.
 558 double red sweet briar.—61.
 559 double rosy sweet briar.
 560 double tree sweet briar.
 561 eglantine sweet briar.
 562 eglanteria alba.
 563 evergreen sweet briar.
 564 large blush sweet briar.
 565 maiden sweet briar.
 566 Manning's sweet briar.
 [M.L.R. 41.
 567 monstrous sweet briar.

GARDEN VARIETIES.

- 568 petite hessoise.
 569 royal sweet briar.
 [M.L.R. 74.
 570 scarlet sweet briar.
 571 semidouble dwarf.
 572 semidouble whitesweet briar.
 [M.L.R. 65.
 573 Zabeth.

VII. *indica et semperflorens*.

- 574 atronigra.
 575 Bengale a bouquet.
 576 Bengale à flore panaché.
 577 Bengale blanche.
 578 carnescens.
 579 Chiffonnée.
 580 Cérise éclatante.
 581 cucullata.
 582 elegant.
 583 flòrida.
 584 gigantea.
 585 lie de vin.
 586 lùcida.
 587 màjor.
 588 monstròsa.
 589 moonshine.
 590 nigra.
 591 sanguinea.
 592 sans épines.
 593 Thisbe.
 594 Veloutée.

VIII. *various garden Roses*.

- 595 abundant.
 596 abyla.
 597 Achaia.
 598 Achilles.
 599 Adelina.
 600 admirable.
 601 Adonis.
 602 African black.
 603 agate japonese.
 604 aglace noir.
 605 aimable violette.
 606 Ajax.
 607 aland.
 608 alba feuille fermee.
 609 alba bifera.
 610 Albanian.
 611 alba nova pleno.
 612 alba nova cœlestis.
 613 albo-rosea.
 614 alba triangularis.
 615 aline.
 616 Amazon.
 617 amour constant.
 618 Andalusian.
 619 anemoneflora.
 620 Arcadian.
 621 arcaro.
 622 archbishop.
 623 ardoise.
 624 Armenian.
 625 armida.
 626 Assyrian.
 627 Athenian.
 628 augusta.

GARDEN VARIETIES.

- 629 aurelia.
 630 Baden.
 631 Balbec.
 632 beaute frappante.
 633 beaute insurmontable.
 634 beaute panache.
 635 beaute renommee.
 636 beaute sanspareille.
 637 beaute tendre.
 638 belladonna.
 639 belle actrise.
 640 belle aimable.
 641 belle aurore descemet.
 642 belle brune.
 643 belle cataline.
 644 belle cerisie.
 645 belle d'aunay.
 646 belle du jour.
 647 belle flamande.
 648 belle forme.
 649 belle galathee.
 650 belle hative.
 651 belle incarnate.
 652 belle inconnue.
 653 belle matilde.
 654 belle mahæca.
 655 belle parade.
 656 belle Tigridia.
 657 beile zulme.
 658 belle rouge.
 659 belle sans flatterie.
 660 belle sanspareille.
 661 belle therese.
 662 belle vue.
 663 bellona.
 664 Berkshire.
 665 bizard royal.
 666 black purple.
 667 blanche superbe.
 668 blondine.
 669 blush Italian.
 670 blush velvet.
 671 bold.
 672 Bonifacius.
 673 bouquet blanc.
 674 bouquet panache.
 675 bouquet parfait.
 676 bouquet superb.
 677 Bourbon.
 678 Brabant.
 679 bracelet d'amour.
 680 brigitte.
 681 brilliant.
 682 brune brillante.
 683 brunette aimable.
 684 brunette superbe.
 685 bucephalus.
 686 bullata.
 687 cabinet.
 688 Calypso.
 689 camellote.
 690 cannabina.
 691 canopus.
 692 Carthaginian.
 693 Castile.
 694 Cecropia.
 695 Ceres.

GARDEN VARIETIES.

- 696 cervalis.
 697 chance.
 698 charmante pourpre.
 699 chausse.
 700 chiron.
 701 cicris pale rose.
 702 Cleopatra.
 703 comtesse de Genlis.
 704 cornelian.
 705 cossack.
 706 couleur a la mode.
 707 couleur de cendre.
 708 couleur de cerise.
 709 couleur excellent.
 710 coupee.
 711 couronne.
 712 couronne des roses.
 713 couronne imperiale.
 714 cramoisie eblouissant.
 715 cramoisie elegant.
 716 cramoisie fonce.
 717 cramoisie imperial.
 718 cramoisie incomparable.
 719 cramoisie minor.
 720 cramoisie nouveau.
 721 cramoisie panache.
 722 cramoisie sanspareil.
 723 cramoisie triomphant.
 724 crimson.
 725 crimson perpetual.
 726 crown imperial.
 727 crown purple.
 728 cybele.
 729 danæ.
 730 Danish.
 731 dark mignonne.
 732 dark mottled.
 733 dark shell.
 734 darling.
 735 de bengal gros violet
 736 Dejanira.
 737 delicate.
 738 Derby.
 739 descemets.
 740 diadem.
 741 dianthiflora.
 742 Dickson's duchess.
 743 Dido.
 744 don des dames.
 745 Dione.
 746 discolor.
 747 Dorothee.
 748 double apple bearing.
 749 double dog.—60.
 750 double mimms.
 751 double Pæony.
 752 double purple.
 753 double red thornless.
 754 double white thornless.
 755 duc de Brabant.
 756 Duchess.
 757 duchess d'Oldenburgh.
 758 duke of Clarence.
 759 Durham.
 760 Dutch Cinnamon.
 761 Dutch velvet.

GARDEN VARIETIES.

- 762 dwarf burnet-leaved.
 763 dwarf Chester.
 764 dwarf prolific.
 765 early red.
 766 erato.
 767 Etna.
 768 euphrosyne.
 769 evratina.
 770 ex alba rosea.
 771 fair maid.
 772 favonius.
 773 favorite.
 774 favorite des dames.
 775 fausse unique.
 776 felicie.
 777 felicite.
 778 Felix.
 779 feu amoureux.
 780 feuille chiffonnee.
 781 feuille crenulee.
 782 feuille de chene.
 783 feuille de frene.
 784 few-spined.
 785 fine panachee.
 786 fine crimson.
 787 fine purple.
 688 flavia pourpre.
 789 flesh-coloured.
 790 flesh-coloured four seasons.
 791 fleur de parade.
 792 fleur de pomme.
 793 fleur et feuille marbree.
 794 fleur panachee.
 795 flora.
 796 flore nigricante.
 797 florentine.
 798 flore rubra.
 799 floribunda.
 800 florio.
 801 flos puniceus.
 802 folie de corse.
 803 four seasons semidouble.
 804 franconian.
 805 Frankfort.
 806 Frankfort agate.
 807 freckled.
 808 frilled.
 809 frizzled.
 810 gallica foliacea.
 811 garnett.
 812 Gascony.
 813 Genoese.
 814 Genoese velvet.
 815 gienvieve.
 816 globe.
 817 gloomy.
 818 gloria rubrorum.
 819 gloriosa.
 820 glowing.
 821 grand Alexandre.
 822 grande Anglaise.
 823 grand Cæsar.
 824 grand centifolia.
 825 grande chausse.
 826 grand cramoisi.
 827 grande foncee.
 828 grand Mogul.

GARDEN VARIETIES.

- 829 grand pivoine.
 830 grande pompadour.
 831 grand pyramidal.
 832 grand rouge.
 833 grand triumphant.
 834 grandesse royale.
 835 grandeur royal.
 836 great Mogul.
 837 grey.
 838 grideline.
 839 grideline sans epines.
 840 Hainault.
 841 Haarlem.
 842 harpagus.
 843 Helena.
 844 Hebe.
 845 hero.
 846 Hertford.
 847 Hildesheim.
 848 Hollandia magniflora.
 849 hortulanus.
 850 hundred leaved mignonne.
 851 hyacinth.
 852 hybrida perfecta.
 853 hybride nouvelle.
 854 iconium.
 855 idumea.
 856 illustrious.
 857 imperatrice.
 858 imperatrice de France.
 859 Indian queen.
 860 inermis.
 861 iris noir.
 862 Isabelle.
 863 Isis.
 864 jaqueline.
 865 jeanne d'arc.
 866 Jersey.
 867 jessica.
 868 jolie.
 869 Julian.
 870 king Agrippa.
 871 king of Mexico.
 872 la belle elise.
 873 la belle rosine.
 874 l'abondance.
 875 la constance.
 876 la coquette.
 877 la Diane.
 878 l'admirable.
 879 la fidele.
 880 la gracieuse.
 881 la grandesse.
 882 l'aimable de Stors.
 883 lake.
 884 la maculee.
 885 la magnifique.
 886 la majesteuse.
 887 la mignarde.
 888 l'amitie.
 889 la moderne.
 890 Lancaster.
 891 lanckman.
 892 la negresse.
 893 la parfaite.
 894 la Parisienne.
 895 la petite lisette.

[M.L.R. 29.]

GARDEN VARIETIES.

- 896 la plus belle.
 897 la plus rouge.
 898 la pomme grenade.
 899 la precieuse pourpre.
 900 la reine.
 901 la reine des roses.
 902 large platter.
 903 large perfect.
 904 la rose de Medicis.
 905 la rose d'Ispahan.
 906 la royale.
 907 la superbe.
 908 la superbe en brun.
 909 la tendresse.
 910 la victorieuse.
 911 la virginité.
 912 leafy.
 913 Leander.
 914 le dauphin.
 915 Lee's perpetua¹.
 916 le grandeur.
 917 le grand lowendael.
 918 le grand suwarrow.
 919 le grand visir.
 920 Leipsick.
 921 les alliées.
 922 le violet triomphant.
 923 light 100 leaved.
 924 l'impayable.
 925 l'importante.
 926 l'obscurité.
 927 Lodona.
 928 Lodoiska.
 929 l'ombre panaché.
 930 l'ombre sanspareille.
 931 London pride.
 932 Louis 18th.
 933 Lubeck.
 934 Ludolph.
 935 Ludovicus.
 936 Luxemburg.
 937 Lyonnoise.
 938 lystra.
 939 madder.
 940 magdalen.
 941 maiden blush.
 942 mantle.
 943 marble apple bearing.
 944 Margaretta.
 945 Marie anne.
 946 marquis de la Romana.
 947 Marseilles.
 948 maxima.
 949 mere gigon.
 950 merveilleuse.
 951 Mexican.
 952 Milanese.
 953 Minerva.
 954 miroir des dames.
 955 mon bijou.
 956 monstrosa.
 957 monstrous cluster.
 958 monstrous 100 ld. M.L.R. 73.
 959 Montpellier.
 960 morin.
 961 morning star.
 962 mottled.

GARDEN VARIETIES.

- 963 mourning.
 964 multiplex.
 965 Neapolitan.
 966 Napoli di romana.
 967 Narbonne.
 968 Nassau.
 969 negre panaché.
 970 Neptune.
 971 new mottled.
 972 new Provins.
 973 nigritienne.
 974 Niobe.
 975 noblesse.
 976 noir foncé.
 977 non plus ultra.
 978 nouvelle favorite.
 979 nouvelle de Provins.
 980 nouvelle pivoine.
 981 Oldenburg.
 982 Oliver.
 983 Olympic.
 984 omphale.
 985 orient.
 986 orion.
 987 ornement de park.
 988 ornement de violet.
 989 oublie des François.
 990 painted.
 991 painted Belgic.
 992 Palestine.
 993 panachée admirable.
 994 panachée nouvelle.
 995 panachée sanspareille.
 996 panachée superbe.
 997 Pannonian.
 998 paradise.
 999 Paris 100-leaved.
 1000 Parnassus.
 1001 parson.
 1002 party coloured.
 1003 Patmos.
 1004 Palmyra.
 1005 Paulina.
 1006 Pearson's gigantic.
 1007 Pegasus.
 1008 pencilled mignonne.
 1009 pencilled Provins.
 1010 Penelope.
 1011 perfecta.
 1012 perle de l'orient.
 1013 perpetuelle rouge.
 1014 Peruvian.
 1015 petit Cæsar.
 1016 petit cramoisi.
 1017 petit favorite.
 1018 petit mignon.
 1019 pierian.
 1020 pilgrim.
 1021 pink velvet.
 1022 plicata purpurea.
 1023 Pomeranian.
 1024 pomegranate.
 1025 pomona.
 1026 pompone.
 1027 pompone blanc.
 1028 pompone bifera.
 1029 pompone quatre saisons.

GARDEN VARIETIES.

- 1030 pompone varin.
 1031 Pope's cluster.
 1032 portlandica grandiflora.
 1033 portlandica perpetua.
 1034 Portobella.
 1035 Portugal.
 1036 pourpre agreable.
 1037 pourpre de Paris.
 1038 pourpre sans epines.
 1039 pourpre de Vienne.
 1040 pourpre imperial.
 1041 pourpre incomparable.
 1042 pourpre obscur.
 1043 pourpre sans default.
 1044 pourpre sanspareil.
 1045 pourpre superb.
 1046 predominant.
 1047 Presburg.
 1048 prince.
 1049 prince d'Aremberg.
 1050 princely.
 1051 prince regent.
 1052 princess Charlotte.
 1053 princesse noble.
 1054 professor.
 1055 purple crown.
 1056 purple imperial.
 1057 purple velvet.
 1058 pyramide pourpre.
 1059 quatre saisons blanche.
 1060 quatre saisons François.
 1061 quatre saisons panaché.
 1062 quatre saisons sans epines.
 1063 queen's Provins.
 1064 ragged robin.
 1065 Raphael.
 1066 Ratisbon.
 1067 ravenna.
 1068 red cluster.
 1069 red crown.
 1070 red Provins.
 1071 red velvet.
 1072 refulgent.
 1073 regina florum.
 1074 reine Caroline.
 1075 reine d'Hongrie.
 1076 renoncule nouvelle.
 1077 rex rubrorum.
 1078 riche en fleurs.
 1079 roi des negres.
 1080 roi de Rome.
 1081 roi de Maroc.
 1082 roi des pays bas.
 1083 Roman.
 1084 Rosabel.
 1085 Rosanna.
 1086 rose agreable.
 1087 rose bouquet.
 1088 rose de Ceres.
 1089 rose des dames.
 1090 rose du roi.
 1091 rose d'Orleans.
 1092 rose du prince.
 1093 rose la mode.
 1094 rose lee.
 1095 rose pivoine.
 1096 rose prolifere.

GARDEN VARIETIES.

- 1097 rouge agreable.
- 1098 rouge bien vif.
- 1099 rouge eclatant.
- 1100 rouge formidable.
- 1101 rouge frappant.
- 1102 rouge luisant.
- 1103 rouge panaché.
- 1104 rouge sans epines.
- 1105 rouge semidouble.
- 1106 rouge vegetable.
- 1107 royal bouquet.
- 1108 royal carmine.
- 1109 royal gabina.
- 1110 royal mantle.
- 1111 royal viscous.
- 1112 rubripina.
- 1113 rubiginosa umbellata.
- 1114 ruby.
- 1115 sable.
- 1116 St. Antoine.
- 1117 St. Catharine.
- 1118 St. George.
- 1119 St. Germain.
- 1120 St. Gothard.
- 1121 St. Jago.
- 1122 St. Mark.
- 1123 St. Patrick.
- 1124 sans defect.
- 1125 sans petales.
- 1126 Sarmatian.
- 1127 scarlet Brabant.
- 1128 sceptre.
- 1129 scone purple.
- 1130 semidouble hep.
- 1131 semidouble mignonne.
- 1132 semidouble monthly.
- 1133 semidouble new.
- 1134 seigneur d'Ærtzelaar.
- 1135 septum cerise.
- 1136 Seville.
- 1137 Sheffield.
- 1138 Shylock.
- 1139 Silenus.
- 1140 Silesian.
- 1141 shining semidouble.
- 1142 simplicité.
- 1143 singuliere agate.

GARDEN VARIETIES.

- 1144 Sirius.
- 1145 soliditas.
- 1146 Southampton.
- 1147 Spartan.
- 1148 spineless red.
- 1149 spiral.
- 1150 stæbon.
- 1151 standard.
- 1152 state.
- 1153 Stephanus.
- 1154 striped monthly.
- 1155 striped Provins.
- 1156 sugar loaf.
- 1157 sulphurea.
- 1158 sulphurea minor.
- 1159 superb.
- 1160 superb amaranth.
- 1161 superbe brune.
- 1162 superbe pyramide.
- 1163 surpasse Singleton.
- 1164 surpasse tout.
- 1165 Swiss.
- 1166 Syrian.
- 1167 Tangiers.
- 1168 ten-leaved.
- 1169 temple d'Apollon.
- 1170 tête de mort.
- 1171 Theseus.
- 1172 Tigris.
- 1173 tricolor.
- 1174 tomentosa alba.
- 1175 toujours.
- 1176 tous les mois gris.
- 1177 transparent.
- 1178 transparent nouvelle.
- 1179 Trebonius.
- 1180 tree burnet-leav'd.
- 1181 tree pæony.
- 1182 tresorier.
- 1183 triomphe.
- 1184 triomphe des dames.
- 1185 triomphe royale.
- 1186 Triton.
- 1187 turban.
- 1188 two-coloured 100-leaved.
- 1189 two-coloured mignonne.
- 1190 vacuna.

GARDEN VARIETIES.

- 1191 vagrant.
- 1192 velours cramoisie.
- 1193 veloute.
- 1194 venerable.
- 1195 venetatus.
- 1196 ventome noir.
- 1197 Venus.
- 1198 venusta.
- 1199 veritas.
- 1200 vermillion.
- 1201 vesta.
- 1202 Vesuvius.
- 1203 Victoria.
- 1204 Vidua.
- 1205 villosa nouvelle.
- 1206 Vilmorin.
- 1207 violette.
- 1208 violette agreable.
- 1209 violette aimable.
- 1210 violette brillante.
- 1211 violette curieuse.
- 1212 violette foncée.
- 1213 violette maculée.
- 1214 violette nouvelle.
- 1215 violette sanspareille.
- 1216 violette superbe.
- 1217 violette superieure.
- 1218 virgin's.
- 1219 virginale.
- 1220 virbilia.
- 1221 virgo cramoisie.
- 1222 ulterio.
- 1223 ultramarine.
- 1224 umbrella.
- 1225 unique rouge.
- 1226 Waterloo.
- 1227 Watson's blush.
- 1228 Watson's white.
- 1229 Wellington.
- 1230 woolly-leaved.
- 1231 white damask.
- 1232 white Pompone.
- 1233 York.
- 1234 Yorkshire blush.
- 1235 Yorkshire Provins.
- 1236 zatre.
- 1237 Zenobia.

Subordo II. *POTENTILLÆ*. Juss. gen. 337.

RUBUS. L.	BRAMBLE.	Icosandria Polygynia. L.				
1 rosæfolius. DC.	(wh.) Rose-leaved.	Mauritius.	1811.	10. 4.	G. h.	Smith ic. 3. t. 60.
2 eglantèria. DC.	(wh.) Eglantine.	N. Holland.	1824.	5. 6.	G. h.	Bot. mag. t. 1783.
3 coronarius.	(wh.) double-flowered.	China.	1811.	10. 4.	H. h.	
	<i>rosæfolius</i> β <i>coronarius</i> . B.M.					
4 pinnatus. DC.	(wh.) pinnate.	St. Helena.	1789.	6. 7.	G. h.	
5 gracilis. DC.	(wh.) slender.	E. Indies.	1826.	—	S. h.	
6 micranthus. D.P.	(re.) small-flowered.	Nepaul.	1818.	6. 8.	H. h.	Bot. reg. t. 854.
	<i>pauciflorus</i> . B.R.					
7 distans. D.P.	(re.) distant-leaved.	—	—	—	H. h.	
8 apetalus. DC.	(gr.) petalless.	Mauritius.	1823.	—	S. h.	
9 macropodus. DC.	(wh.) large-footed.	N. Holland.	1822.	—	G. h.	
10 strigosus. DC.	(wh.) strigose.	N. America	6. 7.	H. h.	

11	pedunculòsus. D.P.	(wh.) long-peduncled.	Nepaul.	1820.	7. 8.	H. h.	
12	occidentàlis. DC.	(wh.) American raspberry.	N. Amer.	1696.	5. 6.	H. h.	Dill. elth. t. 247. f. 319.
13	ásper. DC.	(wh.) rough.	Nepaul.	1822.	6. 8.	H. h.	
14	Idæus. DC.	(wh.) Raspberry.	Britain.	5. 6.	H. h.	Eng. bot. v. 34. t. 2442.
15	laciniàtus. DC.	(bh.) jagged-leaved.	6. 9.	H. h.	Willd. hort. ber. t. 82.
16	c'æsius. DC.	(wh.) Dewberry.	Britain.	6. 8.	H. h.	Eng. bot. v. 12. t. 826.
17	foliolòsus. D.P.	(li.) leafy.	Nepaul.	1823.	7. 8.	H. h.	
18	flagellàris. DC.	(wh.) shining-leaved.	N. America.	1789.	6. 7.	H. h.	
19	inèrmis. W. en.	(wh.) smooth.	1805.	—	H. h.	
20	corylifòlius. E.B.	(wh.) Hazel-leaved.	Britain.	7.	H. h.	Eng. bot. v. 12. t. 827.
21	agrèstis. DC.	(wh.) field.	Hungary.	1818.	7. 8.	H. h.	W. et K. hung. 3. t. 268.
22	spectàbilis. DC.	(pu.) showy.	Columbia.	1827.	6. 8.	H. h.	Ph. fl. amer. 1. t. 16.
23	plicàtus. W.N.	(wh.) plaited-leaved.	Britain.	7. 8.	H. h.	Wei. et N. rub. germ. t. 1.
24	affinis. W.N.	(wh.) related.	6. 9.	H. h.	— p. 22. t. 3 et 36.
25	ulmifòlius. DC.	(ro.) Elm-leaved.	Gibraltar.	1824.	7. 8.	H. h.	
26	Linkiànus. DC.	(wh.) double-flowered.	6. 9.	H. h.	
27	àlbicans. DC.	(wh.) white-leaved.	Hungary.	1818.	—	H. h.	
28	fruticòsus. DC.	(fl.) Blackberry.	Britain.	—	H. h.	Eng. bot. v. 10. t. 715.
	β pompònius. DC.	(bh.) semidouble.	—	H. h.	
	γ leucocàrpus. DC.	(bh.) white-berried.	—	H. h.	
	δ inermis. DC.	(bh.) smooth-stemm'd.	—	H. h.	
29	tomentòsus. W.N.	(wh.) woolly-leaved.	Germany.	1816.	6. 8.	H. h.	Wei. et N. rub. germ. t. 8.
30	sàctus. DC.	(pk.) holy.	Levant.	1823.	—	H. h.	Schreb. dec. t. 8.
31	canèscens. DC.	(bh.) canescent.	Piedmont.	1826.	—	H. h.	
32	collinus. DC.	(bh.) hill.	Montpelier.	1820.	7. 8.	H. h.	Noc. et Balb. fl. tic. t. 9.
33	fastigiàtus. W.N.	(wh.) close-flowered.	Britain.	—	H. h.	Wei. et N. rub. germ. t. 2.
34	suberèctus. E.B.	(wh.) upright.	6. 9.	H. h.	Eng. bot. v. 36. t. 2572.
35	cordifòlius. W.N.	(wh.) heart-leaved.	7. 8.	H. h.	Wei. et N. rub. germ. t. 5.
36	Ménkii. s.s.	(wh.) velvety.	Germany.	1816.	—	H. h.	
37	Schlechtendàlii. s.s.	(w.) Schlechtendale's.	—	H. h.	
38	tiliæfòlius. s.s.	(wh.) Lime-tree-ld.	—	H. h.	
39	Schleichèri. s.s.	(wh.) Schleicher's.	1824.	—	H. h.	
40	hòrridus. s.s.	(wh.) very prickly.	—	H. h.	
41	leucostàchys. s.s.	(wh.) white-spiked.	Britain.	—	H. h.	
42	rhamnifòlius. W.N.	(wh.) Rhamnus-leaved.	—	H. h.	Wei. et N. rub. germ. t. 6.
43	abruptus. L.B.	(wh.) abrupt.	—	H. h.	
44	nítidus. W.N.	(bh.) glossy-leaved.	Britain.	7. 8.	H. h.	Wei. et N. rub. germ. t. 4.
45	argùtus. DC.	(wh.) sharp-toothed.	N. America.	1824.	6. 7.	H. h.	
46	cuneifòlius. DC.	(wh.) wedge-leaved.	1811.	6. 8.	H. h.	
47	sanguinoléntus. DC.	(w.) red-wooded.	Mauritius.	1823.	—	S. h.	
48	villòsus. DC.	(wh.) shaggy.	N. America.	1777.	7. 8.	H. h.	
49	hírtus. W.K.	(wh.) hairy.	Britain.	—	H. h.	W. et K. hung. 2. t. 141.
50	vulpinus. Df.	(re.) fox-tail.	Germany.	1816.	—	H. h.	Flor. dan. t. 1165.
	Sprengèlii. W.N.						
51	jamaicénsis. DC.	(wh.) Jamaica.	Jamaica.	1820.	—	S. h.	Sloan. jam. 2. t. 213. f. 1.
52	híspidus. DC.	(wh.) bristly.	Canada.	1768.	—	H. h.	
53	triviàlis. Ph.	(bh.) American dewberry.	N. Amer.	1789.	6. 7.	H. h.	
54	macrophyllus. W.N.	(w.) large-leaved.	Wales.	7. 8.	H. h.	
55	vulgàris. W.N.	(bh.) common.	Britain.	—	H. h.	
56	diversifòlius. L.B.	(bh.) different-leaved.	—	H. h.	
57	díscolor. W.N.	(bh.) two-coloured.	—	H. h.	
58	fusco-ater. W.N.	(bh.) dark-brown.	—	H. h.	
59	pàllidus. W.N.	(bh.) pale-leaved.	—	H. h.	
60	Køehlèri. W.N.	(bh.) Koehler's.	—	H. h.	
61	rùdis. W.N.	(bh.) way-side.	—	H. h.	
62	rubricàulis. W.N.	(bh.) red-stalked.	Germany.	1816.	—	H. h.	
63	echinàtus. L.B.	(bh.) hedgehog.	Britain.	—	H. h.	
64	dumetòrum. W.N.	(wh.) bushy.	—	H. h.	
65	tetraphyllus. W. en.	(w.) four-leaved.	N. America.	1812.	6. 7.	H. h.	
66	parvifòlius. DC.	(pu.) small-leaved.	China.	1818.	6. 8.	H. h.	Bot. reg. t. 496.
67	canádènsis. DC.	(wh.) purple-stalked.	N. America.	1811.	6. 7.	H. h.	
68	saxàtilis. DC.	(wh.) stone.	Britain.	—	H. h.	Eng. bot. v. 32. t. 2233.
69	triflòrus. Rich.	(wh.) three-flowered.	N. America.	—	H. 4.	
70	àrcticus. DC.	(cr.) dwarf crimson.	Scotland.	5. 8.	H. 4.	Eng. bot. v. 23. t. 1585.
71	pistillàtus. Ph.	(ro.) close-styled.	Labrador.	1802.	6. 7.	H. 4.	Sm. exot. bot. 2. t. 86.
	ucàulis. DC.						
72	obovàlis. DC.	(wh.) oboval-leaved.	N. America.	1823.	5. 7.	H. 4.	
73	parviflòrus. DC.	(wh.) Vine-leaved.	1824.	—	H. 4.	
74	stellàtus. DC.	(ro.) star-flowered.	1823.	6. 7.	H. 4.	Sm. ic. fasc. 3. t. 64.

75	<i>Chamæmorus</i> . DC. (wh.)	Cloud-berry.	Britain.	6. 7.	H. 2.	Eng. bot. v. 10. t. 716.
76	<i>floridus</i> . DC. (wh.)	large-flowered.	N. America.	1827.	6. 8.	H. 2.	
77	<i>odoratus</i> . DC. (re.)	flowering raspberry.	—	1700.	6. 9.	H. 2.	Bot. mag. t. 323.
78	<i>reflexus</i> . DC. (wh.)	reflexed.	China.	1818.	6. 7.	G. 2.	Bot. reg. t. 461.
79	<i>Hamiltonianus</i> . DC. (wh.)	Hamilton's.	Nepaul.	—	—	H. 2.	
	<i>rugosus</i> . D.P. non Smith.						
80	<i>moluccanus</i> . DC. (wh.)	Moluccas.	Amboyna.	1810.	—	S. 2.	Rumph. amb. 5. t. 47. f. 2.
81	<i>rugosus</i> . DC. (wh.)	rugose.	S. America.	1824.	—	S. 2.	
82	<i>tiliaceus</i> . DC. (wh.)	Lime-tree-ld.	Nepaul.	—	—	H. 2.	
83	<i>paniculatus</i> . DC. (wh.)	panicled.	—	1826.	7. 9.	H. 2.	
84	<i>betulinus</i> . DC. (wh.)	Birch-leaved.	—	1825.	—	H. 2.	
DALIBARDA . DC. DALIBARDA . Icosandria Pent-Decagynia.							
1	<i>repens</i> . DC. (wh.)	Violet-leaved.	N. America.	1768.	5. 6.	H. 2.	Mich. amer. 1. t. 27.
	<i>violæoides</i> . M.						
FRAGARIA . DC. STRAWBERRY . Icosandria Polygynia.							
1	<i>monophylla</i> . s.s.	simple-leaved.	—	1773.	5. 6.	H. 2.	Bot. mag. t. 63.
2	<i>vesca</i> . DC. (wh.)	wood.	Britain.	4. 6.	H. 2.	Eng. bot. v. 22. t. 1524.
	<i>α sylvestris</i> . DC. (wh.)	wild.	—	—	H. 2.	
	<i>β semperflorans</i> . DC. (wh.)	ever-bearing.	—	4. 12.	H. 2.	Nois. jard. fr. t. 11. f. 2.
	<i>γ alba</i> . (wh.)	white-fruited.	—	—	H. 2.	
	<i>δ minor</i> . DC. (wh.)	small English.	Britain.	—	H. 2.	
	<i>ε hortensis</i> . DC. (wh.)	garden.	—	—	H. 2.	
	<i>ζ efflagellis</i> . DC. (wh.)	short-shooted.	—	—	H. 2.	
	<i>η multiplax</i> . DC. (wh.)	double-blossomed.	—	4. 6.	H. 2.	Blackw. herb. t. 77. f. 3.
	<i>θ botryiformis</i> . DC. (wh.)	crown-flowered.	—	—	H. 2.	
	<i>ι muricata</i> . DC. (gr.)	monstrous.	—	—	H. 2.	
3	<i>calycina</i> . DC. (wh.)	large-calyxed.	Britain.	—	H. 2.	
4	<i>collina</i> . DC. (wh.)	Alpine.	Germany.	1768.	4. 11.	H. 2.	
	<i>α rubra</i> . (wh.)	red Alpine.	—	—	—	H. 2.	
	<i>β alba</i> . (wh.)	white Alpine.	—	—	—	H. 2.	
5	<i>platanoïdes</i> . DC. (bh.)	Plane-leaved.	N. America.	4. 6.	H. 2.	
6	<i>Majauffea</i> . DC. (wh.)	plaited-leaved.	France.	—	H. 2.	
	<i>α bifera</i> . DC. (wh.)	double-bearing.	—	—	H. 2.	
	<i>β dabilia</i> . DC. (wh.)	flat-fruited.	—	—	H. 2.	
7	<i>Breslingea</i> . DC. (wh.)	leathery-leaved.	—	—	H. 2.	
	<i>α abortiva</i> . DC. (wh.)	sterile.	—	—	H. 2.	
	<i>β nigra</i> . DC. (wh.)	black-fruited.	—	—	H. 2.	
	<i>γ pendula</i> . DC. (wh.)	pear-fruited.	—	—	H. 2.	
	<i>δ hispida</i> . DC. (wh.)	Longchamp.	France.	—	H. 2.	
	<i>ε viridis</i> . DC. (wh.)	green-fruited.	—	—	H. 2.	Nois. jard. fr. t. 13. f. 2.
	<i>ζ pratensis</i> . DC. (wh.)	field.	France.	—	H. 2.	
8	<i>elatior</i> . DC. (wh.)	tall.	Europe.	—	H. 2.	
9	<i>moschata</i> . Ehr. (wh.)	Hautboy.	England.	5. 6.	H. 2.	Eng. bot. v. 31. t. 2197.
	<i>elatior</i> . E.B.						
	<i>β dioica</i> . DC. (wh.)	dioecious.	—	—	H. 2.	
10	<i>virginiana</i> . DC. (wh.)	scarlet.	N. America.	1629.	4. 6.	H. 2.	Nois. jard. fr. t. 12. f. 2.
	<i>β hybrida</i> . DC. (wh.)	Keen's seedling.	Hybrid.	—	H. 2.	
11	<i>chilensis</i> . DC. (wh.)	Chile.	S. America.	1727.	5. 6.	H. 2.	Dill. elth. t. 20. f. 140.
12	<i>grandiflora</i> . DC. (wh.)	Pine.	Surinam.	1759.	—	H. 2.	Mill. ic. t. 288.
	<i>β ananassa</i> . DC. (wh.)	Pine apple.	—	—	H. 2.	Nois. jard. fr. t. 14. f. 2.
	<i>γ calyculata</i> . DC. (wh.)	Bath scarlet	—	—	H. 2.	— t. 11. f. 1. t. 14. f. 1.
	<i>δ tincta</i> . DC. (wh.)	red-fleshed.	—	—	H. 2.	
13	<i>canadensis</i> . DC. (wh.)	Canadian.	Canada.	—	H. 2.	
14	<i>indica</i> . DC. (ye.)	yellow-flower'd.	Nepaul.	1805.	5. 10.	H. 2.	Bot. reg. t. 61.
	<i>Duchesnea fragarioides</i> . Smith			Linn. trans. 10. p. 373.			
COMAROPSIS . DC. COMAROPSIS . Icosandria Pent-Octagynia.							
1	<i>fragarioides</i> . DC. (ye.)	strawberry-like.	N. America.	1803.	5. 6.	H. 2.	Mich. amer. 1. t. 28.
	<i>Dalibarda fragarioides</i> . M.						
2	<i>Doniana</i> . DC. (ye.)	Don's.	—	—	—	H. 2.	Bot. mag. t. 1567.
	<i>Dalibarda fragarioides</i> . B.M. non Mich.						
	<i>Walsteinia Doniana</i> . Tratt.						
3	<i>pedata</i> . DC. (wh.)	pedate.	—	1827.	—	H. 2.	Smith. ic. ined. t. 63.
	<i>Rubus pedatus</i> . Sm.	<i>Dalibarda pedata</i> . s.s.					
HORKELIA . B.M. HORKELIA . Decandria Polygynia.							
	<i>congesta</i> . B.M. (wh.)	tufted-flowered.	N. America.	1827.	7. 9.	H. 2.	Bot. mag. t. 2880.
WALDSTEINIA . DC. WALDSTEINIA . Icosandria Digynia.							
	<i>geoides</i> . DC. (ye.)	Avens-leaved.	Hungary.	1804.	6. 7.	H. 2.	Lodd. bot. cab. 402.
COLURIA . B. COLURIA . Icosandria Polygynia.							
	<i>potentilloides</i> . B. (or.)	Siberian.	Siberia.	1780.	6. 7.	H. 2.	Jacq. vind. 3. t. 68.
	<i>Geum potentilloides</i> . W.	<i>Dr'yas geoides</i> . Pall.					<i>Sierersia geoides</i> . s.s.

SIEVE'RSIA. B.		SIEVE'RSIA. Icosandria Polygynia.					
1	<i>Péckii. B.M.</i>	(<i>ye.</i>) Peck's.	N. America.	1827.	6. 7.	H. 4.	Bot. mag. t. 2863.
2	<i>radiata.</i>	(<i>ye.</i>) radiate.	—————	1822.	— —	H. 4.	
	<i>Geum radiatum. Ph.</i>						
3	<i>triflora. B.M.</i>	(<i>ye. bh.</i>) three-flowered.	—————	1827.	— —	H. 4.	Bot. mag. t. 2858.
4	<i>montana. s.s.</i>	(<i>ye.</i>) mountain.	Austria.	1597.	5. 9.	H. 4.	Jacq. aust. 4. t. 373.
	<i>β minor.</i>	(<i>ye.</i>) smaller mountain.	Alps.	—————	— —	H. 4.	Barrel. rar. t. 399.
5	<i>glaciâlis. s.s.</i>	(<i>ye.</i>) arctic.	Siberia.	1827.	— —	H. 4.	
6	<i>Róssii. B.</i>	(<i>ye.</i>) Ross's.	Melville Isl.	—————	— —	H. 4.	Brown ch. mel. p. 18. t. 6.
7	<i>anemonoïdes. s.s.</i>	(<i>wh.</i>) Anemone-like.	Kamtschatka.	1824.	— —	H. 4.	
8	<i>réptans. s.s.</i>	(<i>ye.</i>) creeping.	Switzerland.	1775.	6. 8.	H. 4.	Jacq. aust. 5. ap. t. 22.
GEUM. B.		AVENS. Icosandria Polygynia. L.					
1	<i>agrimonoïdes. Ph.</i>	(<i>wh.</i>) Agrimony-leaved.	N. America.	1811.	6. 7.	H. 4.	Murr. com. goet. 5. t. 2?
2	<i>hispidum. s.s.</i>	(<i>wh.</i>) hispid.	Sweden.	1828.	— —	H. 4.	Reich. ic. cent. t. 3.
3	<i>strictum. w.</i>	(<i>ye.</i>) upright.	N. America.	1778.	5. 7.	H. 4.	Jacq. ic. 1. t. 93.
	<i>aléppicum. Jacq.</i>						
4	<i>intermèdium. w.</i>	(<i>ye.</i>) intermediate.	Europe.	1794.	5. 8.	H. 4.	W. hort. ber. 1. t. 69.
5	<i>hy'bridum. Jacq.</i>	(<i>ye.</i>) hybrid.	—————	— —	H. 4.	Jacq. ic. 1. t. 94.
6	<i>rivale. w.</i>	(<i>ye. bh.</i>) water.	Britain.	5. 9.	H. 4.	Eng. bot. 2. t. 106.
7	<i>pyrenæicum. DC.</i>	(<i>ye.</i>) Pyrenean.	Pyrenees.	1804.	6. 7.	H. 4.	Lam. ill. t. 44.
8	<i>brachypétalum. DC.</i>	(<i>ye. bh.</i>) short-petal'd.	1826.	5. 8.	H. 4.	
9	<i>sylvaticum. DC.</i>	(<i>ye.</i>) wood.	S. Europe.	1820.	6. 7.	H. 4.	
	<i>altánticum. Desf. atl. 1. p. 401. biflòrum. Brot.</i>						
10	<i>Thomasiànum. DC.</i>	(<i>ye.</i>) Thomas's.	Pyrenees.	1828.	— —	H. 4.	
11	<i>Quéllyon. B.F.G.</i>	(<i>sc.</i>) scarlet Chile.	Chile.	1826.	5. 10.	H. 4.	Swt. br. fl. gar. t. 292.
	<i>coccineum. Bot. veg. t. 1088. non Flor. græc.</i>						
	<i>β grandiflòrum. (sc.) large-flowered.</i>		—————	1829.	— —	H. 4.	
12	<i>macrophy'llum. DC.</i>	(<i>ye.</i>) large-leaved.	Kamtschatka.	1804.	6. 7.	H. 4.	
13	<i>canadense. DC.</i>	(<i>ye.</i>) Canadian.	Canada.	1778.	5. 8.	H. 4.	Murr. com goet. 5. t. 4.
14	<i>heterophy'llum. DC.</i>	(<i>wh.</i>) various-leaved.	— —	H. 4.	
15	<i>Besseriànum.</i>	(<i>ye.</i>) Besser's.	Volhynia.	1828.	— —	H. 4.	
	<i>intermèdium. Besser non Willd.</i>						
16	<i>hirsutum. L. en.</i>	(<i>st.</i>) hairy.	N. America.	1818.	5. 7.	H. 4.	
17	<i>virginiànum. DC.</i>	(<i>wh.</i>) Virginian.	—————	7. 8.	H. 4.	Herm. parad. t. 111.
18	<i>álbum. DC.</i>	(<i>wh.</i>) white-flowered.	—————	1730.	— —	H. 4.	Jacq. vind. 2. t. 175.
	<i>canadense. Jacq. non Murr.</i>						
19	<i>urbànum. DC.</i>	(<i>ye.</i>) common.	Britain.	5. 8.	H. 4.	Eng. bot. v. 20. t. 1400.
20	<i>ranunculoïdes. DC.</i>	(<i>ye.</i>) Ranunculus-like.	1827.	— —	H. 4.	
DR'YAS. DC.		DR'YAS. Icosandria Polygynia. L.					
1	<i>octopétala. DC.</i>	(<i>wh.</i>) mountain.	Britain.	7. 8.	H. 4.	Eng. bot. v. 7. t. 451.
2	<i>integrifolia. DC.</i>	(<i>wh.</i>) entire-leaved.	Greenland.	1824.	4. 8.	H. 4.	Hook. ex. flor. t. 220.
POTENTILLA. DC.		CINQUEFOIL. Icosandria Polygynia. L.					
1	<i>nivea. DC.</i>	(<i>ye.</i>) snowy-leaved.	N. Europe.	1816.	6. 8.	H. 4.	Lodd. bot. cab. 460.
2	<i>angustifolia. DC.</i>	(<i>ye.</i>) narrow-leaved.	Siberia.	1826.	— —	H. 4.	Lehm. pot. t. 19.
3	<i>macrantha. DC.</i>	(<i>ye.</i>) great-flowered.	—————	1829.	5. 8.	H. 4.	
4	<i>uniflora. DC.</i>	(<i>ye.</i>) single-flowered.	Dahuria.	1827.	— —	H. 4.	Lehm. pot. t. 18.
5	<i>minima. DC.</i>	(<i>ye.</i>) small.	Switzerland.	1816.	4. 6.	H. 4.	Lodd. bot. cab. 480.
6	<i>Brauneana. N.P.</i>	(<i>ye.</i>) Braune's.	—————	— —	— —	H. 4.	Nestl. pot. t. 10. f. 4.
7	<i>glaciâlis. DC.</i>	(<i>ye.</i>) very hairy.	—————	— —	5. 7.	H. 4.	Ser. mus. helv. 1. t. 7.
8	<i>frigida. DC.</i>	(<i>ye.</i>) frigid.	Dauphiny.	—————	— —	H. 4.	Nestl. pot. t. 10. f. 3.
9	<i>grandiflora. DC.</i>	(<i>ye.</i>) large-flowered.	Siberia.	1640.	6. 7.	H. 4.	Bot. mag. t. 75.
10	<i>villosa. DC.</i>	(<i>ye.</i>) villous.	N. America.	1827.	— —	H. 4.	Lehm. pot. t. 16.
11	<i>norvegica. DC.</i>	(<i>ye.</i>) Norwegian.	N. Europe.	1764.	6. 8.	H. ♂.	Flor. dan. t. 171.
12	<i>Morisoni. DC.</i>	(<i>wh.</i>) Morison's.	N. America.	1680.	7. 8.	H. ⊙.	Nestl. pot. t. 9. f. 1.
	<i>monspeliensis. L. Moris. his. s. 2. t. 20. f. 2. hirsuta. M.</i>						
13	<i>hirsuta. DC.</i>	(<i>ye.</i>) hairy-leaved.	Greenland.	1820.	6. 8.	H. 4.	Flor. dan. t. 1390.
14	<i>subcaulis. DC.</i>	(<i>ye.</i>) short-stalked.	S. France.	—————	5. 7.	H. 4.	Scop. carn. 1. t. 22.
	<i>relutina. L.P.</i>						
15	<i>Tormentilla DC.</i>	(<i>ye.</i>) Septfoil.	Britain.	5. 10.	H. 4.	Eng. bot. v. 12. t. 863.
	<i>Tormentilla officinâlis. E.B. erecta. w.</i>						
16	<i>memoralis. N.P.</i>	(<i>ye.</i>) creeping-wood.	—————	6. 8.	H. 4.	Eng. bot. v. 12. t. 864.
	<i>Tormentilla réptans. E.B.</i>						
17	<i>umbròsa. DC.</i>	(<i>go.</i>) shaded.	Tauria.	1821.	— —	H. 4.	
18	<i>réptans. DC.</i>	(<i>ye.</i>) common.	Britain.	— —	H. 4.	Eng. bot. v. 12. t. 862.
19	<i>bithynica. DC.</i>	(<i>ye.</i>) Bithynian.	Bithynia.	1822.	— —	H. 4.	
20	<i>simplex. DC.</i>	(<i>ye.</i>) sarmentose.	N. America.	1804.	5. 8.	H. 4.	
	<i>sarmentosa. W. en. caroliniana. Poiret.</i>						
21	<i>canadensis. DC.</i>	(<i>ye.</i>) Canadian.	Canada.	1818.	— —	H. 4.	Nestl. pot. t. 10. f. 1.
22	<i>vérna. E.B.</i>	(<i>ye.</i>) spring.	Britain.	3. 5.	H. 4.	Eng. bot. v. 1. t. 37.

23 cinèrea. DC.	(ye.) ash-coloured.	S. Europe.	1820.	4. 6. H. 4.	Jacq. ic. 3. t. 491.
subacaùlis. Jacq.	non. L.				
24 pátula. DC.	(ye.) spreading.	Hungary.	1806.	6. 8. H. 4.	W. et K. hung. 2. t. 199.
25 opàca. DC.	(ye.) opaque-leaved.	Scotland.	— H. 4.	Ser. mus. helv. 1. t. 4. f. 1.
26 alpèstris. E. F.	(ye.) alpine.	—	— H. 4.	— v. 8. t. 561.
aùrea. E. B.	nec aliorum.				
27 aùrea. DC.	(go.) golden.	Alps Europe.	— H. 4.	Ser. mus. helv. t. 8. f. a. b.
28 salisburgènsis. Jac.	(ye.) broad-lobed.	Switzerland.	1825.	— H. 4.	Jacq. ic. 3. t. 490.
29 Hallèri. DC.	(ye.) Haller's.	—	— H. 4.	Hall. hist. t. 21. f. 4.
30 Thomàsii. DC.	(ye.) silky-haired.	Italy.	1825.	— H. 4.	Ten. fl. nap. 1. t. 44.
31 calàbra. T. N.	(ye.) Calabrian.	—	—	— H. 4.	— 1. p. 287. t. 45.
32 impólita. Wah.	(ye.) unpolished.	Carpathian.	1818.	— H. 4.	
33 Gunthèri. L. P.	(ye.) Gunther's.	Bohemia.	1823.	— H. 4.	Lehm. pot. 97. t. 10.
34 argèntea. E. B.	(ye.) silvery-leaved.	Britain.	— H. 4.	Eng. bot. v. 2. t. 89.
35 collina. DC.	(ye.) hill.	Germany.	1823.	— H. 4.	
36 intermèdia. DC.	(ye.) intermediate.	Scotland.	— H. 4.	Eng. bot. v. 35. t. 2449.
opàca. E. B.	non L.				
37 elongàta. Bes.	(ye.) long-stalked.	Russia.	1827.	— H. 4.	
38 incisa. DC.	(ye.) jagged-leaved.	1818.	5. 8. H. 4.	
39 canèscens. DC.	(ye.) canescent.	S. Europe.	1822.	6. 8. H. 4.	Tausch. h. can. 1. t. 10.
40 thuringiaca. DC.	(ye.) decumbent.	Germany.	—	— H. 4.	
41 stipulàris. DC.	(ye.) large-stipuled.	Siberia.	1807.	— H. 4.	Gmel. fl. bad. 3. n. 38. f. 2.
42 hirta. DC.	(ye.) hairy.	S. Europe.	1725.	5. 9. H. 4.	Lehm. pot. t. 8.
43 pedàta. N. P.	(ye.) pedate-leaved.	Italy.	1818.	— H. 4.	Nestl. pot. 44. t. 7.
44 astracànica. s. s.	(ye.) Astracan.	Levant.	1787.	6. 8. H. 4.	Jacq. ic. 1. t. 92.
45 taùrica. s. s.	(ye.) Taurian.	Tauria.	1824.	— H. 4.	Lehm. pot. 90. t. 9.
46 récta. s. s.	(ye.) upright.	S. Europe.	1648.	— H. 4.	Nestl. pot. 42. t. 6.
47 obscùra. s. s.	(ye.) obscure.	Siberia.	1816.	6. 7. H. 4.	Noc. et Balb. fl. tic. t. 10.
48 laciniòsa. s. s.	(ye.) jagged.	Hungary.	1818.	— H. 4.	Lehm. pot. 86. t. 9.
49 atosanguínea. DC.	(cr.) dark crimson.	Nepaul.	1820.	6. 9. H. 4.	Swt. br. fl. gar. t. 124.
50 Russelliàna. B. F. G.	(sc.) Russell's.	Hybrid.	1827.	— H. 4.	— v. 3. t. 279.
51 formòsa. D. P.	(ro.) handsome.	Nepaul.	1820.	5. 9. H. 4.	— v. 2. t. 136.
nepalénsis. Hook.	ex. flor. t. 88.				
52 ruthènica. DC.	(ye.) Russian.	Siberia.	1799.	5. 7. H. 4.	Moris. his. s. 2. t. 20. f. 2.
53 diffùsa. DC.	(ye.) diffuse.	—	1825.	— H. 4.	
54 chrysántha. L. en.	(go.) golden-flowered.	1821.	— H. 4.	
55 declinàta. H. H.	(ye.) declining.	1827.	6. 8. H. 4.	
56 pùmila. s. s.	(ye.) dwarf.	N. America.	1818.	5. 6. H. 4.	
57 Weinmànnii. L. C.	(ye.) Weinmann's.	Thuringia.	1822.	6. 8. H. 4.	Lodd. bot. cab. t. 706.
58 ornithopodiòides.	(ye.) Bird's-foot.	1827.	— H. 4.	
59 lanuginòsa. F.	(ye.) woolly.	Caucasus.	1821.	— H. 4.	
60 Sieversiàna. Ot.	(ye.) Sievers's.	1829.	— H. 4.	
61 normàlis. F.	(ye.) normal.	Siberia.	1827.	— H. 4.	
62 divaricàta. s. s.	(ye.) divaricate.	Corsica.	1824.	— H. 4.	
63 fruticòsa. DC.	(ye.) shrubby.	England.	6. 8. H. 4.	Eng. bot. 2. t. 88.
64 dahùrica. N. P.	(ye.) Dahurian.	Dahuria.	1824.	— H. 4.	Nestl. pot. 31. t. 1.
65 floribúnda. Ph.	(ye.) cluster-flower'd.	N. America.	1811.	5. 9. H. 4.	Wats. dend. brit. t. 70.
66 bifúrca. DC.	(ye.) bifid-leaved.	Siberia.	1773.	6. 7. H. 4.	Gmel. it. 1. t. 37. f. 1.
67 supina. DC.	(ye.) trailing.	Europe.	1696.	7. 8. H. 4.	Jacq. aust. 5. t. 406.
68 pimpinelloides. DC.	(ye.) Burnet-leaved.	Levant.	1758.	6. 8. H. 4.	Buxb. cent. 1. t. 48.
69 geoides. DC.	(ye.) Avens-like.	Tauria.	1820.	— H. 4.	
70 Sprengeliàna. DC.	(ye.) Sprengel's.	Siberia.	1824.	— H. 4.	Lehm. pot. 49. t. 3.
71 viscòsa. DC.	(ye.) clammy.	—	1797.	7. 8. H. 4.	Nestl. pot. t. 36.
hispida. N. P.	non W.				
72 pensylvànica. DC.	(ye.) Pennsylvanian.	N. America.	1725.	6. 8. H. 4.	Jacq. viud. 2. t. 189.
73 pectinàta. F.	(ye.) pectinated.	Siberia.	1824.	— H. 4.	
74 argùta. Ph.	(ye.) sharp-toothed.	N. America.	1818.	5. 7. H. 4.	
75 multífida. DC.	(ye.) cut-leaved.	Siberia.	1759.	— H. 4.	Ser. mus. helv. 1. t. 8.
76 agrimoniòides. s. s.	(ye.) Agrimony-ld.	Caucasus.	1823.	6. 8. H. 4.	
77 verticillàris. DC.	(ye.) whorled.	Dahuria.	—	— H. 4.	
78 sericea. DC.	(ye.) silky.	Siberia.	1780.	5. 6. H. 4.	Lehm. pot. 66. t. 6.
79 pulchèlla. DC.	(ye.) neat.	Melville Isl.	1827.	5. 7. H. 4.	
80 Egèdii. DC.	(ye.) smooth-leaved.	Greenland.	—	— H. 4.	Flor. dan. t. 1578.
81 anserina. DC.	(ye.) wild Tansy.	Britain.	5. 9. H. 4.	Eng. bot. 12. t. 861.
β geminiflòra. DC.	(ye.) twin-flowered.	—	— H. 4.	Moris. his. s. 2. t. 20. f. 4.
γ cóncolor. DC.	(ye.) silky-leaved.	—	— H. 4.	
82 cándicans. DC.	(ye.) hoary-leaved.	America.	1826.	— H. 4.	Nestl. pot. 34. t. 3. f. 2.
83 spléndens. DC.	(ye.) glossy-leaved.	Nepaul.	1818.	7. 9. H. 4.	Swt. br. fl. gar. 2. t. 150.
striàta. s. s.					

84	<i>Còmarum</i> . DC. (pu.) marsh.	Britain.	6. 8. H. 4.	Eng. bot. v. 3. t. 172.
	<i>Còmarum palùstre</i> . E.B.				
85	<i>Salesòvii</i> . DC. (ye.) white shrubby.	Siberia.	1823.	— H. 7.	Lehm. pot. 35. t. 1.
86	<i>glàbra</i> . DC. (wh.) smooth white.	—	1818.	6. 10. H. 7.	Lodd. bot. cab. t. 914.
87	<i>rupéstris</i> . DC. (wh.) rock.	England.	6. 8. H. 4.	Eng. bot. v. 29. t. 2058.
88	<i>fragarioides</i> . DC. (wh.) Strawberry-like.	Siberia.	1773.	5. 7. H. 4.	Lehm. pot. 50. t. 4.
89	<i>álba</i> . DC. (wh.) white-flowered.	Wales.	6. 9. H. 4.	Eng. bot. v. 20. t. 1384.
90	<i>caulescens</i> . DC. (wh.) caulescent.	Austria.	1759.	5. 7. H. 4.	Jacq. aust. t. 220.
91	<i>Clusiàna</i> . s.s. (wh.) Clusius's.	S. Europe.	1806.	7. 8. H. 4.	Bot. mag. t. 1327.
92	<i>lupinoides</i> . s.s. (wh.) close-flowered.	Pyrenees.	1739.	6. 7. H. 4.	Lodd. bot. cab. t. 654.
93	<i>valdèria</i> . DC. (st.) crowded-flower'd.	S. Europe.	1818.	6. 8. H. 4.	All. fl. ped. t. 24. f. 1.
94	<i>nítida</i> . DC. (bh.) glossy.	—	1798.	— H. 4.	Jacq. aust. ap. t. 25.
95	<i>apennina</i> . DC. (wh.) Apennine.	Italy.	1825.	— H. 4.	Ten. fl. nap. 1. t. 46.
96	<i>tridentàta</i> . DC. (wh.) trifid-leaved.	Scotland.	5. 7. H. 4.	Eng. bot. v. 34. t. 2389.
97	<i>micràntha</i> . DC. (wh.) small-blossom'd.	S. Europe.	1816.	6. 8. H. 4.	Ser. mus. helv. 1. t. 5.
98	<i>Fragària</i> . DC. (wh.) sterile strawberry.	Britain.	3. 6. H. 4.	Eng. bot. v. 25. t. 1785.
	<i>Fragària stérilis</i> . E.B. <i>Còmarum fragarioides</i> . W. enum.				
99	<i>emarginàta</i> . Ph. (wh.) emarginate.	Labrador.	1828.	— H. 4.	
100	<i>Jamesoniàna</i> . DC. (ye.) Jameson's.	Greenland.	1822.	6. 7. H. 4.	
SIBBA'LDIA. DC. SIBBA'LDIA. Pentandria Pentagynia.					
1	<i>procumbens</i> . DC. (ye.) procumbent.	Britain.	6. 8. H. 4.	Eng. bot. v. 13. t. 897.
2	<i>parviflòra</i> . DC. (ye.) small-flowered.	Levant.	— H. 4.	
3	<i>erécta</i> . DC. (ye.) upright.	Siberia.	1806.	— H. 4.	Amm. ruth. 112. t. 15.
4	<i>grandiflòra</i> . DC. (ye.) large-flowered.	Dahuria.	1828.	— H. 4.	
5	<i>polygyna</i> . DC. (ye.) many-styled.	Siberia.	1824.	— H. 4.	
AGRIMONIA. DC. AGRIMONY. Dodecandria Digynia. L.					
1	<i>Eupatòria</i> . DC. (ye.) common.	Britain.	6. 8. H. 4.	Eng. bot. v. 19. t. 1335.
2	<i>nepalénsis</i> . DC. (ye.) Nepaul.	Nepaul.	1820.	— H. 4.	
3	<i>odoràta</i> . DC. (ye.) sweet-scented.	Italy.	1640.	7. 8. H. 4.	
4	<i>dahùrica</i> . DC. (ye.) Dahurian.	Dahuria.	1824.	6. 8. H. 4.	
5	<i>pilòsa</i> . DC. (ye.) hairy.	Siberia.	1820.	— H. 4.	
6	<i>parviflòra</i> . DC. (ye.) small-flowered.	N. America.	1766.	6. 7. H. 4.	
7	<i>suavèolens</i> . DC. (st.) fragrant.	—	1820.	— H. 4.	
8	<i>striàta</i> . DC. (wh.) striped-flowered.	—	1812.	6. 8. H. 4.	
9	<i>rèpens</i> . DC. (ye.) creeping-rooted.	Levant.	1737.	7. 9. H. 4.	
AREMONIA. DC. AREMONIA. Pent-Decandria Digynia.					
	<i>agrimonooides</i> . DC. (ye.) Agrimony-like.	Italy.	1739.	6. 8. H. 4.	Col. ecphr. 1. t. 144.
	<i>Spallanzània agrimonooides</i> . s.s. <i>Agrimònia agrimonooides</i> . L.				

Subordo III. *SANGUISORBEÆ*. DC. prodr. v. 2. p. 588.

ALCHIMILLA. DC. LADIES MANTLE. Di-Tetrandria Monogynia. L.					
1	<i>capénsis</i> . DC. (gr.) Cape.	C. B. S.	1818.	4. 6. G. 4.	Lam. ill. t. 86. f. 2.
2	<i>vulgàris</i> . DC. (gr.) common.	Britain.	6. 8. H. 4.	Eng. bot. v. 9. t. 597.
	<i>β variegàta</i> . (gr.) variegated-leaf'd.	—	— H. 4.	
	<i>γ glàbra</i> . DC. (gr.) smooth.	Pyrenees.	— H. 4.	
3	<i>hybrida</i> . DC. (gr.) mountain.	Saxony.	— H. 4.	Pluk. t. 240. f. 2.
	<i>montàna</i> . W. en.				
4	<i>pubésceas</i> . DC. (gr.) pubescent.	Caucasus.	1813.	— H. 4.	Willd. hort. ber. 2. t. 79.
5	<i>alpina</i> . DC. (gr.) silvery.	Britain.	7. H. 4.	Eng. bot. v. 4. t. 244.
6	<i>sericea</i> . DC. (gr.) silky.	Caucasus.	1813.	6. 8. H. 4.	
7	<i>pentaphylla</i> . DC. (gr.) five-leaved.	Switzerland.	1784.	7. H. 4.	Bocc. mus. p. 18. t. 1.
8	<i>sibbaldiaefolia</i> . DC. (gr.) Sibbaldia-ld.	Mexico.	1823.	— F. 4.	H. et B. n. g. am. 6. t. 561.
9	<i>arvénsis</i> . DC. (gr.) Parsley piert.	Britain.	4. 6. H. 4.	Eng. bot. v. 15. t. 1011.
	<i>Aphànes</i> . W. <i>Aphànes arvénsis</i> . L.				
10	<i>cornucopioides</i> . DC. (gr.) Spanish.	Spain.	1825.	4. 7. H. 4.	
CEPHAL'OTUS. DC. CEPHAL'OTUS. Dodecandria Hexagynia.					
	<i>folliculàris</i> . DC. (wh.) pitcher-plant.	N. Holland.	1822.	4. 6. G. w. 4.	Lab. nov. holl. 2. t. 145.
MARGYRICA'RPUS. DC. MARGYRICA'RPUS. Diandria Monogynia.					
	<i>setòsus</i> . DC. (gr.) bristle-pointed.	S. America.	1829. F. 7.	Flor. peruv. 1. t. 8. f. d.
AC'ENA. Kth. AC'ENA. Tri-Pentandria Monogynia.					
1	<i>elongàta</i> . DC. (gr.) long-spiked.	Mexico.	1827.	4. 8. F. 7.	
2	<i>latebròsa</i> . DC. (gr.) hairy.	C. B. S.	1774.	4. 6. G. 4.	Gart. fruct. 1. t. 32.

3	<i>pinnatifida</i> . DC.	(gr.) pinnatifid.	Chili.	1823.	4. 6.	G. 4.	Fl. per. 1. t. 104. f. 1. b.
4	<i>sericea</i> . DC.	(gr.) silky.	Port Desire.	—	G. 4.	Jacq. f. ecl. 1. t. 55.
ANCISTRUM. Kth. ANCISTRUM. Di-Pentandria Monogynia.							
1	<i>sanguisorbæ</i> . L.	(gr.) Burnet-leaved.	N. Zealand.	1796.	6.	F. 4.	Gært. fruct. t. 32.
2	<i>ovalifolium</i> . DC.	(gr.) oval-leaved.	Peru.	1802.	5. 6.	F. 4.	Vent. h. cels. t. 5.
	<i>repens</i> . Vent.						
3	<i>argenteum</i> . K.S.	(gr.) silvery-leaved.	S. America.	1823.	—	F. ½.	Fl. per. 1. t. 103. f. b.
4	<i>adscendens</i> . DC.	(gr.) ascending.	Magellan.	—	—	H. 4.	
5	<i>lævigatum</i> . DC.	(gr.) smooth	—	1790.	6. 8.	H. 4.	
6	<i>magellanicum</i> . DC.	(gr.) Magellan.	—	—	H. 4.	Lam. ill. t. 22. f. 2.
7	<i>lucidum</i> . Lam.	(gr.) shining.	Falkland Isl.	1777.	5. 6.	H. 4.	— t. 22. f. 3.
SANGUISORBA. DC. GREAT-BURNET. Tetrandria Monogynia. L.							
1	<i>officinalis</i> . DC.	(pu.) officinal.	Britain.	6. 8.	H. 4.	Eng. bot. v. 19. t. 1312.
	<i>β auriculata</i> . DC.	(pu.) eared.	Italy.	—	H. 4.	Bocc. mus. 19. t. 9.
2	<i>cærnea</i> . DC.	(pi.) flesh-coloured.	1818.	—	H. 4.	
3	<i>rùbra</i> . Sck.	(re.) red-spiked.	Dahuria.	1824.	—	H. 4.	Schrank. h. mon. t. 69.
4	<i>præcox</i> . Bes.	(pi.) early-flowered.	Siberia.	1827.	5. 7.	H. 4.	
5	<i>angustifolia</i> . F.	(pi.) narrow-leaved.	—	1820.	6. 8.	H. 4.	
6	<i>tenuifolia</i> . DC.	(re.) slender-leaved.	Dahuria.	—	—	H. 4.	
7	<i>ingrica</i> .	(wh.) glossy-leaved.	1829.	—	H. 4.	
8	<i>mauritànica</i> . DC.	(gr.) Barbary.	Algiers.	—	H. 4.	Moris. ox. s. 8. t. 18. f. 4.
9	<i>mèdia</i> . DC.	(wh.) short-spiked.	Canada.	1785.	—	H. 4.	— s. 8. t. 18. f. 8.
10	<i>canadènsis</i> . DC.	(wh.) Canadian.	—	1633.	—	H. 4.	— s. 8. t. 18. f. 12.
POTERIUM. DC. BURNET. Monœcia Polyandria. L.							
1	<i>spinòsum</i> . DC.	(wh.) prickly shrubby.	Levant.	1595.	4. 8.	G. ½.	Moris. ox. s. 8. t. 18. f. 5.
	<i>β crispum</i> . DC.	(wh.) curled-leaved.	—	—	G. ½.	
	<i>γ inèrme</i> . DC.	(wh.) spineless.	—	—	G. ½.	
2	<i>caudatum</i> . DC.	(wh.) shrubby.	Canaries.	1779.	1. 4.	G. ½.	Bot. mag. 2341.
3	<i>Sanguisorba</i> . DC.	(pu.) common.	England.	7.	H. 4.	Eng. bot. v. 12. t. 860.
4	<i>agrimonifolium</i> . DC.	(pu.) Agrimony-ld.	Spain.	1818.	6. 7.	H. 4.	
5	<i>hybridum</i> . W.	(pu.) sweet.	France.	1683.	—	H. 4.	Barrel. ic. t. 632.
6	<i>polygamum</i> . DC.	(pu.) Hungarian.	Hungary.	1803.	7. 8.	H. 4.	W. et K. hung. 2. t. 198.
7	<i>villosum</i> . DC.	(pu.) villous.	Levant.	1829.	—	H. 4.	Flor. græc. t. 942.
8	<i>verrucosum</i> . E.	(pu.) warted.	Egypt.	1827.	—	H. 4.	
CERCOCARPUS. DC. CERCOCARPUS. Icosandria Monogynia.							
	<i>fothergilloides</i> . DC.	(pu.) Fothergilla-like.	Mexico.	1828.	G. ½.	H. et B. n. gen. 6. t. 559.
CLIFFORTIA. DC. CLIFFORTIA. Dioecia Polyandria. L.							
1	<i>ilicifolia</i> . DC.	(st.) Holly-leaved.	C. B. S.	1714.	5. 9.	G. ½.	Linn. hort. cliff. t. 30.
2	<i>cordifolia</i> . DC.	(st.) heart-leaved.	—	1816.	—	G. ½.	
3	<i>tridentata</i> . DC.	(st.) three-toothed.	—	1752.	6. 7.	G. ½.	
4	<i>ruscifolia</i> . DC.	(st.) Ruscus-leaved.	—	—	—	G. ½.	Linn. hort. cliff. t. 31.
	<i>arachnoidea</i> . B.C. 260.						
5	<i>graminea</i> . DC.	(st.) grass-leaved.	—	1825.	—	G. ½.	
6	<i>ferruginea</i> . DC.	(st.) ferruginous.	—	1823.	—	G. ½.	
7	<i>cuneata</i> . DC.	(st.) wedge-leaved.	—	1787.	4.	G. ½.	
8	<i>strobilifera</i> . DC.	(st.) cone-bearing.	—	1816.	5. 7.	G. ½.	Pluk. alm. t. 275. f. 2.
9	<i>ericifolia</i> . DC.	(st.) heath-leaved.	—	1799.	7. 9.	G. ½.	
10	<i>sarmentosa</i> . DC.	(st.) twiggy.	—	1795.	6. 8.	G. ½.	
11	<i>falcata</i> . DC.	(st.) falcate-leaved.	—	1816.	—	G. ½.	
12	<i>ternata</i> . DC.	(st.) ternate-leaved.	—	—	—	G. ½.	Linn. hort. cliff. t. 32.
13	<i>trifoliata</i> . DC.	(st.) three-leaved.	—	1752.	4. 7.	G. ½.	Pluk. alm. t. 319. f. 4.
14	<i>obcordata</i> . DC.	(st.) obcordate.	—	1790.	6. 8.	G. ½.	
15	<i>obliqua</i> . DC.	(st.) oblique-leaved.	—	1816.	—	G. ½.	
16	<i>dentata</i> . DC.	(st.) toothed.	—	—	—	G. ½.	
17	<i>crenata</i> . DC.	(st.) notched-leaved.	—	1791.	7. 8.	G. ½.	
18	<i>pulchella</i> . DC.	(st.) beautiful.	—	1795.	4. 5.	G. ½.	
19	<i>cinerea</i> . DC.	(st.) cinereous.	—	1800.	6. 7.	G. ½.	

ORDO LXXIX.

SPIRÆACEÆ. D. Don prodr. flor. nepal. p. 227.

PURSHIA. DC. PURSHIA. Icosandria Monogynia.							
	<i>tridentata</i> . DC.	(ye.) three-toothed.	Columbia.	1827.	H. ½.	Pursh. fl. amer. 1. t. 15.
	<i>Tigarea tridentata</i> . Ph.						

KE'RRIA, DC.		KE'RRIA, Icosandria Pent-Octagynia.					
japónica, DC.	(ye.)	Japanese.	Japan.	1804.	4. 9.	H. h.	
β flore pleno.	(ye.)	double-flowered.	————	————	————	H. h.	Andr. reposit. t. 587.
<i>Córchorus japónicus.</i>		Bot. mag. t. 1296.					
SPIR'ÆA, DC.		SPIR'ÆA, Icosandria Pentagynia, L.					
1 opulifòlia, DC.	(wh.)	Guelder-rose-ld.	N. America.	1690.	6. 7.	H. h.	Schmidt arb. 1. t. 52.
2 capitata, DC.	(wh.)	headed.	Columbia.	1827.	————	H. h.	
3 ulmifòlia, DC.	(wh.)	Elm-leaved.	Siberia.	1790.	————	H. h.	Jacq. vind. 2. t. 140.
4 flexuosa, DC.	(wh.)	flexuose.	————	1820.	————	H. h.	Camb. mon. spir. t. 26.
5 bella, DC.	(ro.)	red-flowered.	Nepaul.	1818.	6. 9.	H. h.	Bot. mag. t. 2426.
6 chamaedrifòlia, DC.	(wh.)	Germander-ld.	Siberia.	1780.	6. 7.	H. h.	Bot. reg. t. 1222.
7 mèdia, Ph.	(wh.)	middle.	Canada.	1827.	————	H. h.	
8 oblongifòlia, W.K.	(wh.)	oblong-leaved.	Hungary.	1815.	5. 7.	H. h.	W. et K. hung. 3. t. 235.
9 càna, DC.	(wh.)	hoary-leaved.	————	1824.	6. 7.	H. h.	———— 3. t. 227.
10 trilobata, DC.	(wh.)	three-lobed.	Siberia.	1801.	5. 6.	H. h.	Pall. ross. 1. t. 17.
11 alpina, DC.	(wh.)	Alpine.	————	1806.	6. 7.	H. h.	———— 1. t. 20.
12 thalictroides, DC.	(wh.)	meadow-rue-ld.	————	1790.	5. 6.	H. h.	———— 1. t. 18.
13 pikowiensis, DC.	(wh.)	Pikow.	Poland.	1824.	————	H. h.	
14 hypericifòlia, W.	(wh.)	Hypericum-ld.	N. America.	1640.	4. 5.	H. h.	Schmidt arb. 1. t. 26.
15 uralensis.	(wh.)	Fischer's.	Siberia.	1822.	————	H. h.	
<i>crenata, F. non W. hypericifolia β uralensis, DC.</i>							
16 acutifòlia, W.en.	(wh.)	acute-leaved.	Siberia.	————	————	H. h.	
17 crenata, L.	(wh.)	crenated.	————	1739.	————	H. h.	
18 cratægifòlia, L.en.	(wh.)	Hawthorn-leav'd.	1824.	5. 6.	H. h.	
19 obovata, W.K.	(wh.)	obovate leaved.	Hungary.	1816.	————	H. h.	
20 savrànica, Bes.	(wh.)	small-flowered.	Poland.	1826.	————	H. h.	
21 Besseriàna.	(wh.)	Besser's.	————	————	————	H. h.	
<i>crenata, Bes. non L.</i>							
22 canescens, DC.	(wh.)	canescent.	Nepaul.	1825.	6. 8.	H. h.	
23 ceanothifòlia, DC.	(wh.)	Ceanothus-ld.	1820.	5. 6.	H. h.	
24 corymbosa, DC.	(wh.)	corymbose.	Virginia.	1812.	————	H. h.	Lodd. bot. cab. t. 671.
25 vacciniifòlia, D.P.	(wh.)	Vaccinium-ld.	Nepaul.	1824.	6. 8.	H. h.	———— t. 1403.
26 betulafòlia, DC.	(wh.)	Birch-leaved.	Siberia.	1812.	6. 7.	H. h.	Pall. ross. 1. t. 16.
27 lævigata, DC.	(wh.)	smooth-leaved.	————	1774.	4. 6.	H. h.	Schmidt arb. 1. t. 49.
28 salicifòlia, DC.	(ro.)	Willow-leaved.	Britain.	6. 8.	H. h.	Eng. bot. v. 21. t. 1403.
29 àlba, W.D.	(wh.)	white-flowered.	————	H. h.	Wats. dend. brit. t. 133.
30 carpinifòlia, W.en.	(bh.)	broad-leaved.	N. America.	7. 8.	H. h.	———— t. 66.
31 tomentosa, DC.	(ro.)	tomentose.	————	1736.	7. 9.	H. h.	Schmidt arb. 1. t. 51.
32 ariafòlia, DC.	(ro.)	Aria-leaved	————	1827.	6. 8.	H. h.	
33 discolor, DC.	(wh.)	two-coloured.	————	————	————	H. h.	
34 sorbifòlia, DC.	(wh.)	Service-leaved.	Siberia.	1759.	7. 9.	H. h.	Schmidt arb. 1. t. 53.
35 grandiflora.	(wh.)	large-flowered.	Kamtschatka.	1817.	7. 8.	H. h.	Pall. ros. 1. t. 25.
<i>sorbifolia β alpina, DC.</i>							
36 Arúncus, DC.	(wh.)	Goat's-beard.	Siberia.	1633.	6. 7.	H. 4.	Pall. ros. 1. t. 26.
37 americana.	(wh.)	glossy-leaved.	N. America.	1825.	————	H. 4.	
38 Ulmària, DC.	(wh.)	Meadow-sweet.	Britain.	6. 10.	H. 4.	Eng. bot. v. 14. t. 900.
α tomentosa, DC.	(wh.)	tomentose.	————	————	H. 4.	
β múltiplex, DC.	(wh.)	double-flowered.	————	————	H. 4.	
γ variegata, DC.	(wh.)	variegated-leaf'd.	————	————	H. 4.	
39 lobata, DC.	(ro.)	lobed-leaved.	N. America.	1765.	7. 8.	H. 4.	Jacq. vind. 1. t. 88.
40 palmata, DC.	(wh.)	palmated.	China.	1823.	————	H. 4.	
41 digitata, DC.	(ro.)	digitate.	Siberia.	————	————	H. 4.	Pall. ros. 1. t. 27.
42 Filipéndula, DC.	(wh.)	Dropwort.	Britain.	6. 10.	H. 4.	Eng. bot. v. 4. t. 284.
β múltiplex, DC.	(wh.)	double-flower'd.	————	————	H. 4.	
GILL'ENIA, DC.		GILL'ENIA, Dodecandria Pentagynia.					
1 trifoliata, DC.	(bh.)	three-leaved.	N. America.	1713.	6. 7.	H. 4.	Bot. mag. t. 489.
<i>Spiræa trifoliata, B.M.</i>							
2 stipulacea, DC.	(bh.)	large-stipuled.	————	1805.	————	H. 4.	Bart. med. bot. t. 6.

ORDO LXXX.

CALYCANTHÆ. DC. prodr. 3. p. 1.

CALYCAN'THUS, DC.		ALLSPICE-TREE, Icosandria Polygynia, L.					
1 floridus, DC.	(d. pu.)	Carolina.	Carolina.	1726.	5. 8.	H. h.	Bot. mag. t. 503.

2	prunifolius.	(d.pu.) Plum-leaved.	Carolina.	1822.	5. 8.	H. h.	
3	glaucus. DC.	(d.pu.) glaucous-leaved.	————	1806.	—	H. h.	Guimp. ab. holz. t. 5.
	<i>fertilis.</i> Bot. reg. t. 404.						
4	oblongifolius. N.	(d.pu.) oblong-leaved.	————	1812.	—	H. h.	
5	levigatus. DC.	(d.pu.) smooth-leaved.	————	1806.	—	H. h.	Bot. reg. t. 481.
CHIMONA'NTHUS. DC. JAPAN ALLSPICE. Icosandria Polygynia.							
	fragrans. DC.	(ye.) fragrant.	Japan.	1766.	12. 3.	H. h.	Bot. mag. t. 466.
	<i>Calycanthus præcox.</i> B.M.						
	a	verus.	(ye.pu.) common.	————	—	H. h.	Hort. Kew. v. 2. t. 10.
	b	luteus.	(ye.) yellow-flowered.	————	1814.	H. h.	
	γ	grandiflorus. B.R.	(ye.) large-flowered.	————	1812.	H. h.	Bot. reg. t. 451.

ORDO LXXXI.

GRANATEÆ. *D. Don in Jameson Edinb. phil. journ. jul. 1826. p. 134.*

PUNICA. DC.		POMEGRANATE. Icosandria Monogynia. L.					
1	Granatum. DC.	(or.) common.	S. Europe.	1548.	6. 9.	H. h.	Bot. mag. t. 1832.
	a	rubrum. DC.	(or.) red-flowered.	————	—	H. h.	Schkuhr handb. t. 131.
	β	flöre plèno. DC.	(or.) double red.	————	H. h.	Trew ehret. t. 71. f. 2.
	γ	flavescens.	(ye.) yellow-flowered.	China.	1810.	F. h.	
	δ	albescens.	(wh.) white-flowered.	————	—	F. h.	Andr. reposit. t. 96.
	ε	multiplex.	(wh.) double white.	————	F. h.	
2	nana. DC.	(or.) dwarf.	S. America.	1723.	7. 9.	F. h.	Bot. mag. t. 634.

ORDO LXXXII.

MEMECYLEÆ. *DC. prodr. 3. p. 5.*

MEMECYLON. DC.		MEM'ECYLON. Octandria Monogynia. L.					
1	angulatum. DC.	(pu.) square-stalked.	Mauritius.	1826.	5. 7.	S. h.	
2	capitellatum. DC.	(pu.) headed.	Ceylon.	1796.	7. 8.	S. h.	Burm. zeyl. t. 30.
3	édale. DC.	(pu.) eatable-fruited.	E. Indies.	1823.	—	S. h.	Roxb. corom. 1. t. 82.
4	grande. DC.	(bl.) tree.	————	1824.	S. h.	Rheed. mal. 2. t. 14.
MOURI'RIA. DC.		MOURI'RIA. Decandria Monogynia.					
1	myrtilloides. DC.	(wh.) sessile-leaved.	Jamaica.	1818.	6. 8.	S. h.	Sloan. his. 2. t. 87. f. 3.
	<i>Petaloma myrtilloides.</i> Swartz fl. ind. occ. 2. p. 833. t. 14.						
2	guianensis. DC.	(ye.) Guiana.	Guiana.	1825.	—	S. h.	Aubl. guian. 1. t. 180.
3	grandiflora. DC.	(wh.) great flowered.	Brazil.	1822.	S. h.	
4	alternifolia. H.B. alternate-leav'd.	E. Indies.	1823.	S. h.	

ORDO LXXXIII.

COMBRETACEÆ. *DC. prodr. 3. p. 9.*

Tribus I. *TERMINALIEÆ.* DC. prodr. 3. p. 9.

EUCIDA. DC.		OLIVE-BARK-TREE. Decandria Monogynia. L.					
1	Buceras. DC.	(wh.) Jamaica.	Jamaica.	1793.	7. 10.	S. h.	Bot. reg. t. 907.
2	capitata. DC.	(wh.) headed.	W. Indies.	1826.	S. h.	Vahl. ecl. 1. t. 8.
TERMINALIA. DC.		TERMIN'ALIA. Polygamia Monœcia. L.					
1	Taniboûca. DC.	(wh.) Guiana.	Guiana.	1826.	S. h.	Aubl. guian. 1. t. 178.
2	angustifolia. DC.	(wh.) narrow-leaved.	E. Indies.	1692.	5. 7.	S. h.	Jacq. vind. 3. t. 100.
	<i>Catappa Benzoin.</i> Gært. fruct. 2. p. 206. t. 127.						

3	<i>mauritiàna</i> . DC.	(wh.) Mauritius.	Mauritius.	1822.	S. h.	Lam. ill. t. 848. f. 2.
4	<i>Catappa</i> . DC.	(wh.) large-leaved.	E. Indies.	1778.	5. 7.	S. h.	Jacq. ic. 1. t. 197.
5	<i>subcordàta</i> . K.S.	(wh.) heart-leaved.	W. Indies.	1816.	S. h.	
6	<i>moluccàna</i> . DC.	(wh.) smooth-leaved.	Moluccas.	—	S. h.	Rumph. amb. 1. t. 68.
7	<i>glàbrata</i> . DC.	(wh.) smooth-leaved.	Society Isles.	1822.	S. h.	Spreng. antiq. bot. t. 2.
8	<i>latifolia</i> . DC.	(wh.) broad-leaved.	W. Indies.	1778.	6. 8.	S. h.	
9	<i>bengalénsis</i> . DC.	(wh.) Bengal.	E. Indies.	1826.	S. h.	
10	<i>Bellerica</i> . DC.	(wh.) fetid-flowered.	—	1818.	S. h.	Roxb. corom. 2. t. 198.
11	<i>Chébula</i> . DC.	(wh.) oval-leaved.	—	1796.	6. 8.	S. h.	— 2. t. 197.
12	<i>citrina</i> . DC.	(st.) Citron-leaved.	—	1823.	S. h.	Gært. fruct. 2. t. 97.
13	<i>pròcera</i> . DC.	(wh.) lofty.	—	1816.	S. h.	Roxb. corom. 3. t. 224.
14	<i>gangética</i> . H.B.	(wh.) Ganges.	—	1823.	S. h.	
15	<i>biticària</i> . H.B.	(wh.) Silhet.	—	1824.	S. h.	
16	<i>arbúscula</i> . DC.	(wh.) small tree.	Jamaica.	1822.	S. h.	
17	<i>serícea</i> . DC.	(wh.) silky-leaved.	C. B. S.	1816.	I. h.	
18	<i>Fatr'æa</i> . DC.	(wh.) Madagascar.	Madagascar.	1826.	S. h.	
PENTA'PTERA. DC. PENTA'PTERA. Polygamia Monœcia.							
1	<i>tomentosa</i> . DC.	(wh.) woolly.	E. Indies.	1824.	S. h.	DC. diss. t. 1.
2	<i>paniculàta</i> . DC.	(wh.) paniced.	—	1826.	S. h.	
3	<i>Arjuna</i> . DC.	(wh.) glaucous-leaved.	—	1825.	S. h.	DC. diss. t. 2.
4	<i>bialàta</i> . H.B.	(wh.) two-winged.	—	—	S. h.	
GETONIA. DC. GETONIA. Decandria Monogynia.							
1	<i>floribúnda</i> . DC.	(wh.) many-flowered.	E. Indies.	1815.	5. 7.	S. h.	Roxb. corom. 1. t. 87.
2	<i>nùtans</i> . DC.	(wh.) nodding.	—	1823.	—	S. h.	
CONOCA'RPUS. DC. BUTTON-TREE. Pent-Decandria Monogynia.							
1	<i>erécta</i> . W.	(wh.) upright.	Jamaica.	1752.	6. 8.	S. h.	Jacq. amer. t. 52. f. 1.
2	<i>procúbens</i> . W.	(wh.) procumbent.	Cuba.	1730.	—	S. h.	— t. 52. f. 2.
3	<i>acuminàta</i> . DC.	(wh.) pointed-leaved.	E. Indies.	1822.	S. h.	
4	<i>latifolia</i> . DC.	(wh.) broad-leaved.	—	1816.	S. h.	
LAGUNCULARIA. DC. LAGUNCULARIA. Decandria Monogynia.							
	<i>racemosa</i> . DC.	(gr.) racemed.	W. Indies.	1825.	S. h.	Jacq. amer. t. 53.
POIVREA. DC. POIVREA. Decandria Monogynia.							
1	<i>comosa</i> .	(cr.) tufted.	Sierra Leone.	1821.	5. 8.	S. h.	Bot. reg. t. 1165.
	<i>Combrètum comosum</i> . Bot. reg.						
2	<i>intermèdia</i> . G.D.	(cr.) intermediate.	—	—	S. h.	
3	<i>alternifolia</i> . DC.	(wh.) alternate-leav'd.	S. America.	1826.	S. h.	Jacq. am. pic. t. 260. f. 27.
	<i>Combrètum decándrum</i> . Jacq.						
4	<i>coccinea</i> . DC.	(sc.) scarlet-flower'd.	Madagascar.	1818.	3. 10.	S. h.	Lam. ill. t. 282. f. 2.
	<i>Combrètum purpùreum</i> . Bot. reg. 429. <i>Cristària coccinea</i> . Sonn. itin. 2. t. 140. non Pursh.						
5	<i>Roxbùrghii</i> . DC.	(wh.) Roxburgh's.	E. Indies.	1822.	S. h.	Roxb. corom. 1. t. 59.
	<i>Combrètum decándrum</i> . Roxb. non Jacq.						

Tribus II. *COMBRETEÆ*. DC. prodr. 3. p. 18.

COMBR'ETUM. DC. COMBR'ETUM. Octandria Monogynia. L.							
1	<i>secúndum</i> . G.D.	(ye. sc.) side-flowering.	W. Indies.	1822.	S. h.	Jacq. am. pic. t. 260. f. 26.
2	<i>elegans</i> . DC.	(re.) elegant.	S. America.	1823.	S. h.	Aubl. gui. 1. t. 137.
3	<i>formosum</i> . G.D.	(ye. re.) beautiful.	Brazil.	1824.	S. h.	
4	<i>grandiflorum</i> . G.D.	(sc.) large-flowered.	Sierra Leone.	1821.	S. h.	
5	<i>farinosum</i> . G.D.	(or.) mealy-leaved.	Mexico.	1823.	G. h.	
6	<i>laxum</i> . G.D.	(wh.) loose-racemed.	S. America.	1822.	S. h.	Lam. ill. t. 282. f. 1.
7	<i>pulehèllum</i> . G.D.	(sc.) pretty.	Brazil.	1823.	S. h.	
8	<i>nànum</i> . G.D.	(wh.) dwarf.	Nepaul.	1826.	G. h.	
9	<i>micranthum</i> . G.D.	(sc.) small-flowered.	Sierra Leone.	1823.	S. h.	
	<i>parriflorum</i> . Reichenb. hort. bot. t. 62.						
CACOUCIA. DC. CACOUCIA. Dodecandria Monogynia.							
	<i>coccinea</i> . DC.	(sc.) scarlet.	Guiana.	1815.	S. h.	Aubl. guian. 1. t. 179.
	<i>Schousb'æa coccinea</i> . W.						
QUISQU'ALIS. DC. QUISQU'ALIS. Decandria Monogynia. L.							
1	<i>indica</i> . DC.	(cr.) Indian.	China.	1815.	5. 8.	S. h.	Bot. reg. t. 492.
2	<i>glàbra</i> . DC.	(cr.) smooth.	E. Indies.	1825.	—	S. h.	Burm. ind. t. 28. f. 2.
3	<i>pubescens</i> . S.S. pubescent.	China.	1815.	S. h.	
4	<i>villòsa</i> . S.S. villous.	Pegu.	1818.	S. h.	

ORDO LXXXIV.

VOCHYSIÆ. DC. *prodr.* 3. p. 25.

VOCHYSIA. DC.	VOCHYSIA. Monandria Monogynia.				
1 guianensis. DC. (ye.)	Guiana.	Guiana.	1822. S. h.	Aubl. guian. 1. t. 6.
<i>Cucularia excelsa.</i> W.					
2 tomentosa. DC. (ye.)	woolly.	————	1825. S. h.	

ORDO LXXXV.

RHIZOPHOREÆ. DC. *prodr.* 3. p. 31.

OLISBEA. DC.	OLISBEA. Decandria Monogynia.				
<i>rhizophoræfolia.</i> DC. . .	Rhizophora-ld. W. Indies.	W. Indies.	1825. S. h.	
RHIZOPHORA. DC.	RHIZOPHORA. Octandria Monogynia.				
Mangle. DC. (ye.)	common.	India.	1818. S. h.	Jacq. amer. t. 89.
CARA'LLIA. DC.	CARA'LLIA. Dodecandria Monogynia.				
lucida. DC. (ye.)	glossy.	E. Indies.	1826. S. h.	Roxb. corom. 3. t. 211.

ORDO LXXXVI.

ONAGRARIEÆ. DC. *prodr.* v. 3. p. 35.Tribus I. MONTINIEÆ. DC. *prodr.* loc. cit.

MONTINIA. DC.	MONTINIA. Dioecia Tetrandria. L.				
âcris. DC. (wh.)	Sea purslane-ld. C. B. S.	C. B. S.	1774.	7. 8. G. h.	Smith spicil. t. 15.
<i>caryophyllæa.</i> Thunb.					

Tribus II. FUCHSIEÆ. DC. *prod.* v. 3. p. 36.

FUCHSIA. DC.	FUCHSIA. Octandria Monogynia. L.				
1 microphylla. DC. (re.)	small-leaved.	Mexico.	1827.	6. 9. F. h.	Swt. br. fl. gar. s. 2. t. 16.
2 lycioides. DC. (re.)	Box-thorn-ld.	Chile.	1796.	4. 10. G. h.	Bot. mag. t. 1024.
3 parviflora. DC. (re.)	small-flowered.	Mexico.	1824.	6. 9. F. h.	Bot. reg. t. 1048.
4 arborescens. DC. (ro.)	arborescent.	————	1823.	6. 10. G. h.	———— t. 943.
5 gracilis. DC. (sc.)	slender.	————	1822.	5. 10. F. h.	———— t. 847.
β multiflora. DC. (sc.)	many-flowered.	————	1824.	— F. h.	———— t. 1052.
6 macrostemma. DC. (sc.)	large-crowned.	Chile.	1823.	— G. h.	Flor. per. 3. t. 324. f. b.
tenella. DC. (sc.)	weak.	————	1822.	— G. h.	
7 conica. B.R. (sc.)	conical-tubed.	————	1824.	— F. h.	Bot. reg. t. 1062.
8 virgata. (sc.)	Colvill's.	Mexico.	1825.	— F. h.	Bot. mag. t. 97.
9 coccinea. DC. (sc.)	scarlet.	Chile.	1788.	— F. h.	Bot. reg. t. 857.
10 excorticata. DC. (gr. re.)	changeable.	N. Zealand.	1821.	— G. h.	

Tribus III. ONAGREÆ. DC. *prodr.* v. 3. p. 40.

CHAMEN'ERION. Tourn.	CHAMEN'ERION. Octandria Monogynia.				
1 spicatum. G.B. (re.)	spiked.	England.	7. 8. H. 4.	Eng. bot. v. 28. t. 1947.
<i>Epilobium angustifolium.</i> E.B.					
β albiflorum. (wh.)	white-flowered.	————	— H. 4.	

2	speciosum. L.C. (re.) handsome.	Europe.	7. 8.	H. ♀.	
	<i>Epilobium angustifolium</i> β <i>latum</i> . DC. <i>latifolium</i> . Schmidt.					
3	americanum. (re.) American.	N. America.	1825.	—	H. ♀.	
4	rosmarinifolium. DC. (re.) Rosemary-ld.	Europe.	1775.	6. 8.	H. ♀.	Reich. ic. 4. t. 341.
	<i>Epilobium angustissimum</i> . Bot. mag. t. 76.					
5	Halleri. Retz. (re.) Haller's.	Switzerland.	1798.	—	H. ♀.	— 4. t. 342.
	<i>Epilobium Dodonæi</i> . Allioni. <i>rosmarinifolium</i> β <i>alpinum</i> . DC.					
6	latifolium. (li.) broad-leaved.	Europe.	1779.	7. 8.	H. ♀.	Sal. par. lond. t. 58.
	<i>halimifolium</i> . P.L.					
EPIL'OBIIUM. DC. WILLOW-HERB. Octandria Monogynia. L.						
1	alpinum. DC. (ro.) alpine.	Britain.	6. 7.	H. ♀.	Eng. bot. v. 28. t. 2001.
2	organifolium. DC. (ro.) Marjoram-leav'd.	—	7. 8.	H. ♀.	— v. 28. t. 2000.
	<i>alsinifolium</i> . E.B.					
3	roseum. E.B. (ro.) rose-coloured.	—	—	H. ♀.	— v. 10. t. 693.
4	alpestre. s.s. (ro.) simple-stalked.	Switzerland.	—	H. ♀.	
5	montanum. DC. (li.) mountain.	Britain.	—	H. ♀.	Eng. bot. v. 17. t. 1177.
6	nūtans. DC. (bh.) nodding.	Bohemia.	1827.	—	H. ♀.	Reich. ic. 2. t. 197.
7	Hornemanni. DC. (li.) Hornemann's.	Finland.	—	—	H. ♀.	— p. 73. t. 180.
	<i>nūtans</i> . Horn. <i>nec aliorum</i> .					
8	coloratum. DC. (ro.) pink-flowered.	N. America.	1805.	—	H. ♀.	
9	dahuricum. DC. (wh.) Dahurian.	Dahuria.	1816.	—	H. ♂.	
10	hirsutum. DC. (pu.) Codlins & cream.	Britain.	—	H. ♀.	Eng. bot. v. 12. t. 838.
11	tomentosum. DC. (pu.) woolly.	Levant.	1821.	—	H. ♀.	Vent. hort. cels. t. 90.
12	villosum. DC. (pu.) villous.	C. B. S.	1799.	—	G. ♀.	
13	cylindricum. DC. (ro.) round-stemmed.	Nepaul.	1827.	—	H. ♀.	
14	palustre. DC. (ro.) round-stalked.	Britain.	—	H. ♀.	Eng. bot. v. 5. t. 346.
15	rivulare. DC. (ro.) rivulet.	N. Europe.	1828.	—	H. ♀.	Reich. ic. 2. t. 170.
16	parviflorum. DC. (pu.) small-flowered.	Britain.	—	H. ♀.	Eng. bot. v. 12. t. 795.
17	tetragonum. DC. (pu.) square-stemmed.	—	—	H. ♀.	— v. 28. t. 1948.
18	obscurum. P.S. (pu.) obscure.	Europe.	1820.	—	H. ♀.	Reich. ic. 2. t. 199.
19	canescens. H.H. (ro.) canescent.	1826.	—	H. ♀.	
GA'URA. DC. GA'URA. Octandria Monogynia. L.						
1	biennis. DC. (bh.) biennial.	N. America.	1762.	8. 10.	H. ♂.	Bot. mag. t. 389.
2	angustifolia. DC. (fl.) narrow-leaved.	Carolina.	1816.	7. 9.	F. ♂.	Jacq. ic. 3. t. 457.
	<i>fruticosa</i> . Jacq. <i>ex</i> DC. <i>prodr</i> .					
3	sinuata. DC. (fl.) sinuate-leaved.	Arkansa.	1826.	—	H. ♂.	
4	tripetala. DC. (bh.) three-petaled.	Mexico.	1804.	8. 10.	H. ♂.	Cavan. ic. 4. t. 396. f. 1.
5	linifolia. DC. (wh.) Flax-leaved.	Arkansa.	1826.	7. 9.	H. ♂.	
6	coccinea. DC. (ro.) pale-scarlet.	Louisiana.	1811.	8. 10.	H. ♀.	
7	mutabilis. DC. (ye.) changeable-col'd.	N. Spain.	1795.	7. 9.	F. ♂.	Bot. mag. t. 388.
8	œnotheriflora. DC. (ye.) canescent.	1816.	—	F. ♂.	
ÆNOTHERA. DC. EVENING PRIMROSE. Octandria Monogynia. L.						
1	dentata. DC. (ye.) toothed.	Chile.	1818.	6. 9.	H. ♂.	Lindl. coll. t. 10.
2	micrantha. s.s. (ye.) small-blossom'd.	California.	1820.	—	H. ♂.	
	<i>hirta</i> . L. <i>enum</i> .					
3	cheiranthifolia. DC. (ye.) Wallflower-ld.	Chile.	—	—	F. ♀.	Bot. reg. t. 1040.
4	biennis. DC. (ye.) common.	N. America.	1629.	—	H. ♂.	Eng. bot. v. 22. t. 1534.
5	elata. DC. (ye.) tall upright.	Mexico.	1827.	7. 10.	F. ♂.	
6	grandiflora. DC. (ye.) large-flowered.	N. America.	1778.	6. 8.	H. ♂.	Bot. mag. t. 2068.
7	suaveolens. DC. (ye.) fragrant.	—	—	H. ♂.	
8	Simsiana. DC. (ye.) Sims's.	Mexico.	1816.	7. 10.	F. ♂.	Bot. mag. t. 1974.
	<i>corymbosa</i> . B.M. <i>non</i> Lamarck.					
9	macrocarpa. DC. (ye.) broad-leaved.	N. America.	1811.	6. 8.	H. ♀.	Swt. br. fl. gar. t. 5.
10	missouriensis. B.M. (ye.) narrow-leaved.	—	—	—	H. ♀.	Bot. mag. t. 1592.
	<i>alata</i> . N. <i>non</i> Rafin.					
11	salicifolia. DC. (ye.) Willow-leaved.	1818.	6. 9.	H. ♂.	
12	parviflora. DC. (ye.) small-flowered.	N. America.	1757.	6. 8.	H. ♂.	Meerb. ic. 1. t. 34.
13	cruciata. N. (st.) cross-petaled.	—	1821.	6. 10.	H. ♂.	
14	muricata. DC. (ye.) prickly-stalked.	N. America.	1789.	7. 9.	H. ♂.	Murr. com. goet. 6. t. 1.
15	nocturna. DC. (ye.) night-smelling.	C. B. S.	1790.	4. 8.	G. ♂.	Jacq. ic. 3. t. 455.
16	longiflora. DC. (ye.) long-flowered.	BuenosAyres.	1776.	7. 9.	H. ♂.	Bot. mag. t. 365.
17	villosa. DC. (ye.) villous.	C. B. S.	1791.	—	G. ♂.	
18	mollissima. DC. (ye.) soft wave-ld.	BuenosAyres.	1732.	6. 10.	H. ♂.	Schkuhr hand. 1. t. 105.
19	odorata. DC. (ye.) sweet-scented.	Patagonia.	1790.	4. 8.	H. ♀.	Bot. mag. t. 2403.
	<i>α glaucescens</i> . DC. (ye.) glaucescent.	—	—	—	H. ♀.	Jacq. ic. 3. t. 456.
	<i>β virescens</i> . DC. (ye.) purple-stalked.	—	—	—	H. ♀.	Bot. reg. t. 147.
20	striata. DC. (ye.) striped-seeded.	1816.	6. 9.	H. ♂.	
21	sinuata. DC. (ye.) scollop-leaved.	N. America.	1770.	7. 8.	H. ♂.	Murr. com. goet. 5. t. 9.
22	tenella. DC. (pu.) slender.	Chile.	1822.	6. 9.	H. ♂.	Swt. br. fl. gar. t. 167.

23	tennifolia. DC.	(pu.) slender-leaved.	Chile.	1829.	6. 9.	H. ⊙.	Cavan. ic. 4. t. 397.
24	viminea. B.M.	(pu.) twiggy.	N. America.	1827.	—	H. ⊙.	Bot. reg. t. 1220.
25	decumbens. D.	(pu.) decumbent.	—	—	—	H. ⊙.	— t. 1221.
26	quadrivulnera. D.	(pu.) four-spotted.	—	—	—	H. ⊙.	— t. 1119.
27	Lindleyana. D.	(pu.) Lindley's.	—	—	—	H. ⊙.	Swt. br. fl. gar. s. 2. t. 19.
28	roseo-alba. DC.	(wh.ro.) rosy and white.	America.	1826.	—	H. ⊙.	— t. 268.
29	purpurea. DC.	(pu.) purple-flower'd.	N. America.	1794.	5. 9.	H. ⊙.	Bot. mag. t. 352.
30	Romanzovii. DC.	(pu.) Romanzoff's.	—	1819.	—	H. ⊙.	Bot. reg. t. 662.
31	corymbosa. DC.	(ye.) corymbose.	1826.	6. 9.	H. ♂.	
32	spectabilis. H.H.	(ye.) showy.	Mexico.	1822.	—	F. ♂.	
33	gauroides. DC.	(ye.) Gaura-like.	Baltimore.	1816.	7. 9.	H. ♂.	
34	media. DC.	(ye.) intermediate.	N. America.	1821.	6. 9.	H. ♀.	
35	serrulata. DC.	(ye.) saw-leaved.	—	—	6. 10.	H. ♀.	Swt. br. fl. gar. t. 133.
36	stricta. Led.	(ye.) straight.	1822.	—	H. ⊙.	
37	amœna. Leh.	(ye.) delicate.	1826.	—	H. ⊙.	
38	nervosa. H.H.	(ye.) nerved-leaved.	—	—	H. ♂.	
39	caespitosa. DC.	(wh.) tufted.	N. America.	1811.	6. 9.	H. ♀.	Bot. mag. t. 1593.
40	acaulis. DC.	(wh.) short-stalked.	Chile.	1822.	—	H. ♀.	Bot. reg. t. 763.
41	taraxacifolia. B.F.G.	(w.) Dandelion-ld.	—	1823.	—	H. ♀.	Swt. br. fl. gar. t. 294.
	grandiflora. Flor. peruv.	3. t. 318. f. 6. nec aliorum.					
42	triloba. DC.	(st.) root-flowering.	N. America.	1821.	6. 10.	H. ⊙.	Bot. mag. t. 2566.
	rhizocarpa. s.s.						
43	virgata. DC.	(pu.) slender-twigg'd.	Peru.	1823.	6. 9.	H. ⊙.	Flor. per. 29. t. 315.
44	pinnatifida. DC.	(ye.) pinnatifid.	Mexico.	1825.	—	F. ♀.	
45	tetraptera. DC.	(wh.) four-winged.	—	1796.	—	H. ⊙.	Bot. mag. t. 468.
46	latiflora. DC.	(wh.) broad-flowered.	—	1826.	—	H. ♀.	Flor. mex. ined. t. 376.
47	glauca. DC.	(ye.) glaucous-leav'd.	N. America.	1812.	5. 10.	H. ♀.	Bot. mag. t. 1606.
48	fruticosa. DC.	(ye.) frutescent.	—	1737.	6. 8.	H. ♀.	— t. 332.
49	ambigua. DC.	(ye.) ambiguous.	—	H. ♀.	
50	serotina. B.F.G.	(ye.) late-flowered.	—	1820.	7. 10.	H. ♀.	Swt. br. fl. gar. t. 184.
51	tetragona. DC.	(ye.) blunt-leaved.	—	6. 8.	H. ♀.	
52	Fraseri. DC.	(ye.) Fraser's.	—	1811.	5. 10.	H. ♀.	Bot. mag. t. 1674.
53	pumila. DC.	(ye.) dwarf.	—	1757.	5. 9.	H. ♀.	— t. 355.
54	rosea. DC.	(ro.) rose-coloured.	Peru.	1783.	—	F. ♀.	— t. 347.
55	linearis. DC.	(ye.) linear-leaved.	N. America.	6. 8.	H. ♀.	
56	speciosa. DC.	(wh.) handsome.	Louisiana.	1821.	—	H. ♀.	Swt. br. fl. gar. t. 253.
57	pallida. B.R.	(bh.) pale.	N. America.	1827.	—	H. ♀.	Bot. reg. t. 1142.
58	albicaulis. DC.	(wh.) white-stalked.	—	1811.	5. 9.	H. ⊙.	
	pinnatifida. N. non Kth.						
59	Nuttallii.	(wh.) Nuttall's.	N. America.	—	5. 8.	H. ♀.	
	albicaulis. N. non Pursh.						
60	canadensis. DC.	(ye.) Canadian.	Canada.	1825.	6. 9.	H. ⊙.	
	CLARKIA. Ph.	CLARKIA. Octandria Monogynia.					
	pulchella. Ph.	(ro.) beautiful.	N. America.	1827.	5. 10.	H. ⊙.	Bot. reg. t. 1100.
	β albiflora.	(wh.) white-flowered.	—	—	—	H. ⊙.	
	γ integriloba.	(ro.) entire-lobed.	—	—	—	H. ⊙.	

Tribus IV. JUSSIÆA. DC. prodr. v. 3. p. 52.

JUSSIÆA. DC.		JUSSIÆA. Octo-Dec-Dodecandria Monogynia.					
1	variabilis. DC.	(ye.) variable.	Guiana.	1820.	7. 9.	S.w. ♀.	
2	leptocarpa. DC.	(ye.) narrow-podded.	Mississippi.	1824.	—	H. ⊙.	
3	pilosa. DC.	(ye.) hairy.	Caracas.	1829.	—	S.w. ♀.	H. et B. n. gen. 6. t. 532.
4	grandiflora. DC.	(ye.) great-flowered.	Carolina.	1812.	7. 10.	G.w. ♀.	Bot. mag. t. 2122.
5	repens. DC.	(ye.) creeping.	E. Indies.	1816.	—	S.w. ♀.	Rheed. mal. 2. t. 51.
6	Swartziana. DC.	(ye.) Swartz's.	W. Indies.	1826.	—	S.w. ♀.	
7	inclinata. DC.	(ye.) inclined.	Surinam.	1820.	—	S.w. ⊙.	
8	acuminata. DC.	(ye.) acuminate.	Jamaica.	—	—	S. ⊙.	
9	linifolia. DC.	(ye.) Flax-leaved.	W. Indies.	—	—	S. ⊙.	
10	erecta. DC.	(ye.) upright.	S. America.	1739.	—	S.w. ♂.	Gært. fruct. t. 31.
11	frutescens. DC.	(ye.) frutescent.	1829.	4. 6.	S.w. ♀.	
12	longifolia. DC.	(ye.) long-leaved.	Brazil.	1828.	6. 9.	S.w. ♀.	DC. pl. rar. gen. 1. t. 4.
13	decurrens. DC.	(ye.) decurrent.	N. America.	—	—	H.w. ♀.	Abb. ins. t. 40.
14	ovalifolia. DC.	(ye.) oval-leaved.	Madagascar.	1823.	7. 9.	S.w. ♀.	Bot. mag. t. 2530.
15	Burmanni. DC.	(ye.) Burmann's.	E. Indies.	1808.	8. 9.	S.w. ♀.	Andr. reposit. 621.
	suffruticosa. A.R.						

ORNAGRARIÆ.

16 villôsa. DC.	(ye.) villous.	E. Indies.	1826.	8. 9.	S.w. ½.	Rheed. mal. 2. t. 50.
17 octonervia. DC.	(ye.) eight-nerved.	S. America.	7. 9.	S.w. ¼.	Lam. ill. t. 280. f. 1.
<i>Enothera octovalvis.</i> Jacq. amer. t. 70.						
18 octofila. DC.	(ye.) eight-veined.	Caribees.	—	S.w. ¼.	Plum.edBur.t.173.f.1.
19 scâbra. DC.	(ye.) rough.	Brazil.	1816.	—	S.w. ¼.	
20 hirta. DC.	(ye.) hairy.	S. America.	1823.	—	S.w. ½.	Plum.edBur.t.174.f.2.
LUDWIGIA. DC.	LUDWIGIA.	Tetrandria Monogynia.	L.			
1 jussiaeoides. DC.	(ye.) Jussiaea-like.	Mauritius.	1826.	7. 9.	S.w. ¼.	
2 parviflora. DC.	(ye.) small-flowered.	E. Indies.	1812.	—	S. ☉.	
ISNARDIA. DC.	ISNARDIA.	Tetrandria Monogynia.	L.			
1 alternifolia. DC.	(ye.) alternate-leav'd.	N. America.	1752.	6. 7.	H.w. ¼.	Lam. ill. t. 77.
<i>Ludwigia alternifolia.</i> L. <i>macrocarpa.</i> M.						
2 hirsuta. DC.	(ye.) hairy.	—	1812.	6. 8.	H.w. ¼.	
3 palustris. DC.	(gr.) marsh.	Europe.	1776.	7. 8.	H.w. ¼.	Schk. handb. 1. t. 25.
4 nitida.	(gr.) American.	America.	—	H.w. ¼.	
<i>Ludwigia nitida.</i> M. <i>apétala.</i> Walter. <i>palustris.</i> Torrey.						

Tribus V. CIRCÆEÆ. DC. prodr. v. 3. p. 61.

LOPEZIA. DC.	LOPEZIA.	Monandria Monogynia.				
1 racemosa. DC.	(pu.) smooth.	Mexico.	1792.	8. 10.	G. ♂.	Bot. mag. t. 254.
2 cordata. DC.	(pu.) heart-leaved.	—	1826.	7. 10.	H. ☉.	
3 coronata. DC.	(pu.) coronet-flower'd.	—	1805.	—	H. ☉.	Swt. br. fl. gar. t. 108.
4 oppositifolia. DC.	(pu.) opposite-leaved.	—	1825.	—	H. ☉.	
5 integrifolia. DC.	(pu.) entire-leaved.	—	—	—	H. ☉.	
6 miniata. DC.	(pu.) frutescent.	—	1824.	9. 11.	G. ½.	Jacq. f. ecl. t. 109.
7 hirsuta. DC.	(pu.) hairy.	—	1796.	—	G. ♂.	Jacq. coll. 5. t. 15. f. 4.
8 pumila. DC.	(pu.) dwarf.	—	1825.	7. 9.	H. ☉.	
CIRCÆA. DC.	ENCHANTER'S NIGHTSHADE.	Diandria Monogynia.				
1 lutetiana. DC.	(wh.) common.	Britain.	6. 8.	H. ¼.	Eng. bot. v. 15. t. 1056.
2 canadensis. L.	(wh.) smooth-stalked.	N. America.	—	H. ¼.	
3 alpina. DC.	(wh.) mountain.	Britain.	6. 9.	H. ¼.	Eng. bot. v. 15. t. 1057.

Tribus VI. HYDROCARYEÆ. DC. prodr. v. 3. p. 63.

TRAPA. DC.	WATER-CALTROPS.	Tetrandria Monogynia.	L.			
1 natans. DC.	(wh.) floating.	S. Europe.	1781.	6. 8.	H.w. ☉.	Bot. reg. t. 259.
2 quadrispinosa. DC.	(wh.) four-spined.	E. Indies.	1823.	—	S.w. ☉.	
3 bispinosa. DC.	(wh.) two-spined.	—	1822.	6. 9.	S.w. ☉.	Roxb. corom. t. 234.
4 bicornis. DC.	(wh.) two-horned.	China.	1790.	—	G.w. ¼.	Braam ic. chin. t. 22.

ORDO LXXXVII.

HALORAGEÆ. DC. prodr. v. 3. p. 65.

Tribus I. CERCODIANÆ. DC. prodr. v. 3. p. 65.

SERPICULA. DC.	SERPICULA.	Monœcia Tetrandria.	L.			
repens. DC.	(gr.) creeping.	C. B. S.	1789.	7. 8.	G. ¼.	Berg. cap. t. 5. f. 10.
GONIOCARPUS. DC.	GONIOCARPUS.	Octandria Tetragynia.				
1 mieranthus. DC.	(wh.) small-flowered.	Japan.	1805.	6. 9.	H. ☉.	Thunb. fl. jap. t. 15.
2 scaber. DC.	(wh.) rough-leaved.	China.	1820.	—	H. ☉.	Ann. bot. 1. t. 12. f. 6.
3 teucrisoides. DC.	(wh.) Teucrium-like.	N. S. W.	1826.	—	H. ☉.	
HALORAGIS. DC.	HALORAGIS.	Octandria Di-Tetragynia.				
1 prostrata. DC.	(gr.) prostrate.	N. S. W.	1818.	4. 9.	G. ½.	
2 digyna. DC.	(gr.) two-styled.	N. Holland.	1826.	—	G. ½.	Labil. n. holl. 1. t. 129.

CERC'ODIA. DC.	CERC'ODIA. Octandria Tetragynia.				
1 erécta. DC.	(gr.) upright.	N. Zealand.	1772.	4. 9.	G. ½. Jacq. ic. 1. t. 69.
	<i>Haloragis alata.</i> Jacq. <i>Cercodia.</i> H.K. <i>Tetragonia ivafolia.</i> L.				
PROSERPIN'ACA. DC.	PROSERPIN'ACA. Triandria Trigynia.				
1 palústris. DC.	(wh.) marsh.	N. America.	1822.	7. 8.	H.w. ⊙. Jus. an. mus. 3. t. 30. f. 1.
2 pectinàta. DC.	(wh.) pectinated.	—————	—————	—————	H.w. ⊙. Lam. ill. 1. t. 50. f. 1.
MYRIOPHY'LLUM.	WATER MILFOIL. Monœcia Tetr-Octandria.				
1 spicàtum. DC.	(ro.) spiked.	Britain.	7. 8.	H.w. ¼. Eng. bot. v. 2. t. 83.
2 pectinàtum. DC.	(ro.) pectinated.	Europe.	1828.	—————	H.w. ¼. Flor. dan. t. 1046.
	<i>verticillàtum.</i> F.D.				
3 verticillàtum. DC.	(ro.) verticillate.	England.	—————	H.w. ¼. Eng. bot. v. 4. t. 218.

Tribus II. *CALLITRICHINEÆ.* DC. prodr. v. 3. p. 70.

CALLITRICHE. DC.	WATER STARWORT. Monandria Digynia. L.				
1 vérna. DC.	(wh.) vernal.	Britain.	4. 10.	H.w. ⊙. Eng. bot. v. 11. t. 722.
2 autumnàlis. DC.	(wh.) autumnal.	—————	6. 10.	H.w. ⊙. Gmel. sib. 3. t. 1.

Tribus III. *HIPPURIDEÆ.* DC. prodr. v. 3. p. 71.

HIPPURIS. DC.	MARE'S-TAIL. Monandria Monogynia. L.				
vulgàris. DC.	(gr.) common.	Britain.	5.	H.w. ¼. Eng. bot. v. 11. t. 763.

ORDO LXXXVIII.

CERATOPHYLLÆ. Gray brit. pl. arr. 2. p. 554.

CERATOPHY'LLUM. DC.	HORNWORT. Monœcia Polyandria. L.				
1 demérsam. DC.	(gr.) spiny-fruited.	Britain.	7. 9.	H.w. ¼. Eng. bot. v. 14. t. 947.
2 submérsam. DC.	(gr.) naked-fruited.	—————	9.	H.w. ¼. ——— v. 10. t. 679.

ORDO LXXXIX.

LYTHRARIEÆ. DC. prodr. v. 3. p. 75.

Tribus I. *SALICARIEÆ.* DC. prodr. v. 3. p. 75.

PEPLIS. DC.	WATER PURSLANE. Hexandria Monogynia. L.				
Pórtala. DC.	(re.) common.	Britain.	7. 9.	H. ⊙. Eng. bot. v. 17. t. 1211.
AMMA'NNIA. DC.	AMMA'NNIA. Tetr-Heptandria Monogynia.				
1 ægyptiaca. DC.	(gr.) Egyptian.	Egypt.	1818.	7. 8.	H.w. ⊙. Willd. hort. ber. t. 6.
2 vesicatòria. DC.	(ye.) bladdered.	E. Indies.	1825.	—————	S.w. ⊙. Pluk. alm. t. 136. f. 22.
3 occidentàlis. DC.	(gr.) occidental.	Portorico.	1829.	—————	S.w. ⊙.
4 cáspica. DC.	(gr.) Caspian.	Astracan.	1818.	—————	H.w. ⊙.
5 ramòsior. DC.	(pu.) branching.	Virginia.	1759.	—————	H.w. ⊙. Bocc. mus. t. 104.
6 latifòlia. DC.	(wh.) broad-leaved.	W. Indies.	1733.	—————	S.w. ⊙. Sloan. his. 1. t. 7. f. 4.
7 humilis. DC.	(ro.) small.	N. America.	1823.	—————	H.w. ⊙.
8 baccífera. R.S.	(ye.) berry-bearing.	China.	1820.	—————	H.w. ⊙. Burm. ind. t. 15. f. 3.
9 verticillàta. DC.	(pu.) whorled.	—————	—————	—————	H.w. ⊙. Lam. ill. t. 77. f. 3.
10 multiflòra. DC.	(re.) many-flowered.	E. Indies.	1818.	—————	S.w. ⊙.
11 débilis. DC.	(li.) cluster-flower'd.	—————	1778.	—————	S.w. ⊙.
12 diffùsa. DC.	(wh.) spreading.	—————	1818.	—————	S.w. ⊙.
13 rotundifòlia. DC.	(fl.) round-leaved.	Nepaul.	—————	—————	H.w. ⊙.
14 pentándra. DC.	(wh.) pentandrous.	E. Indies.	1823.	—————	S.w. ⊙.

15	sanguinolenta. DC.	(cr.) bloody.	Jamaica.	1803.	7. 8.	S.w. ⊙.	
16	octandra. DC.	(cr.) octandrous.	E. Indies.	1818.	—	S.w. ⊙.	Roxb. corom. 2. t. 133.
17	auriculata. DC.	(pu.) eared.	Egypt.	1820.	—	H.w. ⊙.	Willd. h. ber. 1. t. 7.
18	rubra. DC.	(re.) red-flowered.	Nepaul.	1822.	—	H.w. ⊙.	
19	pallida. DC.	(pa.) pale-flowered.	1828.	—	H.w. ⊙.	
20	viridis. DC.	(gr.) green.	1818.	—	H.w. ⊙.	
21	Wormskiöldii. F. Wormskiöld's.	Siberia.	1828.	H.w. ⊙.	
LYTHRUM. DC. LYTHRUM. Di-Dodecandria Monogynia.							
1	thymifolium. DC.	(li.) Thyme-leaved.	S. Europe.	1820.	7. 9.	H. ⊙.	Barrel. ic. 773. f. 2.
2	thesioides DC.	(li.) Thesium-like.	Caucasus.	1828.	—	H. ⊙.	
3	lineare. DC.	(wh.) linear-leaved.	N. America.	1812.	7. 8.	H. ½.	
4	alatum. DC.	(pu.) winged-stalked.	—	1812.	5. 11.	F. ½.	Bot. mag. t. 1812.
5	hyssopifolium. DC.	(li.) Hyssop-leaved.	England.	8. 9.	H. ⊙.	Eng. bot. v. 5. t. 292.
6	lanceolatum. DC.	(pu.) spear-leaved.	Carolina.	1822.	7. 9.	H. ½.	
7	album. DC.	(wh.) white-flowered.	Mexico.	1827.	—	H. ½.	
8	Græfferi. DC.	(pu.) Græffer's.	S. Europe.	1825.	—	H. ⊙.	
9	Salicaria. DC.	(pu.) common.	Britain.	7. 9.	H.w. ½.	Eng. bot. v. 15. t. 1061.
10	pubescens.	(pu.) pubescent.	N. America.	7. 8.	H. ½.	
<i>Salicaria</i> β <i>pubescens</i> . Ph.							
11	diffusum. B.F.G.	(pu.) spreading.	—	1822.	7. 9.	H. ½.	Swt. br. fl. gar. t. 149.
12	virgatum. DC.	(ro.) slender-branch'd.	Europe.	1776.	6. 9.	H. ½.	Bot. mag. t. 1003.
CUPHEA. DC. CUPHEA. Dodecandria Monogynia.							
1	circaeoides. DC.	(ri.) Circea-like.	S. America.	1819.	8. 10.	H. ⊙.	Bot. mag. t. 2201.
2	spicata. DC.	(ro.) spiked.	Peru.	—	—	H. ⊙.	Cavan. icon. 4. t. 381.
3	Melvilla. DC.	(sc.gr.) scarlet & green.	Gniana.	1822.	6. 10.	S. ½.	Bot. reg. t. 852.
4	viscosissima. DC.	(li.) clammy.	America.	1776.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 60.
5	procumbens. DC.	(li.) procumbent.	Mexico.	1816.	6. 9.	H. ⊙.	Bot. reg. t. 182.
6	lanceolata. DC.	(li.) spear-leaved.	—	1796.	5. 8.	G. ½.	
7	æquipetala. DC.	(ri.) equal-flowered.	—	1828.	6. 9.	H. ⊙.	Cavan. ic. 4. t. 382. f. 2.
8	virgata. DC.	(ri.) twiggy.	—	—	—	H. ⊙.	— t. 382. f. 1.
9	decandra. DC.	(pu.) ten-stamened.	Jamaica.	1789.	6. 10.	S. ½.	
10	parviflora. DC.	(ro.) small-flowered.	Demerara.	1824.	10. 12.	S. ½.	Hook. ex. flor. t. 161.
11	Simsii. ed. 1.	(li.) Sims's.	Trinidad.	1823.	8. 10.	S. ½.	Bot. mag. t. 2580.
<i>serpyllifolia</i> . B.M. non Kth. <i>Trinitatis</i> . DC.							
12	multiflora. DC.	(ri.) many-flowered.	—	1822.	—	S. ½.	Lodd. bot. cab. t. 808.
ACISANTHERA. DC. ACISANTHERA. Decandria Monogynia.							
	quadrata. DC.	(pi.) four-sided.	Jamaica.	1804.	S. ½.	Brown. jam. t. 22. f. 1.
HEIMIA. DC. HEIMIA. Dodecandria Monogynia.							
1	salicifolia. DC.	(ye.) Willow-leaved.	Mexico.	1821.	6. 9.	F. ½.	Swt. br. fl. gar. t. 281.
2	myrtifolia. Ot.	(ye.) Myrtle-leaved.	—	1827.	—	F. ½.	
DECODON. DC. DECODON. Decandria Monogynia.							
	verticillatum. DC.	(pu.) whorl-flowered.	N. America.	1759.	7. 9.	H.w. ½.	
<i>Lythrum verticillatum</i> . L. <i>Nesaea verticillata</i> . Kth.							
NESÆA. DC. NESÆA. Oct-Dodecandria Monogynia.							
	triflora. DC.	(bl.) three-flowered.	Mauritius.	1802.	8. 9.	S.w. ½.	
<i>Lythrum triflorum</i> . L.							
LAWSONIA. DC. LAWSONIA. Octandria Monogynia. L.							
1	spinosa. w.	(wh.) prickly.	E. Indies.	1759.	6. 9.	S. ½.	Rheed. mal. 1. t. 40.
2	inermis. w.	(wh.) smooth.	Egypt.	—	—	G. ½.	Rauw. ic. 60. t. 7.
GINORIA. DC. GINORIA. Dodecandria Monogynia.							
	americana. DC.	(bl.) American.	Cuba.	1827.	S. ½.	Jacq. amer. t. 91.
GRISLEA. DC. GRISLEA. Oct-Dodecandria Monogynia.							
1	secunda. DC.	(re.) secund.	Caracas.	1824.	6. 8.	S. ½.	
2	tomentosa. DC.	(sc.) downy.	E. Indies.	1804.	5. 12.	S. ½.	Bot. reg. t. 30.
<i>Woodfordia floribunda</i> . Sal. par. lond. t. 42. <i>Lythrum fruticosum</i> . L.							

Tribus II. **LAGERSTRÆMIÆ. DC. prodr. v. 3. p. 92.**

LAGERSTRÆMIA. DC. LAGERSTRÆMIA. Icosandria Monogynia.							
1	indica. DC.	(re.) Indian.	China.	1759.	8. 10.	F. ½.	Bot. mag. t. 405.
	β <i>carnea</i> .	(fl.) flesh-coloured.	—	1816.	—	F. ½.	
	γ <i>alba</i> .	(wh.) white-flowered.	—	—	—	F. ½.	
2	parviflora. DC.	(wh.) small-flowered.	E. Indies.	—	—	S. ½.	Roxb. corom. 1. t. 66.
3	speciosa. DC.	(ro.) beautiful.	China.	1826.	S. ½.	Munch. haus. 5. t. 356.
4	grandiflora. DC.	(ro.) large-flowered.	E. Indies.	1809.	S. ½.	
5	reginae. DC.	(ro.) oblong-leaved.	—	1792.	S. ½.	Roxb. corom. 1. t. 651.

ORDO XC.

TAMARISCINEÆ. DC. *prodr.* v. 3. p. 95.

TAMARIX. DC.	TAMARISK.	Tetr-Pentandria	Trigynia.				
1 gállica. DC.	(fl.) red-wooded.	England.	7. 8.	H. h.	Eng. bot. v. 19. t. 1318.	
2 Pallásii. DC.	(fl.) Pallas's.	Caucasus.	1827.	—	H. h.	Pall. fl. ross. t. 77.	
	<i>pentandra</i> . Pall.	<i>gállica</i> . M.B. <i>nec aliorum</i> .					
3 índica. DC.	(bh.) Indian.	E. Indies.	6. 8.	S. h.		
4 dioíca. DC.	(bh.) dicecious.	—	1812.	—	S. h.		
5 articuláta. DC.	(pi.) jointed.	—	1816.	S. h.	Vahl. symb. 2. t. 32.	
6 tetráandra. DC.	(wh.) tetrandrous.	Tauria.	1821.	7. 8.	H. h.		
MYRICARIA. DC.	MYRICARIA.	Monadelphia	Decandria.				
1 germánica. DC.	(pi.) green-wooded.	Germany.	1582.	6. 9.	H. h.	Flor. dan. t. 234.	
	<i>Tamarix germánica</i> . L.						
2 dahúrica. DC.	(pi.) Dahurian.	Dahuria.	1827.	H. h.		

ORDO XCI.

MELASTOMACEÆ. DC. *prodr.* v. 3. p. 99.

Subordo I. MELASTOMEÆ.—Tribus I. LAVOISIEREÆ. DC. *loc. cit.* 100.

MERTANIA. DC.	MERTANIA.	Decandria	Monogynia.				
1 leucántha. DC.	(wh.) white-flowered.	Jamaica.	1825.	6. 8.	S. h.		
2 rósea. DC.	(ro.) mountain rose.	—	—	—	S. h.	Tussac fl. ant. t. 6.	
3 purpúrea. DC.	(pu.) purple.	—	—	—	S. h.	Swart. fl. ind. oc. 2. t. 15.	

Tribus II. RHEXIEÆ. DC. *prodr.* 3. p. 114.

SPENNERA. DC.	SPENNERA.	Octo-Decandria	Monogynia.				
1 paludosa. DC.	(ro.) marsh.	Brazil.	1825.	6. 8.	S. 4.		
2 frágilis. DC.	(wh.) brittle.	Trinidad.	1822.	—	S. h.		
3 aquática. DC.	(ro.) marsh.	S. America.	1793.	3. 9.	S. h.	Aubl. guian. 1. t. 169.	
	<i>Rhexia aquática</i> .	Bonpl. rhex. t. 40.	<i>Melastoma aquática</i> .	Aubl.			
4 pendulifolia. DC.	(ro.) hanging-leaved.	Guiana.	1826.	—	S. h.	Bonpl. nav. t. 26.	
5 glandulosa. DC.	(wh.) glandulous.	—	1824.	—	S. h.	— 70. t. 27.	
MICROLICIA. DC.	MICROLICIA.	Decandria	Monogynia.				
1 brevifolia. DC.	(pu.) short-leaved.	Guiana.	1823.	7. 10.	S. ⊙.	Aubl. guian. 1. t. 155. f. b.	
	<i>Melastoma trivalvis</i> .	Aubl. <i>Rhexia trivalvis</i> .	Vahl.				
2 bivalvis. DC.	(pu.) two-valved.	Trinidad.	1822.	6. 8.	S. ⊙.	Aubl. guian. 1. t. 155. f. a.	
3 recurva. DC.	(pu.) recurved-leav'd.	—	1820.	—	S. 4.		
RHEXIA. DC.	RHEXIA.	Octandria	Monogynia. L.				
1 mariána. DC.	(li.) Maryland.	N. America.	1759.	7. 9.	H. 4.	Pluk. mant. t. 428. f. 1.	
a purpúrea. DC.	(li.) purplish.	—	—	—	H. 4.		
β rubélla. DC.	(re.) reddish.	—	—	—	H. 4.	Sw. br. fl. gar. t. 41.	
2 virgínica. DC.	(pu.) Virginian.	—	—	6. 8.	H. 4.	Bot. mag. t. 968.	
3 ciliosa. DC.	(pu.) ciliated.	—	1812.	8. 10.	H. 4.	Sw. br. fl. gar. t. 298.	
4 angustifolia. DC.	(wh.) narrow-leaved.	—	—	7. 9.	H. 4.		
OXYSPORA. DC.	OXYSPORA.	Octandria	Monogynia.				
paniculáta. DC.	(wh.) paniced.	Nepaul.	1826.	6. 8.	S. h.		
	<i>Arthrostemma paniculatum</i> .	D.P.					

Tribus III. OSBECKIÆ. DC. prodr. 3. p. 127.

LASIA'NDRA. DC.		LASIA'NDRA.		Decandria Monogynia.			
1	Fontanesiàna. DC. (pu.) rough-leaved.	Brazil.	1818.	4. 8.	S. h ₂ .	Bonpl. rhex. t. 36.	
	<i>Melástoma granulosa</i> . B. reg. 671. <i>Rhéxia Fontanèsii</i> . Bonpl.						
2	Langsdorfiàna. DC. (pu.) Langsdorf's.	Brazil.	1821.	—	S. h ₂ .	Bonpl. rhex. t. 51.	
3	argénteà. DC. (bl.) silvery-leaved.	—	1816.	—	S. h ₂ .	— t. 12.	
	<i>Rhéxia holosericea</i> . Bot. reg. t. 323. <i>Pleròma holosericeum</i> . Don.						
CHÆTOGA'STRA. DC.		CHÆTOGA'STRA.		Decandria Monogynia.			
1	lanceolàta. DC. (wh.) spear-leaved.	Trinidad.	1827.	1. 5.	S. h ₂ .	Bot. mag. t. 2836.	
2	hypericoïdes. DC. (wh.) Hypericum-like.	—	1820.	8. 12.	S. ⊙.	Aubl. guian. 1. t. 168.	
	<i>Rhéxia villosissima</i> . Bonpl. rhex. t. 31. <i>Melástoma villòsa</i> . Aubl.						
3	ciliàris. DC. (pu.) fringed.	S. America.	1822.	4. 7.	S. 4.	Vent. choix. t. 34.	
	<i>Meriània ciliàris</i> . Vent.						
4	grácilis. DC. (ro.) slender.	Brazil.	1824.	—	S. 4.	Bonpl. rhex. t. 52.	
ARTHROSTEMMA. DC.		ARTHROSTEMMA.		Octandria Monogynia.			
1	ladanoïdes. DC. (li.) bristly-stalked.	Trinidad.	1820.	6. 9.	S. ⊙.	Bonpl. rhex. t. 27.	
	<i>Rhéxia ladanoïdes</i> . Bonpl. <i>Melástoma trichótoma</i> . W.						
2	villòsum. DC. (vi.) villous.	Trinidad.	—	—	S. h ₂ .	Aubl. guian. 1. t. 129. f. 1.	
3	versicolor. DC. (bh.) changeable-col'd.	Brazil.	1825.	5. 9.	S. h ₂ .	Bot. reg. t. 1066.	
	<i>Rhéxia versicolor</i> . B.R.						
OSBE'CKIA. DC.		OSBE'CKIA.		Octo-Decandria Monogynia.			
1	urceolàris. DC. (pu.) urceolate.	Brazil.	1825.	4. 9.	S. h ₂ .		
2	Simsii. DC. (pu.) Sims's.	Mauritius.	1820.	—	S. h ₂ .	Bot. mag. t. 2235.	
	<i>Melástoma osbeckioides</i> . B.M.						
3	glomeràta. DC. (ro.) cluster-flower'd.	S. America.	1821.	12. 4.	S. h ₂ .	Bot. mag. t. 2838.	
	<i>β albiflòra</i> DC. (wh.) white-flowered. Brazil.		—	—	S. h ₂ .	Lodd. bot. cab. t. 334.	
	<i>Rhéxia glomeràta</i> . B.C.						
4	chinénsis. DC. (ro.) Chinese.	China.	1816.	3. 10.	S. h ₂ .	Bot. reg. t. 542.	
5	zeylánica. DC. (wh.) Ceylon.	Ceylon.	1749.	5. 9.	S. h ₂ .	— t. 565.	
6	angustifòlia. DC. (ro.) narrow-leaved.	Nepaul.	1826.	—	S. h ₂ .		
7	nepalénsis. H.E.F. (ro.) handsome.	—	1820.	—	S. h ₂ .	Hook. ex. flor. t. 31.	
	<i>speciosa</i> . D.P.						
8	stellàta. DC. (li.) starry-haired.	—	1818.	—	S. h ₂ .	Bot. reg. t. 674.	
9	ternifòlia. DC. (li.) whorl-leaved.	—	1825.	—	S. h ₂ .		
10	octàndra. DC. (ro.) octandrous.	Ceylon.	1815.	4. 8.	S. h ₂ .		
	<i>Melástoma octàndra</i> . L.						
11	decumbens. DC. (ro.) decumbent.	Africa.	1821.	—	S. 4.	Beauv. fl. ow. t. 41.	
	<i>Melástoma decumbens</i> . Beauv.						
TIBOUCHINA. DC.		TIBOUCHINA.		Decandria Monogynia.			
	áspera. DC. (pu.) rough.	Guiana.	1820.	4. 6.	S. h ₂ .	Aubl. guian. 1. t. 177.	
MELASTOMA. DC.		MELASTOMA.		Decandria Monogynia. L.			
1	affine. DC. (ro.) scaly-stalked.	E. Indies.	1816.	1. 8.	S. h ₂ .		
2	malabáthricum. DC. (ro.) Malabar.	—	1793.	—	S. h ₂ .	Bot. reg. t. 672.	
3	ásperum. DC. (ro.) rough.	—	1815.	8. 11.	S. h ₂ .	Rheed. mal. 4. t. 43.	
4	macrocárpum. DC. (ro.) large-fruited.	—	1793.	1. 8.	S. h ₂ .	Bot. mag. t. 529.	
	<i>malabáthrica</i> . B.M. <i>nec aliorum</i> .						
5	sanguíneum. DC. (li.) red-veined.	Sunda. St.	1818.	4. 12.	S. h ₂ .	Bot. mag. t. 2241.	
6	rubrolimbàtum. DC. (wh.) red-limbed.	E. Indies.	1823.	—	S. h ₂ .		
7	cándidum. DC. (li.) white-leaved.	China.	1820.	4. 8.	S. h ₂ .		
8	normàle. DC. (li.) Nepaul.	Nepaul.	1819.	2. 6.	S. h ₂ .	Lodd. bot. cab. t. 707.	
	<i>nepalénsis</i> . B.C.						
9	Wallíchii. DC. (li.) Wallich's.	—	1824.	—	S. h ₂ .		
10	decémfidum. DC. (pu.) ten-cleft.	E. Indies.	1826.	1. 8.	S. h ₂ .		
11	cymòsum. DC. (li.) cymose.	Sierra Leone.	1792.	4. 8.	S. h ₂ .	Vent. h. malm. t. 14.	
	<i>corymbòsum</i> . Bot. mag. t. 984.						
12	elongàtum. DC. (li.) tuberous-rooted.	—	1822.	S. 4.		
13	pulverulentum. DC. (re.) powdered.	Sumatra.	—	S. h ₂ .		
PLER'OMA. DC.		PLER'OMA.		Decandria Monogynia.			
1	vimíneum. DC. (vi.) slender.	Brazil.	1820.	4. 8.	S. h ₂ .	Bot. reg. t. 664.	
	<i>Rhéxia vimínea</i> . B.R.						
2	heteromállum. DC. (bl.) woolly-leaved.	—	—	—	S. h ₂ .	Bot. reg. t. 644.	
	<i>Melástoma heteromállum</i> .						
DIPLOSTEGIUM. DC.		DIPLOSTEGIUM.		Decandria Monogynia.			
	canéscens. DC. (ro.) hoary-stemm'd.	Brazil.	1820.	4. 8.	S. h ₂ .		
ACTOTIS. DC.		ACTOTIS.		Octandria Monogynia.			
	discolor. DC. (bh.) two-coloured.	W. Indies.	1793.	3. 9.	S. 4.		

Tribus IV. MICONIÆ. DC. *prodr. v. 3. p. 152.*

CLID'EMIA. DC.	CLID'EMIA. Decandria Monogynia.					
1 aggregata. DC. (wh.) clustered.	Peru.	1820.	7. 10.	S. h.		
2 hirta. DC. (wh.) hairy.	Jamaica.	1740.	3. 6.	S. h.	Bot. mag. t. 1971.	
<i>Melastoma hirta.</i> B.M.						
3 crenata. DC. (wh.) crenated.	W. Indies.	1820.	—	S. h.	Vahl. ic. pl. am. 2. t. 22.	
4 elegans. DC. (wh.) elegant.	Trinidad.	1822.	—	S. h.	Aubl. guian. 1. t. 167.	
5 biserrata. DC. (pu.) doubly serrate.	Brazil.	1825.	—	S. h.		
6 spicata. DC. (wh.) spiked.	Trinidad.	1820.	—	S. h.	Aubl. guian. 1. t. 165.	
7 strigillosa. DC. (wh.) strigose.	Jamaica.	1825.	—	S. h.		
8 agræstis. DC. (wh.) field.	Cayenne.	1822.	4. 8.	S. h.	Aubl. guian. 1. t. 166.	
9 lanata. DC. (wh.) sweet-scented.	Trinidad.	—	—	S. h.		
TOC'OCA. DC.	TOC'OCA. Decandria Monogynia.					
guianensis. DC. (ro.) Guiana.	Guiana.	1822.	4. 7.	S. h.	Aubl. guian. 1. t. 174.	
<i>Melastoma physiphora.</i> Vahl.						
MAÏETA. DC.	MAÏETA. Decandria Monogynia.					
guianensis. DC. (ro.) Guiana.	Guiana.	1824.	S. h.	Aubl. guian. 1. t. 176.	
OSS'EA. DC.	OSS'EA. Octandria Monogynia.					
purpurascens. DC. (pu.) purplish.	Jamaica.	1822.	3. 6.	S. h.		
<i>Melastoma purpurascens.</i> Swartz.						
SAGR'EA. DC.	SAGR'EA. Octandria Monogynia.					
1 sessiliflora. DC. (re.) sessile-flowered.	Guiana.	1793.	4. 8.	S. h.	Vahl. ic. am. t. 19.	
<i>Melastoma rubra.</i> Bonpl. mel. t. 39.						
2 hirtella. DC. (wh.) hispid-fruited.	Jamaica.	1824.	—	S. h.		
3 umbrosa. DC. (wh.) shaded.	W. Indies.	—	3. 7.	S. h.		
4 pilosa. DC. (wh.) pilose.	Jamaica.	1828.	—	S. h.		
5 microphylla. DC. (wh.) small-leaved.	—	1820.	5. 6.	S. h.		
6 hirsuta. DC. (wh.) purple-haired.	—	1823.	—	S. h.		
TETRAZY'GIA. DC.	TETRAZY'GIA. Tetr-Octandria Monogynia.					
1 tetrandra. DC. (wh.) tetrandrous.	Jamaica.	1815.	3. 6.	S. h.		
<i>Melastoma tetrandra.</i> Swartz.						
2 discolor. DC. (wh.) two-coloured.	W. Indies.	1793.	5. 7.	S. h.	Bonpl. mel. t. 34.	
<i>Melastoma discolor.</i> Jacq. amer. t. 84.						
3 angustifolia. DC. (wh.) narrow-leaved.	—	1823.	—	S. h.	Bonpl. mel. t. 10.	
HETEROTRI'CHUM. DC.	HETEROTRI'CHUM. Decandria Monogynia.					
1 niveum. DC. (bh.) snowy-white.	St. Domingo.	1820.	5. 10.	S. h.		
<i>Melastoma nivea.</i> Lam.						
2 patens. DC. (bh.) spreading.	—	1825.	4. 8.	S. h.		
CONOSTEGIA. DC.	CONOSTEGIA. Dec-Dodecandria Monogynia.					
1 procera. DC. (wh.) tall.	Jamaica.	1822.	S. h.	Bonpl. mel. t. 51.	
2 Balbisiàna. DC. (wh.) Balbis's.	—	1825.	S. h.		
3 semicrenata. DC. (wh.) semicrenate.	W. Indies.	1823.	4. 6.	S. h.	Bonpl. mel. t. 41.	
DIPLOCHITA. DC.	DIPLOCHITA. Octo-Decandria Monogynia.					
1 Fothergilla. DC. (wh.) Fothergill's.	Trinidad.	1815.	S. h.	Bonpl. mel. t. 32.	
<i>Melastoma Fothergilla.</i> s.s. <i>Fothergilla mirabilis.</i> Aubl. gui. 1. t. 175.						
2 Swartziana. DC. (ro.) Swartz's.	Jamaica.	1815.	4. 6.	S. h.	Bonpl. mel. t. 33.	
<i>Melastoma Tamonea.</i> Swartz.						
3 macrophylla. DC. large-leaved.	Mexico.	1820.	S. h.		
L'OREYA. DC.	L'OREYA. Decandria Monogynia.					
arborascens. DC. (wh.) arborescent.	Guiana.	1822.	S. h.	Aubl. guian. 1. t. 163.	
<i>Melastoma arborascens.</i> Aubl.						
MICONIA. DC.	MICONIA. Decandria Monogynia.					
1 racemosa. DC. (ro.) racemed.	Trinidad.	1822.	4. 8.	S. h.	Bonpl. mel. t. 27.	
<i>Melastoma racemosa.</i> Aubl. guian. t. 156.						
2 purpurascens. DC. (wh.) purple-berried.	Guiana.	1804.	3. 6.	S. h.	Aubl. guian. t. 154.	
<i>Melastoma purpurea.</i> w.						
3 ciliata. DC. (wh.) fringed.	—	1824.	4. 7.	S. h.	Bonpl. mel. t. 26.	
4 holosericea. DC. (wh.) velvety.	W. Indies.	1816.	—	S. h.	— t. 23-24.	
5 argentea. DC. (wh.) silvery-leaved.	—	1827.	—	S. h.	Sloan. jam. t. 196. f. 1.	
6 impetiolaris. DC. (wh.) great-leaved.	—	1822.	—	S. h.	Bonpl. mel. t. 29.	
<i>Melastoma macrophylla.</i> Lam.						
7 Lambertiana. DC. (wh.) Mr. Lambert's.	—	1824.	—	S. h.		
8 caudata. DC. (ro.) tailed-leaved.	S. America.	1822.	5. 8.	S. h.	Bonpl. mel. t. 7.	
9 pyramidalis. DC. (wh.) pyramidal.	Trinidad.	—	—	S. h.	Pluk. alm. t. 159. f. 1.	
<i>Melastoma pyramidalis.</i> Lam.						

MELASTOMACEÆ.

10	Acinodéndron. (<i>wh.</i>) oval-leaved. <i>Melástoma Acinodéndron</i> . L.	Jamaica.	1804.	5. 8.	S. h ₂ .	Plum. ic. 142. f. 2.
11	lævigàta. DC. (<i>wh.</i>) smooth.	Caribees.	1815.	4. 8.	S. h ₂ .	Bot. reg. t. 363.
12	prasina. DC. (<i>wh.</i>) green.	Jamaica.	1824.	—	S. h ₂ .	
13?	ecostàta. (<i>pu.</i>) ribless. <i>Melástoma ecostata</i> . H. K.	—	1793.	5. 6.	S. h ₂ .	
BL'AKEA. DC. BL'AKEA. Dodecandria Monogynia. L.						
1	trinèrvia. DC. (<i>ro.</i>) three-ribbed.	Jamaica.	1789.	6. 7.	S. h ₂ .	Bot. mag. t. 451.
2	quinquenèrvia. DC. (<i>fl.</i>) five-nerved. <i>triplinèrvia</i> . L.	Guiana.	1820.	—	S. h ₂ .	Aubl. guian. 1. t. 210.

ORDO XCII.

ALANGIEÆ. DC. *prodr.* 3. p. 203.

ALA'NGIUM. DC. ALA'NGIUM. Icosandria Monogynia.						
1	decapètalum. DC. (<i>wh.</i>) Sage-leaved. <i>Grèwia salrifòlia</i> . L.	E. Indies.	1779.	5. 8.	S. h ₂ .	Rheed. mal. 4. t. 17.
2	hexapètalum. DC. (<i>wh.</i>) six-petaled.	—	1822.	—	S. h ₂ .	Rheed. mal. 4. t. 26.

ORDO XCIII.

PHILADELPHEÆ. DC. *prodr.* v. 3. p. 205.

PHILADE'LPHUS. DC. SYRINGA. Icosandria Monogynia. L.						
1	coronàrius. DC. (<i>wh.</i>) common.	S. Europe.	1596.	5. 6.	H. h ₂ .	Bot. mag. t. 391.
	β variegàtus. (<i>wh.</i>) striped-leaved.	—	—	H. h ₂ .	
	γ multipléz. (<i>wh.</i>) double-flowered.	—	—	H. h ₂ .	
2	nànus. Mil. (<i>wh.</i>) dwarf.	6. 7.	H. h ₂ .	
3	Zeyhèri. DC. (<i>wh.</i>) Zeyher's.	N. America.	1812.	—	H. h ₂ .	Schrad. diss. c. ic.
4	floribúndus. DC. (<i>wh.</i>) many-flowered.	—	1816.	—	H. h ₂ .	— c. ic.
5	verrucòsus. DC. (<i>wh.</i>) warted. <i>grandiflorus</i> . Bot. reg. t. 570. non w.	—	1812.	—	H. h ₂ .	— c. ic.
6	latifòlius. DC. (<i>wh.</i>) broad-leaved.	—	1820.	—	H. h ₂ .	Lois. herb. amat. t. 208.
7	grandiflorus. DC. (<i>wh.</i>) large-flowered.	—	1816.	—	H. h ₂ .	Swt. br. fl. gar. s. 2. t. 8.
8	speciòsus. DC. (<i>wh.</i>) beautiful.	—	1820.	—	H. h ₂ .	Schrad. diss. c. ic.
9	laxus. DC. (<i>wh.</i>) loose-branched.	—	1816.	—	H. h ₂ .	— c. ic.
10	hirsùtus. DC. (<i>wh.</i>) slender hairy.	—	—	—	H. h ₂ .	Wats. dend. brit. t. 47.
11	inodòrus. DC. (<i>wh.</i>) entire-leaved.	Carolina.	1738.	—	H. h ₂ .	Bot. mag. t. 1478.
DECUM'ARIA. DC. DECUM'ARIA. Dodecandria Monogynia. L.						
1	bárbara. Ph. (<i>wh.</i>) smaller.	Carolina.	1785.	7. 8.	H. h ₂ .)	
2	sarmentòsa. Ph. (<i>wh.</i>) larger.	—	1758.	—	H. h ₂ .)	Bosc. act. par. 1. t. 13.

ORDO XCIV.

MYRTACEÆ. DC. *prodr.* v. 3. p. 207.Tribus I. CHAMÆLAUCIEÆ. DC. *prodr.* 3. p. 208.

CA'LYTHRIX. DC. CA'LYTHRIX. Icosandria Monogynia.						
1	glábra. DC. (<i>wh.</i>) smooth.	N. S. W.	1818.	4. 6.	G. h ₂ .	Bot. reg. t. 409.
2	ericoídes. F. T. (<i>wh.</i>) Heath-like.	—	1823.	—	G. h ₂ .	
3	scábra. DC. (<i>wh.</i>) rough-leaved.	—	1824.	—	G. h ₂ .	

DARWINIA. L.T.	DARWINIA. Decandria Monogynia.					
1 fascicularis. L.T. (wh.)	fascicled.	N. S. W.	1826.	4. 6.	G. h.	Linn. trans. v. 11. t. 22.
2 taxifolia. F.T. (wh.)	Yew-leaved.	————	1827.	—	G. h.	
VERTICORDIA. DC.	VERTICORDIA. Decandria Monogynia.					
1 Fontanèsii. DC. (wh.)	Desfontaines'.	N. Holland.	1826.	4. 6.	G. h.	Desf. mem. mus. 5. t. 4.
	<i>Chamelaucium plumosum.</i> Df.					
2 Brownii. DC. (wh.)	Brown's.	————	—	—	G. h.	Desf. mem. mus. 5. t. 19.
CHAMÆLAUCIUM. DC.	CHAMÆLAUCIUM. Decandria Monogynia.					
ciliatum. DC. (wh.)	fringed.	N. Holland.	1825.	4. 6.	G. h.	Df. mem. mus. 5. t. 3. f. B.
GENETYLLIS. DC.	GENETYLLIS. Icosandria Monogynia.					
diosmoides. DC. (wh.)	Diosma-like.	N. Holland.	1827.	4. 6.	G. h.	DC. dict. cl. v. 11. c. ic.
PILEANTHUS. DC.	PILEANTHUS. Icosandria Monogynia.					
Limacis. DC. (wh.)	clubbed-leaved.	N. Holland.	1824.	4. 7.	G. h.	Lab. n. holl. 2. t. 149.

Tribus II. *LEPTOSPERMEÆ.* DC. prodr. 3. p. 209.

Subtribus I. *MELALEUCEÆ.* Stamina polyadelpa. DC. loc. cit. p. 210.

ASTARTEA. DC.	ASTARTEA. Polyadelphia Icosandria.					
fascicularis. DC. (wh.)	fascicled.	V. Diem. Isl.	1824.	4. 6.	G. h.	Lab. n. holl. 2. t. 170.
	<i>Melaleuca fascicularis.</i> Labill.					
TRISTANIA. DC.	TRISTANIA. Polyadelphia Icosandria.					
1 neriifolia. DC. (ye.)	Oleander-leav'd.	N. S. W.	1804.	7. 9.	G. h.	Bot. mag. t. 1058.
	<i>Melaleuca neriifolia.</i> B.M. <i>salicifolia.</i> Andr. reposit. t. 485.					
2 persicæfolia. F.T. (ye.)	Peach-leaved.	N. S. W.	1824.	—	G. h.	
3 laurina. DC. (ye.)	Laurel-leaved.	————	1798.	—	G. h.	
4 depræssa. DC. (ye.)	depressed.	————	1820.	—	G. h.	
5 æbens. DC. (ye.)	white-leaved.	————	1822.	—	G. h.	
6 confërta. DC. (ye.)	Pittosporum-ld.	————	1805.	—	G. h.	
7 suavæolens. DC. (ye.)	sweet-scented.	N. Holland.	1826.	G. h.	Gært. fruct. 1. t. 35.
BEAUFORTIA. DC.	BEAUFORTIA. Polyadelphia Icosandria.					
1 decussata. DC. (sc.)	splendid.	N. Holland.	1803.	3. 8.	G. h.	Bot. reg. t. 18.
2 sparsa. DC. (sc.)	alternate-leav'd.	————	—	—	G. h.	
CALOTHAMNUS. DC.	CALOTHAMNUS. Polyadelphia Icosandria.					
1 quadrifida. DC. (sc.)	four-cleft.	N. Holland.	1803.	1. 12.	G. h.	Bot. mag. t. 1506.
2 clavata. M.C. (sc.)	club-leaved.	————	1826.	—	G. h.	Lodd. bot. cab. t. 1447.
3 villôsa. DC. (sc.)	hairy 5-cleft.	————	1803.	—	G. h.	Bot. reg. t. 1099.
4 gracilis. DC. (sc.)	long-leaved.	————	—	—	G. h.	
MELALEUCA. DC.	MELALEUCA. Polyadelphia Icosandria.					
1 Leucadendron. DC. (wh.)	aromatic.	E. Indies.	1796.	S. h.	Rumph. amb. 2. t. 16.
2 minôr. DC. (wh.)	Cajuputi-tree.	————	1816.	S. h.	Rumph. amb. 2. t. 17. f. 1.
3 viridiflora. DC. (gr.)	green-flowered.	N. S. W.	1798.	4. 6.	G. h.	Cavan. ic. t. 333.
	<i>Metrosidëros quinquerria.</i> Cavan.					
4 paludosa. DC. (re.)	long-leaved red.	N. Holland.	1803.	7. 9.	G. h.	
5 globifera. DC. (wh.)	globe-fruited.	————	—	—	G. h.	
6 diosmifolia. DC. (gr.)	Diosma-leaved.	————	1794.	6. 7.	G. h.	Andr. reposit. t. 476.
7 styphelioides. DC. (wh.)	Styphelia-leav'd.	N. S. W.	1793.	4. 6.	G. h.	
8 genistifolia. DC. (wh.)	Genista-leaved.	————	—	—	G. h.	Sm. exot. bot. 1. t. 55.
9 lanceolata. DC. (st.)	spear-leaved.	N. Holland.	1812.	5. 6.	G. h.	Otto hort. ber. 36.
10 striata. DC. (wh.)	rigid-leaved.	————	1803.	—	G. h.	Lab. n. holl. 2. t. 165.
11 thymoides. DC. (ye.)	yellow-spear leav'd.	————	—	—	G. h.	———— 2. t. 167.
12 squamea. DC. (pu.)	scaly-branched.	V. Diem. Isl.	1805.	6. 8.	G. h.	Bot. reg. t. 477.
13 nodosa. DC. (wh.)	Whin-leaved.	N. S. W.	1790.	—	G. h.	Sm. exot. bot. 1. t. 35.
14 tenuifolia. DC. (wh.)	slender-leaved.	————	1824.	—	G. h.	
15 ericifolia. DC. (wh.)	Heath-leaved.	————	1788.	7. 9.	G. h.	Sm. exot. bot. 1. t. 34.
16 erubescens. DC. (li.)	Lilac-coloured.	————	1820.	—	G. h.	Otto hort. ber. 37.
17 armillaris. DC. (wh.)	pale-flowered.	————	1788.	6. 8.	G. h.	Vent. malm. t. 76.
	<i>ericifolia.</i> Andr. rep. t. 175. non Sm. <i>Metrosidëros armillaris.</i> G.					Cav. ic. t. 335.
18 uncinata. DC. (re.)	hook-leaved.	N. Holland.	1803.	—	G. h.	
19 scabra. DC. (pu.)	rough-leaved.	————	—	—	G. h.	Swt. flor. aust. t. 10.
20 juniperoides. DC. (st.)	Juniper-like.	N. S. W.	1826.	—	G. h.	
21 pulchella. DC. (li.)	pendulous.	N. Holland.	1803.	6. 9.	G. h.	Lodd. bot. cab. t. 200.
22 thymifolia. DC. (pu.)	Thyme-leaved.	N. S. W.	1792.	—	G. h.	Sm. exot. bot. 1. t. 36.
	<i>coronata.</i> Andr. rep. t. 278. <i>gnidiæfolia.</i> Vent. malm. t. 7.					
23 decussata. DC. (li.)	cross-leaved.	N. Holland.	1803.	6. 9.	G. h.	Bot. mag. t. 2268.
24 tetragona. DC. (li.)	four-sided.	————	1824.	—	G. h.	

25	cuticulàris. DC.	(<i>pu.</i>) solitary-flower'd.	N. Holland.	1824.	6. 9.	G. h.	Lab. n. holl. 2. t. 171.
26	fùlgens. DC.	(<i>sc.</i>) splendid.	————	1803.	6. 8.	G. h.	Bot. reg. t. 103.
27	linariifòlia. DC.	(<i>wh.</i>) Toad-flax-leav'd.	N. S. W.	1793.	5. 7.	G. h.	Sm. exot. bot. 1. t. 56.
28	abietina. DC.	(<i>wh.</i>) Fir-leaved.	N. Holland.	1824.	————	G. h.	
29	hypericifòlia. DC.	(<i>sc.</i>) Hypericum-ld.	N. S. W.	1792.	7. 9.	G. h.	Andr. reposit. t. 200.
30	elliptica. DC.	(<i>cr.</i>) elliptic-leaved.	N. Holland.	1824.	————	G. h.	Lab. n. holl. 2. t. 173.
31	squarròsa. DC.	(<i>wh.</i>) Myrtle-leaved.	N. S. W.	1792.	————	G. h.	Bot. mag. t. 1935.
	<i>myrtifòlia.</i>	Vent. malm. t. 47.					
32	gibbòsa. DC.	(<i>li.</i>) gibbous.	V. Diem. Isl.	1822.	6. 8.	G. h.	Lab. n. holl. 2. t. 172.
33	imbricàta. L. en.	(<i>wh.</i>) imbricated.	N. Holland.	1803.	5. 6.	G. h.	
34	sprengelioides. DC.	(<i>wh.</i>) Sprengelia-like.	N. S. W.	1824.	————	G. h.	
35	calycina. DC.	(<i>wh.</i>) permanent-cup'd.	N. Holland.	1803.	6. 8.	G. h.	
36	dénsa. DC.	(<i>pu.</i>) dense-leaved.	————	————	————	G. h.	
37	incàna. DC.	(<i>st.</i>) hoary.	N. S. W.	1812.	————	G. h.	Bot. reg. t. 410.
	<i>canéscens.</i>	Otto hort. ber. p. 87. Abbild. t. 81.					
	EUDE'SMIA. DC.	EUDE'SMIA. Polyadelphia Icosandria.					
	tetragòna. DC.	(<i>wh.</i>) square-stemm'd.	N. Holland.	1824.	6. 8.	G. h.	Swt. flor. aust. t. 21.

Subtribus II. EULEPTOSPERMEÆ. Stamina libera. DC. *prodr.* 3. p. 216.

EUCALYPTUS. DC.		EUCALYPTUS. Icosandria Monogynia.					
1	cornùta. DC.	(<i>wh.</i>) horned.	N. Holland.	1803.	3. 6.	G. h.	Lab. voy. 1. t. 20.
2	tereticòrnis. DC.	(<i>wh.</i>) long-horned.	N. S. W.	1804.	4. 7.	G. h.	
3	resinifera. DC.	(<i>wh.</i>) red gum-tree.	————	1788.	————	G. h.	Andr. reposit. t. 400.
4	longifòlia. DC.	(<i>wh.</i>) long-leaved.	————	1818.	————	G. h.	Link et Ot. abb. t. 45.
5	robùsta. DC.	(<i>wh.</i>) brown gum-tree.	————	1794.	8. 9.	G. h.	Smith nov. holl. t. 13.
6	rostràta. Cav.	(<i>wh.</i>) beaked.	————	1804.	————	G. h.	Cavan. ic. 4. t. 342.
7	marginàta. DC.	(<i>wh.</i>) thick-edged.	————	1794.	4. 7.	G. h.	
8	incrassàta. DC.	(<i>wh.</i>) thick-leaved.	N. Holland.	1820.	————	G. h.	Lab. nov. holl. 2. t. 150.
9	persicifòlia. DC.	(<i>wh.</i>) Peach-leaved.	N. S. W.	1812.	————	G. h.	Lodd. bot. cab. t. 501.
10	punctàta. DC.	(<i>wh.</i>) black-dotted.	————	1810.	————	G. h.	
11	acérvula. DC.	(<i>wh.</i>) flat-peduncled.	————	1818.	————	G. h.	
12	virgàta. DC.	(<i>wh.</i>) slender-twigged.	————	1820.	5. 8.	G. h.	
13	micràntha. DC.	(<i>wh.</i>) small-flowered.	————	1824.	————	G. h.	
14	stellulàta. DC.	(<i>wh.</i>) starry.	————	1816.	————	G. h.	
15	oblóngà. DC.	(<i>wh.</i>) oblong-leaved.	————	1819.	6. 8.	G. h.	
16	viminàlis. DC.	(<i>wh.</i>) slender.	N. Holland.	1816.	————	G. h.	Lab. nov. holl. 2. t. 151.
17	capitellàta. DC.	(<i>wh.</i>) small-headed.	N. S. W.	1804.	4. 7.	G. h.	White's voy. 226. ic.
18	triàntha. L. en.	(<i>wh.</i>) three-flowered.	————	1820.	4. 6.	G. h.	
19	saligna. DC.	(<i>wh.</i>) Willow-like.	————	1804.	4. 7.	G. h.	
20	angustifòlia. L. en.	(<i>wh.</i>) narrow-leaved.	————	1816.	————	G. h.	
21	microphylla. DC.	(<i>wh.</i>) small-leaved.	————	————	————	G. h.	
22	stenophylla. DC.	(<i>wh.</i>) slender-leaved.	————	————	————	G. h.	
23	myrtifòlia. DC.	(<i>wh.</i>) Myrtle-leaved.	————	1812.	4. 6.	G. h.	
24	elongàta. DC.	(<i>wh.</i>) taper-pointed.	————	1820.	————	G. h.	
25	mèdia. DC.	(<i>wh.</i>) acuminate.	————	————	————	G. h.	
26	reticulàta. DC.	(<i>wh.</i>) netted-leaved.	————	1816.	G. h.	
27	umbellàta. DC.	(<i>wh.</i>) umbel-flowered.	————	1820.	5. 8.	G. h.	
28	ovàta. DC.	(<i>wh.</i>) oval-leaved.	N. Holland.	————	————	G. h.	Lab. nov. holl. 2. t. 153.
	<i>mucronàta.</i>	L. enum.					
29	scábra. DC.	(<i>wh.</i>) rough-leaved.	N. S. W.	1803.	————	G. h.	
30	pilulàris. DC.	(<i>wh.</i>) small-fruited.	————	1804.	2. 5.	G. h.	
31	radiàta. DC.	(<i>wh.</i>) rayed.	————	1824.	3. 6.	G. h.	
32	stricta. DC.	(<i>wh.</i>) straight.	————	————	G. h.	
33	hæmastómma. DC.	(<i>wh.</i>) red-mouthed.	————	1803.	4. 7.	G. h.	White's voy. 226. c. ic.
	<i>racemòsa.</i>	Cavan. ic. 4. n. 377.					
34	ligustrina. DC.	(<i>wh.</i>) Privet-like.	N. S. W.	1824.	G. h.	
35	amygdalina. DC.	(<i>wh.</i>) Almond-leaved.	N. Holland.	1822.	G. h.	Lab. nov. holl. 2. t. 154.
36	ambigua. DC.	(<i>wh.</i>) ambiguous.	————	1824.	G. h.	
37	Lindleyàna. DC.	(<i>wh.</i>) Lindley's.	N. S. W.	1816.	4. 6.	G. h.	Bot. reg. t. 947.
	<i>longifòlia.</i>	B. R. non Link.					
38	botryooides. DC.	(<i>wh.</i>) clustered.	————	1803.	4. 7.	G. h.	Cavan. ic. 4. t. 341.
	<i>platypòdos.</i>	Cavan.					
39	piperita. DC.	(<i>wh.</i>) Peppermint-tree.	————	1788.	————	G. h.	Reich. gart. mag. t. 42.
40	pàllens. DC.	(<i>wh.</i>) white-leaved.	————	1822.	————	G. h.	
41	oblìqua. DC.	(<i>wh.</i>) oblique-leaved.	V. Diem. Isl.	1774.	4. 8.	G. h.	Sal. par. lond. t. 15.

42	<i>corymbosa</i> . DC. (wh.) corymbose-fl'd.	N. S. W.	1788.	4. 8.	G. h.	Cavan. ic. 4. t. 340.
43	<i>paniculata</i> . DC. (wh.) panicled.	————	1801.	6. 8.	G. h.	
44	<i>cneorifolia</i> . DC. (wh.) Willow-wail'd.	————	1824.	—	G. h.	
45	<i>obtusifolia</i> . DC. (wh.) blunt-leaved.	————	—	G. h.	
46	<i>Cunninghami</i> . (wh.) Cunningham's.	————	1825.	G. h.	
	<i>microphylla</i> . F.T. non Link.					
47	<i>gompocéphala</i> . DC. (w.) persistent-headed.	————	1824.	G. h.	
48	<i>Globulus</i> . DC. (wh.) large tree.	V. Diem. Isl.	1804.	5. 6.	G. h.	Lab. voy. 1. t. 13.
	<i>pulverulenta</i> . L. enum. non B.M. <i>glauca</i> . DC.					
49	<i>diversifolia</i> . DC. (wh.) various-leaved.	N. S. W.	1810.	5. 8.	G. h.	Bonpl. nav. 1. t. 13.
50	<i>perfoliata</i> . C.C. (wh.) perfoliate glaucous.	N. Holland.	1803.	4. 6.	G. h.	
51	<i>cordata</i> . DC. (wh.) heart-leaved.	V. Diem. Isl.	1816.	11. 3.	G. h.	Lab. nov. holl. 2. t. 152.
52	<i>pulverulenta</i> . DC. (wh.) powdered.	N. S. W.	—	—	G. h.	Bot. mag. t. 2087.
53	<i>purpurascens</i> . DC. (wh.) purple-branch'd.	————	1804.	G. h.	
54	<i>tuberculata</i> . DC. (wh.) warted-branch'd.	————	1816.	G. h.	
55	<i>rigida</i> . DC. (wh.) rigid-leaved.	————	—	G. h.	
56	<i>hypericifolia</i> . (wh.) Hypericum-leaved.	————	1804.	G. h.	
ANGOPHORA. DC. ANGOPHORA. Icosandria Monogynia.						
1	<i>cordifolia</i> . DC. (wh.) hispid.	N. S. W.	1789.	5. 8.	G. h.	Bot. mag. t. 1960.
	<i>Metrosideros hispida</i> . Sm. exot. bot. 1. t. 42. <i>hirsuta</i> . Andr. rep. t. 281. <i>anomala</i> . Vent. malm. t. 2.					
2	<i>floribunda</i> . (wh.) many-flowered.	N. S. W.	1788.	—	G. h.	
	<i>Metrosideros floribunda</i> . L.T. non Vent.					
3	<i>intermedia</i> . DC. (wh.) intermediate.	————	1820.	—	G. h.	
4	<i>lanceolata</i> . DC. (wh.) ribbed.	————	1816.	—	G. h.	Cavan. ic. 4. t. 337.
	<i>Metrosideros costata</i> . Gært. fruct. 1. t. 34. f. 2.					
CALLISTEMON. DC. CALLISTEMON. Icosandria Monogynia.						
1	<i>pinifolium</i> . DC. (gr.) Pine-tree-leav'd.	N. S. W.	1806.	6. 8.	G. h.	Wendl. coll. 1. t. 16.
2	<i>viridiflorum</i> . DC. (gr.) green-flowered.	————	1820.	—	G. h.	Bot. mag. t. 2602.
	<i>ruscifolium</i> . C.C. <i>Metrosideros viridiflora</i> . B.M.					
3	<i>lophanthum</i> . S.F.A. (st.) crested.	————	1816.	—	G. h.	Swt. flor. aust. t. 29.
4	<i>leptostachyum</i> . S.F.A. (st.) slender-spik'd.	————	—	—	G. h.	
5	<i>salignum</i> . DC. (st.) Willow-leaved.	————	1788.	5. 7.	G. h.	Bonpl. nav. t. 4.
	<i>Metrosideros saligna</i> . Vent. cels. t. 70. non Bot. mag.					
6	<i>pallidum</i> . DC. (st.) pale-leaved.	N. S. W.	1816.	—	G. h.	Bonpl. nav. p. 101. t. 41.
7	<i>Sieberi</i> . DC. (st.) Sieber's.	————	1820.	—	G. h.	
8	<i>rigidum</i> . DC. (sc.) rigid-leaved.	————	1800.	3. 8.	G. h.	Bot. reg. t. 393.
9	<i>lineare</i> . DC. (sc.) linear.	————	1788.	6. 7.	G. h.	Sert. hann. t. 11.
10	<i>rugulosum</i> . DC. (sc.) tubercle-leaved.	————	1820.	—	G. h.	
11	<i>scabrum</i> . B.C. (sc.) rough-leaved.	N. Holland.	1824.	—	G. h.	Lodd. bot. cab. t. 1288.
12	<i>linearifolium</i> . DC. (sc.) linear-leaved.	————	1820.	—	G. h.	
13	<i>microphyllum</i> . M.C. (sc.) small-leaved.	— — —	1825.	—	G. h.	
14	<i>formosum</i> . M.C. (sc.) handsome.	————	—	—	G. h.	
15	<i>lanceolatum</i> . DC. (sc.) spear-leaved.	N. S. W.	1788.	11. 6.	G. h.	Bot. mag. t. 260.
	<i>Metrosideros citrina</i> . B.M. <i>lanceolata</i> . L.T.					
	<i>semperflorens</i> . B.C. (sc.) ever-blowing.	————	—	—	G. h.	Lodd. bot. cab. t. 523.
16	<i>marginatum</i> . DC. (sc.) thick-margined.	————	1816.	6. 8.	G. h.	Cavan. ic. 4. t. 332.
17	<i>glaucum</i> . (sc.) splendid.	N. Holland.	1803.	3. 6.	G. h.	Bonpl. nav. t. 34.
	<i>Metrosideros glauca</i> . Bonp. <i>speciosa</i> . Bot. mag. t. 1761.					
18	<i>hybridum</i> . DC. (sc.) hybrid.	N. S. W.	1824.	4. 6.	G. h.	
METROSID'EROS. DC. METROSID'EROS. Icosandria Monogynia.						
1	<i>vera</i> . DC. (gr.) Ironwood.	E. Indies.	1815.	5. 8.	S. h.	Lindl. coll. t. 18.
2	<i>florida</i> . DC. (st.) many-flowered.	N. Zealand.	1820.	—	G. h.	
3	<i>glomulifera</i> . DC. (st.) cluster-flower'd.	N. S. W.	1805.	—	G. h.	
4	<i>umbellata</i> . DC. (re.) umbel-flowered.	————	1822.	—	G. h.	Cavan. ic. 4. t. 337.
5	<i>angustifolia</i> . DC. (wh.) narrow-leaved.	C. B. S.	1787.	—	G. h.	Hout. pfl. sys. 3. t. 25. f. 2.
STENOSPE'RMUM. STENOSPE'RMUM. Icosandria Monogynia.						
1	<i>capitatum</i> . (li.) headed.	N. S. W.	1824.	4. 6.	G. h.	Reich. hort. bot. 1. t. 84.
	<i>Metrosideros capitata</i> . DC.					
2	<i>corifolium</i> . (wh.) Coris-leaved.	————	1791.	6. 7.	G. h.	Vent. malm. t. 46.
	<i>Leptospermum ambiguum</i> . Sm. exot. bot. t. 59. <i>Metrosideros corifolia</i> . Vent.					
AG'ONIS. DC. AG'ONIS. Icosandria Monogynia.						
1	<i>marginata</i> . DC. (wh.) white margined.	N. Holland.	1816.	6. 7.	G. h.	Lab. nov. holl. 2. t. 148.
	<i>Leptospermum marginatum</i> . Labill.					
2	<i>flexuosa</i> . DC. (wh.) flexuose.	————	1812.	—	G. h.	Colla h. rip. ap. 1. t. 2.
	<i>Leptospermum flexuosum</i> . L. enum. <i>Metrosideros flexuosa</i> . W. enum.					
3	<i>saligna</i> . (wh.) Willow-like.	N. S. W.	1812.	6. 7.	G. h.	
4	<i>ovalifolia</i> . (wh.) oval-leaved.	N. Holland.	—	—	G. h.	
	<i>Fabricia myrtifolia</i> . Hort. nec aliorum.					
5	<i>linearifolia</i> . DC. linear-leaved.	————	1821.	G. h.	

6	<i>elliptica</i> .	(wh.) elliptic-leaved.	N. Holland.	1824.	G. h.	
	<i>Billottia elliptica</i> . M.C.						
LEPTOSPERMUM . DC. SOUTH SEA MYRTLE. Icosandria Monogynia.							
1	<i>emarginatum</i> . DC.	emarginate.	N. S. W.	1816.	6. 7.	G. h.	
2	<i>sericeum</i> . DC.	(wh.) silky-leaved.	V. Diem. Isl.	1820.	—	G. h.	Lab. nov. holl. 2. t. 147.
3	<i>tuberculatum</i> . DC.	(wh.) tuberculate.	N. S. W.	1816.	—	G. h.	Cavan. ic. 4. t. 330.
	<i>stellatum</i> . Cavan.						
4	<i>grandifolium</i> . DC.	(wh.) large-leaved.	—	1803.	—	G. h.	Bot. mag. t. 1810.
5	<i>lanigerum</i> . DC.	(wh.) woolly-leaved.	—	1774.	—	G. h.	Lodd. bot. cab. t. 1192.
6	<i>pubescens</i> . W.	(wh.) hoary-leaved.	—	—	—	G. h.	
7	<i>trinerve</i> . DC.	(wh.) three-nerved.	—	1812.	—	G. h.	White itin. 229. c. ic.
8	<i>grandiflorum</i> . B.C.	(wh.) large-flowered.	—	1816.	—	G. h.	Lodd. bot. cab. t. 514.
9	<i>scoparium</i> . DC.	(wh.) N. Zealand Tea.	N. Zealand.	1772.	—	G. h.	Andr. rep. t. 622.
10	<i>squarrosum</i> . G.	(wh.) squarrose.	N. S. W.	—	—	G. h.	Forst. itin. 1. t. 22.
11	<i>floribundum</i> .	(wh.) many-flowered.	—	—	—	G. h.	Rœm. et Ust. mag. 7. t. 2.
12	<i>rubicaule</i> . L. en.	(wh.) red-stemmed.	—	1812.	—	G. h.	
13	<i>flavescens</i> . DC.	(wh.) yellowish.	—	1787.	5. 7.	G. h.	Bot. mag. t. 2695.
	<i>Melaleuca Thœa</i> . Wendl. sert. han. 1. t. 14.						
14	<i>gnidiæfolium</i> . DC.	(wh.) Gnidia-leaved.	—	1824.	—	G. h.	
15	<i>thymifolium</i> . F.T.	(wh.) Thyme-leaved.	—	1823.	—	G. h.	
16	<i>multicaule</i> . F.T.	(wh.) many-branched.	—	—	—	G. h.	
17	<i>porophyllum</i> . DC.	(wh.) dotted-leaved.	—	—	—	G. h.	Cav. ic. 4. t. 330. f. 2.
18	<i>parvifolium</i> . DC.	(wh.) small-leaved.	—	1795.	—	G. h.	
19	<i>myrtifolium</i> . DC.	(wh.) Myrtle-leaved.	—	1824.	6. 8.	G. h.	
20	<i>obovatum</i> . S.F.A.	(wh.) obovate-leaved.	—	1823.	—	G. h.	Swt. flor. aust. t. 36.
21	<i>attenuatum</i> . DC.	(wh.) fine-branched.	—	1795.	—	G. h.	
22	<i>multiflorum</i> . DC.	(wh.) abundant-flower'd.	—	1820.	—	G. h.	Cav. ic. 4. t. 331. f. 1.
23	<i>juniperinum</i> . DC.	(wh.) Juniper-leaved.	—	1790.	—	G. h.	Vent. malm. 89.
24	<i>baccatum</i> . DC.	(wh.) berry-fruited.	—	1790.	6. 7.	G. h.	Cavan. ic. 4. t. 331. f. 2.
25	<i>arachnoideum</i> . DC.	(w.) cobweb.	—	1795.	5. 7.	G. h.	Gært. fruct. 1. t. 35. f. 3.
26	<i>triloculare</i> . DC.	(wh.) trilocular.	—	1816.	—	G. h.	Vent. malm. t. 84.
27	<i>dubium</i> . DC.	(wh.) doubtful.	—	1824.	6. 7.	G. h.	
28	<i>pendulum</i> . DC.	(wh.) pendulous.	—	—	—	G. h.	
FABRICIA . DC. FABRICIA. Icosandria Monogynia.							
1	<i>myrtifolia</i> . DC.	(wh.) Myrtle-leaved.	N. S. W.	1803.	5. 6.	G. h.	Gært. fruct. 1. t. 35. f. 4.
2	<i>laevigata</i> . DC.	(wh.) smooth-leaved.	—	1788.	—	G. h.	Bot. mag. t. 1304.
3	<i>sericea</i> .	(wh.) silky-leaved.	N. Holland.	1803.	G. h.	
4	<i>stricta</i> . B.C.	(wh.) upright.	N. S. W.	1822.	5. 7.	G. h.	Lodd. bot. cab. t. 1219.
BÆCKEA . DC. BÆCKEA. Pent-Dodecandria Monogynia.							
1	<i>frutescens</i> . DC.	(wh.) Chinese.	China.	1806.	9. 1.	G. h.	Bot. mag. t. 2802.
2	<i>gracilis</i> . F.T.	(wh.) slender-branch'd.	N. S. W.	1824.	6. 9.	G. h.	
3	<i>virgata</i> . DC.	(wh.) slender-twiggy.	—	1806.	8. 10.	G. h.	Bot. mag. t. 2127.
4	<i>linifolia</i> . DC.	(wh.) Flax-leaved.	—	1820.	6. 8.	G. h.	Linn. trans. 8. t. 12.
5	<i>diffusa</i> . DC.	(wh.) spreading.	—	1824.	—	G. h.	
6	<i>densifolia</i> . DC.	(wh.) close-leaved.	—	1812.	—	G. h.	
7	<i>pulchella</i> . DC.	(wh.) neat.	—	1825.	—	G. h.	
8	<i>diosmifolia</i> . DC.	(wh.) Diosma-leaved.	—	1823.	—	G. h.	
9	<i>camphorata</i> . DC.	(wh.) Camphor-scented.	—	1803.	8. 10.	G. h.	Bot. mag. t. 2694.
10	<i>microphylla</i> . DC.	(wh.) small-leaved.	—	1812.	—	G. h.	
11	<i>brevifolia</i> . DC.	(wh.) short-leaved.	—	1824.	—	G. h.	
12	<i>ramosissima</i> . DC.	(wh.) branching.	—	1825.	7. 9.	G. h.	
13	<i>crenulata</i> . DC.	(wh.) notch leaved.	—	1822.	—	G. h.	
14	<i>diosmoides</i> . DC.	(wh.) Diosma-like.	—	1825.	—	G. h.	

Tribus III. MYRTEÆ. DC. prodr. v. 3. p. 230.

SONNERATIA . DC. SONNERATIA. Icosandria Monogynia. L.							
1	<i>ácida</i> . DC.	(re.) acid-fruited.	E. Indies.	1822.	S. h.	Rheed. mal. 3. t. 40.
2	<i>álba</i> . DC.	(wh.) white-flowered.	—	1824.	S. h.	Rumph. amb. 3. t. 73.
3	<i>apétala</i> . DC.	(gr.) petalless.	—	1826.	S. h.	Sym. emb. to Ava. 3. t. 25.
NELITRIS . DC. NELITRIS. Icosandria Monogynia.							
	<i>paniculata</i> . DC.	(wh.) paniced.	Moluccas.	1820.	S. h.	
CAMPOMANESIA . DC. CAMPOMANESIA. Icosandria Monogynia.							
	<i>lineatifolia</i> . DC.	(wh.) yellow-fruited.	Peru.	1824.	4. 6.	G. h.	Flor. per. prod. t. 13.
PSIDIUM . DC. GUAVA. Icosandria Monogynia. L.							
1	<i>pumilum</i> . DC.	(wh.) dwarf.	E. Indies.	1824.	—	S. h.	Rumph. amb. 1. t. 49.
2	<i>aromaticum</i> . DC.	(wh.) aromatic.	W. Indies.	1779.	6. 8.	S. h.	Aubl. guian. 1. t. 191.

3 montanum. DC.	(wh.) mountain.	W. Indies.	1779.	5. 7.	S. h.	
4 pyriferum. DC.	(wh.) Pear-fruited.	————	1656.	6. 8.	S. h.	Trew. ehr. t. 43.
5 pomiferum. DC.	(wh.) Apple-fruited.	————	1692.	————	S. h.	Rumph. amb. 1. t. 48.
6 sapidissimum. S.S.	(wh.) pleasant.	1823.	————	S. h.	Jacq. schoenb. 3. t. 366.
7 guineense. DC.	(wh.) Guinea.	Guinea.	————	————	S. h.	
8 polycarpon. DC.	(wh.) many-fruited.	Trinidad.	1809.	4. 8.	S. h.	Linn. trans. 11. t. 17.
9 Araca. DC.	(wh.) egg-fruited.	Brazil.	1820.	5. 7.	S. h.	Raddi mem. 1821. t. 1.
10 fluviatile. DC.	(wh.) Guiana.	Guiana.	1823.	————	S. h.	
guianense. P.S.						
11 oligospermum. DC.	(wh.) few-seeded.	Brazil.	————	————	S. h.	
12 Cattleianum. DC.	(wh.) Mr. Cattle's.	————	1816.	1. 12.	S. h.	Lindl. coll. t. 16.
13 cordatum. DC.	(wh.) spice.	W. Indies.	1811.	5. 7.	S. h.	Bot. mag. t. 1779.
14 nigrum. DC.	(wh.) black-fruited.	China.	————	S. h.	
15 rubrum. DC.	(wh.) red-fruited.	————	1820.	————	S. h.	
16 chinense. L.C.	(wh.) yellow Chinese.	————	1818.	————	S. h.	
17 fragrans. L.C.	(wh.) fragrant.	4. 8.	S. h.	
18 myrtifolia. L.C.	(wh.) Myrtle-leaved.	————	S. h.	
19 latifolium. DC.	(wh.) broad-leaved.	1820.	6. 8.	S. h.	
20 indicum. DC.	(wh.) Indian.	E. Indies.	1824.	————	S. h.	
JOSSINIA. DC.	JOSSINIA. Icosandria Monogynia.					
1 mespiloides. DC.	(wh.) Mespilus-like.	Isl. Bourbon.	1826.	S. h.	
2 elliptica. DC.	(wh.) elliptic-leaved.	Mauritius.	1824.	S. h.	
Eugenia elliptica. Lam. non Smith.						
3 buxifolia. DC.	(wh.) Box-leaved.	Isl. Bourbon.	1822.	S. h.	
MYRTUS. DC.	MYRTLE. Icosandria Monogynia. L.					
1 communis. DC.	(wh.) common.	S. Europe.	1597.	7. 8.	F. h.	Lam. ill. t. 410.
A. melanocarpa. DC.	(w.) black-berried.	————	————	————	F. h.	
a romana. DC.	(wh.) broad-leaved.	————	————	————	F. h.	Mill. ic. t. 184. f. 1.
β multiplēx.	(wh.) double-blossomed.	————	————	F. h.	
B. leucocarpa. DC.	(wh.) white-fruited.	Levant.	————	F. h.	
2 tarentina.	(wh.) Box-leaved.	S. Europe.	1597.	————	F. h.	
3 italica.	(wh.) upright Italian.	————	————	————	F. h.	
β variegata.	(wh.) striped-leaved.	————	————	F. h.	
γ maculata.	(wh.) blotch-leaved.	————	————	F. h.	
4 bœtica.	(wh.) Orange-leaved.	————	1597.	————	F. h.	Blackw. t. 114.
5 lusitanica.	(wh.) Portugal.	Portugal.	————	————	F. h.	Clus. hist. 1. p. 66. f. 1.
6 belgica.	(wh.) sharp-leaved.	S. Europe.	————	————	F. h.	
7 mucronata.	(wh.) small-leaved.	————	————	————	F. h.	
8 tomentosa. DC.	(ro.) woolly-leaved.	China.	1776.	5. 9.	S. h.	Bot. mag. t. 250.
9 tenuifolia. DC.	(wh.) slender-leaved.	N. S. W.	1824.	————	G. h.	
10 lucida. DC.	(wh.) shining.	Surinam.	1793.	4. 8.	S. h.	
MYRCIA. DC.	MYRCIA. Icosandria Monogynia.					
1 punctata. DC.	(wh.) punctated.	Santa Cruz.	1825.	S. h.	
2 coriacea. DC.	(wh.) Sumach-leaved.	Hispaniola.	1759.	5. 7.	S. h.	Plum. ic. t. 208. f. 2.
3 acris. DC.	(wh.) broad-ld. Allspice.	W. Indies.	————	————	S. h.	Pluk. alm. t. 155. f. 3.
4 pimentoides. DC.	(wh.) Allspice-like.	————	————	————	S. h.	Lodd. bot. cab. t. 178.
Myrtus Pimenta. β latifolia.	Lodd. bot. cab. t. 178.					
5 divaricata. DC.	(wh.) spreading-flow'd.	W. Indies.	1820.	————	S. h.	Plum. ic. t. 208. f. 1.
6 sororia. DC.	(wh.) sister.	Trinidad.	1822.	————	S. h.	
7 splendens. DC.	(wh.) glossy-leaved.	Hispaniola.	————	————	S. h.	Jacq. coll. 2. t. 4.
Eugenia periplocafolia. Jacq.						
8 Mini.	(wh.) small-fruited.	Guiana.	1803.	————	S. h.	Aubl. guian. 1. t. 197.
Eugenia Mini. Aubl.						
9 crassinervia. DC.	(wh.) thick-nerved.	————	1780.	————	S. h.	
10 bracteata. DC.	(wh.) leafy-bracted.	Brazil.	1824.	————	S. h.	
11 pseudo-Mini. DC.	(wh.) Brazilian.	————	1822.	————	S. h.	
CALYPTRA'NTHES. DC.	CALYPTRA'NTHES. Icosandria Monogynia.					
1 rigida. DC.	(wh.) rigid-leaved.	Jamaica.	1822.	S. h.	
2 Chytraculia. DC.	(wh.) forked-paniced.	————	1778.	3. 5.	S. h.	Brown. jam. t. 37. f. 2.
3 Zuzygium. DC.	(wh.) oval-leaved.	————	————	5. 7.	S. h.	———— 240. t. 7. f. 2.
SYZYGIUM. DC.	SYZYGIUM. Icosandria Monogynia.					
1 obovatum. DC.	(wh.) obovate-leaved.	Mauritius.	1822.	S. h.	
2 paniculatum. DC.	(wh.) paniced.	————	1821.	4. 6.	S. h.	
Eugenia paniculata. Lam.						
3 glomeratum. DC.	(wh.) cluster-flowered.	————	1824.	S. h.	
4 Jambolana. DC.	(wh.) Jambolana-tree.	E. Indies.	1796.	5. 7.	S. h.	Rumph. amb. 1. t. 42.
Calyptranthes Jambolana. w. Eugenia Jambolana.	Lam.					
5 inophyllum. DC.	(wh.) equal-leaved.	E. Indies.	1826.	S. h.	

6	<i>caryophyllifolium</i> . DC. (<i>wh.</i>) Clove-leav'd. E. Indies. 1822. 5. 7. S. h. Rumph. amb. 1. t. 41. <i>Eugenia caryophyllifolia</i> . Lam. <i>Calyptranthes caryophyllifolia</i> . w.
7	<i>venosum</i> . DC. (<i>wh.</i>) veined-leaved. Nepaul. 1824. S. h.
8	<i>fruticosum</i> . DC. (<i>wh.</i>) shrubby. E. Indies. ———— S. h.
9	<i>zeylanicum</i> . DC. (<i>wh.</i>) Ceylon. ———— 1798. 6. 7. S. h. Herm. zeyl. 435. ic.
CARYOPHYLLUS. DC. CLOVE-TREE. Icosandria Monogynia. L.	
	<i>aromaticus</i> . DC. (<i>wh.</i>) aromatic. Moluccas. 1797. S. h. Bot. mag. t. 2749-2750.
ACMENA. DC. ACMEMA. Icosandria Monogynia.	
	<i>elliptica</i> . DC. (<i>wh.</i>) elliptic-leaved. N. S. W. 1790. 5. 9. G. h. Bot. mag. t. 1872. <i>Eugenia elliptica</i> . B.M. <i>Myrtus Smithii</i> . s.s. <i>Metrosideros floribunda</i> . Vent. malm. t. 75.
EUGENIA. DC. EUGENIA. Icosandria Monogynia.	
1	<i>Michellii</i> . DC. (<i>wh.</i>) one-flowered. Brazil. 1759. 1. 3. S. h. Bot. mag. t. 473. <i>uniflora</i> . w. <i>Plinia pedunculata</i> . B.M.
2	<i>ligustrina</i> . DC. (<i>wh.</i>) Privet-leaved. Caribees. 1798. 8. 9. S. h.
3	<i>balsamica</i> . DC. (<i>wh.</i>) balsamic. W. Indies. 1816. 6. 7. S. h. Jacq. frag. t. 45. f. 2.
4	<i>angustifolia</i> . DC. (<i>wh.</i>) narrow-leaved. St. Domingo. 1825. S. h. Plum.ed Bur.t.207.f.2.
5	<i>obscura</i> . DC. (<i>wh.</i>) obscure. Brazil. 1824. 10. 11. S. h. Bot. reg. t. 1044. <i>Myrtus obscura</i> . B.R.
6	<i>alpina</i> . DC. (<i>wh.</i>) alpine. Jamaica. 1827. 6. 8. S. h.
7	<i>latifolia</i> . DC. (<i>wh.</i>) broad-leaved. Guiana. 1793. ———— S. h. Aubl. guian. 1. t. 199.
8	<i>Lambertiana</i> . DC. (<i>wh.</i>) Mr. Lambert's. W. Indies. 1794. S. h.
9	<i>Parkeriana</i> . DC. (<i>wh.</i>) Parker's. Trinidad. ———— S. h.
10	<i>Roxburghii</i> . DC. (<i>wh.</i>) Roxburgh's. E. Indies. 1798. 6. 7. S. h. Andr. reposit. t. 619? <i>zeylanica</i> . Roxb. non w.
11	<i>disticha</i> . DC. (<i>wh.</i>) globe-berried. Jamaica. 1793. 4. 7. S. h. Lindl. coll. t. 19. <i>Myrtus disticha</i> . L. coll.
12	<i>glabrata</i> . DC. (<i>wh.</i>) smooth. W. Indies. 1825. ———— S. h.
13	<i>axillaris</i> . DC. (<i>wh.</i>) axillary. Jamaica. 1793. 9. 10. S. h.
14	<i>floribunda</i> . DC. (<i>wh.</i>) many-flowered. Santa Cruz. 1822. 4. 6. S. h.
15	<i>buxifolia</i> . DC. (<i>wh.</i>) Box-leaved. W. Indies. ———— S. h.
16	<i>baruensis</i> . DC. (<i>wh.</i>) many-flowered. ———— S. h. Jacq. ic. 3. t. 486.
17	<i>dumosa</i> . DC. (<i>wh.</i>) bushy. ———— 1793. 6. 7. S. h.
18	<i>biflora</i> . DC. (<i>wh.</i>) two-flowered. Jamaica. 1759. 4. 5. S. h. Brown jam. t. 25. f. 3. <i>Myrtus biflora</i> . w.
19	<i>Sieberiana</i> . DC. (<i>wh.</i>) Sieber's. Trinidad. 1824. ———— S. h.
20	<i>trinervia</i> . DC. (<i>wh.</i>) three-nerved. N. S. W. 1823. G. h. <i>Myrtus trinervia</i> . L.T.
21	<i>trinitatis</i> . DC. (<i>wh.</i>) Trinidad. Trinidad. ———— S. h.
22	<i>Grégii</i> . DC. (<i>wh.</i>) Greg's. Dominica. 1776. 6. 7. S. h. Gært. fruct. 1. t. 33. <i>Grégia aromatica</i> . G. <i>Myrtus Grégii</i> . w.
23	<i>fragens</i> . DC. (<i>wh.</i>) sweet-scented. Jamaica. 1790. 4. 5. S. h. Bot. mag. t. 1242.
24	<i>virgultosa</i> . DC. (<i>wh.</i>) twiggy. W. Indies. 1787. 7. 8. S. h. <i>Myrtus virgultosa</i> . w.
25	<i>corymbosa</i> . DC. (<i>wh.</i>) corymbose. E. Indies. 1824. S. h. Rheed. mal. 5. t. 27.
26	<i>pulchella</i> . H.B. (<i>wh.</i>) pretty. ———— 1822. S. h.
27	<i>glandulifera</i> . H.B. (<i>wh.</i>) glandular. ———— 1823. S. h.
28	<i>obtusifolia</i> . H.B. (<i>wh.</i>) blunt-leaved. ———— S. h.
29	<i>cerasoides</i> . H.B. (<i>wh.</i>) Cherry-fruited. ———— S. h.
30	<i>Pimenta</i> . DC. (<i>wh.</i>) Allspice. W. Indies. 1723. 5. 7. S. h. Bot. mag. t. 1236. <i>Myrtus Pimenta</i> . w.
JAMBOSA. DC. JAMBOSA. Icosandria Monogynia.	
1	<i>vulgaris</i> . DC. (<i>st.</i>) narrow-leaved. E. Indies. 1768. 2. 7. S. h. Bot. mag. t. 1696. <i>Eugenia Jambos</i> . B.M.
2	<i>venosa</i> . DC. (<i>wh.</i>) veined-leaved. Madagascar. 1824. S. h.
3	<i>macrophylla</i> . DC. (<i>wh.</i>) large-leaved. E. Indies. 1822. S. h.
4	<i>macrocarpa</i> . (<i>wh.</i>) large-fruited. ———— S. h. <i>Eugenia macrocarpa</i> . H.B.
5	<i>purpurascens</i> . DC. (<i>pu.</i>) purple-flower'd. W. Indies. 1768. 5. 8. S. h. Andr. reposit. t. 458. <i>Eugenia malaccensis</i> . Smith exot. bot. t. 61.
6	<i>malaccensis</i> . DC. (<i>wh.</i>) Malay Apple. E. Indies. ———— S. h. Rheed. mal. 1. t. 18.
7	<i>amplexicaulis</i> . DC. (<i>gr.</i>) stem-clasping. Sumatra. 1820. 3. 6. S. h. Bot. reg. t. 1033.
8	<i>aquea</i> . DC. (<i>ro.</i>) watery. Moluccas. 1819. ———— S. h. Rumph. amb. 1. t. 38. f. 2. <i>Eugenia aquea</i> . H.B.
9	<i>acuminata</i> . (<i>gr.</i>) taper-pointed. Amboyna. 1816. 5. 6. S. h. <i>Eugenia acuminata</i> . H.B.
10	<i>laurifolia</i> . DC. (<i>wh.</i>) Laurel-leaved. E. Indies. 1824. S. h.
11	<i>ternifolia</i> . (<i>wh.</i>) three-leaved. ———— 1822. ———— S. h. <i>Eugenia ternifolia</i> . H.B.

12 australis. DC. (wh.) Myrtle-leaved. N. Holland. 1812. 5. 9. G. h. Bot. mag. t. 2230.
Eugenia australis. Colla hort. rip. app. t. 8. *Eugenia myrtifolia*. Bot. reg. t. 627.

Tribus IV. *BARRINGTONIÆ*. DC. prodr. v. 3. p. 288.

BARRINGTONIA. DC. BARRINGTONIA. Monadelphia Polyandria. L.					
1 speciosa. DC. (pu.wh.) beautiful.	E. Indies.	1786.	S. h.	Rumph. amb. 3. t. 114.
2 racemosa. DC. (wh.) racemed.	Malabar.	1822.	S. h.	Rheed. mal. 4. t. 6.
<i>Eugenia racemosa</i> . L.					
STRAVADIUM. DC. STRAVADIUM. Monadelphia Polyandria.					
1 album. DC. (wh.) white-flowered.	Moluccas.	1822.	S. h.	Rumph. amb. 3. t. 116.
2 rubrum. DC. (re.) red-flowered.	—————	—————	S. h.	————— 3. t. 115.
<i>Barringtonia acutangula</i> . G. <i>Eugenia acutangula</i> . L.					
GUSTAVIA. DC. GUSTAVIA. Monadelphia Polyandria. L.					
1 augusta. DC. (wh.) large-flowered.	Guiana.	1794.	S. h.	Aubl. guian. 1. t. 192.
2 fastuosa. DC. (wh.) six-petaled.	—————	1824.	S. h.	————— 1. t. 193.

Tribus V. *LECYTHIDEÆ*. DC. prodr. v. 3. p. 290.

LECYTHIS. DC. LECYTHIS. Monadelphia Polyandria.					
1 Ollaria. DC. (wh.) sessile-leaved.	Brazil.	1820.	S. h.	
2 minor. DC. (wh.) smaller.	Carthagenæ.	1823.	S. h.	Jacq. amer. t. 109.
3 grandiflora. DC. (ro.) large-flowered.	Cayenne.	1822.	S. h.	Au. gu. 2. t. 283. 284. 285.
4 Idatimon. DC. (fl.) flesh-coloured.	Guiana.	—————	S. h.	————— 2. t. 289.
5 amara. DC. (ye.) bitter-seeded.	—————	—————	S. h.	————— 2. t. 286 et t. 285. f. 1.
6 parviflora. DC. (st.) small-flowered.	—————	—————	S. h.	————— 2. t. 287.
BERTHOLLETIA. DC. BERTHOLLETIA. Monadelphia Polyandria.					
excelsa. DC. (st.) lofty.	Brazil.	1821.	S. h.	H. et B. pl. equ. 1. t. 36.
COUROUPITA. DC. COUROUPITA. Monadelphia Polyandria.					
guianensis. DC. (bh.) Guiana.	Guiana.	1820.	S. h.	Aubl. guian. 2. t. 282.
<i>Lecythis bracteata</i> . W. <i>Pekoa Couroupita</i> . Juss.					

MYRTACEÆ DUBIÆ. DC. prodr. v. 3. p. 394.

CAREYA. R.C. CAREYA. Monadelphia Polyandria.					
1 spherica. H.B. (wh.) spherical.	E. Indies.	1823.	S. h.	
2 arborea. R.C. (gr.bh.) tree.	—————	—————	S. h.	Roxb. corom. 3. t. 218.
3 herbacea. R.C. (re.) herbaceous.	—————	1808.	7. 8.	S. 4.	————— 3. t. 217.
GRIAS. DC. ANCHOVY PEAR. Polyandria Monogynia.					
cauliflora. DC. (wh.) stem-flowering.	Jamaica.	S. h.	Sloan. his. 2. t. 217. f. 1. 2.
MARLEA. R.C. MARLEA. Icosandria Monogynia.					
begoniifolia. R.C. (wh.) Begonia-leaved.	E. Indies.	1824.	S. h.	Roxb. corom. 3. t. 283.

ORDO XCV.

CUCURBITACEÆ. DC. prodr. v. 3. p. 297.

Tribus II. *CUCURBITÆÆ*. DC. prodr. 3. p. 299.

LAGENARIA. DC. GOURD. Monocelia Monadelphia.					
1 vulgaris. DC. (wh.) bottle.	India.	1597.	7. 9.	H. ☉. ~.	
a Gourda. DC. (wh.) common.	—————	—————	—————	H. ☉. ~.	Moris. his. s. 1. t. 5. f. 1.
2 Cougourda. DC. (wh.) Cow-gourd.	China.	—————	—————	H. ☉. ~.	Rumph. amb. 5. t. 114.
γ depræssa. DC. (wh.) flat-fruited.	India.	—————	—————	H. ☉. ~.	
δ turbinata. DC. (wh.) top-fruited.	—————	—————	—————	H. ☉. ~.	Moris. his. s. 1. t. 5. f. 2.
ε clavata. DC. (wh.) club-fruited.	—————	—————	—————	H. ☉. ~.	————— sect. 1. t. 5. f. 3.

2 vittata. DC.	(wh.) ribbon.	E. Indies.	7. 9.	H. ⊙. ∩.	
3 idolátrica. DC.	(wh.) Pear-fruited.	—	—	H. ⊙. ∩.	
CUCUMIS. DC.	CUCUMBER.	Monœcia Monadelphia.	L.			
1 Melo. DC.	(st.) Melon.	Tartary.	1570.	5. 9.	F. ⊙.	Blackw. herb. t. 329.
2 deliciosus. DC.	(st.) delicious.	E. Indies.	1818.	—	F. ⊙.	
3 sativus. DC.	(ye.) common.	—	1573.	7. 9.	H. ⊙.	Blackw. herb. t. 4.
α viridis. DC.	(ye.) green-fruited.	—	—	—	H. ⊙.	
β flavus. DC.	(ye.) pale-fruited.	—	—	—	H. ⊙.	
γ albus. DC.	(ye.) white Turkey.	—	—	—	H. ⊙.	
δ variegatus. DC.	(ye.) striped-fruited.	—	—	—	H. ⊙.	
ε fastigiatus. DC.	(ye.) clustered.	—	—	—	H. ⊙.	
4 flexuosus. DC.	(ye.) flexuous snake.	—	1597.	5. 9.	F. ⊙.	Lob. stirp. p. 363. f. 2.
β reflexus. DC.	(ye.) angular-leaved.	—	—	F. ⊙.	
5 anguinus. W.	(ye.) snake-fruited.	—	1820.	7. 9.	F. ⊙.	
6 jamaicensis. DC.	(ye.) round-fruited.	Jamaica.	1818.	—	F. ⊙.	
7 Châte. DC.	(ye.) hairy.	Levant.	1759.	6. 7.	H. ⊙.	Alp. ægypt. t. 117.
8 Dudaim. DC.	(ye.) Apple-fruited.	—	1705.	7. 8.	H. ⊙.	Andr. reposit. t. 548.
9 prophetarum. DC.	(ye.) globe-fruited.	—	1777.	6. 9.	F. ⊙.	Jacq. vind. 1. t. 9.
10 africanus. DC.	(ye.) African.	C. B. S.	1816.	—	G. 4. ∩.	Herm. parad. t. 134.
11 Anguria. DC.	(ye.) round prickly.	Jamaica.	1692.	7. 9.	H. ⊙.	Mill. ic. 1. t. 33.
12 Citrullus. DC.	(ye.) Water Melon.	Africa.	1597.	5. 9.	F. ⊙.	Rumph. amb. 5. t. 146.
α Pasteca. DC.	(ye.) firm-fruited.	—	—	—	F. ⊙.	
β Juce. DC.	(ye.) juicy-fruited.	—	—	—	F. ⊙.	
13 pubescens. DC.	(ye.) pubescent.	1815.	6. 9.	F. ⊙.	
14 maculatus. DC.	(ye.) spotted-fruited.	—	F. ⊙.	Ser. dis. t. 3.
15 Colocy'nthis. DC.	(ye.) bitter.	Japan.	1551.	5. 8.	F. ⊙.	Blackw. herb. t. 441.
16 perennis. DC.	(ye.) perennial.	N. America.	1824.	6. 8.	F. ⊙.	
17 coronarius.	(ye.) crowned.	1827.	—	F. ⊙.	
18 Momordica. H. B.	(ye.) Momordica-like.	E. Indies.	1812.	7. 9.	F. ⊙.	
19 utilitissimus. H. B.	(ye.) useful.	—	1820.	—	F. ⊙.	
20 turbinatus. H. B.	(ye.) top-shaped.	—	—	—	F. ⊙.	
21 maderaspatanus. W.	(ye.) Madras.	—	1805.	7. 8.	F. ⊙.	Pluk. alm. t. 170. f. 2.
<i>Bryonia maderaspatana.</i> DC.						
22 integrifolius. H. B.	(ye.) entire-leaved.	—	1825.	—	F. ⊙. ∩.	
LUFFA. DC.	LUFFA. Pentandria Monogynia.					
1 fœtida. DC.	(ye.) strong-scented.	E. Indies.	1812.	6. 10.	F. ⊙. ∩.	Bot. mag. t. 1638.
2 acutangula. DC.	(ye.) acute-angled.	—	1692.	6. 9.	F. ⊙. ∩.	Jacq. vind. 3. t. 73-74.
<i>Cucumis acutangulus.</i> Jacq.						
3 Plukenetiana. DC.	(ye.) Plukenet's.	—	—	F. ⊙. ∩.	Pluk. alm. t. 172. f. 1.
4 clavata. H. B.	(ye.) erect.	—	1820.	6. 10.	F. ⊙.	
5 amara. H. B.	(ye.) bitter.	—	—	—	F. ⊙. ∩.	
6 graveolens. H. B.	(ye.) strong-smelling.	—	1823.	—	F. ⊙. ∩.	
7 racemosa. H. B.	(ye.) racemed.	—	—	—	F. ⊙. ∩.	
8 ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1739.	7. 8.	F. ⊙.	Alp. ægypt. t. 58.
<i>Momordica Luffa.</i> L.						
BENINCASA. DC.	BENINC'ASA. Polygamia Monœcia.					
cerifera. DC.	(ye.) musky.	E. Indies.	7. 9.	F. ⊙.	Savi. mem. c. 1818. p. 4.
BRYONIA. DC.	BRYONY. Monœcia Monadelphia. W.					
1 rostrata. DC.	(st.) rostrate.	E. Indies.	1825.	7. 9.	S. ⊙. ∩.	
2 scabra. DC.	(st.) globe-fruited.	C. B. S.	1774.	9. 10.	G. 4. ∩.	
3 verrucosa. DC.	(st.) warted.	Canaries.	1779.	6. 10.	G. 4. ∩.	
4 scabrata. DC.	(st.) roughish.	E. Indies.	1826.	—	S. 4. ∩.	
5 punctata. DC.	(st.) dotted.	C. B. S.	1816.	—	G. 4. ∩.	
6 cordata. DC.	(st.) cordate.	—	—	—	G. 4. ∩.	
7 grandis. DC.	(re.) great-flowered.	E. Indies.	1783.	5. 8.	S. 4. ∩.	Rump. amb. 5. t. 163. f. 1.
8 umbellata. DC.	(st.) umbel-flowered.	—	1825.	—	S. 4. ∩.	Rheed. mal. 8. t. 26.
9 hederifolia. DC.	(st.) Ivy-leaved.	Teneriffe.	—	—	G. 4. ∩.	Jacq. fragm. 73. t. 113.
10 epigæa. DC.	(st.) leathery-leaved.	E. Indies.	1815.	—	G. 4. ∩.	
11 scabrella. DC.	(st.) rough-seeded.	—	1781.	6. 8.	S. ⊙. ∩.	
12 latebrosa. DC.	(st.) hairy.	Canaries.	1779.	—	G. 4. ∩.	
13 trilobata. DC.	(st.) three-lobed.	C. B. S.	1816.	—	G. ⊙. ∩.	
14 alba. DC.	(wh.) black-fruited.	Europe.	1807.	—	H. 4. ∩.	Lam. ill. t. 796.
15 dioica. DC.	(st.) red-fruited.	Britain.	5. 9.	H. 4. ∩.	Eng. bot. v. 7. t. 439.
16 nitida. DC.	(st.) glossy.	1824.	—	S. 4. ∩.	
17 cretica. DC.	(st.) Cretan.	Candia.	1759.	7. 9.	G. 4. ∩.	Desf. an. mus. 12. t. 17.
18 quinqueloba. DC.	(st.) five-lobed.	C. B. S.	6. 10.	G. 4. ∩.	Bot. reg. t. 82.
19 ficifolia. DC.	(st.) Fig-leaved.	Buenos Ayres.	1726.	—	G. 4. ∩.	Dill. elth. t. 50. f. 55.
20 variegata. DC.	(st.) variegated.	America.	—	S. 4. ∩.	
21 racemosa. DC.	(st.) racemed.	Trinidad.	1820.	—	S. 4. ∩.	Plum. amer. 83. t. 97.

22 pinnatifida. DC.	(st.) pinnatifid.	C. B. S.	1816.	7. 8.	G. 4. ∞.	
23 divisa. W. en.	(st.) divided-leaved.	1818.	6. 10.	G. 4. ∞.	
24 palmata. DC.	(st.) palmated.	Ceylon.	1778.	7. 8.	S. 4. ∞.	
25 Garcini. DC.	(st.) round-lobed.	1818.	—	S. 4. ∞.	Burm. ind. t. 57. f. 3.
26 laciniosa. DC.	(st.) laciniated.	E. Indies.	1710.	—	S. 4. ∞.	Herm. lugd. 95. t. 97.
27 africana. DC.	(st.) African.	C. B. S.	1759.	7. 8.	G. 4. ∞.	Herm. parad. t. 708.
28 dissecta. DC.	(st.) smooth-leaved.	1710.	—	G. 4. ∞.	
29 tenella. H. B.	(st.) slender.	E. Indies.	1820.	—	S. 4. ∞.	
30 Wallichiana. DC.	(st.) filiform.	Nepaul.	—	—	S. 4. ∞.	
<i>filiformis. H. B.</i>						
SI CYOS. DC.	SINGLE-SEEDED CUCUMBER. Monœcia Monadelphia. W.					
1 angulatus. DC.	(ye.) angular-leaved.	N. America.	1710.	7. 9.	H. ⊙. ∞.	Dill. elth. t. 51. f. 59.
2 parviflorus. DC.	(ye.) small-flowered.	Quito.	1823.	—	H. ⊙. ∞.	
3 microphyllus. DC.	(ye.) small-leaved.	Mexico.	—	—	H. ⊙. ∞.	
4 vitifolius. DC.	(ye.) Vine-leaved.	—	—	H. ⊙. ∞.	
5 laciniatus. DC.	(ye.) jagged-leaved.	S. America.	1827.	—	F. ⊙. ∞.	Plum. ed Burm. t. 243.
ELATERIUM. DC.	ELATERIUM. Monœcia Monadelphia.					
1 gemellum. DC.	(wh.) twin-tendrilled.	Mexico.	1826.	6. 9.	H. ⊙. ∞.	
2 carthaginense. DC.	(wh.) Carthaginian.	Caracas.	1824.	—	F. ⊙. ∞.	Jacq. am. pict. t. 232.
3 tamnoides. DC.	(st.) Tamus-like.	Mexico.	1818.	—	H. ⊙. ∞.	
MOMORDICA. DC.	MOMORDICA. Monœcia Monadelphia. W.					
1 balsamina. DC.	(ye.) Balsam Apple.	E. Indies.	1568.	6. 7.	F. ⊙. ∞.	Blackw. herb. 6. t. 539.
2 muricata. DC.	(ye.) tubercled.	—	F. ⊙. ∞.	Rheed. mal. 8. t. 10.
3 Charantia. DC.	(ye.) hairy.	1710.	—	F. ⊙. ∞.	Bot. mag. t. 2455.
β abbreviata. DC.	(ye.) short-fruited.	—	—	F. ⊙. ∞.	
4 cylindrica. DC.	(ye.) cylindrical.	China.	1816.	—	F. ⊙. ∞.	
5 operculata. DC.	(ye.) rough-fruited.	W. Indies.	1731.	6. 9.	F. ⊙. ∞.	Comm. rar. t. 22.
6 Elaterium. DC.	(st.) squirting cucumber.	S. Europe.	1548.	—	H. 4.	Bot. mag. t. 1914.
7 dioica. DC.	(ye.) dioecious.	E. Indies.	1820.	7. 8.	S. 4. ∞.	Rheed. mal. 8. t. 18.
8 monadelphia. H. B.	(ye.) monadelphous.	1812.	—	S. 4. ∞.	
9 mixta. H. B.	(ye.) mixed.	1820.	—	S. 4. ∞.	
10 umbellata. H. B.	(ye.) umbel-flowered.	1818.	—	S. 4. ∞.	
11 tubiflora. H. B.	(ye.) tube-flowered.	1824.	7. 10.	F. ⊙. ∞.	
SECHIUM. DC.	CHOCHO. Monœcia Monadelphia.					
1 edule. DC.	(ye.) eatable.	W. Indies.	1823.	7. 9.	F. ⊙. ∞.	Jacq. amer. t. 163.
2 americanum. DC.	(ye.) American.	Jamaica.	1825.	—	F. ⊙. ∞.	
3 palmatum. DC.	(st.) palmated.	Mexico.	1827.	9. 11.	F. ⊙. ∞.	Moc. et Ses. fl. mex. ic.
MELOTHRIA. DC.	MELOTHRIA. Monœcia Triandria.					
1 pendula. DC.	(ye.) pendulous.	America.	1752.	6. 7.	H. ⊙. ∞.	Plum. ic. t. 66. f. 2.
2 foetida. DC.	(ye.) strong-scented.	Guinea.	1825.	—	S. 4. ∞.	Jacq. ic. 3. t. 624.
<i>Trichosanthes foetidissima. Jacq.</i>						
TRICHOSANTHES. DC.	SNAKE-GOURD. Monœcia Monadelphia. W.					
1 anguina. DC.	(wh.) common.	China.	1755.	5. 8.	F. ⊙. ∞.	Bot. mag. t. 722.
2 colubrina. DC.	(wh.) paniced.	1820.	—	F. ⊙. ∞.	Jacq. f. eclog. t. 128.
3 dioica. H. B.	(wh.) dioecious.	E. Indies.	—	5. 6.	S. 4. ∞.	
4 cucumerina. DC.	(wh.) Cucumber-like.	1804.	6. 8.	F. ⊙. ∞.	Rheed. mal. 8. t. 15.
5 lobata. H. B.	(wh.) lobed-leaved.	1812.	—	F. ⊙. ∞.	
6 cordata. H. B.	(wh.) heart-leaved.	1823.	—	S. 4. ∞.	
7 palmata. H. B.	(wh.) palmated.	1825.	—	S. 4. ∞.	
8 corniculata. DC.	(wh.) horn-gourd.	W. Indies.	1810.	6. 7.	S. 4. ∞.	Bot. mag. t. 2703.
<i>tuberosa. B. M. Ceratosanthes tuberosa. s. s.</i>						
JOLIFFIA. DC.	JOLIFFIA. Dioecia Monadelphia.					
africana. DC.	(pu.) African.	Zanzibar.	1825.	6. 8.	S. ½. ∞.	Bot. mag. t. 2681.
♀ femina.	(pu.) female.	—	—	S. ½. ∞. t. 2681.
Feuillea pedata. B. M.	(pu.) male.	1827.	—	S. ½. ∞.	Bot. mag. t. 2751 et 2752.
♂ mascula.	(pu.) male.	—	—	S. ½. ∞.
<i>Telfairia pedata. Hook. bot. mag. t. 2751.</i>						
CUCURBITA. DC.	PUMPKIN. Monœcia Monadelphia. W.					
1 maxima. DC.	(ye.) Elephant.	7. 10.	H. ⊙. ∞.	Tourn. inst. n. 2. t. 34.
α Potiro. DC.	(ye.) yellow-fruited.	—	H. ⊙. ∞.	
β tridis. DC.	(ye.) green-fruited.	—	H. ⊙. ∞.	
γ Courgero. DC.	(ye.) small-fruited.	—	H. ⊙. ∞.	
2 Melopepo. DC.	(ye.) Squash.	1597.	5. 9.	H. ⊙. ∞.	Moris. hist. 1. s. 1. t. 8.
3 moschata. DC.	(ye.) musk Melon.	W. Indies.	—	6. 9.	F. ⊙. ∞.	Dalech. hist. 616. f. 3.
4 villosa. DC.	(ye.) woolly-fruited.	E. Indies.	1818.	—	F. ⊙. ∞.	
5 Pepo. DC.	(ye.) common.	Levant.	1570.	—	H. ⊙. ∞.	
α subrotunda. DC.	(ye.) round-fruited.	—	—	H. ⊙. ∞.	
β oblonga. DC.	(ye.) oblong-fruited.	—	—	H. ⊙. ∞.	
6 farinosa. DC.	(ye.) mealy-fruited.	E. Indies.	1822.	—	F. ⊙. ∞.	

7	verrucòsa. DC.	(ye.)	warted.	1658.	6. 9.	H. ☉. √.	Bauh. hist. 2. p. 222. ic.
8	subverrucòsa. DC.	(ye.)	oblong-fruited.	—	H. ☉. √.	
9	aurántia. DC.	(ye.)	orange-gourd.	—	H. ☉. √.	
	<i>a</i> orangina. DC.	(ye.)	true orange.	—	H. ☉. √.	
	<i>β</i> colocynthoides. DC.	(ye.)	variegated-fruit'd.	—	H. ☉. √.	
10	ovífera. DC.	(ye.)	egg-shaped.	Astracan.	—	H. ☉. √.	Dod. pempt. 670. f. 1.
	<i>a</i> pyriformis. DC.	(ye.)	pear-fruited.	—————	—	H. ☉. √.	Ser. diss. t. 1.
	<i>β</i> subglobòsa. DC.	(ye.)	white-striped.	—————	—	H. ☉. √.	
	<i>γ</i> grisea. DC.	(ye.)	white-spotted.	—————	—	H. ☉. √.	
11	foetidissima. DC.	(ye.)	strong-scented.	Mexico.	1825.	—	H. ☉. √.	
12	marsupialis. Jacq.	(ye.)	bag-bearing.	1821.	—	H. ☉. √.	
13	dipsacea. E.	(ye.)	Teasel-like.	Egypt.	1827.	—	H. ☉. √.	
ANG'URIA. DC.		ANG'URIA. Monœcia Diandria. W.						
1	trilobata. DC.	(re.)	three-lobed.	Martinico.	1793.	6. 7.	S. 4. √.	Jacq. am. pict. t. 231.
2	pedatisecta. DC.	(re.)	cut-leaved.	Peru.	1827.	7. 10.	H. ☉. √.	Feuil. per. 1. t. 41.
3	pedata. DC.	(re.)	pedate-leaved.	St. Domingo.	—	6. 8.	S. 4. √.	Jacq. am. pict. t. 155.

GENERA CUCURBITACEIS AFFINIA.

GRON'OVIA. DC.	GRON'OVIA. Pentandria Monogynia. L.							
scándens. DC.	(st.) climbing.	Jamaica.	1731.	6. 7.	S. 4. √.	Jacq. ic. 2. t. 338.		
CA'RICA. S.S.	PAPAW-TREE. Dioœcia Decandria. L.							
1	Papáya. s.s.	(st.) common.	India.	1690.	7. 8.	S. 2.	Bot. reg. t. 459.	
2	pyriformis. s.s.	(ro.) Pear-fruited.	Peru.	1825.	S. 2.	Feuil. journ. 3. t. 39.	
3	citriformis. s.s.	(st.) Citron-fruited.	Guinea.	—	S. 2.		
4	cauliflora. s.s.	(st.) stem-flowering.	Caracas.	1806.	6. 8.	S. 2.	Jacq. schœnb. 3. t. 311.	
5	microcarpa. s.s.	(st.) small-fruited.	—————	—	—	S. 2.	————— 3. t. 309. 310.	
6	monoica. Df.	(st.) monœcious.	—————	1816.	—	S. 2.		
7	digitata. s.s.	(st.) spiny.	Guiana.	1822.	S. 2.	Aubl. guian. 2. t. 246.	
	spindsa. W.							

ORDO XCVI.

PASSIFLOREÆ. DC. prodr. v. 3. p. 321.

Tribus I. PAROPSIÆ. DC. prodr. v. 3. p. 322.

SMEATHMA'NNIA. L.T.	SMEATHMA'NNIA. Polyandria Pentagynia.				
lævigata. L.T.	(wh.) smooth.	Sierra Leone.	1822.	S. 2.

Tribus II. PASSIFLOREÆ VERÆ. DC. prodr. v. 3. p. 322.

PASSIFL'ORA. DC.	PASSION-FLOWER. Monadelphia Pentandria.						
1	holosericea. DC.	(st.) silky-leaved.	Vera Cruz.	1733.	5. 8.	S. 2. √.	Bot. reg. t. 59.
2	pállida. DC.	(gr.) pale-flowered.	W. Indies.	1820.	5. 10.	S. 2. √.	————— t. 660.
3	cùprea. DC.	(co.) copper-colour'd.	Bahama Isl.	1724.	7. 8.	S. 2. √.	Jacq. ic. 3. t. 606.
4	multiflora. DC.	(wh.) many-flowered.	Vera Cruz.	1731.	6. 9.	S. 2. √.	Cavan. diss. 10. t. 272.
5	pubescens. DC.	(wh.) pubescent.	Caracas.	1825.	—	S. 2. √.	
6	mexicana. DC.	(wh.) Mexican.	Mexico.	1812.	—	S. 2. √.	Jus. an. mus. 6. t. 38. f. 2.
7	normalis. DC.	(cr.) linear-lobed.	Jamaica.	1771.	5. 7.	S. 2. √.	
8	angustifolia. DC.	(gr.) narrow-leaved.	W. Indies.	1773.	6. 9.	S. 2. √.	Bot. reg. t. 188.
	heterophylla. Jacq.	schœnb. 2. t. 181.					
9	maculata. DC.	(wh.) painted-leaved.	N. America.	1812.	—	G. 2. √.	Pluk. t. 210. f. 3.
10	gracilis. DC.	(wh.) slender.	—————	1823.	6. 10.	S. 2. √.	Bot. reg. t. 870.
11	lutæa. DC.	(st.) pale yellow.	—————	1714.	5. 8.	F. 4. √.	————— t. 79.
12	minima. DC.	(gr.) small.	S. America.	1690.	7. 9.	S. 2. √.	————— t. 144.
13	hirsuta. DC.	(gr.) hairy-stalked.	W. Indies.	1778.	8. 10.	S. 2. √.	Plum. amer. t. 88.
14	suberosa. DC.	(wh.) cork-barked.	—————	1759.	6. 9.	S. 2. √.	Sm. exot. bot. 1. t. 28.

15	peltata. DC.	(st.) peltate.	W. Indies.	1778.	8. 10.	S. h. ∩.	Bot. reg. t. 507.
16	hederacea. DC.	(wh.) Ivy-leaved.	Antilles.	6. 7.	S. h. ∩.	Plum. amer. t. 84.
17	pannosa. DC.	(fl.) cloth-leaved.	W. Indies.	1824.	6. 9.	S. h. ∩.	
18	cuneata. W.en.	(wh.) wedge-leaved.	S. America.	1820.	6. 10.	S. h. ∩.	
19	multiformis. DC.	(wh.) multiform.	Caracas.	1825.	—	S. h. ∩.	Jacq. frag. t. 67. f. 1.
	caracasana. W. en.						
20	heterophylla. DC.	(wh.) various-leaved.	St. Domingo.	1817.	—	S. h. ∩.	Plum. ed. Bur. t. 139. f. 1.
21	rubricaulis. Jac.	(re.) red-stalked.	S. America.	1821.	6. 8.	S. h. ∩.	
22	perfoliata. DC.	(pu.) perfoliate.	W. Indies.	1806.	7. 9.	S. h. ∩.	Bot. reg. t. 78.
23	rubra. DC.	(fl.) red-fruited.	—	1731.	4. 9.	S. h. ∩.	— t. 95.
24	capsularis. DC.	(wh.) angular-fruited.	—	1826.	—	S. h. ∩.	Bot. mag. t. 2868?
25	biflora. DC.	(wh.) crescent-leaved.	—	1733.	—	S. h. ∩.	Sm. ic. pict. 1. t. 1.
	lunata. Sm. non Juss.	Vespertilio. Miss Lawr. pass. t. 8. nec aliorum.					
	β? acutiloba. (wh.) acute-lobed.	W. Indies.	—	—	—	S. h. ∩.	Bot. reg. t. 577.
26	Vespertilio. DC.	(wh.) bat-winged.	—	1732.	5. 6.	S. h. ∩.	Dill. elth. t. 137. f. 164.
27	Maximiliana. DC.	(wh.) two-coloured.	Brazil.	1820.	6. 10.	S. h. ∩.	Bot. reg. t. 597.
	Vespertilio. B.R. nec aliorum. discolor.	Lodd. bot. cab. t. 565.					
28	oblongata. DC.	(wh.) oblong-leaved.	Jamaica.	1822.	—	S. h. ∩.	
29	tuberosa. DC.	(pa.) tuberous-root'd.	S. America.	1784.	—	S. h. ∩.	Bot. reg. t. 432.
	punctata. Lodd. bot. cab. t. 101.						
30	rotundifolia. DC.	(wh.) round-leaved.	W. Indies.	1779.	5. 8.	S. h. ∩.	Cavan. dis. t. 290.
31	punctata. DC.	(st.) dotted-leaved.	Peru.	1784.	5. 6.	S. h. ∩.	— 6. t. 269.
32	serratifolia. DC.	(pu.) notch-leaved.	W. Indies.	1731.	5. 10.	S. h. ∩.	Bot. mag. t. 651.
33	coccinea. DC.	(sc.) scarlet-flower'd.	Guiana.	1823.	S. h. ∩.	Aubl. guian. 3. t. 324.
34	mucronata. DC.	(v.) mucronate.	Brazil.	1822.	S. h. ∩.	Cavan. diss. t. 282.
35	maliformis. DC.	(v.) Apple-fruited.	W. Indies.	1731.	7. 11.	S. h. ∩.	Bot. reg. t. 94.
36	tiliæfolia. DC.	(wh.) Lime-tree-ld.	Peru.	1822.	S. h. ∩.	Feuill. obs. 2. t. 12.
37	ligularis. DC.	(v.) taper-pointed.	—	—	4. 8.	S. h. ∩.	Juss. an. mus. 6. t. 40.
38	quadrangularis. DC.	(v.) square-stalked.	Jamaica.	1768.	8. 10.	S. h. ∩.	Bot. reg. t. 14.
39	alata. DC.	(v.) wing-stalked.	W. Indies.	1772.	4. 8.	S. h. ∩.	Bot. mag. t. 66.
40	albida. DC.	(wh.) white-flowered.	Brazil.	1816.	7. 11.	S. h. ∩.	Bot. reg. t. 677.
41	angulata. Cerv.	(wh.) angular-stalked.	Mexico.	1823.	—	G. h. ∩.	
42	laurifolia. DC.	(v.) Laurel-leaved.	W. Indies.	1690.	6. 8.	S. h. ∩.	Bot. reg. t. 13.
43	tinifolia. DC.	(v.) Tinus-leaved.	—	1822.	—	S. h. ∩.	Juss. an. mus. 6. t. 41. f. 2.
44	racemosa. DC.	(sc.) racemed.	Brazil.	1816.	1. 12.	S. h. ∩.	Bot. reg. t. 285.
45	sanguinea. DC.	(cr.) crimson.	Hybrid.	1820.	—	G. h. ∩.	
46	cœruleo-racemosa. (pu.) Whitley's mule.	—	—	—	—	G. h. ∩.	Lodd. bot. cab. t. 573.
	α quinquelobata. H.T. (pu.) five-lobed.	—	—	—	—	G. h. ∩.	Hort. trans. 4. t. 9.
	β trilobata. H.T. (pu.) three-lobed.	—	—	—	—	G. h. ∩.	
	γ racemifera. (pu.) raceme-bearing.	—	—	—	—	G. h. ∩.	
47	alato-cœrulea. DC.	(ro.) Masters's mule.	Hybrid.	1823.	4. 8.	G. h. ∩.	Bot. reg. t. 848.
48	stipulata. DC.	(wh.) glaucous-leaved.	Cayenne.	1779.	8. 9.	S. h. ∩.	Aubl. guian. 2. t. 325.
	glauca. Bot. reg. t. 88. non Humb.						
49	incarnata. DC.	(bh.) flesh-coloured.	N. America.	1629.	7. 9.	H. h. ∩.	Miss Lawr. pass. ic.
	β? integriloba. DC. (bh.) entire-lobed.	—	—	1812.	—	H. h. ∩.	Bot. reg. t. 332.
50	edulis. DC.	(bh.) eatable-fruited.	Brazil.	1816.	6. 10.	G. h. ∩.	Bot. mag. t. 1989.
	incarnata. β. Bot. reg. t. 152.						
51	vitifolia. DC.	(wh.) Vine-leaved.	S. America.	1824.	S. h. ∩.	
52	filamentosa. DC.	(v.) filamentose.	—	1819.	7. 10.	G. h. ∩.	Cavan. diss. 10. t. 294.
53	palmata. DC.	(v.) palmate-leaved.	Brazil.	—	—	F. h. ∩.	Lodd. bot. cab. t. 97.
54	Colvillii. DC.	(v.) Colvill's mule.	Hybrid.	1823.	—	H. h. ∩.	Swt. br. fl. gar. t. 126.
55	cœrulea. DC.	(wh. bl.) common.	Brazil.	1699.	—	H. h. ∩.	Bot. reg. t. 488.
	β glaucophylla. (wh. bl.) glaucous-leaved.	—	—	—	H. h. ∩.	
	γ angustifolia. (wh. bl.) narrow long-l'd.	—	—	—	H. h. ∩.	
56	chinensis. (wh. bl.) Chinese.	China.	1819.	6. 10.	G. h. ∩.		
	cœrulea Lour. nec aliorum.						
57	serrata. DC.	(pa.) saw-leaved.	Martinica.	1800.	S. h. ∩.	Cavan. diss. 10. t. 296.
58	digitata. R.P.	(pa.) digitate.	Peru.	1824.	S. h. ∩.	
59	pedata. DC.	(pa.) curl-flowered.	W. Indies.	1781.	S. h. ∩.	Plum. am. t. 81.
60	picturata. DC.	(v.) pictured.	Brazil.	1823.	6. 9.	S. h. ∩.	Bot. reg. t. 673.
61	hibiscifolia. (wh. bl.) Hibiscus-leav'd.	Caribeas.	1825.	—	—	S. h. ∩.	Plum. am. t. 86.
62	fœtida. (wh. bl.) stinking.	W. Indies.	1731.	7. 9.	S. ♂. ∩.	Bot. mag. t. 2619.	
63	hircina. ed. 1. (wh. bl.) strong-scented.	Brazil.	5. 10.	S. h. ∩.	Bot. reg. t. 321.	
	fœtida. Bot. reg. nec aliorum. hirsuta. Bot. cab. 138. nec aliorum.						
64	ciliata. DC.	(wh. ro.) ciliated.	Jamaica.	1783.	7. 9.	S. h. ∩.	Bot. mag. t. 288.
	DISE'MMA. DC.	DISE'MMA. Monadelphia Pentandria.					
1	Herbertiana. DC.	(st.) L'd. Caernarvon's.	N. Holland.	1822.	6. 10.	G. h. ∩.	Bot. reg. t. 737.
	Passiflora Herbertiana. B.R.						
2	adanthifolia. DC.	(or.) Adiantum-l'd.	Norfolk Isl.	1792.	—	G. h. ∩.	Bot. reg. t. 233.
	Passiflora aurantia. Andr. reposit. t. 295. Passiflora glabra. Wendl. coll. 1. t. 17.						

MURUC'UIA. DC.	MURUC'UIA. Monadelphia Pentandria.					
ocellàta. DC.	(cr.) ocellated.	W. Indies.	1739.	7. 8.	S. $\frac{1}{2}$.	Bot. reg. t. 574.
	<i>Passiflora Murucùja.</i>	B.R.	Lin. am. 1. t. 10. f. 10.			
TACS'ONIA. DC.	TACS'ONIA. Monadelphia Pentandria.					
1 pinnatistipula. DC.	(ro.) feather-stipuled.	Chile.	1826.	S. $\frac{1}{2}$.	Cavan. ic. 5. t. 428.
2 pedunculàris. DC.	(ro.) long-peduncled.	Peru.	1815.	S. $\frac{1}{2}$.	———— 5. t. 426.
	<i>Passiflora pedunculàris.</i>	Cav.				
MODE'CCA. DC.	MODE'CCA. Diœcia Monadelphia.					
1 lobàta. DC.	(gr.) lobe-leaved.	Sierra Leone.	1816.	6. 9.	S. $\frac{1}{2}$.	Bot. reg. t. 433.
2 trilobàta. H.B.	(gr.) three-lobed.	E. Indies.	1823.	—	S. $\frac{1}{2}$.	Roxb. corom. 3. ic.
3 tuberòsa. H.B.	(gr.) tuberous-rooted.	————	1822.	—	S. $\frac{1}{2}$.	Rumph. amb. 8. t. 20.

ORDO XCVII.

LOASEÆ. DC. prodr. v. 3. p. 339.

BARTONIA. DC.	BARTONIA. Polyandria Monogynia.					
1 ornàta. DC.	(wh.) naked-seeded.	Missouri.	1811.	7. 9.	F. ♂.	Bot. mag. t. 1487.
	<i>decapétala.</i>	B.M.				
2 nuda. DC.	(wh.) winged-seeded.	————	————	————	F. ♀.	
BLUMENBA'CHIA. DC.	BLUMENBA'CHIA. Polyandria Monogynia.					
insignis. DC.	(wh.) elegant.	Chile.	1826.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 171.
	<i>Loasa palmàta.</i>	Treviranus.	<i>pátula.</i>	Gr.		
SCYPHANTHUS. B.F.G.	CUP-FLOWER. Polyandria Monogynia.					
élegans. B.F.G.	(ye.) elegant.	Chile.	1824.	5. 9.	F. $\frac{1}{2}$.	Swt. br. fl. gar. t. 238.
LO'ASA. DC.	LO'ASA. Polyandria Monogynia.					
1 bryoniaefolia. DC.	(ye.) Bryony-leaved.	Chile.	1828.	6. 9.	H. ⊙.	Schrad. pl. rar. got. ic.
2 tricolor. DC.	(ye.) three-coloured.	————	1822.	8. 10.	H. ⊙.	Bot. reg. t. 667.
3 nítida. DC.	(ye.) glossy-leaved.	Peru.	—	7. 10.	H. ⊙.	Hook. exot. bot. t. 83.
4 Plàcei. H.T.	(ye.) Place's.	Chile.	—	—	H. ⊙.	Bot. reg. t. 785.
	<i>acanthifolia.</i>	B.R.	non	Lamarck.		
5 grandiflora. DC.	(ye.) large-flowered.	Peru.	1825.	—	H. ⊙.	Juss. an. mus. 5. t. 4. f. 2.
MENTZ'ELIA. DC.	MENTZ'ELIA. Polyandria Monogynia.					
1 áspera. DC.	(or.) rough.	W. Indies.	1773.	7. 9.	S. ⊙.	Plum. ed. Bur. t. 174. f. 1.
2 oligospérma. DC.	(or.) few-seeded.	Louisiana.	1812.	5. 7.	F. ♀.	Bot. mag. t. 1760.
3 hispida. DC.	(or.) hispid.	Mexico.	1821.	6. 9.	F. ♀.	Cavan. ic. 1. t. 70.

ORDO XCVIII.

TURNERACEÆ. DC. prodr. v. 3. p. 345.

TURN'ERA. DC.	TURN'ERA. Pentandria Trigynia. L.					
1 ulmifolia. DC.	(ye.) Elm-leaved.	Jamaica.	1733.	6. 9.	S. $\frac{1}{2}$.	Linn. h. cliff. t. 10.
2 angustifolia. B.M.	(ye.) narrow-leaved.	————	————	4. 9.	S. $\frac{1}{2}$.	Bot. mag. t. 281.
3 cuneiformis. DC.	(ye.) wedge-leaved.	Brazil.	1821.	—	S. $\frac{1}{2}$.	
4 trioniflora. DC.	(ye.) Ketmia-flow'd.	Trinidad.	1812.	—	S. $\frac{1}{2}$.	Bot. mag. t. 2106.
	<i>élegans.</i>	R.S.				
5 acuta. DC.	(ye.) acute-leaved.	Jamaica.	1826.	—	S. $\frac{1}{2}$.	
6 Pumílea. DC.	(ye.) nettle-leaved.	————	1796.	8. 9.	S. ⊙.	Sloan. hist. t. 127. f. 6.
7 rupéstris. DC.	(ye.) rock.	Guiana.	1826.	6. 9.	S. $\frac{1}{2}$.	Aubl. guian. 1. t. 113. f. 1.
8 guianénsis. DC.	(ye.) Guiana.	————	—	—	S. ⊙.	———— 1. t. 114.
9 cistoides. DC.	(ye.) Cistus-like.	America.	1774.	6. 10.	H. ⊙.	Plum. ic. t. 150. f. 1.
10 racemòsa. DC.	(ye.) raceme-flower'd.	St. Domingo.	1789.	7. 10.	S. ⊙.	Jacq. vind. 3. t. 94.
PIRIQU'ETA. DC.	PIRIQU'ETA. Pentandria Trigynia.					
villòsa. DC.	(ye.) villous.	Guiana.	1826.	7. 10.	S. ⊙.	Aubl. guian. 1. t. 117.

ORDO XCIX.

PORTULACEÆ. DC. prodr. v. 3. p. 351.

TRIA'NTHEMA. DC. TRIA'NTHEMA. Pent-Decandria Mono-Trigynia.						
1	decándra. DC. (gr.) trailing.	E. Indies.	1762.	7. 8.	S. ⊙.	Burm. ind. t. 31. f. 3.
2	triquètra. DC. (gr.) triquetrous.	————	1826.	—	S. ⊙.	
3	obcordàta. H.B. (gr.) obcordate.	————	1820.	—	S. ⊙.	
4	monógyna. DC. (gr.) Purslane-leav'd.	Jamaica.	1716.	—	S. ⊙.	DC. plant. gras. t. 109.
PORTULACA. DC. PURSLANE. Oct-Dodecandria Monogynia.						
1	oleràcea. H.S. (ye.) small.	Europe.	1562.	6. 8.	H. ⊙.	DC. plant. gras. t. 123.
2	sativa. H.S. (ye.) garden.	America.	1652.	6. 9.	H. ⊙.	
	β àurea. H.S. (ye.) golden.	————	—	—	H. ⊙.	
3	parvifòlia. H.S. (ye.) small-leaved.	Jamaica.	1799.	8. 10.	H. ⊙.	
4	foliòsa. DC. (ye.) leafy.	Guinea.	1822.	6. 8.	S. 4.	Bot. reg. t. 793.
5	involucràta. H.R. (ye.) leafy-flowered.	1819.	8. 9.	S. ½.	
6	marginàta. DC. (ye.) red-margined.	Caracas.	1822.	6. 10.	H. ⊙.	
7	halimoídes. DC. (ye.) Halimus-leaved.	Jamaica.	1823.	8. 9.	S. ⊙.	Sloan. hist. 1. t. 129. f. 3.
8	mucronàta. DC. (ye.) mucronate.	1827.	6. 9.	S. ⊙.	
9	quadrífida. DC. (ye.) quadrifid.	Asia.	1773.	8. 9.	S. ⊙.	Jacq. coll. 2. t. 17. f. 4.
10	meridiàna. H.S. (ye.) noon-day.	E. Indies.	1791.	5. 6.	S. ⊙.	Rheed. mal. 10. t. 31.
11	grandiflòra. B.M. (va.) large-flowered.	Chile.	1828.	6. 8.	F. 4.	Bot. mag. t. 2885.
	α purpùrea. (pu.) purple-flowered.	————	—	—	F. 4.	———— t. 2885. f. 2.
	β aurantiaca. (or.) orange-coloured.	————	—	—	F. 4.	———— t. 2885. f. 1.
12	pilòsa. DC. (pu.) hairy.	W. Indies.	1690.	—	S. ½.	Bot. reg. t. 792.
13	setàcea. H.S. (pu.) bristly.	————	—	—	S. ⊙.	Pluk. phyt. t. 246. f. 6.
ANACA'MPSEROS. DC. ANACA'MPSEROS. Dodecandria Monogynia.						
1	telephiástrum. DC. (re.) round-leaved.	C. B. S.	1732.	7. 9.	D.I. ½.	DC. plant. gras. t. 3.
	<i>Portulaca Anacampseros. L. Talinum Anacampseros. w. Rulingia Anacampseros. H.S.</i>					
2	arachnoídes. DC. (bh.) cobweb.	C. B. S.	1790.	7. 9.	D.I. ½.	Bot. mag. t. 1368.
3	vàrians. (re.) various-leaved.	————	1812.	—	D.I. ½.	
	<i>Rulingia varians. H.S.S.</i>					
4	rùbens. DC. (re.) red-leaved.	————	1796.	—	D.I. ½.	
5	filamentòsa. DC. (ro.) thready.	————	1795.	—	D.I. ½.	Bot. mag. t. 1367.
6	lanceolàta. DC. (ro.) spear-leaved.	————	1796.	—	D.I. 4.	
7	angustifòlia. DC. (ro.) narrow-leaved.	————	1819.	—	D.I. ½.	
8	rufescens. DC. (bh.) rufescent.	————	1818.	—	D.I. ½.	
9	trigòna. DC. (bh.) trigonal-leaved.	————	—	—	D.I. ½.	Burm. afr. t. 30. f. 2.
10	lanígera. DC. (ro.) woolly.	————	—	—	D.I. ½.	
11	intermèdia. H.P. (ro.) intermediate.	————	1823.	—	D.I. ½.	
12	polyphy'lla. DC. (ro.) many-leaved.	————	—	—	D.I. ½.	
	<i>Rulingia polyphy'lla. H.S.S.</i>					
TALINUM. DC. TALINUM. Dodecandria Monogynia.						
1	teretifòlium. DC. (ro.) round-leaved.	N. America.	1820.	7. 8.	H. 4.	Lodd. bot. cab. t. 819.
2	crassifòlium. DC. (ro.) thick-leaved.	Caribeas.	1800.	8. 9.	S. ½.	Jacq. vind. 3. t. 52.
3	fruticòsum. W. (wh.) white-flowered.	S. America.	—	S. ½.	Comm. hort. 1. t. 4.
4	triangulàre. DC. (ye.) triangular.	W. Indies.	1739.	—	S. ½.	Jacq. obs. 1. t. 23.
5	pátens. DC. (re.) spreading-fl'd.	S. America.	1776.	8. 10.	S. ♂.	Jacq. vind. 2. t. 151.
	<i>paniculatum. Gært. fruct. 2. t. 128. Portulaca paniculata. Jacq. amer. non R.P.</i>					
6	reflèxum. DC. (ye.) reflex-flowered.	S. America.	1800.	8. 10.	S. ♂.	Bot. mag. t. 1543.
7	cuneifòlium. DC. (re.) wedge-leaved.	Arabia.	1823.	—	S. ½.	
8	lineàre. K.S. (ye.) linear-leaved.	Mexico.	1827.	—	H. ⊙.	
9	purpùreum. F. (pu.) purple.	—	—	H. ⊙.	
CALANDRI'NIA. DC. CALANDRI'NIA. Dodecandria Monogynia.						
1	paniculàta. DC. (ro.) panicked.	S. America.	1812.	8. 10.	H. ⊙.	
2	pilosíuscula. DC. (ro.) ciliated.	Chile.	1823.	—	H. ⊙.	Hook. ex. flor. 1. t. 82.
	<i>Talinum ciliatum. Hooker non R.P. ex DC.</i>					
3	Phacospérma. DC. (ro.) Peruvian.	Peru.	1827.	—	G. ♂.	
4	caulescens. DC. (ro.) caulescent.	Mexico.	—	—	H. ⊙.	H. et B. n. ge. am. 6. t. 526.
5	comprésa. DC. (ro.) compressed.	Chile.	1826.	—	H. ⊙.	
	β adscéndens. Otto. (ro.) ascending	————	—	—	H. ⊙.	
6	glàuca. DC. (ro.) glaucous-leaved.	————	1827.	—	D.G. ½.	
7	grandiflòra. B.R. (ro.) large-flowered.	————	1826.	6. 10.	D.G. ½.	Bot. reg. t. 1194.
8	Andre'wsii. (ro.) Andrews's.	W. Indies.	1812.	8. 10.	D.G. ½.	Andr. rep. t. 253.
	<i>Talinum patens. A.R. nec aliorum.</i>					
9	Lockhárti. (ro.) Lockhart's.	Trinidad.	1825.	6. 9.	D.G. ½.	
	<i>Talinum grandiflorum. Lockhart.</i>					

- PORTULAC'ARIA. DC. PURSLANE-TREE. Pentandria Trigynia.**
A'fra. DC. (ro.) African. Africa. 1732. 6. 9. D.G. ♀. DC. plant. gras. t. 132.
- CLAYTONIA. DC. CLAYTONIA. Pentandria Monogynia. L.**
 1 *perfoliata. DC. (wh.) small-flowered. N. America. 1794. 5. 8. H. ⊙. Bot. mag. t. 1336.*
cubensis of Bonp.an.mus.7.t.6. is a very different species, according to G. Don, who saw it growing wild.
 2 *alsinoides. DC. (wh.) chickweed-like. Nootka-sound. 1794. 3. 6. H. ⊙. Bot. mag. t. 1309.*
 3 *lanceolata. DC. (wh.) spear-leaved. N. America. 1812. 3. 5. H. ♀. Pursh. fl. amer. 1. t. 3.*
 4 *sibirica. DC. (ro.) Siberian. Siberia. 1768. 5. 8. H. ⊙. Swt. br. fl. gar. t. 16.*
 5 *acutifolia. DC. (wh.) acute-leaved. ———— 1827. H. ♀.*
 6 *Vestiàna. F. (ro.) Vest's. Altay. ———— H. ♀.*
 7 *unalaschkensis. R. s. (wh.) Unalashka. Unalashka. 1824. 3. 6. H. ⊙.*
 8 *virginiàna. L. (wh.) notch-petal'd. N. America. 1748. 3. 8. H. ♀. Pluk. alm. t. 102. f. 3.*
 9 *acutiflora. (wh.) acute-petal'd. ———— ———— H. ♀. Bot. mag. t. 941.*
virginica. B.M. non L. virginiàna a. acutiflora. DC.
 10 *grandiflora. B.F.G. (pi.) large-flowered. N. America. ———— H. ♀. Swt. br. fl. gar. t. 216.*
 11 *caroliniàna. M. (pi.) spatula-leaved. ———— 1789. ———— H. ♀. ———— v. 3. t. 208.*
- MO'NTIA. DC. WATER CHICKWEED. Triandria Trigynia. L.**
fontàna. DC. (wh.) common. Britain. 4. 6. H. ⊙. Eng. bot. v. 17. t. 1206.
- GINGI'NSIA. DC. GINGI'NSIA. Pentandria Trigynia.**
 1 *brevicaulis. DC. (pi.) short-stalked. C. B. S. 1816. 5. 6. G. ♀. DC. m.s. his. n. pa. v. 4. ic.*
 2 *elongata. DC. (pi.) long-peduncled. ———— 1795. ———— G. ♀. Andr. rep. t. 329?*
Pharnàceum incànum. L. lineàre. Andr. non alior.
 3 *aurantia. DC. (or.) orange-flowered. C. B. S. ———— ———— G. ♀. Andr. rep. t. 326.*
 4 *álbens. DC. (wh.) white-flowered. ———— ———— G. ♀. ———— t. 329?*
 5 *conferta. DC. (wh.) close-leaved. ———— 1782. 5. 10. G. ♀. Bot. mag. t. 1883.*
Pharnàceum incànum. B.M. non L.
- L'IMEUM. W. L'IMEUM. Heptandria Digynia. L.**
africànum. w. (wh.) African. C. B. S. 1774. 6. 7. G. ♀.

ORDO C.

PARONYCHIEÆ. DC. prodr. v. 3. p. 365.

Tribus I. TELEPHIEÆ. DC. prodr. v. 3. p. 366.

- TEL'EPHIUM. DC. ORPINE. Pentandria Trigynia. L.**
Imperàti. DC. (wh.) true. S. Europe. 1658. 6. 8. H. ♀. Schkuhr. handb. 1. t. 85.
- CORRIGIOLA. DC. STRAPWORT. Pentandria Trigynia. L.**
 1 *telephiifolia. DC. (wh.) Orpine-leaved. Spain. 1822. 6. 8. H. ♀.*
 2 *littoralis. DC. (wh.) sand. England. 7. 8. H. ♀. Eng. bot. v. 10. t. 668.*

Tribus II. ILLECEBREÆ. DC. prodr. v. 3. p. 367.

- HERNTARIA. DC. RUPTURE-WORT. Pentandria Digynia. L.**
 1 *cinèrea. DC. (gr.) cinereous. Montpellier. 1816. 7. 8. H. ⊙.*
 2 *glàbra. DC. (gr.) smooth. England. ———— H. ♀. Eng. bot. v. 3. t. 206.*
 3 *hirsùta. DC. (gr.) hairy. ———— ———— H. ♀. ———— v. 20. t. 1379.*
 4 *incàna. DC. (gr.wh.) hoary. S. Europe. 1816. 5. 8. H. ♀. Pluk. alm. t. 53. f. 3.*
 5 *Bessèri. DC. (gr.) Besser's. Tauria. 1824. ———— H. ♀.*
 6 *alpina. DC. (gr.) alpine. S. Europe. 1816. 7. 8. H. ♀.*
 7 *fruticòsa. DC. (gr.) frutescent. Spain. 1814. 5. 8. H. ♀.*
 8 *polygonoïdes. DC. (gr.) Knot-grass-like. S. Europe. 1752. ———— F. ♀. Cavan. ic. 2. t. 137.*
- ANY'CHIA. DC. ANY'CHIA. Pentandria Monogynia.**
 1 *dichótoma. DC. (gr.) forked. N. America. 1806. 5. 8. H. ♂. Ort. dec. t. 15. f. 2.*
Quèria canadensis. L.
 2 *capillàcea. DC. smooth-stalked. ———— 1824. ———— H. ♂.*
- ILLE'CEBRUM. DC. KNOT-GRASS. Pentandria Monogynia. L.**
verticillàtum. DC. (wh.) whorled. England. 7. 8. H. ♀. Eng. bot. v. 13. t. 895.
- CHÆTONY'CHIA. DC. CHÆTONY'CHIA. Pentandria Monogynia.**
cymòsa. DC. (wh.) cymose. S. Europe. 1817. 6. 7. H. ♀. Flor. Græc. t. 245.
Illecèbrum cymòsum. L.
- PARONY'CHIA. DC. PARONY'CHIA. Pentandria Monogynia.**
 1 *echinàta. DC. (wh.) bristly. S. Europe. 1817. 6. 7. H. ♀. Schrad. journ. 1801. t. 4.*

2	bonariensis. DC. (wh.)	Buenos Ayres.	Buenos Ayres.	1826.	8. 10.	H. ⊙.	
	brasiliæna. Lam. dict. 5. p. 23.						
3	arábica. DC. (wh.)	Arabian.	Arabia.	1828.	7. 10.	H. ⊙.	Descr. de l'Egyp. t. 18.
4	polygonifolia. DC. (wh.)	Polygonum-ld.	Dauphiny.	1816.	5. 8.	H. 4.	Vill. delph. 2. t. 16.
5	argentea. DC. (wh.)	silvery.	S. Europe.	1640.	—	H. 4.	Flor. græc. t. 246.
	hispanica. s.s. <i>Illécebrum Paronychia.</i>		L.				
6	itálica. R.S. (wh.)	Italian.	Italy.	1816.	—	H. 4.	Vill. delph. 2. p. 410. ic.
7	capitata. DC. (wh.)	capitate.	Spain.	1683.	6. 8.	H. 4.	Flor. græc. t. 247.
8	serpyllifolia. DC. (wh.)	Thyme-leaved.	S. Europe.	1820.	—	H. 4.	Schrad. journ 1801. t. 4.
9	nivea. DC. (wh.)	villous-leaved.	—	1812.	—	H. 4.	Barrel. ic. t. 687.
10	tenuifolia. L. en. (wh.)	slender-leaved.	1822.	—	H. ⊙.	
11	alsinefolia. R.S. (wh.)	Chickweed-leav'd.	Spain.	—	H. ⊙.	Scop. del. ins. t. 13.
12	pubescens. R.S. (wh.)	pubescent.	S. France.	1818.	—	H. 4.	Schra. jour. 1801. p. 412.

Tribus III. *POLYCARPÆÆ.* DC. prodr. v. 3. p. 373.

POLYCARP'ÆA. DC. POLYCARP'ÆA. Pentandria Monogynia.

1	gnaphalodes. DC. (wh.)	woolly-leaved.	Canaries.	1818.	6. 8.	F. ½.	
	<i>Hæga gnaphalodes.</i> P.S. <i>Mollia gnaphalodes.</i> s.s. <i>Lahaya gnaphalodes.</i> R.S.						
2	latifolia. DC. (wh.)	broad-leaved.	Teneriffe.	1816.	7. 8.	F. ½.	Schrank pl. rar. t. 29.
3	Teneriffæ. DC. (wh.)	forked.	—	1779.	—	H. ⊙.	W. hort. ber. 1. t. 11.
	<i>Mollia diffusa.</i> W. <i>Lahaya diffusa.</i> Schult. syst.						
4	aristata. DC. (wh.)	bearded.	Canaries.	1780.	6. 7.	F. ½.	
5	memphitica. DC. (wh.)	Egyptian.	Egypt.	1828.	7. 9.	H. ⊙.	Delil. fl. æg. t. 24. f. 2.
6	carcosa. DC. (wh.)	fleshy-leaved.	Canaries.	1816.	6. 8.	F. ½.	
7	Smithii. DC. (wh.)	Smith's.	—	—	—	F. ½.	

ORTEGIA. DC. ORTEGIA. Triandria Monogynia. L.

1	hispanica. DC. (gr.)	Spanish.	Spain.	1768.	6. 7.	H. 4.	Cavan. ic. 1. t. 47.
2	dichotoma. DC. (gr.)	forked.	Italy.	1781.	8. 9.	H. 4.	All. ac. taur. 3. t. 4. f. 1.

POLYCA'RPON. DC. ALL-SEED. Tri-Pentandria Trigynia.

1	tetraphyllum. DC. (wh.)	four-leaved.	England	5. 8.	H. ⊙.	Eng. bot. v. 15. t. 1031.
2	alsinefolium. DC. (wh.)	Chickweed-ld.	S. Europe.	—	H. ⊙.	Bocc. sic. p. 71. t. 38.
	<i>Lahaya alsinefolia.</i> s.						
3	peplodes. DC. (wh.)	Peplis-like.	Sicily.	1818.	6. 8.	H. 4.	
	<i>Lahaya polycarpoides.</i> s. <i>Mollia polycarpon.</i> s.s.						

Tribus IV. *POLLICHIEÆ.* DC. prodr. v. 3. p. 377.

POLL'CHIA. DC. POLL'CHIA. Monandria Monogynia.

campéstris. DC. (wh.)	whorl-leaved.	C. B. S.	1780.	8. 10.	G. ♂.	Smith spicil. 1. t. 1.
-----------------------	---------------	----------	-------	--------	-------	------------------------

Tribus V. *SCLERANTHEÆ.* DC. prodr. v. 3. p. 377.

MNTARUM. DC. MNI'ARUM. Monandria Digynia.

1	biflorum. DC. (gr.)	two-flowered.	N. Holland.	1818.	5. 7.	G. 4.	Forst. gen. 1. t. 1.
---	---------------------	---------------	-------------	-------	-------	-------	----------------------

SCLER'ANTHUS. DC. KNAWEL. Decandria Digynia. L.

1	annuus. DC. (gr.)	annual.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 5. t. 351.
2	perennis. DC. (gr.)	perennial.	—	8. 9.	H. 4.	— v. 5. t. 352.

Tribus VI. *QUERIACEÆ.* DC. prodr. v. 3. p. 379.

QUERIA. DC. QU'ERIA. Triandria Trigynia. L.

hispanica. DC. (gr.)	Spanish.	Spain.	1800.	5. 9.	H. ⊙.	Quer. fl. esp. 6. t. 15. f. 2.
----------------------	----------	--------	-------	-------	-------	--------------------------------

Tribus VII. *MINUARTIEÆ.* DC. prodr. v. 3. p. 379.

MINUA'RTIA. DC. MINUA'RTIA. Tri-Decandria Trigynia.

1	dichotoma. DC. (wh.)	forked.	Spain.	1771.	6. 7.	H. ⊙.	Læfl. it. p. 121. t. 1. f. 3.
---	----------------------	---------	--------	-------	-------	-------	-------------------------------

2 montàna. DC.	(wh.) mountain.	Spain.	1806.	6. 7.	H. ⊙.	Loefl. it. p. 122.t.1.f.4.
3 campéstris. DC.	(wh.) field.	—————	—————	—————	H. ⊙.	Act. stock. 1758.t.1.f.3.
LÆFLI'NGIA. DC.	LÆFLI'NGIA.	Triandria Monogynia.	L.			
hispanica. DC.	(wh.) Spanish.	Spain.	1770.	6. 7.	H. ⊙.	Cavan. ic. 1. t. 94.

ORDO CI.

CRASSULACEÆ. DC. prodr. v. 3. p. 381.

Tribus I. CRASSULEÆ. DC. prodr. v. 3. p. 381.

TILL'ÆA. DC.	TILL'ÆA. Tetrandria Tetragynia.	L.				
1 muscòsa. DC.	(wh.) mossy.	England.	5. 7.	H. ⊙.	Eng. bot. v. 2. t. 116.
2 moschàta. DC.	(wh.) musk-scented.	Magellan.	1794.	5. 11.	H. ⊙.	
	<i>Crassula moschàta.</i>	Forster.				
3 verticillàris. DC.	(wh.) whorled.	N. S. W.	1823.	6. 9.	H. ⊙.	
BULLIA'RDA. DC.	BULLIA'RDA. Tetrandria Tetragynia.					
1 Vaillàntii. DC.	(wh.) Vaillant's.	France.	1825.	6. 8.	H.w. ⊙.	DC. plant. gras. t. 71.
2 aquática. DC.	(wh.) water.	N. Europe.	1816.	—	H.w. ⊙.	
DASYST'EMON. DC.	DASYST'EMON. Pentandria Pentagynia.					
calycinum. DC.	(wh.) leafy-calyxed.	N. Holland.	1823.	6. 9.	H. ⊙.	
SE'PTAS. DC.	SE'PTAS. Heptandria Heptagynia.	L.				
1 capénsis. DC.	(wh.) Cape.	C. B. S.	1774.	8. 9.	D.G. ¼.	Andr. rep. t. 98.
2 globífera. B.M.	(wh.) globe-flowering.	—————	1809.	3. 5.	D.G. ¼.	Bot. mag. t. 1472.
3 Umbélla. DC.	(wh.) skreen.	—————	1800.	7. 8.	D.G. ¼.	Jacq. ic. t. 352.
	<i>Crassulu Umbélla.</i>	Jacq.				
CRA'SSULA. H.R.	CRA'SSULA. Pentandria Pentagynia.	L.				
1 arboréscens. DC.	(pi.) arborescent.	C. B. S.	1730.	5. 6.	D.G. ½.	Bot. mag. t. 384.
	<i>Cotylèdon.</i>	B.M.				
2 portulàcea. DC.	(ro.) oblique-leaved.	—————	1759.	4. 5.	D.G. ½.	DC. plant. gras. t. 79.
	<i>obliqua.</i>	H.S.				
3 lactea. H.S.	(wh.) milk white.	—————	1774.	9. 2.	D.G. ½.	Bot. mag. t. 1771.
4 telephioides. H.R.	(ro.) Orpine-like.	—————	1820.	7. 8.	D.G. ½.	
5 ramòsa. H.S.	(ro.) branching.	—————	1774.	—	D.G. ½.	
6 revólvens. H.P.	(wh.) recurved-leaved.	—————	1820.	8. 10.	D.G. ½.	
7 tetragòna. H.S.	(wh.) square-leaved.	—————	1711.	—	D.G. ½.	DC. plant. gras. t. 19.
8 biplanàta. H.P.	(wh.) flat-leaved.	—————	1820.	—	D.G. ½.	
9 acutifòlia. H.S.	(wh.) acute-leaved.	—————	1795.	9. 11.	D.G. ½.	DC. plant. gras. t. 2.
10 bibracteàta. H.P.	(wh.) double-bracted.	—————	1820.	8. 10.	D.G. ½.	
	<i>α minor.</i>	H.P.			D.G. ½.	
	<i>β major.</i>	H.P.			D.G. ½.	
11 filicaulis. H.P.	(wh.) thready-stem'd.	—————	—	—	D.G. ½.	
12 scábra. H.R.	(wh.) rough-leaved.	—————	1730.	6. 7.	D.G. ½.	Dill. elth. t. 99. f. 117.
13 scabrèlla. H.R.	(wh.) patent-leaved.	—————	1820.	6. 9.	D.G. ½.	
14 squamulòsa. H.R.	(wh.) small-scaly.	—————	1817.	—	D.G. ½.	
15 bullulàta. H.S.	(ye.) rough yellow.	—————	1800.	6. 7.	D.G. ½.	Mart. cent. t. 24.
16 pruinòsa. DC.	(wh.) frosted.	—————	1821.	—	D.G. ½.	
17 columnàris. H.S.	(wh.) columnar.	—————	1789.	7. 10.	D.G. ½.	Burm. afr. t. 9. f. 2.
18 lycopodioides. DC.	(wh.pu.) whip-cord.	—————	1760.	6. 7.	D.G. ½.	
	<i>imbricàta.</i>	H.K.				
19 ericoides. H.P.	(wh.) large whip-cord.	—————	1820.	9. 10.	D.G. ½.	
20 vestita. DC.	(ye.) powdered-leav'd.	—————	6. 10.	D.G. ½.	
21 argénteà. H.S.	(wh.) silvery-leaved.	—————	1820.	7. 9.	D.G. ½.	
22 perfòssa. DC.	(wh.) threaded.	—————	1785.	8. 9.	D.G. ½.	DC. plant. gras. t. 25.
	<i>perfilàta.</i>	H.S. Scop. del. ins. 3. t. 6. c.				
23 perforàta. DC.	(wh.) perfoliate.	—————	—	—	D.G. ½.	
24 marginàlis. DC.	(wh.) red-margined.	—————	1774.	7. 8.	D.G. ½.	Jacq. schoenb. 4. t. 471.
25 pellúcida. H.S.	(bh.) pellucid.	—————	1732.	6. 9.	D.G. ½.	Dill. elth. t. 100. f. 119.
26 centauroides. DC.	(ro.) Centaury-flow'd.	—————	1774.	5. 7.	D.G. ½.	Bot. mag. t. 1765.
27 cordàta. DC.	(ro.) heart-leaved.	—————	—	5. 8.	D.G. ½.	DC. plant. gras. 2.t. 121.
28 spathulàta. DC.	(ro.) notch-leaved.	—————	—	7. 9.	D.G. ½.	————— 1. t. 49.
29 orbiculàris. H.S.	(bh.) starry.	—————	1731.	—	D.G. ¼.	————— 1. t. 43.
30 rosulàris. H.R.	(wh.) great starry.	—————	1819.	—	D.G. ¼.	
31 glomeràta. H.S.	(wh.) rough clustered.	—————	1774.	8. 10.	H. ⊙.	DC. plant. gras. 1. t. 57.

32	<i>glabra</i> . H.R.	(wh.) smooth-cluster'd.	C. B. S.	1774.	6. 10.	H. ☉.	
33	<i>expansa</i> . H.S.	(wh.) awl-leaved.	————	————	6. 8.	H. ☉.	
34	<i>diffusa</i> . H.S.	(wh.) diffuse.	————	————	————	H. ☉.	
35	<i>subulata</i> . H.S.	(wh.) awl-leaved.	————	1820.	————	H. ☉.	Petiv. gaz. t. 89. f. 8.
36	<i>lineolata</i> . H.S.	(wh.) channelled.	————	1774.	————	D.G. ♂.	
37	<i>biconvexa</i> . H.S.	(wh.) doubly convex.	————	1800.	8. 9.	D.G. ♀.	
38	<i>pulchella</i> . H.R.	(ye.) pretty.	————	1778.	7. 8.	H. ☉.	
39	<i>sparsa</i> . H.S.	(st.) alternate-leaved.	————	1774.	6. 9.	H. ☉.	
PURG'OSEA. H.P. PURG'OSEA. Pentandria Pentagynia.							
1	<i>linguæfolia</i> . H.R.	(wh.) tongue-leaved.	C. B. S.	1803.	8. 9.	D.G. ♀.	
2	<i>ciliata</i> . DC.	(st.) ciliated.	————	1732.	7. 8.	D.G. ♀.	DC. plant. gras. t. 7.
3	<i>concinna</i> . (wh.) small neat.	————	————	1820.	————	D.G. ♀.	
<i>Crassula concinna</i> . H.R.							
4	<i>ligulifolia</i> . (wh.) latchet-leaved.	————	————	————	————	D.G. ♀.	
<i>Crassula ligulifolia</i> . H.R.							
5	<i>concinella</i> . DC.	elegant.	————	1822.	————	D.G. ♀.	
6	<i>tomentosa</i> . H.R.	(wh.) tomentose.	————	1790.	4. 5.	D.G. ♀.	
7	<i>cotyledonis</i> . DC.	(wh.) Cotyledon-like.	————	1800.	7. 9.	D.G. ♀.	
8	<i>conspicua</i> . (wh.) conspicuous.	————	————	1820.	————	D.G. ♀.	
<i>Crassula conspicua</i> . H.R.							
9	<i>corymbulosa</i> . DC.	(wh.) impress-dotted.	————	1818.	9. 11.	D.G. ♀.	Ot. et Lk. abb. t. 16.
<i>Crassula corymbulosa</i> . L.en.							
10	<i>pertusula</i> . H.P.	(wh.) small impress-dot'd.	————	1822.	————	D.G. ♀.	
11	<i>capitellata</i> . H.R.	(wh.) square-spiked.	————	1774.	7. 8.	D.G. ♂.	
12	<i>thyrsiflora</i> . H.R.	(wh.) thyse-flowered.	————	1824.	————	D.G. ♂.	
13	<i>obovata</i> . H.R.	(wh.) obovate-leaved.	————	1818.	————	D.G. ♂.	
14	<i>aloïdes</i> . H.R.	(bh.) Aloe-like.	————	1774.	6. 8.	D.G. ♂.	
15	<i>punctata</i> . DC.	(wh.) dotted.	————	1759.	4. 8.	D.G. ♀.	
16	<i>ramuliflora</i> . DC.	(wh.) branch-flowered.	————	1821.	6. 7.	D.G. ♀.	Ot. et Lk. abb. t. 17.
17	<i>turrita</i> . H.R.	(bh.) tower-like.	————	1818.	9. 11.	D.G. ♂.	Jacq. schoenb. 1. t. 52.
<i>a alba</i> . (wh.) white-flowered.							
<i>β rosea</i> . H.S.S. rose-coloured.							
GLOB'ULEA. DC. GLOB'ULEA. Pentandria Pentagynia.							
1	<i>cultrata</i> . DC.	(wh.) sharp-leaved.	C. B. S.	1732.	7. 8.	D.G. ♀.	Bot. mag. t. 1940.
2	<i>radicans</i> . DC.	(wh.) rooting-branch'd.	————	1823.	12. 3.	D.G. ♀.	
3	<i>atropurpurea</i> . DC.	(wh.) purple-leaved.	————	1823.	7. 8.	D.G. ♀.	
4	<i>Lingua</i> . DC.	(wh.) tongue-leaved.	————	————	5. 6.	D.G. ♀.	
5	<i>lingula</i> . DC.	(wh.) lesser-tongue.	————	————	————	D.G. ♀.	
6	<i>capitata</i> . DC.	(wh.) large grey-leav'd.	————	1819.	7. 8.	D.G. ♀.	
7	<i>obvallata</i> . DC.	(wh.) Houseleek-leav'd.	————	1795.	————	D.G. ♀.	DC. plant. gras. t. 61.
<i>Crassula obvallata</i> . L. Trew. pl. rar. 1. t. 11.							
8	<i>canescens</i> . DC.	(wh.) canescent.	————	1800.	————	D.G. ♀.	
9	<i>nudicaulis</i> . DC.	(wh.) naked-stalked.	————	1732.	5. 9.	D.G. ♀.	DC. plant. gras. t. 133.
10	<i>sulcata</i> . DC.	(wh.) sulcate.	————	1820.	————	D.G. ♀.	
11	<i>impressa</i> . DC.	(wh.) impressed.	————	1822.	7. 8.	D.G. ♀.	Comm. præl. t. 29.
<i>β minor</i> . H.P. (wh.) lesser.							
12	<i>paniculata</i> . DC.	(wh.) panicled.	————	1823.	————	D.G. ♀.	
13	<i>hispidula</i> . DC.	(wh.) hispid.	————	————	10. 11.	D.G. ♀.	
14	<i>mesembryanthoides</i> . DC.	(wh.) hedgehog.	————	1822.	7. 9.	D.G. ♀.	
<i>β altior</i> . (wh.) taller.							
15	<i>mollis</i> . DC.	(wh.) soft.	————	1774.	————	D.G. ♀.	
16	<i>subincana</i> . DC.	(wh.) hoary frutescent.	————	1822.	————	D.G. ♀.	
<i>a decumbens</i> . H.P. (wh.) decumbent.							
<i>β erecta</i> . H.P. (wh.) erect.							
CURTO'GYNE. H.R. CURTO'GYNE. Pentandria Pentagynia.							
1	<i>dejecta</i> . DC.	(wh.) twisted-branch'd.	C. B. S.	1821.	6. 7.	D.G. ♀.	Jacq. schoenb. t. 423.
<i>Crassula dejecta</i> . Jacq.							
2	<i>undulata</i> . H.R.	(wh.) lesser-waved.	————	1797.	8. 11.	D.G. ♀.	Lodd. bot. cab. t. 584.
3	<i>undata</i> . H.R.	(wh.) greater-waved.	————	1818.	————	D.G. ♀.	
GRAMMA'NTHES. DC. GRAMMA'NTHES. Pentandria Pentagynia.							
1	<i>chloræflora</i> . DC.	(ye.) Chlora-flower'd.	C. B. S.	1774.	6. 8.	H. ☉.	Herm. lugd. t. 553.
<i>Crassula dichotoma</i> . L. <i>Vauanthes chloræflora</i> . H.R.							
2	<i>retroflæxa</i> . (or.) orange-flower'd.	————	————	1788.	————	H. ☉.	
<i>Crassula retroflæxa</i> . H.S.							
3	<i>gentianoides</i> . DC.	(ye.) Gentian-flower'd.	————	1816.	————	H. ☉.	Pluk. mant. t. 415. f. 6.
R'OCHEA. DC. R'OCHEA. Pentandria Pentagynia.							
1	<i>falcata</i> . DC.	(or.) falcated.	C. B. S.	1785.	6. 9.	D.G. ♀.	DC. plant. gras. t. 103.
<i>Crassula falcata</i> . Bot. mag. t. 2035. <i>obliqua</i> . Andr. reposit. t. 414.							
2	<i>minor</i> . H.P.	(sc.) smaller.	C. B. S.	1821.	6. 9.	D.G. ♀.	

- 2 perfoliàta. DC. (ra.) great perfoliate. C. B. S. 1725. 7. 8. D.G. $\frac{1}{2}$. Mill. ic. t. 108.
a coccinea. DC. (sc.) scarlet. ———— ———— D.G. $\frac{1}{2}$.
 β álba. DC. (wh.) white-flowered. ———— ———— D.G. $\frac{1}{2}$. DC. plant. gras. t. 13.
3 albiflòra. DC. (wh.) white-flowered. ———— 1820. 7. 9. D.G. $\frac{1}{2}$. Bot. mag. t. 2391.
Crássula albiflòra. B.M.
- KALOSA'NTHESES. H.R. KALOSA'NTHESES. Pentandria Pentagynia.**
- 1 coccinea. H.R. (sc.) scarlet. C. B. S. 1710. 6. 8. D.G. $\frac{1}{2}$. Bot. mag. t. 495.
Crássula coccinea. B.M. *Ròchea coccinea*. DC. plant. gras. t. 1.
 β álba. H.R. (wh.) white-flowered. C. B. S. 1710. 6. 8. D.G. $\frac{1}{2}$. Bradl. succ. t. 50.
2 mèdia. H.R. (std.) great changeable. ———— 1820. ———— D.G. $\frac{1}{2}$.
3 versicolor. H.R. (std.) various-coloured. ———— 1816. ———— D.G. $\frac{1}{2}$. Bot. reg. t. 320.
Crássula versicolor. B.R.
4 bicolor. H.R. (ye.sc.) two-coloured. ———— 1820. ———— D.G. $\frac{1}{2}$.
5 capitàta. (wh.) headed. ———— 1822. ———— D.G. $\frac{1}{2}$. Lodd. bot. cab. t. 1029.
Crássula capitàta. L.C. *nec aliorum*.
6 odoratíssima. H.R. (st.) sweet-scented. ———— 1793. 6. 7. D.G. $\frac{1}{2}$. Andr. rep. t. 26.
Crássula odoratíssima. Jacq. schoenb. t. 431. *Dietrichia odoratíssima*. Tratt.
7 flàva. H.S. (ye.) yellow-flower'd. C. B. S. 1802. 6. 9. D.G. $\frac{1}{2}$. Burm. afr. t. 23. f. 3.
8 cymòsa. H.R. (wh.) cymose. ———— 1800. ———— D.G. $\frac{1}{2}$.
9 biconvexa. H.P. (wh.) convex-leaved. ———— 1822. ———— D.G. $\frac{1}{2}$.
10 jasmínea. H.R. (wh.) Jasmine-flower'd. ———— 1812. 6. 8. D.G. $\frac{1}{2}$. Bot. mag. t. 2178.
Crássula jasmínea. B.M. *Ròchea jasmínea*. DC.
- KALANCH'OE. DC. KALANCH'OE. Octandria Tetragynia.**
- 1 spathulàta. DC. (ye.) spathulate. China. 1820. 7. 9. D.G. $\frac{1}{2}$. DC. plant. gras. t. 65.
2 ægyptiaca. DC. (or.) Egyptian. Egypt. 1820. 7. 9. D.G. $\frac{1}{2}$. DC. plant. gras. t. 64.
3 rotundifòlia. H.P. (ye.) round-leaved. C. B. S. ———— ———— D.G. $\frac{1}{2}$.
4 acutiflòra. H.P. (wh.) white-flowered. E. Indies. 1806. ———— D.S. $\frac{1}{2}$. Andr. reposit. t. 560.
Vèria acutiflòra. A.R.
5 crenàta. DC. (ye.) great notched. Sierra Leone. 1793. ———— D.S. $\frac{1}{2}$. Andr. reposit. t. 21.
Cotylèdon crenatum. Bot. mag. t. 1436. *Vèria crenata*. A.R.
6 laciniàta. DC. (ye.) cut-leaved. E. Indies. 1731. ———— D.S. $\frac{1}{2}$. DC. plant. gras. t. 100.
7 ceratophylla. DC. (st.) buck's-horn-l'd. China. 1820. 9. 1. D.G. $\frac{1}{2}$.
- BRYOPHY'LLUM. DC. BRYOPHY'LLUM. Octandria Tetragynia.**
- calycinum. DC. (br.) large-cupped. Mauritius. 1800. 4. 7. D.G. $\frac{1}{2}$. Bot. mag. t. 1409.
- COTYLEDON. DC. NAVELWORT. Decandria Pentagynia. L.**
- 1 undulàta. H.S.S. (ye.) wave-leaved. C. B. S. 1818. 7. 8. D.G. $\frac{1}{2}$.
2 orbiculàta. H.S. (ye.bh.) round-leaved. ———— 1789. ———— D.G. $\frac{1}{2}$.
3 ovàta. H.S. (ye.bh.) ovate-leaved. ———— ———— D.G. $\frac{1}{2}$. Bot. mag. t. 321.
orbiculata. B.M. *orbiculata β obovata*. DC. pl. gras. t. 76.
4 oblóna. H.S. (ye.bh.) oblong-leaved. C. B. S. 1690. 7. 10. D.G. $\frac{1}{2}$.
5 elàta. H.S.S. (ye.bl.) tall powdered. ———— 1816. 6. 8. D.G. $\frac{1}{2}$.
6 crassifòlia. H.P. thick-leaved. ———— 1823. D.G. $\frac{1}{2}$.
7 víridis. H.P. green-leaved. ———— ———— D.G. $\frac{1}{2}$.
8 ramòsa. H.S.S. (ye.bh.) branching. ———— 1768. 7. 10. D.G. $\frac{1}{2}$. Moris. his. s. 12. t. 7. f. 39.
9 ramosíssima. H.S.S. (ye.) cluster-branch'd. ———— 1816. ———— D.G. $\frac{1}{2}$.
10 corúscans. H.S.S. (or.) sparkling. ———— 1818. 3. 5. D.G. $\frac{1}{2}$. Bot. mag. t. 2601.
canulifolia. H.P.
11 ungulàta. DC. (pu.) unguulate. ———— 1822. 5. 8. D.G. $\frac{1}{2}$. Bur. afr. dec. 3. t. 22. f. 1.
12 papillàris. DC. (or.) cross-leaved. ———— 1813. ———— D.G. $\frac{1}{2}$. Bot. reg. t. 915.
decussata. Bot. mag. t. 2518.
13 tricuspitàta. H.P. (or.) trident-leaved. ———— 1820. ———— D.G. $\frac{1}{2}$.
14 purpùrea. DC. (pu.) purple. ———— 1813. 7. 8. D.G. $\frac{1}{2}$. Burm. afr. t. 20. f. 1.
15 rotundifòlia. H.P. (ye.bh.) round-leav'd. ———— 1826. ———— D.G. $\frac{1}{2}$.
16 cristàta. H.P. (pu.) Coxcomb-leaved. ———— 1825. 8. 10. D.G. $\frac{1}{2}$.
17 clavifòlia. H.P. (pu.) club-leaved. ———— ———— D.G. $\frac{1}{2}$.
18 curviflòra. DC. (ye.bh.) curve-flower'd. ———— ———— D.G. $\frac{1}{2}$. Bot. mag. t. 2014.
19 tuberculòsa. DC. (or.) tubercled. ———— 1822. ———— D.G. $\frac{1}{2}$. DC. plant. gras. 1. t. 86.
20 cacalioides. DC. (ye.) Cacalia-like. ———— 1820. 5. 6. D.G. $\frac{1}{2}$.
21 ventricòsa. DC. (gr.) bellied-tubed. ———— 1825. 6. 8. D.G. $\frac{1}{2}$. Burm. afr. d. 3. t. 21. f. 1.
22 spùria. DC. (ye.) narrow-leaved. ———— 1731. 7. 8. D.G. $\frac{1}{2}$. ———— t. 19. f. 1.
23 fasciculàris. DC. (gr.re.) clustered. ———— 1759. 7. 9. D.G. $\frac{1}{2}$. ———— t. 18.
turdiflorum. Bonpl. nav. t. 37.
24 triflòra. DC. (wh.pu.) three-flowered. ———— 1821. 7. 10. D.G. $\frac{1}{2}$.
25 maculàta. DC. (r.) spotted-leaved. ———— 1818. 5. 7. D.G. $\frac{1}{2}$.
26 rhombifòlia. H.P. (ye.) rhomb-leaved. ———— 1823. ———— D.G. $\frac{1}{2}$.
27 jasmíniflòra. DC. (r.) Jasmine-flower'd. ———— 1818. 6. 8. D.G. $\frac{1}{2}$.
28 hemisph'ærica. DC. (r.) thick-leaved. ———— 1731. ———— D.G. $\frac{1}{2}$. DC. plant. gras. 1. t. 87.
29 mamillàris. DC. (r.) mamillary. ———— 1818. 5. 7. D.G. $\frac{1}{2}$.
30 cuneàta. DC. (ye.) large pubescent. ———— 1813. 6. 8. D.G. $\frac{1}{2}$.

31	caryophyllæa. DC. (re.)	Clove-flowered.	C. B. S.	1826.	6. 8.	D.G. $\frac{1}{2}$.	Burm. dec. 2. t. 17.
32	mucronata. DC. (ye.)	mucronate.	————	1818.	—	D.G. $\frac{1}{2}$.	Burm. afr. t. 19. f. 2.
33	canaliculata. H.S.S. (v.)	channel-leav'd.	————	1817.	—	D.G. $\frac{1}{2}$.	
34	gracilis. H.S.S. (ye.)	slender.	————	1800.	5. 8.	D.G. $\frac{1}{2}$.	
35	dichotoma. H.R. (gr.)	fork-spined.	————	1818.	—	D.G. $\frac{1}{2}$.	
36	cuneiformis. H.P. ..	wedge-leaved.	C. B. S.	1823.	D.G. $\frac{1}{2}$.	
37	interjecta. H.P.	fleshy-stemmed.	————	—	D.G. $\frac{1}{2}$.	
PISTORINIA. DC. PISTORINIA. Decandria Pentagynia.							
	hispanica. DC. (re.)	Spanish.	Spain.	1796.	6. 7.	H. $\frac{1}{2}$.	DC. plant. grass. t. 122.
	<i>Cotyledon hispanica.</i> Læfl. it. p. 77. t. 1.						
UMBILICUS. DC. PENNYWORT. Decandria Pentagynia.							
1	pendulinus. DC. (gr.)	drooping-flower'd.	Britain.	6. 9.	H. $\frac{1}{2}$.	Eng. bot. v. 5. t. 325.
	<i>Cotyledon Umbilicus.</i> E.B.						
2	erectus. DC. (ye.)	upright-flower'd.	England.	—	H. $\frac{1}{2}$.	Eng. bot. v. 22. t. 1522.
	<i>Cotyledon luteum.</i> E.B.						
3	horizontalis. DC. (st.)	horizontal.	Sicily.	1828.	—	H. $\frac{1}{2}$.	
OROSTACHYS. F. OROSTACHYS. Decandria Pentagynia.							
1	serrata. (pu.)	notch-leaved.	Crete.	1732.	6. 7.	F. $\frac{1}{2}$.	Dill. elth. t. 95. f. 112.
	<i>Cotyledon serrata.</i> H.S.						
2	spinosa. (ye.)	spiny.	Siberia.	—	F. $\frac{1}{2}$.	Murr. com. gœt. 7. t. 5.
	<i>chlorantha.</i> F. <i>Cotyledon spinosum.</i> L. Gmel. sib. 4. t. 67. f. 2.						
3	malachophylla. F. (wh.)	soft-leaved.	Dahuria.	1815.	—	H. \odot .	Pall. it. 3. ap. t. G. f. 1.
4	thyrsiflora. F. (bh.)	thyse-flowered.	————	1820.	—	H. \odot .	
ECHEVERIA. DC. ECHEVERIA. Decandria Pentagynia.							
1	coccinea. DC. (sc.)	scarlet.	Mexico.	1816.	8. 10.	D.G. $\frac{1}{2}$.	Bot. mag. t. 2572.
	<i>Cotyledon coccinea.</i> B.M.						
2	grandifolia. H.P. (or.)	large-leaved.	————	1826.	—	D.G. $\frac{1}{2}$.	Swt. br. fl. gar. t. 275.
3	gibbiflora. DC. (or.)	gibbous-flower'd.	————	—	—	D.G. $\frac{1}{2}$.	Bot. reg. t. 1247.
4	caespitosa. DC. (ye.)	tongue-leaved.	California.	1796.	6. 8.	D.F. $\frac{1}{2}$.	Jacq. f. ecl. 1. t. 17.
	<i>Cotyledon linguiformis.</i> H.K. <i>Sedum Cotyledon.</i> Jacq.						
RHODIOLA. L. ROSE-ROOT. Diœcia Octandria. L.							
1	rosea. L. (ye.)	common.	Britain.	5. 7.	H. $\frac{1}{2}$.	Eng. bot. v. 8. t. 508.
	<i>Sedum Rhodiola.</i> DC. plant. gras. t. 143.						
2	sibirica. F. (ye.)	Siberian.	Siberia.	1826.	—	H. $\frac{1}{2}$.	
SEDUM. DC. STONECROP. Decandria Pentagynia.							
1	Aizoon. DC. (ye.)	yellow Orpine.	Siberia.	1757.	7. 9.	H. $\frac{1}{2}$.	DC. plant. gras. t. 101.
2	hybridum. DC. (st.)	Germander-leaved.	————	1766.	5. 7.	H. $\frac{1}{2}$.	Murr. com. gœt. 6. t. 5.
3	involutum. DC. (wh.)	involucrad.	Caucasus.	1822.	—	H. $\frac{1}{2}$.	
4	verticillatum. DC. (pu.)	whorl-leaved.	Kamtschatka.	7. 9.	H. $\frac{1}{2}$.	Linn. amœn. 2. t. 4. f. 14.
5	latifolium. DC. (st.)	broad-leaved.	Europe.	1794.	—	H. $\frac{1}{2}$.	Clus. hist. 2. p. 66. f. 1.
6	maximum. H.S. (pu.)	great purple.	Spain.	—	—	H. $\frac{1}{2}$.	
7	albicans. H.S. (wh.)	great white.	Europe.	—	—	H. $\frac{1}{2}$.	
8	argutum. H.R. (pu.)	lance-toothed.	M. Carpathian.	1820.	—	H. $\frac{1}{2}$.	
9	paucidentis. H.R. (wh.)	few-toothed.	Europe.	—	—	H. $\frac{1}{2}$.	
10	Telèphium. E.B. (pu.)	common Orpine.	Britain.	—	H. $\frac{1}{2}$.	Eng. bot. v. 19. t. 1319.
11	triphyllum. (pu.)	three-leaved.	Portugal.	1794.	—	H. $\frac{1}{2}$.	
	<i>Anacampseros triphylla.</i> H.S.						
12	purpureum. H.S. (pu.)	purple-stalked.	————	—	—	H. $\frac{1}{2}$.	DC. plant. gras. t. 92.
13	telephioides. DC. (pu.)	Rhodiola-like.	N. America.	1810.	7. 8.	H. $\frac{1}{2}$.	
14	spurium. DC. (pu.)	greater-fringed.	Caucasus.	—	7. 9.	H. $\frac{1}{2}$.	Bot. mag. t. 2370.
15	roseum. DC. (ro.)	rose-coloured.	————	1827.	—	H. $\frac{1}{2}$.	
16	dentatum. DC. (li.)	large-toothed.	1810.	—	H. $\frac{1}{2}$.	
17	pectinatum. DC. (wh.)	pectinated.	1819.	—	H. $\frac{1}{2}$.	
18	lividum. DC. (wh.)	livid-leaved.	1820.	—	H. $\frac{1}{2}$.	
19	cruciatum. DC. (wh.)	cross leaved.	S. Europe.	1816.	6. 7.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 464.
	<i>monregalense.</i> Balb. misc. p. 23. t. 6.						
20	ciliare. H.S. (wh.)	fringed.	Caucasus.	1810.	7. 9.	H. $\frac{1}{2}$.	Bot. mag. t. 1807.
	<i>oppositifolium.</i> B.M. <i>Anacampseros ciliaris.</i> H.S.						
21	ternatum. DC. (bh.)	dwarf 3-leaved.	N. America.	1789.	7. 8.	H. $\frac{1}{2}$.	Bot. reg. t. 142.
22	pulchrum. DC. (pu.)	pretty.	————	1824.	—	H. $\frac{1}{2}$.	
23	populifolium. DC. (wh.)	Poplar-leaved.	Siberia.	1780.	—	H. $\frac{1}{2}$.	Bot. mag. t. 211.
24	Notarjanni. DC. (wh.)	few-flowered.	Naples.	1824.	—	H. $\frac{1}{2}$.	Ten. flor. nap. 1. t. 40.
25	Anacampseros. DC. (pu.)	evergreen.	France.	1596.	7. 8.	H. $\frac{1}{2}$.	Bot. mag. t. 118.
	<i>Anacampseros sempervirens.</i> H.S.						
26	divaricatum. W. (li.)	spreading.	Madeira.	1777.	6. 7.	G. $\frac{1}{2}$.	
27	Sempervivum. DC. (re.)	houseleek-leav'd.	Iberia.	1823.	6. 8.	H. $\frac{1}{2}$.	Bot. mag. t. 2474.
28	deltoidum. DC. (pu.)	deltoid-leaved.	Naples.	1826.	—	H. \odot .	
29	stellatum. DC. (bh.)	starry.	S. Europe.	1640.	6. 7.	H. \odot .	Camer. hort. 7. t. 2.
30	Cepæa. DC. (wh.)	panicled.	France.	—	7. 8.	H. $\frac{1}{2}$.	Clus. hist. 2. p. 68. ic.
31	spathulatum. W.K. (wh.)	spathulate.	Hungary.	1820.	—	H. $\frac{1}{2}$.	W. et K. hung. 2. t. 104.

32	tetraphyllum. F.G. (wh.) four-leaved.	Levant.	7. 8.	H. ♂.	
33	cœruleum. DC. (pu.) blue pubescent.	Tunis.	1821.	7. 9.	H. ♀.	Bot. reg. t. 520.
34	anglicum. DC. (wh.re.) English.	England.	7. 8.	H. ♀.	Eng. bot. v. 3. t. 171.
	β microphyllum. H.R. (wh.) small-leaved.	————	—	H. ♀.	
35	oblongum. H.R. (wh.) oblong-leaved.	————	—	H. ♀.	
36	atratum. DC. (wh.) dark annual.	Italy.	1795.	7. 9.	H. ⊙.	DC. plant. gras. t. 120.
37	glaucum. DC. (wh.) glaucous.	Hungary.	1816.	—	H. ♂.	W. et K. hung. 2. t. 151.
38	sexfidum. DC. (wh.) six-cleft.	Caucasus.	1818.	—	H. ⊙.	
39	pallens. H.R. (wh.) annual glaucous.	7. 9.	H. ⊙.	
40	villosum. DC. (ro.) hairy.	Britain.	6. 7.	H. ♀.	Eng. bot. v. 6. t. 394.
41	pallidum. M.B. (ro.) pale red.	Tauria.	1820.	7. 9.	H. ⊙.	
42	rubens. DC. (re.) annual red.	S. Europe.	1759.	5. 8.	H. ⊙.	DC. plant. gras. t. 55.
	Crassula rubens. DC.					
43	cæspitosum. DC. (re.) tufted.	————	1788.	7. 8.	H. ⊙.	Cavan. ic. t. 69. f. 2.
	Crassula cæspitosa. Cav. Crassula Magnolii. DC. verticillaris. L?					
44	dasyphyllum. DC. (wh.) thick-leaved.	England.	6. 7.	H. ♀.	Eng. bot. v. 10. t. 656.
45	hispanicum. DC. (wh.) Spanish.	Spain.	1732.	—	H. ♀.	Jacq. aust. 5. ap. t. 47.
46	album. DC. (wh.) white.	England.	6. 8.	H. ♀.	Eng. bot. v. 22. t. 1578.
47	altaicum. F. Altay.	Altay.	1827.	H. ♀.	
48	quinquefidum. H.R. (gr.wh.) five-cleft.	6. 8.	H. ♀.	
49	hexapetalum. H.R. (ye.) six-petal'd.	—	H. ♀.	
50	quadrifidum. DC. (ye.) four-cleft.	Dahuria.	1800.	7. 8.	H. ♀.	Pall. it. 3. a. t. P. f. 1.
51	nudum. DC. (ye.) naked-branch'd.	Madeira.	1777.	—	G. ♀.	
52	ochroleucum. H.P. (st.) tall sharp-cup'd.	Greece.	—	F. ♀.	
53	altissimum. DC. (st.) tall blunt-cup'd.	Italy.	1769.	—	H. ♀.	DC. plant. gras. t. 116.
	Jacquini. H.P. Sempervivum sediforme. Jacq. vind. 1. t. 81.					
54	cærulæscens. H.P. (st.) great-straw-color'd.	—	H. ♀.	
55	reflexum. H.P. (ye.) reflex-leaved.	Britain.	6. 7.	H. ♀.	Eng. bot. v. 10. t. 695.
56	septangulare. H.P. (ye.) seven-angled.	Europe.	7. 8.	H. ♀.	
57	albescens. H.R. (ye.) white-leaved.	England.	6. 7.	H. ♀.	Eng. bot. v. 35. t. 2477.
	glaucum. E.B. non W.K.					
58	minus. H.P. (ye.) lesser short-leaved.	—	H. ♀.	DC. plant. gras. t. 116.
	reflexum. DC.					
59	spirale. H.P. (ye.) spiral-leaved.	Europe.	—	H. ♀.	
60	sexangulare. DC. (ye.) insipid.	England.	—	H. ♀.	Eng. bot. v. 28. t. 1946.
61	æcre. DC. (ye.) biting.	Britain.	—	H. ♀.	— v. 12. t. 839.
62	recurvatum. H.P. (ye.) slender recurv'd.	1820.	—	H. ♀.	
63	anopetalum. DC. (st.) broader-leaved.	S. France.	1815.	—	H. ♀.	Bauh. icon. 3. 428.
	β aurantiacum. H.P. (or.) orange-colour'd.	————	—	—	H. ♀.	
64	virens. H.P. (ye.) deep green.	Portugal.	1774.	—	H. ♀.	
65	viridulum. H.P. (ye.) small-green.	1826.	6. 8.	H. ♀.	
66	rupestre. H.P. (ye.) expanding glaucous.	England.	—	H. ♀.	Eng. bot. v. 3. t. 170.
67	Forsterianum. H.P. (ye.) Forster's.	Wales.	7. 8.	H. ♀.	— v. 26. t. 1802.
68	saxatile. DC. (ye.) rock.	S. Europe.	1739.	7. 9.	H. ⊙.	DC. plant. gras. t. 119.
69	repens. DC. (ye.) creeping.	Pyrenees.	1829.	—	H. ⊙.	Vill. dauph. 3. t. 45.
	Guettardi. Villars.					
70	magellense. DC. (ye.) Neapolitan.	Naples.	1826.	—	H. ⊙.	
	MONANTHES. H.R. MONANTHES. Dodecandria Heptagynia.					
	polyphylla. H.R. (pu.) many-leaved.	Canaries.	1777.	7. 9.	D.G. ♀.	Bot. mag. t. 93.
	Sempervivum monanthes. B.M.					
	SEMPERVIVUM. DC. HOUSELEEK. Dodecandria Dodecagynia. L.					
1	tortuosum. DC. (ye.) twisted.	Canaries.	1779.	7. 8.	D.G. ♀.	Bot. mag. t. 296.
2	villosum. DC. (ye.) small villous.	Madeira.	1777.	6. 7.	D.G. ♀.	
3	ciliatum. DC. (wh.) ciliated.	Teneriffe.	1815.	—	D.G. ♀.	
4	glandulosum. DC. (ye.) gland-edged.	Madeira.	1777.	3. 5.	D.G. ♀.	
5	glutiniosum. DC. (ye.) glutinous.	————	—	7. 8.	D.G. ♀.	Bot. reg. t. 278.
6	urbicum. DC. (ye.) wedge-leaved.	Canaries.	1824.	—	D.G. ♀.	
7	retusum. H.P. (ye.) retuse-leaved.	Teneriffe.	—	—	D.G. ♀.	
8	arboresum. DC. (ye.) tree.	Levant.	1640.	12. 3.	D.G. ♀.	Bot. reg. t. 99.
	β variegatum. H.R. (ye.) variegated.	————	—	D.G. ♀.	
	γ atropurpureum. H.R. (ye.) dark purple-leaf'd.	————	—	D.G. ♀.	
9	frutescens. H.P. (ye.) frutescent.	Teneriffe.	1824.	3. 5.	D.G. ♀.	
10	tabulæforme. DC. (ye.) table-shaped.	Madeira.	1815.	7. 9.	D.G. ♀.	Lodd. bot. cab. t. 1328.
11	canariense. DC. (wh.) Canary Island.	Canaries.	1699.	6. 7.	D.G. ♀.	DC. plant. gras. t. 141.
12	Smithii. DC. (ye.) Smidt's.	————	1815.	8. 10.	D.G. ♀.	Bot. mag. t. 1980.
13	barbatum. DC. (ye.) bearded.	Madeira.	—	6. 7.	D.G. ♀.	
	lineolare. H.S.S. spathulatum. Horn.					
14	hybridum. H.R. (ye.) hybrid.	Hybrid.	—	D.G. ♀.	
15	cæspitosum. DC. (ye.) latchet-leaved.	Canaries.	1815.	9. 4.	D.G. ♀.	Bot. mag. t. 1978.
	ciliatum. B.M. non W. barbatum. H.R. non Smith. ciliare. H.S.S.					

16	laxum. H.R.	(ye.) loose-flowered.	Canaries.	1820.	7. 10.	D.G. ♂.	
17	dodrantale. DC.	(st.) smooth-leaved.	—————	1815.	7. 8.	D.G. ♂.	
18	aureum. DC.	(ye.) chalice-form.	Teneriffe.	—	6. 7.	D.G. ♀.	Bot. reg. t. 892.
	calyciforme. B.R.		Lodd. bot. cab. 1368.				
19	punctatum. DC.	(ye.) dotted-leaved.	Canaries.	1824.	7. 9.	D.G. ♂.	
20	stellatum. DC.	(ye.) annual villous.	Madeira.	1790.	7. 10.	H. ☉.	Bot. mag. t. 1809.
	rillosum. B.M.	non H.S.					
21	dichotomum. DC.	(ye.) forked.	Canaries.	1824.	6. 8.	D.G. ♂.	DC. jard. gen. t. 21.
22	africanum. DC.	(ye.) African.	C. B. S.	1768.	D.G. ♀.	
23	hirtum. DC.	(st.) hairy.	Italy.	6. 7.	H. ♀.	DC. plant. gras. t. 107.
	soboliferum. B.M.	t. 1457 ex DC.	globiferum. H.R. non DC.				
24	globiferum. DC.	(ye.) great-flowered.	Germany.	1731.	—	H. ♀.	Bot. mag. t. 507 et 2115.
25	tectorum. DC.	(pu.) common.	Britain.	6. 9.	H. ♀.	Eng. bot. v. 19. t. 1320.
26	flagelliforme. DC.	(re.) whip-lash.	Siberia.	1818.	6. 8.	H. ♀.	
27	montanum. DC.	(re.) mountain.	Switzerland.	1752.	—	H. ♀.	DC. plant. gras. t. 105.
28	arachnoideum. DC.	(pu.) Cobweb.	Italy.	1699.	—	F. ♀.	Bot. mag. t. 68.

Tribus II. *PENTHOREÆ*.

PENTHFORUM. DC.	PENTH'ORUM.	Decandria Pentagynia.	L.				
sedoides. DC.	(st.) American.	Virginia.	1768.	7. 8.	H. ♀.		Act. ups. 1744. t. 2.
LEWISIA. Ph.	LEWISIA.	Dodecandria Trigynia.					
rediviva. Ph.	(wh.) white-flowered.	N. America.	1827.	7. 8.	H. ♀.		

ORDO CII.

FICOIDEÆ. *DC. prodr. v. 3. p. 415.*

Tribus I. *MESEMBRYANTHEMEÆ*.

MESEMBRYANTHEMUM. FIG-MARYGOLD.	Icosandria Pentagynia.	L.					
1 minutum. H.R.	(re.) small-white.	C. B. S.	1795.	9. 11.	D.I. ♀.		Bot. mag. t. 1376.
2 minimum. H.R.	(st.) small chequer'd.	—————	1766.	9. 12.	D.I. ♀.		Pet. gaz. t. 39. f. 3.
3 perpusillum. H.R.	(st.) small exserted.	—————	1819.	—	D.I. ♀.		
4 obcordellum. H.R.	(wh.) glaucous chequer'd.	—————	1776.	10. 2.	D.I. ♀.		Bot. mag. t. 1647.
5 obconellum. H.R.	(wh.) green chequer'd.	—————	1794.	—	D.I. ♀.		
6 ficiforme. H.R. fig-shaped.	—————	1819.	D.I. ♀.		
7 truncatellum. H.R.	(st.) large dotted.	—————	1795.	10. 2.	D.I. ♀.		
8 fibuliforme. H.R. cloth button.	—————	—	11.	D.I. ♀.		
9 uvæforme. H.R. Grape-like.	—————	1820.	D.I. ♀.		Burm. dec. t. 10. f. 2?
10 nuciforme. H.R. nut-shaped.	—————	1790.	D.I. ♀.		
11 testiculare. H.R.	(wh.) broad short white.	—————	1774.	11.	D.I. ♀.		
12 octophyllum. H.R.	(ye.) narrow short white.	—————	—	—	D.I. ♀.		Bot. mag. t. 1573.
	testiculare. B.M.						
3 longiusculum.	(ye.) longer-leaved.	—————	—	—	D.I. ♀.		
13 testiculatum. DC.	(ro.) rosy.	—————	—	—	D.I. ♀.		Jacq. frag. 73. t. 12. f. 2.
14 obtusum. H.R.	(re.) obtuse cloven.	—————	1792.	3. 4.	D.I. ♀.		
15 fissum. H.R. cloven white.	—————	1776.	D.I. ♀.		
16 digitiforme. H.R.	(wh.) finger-formed.	—————	1775.	4. 6.	D.I. ♀.		
	digitatum. H.K.?						
17 magnipunctum. H.R.	(ye.) great dotted club.	—————	1816.	9. 11.	D.I. ♀.		
2 sesquiunciale. H.R.	(ye.) thickest-leaved.	—————	—	—	D.I. ♀.		
2 unciæ. H.R.	(ye.) thinner-leaved.	—————	—	—	D.I. ♀.		
18 nobile. H.P.	(ye.) noble.	—————	—	11.	D.I. ♀.		
19 canum. H.R.	(ye.) hoary club-leav'd.	—————	1795.	D.I. ♀.		
20 aloides. H.R.	(ye.) Aloe-like.	—————	1816.	9. 11.	D.I. ♀.		
21 caninum. H.R.	(ye.) dog-chop.	—————	1717.	8. 10.	D.G. ♀.		DC. plant. gras. t. 95.
22 vulpinum. H.R.	(ye.) fox-chop.	—————	1795.	—	D.G. ♀.		
23 hybridum. H.R.	(ye.) hybrid.	Hybrid.	—	D.G. ♀.		
24 albidum. H.R.	(ye.) white.	C. B. S.	1714.	7. 8.	D.G. ♀.		Bot. mag. t. 1824.

25	albinotum. H.P.	(ye.) keeled white dott'd.	C.B.S.	1824.	7. 9.	D.G. 2.	
26	albipunctum. H.P.	(ye.) white-spotted.		—	8. 9.	D.G. 2.	
27	tigrinum. H.P.	(ye.) tiger-chop.		1790.	9. 11.	D.G. 2.	Bot. reg. t. 260.
28	felinum. H.P.	(ye.) cat-chop.		1730.	8. 11.	D.G. 2.	DC. plant. gras. t. 152.
29	lupinum. H.P.	(ye.) wolf's chop.		1822.	6. 8.	D.G. 2.	
30	agninum. H.P.	(ye.) lamb's chop.		—	5. 6.	D.G. 2.	
31	mustelinum. H.P.	(ye.) weasel-chop.		1818.	8. 11.	D.G. 2.	
32	musculinum. H.P.	(ye.) small trailing.		—	6. 8.	D.G. 2.	
33	ermininum. H.P.	(ye.) Ermine-chop.		1823.	5. 6.	D.G. 2.	
	β majus. H.P.	(ye.) red-tipped.		—	—	D.G. 2.	
34	murinum. H.P.	(ye.) mouse-chop.		1790.	9.	D.G. 2.	
35	dolabriforme. H.R.	(ye.) hatchet-leaved.		1705.	5. 11.	D.G. ½.	Bot. mag. t. 32.
36	carinans. H.R.	(ye.) scymetar-leav'd.		1820.	D.G. 2.	
37	scapiger. H.P.	(ye.) great-scaped.		1822.	8. 9.	D.G. 2.	
38	denticulatum. H.R.	(st.) toothed-beak'd.		1793.	4.	D.G. 2.	
	α canum. H.R.	(st.) white-leaved.		—	—	D.G. 2.	
	β glaucum. H.R.	(st.) glaucous-leaved.		—	—	D.G. 2.	
	γ candidissimum. H.R.	(st.) whitest.		—	—	D.G. 2.	
39	robustum. H.R.	(ye.) robust-beaked.		1795.	D.G. 2.	
40	compactum. H.R.	(ye.) compact.		1780.	11.	D.G. ½.	
41	quadrifidum. H.R.	(ye.) quadrifid.		1795.	—	D.G. ½.	
42	bifidum. H.R.	(ye.) bifid beaked.		—	—	D.G. 2.	
43	bibracteatum. H.R.	(ye.) double-bracted.		1803.	4. 11.	D.G. ½.	
44	purpurascens. DC.	(ye.) purple-bracted.		1826.	—	D.G. 2.	
45	rostratum. H.R.	(ye.) heron-beaked.		1732.	4. 5.	D.G. 2.	Dill. elth. f. 229.
	tuberculatum. H.R.	(ye.) tuberculate.		—	D.G. 2.	
46	ramulosum. H.R.	(ye.) small-beaked.		1803.	3. 11.	D.G. ½.	
47	pisiforme. H.R. pea-shaped.		1796.	D.I. 2.	
48	moniliforme. H.R.	(wh.) necklace.		1791.	3. 4.	D.I. 2.	
49	scalpratum. H.R.	(ye.) great tongue.		1714.	8. 10.	D.G. 2.	Dill. elth. t. 183. f. 224.
50	fragrans. H.R.	(ye.) sweet-scented.		1820.	—	D.G. 2.	Ott. et Lk. abb. t. 43.
51	grandiflorum. H.P.	(ye.) great-blistered.		1824.	—	D.G. 2.	
52	præpingue. H.R.	(ye.) soft-tongue.		1792.	—	D.G. 2.	
53	medium. H.R.	(ye.) large-tongue.		1816.	—	D.G. 2.	
54	cultratum. H.R.	(ye.) long cultrated.		1820.	—	D.G. 2.	
55	lucidum. H.R.	(ye.) high-polished.		1768.	—	D.G. 2.	Dill. elth. f. 227.
56	adscendens. H.R.	(ye.) long-peduncled.		1805.	8. 11.	D.G. 2.	
57	pustulatum. H.R.	(ye.) blistered tongue.		1816.	—	D.G. 2.	
58	longum. H.R.	(ye.) long-thin-leaved.		1725.	8. 10.	D.G. 2.	
	α flaccidum. H.R.	(ye.) long-flaccid.		—	—	D.G. 2.	Bot. mag. t. 1866.
	depressum. B.M. nec aliorum.						
	β decliv. H.R.	(ye.) lesser erect-edged.		—	—	D.G. 2.	
	γ angustius. H.R.	(ye.) narrow-leaved.		—	—	D.G. 2.	
	δ purpurascens. H.R.	(ye.) purple green.		—	—	D.G. 2.	
	ε uncatum. H.R.	(ye.) leaden green.		1819.	—	D.G. 2.	
	ζ attollens. H.R.	(ye.) narrow dark.		—	—	D.G. 2.	
59	linguæforme. H.R.	(ye.) common tongue.		1732.	11. 3.	D.G. 2.	Dill. elth. f. 226.
	β rufescens. H.R.	(ye.) reddish green.		1804.	D.G. 2.	
	γ subcruciatum. H.R.	(ye.) subcruciate.		1820.	8. 11.	D.G. 2.	
	δ prostratum. H.R.	(ye.) prostrate.		—	—	D.G. 2.	
	ε assurgens. H.R.	(ye.) assurgent.		1819.	—	D.G. 2.	
60	latum. H.R.	(ye.) broad tongue.		1732.	—	D.G. 2.	Dill. elth. f. 225.
	β breve. H.R.	(ye.) short flat.		1802.	—	D.G. 2.	
61	depressum. H.R.	(ye.) small recurving-ld.		1795.	9. 11.	D.G. 2.	Dill. elth. f. 226?
	α pallens. H.R.	(ye.) light green.		—	—	D.G. 2.	
	β lividum. H.R.	(ye.) rufous green.		1819.	—	D.G. 2.	
62	cruciatum. H.R.	(ye.) soft cruciate.		1792.	5. 11.	D.G. ½.	
63	taurinum. H.R.	(ye.) Bull's-horn.		1795.	9. 11.	D.G. ½.	
64	Salmii. H.R.	(ye.) Prince de Salm's.		1818.	—	D.G. 2.	
	α decussatum. H.R.	(ye.) decussate.		—	—	D.G. 2.	
	β semicruciatum. H.R.	(ye.) semicruciate.		1820.	—	D.G. 2.	
	γ angustifolium. H.R.	(ye.) narrow-leaved.		—	—	D.G. 2.	
65	surrectum. H.R.	(ye.) thick acute tongue.		1819.	—	D.G. 2.	
66	heterophyllum. H.R.	(ye.) various-leaved.		1795.	—	D.G. 2.	
67	angustum. H.R.	(ye.) narrow tongue.		1790.	3. 10.	D.G. 2.	
	β pallidum. H.R.	(ye.) paler-leaved.		1819.	D.G. 2.	
	γ heterophyllum. H.R.	(ye.) semicylindric-ld.		8. 10.	D.G. 2.	Andr. reposit. 540.
68	difforme. H.R.	(ye.) difformed.		1732.	—	D.G. 2.	Dill. elth. f. 242.
	β brevicaul. H.R.	(ye.) short-stalked.		—	—	D.G. ½.	

69	bidentatum. H.R. (ye.) double-toothed. C. B. S.	1816.	8. 10.	D.G. 2.	
	α minus. H.R. (ye.) smaller.	—	—	D.G. 2.	
	β majus. H.R. (ye.) larger.	—	—	D.G. 2.	
70	bigibberatum. H.P. (ye.) lesser difformed.	1824.	—	D.G. 2.	
71	semicylindricum. H.R. (ye.) small difformed.	1732.	3. 11.	D.G. 2.	Dill. elth. t. 194. f. 241.
72	gibbosum. H.R. (re.) great pale gibbous.	1780.	1. 4.	D.G. 2.	
73	luteo-viride. H.R. (re.) long pale gibbous.	1795.	—	D.G. 2.	
74	perviride. H.R. (re.) dark green gibbous.	1792.	1. 5.	D.G. 2.	
75	pubescens. H.R. (re.) hoary gibbous.	—	—	D.G. 2.	
76	calamiforme. H.R. (wh.) white fld. quill.	1717.	7. 9.	D.G. 2.	DC. plant. gras. t. 5.
77	obsubulatum. H.R. ... reversed quill.	1796.	D.G. 2.	
78	cylindricum. H.R. (re.) cylindric quill.	1792.	9. 2.	D.G. 2.	
79	teretifolium. H.R. (re.) round quill.	1794.	—	D.G. 2.	
80	teretiásculum. H.R. (re.) roundish quill.	—	—	D.G. 2.	
81	bellidiflorum. H.R. (re.) daisy-flowered.	1717.	6. 8.	D.G. 2.	Dill. elth. t. 224. f. 233.
	α glaucescens. H.R. (re.) small glaucous.	—	—	D.G. 2.	
	β viride. H.R. (ro.) pea green.	1822.	—	D.G. 2.	
82	subulatum. DC. (std.) great green.	1768.	6. 8.	D.G. 2.	DC. plant. gras. t. 41.
83	acutum. H.R. (pu.) great awl-leaved.	1793.	11. 4.	D.G. 2.	
84	punctatum. H.R. (pu.) middle-spotted.	D.G. 2.	
85	diminutum. H.R. (pu.) small awl-leaved.	1789.	4.	D.G. 2.	
	β cauliculatum. H.R. (pu.) stalked.	1817.	—	D.G. 2.	
86	loreum. H.R. (st.) leathery-stalk'd.	1732.	9.	D.G. 2.	Dill. elth. t. 200. f. 255.
	β congestum. H.R. (st.) crowded-leaved.	1805.	D.G. 2.	
87	diversifolium. H.R. (st.) short horn-leav'd.	1726.	3. 10.	D.G. 2.	Dill. elth. t. 198. f. 252.
	α majus. H.R. (std.) larger.	1819.	—	D.G. 2.	
	β glaucius. H.R. (st.) glaucescent.	1726.	—	D.G. 2.	
	γ brevifolium. H.R. (st.) short-leaved.	1819.	8.	D.G. 2.	
	δ læte-virens. H.R. (st.) pale green.	—	—	D.G. 2.	
	ε atro-virens. H.R. (st.) dark green.	—	8. 9.	D.G. 2.	
88	decipiens. H.R. (st.) middle horn-ld.	1820.	D.G. 2.	
89	dubium. H.R. (st. or.) round stalked.	1800.	11. 5.	D.G. 2.	Bradl. succ. d. 4. t. 40.
90	corniculatum. H.R. (std.) long-horn-leav'd.	1732.	3. 5.	D.G. 2.	DC. plant. gras. t. 108.
91	purpureo-álbium. H.P. (std.) purple & white.	1824.	7. 10.	D.G. 2.	
92	procumbens. H.R. (v.) purple-jointed.	1820.	D.G. 2.	
93	tricolorum. H.R. (st. re.) three-coloured.	1794.	10.	D.G. 2.	
94	pugioniforme. H.R. (ye.) great dagger-ld.	1714.	7. 9.	D.G. 2.	DC. plant. gras. t. 82.
	β carneum. H.R. (ye.) flesh-coloured.	—	D.G. 2.	
	γ purpureum. H.R. (pu.) purple.	—	D.G. 2.	
	δ biénne. H.R. (ye.) biennial.	—	D.G. 2.	
95	capitatum. H.R. (ye.) lesser dagger-ld.	1717.	7. 9.	D.G. 2.	Bot. reg. t. 494.
	β ramigerum. H.R. (ye.) branching.	1816.	—	D.G. 2.	
96	brevicaule. H.R. (ye.) dwarf dagger-ld.	—	—	D.G. 2.	
97	coruscans. H.R. (ye.) glittering dagger.	1813.	—	D.G. 2.	
98	elongatum. H.R. (ye.) tuberous long-ld.	1793.	5.	D.G. 2.	DC. plant. gras. t. 72.
	α grandiflorum. (ye.) large-flowered.	—	—	D.G. 2.	
	β minus. H.R. (ye.) lesser.	—	—	D.G. 2.	Bot. reg. t. 493.
	γ fusiforme. H.R. (ye.) fusiform.	—	—	D.G. 2.	Breyn. cent. t. 80.
99	validum. H.P. (ro.) robust light green.	1823.	—	D.G. 2.	
100	geminiflorum. H.R. (ro.) small pale.	1819.	—	D.G. 2.	
101	simile. H.R. (ro.) short-jointed.	—	5. 7.	D.G. 2.	
102	laxum. H.R. (ro.) long-jointed.	—	—	D.G. 2.	
103	sarmentosum. H.R. (ro.) sarmentose.	1805.	4. 5.	D.G. 2.	
104	rigidicaule. H.R. (ro.) stiff-stemmed.	1819.	—	D.G. 2.	
105	Schöllii. H.R. (ro.) Scholl's.	1818.	—	D.G. 2.	Jacq. frag. t. 51. f. 2.
	aduncum. Jacq. non H. recurrum. H.S.S.	—	—	—	
106	filamentosum. H.R. (ro.) thready.	1732.	3. 4.	D.G. 2.	Dill. elth. t. 212. f. 273.
107	serrulatum. H.R. (ro.) rosy-stalked.	1795.	11. 12.	D.G. 2.	
	α glaucum. H.R. (ro.) glaucous.	—	—	D.G. 2.	
	β viridius. H.R. (ro.) greenish.	—	—	D.G. 2.	
108	rubricaule. H.R. (ro.) deep red-stalk'd.	1802.	12. 2.	D.G. 2.	
	α gracilius. H.R. (ro.) slenderest.	—	—	D.G. 2.	
	β densius. H.R. (ro.) crowded.	—	D.G. 2.	
	γ subvirens. H.R. (ro.) tall-green.	—	D.G. 2.	
109	acinaciforme. H.R. (ro.) great scymetar-ld.	1714.	8. 9.	D.G. 2.	Dill. elth. f. 270. 271.
	α breve. H.R. (ro.) short-branched.	—	—	D.G. 2.	Andr. reposit. 508.
	β longum. H.R. (ro.) longer-branched.	—	—	D.G. 2.	
110	laevigatum. H.R. (ro.) smooth scymetar.	1802.	—	D.G. 2.	

111	rùbro-cinctum. H.R. (ro.) red-edged.	C. B. S.	1811.	8. 9.	D.G. h.	
	<i>a</i> cràssum. H.R. (ro.) thick-leaved.	————	————	D.G. h.	
	<i>β</i> compréssum. H.R. (ro.) compressed.	————	D.G. h.	
	<i>γ</i> ténerum. H.R. (ro.) tender.	————	D.I. h.	
112	subalàtum. H.R. (ro.) wing-stalked.	————	1802.	D.G. h.	
113	édule. H.R. (ye.) Hottentot's-fig.	————	1690.	7. 8.	D.G. h.	Dill. elth. t. 212. f. 272.
114	dimidiàtum. H.R. (ro.) lesser eatable.	————	1811.	————	D.G. h.	DC. plant. gras. t. 89.
115	glaucéscens. H.R. (ro.) glaucescent.	N. Holland.	1804.	7.	D.G. h.	
116	abbreviàtum. H.P. ... short-jointed.	N. S. W.	1825.	D.G. h.	
117	Róssi. H.R. (ro.) Ross's.	V. Diem. Isl.	1821.	D.G. h.	
118	viréscens. H.R. (ro.) virescent.	N. Holland.	1804.	6. 8.	D.G. h.	
119	æquilatérale. H.R. (ro.) equal angled.	————	1791.	————	D.G. h.	
	<i>β</i> decag'ynum. DC. (ro.) ten-styled.	————	————	————	D.G. h.	
120	virens. H.R. (ro.) smooth-edged green.	C. B. S.	1821.	7. 8.	D.G. h.	
121	réptans. H.R. (ro.) creeping.	————	1774.	6. 8.	D.G. h.	
122	débile. H.P. (ro.) smooth weak.	————	1821.	————	D.G. h.	
123	austràle. H.R. (bh.) New Zealand.	N. Zealand.	1773.	————	D.G. h.	
124	crassifolium. H.R. (ro.) thick-leaved.	C. B. S.	1727.	5. 8.	D.G. h.	Dill. elth. t. 208. f. 257.
125	clavellàtum. H.R. (re.) club-ld. creeping.	N. Holland.	1803.	6. 7.	D.G. h.	
	<i>β</i> aggregàtum. H.R. (re.) cluster branched.	————	————	————	D.G. h.	
	<i>γ</i> minus. H.R. (re.) shorter-branched.	————	————	————	D.G. h.	
126	forficàtum. H.R. (re.) scissors-leaved.	C. B. S.	1758.	9. 10.	D.G. h.	Jacq. vind. I. t. 26.
127	geminàtum. H.R. (re.) white twin-shoot'd.	————	1792.	D.G. h.	
128	marginàtum. H.R. (re.) white-edged.	————	1793.	D.G. h.	
129	rostéllum. H.R. (wh. re.) little prostrate beak.	————	1820.	8. 10.	D.G. h.	
130	perfoliàtum. H.R. (ro.) great-hooked.	————	1714.	6. 8.	D.G. h.	Dill. elth. t. 192. f. 240.
	<i>a</i> tricánthum. H.R. (ro.) three-thorned.	————	————	————	D.G. h.	Bradl. suc. 5. t. 46.
	<i>β</i> monacánthum. H.R. (ro.) one-thorned.	————	————	————	D.G. h.	Bradl. suc. dec. 3. f. 26.
131	uncinèllum. H.R. (li.) small-hooked.	————	1819.	————	D.G. h.	Dill. elth. f. 239.
132	uncinàtum. H.R. (ro.) greenish-hooked.	————	1725.	8.	D.G. h.	DC. plant. gras. t. 54.
133	semidentàtum. H.R. (ro.) slender-hooked.	————	1818.	6. 8.	D.G. h.	
134	ùnidens. H.P. (li.) dwarf uncinata.	————	1824.	————	D.G. h.	
135	víride. H.R. (li.) deep green.	————	1792.	7.	D.G. h.	
136	acutángulum. H.P. (wh.) sharp-angled.	————	1820.	6. 8.	D.G. h.	
137	cúrtum. H.R. (wh.) short-sheathed.	————	1811.	————	D.G. h.	
	<i>β</i> màjus. H.R. (wh.) larger.	————	————	————	D.G. h.	
138	hamàtum. W. (wh.) hook'd sheathing.	————	————	————	D.G. h.	
139	vaginàtum. H.R. (wh.) rough sheathing.	————	1802.	7. 8.	D.G. h.	
	<i>β</i> parviflòrum. H.R. (wh.) smaller-flowered.	————	————	————	D.G. h.	
140	parviflòrum. H.R. (wh.) small-flowered.	————	1800.	8.	D.G. h.	
141	rígidum. H.R. (wh.) rigid.	————	1793.	————	D.G. h.	
142	tenèllum. H.R. (wh.) least perfoliate.	————	1792.	————	D.G. h.	
143	imbricàtum. H.R. (wh.) imbricated.	————	————	7.	D.G. h.	
	<i>a</i> minus. H.R. (wh.) smallest.	————	————	————	D.G. h.	
	<i>β</i> màjus. H.R. (wh.) blunt crowded.	————	————	————	D.G. h.	
	<i>γ</i> víride. H.R. (wh.) dull green.	————	————	————	D.G. h.	
144	multiflòrum. H.R. (wh.) many-flowered.	————	————	7. 9.	D.G. h.	Pluk. phyt. t. 117. f. 1.
	<i>a</i> màjus. H.R. (wh.) larger white.	————	————	————	D.G. h.	
	<i>β</i> minus. H.R. (wh.) lesser white.	————	————	————	D.G. h.	
	<i>γ</i> rùbrum. H.R. (re.) red-flowered.	————	1816.	————	D.G. h.	
	<i>δ</i> pàtens. H.R. (wh.) single flowered.	————	————	————	D.G. h.	
	<i>ε</i> nitens. H.R. (wh.) bright-green.	————	————	D.G. h.	
145	umbellàtum. H.R. (wh.) umbel-flowered.	————	1727.	6. 9.	D.G. h.	Dill. elth. t. 208. f. 266.
	<i>β</i> apétalum. H.R. (wh.) petalless.	————	————	————	D.G. h.	
146	tumídulum. H.R. (re.) tumid.	————	1802.	3.	D.G. h.	
	<i>β</i> minus. H.R. (re.) lesser.	————	————	————	D.G. h.	
147	foliòsum. H.R. (re.) many-leaved.	————	————	9.	D.G. h.	
148	lineolàtum. H.R. (re.) tumid sheathed.	————	1819.	6. 8.	D.G. h.	
	<i>β</i> minus. H.R. (re.) lesser.	————	————	————	D.G. h.	
	<i>γ</i> nitens. H.R. (re.) glittering.	————	————	————	D.G. h.	
149	serràtum. H.R. (ye.) saw-keeled.	————	1707.	6. 7.	D.G. h.	Dill. elth. t. 192. f. 238.
150	lâcerum. H.R. (re.) ragged-keeled.	————	1792.	6.	D.G. h.	
151	heteropétalum. H.R. (ye.) various-petal'd.	————	1794.	5. 8.	D.G. h.	
	<i>a</i> albiflòrum. (wh.) white-flowered.	————	————	————	D.G. h.	
	<i>β</i> ròseum. (ro.) rose-coloured.	————	————	————	D.G. h.	
152	glaucinum. H.R. (li.) glaucine.	————	1818.	————	D.G. h.	
	<i>a</i> angústum. H.R. (li.) slenderest-leaved.	————	————	————	D.G. h.	
	<i>β</i> cràssum. H.R. (li.) thicker-leaved.	————	————	————	D.G. h.	

153	mutabile. H.R. (wh.ro.) changeable.	C. B. S.	1792.	7. 9.	D.G. h.	DC. plant. gras. t. 60.
	<i>filamentosum</i> . DC.					
154	incaudens. H.R. (pu.) open-flowered.	————	1805.	6. 9.	D.G. h.	Andr. reposit. 388.
155	caulescens. H.R. (li.) smooth delta-ld.	————	1731.	5. 7.	D.G. h.	Dill. elth. f. 243-4.
156	deltoïdes. H.R. (li.) great delta-leaved.	————	————	5.	D.G. h.	DC. plant. gras. 53.
157	muricatum. H.R. (li.) small delta-leaved.	————	————	————	D.G. h.	Dill. elth. t. 195. f. 27.
	β minus. H.R. (li.) smaller-leaved.	————	————	D.G. h.	
158	microphyllum. H.R. (ro.) small-green-leav'd.	————	1795.	————	D.G. h.	
159	mucronatum. H.R. (ro.) bristle-pointed.	————	1794.	6. 7.	D.G. h.	
160	pygmæum. H.R. (ro.) pigmy connate.	————	1820.	————	D.G. h.	
161	pulchellum. DC. (ro.) small grey-leaved.	————	1793.	4.	D.G. h.	
	<i>canescens</i> . H.R.					
	β revolutum. H.R. (ro.) revolving-branched.	————	1819.	————	D.G. h.	
162	máximum. H.R. (ro.) great crescent-ld.	————	1787.	3. 8.	D.G. h.	
163	lunatum. H.R. (ro.) small crescent-ld.	————	4. 6.	D.G. h.	
164	falcatum. H.R. (ro.) small sickle-leav'd.	————	1727.	6. 8.	D.G. h.	Dill. elth. f. 275-6.
165	decumbens. H.R. (li.) dwarf decumbent.	————	1759.	5. 10.	D.G. h.	
166	incurvum. H.R. (li.) incurved.	————	1802.	6.	D.G. h.	
	β dilatans. H.R. (li.) dilated.	————	1805.	9. 10.	D.G. h.	
	γ pallidius. H.R. (li.) pale flowering.	————	————	————	D.G. h.	
	δ densifolium. H.R. (li.) dense lesser-leav'd.	————	1819.	————	D.G. h.	
	ϵ roseum. H.R. (ro.) rosy.	————	————	————	D.G. h.	
167	confertum. H.R. (li.) crowded-leaved.	————	1805.	————	D.G. h.	
168	falciforme. H.R. (li.) sickle-shaped.	————	————	7. 8.	D.G. h.	
169	glomeratum. H.R. (re.) clustered.	————	1732.	6. 8.	D.G. h.	Dill. elth. t. 213. f. 274.
170	inflexum. H.R. (re.) inflex-leaved.	————	1818.	————	D.G. h.	
171	scabrum. H.R. (re.) rough.	————	1731.	7.	D.G. h.	Dill. elth. t. 197. f. 251.
	α pallidum. H.R. (li.) pale-bloomed.	————	————	————	D.G. h.	
	β purpureum. H.R. (pu.) purple.	————	————	————	D.G. h.	
172	versicolor. H.R. (wh.re.) changeable rough.	————	1795.	5. 8.	D.G. h.	
173	retroflexum. H.R. (re.) reflex-flowered.	————	1794.	5. 10.	D.G. h.	
174	imbricans. H.R. (re.) imbricate-leaved.	————	1818.	————	D.G. h.	
175	deflexum. H.R. (re.) smooth deflexed.	————	1774.	7. 10.	D.G. h.	
176	polyanthon. H.R. (pu.) copious-flowered.	————	1803.	8.	D.G. h.	
177	polyphyllum. H.R. (re.) crowded-leaved.	————	1819.	6. 10.	D.G. h.	
178	violaceum. H.R. (vi.) deep violaceous.	————	1820.	10.	D.G. h.	DC. plant. gras. t. 84.
179	emarginatum. H.R. (vi.) notch-petaled.	————	1732.	6. 8.	D.G. h.	Dill. elth. t. 197. f. 250.
180	dilatatum. H.R. (wh.) gibbous-keeled.	————	1795.	7.	D.G. h.	
181	virgatum. H.R. (li.) slender-twigged.	————	1793.	2. 4.	D.G. h.	
182	bracteatum. H.R. (re.) double-bracted.	————	1774.	7. 10.	D.G. h.	
183	anceps. H.R. (li.) broad-bracted.	————	1811.	9. 10.	D.G. h.	
	β pallidum. H.R. (li.) paler-flowered.	————	————	————	D.G. h.	
184	gracile. H.R. (li.) slender bracteate.	————	1794.	8. 11.	D.G. h.	
	<i>stellatum</i> . H.S. non DC.					
	β gracilius. H.R. (li.) pale flat-bracted.	————	————	D.G. h.	
185	radiatum. H.R. (re.) radiate.	————	1732.	————	D.G. h.	Dill. elth. t. 197. f. 249.
186	compressum. H.R. (re.) rough compressed.	————	1792.	7. 9.	D.G. h.	
187	pátulum. H.R. (li.) paler-flowered.	————	1811.	10. 11.	D.G. h.	
188	ásperum. H.R. (ro.) large rough-leav'd.	————	1818.	7. 9.	D.G. h.	
	α majus. H.R. (ro.) broader-leaved.	————	————	————	D.G. h.	
	β carulescens. H.R. (ro.) bluish-leaved.	————	1820.	————	D.G. h.	
189	formosum. H.R. (re.) white-eyed red.	————	————	8. 9.	D.G. h.	
190	amœna. DC. (re.) beautiful.	————	1825.	————	D.G. h.	
191	spectabile. H.R. (pu.) glaucous showy.	————	1787.	5. 8.	D.G. h.	Bot. mag. t. 396.
192	conspicuum. H.R. (re.) dark-red showy.	————	1806.	9. 10.	D.G. h.	
193	turbinatum. DC. (re.) top-shaped.	————	1826.	————	D.G. h.	Jacq. vind. t. 476.
194	blándum. H.R. (bh.) fair-flowered.	————	1816.	6. 12.	D.G. h.	Bot. reg. t. 582.
195	curviflorum. H.R. (bh.) incurving white.	————	1818.	————	D.G. h.	
196	áureum. H.R. (or.) great orange.	————	1750.	3. 10.	D.G. h.	Bot. mag. t. 262.
197	aurantium. H.R. (or.) glaucous orange.	————	1793.	6. 8.	D.G. h.	
198	glaucum. H.R. (ye.) great gold-flower'd.	————	1696.	6. 7.	D.G. h.	DC. plant. gras. t. 146.
199	cymbifolium. H.P. (ye.) greater boat-ld.	————	1823.	D.G. h.	
200	strictum. H.R. (ye.) upright boat-ld.	————	1795.	D.G. h.	
201	mucroniferum. H.P. (ye.) mucronate boat-ld.	————	1823.	D.G. h.	
202	cymbiforme. H.R. (re.) small boat-leav'd.	————	1793.	D.G. h.	
203	graniforme. H.R. (ye.) grain-leaved.	————	1727.	9. 10.	D.G. h.	Bratl. succ. 2. t. 20.
204	mólle. H.R. (re.) soft.	————	1774.	10.	D.G. h.	

205	coccineum. H.R. (sc.) scarlet-flower'd.	C. B. S.	1696.	5. 9.	D.G. ♀.	Bot. mag. t. 59.
	α obtusum. H.R. (sc.) blunt-calyxed.	_____	_____	_____	D.G. ♀.	DC. plant. grass. t. 83.
	β acutius. H.R. (sc. pu.) acute-calyxed.	_____	_____	D.G. ♀.	
	γ minus. H.R. (sc.) lesser.	_____	_____	D.G. ♀.	
206	bicolorum. H.R. (sc. ye.) two-coloured.	_____	1732.	_____	D.G. ♀.	
	α erectum. H.R. (sc. ye.) tall upright.	_____	_____	_____	D.G. ♀.	Dill. elth. t. 202. f. 258.
	β patulum. H.R. (sc. ye.) spreading.	_____	_____	D.G. ♀.	
	γ minus. H.R. (sc. ye.) dwarf spreading.	_____	_____	D.G. ♀.	
207	inæquale. H.R. (ye.) unequal-cupped.	_____	1716.	_____	D.G. ♀.	Bradl. succ. 1. t. 7.
208	tenuifolium. H.R. (sc.) slender-leaved.	_____	1700.	6. 9.	D.G. ♀.	Dill. elth. t. 201. f. 256.
	β erectum. H.R. (sc.) upright slender-ld.	_____	_____	D.G. ♀.	DC. plant. gras. t. 82.
209	variabile. H.R. (ye.) changeable-fl'd.	_____	1796.	6. 8.	D.G. ♀.	
	α densius. H.R. (ye.) rough close-leaved.	_____	_____	_____	D.G. ♀.	
	β laxius. H.R. (ye.) smoother distant-ld.	_____	_____	_____	D.G. ♀.	
210	spinifforme. H.R. (li.) thorn-shaped.	_____	1793.	9. 10.	D.G. ♀.	
	β subaduncum. H.R. (li.) greater hook-ld.	_____	1810.	10. 11.	D.G. ♀.	
211	curvifolium. H.R. (li.) great curve-ld.	_____	1799.	10.	D.G. ♀.	
212	flexifolium. H.R. (li.) lesser curve-ld.	_____	1818.	_____	D.G. ♀.	
	α perviride. H.R. (li.) dark-green.	_____	_____	_____	D.G. ♀.	
	β læte virens. H.R. (li.) apple-green.	_____	_____	_____	D.G. ♀.	
213	inconspicuum. H.P. (li.) inconspicuous.	_____	1824.	6. 9.	D.G. ♀.	
214	aduncum. H.R. (li.) small curve-leav'd.	_____	1795.	2. 3.	D.G. ♀.	
215	filicaule. H.R. (li.) thready-stemmed.	_____	1800.	9.	D.G. ♀.	
216	spinosum. H.R. (pu.) thorny.	_____	1714.	6. 9.	D.G. ♀.	Dill. elth. t. 208. f. 265.
217	productum. H.P. (ro.) great-cupped.	_____	1820.	6. 8.	D.G. ♀.	
218	lepidum. H.P. (wh.) pretty.	_____	1824.	7. 9.	D.G. ♀.	
219	stipulaceum. H.R. (re.) tall, stipuled.	_____	1723.	5. 8.	D.G. ♀.	Dill. elth. f. 267 & 268.
220	corallinum. H.R. (ro.) coral-stemmed.	_____	1819.	_____	D.G. ♀.	
221	Haworthii. H.R. (ro.) Haworth's.	_____	1793.	6. 1.	D.G. ♀.	
222	læve. H.R. (pu.) blunt white-leav'd.	_____	1774.	7. 9.	D.G. ♀.	
223	veruculatum. H.R. (ye.) long spit-leaved.	_____	1731.	5. 6.	D.G. ♀.	
	α Dillenii. H.R. (ye.) Dillenius's.	_____	_____	_____	D.G. ♀.	Dill. elth. f. 259.
	β Candollii. H.R. (ye.) cluster spit-leaved.	_____	_____	_____	D.G. ♀.	DC. plant. gras. t. 36.
224	purpureo-crœceum. H.R. purple saffron-fl'd.	_____	1780.	8. 10.	D.G. ♀.	
225	flavo-crœceum. H.P. yellow and saffron.	_____	1816.	5. 9.	D.G. ♀.	
226	luteum. H.P. (ye.) upright yellow.	_____	1822.	6. 8.	D.G. ♀.	
227	lutolum. H.P. (ye.) small yellow.	_____	_____	_____	D.G. ♀.	
228	crœceum. H.R. (sn.) saffron-flowered.	_____	1816.	10. 11.	D.G. ♀.	Jacq. frag. p. 17. t. 11. f. 2.
229	crystallinum. H.R. (wh.) diamond.	_____	1727.	5. 8.	D.G. ♂.	DC. plant. gras. 128.
230	glaciæle. H.R. (wh.) Ice-plant.	Greece.	1787.	_____	G. ⊙.	
231	pinnatifidum. H.R. (ye.) jagged-leaved.	C. B. S.	1774.	5. 10.	G. ⊙.	Bot. mag. t. 67.
232	sessiliflorum. H.R. (ye.) small ice-plant.	_____	_____	7. 8.	G. ⊙.	
	α luteum. H.R. (ye.) yellow-flowered.	_____	_____	_____	G. ⊙.	
	β album. H.R. (wh.) white-flowered.	_____	1816.	_____	G. ⊙.	
233	humifusum. H.R. (wh.) narrow-ld. ice-plant.	_____	1774.	_____	D.G. ♀.	
234	clandestinum. H.P. (wh.) minute-flower'd.	_____	1823.	5. 8.	D.G. ♀.	
235	Aitoni. H.R. (ro.) Aiton's.	_____	_____	6. 10.	D.G. ♂.	Jacq. vind. 3. t. 7.
236	lanceolatum. H.R. (wh.) spear-leaved.	_____	1795.	5. 8.	G. ⊙.	
	α album. H.R. (wh.) white-flowered.	_____	_____	_____	G. ⊙.	
	β roseum. H.R. (ro.) rosy.	_____	1812.	_____	G. ⊙.	
237	cordifolium. H.R. (re.) heart-leaved.	_____	1774.	5. 9.	D.G. ♀.	DC. plant. gras. t. 102.
238	pomeridianum. H.R. (ye.) great yellow.	_____	_____	7. 9.	G. ⊙.	Bot. mag. t. 540.
	β Andre'icsii. H.R. (ye.) Andre'ics's.	_____	_____	G. ⊙.	Andr. reposit. t. 57.
239	Candollii. H.R. (ye.) Decandolle's.	_____	_____	G. ⊙.	DC. plant. gras. t. 135.
	helianthoides. DC. nec aliorum.	_____	_____	G. ⊙.	
240	pilosum. H.R. (ye.) hairy-yellow.	_____	1800.	6. 8.	G. ⊙.	Breyn. cent. t. 79.
241	calendulaceum. H.R. (y.) hispid narrow-cup'd.	_____	1819.	8.	G. ⊙.	
242	flaccidum. DC. (ye.) flaccid.	_____	1826.	_____	D.G. ♂.	
243	helianthoides. H.R. (ye.) spatula-leaved.	_____	1774.	8. 10.	G. ⊙.	
244	cuneifolium. DC. (pu.) transparent.	_____	_____	7.	G. ⊙.	Jacq. ic. 3. t. 288.
	limpidum. H.R.	_____	_____	_____	G. ⊙.	
245	pyrop'æum. H.S.S. (v.) annual 3-colour'd.	_____	1820.	4. 7.	G. ⊙.	
	α rubidum. (pu.) the ruby.	_____	_____	_____	G. ⊙.	Bot. mag. t. 2144.
	tricolor. W. hort. ber. t. 22.	_____	_____	_____	G. ⊙.	
	β roseum. H.R. (ro.) the rosy.	_____	_____	_____	G. ⊙.	
	γ album. H.R. (bh.) blush white.	_____	1819.	_____	G. ⊙.	
246	villosum. H.R. (bh.) villous.	_____	1759.	7.	D.G. ♀.	

247	caducum. H.R. (wh.) deciduous.	C. B. S.	1774.	7. 8.	G. ⊙.	
248	apetalum. H.R. (wh.) dwarf spreading.	————	————	————	G. ⊙.	Jacq. vind. 3. t. 6.
249	nodiflorum. H.R. (wh.) knot-flowered.	Egypt.	1739.	8. 10.	G. ⊙.	DC. plant. gras. t. 88.
250	ciliatum. H.R. (wh.) ciliated.	C. B. S.	1774.	D.G. ½.	
251	geniculiflorum. H.R. (ye.) joint-flower'd.	Egypt.	1727.	7. 9.	D.G. ½.	DC. plant. gras. t. 17.
252	Tripodium. H.R. (wh.) Aster-leaved.	C. B. S.	1700.	6. 10.	D.G. ♂.	Dill. elth. t. 179. f. 220.
253	expansum. H.R. (st.) houseleek-leav'd.	————	1705.	7. 8.	D.G. ½.	———— f. 223.
	tortuosum. DC. plant. gras. t. 94. non L.					
254	varians. H.R. (wh. st.) varying.	————	1706.	7. 10.	D.G. ½.	Pet. gaz. t. 78. f. 10.
255	tortuosum. H.R. (st.) twisting-leaved.	————	1705.	6. 10.	D.G. ½.	Dill. elth. t. 181. f. 222.
256	pallens. H.R. (wh.) pale-flowered.	————	1774.	7. 8.	D.G. ½.	DC. plant. gras. t. 47.
	expansum. DC. non L.					
257	crassicaule. H.P. (ye.) thick-stalked.	————	1822.	5.	D.G. ½.	
258	loratum. H.R. (wh.) glaucous strap-ld.	————	1819.	————	D.G. ½.	
259	relaxatum. H.R. (re.) livid strap-leav'd.	————	————	D.G. ½.	
260	anatomicum. H.R. (wh.) skeleton-leav'd.	————	1803.	7. 8.	D.G. ½.	
	β fragile. H.R. (wh.) brittle.	————	————	————	D.G. ½.	
261	rectum. H.R. (wh.) upright egg-leav'd.	————	1819.	————	D.G. ½.	
262	crassuloïdes. H.R. (bh.) Crassula-like.	————	————	7. 8.	D.G. ½.	
263	incomptum. H.R. (wh.) persistent cup'd.	————	1816.	————	D.G. ½.	
264	splendens. H.R. (wh.) shining white fld.	————	1716.	6. 8.	D.G. ½.	DC. plant. gras t. 35.
265	flexuosum. H.R. (bh.) flexuose-leaved.	————	1795.	7. 8.	D.G. ½.	
266	acuminatum. H.P. (wh.) long-cupped.	————	1820.	8. 9.	D.G. ½.	
267	albicaule. H.P. (wh.) white-twigged.	————	1823.	8. 10.	D.G. ½.	
268	sulcatum. H.R. (wh.) acute-cupped.	————	1819.	————	D.G. ½.	
269	fastigiatum. H.R. (bi.) level-topped.	————	1794.	7. 9.	D.G. ½.	
	β reflexum. H.R. (br.) reflex-leaved.	————	1792.	8. 9.	D.G. ½.	
270	umbelliflorum. H.R. . . . umbel-flowered.	————	1825.	————	D.G. ½.	
271	longistylum. DC. (bh.) long-styled.	————	1822.	————	D.G. ½.	
	pallens. Jacq. schœnb. 3. t. 279. non Ait. pallescens. H.R.					
	β purpurascens. DC. (pu.) purplish.	C. B. S.	————	————	D.G. ½.	
272	micranthum. H.R. (wh.) small-blossom'd.	————	1804.	————	D.G. ½.	Jacq. schœnb. 3. t. 278.
	parviflorum. Jacq. non H.R.					
273	juncum. H.R. (ro.) rushy.	————	1800.	8. 10.	D.G. ½.	
274	granulicaule. H.P. (ro.) shagreen-stem'd.	————	1821.	6. 8.	D.G. ½.	
275	tenuis. H.R. (wh.) slender rushy.	————	1819.	————	D.G. ½.	
276	spinuliferum. H.R. (st.) spinulescent.	————	1794.	6. 10.	D.G. ½.	
277	grossum. H.R. (bh.) gouty.	————	1774.	8. 10.	D.G. ½.	
278	salmoneum. H.R. (ro.) salmon-colour'd.	————	1819.	————	D.G. ½.	
279	canaliculatum. H.R. (ye.) channel-leav'd.	————	1794.	7. 10.	D.G. ½.	
280	viridiflorum. H.R. (gr.) green-flowered.	————	1774.	7. 11.	D.G. ½.	Bot. mag. t. 326.
281	tenuiflorum. H.R. (re.) slender-flower'd.	————	1824.	D.G. ½.	Jacq. frag. 52. f. 3.
282	longispinulum. H.P. (st.) rosy-cup'd yellow.	————	1821.	8. 11.	D.G. ½.	
283	nitidum. H.R. (ye.) shrubby crystalline.	————	1790.	7. 10.	D.G. ½.	DC. plant. gras. t. 129.
	brachiatum. DC. nec aliorum.					
284	subincanum. H.P. (wh.) soft-leav'd white.	————	1821.	8. 9.	D.G. ½.	
285	brachiatum. H.R. (ye.) three-forked.	————	1774.	6. 8.	D.G. ½.	
286	testaceum. H.R. (sn.) tile-coloured.	————	1816.	————	D.G. ½.	
287	macrorhizum. H.P. (wh.) large-rooted.	————	1823.	6. 9.	D.G. ½.	
288	tuberosum. H.R. (co.) tuberous shrubby.	————	1714.	6. 10.	D.G. ½.	DC. plant. gras. t. 78.
	β minus. H.R. (bl.) lesser-leaved.	————	————	————	D.G. ½.	
289	noctiflorum. H.R. (ro. wh.) night-flowering.	————	————	6. 8.	D.G. ½.	DC. plant. gras. t. 10.
	α phœniceum. H.R. (ro.) deep rosy.	————	————	————	D.G. ½.	Dill. elth. f. 262.
	β stramineum. H.R. (st.) straw-coloured.	————	————	————	D.G. ½.	———— f. 263.
	γ elatum. H.R. (wh. ro.) tall-rosy.	————	1819.	————	D.G. ½.	
290	fulvum. H.R. (br. wh.) grey-barked.	————	1732.	————	D.G. ½.	
291	clavatum. DC. (wh.) clubbed.	————	————	D.G. ½.	Jacq. schœnb. t. 108.
	defoliatum. H.R.					
292	horizontale. H.R. (st.) spreading-leav'd.	————	1795.	————	D.G. ½.	
293	speciosum. H.R. (cr.) glittering orange.	————	1793.	5. 10.	D.G. ½.	
294	micans. H.R. (sc.) dark orange.	————	1704.	5. 8.	D.G. ½.	Bot. mag. t. 448.
295	maculatum. H.R. (sc.) spotted-stalked.	————	1792.	————	D.G. ½.	
296	flavum. H.R. (go.) small-glittering.	————	1820.	8.	D.G. ½.	
297	obliquum. H.R. (re.) bright afternoon flg.	————	1819.	————	D.G. ½.	
298	parvifolium. H.R. (pu.) small triquetrous.	————	————	6. 10.	D.G. ½.	
299	brevifolium. H.R. (re.) short-leaved.	————	1777.	————	D.G. ½.	Jacq. vind. t. 477.
	erigerifolium. Jacq.					
300	subglobosum. H.R. (re.) globular.	————	1795.	————	D.G. ½.	
301	pulverulentum. H.R. (re.) powdered.	————	1792.	5.	D.G. ½.	

302	hispidum. H.R. (pu.) hispid-stalked.	C. B. S.	1704.	5. 10.	D.G. ♀.	DC. plant. gras. t. 66.
	α <i>Dillèni</i> . H.R. (pu.) the bushy.	————	————	————	D.G. ♀.	Dill. elth. f. 278.
	β <i>platypétalum</i> . H.R. tall.	————	1820.	————	D.G. ♀.	
303	hirtellum. H.R. (re.) dwarf bristly.	————	1792.	5. 11.	D.G. ♀.	
304	cándens. H.R. (wh.) trailing hispid.	————	1820.	————	D.G. ♀.	
305	subcompéssum. H.P. (vi.) upright twiggy.	————	1824.	6. 8.	D.G. ♀.	
	β <i>minus</i> . H.P. (vi.) lesser.	————	————	————	D.G. ♀.	
306	floribúndum. H.R. (fl.) crowded-flower'd.	————	1704.	5. 10.	D.G. ♀.	Dill. elth. t. 214. f. 280.
307	calycinum. H.R. (wh.) hispid long-cup'd.	————	1819.	————	D.G. ♀.	
308	striátum. H.R. (std.) striped bristly.	————	1727.	————	D.G. ♀.	Dill. elth. t. 215. f. 281.
	α <i>roseum</i> . H.R. (std.) rosy.	————	————	————	D.G. ♀.	———— t. 215. f. 281.
	β <i>pállens</i> . H.R. (std.) pale-flowered.	————	————	————	D.G. ♀.	DC. plant. gras. t. 132.
309	attenuátum. H.R. (v.) slender hispid.	————	1820.	————	G. ♀.	
310	tuberculátum. DC. (v.) hispid-leaved.	————	1814.	————	G. ♀.	
	<i>hispidólium</i> . H.R.					
	α <i>fastigiátum</i> . H.R. (v.) level-topped.	————	————	————	G. ♀.	
	β <i>roseum</i> . H.R. (ro.) rosy-flowered.	————	————	————	G. ♀.	
311	echinátum. H.R. (ye.) hedge-hog.	————	1774.	7. 10.	G. ♀.	DC. plant. gras. t. 21.
	α <i>luteum</i> . (ye.) yellow.	————	————	————	G. ♀.	
	β <i>álbium</i> . (wh.) white-flowered.	————	————	————	G. ♀.	
312	strumósum. H.R. (st.) tuberous hedge-hog.	————	1820.	————	G. ♀.	
313	barbátum. H.P. (pu.) bearded bushy.	————	1793.	5. 10.	G. ♀.	Bot. mag. t. 70.
314	stelligerum. H.P. (pu.) procumbent bearded.	————	1705.	6. 8.	G. ♀.	
315	bulbósum. H.P. (re.) bearded tuberous.	————	1820.	————	G. ♀.	
316	intónsum. H.P. (re.) black bearded.	————	————	7.	G. ♀.	
	α <i>rubicándum</i> . H.P. (re.) red-flowered.	————	————	————	G. ♀.	
	β <i>álbium</i> . H.P. (bh.) white-flowered.	————	————	————	G. ♀.	
317	stellátum. H.P. (pu.) small-bearded.	————	1716.	9. 10.	G. ♀.	DC. plant. gras. t. 29.
318	dénsum. H.P. (pu.) dwarf-bearded.	————	1732.	5. 8.	G. ♀.	Bot. mag. t. 1220.
HYMENO'GYNE. H.R. HYMENO'GYNE. Icosandria Dodecagynia.						
	<i>glábra</i> . H.R. (st.) smooth.	C. B. S.	1787.	7. 8.	G. ⊙.	
	<i>Mesembryánthemum glábrum</i> . H.S. non A.R.					
TETRAG'ONIA. W. TETRAG'ONIA. Icosandria Pentagynia. L.						
1	<i>expánsa</i> . H.S. (gr.) horned.	N. Zealand.	1772.	8. 9.	H. ⊙.	DC. plant. gras. t. 114.
2	<i>crystallina</i> . H.S. (gr.) diamond.	Peru.	1788.	6. 12.	H. ⊙.	———— t. 34.
3	<i>echinàta</i> . H.S. (gr.) hedgehog.	C. B. S.	1774.	5. 8.	G. ♂.	———— t. 113.
4	<i>hirsùta</i> . DC. (gr.) hairy.	————	1823.	————	G. ♂.	
5	<i>fruticósa</i> . H.S. (gr.) shrubby.	————	1712.	7. 9.	G. ♀.	Mill. ic. 2. t. 263. f. 2.
6	<i>lineàris</i> . H.R. (gr.) linear-leaved.	————	1819.	9.	G. ♀.	
7	<i>obovàta</i> . H.R. (gr.) obovate-leaved.	————	————	G. ♀.	
8	<i>decúmbens</i> . H.S. (gr.) trailing.	————	1758.	7. 9.	G. ♀.	DC. plant. gras. t. 23.
9	<i>Tetrápteris</i> . H.S. (gr.) wing-seeded.	————	1795.	————	G. ♀.	
10	<i>spicàta</i> . H.S. (gr.) spiked.	————	————	————	G. ♀.	
11	<i>herbàcea</i> . H.S. (gr.) tuberous-rooted.	————	1752.	6. 7.	G. ♀.	Comm. hort. 2. t. 102.
12	<i>purpùrea</i> . Ot. (pu.) purple.	1825.	————	H. ⊙.	
SESUVIUM. DC. SESUVIUM. Icosandria Tri-Pentagynia.						
1	<i>pedunculátum</i> . P.S. (pu.) peduncled.	W. Indies.	1692.	6. 8.	D.S. ♀.	Pluk. phyt. t. 216. f. 1.
2	<i>sessile</i> . P.S. (pu.) sessile-flowered.	————	————	————	D.S. ♀.	DC. plant. gras. t. 9.
	<i>Aizoón canariénse</i> . Andr. rep. t. 201. nec aliorum.					
3	<i>longifólium</i> . DC. (pu.) long-leaved.	S. America.	1816.	7. 8.	D.S. ♀.	
4	<i>revolutifólium</i> . DC. (pu.) revolute-leaved.	Cuba.	————	D.S. ♀.	Bot. mag. t. 1701.
5	<i>repens</i> . DC. (pu.) creeping.	E. Indies.	1816.	————	S. ⊙.	Rumph. amb. 5. t. 72. f. 1.
6	<i>microphy'llum</i> . DC. (pu.) small-leaved.	Havannah.	1823.	————	D.S. ♀.	
AIZO'ON. DC. AIZO'ON. Icosandria Pentagynia. L.						
1	<i>canariénse</i> . DC. (ye.) Purslane-leav'd.	Canaries.	1731.	7. 8.	D.G. ♀.	DC. plant. gras. t. 136.
2	<i>glinóides</i> . DC. (ro.) hairy.	C. B. S.	1774.	6. 8.	D.G. ♀.	
3	<i>hispanicum</i> . DC. (wh.) Spanish.	Spain.	1728.	7. 8.	H. ⊙.	DC. plant. gras. t. 30.
4	<i>tomentósum</i> . DC. (ye.) woolly.	C. B. S.	1824.	————	D.G. ♀.	
5	<i>stellátum</i> . DC. (ye.) starry.	————	————	————	D.G. ♀.	
6	<i>perfoliátum</i> . DC. (ye.) perfoliate.	————	1816.	6. 8.	D.G. ♀.	
7	<i>sarmentósum</i> . DC. (ye.) trailing.	————	————	————	D.G. ♀.	Burm. afr. t. 26. f. 2.
8	<i>lanceolátum</i> . W. (ye.) spear-leaved.	————	1752.	8.	D.G. ♂.	
GLINUS. DC. GLINUS. Dodecandria Pentagynia. L.						
	<i>lotoídes</i> . DC. (ye.) hairy.	S. Europe.	1788.	7. 8.	H. ⊙.	Bocc. sic. 21. t. 11.

Tribus II. REAUMURIEÆ.

REAUMURIA. DC. REAUMURIA. Icosandria Pentagynia.						
1	<i>vermiculàta</i> . DC. (wh.) white-flowered.	Persia.	1829.	G. ♀.	Lob. ic. t. 380.

2 hypericoides. DC. (pu.) purple-flowered. Syria.	1800.	7. 10.	G. h̄.	Bot. mag. t. 2057.
linifolia. Sal. par. lond. t. 18.				
NITR'ARIA. DC. NITR'ARIA. Dodecandria Trigynia.				
1 Schobèri. L. (wh.) thick-leaved. Siberia.	1778.	5. 8.	H. h̄.	Andr. rep. t. 529.
2 sibirica. F. (wh.) Siberian.	1826.	H. h̄.	Gmel. sib. 2. t. 98.
3 cáspica. W.en. (wh.) Caspian. Caspia.	1822.	5. 8.	H. h̄.	Pall. ross. t. 50. f. B.
4 tridentata. DC. (wh.) tridentate. Africa.	—	—	H. h̄.	

ORDO CIII.

CACTEÆ. DC. prodr. v. 3. p. 457.

Tribus I. OPUNTIACEÆ. DC. prodr. v. 3. p. 458.

MAMMILL'ARIA. H.S. MAMMILL'ARIA. Icosandria Monogynia.				
1 magnimámma. DC. (re.) large-beaded. Mexico.	1823.	6. 8.	D.S. h̄.	
2 coronària. DC. (sc.) the great. ———	1820.	—	D.S. h̄.	Orteg. dec. t. 16.
3 discolor. DC. (wh.re.) two-coloured. S. America.	1800.	—	D.S. h̄.	DC. diss. t. 2. f. 2.
Cactus Spinií. Colla. depréssus. DC. cat. h. monsp. p. 84. pseudo-mammillàris.				Salm Dyck.
4 lanífera. DC. (re.) wool-bearing. Mexico.	1823.	6. 8.	D.S. h̄.	DC. diss. t. 4.
5 flavéscens. DC. (re.) yellow-spined. S. America.	1811.	—	D.S. h̄.	
6 stramínea. H.S.S. (re.) straw-coloured. ———	—	—	D.S. h̄.	
7 prolífera. DC. (wh.) white-spined. ———	1688.	7. 8.	D.S. h̄.	
8 simplex. DC. (wh.) small red-spin'd. W. Indies.	—	—	D.S. h̄.	DC. plant. gras. t. 3.
Cactus mammillàris. L.				
9 missouriénsis. L.C. (wh.) Missouri. Missouri.	1813.	6. 8.	D.G. h̄.	
Cactus mammillàris. Nuttall. nec aliorum.				
10 vivipara. DC. (re.) viviparous. ———	—	—	D.G. h̄.	
11 parvimámma. DC. small-beaded. S. America.	1817.	D.S. h̄.	
Cactus microthèle. s.s.				
12 geminispina. DC. (re.) twin-spined. Mexico.	1823.	6. 8.	D.S. h̄.	DC. diss. t. 3.
13 glomeràta. DC. (re.) tufted. St. Domingo.	1825.	D.S. h̄.	Plum. ed Bur. t. 201. f. 1.
14 pusilla. DC. (bh.) hoary starry. S. America.	1816.	6. 9.	D.S. h̄.	DC. diss. t. 2. f. 1.
Cactus stellàtus. Lodd. bot. cab. t. 79.				
15 Helicteres. DC. (ro.) simple obovate. Mexico.	1827.	—	D.S. h̄.	DC. diss. t. 5.
16 cònica. H.S.S. cone-beaded.	1808.	D.S. h̄.	
17 coccínea. Gil. (sc.) scarlet-flower'd. Chile.	1827.	D.S. h̄.	
18 speciòsa. Gil. (re.) handsome. ———	—	D.S. h̄.	
19 fuscàta. Ot. brown. S. America.	—	D.S. h̄.	
20 canéscens. Ot. canescent. ———	—	D.S. h̄.	
21 cæspitòsa. Ot. tufted. ———	—	D.S. h̄.	
22 chrysántha. Ot. (ye.) yellow-flowered. ———	—	D.S. h̄.	
MELOCA'CTUS. DC. MELON THISTLE. Icosandria Monogynia.				
1 commùnis. DC. (re.) Turk's-cap. W. Indies.	1688.	7. 8.	D.S. h̄.	DC. plant. gras. t. 112.
β oblongus. DC. (re.) oblong. ———	—	—	D.S. h̄.	
γ macrocéphalus. large-beaded. ———	—	—	D.S. h̄.	
2 macracánthus. DC. (re.) large-spined. S. America.	1820.	—	D.S. h̄.	Lk. et Ot. dis. t. 12.
3 pyramidàlis. DC. pyramidal. Curassao.	1824.	D.S. h̄.	— p. 10. t. 25.
4 placentifórmis. DC. (re.) black-spined. Brazil.	—	7. 9.	D.S. h̄.	Besl. h. eyst. 4. ord. f. 1.
Cactus Melocactus. Besl. non L. Melocactus Beslèri. Lk. et Ot. dis. p. 11. t. 21.				
5 Langsdórfii. DC. (ye.) Langsdorf's. Brazil.	1826.	7. 9.	D.S. h̄.	
6 Sellówii. DC. Sellow's. Monte Video.	—	D.S. h̄.	Lk. et Ot. dis. t. 22.
7 polyacánthus. DC. many-spined. Brazil.	—	D.S. h̄.	— p. 13. t. 16. f. 1.
ECHINOCA'CTUS. DC. ECHINOCA'CTUS. Icosandria Monogynia.				
1 gibbòsus. DC. (wh.) gibbous. Jamaica.	1808.	6. 8.	D.S. h̄.	Bot. reg. t. 137.
Cactus gibbòsus. B.R.				
2 latispinus. H.P. (pu.) flat-spined. Mexico.	1823.	D.S. h̄.	Lk. et Ot. dis. t. 14.
cornigerus. DC. dis. t. 7?				
3 crispàtus. DC. (pu.) curl-ribbed. ———	1826.	D.S. h̄.	DC. diss. t. 8.
4 obvallàtus. DC. (pu.) guarded. ———	—	D.S. h̄.	— t. 9
5 tenuispinus. DC. (ye.) slender-spined. Brazil.	—	6. 8.	D.S. h̄.	Lk. et Ot. dis. t. 19. f. 1.
6 melocactifórmis. DC. (bh.) Melocactus-like. Mexico.	—	D.S. h̄.	DC. diss. t. 10.
7 tephracánthus. DC. ashy-spined. Brazil.	1825.	D.S. h̄.	Lk. et Ot. dis. t. 14. f. 2.
8 recúrvus. DC. recurve-spined. Mexico.	1768.	D.S. h̄.	
Cactus nóbilis. L.				

9	intórtus. DC. twisted.	Antigua.	1768.	D.S. $\frac{1}{2}$.	
10	Salmiànus. DC. Salm-Dyck's.	Curassao.	1824.	D.S. $\frac{1}{2}$.	
11	tuberculatus. DC. tubercled.	Mexico.	1826.	D.S. $\frac{1}{2}$.	Lk. et Ot. dis. t. 26.
12	gladiatus. DC. sword-spined.	—————	—————	D.S. $\frac{1}{2}$.	————— p. 17. t. 17.
13	subuliferus. DC. awl-spined.	—————	1824.	D.S. $\frac{1}{2}$.	————— p. 16. t. 27.
14	depressus. DC. depressed.	S. America.	1780.	D.S. $\frac{1}{2}$.	
15	orthacanthus. DC. straight-spined.	Monte Video.	1828.	D.G. $\frac{1}{2}$.	Lk. et Ot. dis. t. 18.
16	acuatus. DC. sharp-ribbed.	—————	—————	D.G. $\frac{1}{2}$.	————— p. 15. t. 23.
17	parvispinus. DC. small-spined.	S. America.	1815.	D.S. $\frac{1}{2}$.	
18	intricatus. DC. intricate.	Monte Video.	1828.	D.S. $\frac{1}{2}$.	Lk. et Ot. dis. t. 24.
19	meonacanthus. DC. oblong.	Jamaica.	D.S. $\frac{1}{2}$.	————— p. 19. t. 15.
20	inflatus. Gil. inflated.	Chile.	1828.	D.S. $\frac{1}{2}$.	
21	erinaceus. Hedgehog.	1818.	D.S. $\frac{1}{2}$.	
	<i>Cactus erinaceus.</i> H.S.S.						
C'EREUS. DC.	C'EREUS. Icosandria Monogynia.						
1	multangularis. DC. many angled.	S. America.	1815.	D.S. $\frac{1}{2}$.	
2	reductus. DC. removed.	Mexico.	1796.	D.S. $\frac{1}{2}$.	
	<i>Cactus nobilis.</i> H.S.						
3	Scopa. DC. setaceous.	Brazil.	1826.	D.S. $\frac{1}{2}$.	
4	senilis. DC. grey-headed.	Mexico.	1823.	D.S. $\frac{1}{2}$.	
	<i>Cactus senilis.</i> H.P.						
5	peruvianus. DC.	(re.wh.) great Peruvian.	Peru.	1728.	8. 10.	D.S. $\frac{1}{2}$.	DC. plant. gras. t. 58.
6	monstrousus. DC.	(re.wh.) irregular.	S. America.	1816.	—	D.S. $\frac{1}{2}$.	DC. diss. t. 11.
	<i>Cactus abnormis.</i> W. enum. sup. 31.						
7	monoclonos. DC.	(ro.wh.) obovate-petal'd.	Caribees.	6. 8.	D.S. $\frac{1}{2}$.	Plum. ed. Burm. t. 191.
8	fimbriatus. DC.	(ro.) fringe-petal'd.	St. Domingo.	1826.	—	D.S. $\frac{1}{2}$.	————— t. 195. f. 1.
9	hexagonus. H.S.	(ro.wh.) great 6-angled.	Surinam.	1690.	7. 8.	D.S. $\frac{1}{2}$.	Bradl. succ. t. 1.
10	heptagonus. H.S.	(wh.) great 7-angled.	W. Indies.	1728.	—	D.S. $\frac{1}{2}$.	
11	Histrix. DC. Porcupine.	1818.	D.S. $\frac{1}{2}$.	
12	eburneus. DC. ivory-thorned.	Curassao.	—	D.S. $\frac{1}{2}$.	Bradl. succ. t. 10.
	β <i>monstrousus.</i> DC. monstrous.						
	Hybrid. D.S. $\frac{1}{2}$.						
13	griseus. H.S.	(wh.) grey-spined.	S. America.	1809.	9. 10.	D.S. $\frac{1}{2}$.	
14	crenulatus. DC. crenulate.	—————	1822.	D.S. $\frac{1}{2}$.	
15	albispinus. DC. white-spined.	—————	—	D.S. $\frac{1}{2}$.	
16	regalis. DC. the royal.	—————	1816.	D.S. $\frac{1}{2}$.	
17	strictus. DC. straight.	—————	1822.	D.S. $\frac{1}{2}$.	
18	Haworthii. DC. Haworth's.	Caribees.	1811.	D.S. $\frac{1}{2}$.	
	<i>Cactus Haworthii.</i> s.s. <i>Cereus nobilis.</i> H.S.						
19	aureus. DC. gold-spined.	S. America.	1825.	D.S. $\frac{1}{2}$.	
20	niger. DC.	(wh.) black.	—————	1820.	D.S. $\frac{1}{2}$.	
21	fulvispinosus. DC. tawny-spined.	—————	1795.	D.S. $\frac{1}{2}$.	
22	flavispinus. DC. yellow-spined.	—————	1822.	D.S. $\frac{1}{2}$.	
23	chiloensis. DC. ten-angled.	Chile.	1825.	D.S. $\frac{1}{2}$.	
24	euphorbioides. DC. Euphorbia-like.	S. America.	1815.	D.S. $\frac{1}{2}$.	
25	Royeni. DC.	(wh.) Royen's 9-angled.	W. Indies.	1728.	6. 9.	D.S. $\frac{1}{2}$.	DC. plant. gras. t. 143.
26	lanuginosus. DC.	(wh.) woolly.	—————	1690.	7. 8.	D.S. $\frac{1}{2}$.	Herm. parad. t. 115.
27	repandus. DC.	(wh.) waved short-spin'd.	—————	1728.	8. 10.	D.S. $\frac{1}{2}$.	Bot. reg. t. 336.
28	subrepandus. DC.	(wh.) waved long-spin'd.	—————	1817.	—	D.S. $\frac{1}{2}$.	
29	polygonus. DC.	(wh.) many-sided.	St. Domingo.	1826.	D.S. $\frac{1}{2}$.	Plum. ed. Burm. t. 196.
30	rosaceus. Ot.	(ro.) rosy.	1826.	D.S. $\frac{1}{2}$.	
31	Deppii. Ot. Deppi's.	—	D.S. $\frac{1}{2}$.	
32	incrustatus. Ot. incrusted.	—	D.S. $\frac{1}{2}$.	
33	grandis. DC. straddling-spin'd.	1816.	D.S. $\frac{1}{2}$.	
34	tetragonus. DC.	(wh.) great 4-angled.	S. America.	1710.	7. 8.	D.S. $\frac{1}{2}$.	
35	paniculatus. DC.	(wh.re.) panicled.	St. Domingo.	1827.	D.S. $\frac{1}{2}$.	Plum. ed. Burm. t. 192.
36	obtusus. DC. blunt 3-angled.	Brazil.	1819.	D.S. $\frac{1}{2}$.	
37	serpentinus. DC.	(pu.wh.) white-spined.	S. America.	1817.	7. 8.	D.S. $\frac{1}{2}$.	Lk. et Ott. abb. t. 91.
38	ambiguus. DC.	(pu.wh.) ambiguous.	1827.	—	D.S. $\frac{1}{2}$.	
39	flagelliformis. DC.	(ro.) creeping.	Peru.	1690.	3. 6.	D.G. $\frac{1}{2}$.	Bot. mag. t. 17.
40	caudatus. Gil. tailed.	Chile.	1828.	D.G. $\frac{1}{2}$.	
41	horizontalis. Gil. horizontal.	—————	—	D.G. $\frac{1}{2}$.	
42	grandiflorus. DC.	(ye.wh.) night-flowered.	Jamaica.	1700.	6. 8.	D.S. $\frac{1}{2}$.	Andr. reposit. t. 508.
43	Colvillii. Colvill's hybrid.	Hybrid.	1825.	D.S. $\frac{1}{2}$.	
44	pentagonus. DC.	(wh.) five-angled.	S. America.	1769.	7. 8.	D.S. $\frac{1}{2}$.	
45	reptans. H.S.S. creeping.	—————	1813.	D.S. $\frac{1}{2}$.	
46	albisetosus. H.S.S. white-spin'd trailg.	St. Domingo.	1816.	D.S. $\frac{1}{2}$.	
47	radicans. DC. rooting-branch'd.	S. America.	1827.	D.S. $\frac{1}{2}$.	
48	humilis. DC. slender dwarf.	—	D.S. $\frac{1}{2}$.	
49	quadrangularis. DC.	(wh.) quadrangular.	S. America.	1809.	7. 9.	D.S. $\frac{1}{2}$.	Plum. ed. Bur. t. 199. f. 1.

50	tripteris. DC. broad-lobed.	1827.	D.S. ½.	
51	bifrõns. H.S.S rooting 4-angular.	St. Domingo.	1818.	D.S. ½.	
52	speciosissimus. DC. (sc. pu.)	beautiful.	Mexico.	1816.	6. 9.	D.G. ½.	Bot. reg. t. 486.
	<i>Cactus speciosissimus.</i>	B.R. <i>speciosus.</i>	Colla hort. rip. t. 10.				
53	triangulãris. DC. (wh.)	great triangular.	W. Indies.	1690.	7. 8.	D.S. ½.	Bot. mag. t. 1884.
54	trigõnus. DC. (wh.)	small triangular.	—————	1809.	—	D.S. ½.	Plum. ed. Bnr. t. 200. f. 2.
55	triquèter. DC. least triangular.	S. America.	1794.	D.S. ½.	
56	coccineus. DC. (sc.)	scarlet-flowered.	Brazil.	1828.	D.S. ½.	
57	Smithianus. (sc.)	Smith's hybrid.	Hybrid.	1824.	6. 9.	D.G. ½.	
58	extensus. DC. extended.	1826.	D.S. ½.	
59	squamulosus. DC. (ye.)	scaly.	Brazil.	—	D.S. ½.	
60	prismaticus. DC. prismatic.	—	D.S. ½.	
61	setaceus. DC. bristly.	Brazil.	1828.	D.S. ½.	
62	myosurus. DC. mouse-tail.	—————	—	D.S. ½.	
63	tenuis. DC. (ro.)	slender-branched.	—————	1826.	D.S. ½.	
64	tenuispinus. H.P. slender-spined.	Mexico.	—	D.S. ½.	
65	phyllanthoides. DC. (pi.)	rosy-flowered.	—————	1816.	5. 8.	D.G. ½.	Bot. mag. t. 2092.
	<i>Cactus speciosus.</i>	Bot. reg. t. 304.	<i>Epiphyllum phyllanthoides.</i>	H.R.			
66	Jenkinsoni. (sc.)	Mr. Jenkinson's.	Hybrid.	1824.	6. 9.	D.G. ½.	
67	Ackermãnni. H.R. (sc.)	Ackermann's.	Mexico.	1824.	5. 7.	D.G. ½.	
68	truncatus. DC. (cr.)	truncated.	Brazil.	1818.	7. 11.	D.S. ½.	Bot. reg. t. 696.
	<i>Cactus truncatus.</i>	Bot. mag. t. 2092.	<i>Epiphyllum truncatum.</i>	H.P.			
69	alatus. DC. (gr. wh.)	wing-stemmed.	Jamaica.	1818.	8. 11.	D.S. ½.	Bot. mag. t. 2820.
70	Hookeri. H.P. (wh.)	Hooker's.	S. America.	7. 8.	D.S. ½.	— t. 2692.
	<i>Cactus Phyllanthus.</i>	B.M. nec aliorum.	<i>Epiphyllum Hookeri.</i>	H.P.			
71	Phyllanthus. DC. (wh.)	long-tubed.	S. America.	1710.	6. 7.	D.S. ½.	DC. plant. gras. t. 145.
72	gracilis. DC. slender.	—————	1826.	D.S. ½.	
73	imbricatus. H.R. imbricated.	—————	1820.	D.S. ½.	
74	cylindricus. H.S. cylindrical.	Peru.	1799.	D.G. ½.	
	OPUNTIA. DC.	INDIAN-FIG. Icosandria Monogynia.					
1	foliosa. DC. (ye.)	greater Pin-pillow.	S. America.	1805.	6. 7.	D.S. ½.	
	<i>pusilla.</i>	H.S. non DC.					
2	curassavica. DC. (ye.)	Pin-pillow.	Curassao.	1690.	—	D.S. ½.	Bradl. succ. t. 4.
	<i>a major.</i>	H.S. (ye.) larger.	—————	—	—	D.S. ½.	
	<i>β media.</i>	H.S. (ye.) middle.	—————	—	—	D.S. ½.	
	<i>γ minor.</i>	H.S. (ye.) smaller.	—————	—	—	D.S. ½.	
	<i>δ longa.</i>	H.R. (ye.) longer.	Brazil.	1820.	—	D.S. ½.	
3	fragilis. DC. (ye.)	brittle Pin-pillow.	Missouri.	1814.	D.F. ½.	
4	pusilla. DC. (ye.)	small Pin-pillow.	S. America.	1826.	D.S. ½.	
5	polyacantha. H.S.S. (st.)	many-spined.	Missouri.	1814.	7. 9.	D.F. ½.	
	<i>missouriensis.</i>	DC. <i>Cactus ferõx.</i>	N.				
6	media. H.S.S. (ye.)	lesser many-spined.	—————	—	—	D.F. ½.	
7	ferõx. DC. (ye.)	ferocious.	S. America.	1817.	D.S. ½.	
8	spinosissima. DC. cluster-spined.	Jamaica.	1732.	7.	D.S. ½.	
9	humilis. H.S. (ye.)	humble.	W. Indies.	1795.	7. 8.	D.S. ½.	
	<i>horrida.</i>	DC.					
10	Dillenii. DC. (ye.)	Dillenius's.	S. America.	1731.	9. 10.	D.S. ½.	Bot. reg. t. 255.
	<i>Cactus Dillenii.</i>	B.R. Dill. elth. 2. t. 296. f. 382.					
11	Tuna. DC. (ye.)	yellow-spined.	—————	—	—	D.S. ½.	Dill. elth. t. 295. f. 380.
12	polyantha. DC. (ye.)	many-flowered.	—————	1811.	7. 9.	D.S. ½.	Bot. mag. t. 2691.
13	monacantha. DC. (ye.)	one-spined.	—————	1816.	—	D.S. ½.	DC. pla. gras. n. 137. t. 2.
14	elatior. DC. (ye.)	great black-spin'd.	—————	1731.	7. 8.	D.S. ½.	Dill. elth. t. 204. f. 379.
15	nigricans. DC. (ye.)	lesser black-spined.	—————	1795.	—	D.S. ½.	Bot. mag. t. 1557.
	<i>Cactus Tuna γ nigricans.</i>	B.M.					
16	mãxima. DC. (ye.)	great oblong.	S. America.	1768.	7. 9.	D.S. ½.	
17	triacantha. DC. (ye.)	three-spined.	—————	1796.	—	D.S. ½.	
18	decumãna. H.R. great.	—————	1820.	D.S. ½.	
19	elongata. H.S.S. various-spined.	—————	1816.	D.S. ½.	
20	cochinillifera. DC. (re.)	Cochineal-fig.	—————	1688.	7. 9.	D.S. ½.	Andr. rep. t. 523.
	<i>Cactus cochinillifer.</i>	Bot. mag. t. 2741-2742.					
21	Ficus-India. DC. (ye.)	Indian Fig.	—————	1731.	7. 8.	D.S. ½.	
22	pseudo-Tuna. DC. (ye.)	bastard.	—————	—	D.S. ½.	
23	tomentosa. DC. woolly-branch'd.	—————	1824.	D.S. ½.	
24	sericea. Gil. silky.	Chile.	1827.	D.S. ½.	
25	lanceolata. DC. (ye.)	spear-shaped.	—————	1796.	7. 9.	D.S. ½.	
26	tuberculata. DC. (ye.)	tubercled.	—————	1818.	—	D.S. ½.	
27	inermis. DC. (ye.)	upright spineless.	—————	1796.	—	D.S. ½.	DC. plant. gras. n. 138. ic.
	<i>stricta.</i>	H.S.					
28	Amyclæa. DC. (ye.)	Neapolitan.	Naples.	1825.	—	D.F. ½.	

29	subinermis. L.en.	(ye.) nearly smooth	S. America.	1824.	7. 9.	D.S. h̄.		
30	rubescens. DC. red-stemmed.	Brazil.	1828.	D.S. h̄.		
31	crassa. DC.	(ye.) thick-lobed.	Mexico.	1817.	6. 9.	D.G. h̄.		
32	longispina. Ot.	(ye.) long-spined.	S. America.	1824.	D.S. h̄.		
33	leucantha. Ot.	(wh.) white-flowered.	—————	—————	D.S. h̄.		
34	pulvinata. DC. pulvinate.	Mexico.	1827.	D.S. h̄.		
35	Hernandèsii. DC.	(re.) Hernandez's.	—————	—————	D.G. h̄.	Hern. mex. 78. ic.	
36	vulgaris. DC.	(ye.) common.	America.	1596.	7. 9.	D.F. h̄.	Mill. dict. t. 191.	
	<i>Cactus Opuntia.</i>	Bot. mag. t. 2393.						
	<i>β minor.</i>	(ye.) lesser.	N. America.	1814.	—	D.F. h̄.		
	<i>Cactus Opuntia.</i>	N.						
37	brasiliensis. DC.	(gr.) round-stemm'd.	Brazil.	1817.	D.S. h̄.	Pis. bras. p. 100. f. 2.	
PERESKIA. DC.		PERESKIA. Icosandria Monogynia.						
1	aculeata. DC.	(wh.) Barbadoes Gooseby.	W. Indies.	1696.	10. 11.	S. h̄.	Dill. elth. t. 227. f. 294.	
	<i>Cactus Pereskia.</i>	L.						
2	longispina. H.s.s.	(wh.) long-spined.	S. America.	1808.	S. h̄.		
3	portulacæfolia. DC.	(pu.) Purslane-leav'd.	W. Indies.	1820.	S. h̄.	Plum. ed Bur. t. 197. f. 1.	
4	grandifolia. DC. great-leaved.	Brazil.	1818.	S. h̄.		

Tribus II. *RHIPSALIDEÆ.* DC. prodr. v. 3. p. 475.

RHIPS'ALIS. DC.		RHIPS'ALIS. Dodecandria Monogynia.					
1	Cass'ya. DC.	(wh.) pendulous.	W. Indies.	1758.	7. 10.	S. h̄.	Gært. sem. 1. t. 28. f. 1.
2	Hookeriàna. DC.	(wh.) four-petal'd.	—————	—	S. h̄.	Hook. ex. flor. t. 2.
3	fasciculata. DC.	(wh.) cluster-branch'd.	S. America.	1800.	—	S. h̄.	
4	parasitica. DC.	(wh.) parasitical.	W. Indies.	—	—	S. h̄.	Plum. ed Bur. t. 197. f. 2.
5	funalis. DC.	(wh.) great-flowered.	S. America.	1816.	7. 8.	S. h̄.	Bot. mag. t. 2740.
	<i>grandiflorus.</i>	B.M. <i>Cactus funalis.</i>	s.s.				
6	salicornioides. DC.	(ye.) Glass-wort-like.	W. Indies.	1818.	5. 8.	D.S. h̄.	Bot. mag. t. 2461.
7	mesembryanthoides. DC.	Fig Marygold-like.	—————	—	—	D.S. h̄.	

ORDO CIV.

GROSSULARIÆ. DC. prodr. v. 3. p. 477.

RIBES. DC.		CURRANT. Pentandria Monogynia. L.					
1	oxyacanthoides. DC.	(st.) Hawthorn-leav'd.	N. America.	1705.	4. 5.	H. h̄.	Dill. elth. t. 139. f. 166.
2	ferox. DC.	(st.) ferocious.	California.	1827.	—	H. h̄.	
3	lacustre. DC.	(br.) swamp.	N. America.	1812.	—	H. h̄.	Lodd. bot. cab. t. 884.
4	Menzièsii. DC.	(cr.) Menzies'.	—————	1827.	—	H. h̄.	
5	speciosum. DC.	(pu.) beautiful.	—————	—	—	H. h̄.	
6	uva-crispa. R.S.	(st.) smooth Gooseberry.	England.	—	H. h̄.	Eng. bot. v. 29. t. 2057.
7	reclinatum. R.S.	(st.) procumbent.	Germany.	1683.	—	H. h̄.	
8	Grossularia. R.S.	(st.) rough Gooseberry.	England.	—	H. h̄.	Eng. bot. v. 12. t. 1292.
9	caucasicum. DC.	(st.) Caucasian.	Caucasus.	1820.	—	H. h̄.	
10	setosum. B.R.	(st.) bristly.	Missouri.	1827.	5.	H. h̄.	Bot. reg. t. 1237.
11	hirtellum. DC.	(st.) hairy.	N. America.	1812.	4. 5.	H. h̄.	
12	gracile. DC.	(st.) slender.	—————	—	—	H. h̄.	
13	Cynòsbatii. DC.	(gr.) prickly-fruited.	Canada.	1759.	4.	H. h̄.	Schmidt arb. t. 98.
14	triflorum. DC.	(br.) three-flowered.	N. America.	1812.	4. 5.	H. h̄.	Lodd. bot. cab. t. 1094.
15	Dikuscha. F.	(st.) Fischer's.	Siberia.	1821.	—	H. h̄.	
16	Stakòri. F.	(st.) Siberian.	—————	—	—	H. h̄.	
17	orientale. DC.	(st.) oriental.	Syria.	1820.	—	H. h̄.	
18	saxatile. DC.	(br.) rock.	Siberia.	1828.	—	H. h̄.	
19	diacantha. DC.	(st.) two-spined.	—————	1781.	5. 6.	H. h̄.	Pall. ross. 2. t. 66.
20	alpinum. DC.	(st.) Alpine.	Britain.	4. 5.	H. h̄.	Eng. bot. v. 10. t. 704.
	<i>α stérile.</i>	DC. (st.) barren.	—————	—	H. h̄.	
	<i>β bacciferum.</i>	DC. (st.) berry-bearing.	—————	—	H. h̄.	
21	resinosum. DC.	(st.) clammy.	N. America.	1800.	—	H. h̄.	Bot. mag. t. 1583.
22	procumbens. DC.	(br.) trailing.	Dahuria.	1804.	5. 6.	H. h̄.	Pall. ross. 2. t. 65.
23	multiflorum. DC.	(st.) many-flowered.	Hungary.	1818.	5.	H. h̄.	Bot. mag. t. 2368.
24	spicatum. DC.	(br.) acid.	England.	—	H. h̄.	Eng. bot. v. 18. t. 1290.

25	rùbrum. DC.	(st.) common red.	Britain.	4. 5.	H. h.	Eng. bot. v. 18. t. 1289.
	<i>a sylvestre.</i> DC.	(st.) wild.	————	—	H. h.	
	<i>β hortense.</i> DC.	(st.) cultivated.	—	H. h.	
	<i>γ carneum.</i> DC.	(st.) pale-fruited.	—	H. h.	
	<i>δ variegatum.</i> DC.	(st.) stripe-fruited.	—	H. h.	
	<i>ε album.</i> DC.	(st.) white-fruited.	—	H. h.	Berl. mem. t. 2. f. 15.
26	petræum. DC.	(re.) rock.	England.	5. 6.	H. h.	Eng. bot. v. 10. t. 705.
27	cereum. B.R.	(wh.) waxy.	Columbia.	1827.	4. 5.	H. h.	Bot. reg. t. 1263.
28	atropurpureum. Led.	dark-purple.	Siberia.	—	H. h.	
29	carpathicum. R.S.	(st.) Carpathian.	Carpathian.M.	1816.	4. 5.	H. h.	
30	triste. DC.	(re.ye.) dark-coloured.	Siberia.	1818.	—	H. h.	
31	nigrum. DC.	(wh.) black-fruited.	Britain.	—	H. h.	Eng. bot. v. 18. t. 1291.
32	trifidum. DC.	(pu.) trifid-calyced.	N. America.	1828.	—	H. h.	
33	glandulosum. DC.	(st.) glandular.	Chile.	1820.	5. 6.	H. h.	Flor. per. t. 232. f. b.
34	prostratum. DC.	(pu.) prostrate.	N. America.	1777.	4. 5.	H. h.	L'Herit. stirp. 1. t. 2.
	<i>glandulosum.</i> H.K. non R.P.						
35	Biebersteinii. DC.	(st.) Bieberstein's.	Caucasus.	1820.	—	H. h.	
	<i>caucasicum.</i> M.B. nec aliorum.						
36	rigens. DC.	(st.) rigid.	N. America.	1812.	—	H. h.	
37	albinervium. DC.	(st.) white-nerved.	Canada.	1828.	—	H. h.	
38	laxiflorum. DC.	(st.) loose-flowered.	N. America.	1812.	—	H. h.	
39	viscosissimum. DC.	(ye.) viscous.	————	1827.	—	H. h.	
40	sanguineum. DC.	(cr.) crimson.	————	1820.	5. 6.	H. h.	
41	floridum. DC.	(st.) Pensylvanian.	————	1729.	4. 5.	H. h.	Dill. elth. t. 244. f. 315.
42	aureum. DC.	(ye.) golden.	Missouri.	1812.	4. 6.	H. h.	Bot. reg. t. 125.
43	longiflorum. L.C.	(ye.) long-flowered.	N. America.	1818.	—	H. h.	
44	tenuiflorum. B.R.	(ye.) slender-flower'd.	————	1824.	—	H. h.	Bot. reg. t. 1274.
	<i>a melanocarpa.</i>	(ye.) black-fruited.	————	—	—	H. h.	
	<i>β chrysocarpa.</i>	(ye.) yellow-fruited.	————	—	—	H. h.	

ORDO CV.

ESCALLONEÆ. *Kth. synops. v. 3. p. 364.*

ESCALL'ONIA. L.	ESCALL'ONIA. Pentandria Monogynia. L.						
1 rùbra. R.S.	(re.) red-flowered.	Chile.	1826.	8. 10.	G. h.	Bot. mag. t. 2890.	
	<i>Stereòxylon rùbrum.</i>	Flor. per. v. 3. t. 236. f. b.					
2 glandulosa. B.C.	(wh.) glandular.	Chile.	—	—	G. h.	Lodd. bot. cab. t. 1291.	
3 floribunda. K.S.	(wh.) many-flowered.	New Granada.	1827.	G. h.		
4 caracasana. K.S.	(wh.) Caracas.	Caracas.	—	S. h.		
ANO'PTERUS. B.P.	ANO'PTERUS. Hexandria Monogynia.						
glandulosa. B.P.	(wh.) glandular.	V. Diem. Isl.	1823.	G. h.	Lab. nov. holl. 1. t. 112.	

ORDO CVI.

SAXIFRAGEÆ. *Juss. gen. 308.*

SAXIFRAGA. L.	SAXIFRAGE. Decandria Digynia. L.					
1 crassifolia. L.T.	(ro.) thick-leaved.	Siberia.	1765.	3. 5.	H. 4.	Bot. mag. t. 126.
	<i>Bergènia crassifolia.</i> Mœn. <i>Megàsea crassifolia.</i> H.R.					
2 cordifolia. L.T.	(ro.) heart-leaved.	————	1779.	—	H. 4.	
3 mèdia.	(ro.) intermediate.	————	1819.	—	H. 4.	
	<i>Megàsea mèdia.</i> H.R.					
4 ligulata. L.T.	(wh.) fringed-leaved.	Nepaul.	1818.	—	H. 4.	Swt. br. fl. gar. 59.
	<i>Megàsea ciliata.</i> H.R.					
5 Gèum. L.T.	(sp.) kidney-leaved.	Ireland.	6. 7.	H. 4.	Eng. bot. v. 22. t. 1561.
6 hirsuta. L.T.	(sp.) hirsute.	————	5. 6.	H. 4.	— v. 33. t. 2322.
7 polita. L.en.	(sp.) polished.	————	—	H. 4.	
	<i>Robertsònia polita.</i> H.S.					

8	dentata. L.en. (sp.) toothed. <i>Robertsònia dentata</i> . H.S.	Ireland.	5. 6.	H. 4.	
9	crenata. (sp.) crenated. <i>Robertsònia crenata</i> . H.S.	1790.	—	H. 4.	
10	sphæroidea. (sp.) sphæroid. <i>Robertsònia sphæroidea</i> . H.S.	Pyrenees?	1800.	—	H. 4.	
11	punctata. L. (sp.) dotted-flower'd.	Siberia.	1699.	—	H. 4.	
12	serrata. L.en. (sp.) sawed-leaved. <i>Robertsònia serrata</i> . H.S.	Ireland.	—	H. 4.	
13	umbròsa. L.T. (sp.) London pride.	Britain.	4. 6.	H. 4.	Eng. bot. v. 10. t. 633.
14	cuneifolia. L.T. (sp.) wedge-leaved.	Switzerland.	1768.	5. 6.	H. 4.	W. et K. hung. 1. t. 44.
15	hy'brida. L.en. (sp.) hybrid.	1820.	—	H. 4.	Sternb. sax. 17. t. 8. f. 3.
16	stellaris. L.T. (wh.) starry. δ <i>Schleichèri</i> . L.T. (wh.) <i>Schleicher's</i> . <i>Spatularia stellaris</i> . γ <i>dèpilata</i> . H.R.	Britain. Switzerland. 1819.	6. 7. —	H. 4. H. 4.	Eng. bot. v. 3. t. 167.
17	leucanthemifolia. (wh.) Stock-leav'd.	N. America.	1812.	—	H. 4.	Lap. pyr. sax. t. 25.
18	sarmentosa. L.T. (wh.) sarmentose. <i>Diptera sarmentosa</i> . Bork. <i>Ligularia sarmentosa</i> . H.R.	China.	1771.	—	F. 4.	Bot. mag. t. 92.
19	cuscutæfòrmis. B.C. (wh.) dodder-like. <i>Ligularia minor</i> . H.R.	China.	1815.	2. 7.	F. 4.	Lodd. bot. cab. t. 186.
20	eròsa. L.T. (wh.) jagged-leaved. <i>Aulaxis nuda</i> . H.R. β <i>hirsuta</i> . L.T. (wh.) hairy. <i>Aulaxis micranthifolia</i> . H.R.	N. America.	1812.	5. 6.	H. 4.	
21	rotundifolia. L.T. (wh.) round-leaved. <i>Miscopetalum rotundifolium</i> . H.R. β <i>repanda</i> . L.T. (wh.) repand.	Austria.	1596.	—	H. 4.	Bot. mag. t. 424.
22	granulata. L.T. (wh.) grain-rooted. β <i>multiplèx</i> . (wh.) double-flowered.	Britain.	5.	H. 4.	Sternb. saxif. t. 5. Eng. bot. v. 7. t. 500.
23	bulbifera. L.T. (wh.) bulbiferous.	S. Europe.	6. 7.	H. 4.	Sternb. sax. t. 12. f. 1.
24	cèrnuà. L.T. (wh.) drooping. <i>Lobaria cèrnuà</i> . H.R.	Scotland.	7.	H. 4.	Eng. bot. v. 10. t. 664.
25	sibírica. L.T. (wh.) Siberian.	Siberia.	1802.	5. 6.	H. 4.	Sternb. sax. p. 23. t. 25.
26	rivularis. L.T. (wh.) Alpine brook. <i>Lobaria rivularis</i> . H.R.	Scotland.	6. 7.	H. \odot .	Eng. bot. v. 32. t. 2275.
27	hederacea. L.T. (wh.) Ivy-leaved.	Levant.	1752.	7.	H. \odot .	Flor. græc. t. 379.
28	Hirculus. L.T. (ye.) yellow marsh. <i>Hirculus ranunculoides</i> . H.R.	England.	8.	H. 4.	Eng. bot. v. 15. t. 1009.
29	flagellaris. L.T. (ye.) flagelliferous.	Baffin's Bay.	1820.	—	H. 4.	Sternb. sax. p. 25. t. 6.
30	aizoïdes. L.T. (ye.) smaller mountain. β <i>autumnalis</i> . (ye.) larger mountain. <i>Leptasea aizoïdes</i> . H.R.	Britain.	7. 8.	H. 4.	— t. 8. f. 1.
31	bronchiàlis. L.T. (st.) spiny-fringed,	Siberia.	1819.	—	H. 4.	Gmel. sib. 4. t. 65. f. 2.
32	tenèlla. L.T. (wh.) slender.	Carinthia.	1824.	—	H. 4.	Jacq. coll. 3. t. 17.
33	juniperina. L.T. (ye.) Juniper-like.	Caucasus.	1826.	—	H. 4.	Sternb. sax. p. 31. t. 10.
34	áspera. L.T. (st.) rough. <i>Ciliaria áspera</i> . H.R.	Switzerland.	1752.	8.	H. 4.	Jacq. aust. 5. t. 31.
35	bryoides. L.T. (st.) thread-moss like.	—	—	6. 7.	H. 4.	Jacq. misc. 2. t. 5. f. 1.
36	hieracifolia. L.T. (br.) Hawkweed-ld.	Hungary.	1789.	5. 6.	H. 4.	W. et K. hung. 1. t. 18.
37	pensylvànica. L.T. (gr.) Pennsylvanian. β <i>glabra</i> . (gr.) smoother-leaved.	N. America.	1732.	—	H. 4.	Dill. elt. t. 253. f. 328.
38	semipubescens. L.T. (st.) semipubescent. <i>Micranthes semipubescens</i> . H.S.	—	—	H. 4.	
39	virginiensis. L.T. (wh.) Virginian. <i>Dermasea pilòsa</i> . H.R.	—	1790.	5. 7.	H. 4.	Bot. mag. t. 1664.
40	congèsta. H.S.L. (wh.) close-headed. <i>nivalis</i> . Ph. nec aliorum.	—	1812.	—	H. 4.	
41	nivalis. L.T. (wh.) clustered Alpine. <i>Dermasea nivalis</i> . H.R.	Britain.	6. 7.	H. 4.	Eng. bot. v. 7. t. 440.
42	melaleuca. S.S. (wh.) Fischer's.	Siberia.	1826.	—	H. 4.	
43	longiscapa. L.T. (wh.) long-scaped.	—	1824.	5. 7.	H. 4.	
44	davùrica. L.T. (wh.) Davurian.	Davuria.	—	—	H. 4.	
45	Cotyledon. L.T. (wh.) pyramidal. <i>Chondrosea pyramidàlis</i> . H.R.	Alps Europe.	1596.	5. 7.	H. 4.	Flor. dan. t. 241.
46	intermèdia. (wh.) related. <i>Chondrosea intermèdia</i> . H.R.	1808.	7.	H. 4.	
47	lingulata. L.T. (sp.) tongue-leaved. <i>longifolia</i> . S.S. β <i>mèdia</i> . L.T. (sp.) middle.	Pyrenees.	5. 7.	H. 4.	
		—	—	H. 4.	Sternb. sax. p. 1. t. 1. 3.

48	crustàta. L.en.	(sp.) crusted.	Pyrenees.	5. 7.	H. 4.	Sternb. sax. t. 1. b.
49	Aizoòn. L.T.	(sp.) large margined.	—————	1731.	—	H. 4.	Jacq. aust. t. 438.
50	récta. P.S.	(sp.) straight-leaved.	Alps Europe.	—	H. 4.	Lap. pyr. sax. t. 15.
	<i>intàcta.</i> L.T. W. hort. ber. 2. t. 75.	<i>Chondròsea Aizoòn.</i> H.R.					
	β minor. H.R.	(sp.) lesser.	Alps Europe.	—	H. 4.	
	γ parviflòs. H.R.	(sp.) smaller-flowered.	—————	—	H. 4.	
51	mutàta. L.T.	(ye.) saffron-colour'd.	Switzerland.	1779.	6. 7.	H. 4.	Bot. mag. t. 351.
52	aretioides. L.T.	(ye.) Aretia-like.	—————	1825.	—	H. 4.	Lap. pyr. sax. t. 13.
53	Burseriana. L.T.	(st.) Burser's.	Italy.	—	5. 6.	H. 4.	Jacq. misc. 1. t. 17. f. 3.
54	retùsa. L.T.	(ro.) purple-flower'd.	Pyrenees.	3. 4.	H. 4.	Lap. pyr. sax. t. 18.
55	oppositifolia. L.T.	(re.) opposite-leaved.	Britain.	—	H. 4.	Eng. bot. v. 1. t. 9.
	<i>Antiphy'lla cærùlea.</i> H.R.						
56	biflòra. L.T.	(re.) two-fl'd purple.	Switzerland.	1825.	—	H. 4.	Lap. pyr. sax. t. 17.
57	cæsia. L.T.	(st.) grey.	—————	1752.	5. 6.	H. 4.	Jacq. aust. 4. t. 374.
58	diapensioides. L.T.	(wh.) Diapensia-like.	—————	1828.	—	H. 4.	Flor. ped. app. p. 21. t. 3.
59	compàcta. s.s.	(wh.) compact.	—————	—	—	H. 4.	
60	androsàcea. L.T.	(wh.) Androsace-leav'd.	—————	1792.	—	H. 4.	Jacq. aust. 4. t. 389.
61	sedioides. L.T.	(st.) Stonecrop-like.	Europe.	1825.	—	H. 4.	Jacq. misc. 2. t. 21. f. 22.
62	ténera. L.T.	(st.) flat-leaved.	Switzerland.	—	5. 6.	H. 4.	Sternb. sax. t. 9. f. 4.
	<i>planifolia.</i> s.s.						
63	geranioides. L.S.	(wh.) cranesbill-leav'd.	Pyrenees.	1770.	4. 5.	H. 4.	Lap. pyr. sax. t. 43.
64	irrigua. L.T.	(wh.) crowfoot-leav'd.	Siberia.	1820.	—	H. 4.	M.B. cent. pl. rar. t. 73.
65	pedatifida. L.T.	(wh.) pedatifid.	Scotland.	5. 6.	H. 4.	Eng. bot. v. 32. t. 2278.
	β minor. H.R.	(wh.) smaller villous.	—————	—	H. 4.	
	γ ladanifera. L.T.	(wh.) ladaniferous.	Pyrenees.	—	H. 4.	Lap. sax. pyr. t. 42.
66	quinquéfida. H.R.	(wh.) quinquefid.	Scotland.	—	H. 4.	
67	ceratophy'lla. L.T.	(wh.) shining-calyx'd.	Spain.	1804.	—	H. 4.	Bot. mag. t. 1651.
68	ajugifolia. L.T.	(wh.) Bugle-leaved.	Pyrenees.	1770.	6. 7.	H. 4.	Lap. pyr. sax. t. 31.
69	affinis. L.T.	(wh.) affined.	Ireland.	—	H. 4.	
70	pentadàctyla. L.T.	(wh.) five-fingered.	Pyrenees.	1815.	5. 6.	H. 4.	Lap. pyr. sax. t. 40.
71	latifida. L.T.	(wh.) broad-cleft.	Spain.	1826.	—	H. 4.	
72	decípiens. L.T.	(wh.) palmate.	Wales.	—	H. 4.	Sternb. sax. p. 55. t. 23.
	<i>palmàta.</i> Eng. bot. v. 7. t. 455.	<i>cæspitòsa.</i> Flor. dan. t. 71.					
73	hirta. L.T.	(wh.) hairy.	Ireland.	—	H. 4.	Eng. bot. v. 32. t. 2291.
74	platypétala. L.T.	(wh.) broad-petaled.	Scotland.	6.	H. 4.	— v. 32. t. 2276.
75	Schradèri. s.s.	(wh.) Schradèr's.	Siberia.	1826.	—	H. 4.	
76	incurvifolia. L.T.	(wh.) incurved-leav'd.	Ireland.	—	H. 4.	
77	denudàta. L.T.	(wh.) half-naked.	Scotland.	—	H. 4.	
78	Sternbérgii. L.T.	(wh.) Sternberg's.	Germany.	5. 6.	H. 4.	Sternb. sax. t. 24.
79	pulchèlla. L.T.	(st.) pretty.	—————	1818.	—	H. 4.	
80	tridentàta. L.T.	(wh.) three-toothed.	—	H. 4.	
81	cæspitòsa. L.T.	(st.) tufted.	Wales.	—	H. 4.	Eng. bot. v. 12. t. 794.
82	exaràta. L.T.	(wh.) furrowed.	Pyrenees.	1818.	—	H. 4.	Vill. delph. 4. t. 45.
	<i>nerròsa.</i> Lap. pyr. sax. t. 39.						
83	pedemontàna. L.T.	(wh.) Piedmont.	Piedmont.	1824.	—	H. 4.	All. ped. t. 21. f. 6.
	<i>cymòsa.</i> Pl. rar. hung. t. 88.	<i>heterophy'lla.</i> Sternb. sax. t. 20. f. 1-2.					
84	moschàta. L.T.	(ye.) musky.	Piedmont.	5. 6.	H. 4.	Jacq. misc. 2. t. 21. f. 2.
85	muscoïdes. L.T.	(st.) Moss-like.	England.	—	H. 4.	Lap. pyr. sax. t. 35.
	<i>Muscària muscoïdes.</i> H.R.						
86	pygm'æa. L.T.	(st.) pigmy.	Scotland.	—	H. 4.	Eng. bot. v. 33. t. 2214.
	<i>moschàta.</i> E.B. non Jacq.	<i>Muscària cæspitòsa.</i> H.R.					
87	tridactylites. E.B.	(bh.) Rue-leaved.	Britain.	3. 5.	H. \odot .	Eng. bot. v. 7. t. 501.
	<i>Tridactylites ànnua.</i> H.R.						
88	controvèrsa. s.s.	(wh.) confused.	N. Europe.	—	H. \odot .	Sternb. sax. t. 16.
89	petr'æa. L.T.	(wh.) rock.	Carinthia.	1752.	4. 5.	H. \odot .	Jacq. ic. 1. t. 81.
90	adscéndens. L.T.	(wh.) ascending.	Pyrenees.	—	5. 6.	H. 4.	Sternb. sax. t. 19. f. 1. 2.
	<i>aquàtica.</i> Lap. pyr. sax. t. 28.						
91	hypoïdes. L.T.	(wh.) mossy.	Britain.	4. 6.	H. 4.	Eng. bot. v. 7. t. 454.
	β viscòsa. L.T.	(wh.) viscous.	—————	—	H. 4.	
	γ angustifolia. L.T.	(wh.) narrow-leaved.	—————	—	H. 4.	
	δ muscòsa. L.T.	(wh.) tufted.	—————	—	H. 4.	
	ϵ pulchèlla. L.T.	(wh.) larger.	—————	—	H. 4.	
	ζ spatulàta. H.R.	(wh.) spatulate.	—————	—	H. 4.	
	η latifida. H.R.	(wh.) broad-cleft.	—————	—	H. 4.	
	θ rhodopétala. H.R.	(bh.) rosy-petuled.	—————	—	H. 4.	
	ι recúrta. H.R.	(wh.) recurving-cup'd.	—————	—	H. 4.	
	κ aristàta. H.R.	(wh.) awned.	—————	—	H. 4.	
	λ septifida. H.R.	(wh.) seven-cleft.	—————	—	H. 4.	
92	condensàta. L.T.	(wh.) close.	Scotland.	—	H. 4.	Gmel. fl. bad. t. 3.

93	<i>elongélla</i> . L.T.	(wh.) long peduncled.	Scotland.	5. 6.	H. 2.	Eng. bot. v. 32. t. 2277.
94	<i>leptophylla</i> . L.T.	(wh.) narrow-leaved.	Wales.	—	H. 2.	
	<i>β angustifida</i> . L.T.	(wh.) narrow-lobed.	—	—	H. 2.	
95	<i>lætevirens</i> . L.T.	(wh.) light-green.	Scotland.	—	H. 2.	
96	<i>lanceolata</i> . H.R.	(wh.) spear-leaved.	Europe.	1808.	—	H. 2.	
	<i>obtusa</i> . H.R.	(wh.) blunt-leaved.	—	1820.	—	H. 2.	
97	<i>altifida</i> . H.R.	(wh.) deep-cleft.	—	—	H. 2.	
98	<i>viscosa</i> . H.R.	(wh.) viscous.	—	—	H. 2.	
99	<i>quinquedens</i> . H.R.	(wh.) five-toothed.	—	—	H. 2.	
100	<i>Haworthii</i> . H.S L.	(wh.) Haworth's.	—	—	H. 2.	
	<i>hirta</i> . H.R. non E.B.						
101	<i>æstivâlis</i> . F.	(wh.) summer.	Altay.	1821.	5. 7.	H. 2.	
HEUCHERA . L.		ALLUM-ROOT.	Pentandria Digynia.	L.			
1	<i>americana</i> . L.	(gr.) viscid.	N. America.	1656.	5. 7.	H. 2.	Schkuhr hand. t. 55.
	<i>viscida</i> . Ph.						
2	<i>pubescens</i> . Ph.	(bh.) pubescent.	—	1812.	—	H. 2.	
3	<i>hispida</i> . Ph.	(gr.) hispid.	—	1820.	—	H. 2.	
4	<i>villôsa</i> . M.	(gr.) villous.	—	1812.	—	H. 2.	
5	<i>caulescens</i> . Ph.	(wh.) caulescent.	—	—	H. 2.	
6	<i>glâbra</i> . R.S.	(gr.) smooth.	Altay.	1827.	—	H. 2.	
TIARE'LLA . L.		TIARE'LLA.	Decandria Digynia.	L.			
1	<i>cordifolia</i> . Ph.	(wh.) heart-leaved.	N. America.	1731.	4. 5.	H. 2.	Bot. mag. t. 1589.
2	<i>Menziësi</i> . Ph.	(wh.) leafy-stemmed.	—	1812.	—	H. 2.	
3	<i>trifoliata</i> . Ph.	(wh.) three-leaved.	N. America.	1826.	—	H. 2.	
4	<i>polyphylla</i> . D.P.	(wh.) many-leaved.	Nepaul.	1818.	—	H. 2.	
ASTILBÉ . D.P.		ASTILBÉ.	Oct-Decandria Digynia.				
1	<i>decandra</i> . D.P.	(st.) decandrous.	Carolina.	1812.	5. 6.	F. 2.	Vent. malm. t. 54.
	<i>Tiarélla biternata</i> . v.						
2	<i>rivularis</i> . D.P.	(st.) rivulet.	Nepaul.	1825.	—	H. 2.	
TELL'IMA . B.		TELL'IMA.	Decandria Digynia.				
	<i>grandiflora</i> . B.R.	(st. re.) large-flowered.	N. America.	1826.	4. 5.	H. 2.	Bot. reg. t. 1178.
	<i>Mitélla grandiflora</i> . Ph.						
MITE'LLA . L.		MITE'LLA.	Decandria Digynia.	L.			
1	<i>diphylla</i> . w.	(wh.) two-leaved.	N. America.	1731.	4. 5.	H. 2.	Bot. reg. t. 166
2	<i>cordifolia</i> . w.	(wh.) heart-leaved.	—	1812.	—	H. 2.	Lam. ill. t. 373. f. 3.
3	<i>reniformis</i> . Ph.	(wh.) kidney-leaved.	—	1758.	6. 8.	H. 2.	— t. 373. f. 2.
	<i>nâda</i> . w.						
4	<i>prostrata</i> . M.	(wh.) prostrate.	—	1812.	5. 6.	H. 2.	
5	<i>pentandra</i> . B.M.	(wh.) pentandrous.	—	1827.	6. 7.	H. 2.	Bot. mag. t. 2933.
CHRYSOSPLENIUM . L.		GOLDEN SAXIFRAGE.	Oct-Decandria Digynia.				
1	<i>alternifolium</i> . w.	(ye.) alternate-leav'd.	Britain.	4. 5.	H. 2.	Eng. bot. v. 1. t. 54.
2	<i>oppositifolium</i> . w.	(ye.) opposite-leaved.	—	—	H. 2.	— v. 7. t. 490.
3	<i>nepalense</i> . D.P.	(ye.) Nepaul.	Nepaul.	1824.	—	H. 2.	
ADO'XA . L.		MOSCHATEL.	Oct-Decandria Tetragynia.				
	<i>Moschatéllina</i> . E.B.	(st.) tuberous.	Britain.	3. 5.	H. 2.	Eng. bot. v. 7. t. 453.
HYDRA'NGEA . L.		HYDRA'NGEA.	Decandria Digynia.	L.			
1	<i>arborescens</i> . w.	(wh.) shrubby.	Virginia.	1736.	7. 8.	H. 2.	Bot. mag. t. 437.
	<i>rulgâris</i> . Ph.						
2	<i>cordata</i> . Ph.	(wh.) heart-leaved.	Carolina.	1806.	—	H. 2.	Wats. dend. brit. t. 42.
3	<i>radiata</i> . w.	(wh.) white-leaved.	—	1786.	—	H. 2.	Lam. ill. t. 370. f. 2.
	<i>nivea</i> . Wats. dend. brit. t. 43.						
4	<i>heteromalla</i> . D.P.	(wh.) woolly-leaved.	Nepaul.	1823.	H. 2.	
5	<i>quercifolia</i> . w.	(wh.) Oak-leaved.	Florida.	1803.	6. 9.	H. 2.	Bot. mag. t. 975.
6	<i>hortensis</i> . w.	(pi.) changeable.	China.	1788.	4. 9.	H. 2.	— t. 438.
	<i>β cærûlea</i> .	(bl.) blue-flowered.	—	—	—	H. 2.	

ORDO CVII.

CUNONIACEÆ. *Brown.*

WEINMA'NNIA . L.		WEINMA'NNIA.	Octandria Digynia.	L.			
1	<i>glâbra</i> . L.	(wh.) smooth.	W. Indies.	1818.	5. 7.	S. 2.	Lam. ill. t. 313. f. 1.
2	<i>hirta</i> . w.	(wh.) hairy.	—	—	—	S. 2.	
3	<i>elliptica</i> . K.S.	(wh.) elliptic-leaved.	Peru.	1823.	G. 2.	
4	<i>ovata</i> . K.S.	(wh.) oval-leaved.	—	—	G. 2.	Cav. ic. 6. t. 566.

CUNONIA. L.	CUNONIA. Decandria Digynia. L.				
capensis. w.	(wh.) Cape.	C. B. S.	1816.	5. 7. G. ½.	Bot. reg. t. 828.
CALLICOMA. A.R.	CALLICOMA. Dodecandria Digynia.				
serratifolia. A.R.	(st.) saw-leaved.	N. S. W.	1793.	5. 8. G. ½.	Andr. reposit. t. 566.
CERATOP'ETALUM. Sm.	CERATOP'ETALUM. Decandria Monogynia.				
gammiferum. Sm.	(ye.) gum-bearing.	N. Holland.	1820. G. ½.	Sm. n. holl. 1. t. 3.
BAU'ERA. Sal.	BAU'ERA. Polyandria Digynia. H.K.				
1 rubiæfolia. Sal.	(re.) Madder-leaved.	N. S. W.	1793.	7. 12. G. ½.	Sal. ann. bot. 1. t. 10.
rubioides. A.R.			198. B.M. 715.		
2 humilis. L.en.	(re.) dwarf.	—————	1804.	— G. ½.	Lodd. bot. cab. t. 1197.

ORDO CVIII.

UMBELLIFERÆ. Juss. gen. 218.

Subordo I. ORTHOSPERMÆ. DC.

Tribus I. HYDROCOTYLINÆ.—Subtribus I. Hydrocotyleæ. DC.

HYDROCO'TYLE. S.S.	MARSH-PENNYWORT. Pentandria Digynia. L.				
1 vulgàris. s.s.	(bh.) common.	Britain.	5. 6. H.w. ¼.	Eng. bot. v. 11. t. 751.
2 umbellàta. s.s.	(wh.) umbelled.	N. America.	1795.	7. 8. H.w. ¼.	Spreng. umb. 1. t. 1.
3 bonariensis. s.s.	(ye.) Buenos Ayres.	Buenos Ayres.	1828.	— F.w. ¼.	Cavan. icon. 5. t. 488.
4 americana. s.s.	(gr.) American.	N. America.	1790.	5. 8. H.w. ¼.	Spreng. um. p. 3. t. 2. f. 3.
5 villòsa. s.s.	(gr.) villous.	C. B. S.	1795.	8. G.w. ¼.	
6 nepalensis. H.E.F.	(gr.) Nepaul.	Nepaul.	1818.	2. 6. G.w. ¼.	Hook. ex. flor. t. 30.
hispidà. D.P.					
7 nitidula. s.s.	(gr.) glossy.	Java.	1821.	— S.w. ¼.	Hook. ex. flor. t. 29.
8 canariensis.	(gr.) Canary.	Canaries.	1828.	4. 6. G.w. ¼.	
9 prolifera. Ot.	(gr.) proliferous.	Brazil.	1824.	— S.w. ¼.	
10 repànda. s.s.	(wh.) Pilewort-leav'd.	N. America.	1806.	6. 7. G.w. ¼.	Spreng. umb. t. 2. f. 4.
11 asiàtica. s.s.	(wh.) thick-leaved.	Asia.	1690.	7. 8. G.w. ¼.	Rheed. mal. 10. t. 46.
12 sibthorpioides. s.s.	(wh.) Sibthorpia-like.	Mauritius.	1818.	— S.w. ¼.	
ERIG'ENIA. N.	ERIG'ENIA. Pentandria Digynia.				
bulbòsa. N.	(wh.) bulbous.	N. America.	1825.	3. 5. H. ¼.	
DIDI'SCUS. DC.	DIDI'SCUS. Pentandria Digynia.				
1 incisus. DC.	(wh.) cut-leaved.	N. S. W.	1820.	6. 8. H. ⊙.	Linn. trans. 10. t. 21. f. 2.
Trachymène incisà. L.T.					
2 azureus. DC.	(bl.) blue-flowered.	—————	1827.	7. 9. H. ⊙.	Bot. mag. t. 2875.
cærùleus. B.M.	Trachymène cærùlea.				Bot. reg. t. 1225.
TRACHYM'ENE. DC.	TRACHYM'ENE. Pentandria Digynia.				
1 comprèssa. s.s.	(st.) flat-stalked.	N. Holland.	1824.	5. 6. G. ¼.	Lab. n. holl. 1. t. 101.
2 linearis. s.s.	(ye.) linear-leaved.	N. S. W.	—	— G. ½.	Cavan. icon. 5. t. 485.
Azorélla linearifolia. Cav.					
3 ovàta. s.s.	(st.) oval-leaved.	—————	1827.	— G. ½.	Lab. n. holl. 1. t. 100.
Azorélla ovàta. Labill.					
ASTROTRI'CHA. DC.	ASTROTRI'CHA. Pentandria Digynia.				
flocçosa. DC.	(wh.) woolly.	N. S. W.	1825.	5. 7. G. ½.	
XANTH'OSIA. DC.	XANTH'OSIA. Pentandria Digynia.				
1 pilòsa. L.T.	(wh.) hairy.	N. S. W.	1826.	— G. ¼.	Linn. trans. 10. t. 22. f. 1.
BOWL'ESIA. S.S.	BOWL'ESIA. Pentandria Digynia.				
tènera. s.s.	(wh.) slender.	Monte Video.	1827.	6. 8. H. ⊙.	

Subtribus II. Mulinææ. DC.

SPANANTHE. S.S.	SPANANTHE. Pentandria Digynia. S.S.				
paniculàta. s.s.	(wh.) paniced.	Caracas.	1795.	7. 8. S. ♂.	Jacq. ic. 2. t. 350.
Hydrocotyle Spanánthe. w.					
POZ'OA.	POZ'OA. Pentandria Digynia.				
coriàcea. s.s.	(wh.) leathery-leaved.	Peru.	1827.	7. 9. F. ¼.	

Tribus II. SANICULÆÆ. DC.

ACTIN'OTUS. Lab.	ACTIN'OTUS. Pentandria Digynia.				
Heliánthi. Lab.	(wh.) larger.	N. S. W.	1821.	6. 12. G. ½.	Bot. reg. t. 654.
Eriocàlia màjor. Ex. bot. t. 80.					

SANICULA. S.S.	SANICLE.	Pentandria Digynia. L.				
1 europ'æa. s.s. (wh.)	wood.	Britain.	6. 7.	H. 4.	Eng. bot. v. 2. t. 98.
2 canadensis. s.s. (wh.)	Canadian.	Canada.	1800.	—	H. 4.	
3 marilandica. s.s. (wh.)	Maryland.	N. America.	1765.	—	H. 4.	Jacq. ic. 2. t. 348.
HACQUETIA. DC.	HACQUETIA.	Pentandria Digynia.				
Epipactis. DC. (ye.)	dwarf.	S. Europe.	1818.	5. 7.	H. 4.	Jacq. aust. 5. t. 11.
<i>Astrantia Epipactis. w. Dondia Epipactis. s.s.</i>						
ASTRANTIA. S.S.	ASTRANTIA.	Pentandria Digynia. L.				
1 major. w. (bh.)	great black.	Alps Europe.	1596.	5. 9.	H. 4.	Exot. bot. 2. t. 76.
2 carniolica. w. (bh.)	Carniolian.	Carniola.	1812.	5. 6.	H. 4.	Jacq. aust. 5. app. t. 10.
3 caucasica. R.S. (bh.)	Caucasean.	Caucasus.	1824.	—	H. 4.	
<i>intermedia. M.B.</i>						
4 maxima. Pall. (bh.)	Hellebore-leav'd.	—	1804.	6. 7.	H. 4.	Bot. mag. t. 1553.
<i>helleborifolia. P.L. 60. heterophylla. M.B.</i>						
5 minor. w. (wh.)	small.	Switzerland.	1686.	5. 6.	H. 4.	Sm. exot. bot. 2. t. 77.
ERYNGIUM. S.S.	ERYNGO.	Pentandria Digynia. L.				
1 aquaticum. s.s. (wh.)	marsh.	N. America.	1699.	7. 9.	H. 4.	Bot. reg. t. 372.
2 longifolium. s.s. (wh.)	long-leaved.	Mexico.	1812.	—	F. 4.	Cav. ic. 6. t. 555.
3 gramineum. s.s. (bl.)	grass-leaved.	New Spain.	1825.	7. 10.	F. 4.	Laroch. eryng. t. 26.
4 bromelifolium. s.s. (st.)	Bromelia-leav'd.	—	1822.	—	F. 4.	— t. 28.
5 monocepalum. s.s. (pu.)	one-headed.	Mexico.	1824.	—	F. 4.	Cavan. icon. 6. t. 553.
6 ebracteatum. s.s. (wh.)	bractless.	Monte Video.	1810.	7. 9.	F. 4.	Laroch. eryng. t. 32.
7 ternatum. s.s. (pu.)	ternate-leaved.	Crete.	—	F. 4.	Moris. his. s. 7. t. 36. f. 21.
8 planum. s.s. (bl.)	flat-leaved.	Europe.	1596.	—	H. 4.	Jacq. aust. 4. t. 391.
9 tricuspdatum. s.s. (pu.)	trifid.	Spain.	1699.	9.	H. 4.	Laroch. eryng. t. 9.
10 asperifolium. s.s. (wh.)	rough-leaved.	1824.	6. 8.	H. 4.	— t. 11.
11 dichotomum. s.s. (bl.)	forked.	S. Europe.	—	7. 9.	H. 4.	Desf. atl. 1. t. 55.
12 coeruleum. M.B. (bl.)	blue.	Caucasus.	1816.	—	H. 4.	
13 giganteum. s.s. (bl.)	gigantic.	Armenia.	1823.	—	H. 4.	
14 alpinum. s.s. (bl.)	Alpine.	Switzerland.	1597.	—	H. 4.	Bot. mag. t. 922.
15 spina-alba. DC. (wh.)	white-spined.	S. Europe.	1816.	—	H. 4.	Vill. delph. t. 17.
16 virgatum. s.s. (bl.)	oval-leaved.	N. America.	1810.	6. 7.	H. 4.	Laroch. eryng. t. 20.
17 gracile. s.s. (ye.)	slender.	New Spain.	1818.	7. 9.	F. 4.	— t. 24.
18 Baldwini. s.s. (bl.)	small-headed.	Carolina.	1824.	—	H. 4.	
19 aquifolium. s.s. (bl.)	holly-leaved.	Spain.	1827.	—	H. 4.	Laroch. eryng. t. 10.
20 corniculatum. s.s. (bl.)	horned.	Portugal.	1803.	6. 8.	H. 4.	Bot. mag. t. 1427.
21 tenue. s.s. (bl.)	slender annual.	—	—	H. 4.	Moris. sect. 7. t. 35. f. 15.
22 pusillum. s.s. (bl.)	dwarf.	Spain.	1640.	—	H. 4.	Laroch. eryng. t. 16.
23 virginianum. s.s. (pa.)	Virginian.	Virginia.	7. 9.	H. 4.	— t. 19.
24 serratum. s.s. (wh.)	serrated.	New Spain.	1823.	8. 10.	F. 4.	Cav. ic. 6. t. 55.
25 Carlinae. s.s. (bl.)	Carlina-like.	—	1827.	—	F. 4.	Laroch. eryng. t. 23.
26 foetidum. s.s. (wh.)	stinking.	W. Indies.	1714.	—	S. 4.	Sloan. jam. t. 156. f. 34.
27 maritimum. s.s. (bl.)	sea Holly.	Britain.	7. 10.	H. 4.	Eng. bot. v. 10. t. 718.
28 triquetrum. s.s. (bl.)	triquetrous.	Sicily.	1827.	—	H. 4.	Desf. atl. 1. t. 54.
29 campestre. s.s. (wh.)	field.	Britain.	7. 8.	H. 4.	Eng. bot. v. 1. t. 57.
30 Bourgati. s.s. (bl.)	cut-leaved.	S. France.	1731.	6. 8.	H. 4.	Gouan. ill. 7. t. 3.
31 amethystinum. s.s. (bl.)	amethystine.	Styria.	1648.	7. 8.	H. 4.	W. et K. hung. 3. t. 215.
32 dilatatum. s.s. (bl.)	dilated.	Portugal.	—	H. 4.	Laroch. eryng. t. 4.
33 crinitum. s.s. (bl.)	fringe-leaved.	Spain.	1826.	—	H. 4.	
34 comosum. s.s. (pa.)	tufted.	New Spain.	1818.	—	F. 4.	Laroch. eryng. t. 7.
35 azureum. R.S. (bl.)	azure blue.	—	—	H. 4.	

Tribus III. AMMINEÆ. DC.

RUMIA. H.U.	RUMIA.	Pentandria Digynia.				
1 taurica. H.U. (wh.)	Taurian.	Tauria.	1820.	7. 8.	H. 4.	Hoff. umb. p. 173. f. 17.
<i>Cachrys taurica. s.s.</i>						
2 sibirica. F. (wh.)	Siberian.	Siberia.	1826.	—	H. 4.	
3 microcarpa. H.U. (wh.)	small-fruited.	Caucasus.	1827.	—	H. 4.	Moris. his. s. 9. t. 1. f. 3.
4 athamantoïdes. H.U. (wh.)	Athamanta-like.	Siberia.	—	—	H. 4.	
5 seseloïdes. H.U. (wh.)	Seseli-like.	Tauria.	—	—	H. 4.	Hoff. umb. ed. 2. t. tit. f. 4.
CICUTA. S.S.	COWBANE.	Pentandria Digynia. L.				
1 virosa. s.s. (wh.)	long-leaved.	Britain.	7.	H. 4.	Eng. bot. v. 7. t. 479.
2 davurica. s.s. (wh.)	Daurian.	Siberia.	1824.	—	H. 4.	Gmel. sib. 1. t. 47.
3 maculata. s.s. (wh.)	spotted.	N. America.	1759.	7. 8.	H. 4.	Pluk. alm. t. 76. f. 1.
4 bulbifera. s.s. (wh.)	bath-bearing.	—	1823.	—	H. 4.	
5 sinensis. R.S. (wh.)	Chinese.	China.	1826.	—	H. 4.	

ZIZIA. DC.	Z'IZIA. Pentandria Digynia.					
aurea. DC.	(ye.) golden.	N. America.	1699.	5. 6.	H. ♀.	
<i>Smyrniium aureum.</i> w. <i>Tháspiium aureum.</i> n. <i>Sison aureus.</i> s.s.						
APIUM. DC.	CELERY. Pentandria Digynia. L.					
1 graveolens. s.s.	(wh.) common.	Britain.	6. 8.	H. ♂.	Eng. bot. v. 17. t. 1210.
a fistulosum.	(wh.) hollow-stalked.	————	——	H. ♂.	
β sólidum.	(wh.) solid-stalked.	————	——	H. ♂.	
γ rubrum.	(wh.) red-stalked.	————	——	H. ♂.	
δ napæceum. Mill.	(wh.) Turnep-rooted.	——	H. ♂.	
PETROSEL'INUM. DC.	PASRLEY. Pentandria Digynia. L.					
1 sativum. K.U.	(gr.) common.	Sardinia.	1548.	6. 7.	H. ♂.	Moris. sect. 9. t. 8. f. 2.
β crispum.	(gr.) curled-leaved.	————	——	H. ♂.	———— 9. t. 8. f. 3.
2 romànum. Zuc.	(gr.) large.	Greece.	——	H. ♂.	
3 fractophyllum. Lag.	(st.) broken-leaved.	1825.	——	H. ♂.	
4 prostratum. s.s.	(gr.) prostrate.	V. Diem. Isl.	1818.	——	G. ♂.	Vent. malm. t. 81.
5 peregrinum. K.U.	(wh.) Lovage-like.	Portugal.	1633.	6. 7.	H. ♂.	Jacq. vind. 3. t. 18.
<i>Ligústicum peregrinum.</i> Jacq. <i>Sison peregrinum.</i> R.S.						
6 ségetum. K.U.	(bh.) corn.	England.	8.	H. ⊙.	Eng. bot. v. 4. t. 228.
<i>Sison ségetum.</i> E.B.						
TR'INIA. H.U.	TR'INIA. Pentandria Digynia. L.en.					
1 Hoffmanni. M.B.	(wh.) Hoffman's.	England.	5. 6.	H. ♀.	Eng. bot. v. 17. t. 1209.
<i>Pimpinélla dioica.</i> E.B.						
2 Henníngii. M.B.	(wh.) Henning's.	Hungary.	1803.	6. 8.	H. ♀.	
<i>Pimpinélla glàuca.</i> w.						
3 Kitaibèlii. M.B.	(wh.) Kitaibel's.	————	1827.	——	H. ♀.	W. et K. hung. 1. t. 72.
4 ramosíssima. F.	(wh.) branching.	Siberia.	——	——	H. ♀.	
HELOSC'IADIUM. K.U.	HELOSC'IADIUM. Pentandria Digynia.					
1 lateriflorum. K.U.	(wh.) narrow-leaved.	S. Europe.	1824.	7. 8.	H. ⊙.	Jacq. vind. t. 200.
<i>Sison Ammi.</i> Jacq. <i>Pimpinélla lateriflora.</i> L. enum.						
2 inundatum. K.U.	(wh.) inundated.	Britain.	5. 6.	H.w. ⊙.	Eng. bot. v. 4. t. 227.
<i>Sison inundatum.</i> E.B. <i>Siùm inundatum.</i> E.F. <i>Mèum inundatum.</i> s.s.						
3 nodiflorum. K.U.	(wh.) procumbent.	Britain.	7. 8.	H.w. ♀.	Eng. bot. v. 9. t. 639.
<i>Siùm nodiflorum.</i> E.B.						
4 repens. K.U.	(wh.) creeping.	————	6.	H.w. ♀.	Eng. bot. v. 20. t. 1431.
5 bulbosum. K.U.	(wh.) bulb-bearing.	Switzerland.	1826.	6. 8.	H.w. ♀.	Thor. jo. bot. 1. t. 7. f. 1-2.
DISCOPL'URA. DC.	DISCOPL'URA. Pentandria Digynia.					
Nuttállii. DC.	(wh.) slender-leaved.	N. America.	1812.	7. 8.	H. ⊙.	
<i>A'mmi capillàceum.</i> M. <i>Sison capillàceus.</i> s.s.						
LEPTOCA'ULIS. DC.	LEPTOCA'ULIS. Pentandria Digynia.					
divaricatus. DC.	(ro. wh.) spreading.	N. America.	1812.	6. 8.	H. ⊙.	
<i>Æthùsa divaricata.</i> n. <i>A'mmi divaricatum.</i> P.S.						
PTYCH'OTIS. K.U.	PTYCH'OTIS. Pentandria Digynia.					
1 heterophylla. K.U.	(wh.) Coriander-leav'd.	Pyrenees.	1778.	7. 8.	H. ♂.	Jacq. vind. 2. t. 198.
<i>Mèum heterophyllum.</i> s.s. <i>Æthùsa Bùnius.</i> w.						
2 ammoïdes. K.U.	(wh.) Milfoil-leaved.	S. Europe.	1759.	6. 7.	H. ⊙.	Jacq. vind. 1. t. 52.
<i>Séseli ammoïdes.</i> s.s.						
3 verticillata. DC.	(wh.) whorled.	————	1825.	——	H. ⊙.	
4 cóptica. DC.	(wh.) Egyptian.	Egypt.	1773.	——	H. ⊙.	Jacq. vind. 2. t. 196.
<i>Trachyspèrmum cópticum.</i> L. enum. <i>A'mmi cópticum.</i> L. <i>Bùnium cópticum.</i> R.S.						
FALC'ARIA. DC.	FALC'ARIA. Pentandria Digynia.					
agrèstis.	(wh.) decurrent.	Europe.	1726.	7. 8.	H. ♀.	Jacq. aust. 3. t. 257.
<i>Siùm Falcària.</i> R.S. <i>Drepanophyllum agrèste.</i> K.U.						
SISON. S.S.	S'ISON. Pentandria Pentagynia. L.					
1 Amòmum. E.B.	(wh.) hedge.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 14. t. 954.
SCHU'LTZIA. S.S.	SCHU'LTZIA. Pentandria Digynia.					
crinita. s.s.	(wh.) slender-leaved.	Altay.	1828.	6. 7.	H. ♂.	Pall. act. pet. 1779. 2. t. 7.
AMMI. S.S.	BISHOP'S WEED. Pentandria Digynia. L.					
1 majus. s.s.	(wh.) great.	S. Europe.	1551.	6. 7.	H. ⊙.	Flor. græc. t. 273.
2 Bæbèri. L.en.	(wh.) Bæber's.	Crete.	1818.	7. 8.	H. ♀.	
<i>cicutafolium.</i> R.S.						
3 Visnàga. s.s.	(wh.) Toothpick.	S. Europe.	1596.	6. 8.	H. ⊙.	Gært. fr. 1. t. 107.
<i>Visnàga daucoïdes.</i> G.						
4 glaucifolium. s.s.	(wh.) glaucous-leav'd.	France.	1816.	——	H. ♂.	Lapeyr. pyr. t. 75.
EGOPODIUM. L.	GOUT-WEED. Pentandria Digynia. L.					
Podagrària. E.B.	(wh.) common.	Britain.	5. 7.	H. ♀.	Eng. bot. v. 14. t. 940.
<i>Sison Podagrària.</i> s.s.						
CARUM. K.U.	CARAWAY. Pentandria Digynia. L.					
1 Cárvi. s.s.	(wh.) common.	Britain.	6.	H. ♂.	Eng. bot. v. 21. t. 1503.
<i>Feniculum Cárvi.</i> L.en.						

2	Bulbocástanum. K.U. (<i>wh.</i>) Earth-nut.	Europe.	1797.	6. 7.	H. 4.	Flor. dan. t. 229.
	<i>Bunium Bulbocástanum.</i> w. <i>Myrrhis Bunium.</i> R.S.					
3	flexuòsum. (<i>wh.</i>) common.	Britain.	5. 6.	H. 4.	Eng. bot. v. 14. t. 988.
	<i>Bunium flexuòsum.</i> E.B.					
4	verticillàtum. K.U. (<i>wh.</i>) whorl-leaved.	————	7. 8.	H. 4.	Eng. bot. v. 6. t. 395.
	<i>Sium verticillàtum.</i> E. B.					
B'UNIUM. DC.		B'UNIUM. Pentandria Digynia. L.				
1	peucedanoídes. M.B. (<i>st.</i>) Sulphur-wort.	Caucasus.	1823.	7. 8.	H. 4.	
2	luteum. M.B. (<i>ye.</i>) yellow.	Volga.	1827.	—	H. 4.	
3	viréscens. DC. (<i>gr.</i>) greenish-flower'd.	Europe.	1826.	—	H. 4.	
	<i>Sium viréscens.</i> R.S.					
4	acaùle. M.B. (<i>ye.</i>) stalkless.	Caucasus.	1821.	6. 8.	H. ♂.	
	<i>Ammi acaùle.</i> s.s.					
CRYPTOTÆNIA. DC.		CRYPTOTÆNIA. Pentandria Digynia.				
1	canadense. DC. (<i>wh.</i>) Canadian.	N. America.	1699.	7. 8.	H. 4.	Moris. his. s. 9. t. 11.
	<i>Sison canadense.</i> w. <i>Myrrhis canadensis.</i> s.s.					
2	Thomàsii. DC. (<i>wh.</i>) Thomas's.	Italy.	1827.	—	H. 4.	
PIMPINE'LLA. K.U.		BURNET SAXIFRAGE. Pentandria Digynia. L.				
1	màgna. s.s. (<i>wh.</i>) great.	England.	6. 8.	H. 4.	Eng. bot. v. 6. t. 408.
2	mèdia. P.S. (<i>wh.</i>) middle.	Germany.	—	H. 4.	Hoff. deut. fl. t. 397.
	<i>orientalis.</i> Jacq. aust. t. 397.					
3	dissécta. w. (<i>wh.</i>) cut-leaved.	France.	—	H. 4.	Retz. obs. 3. t. 2.
4	rotundifòlia. M.B. (<i>wh.</i>) round-leaved.	Caucasus.	1816.	—	H. ♂.	Spr. Anl. ed. 2. t. 4. f. 1. 4.
	<i>Sison rotundifòlius.</i> s.s.					
5	Saxífraga. w. (<i>wh.</i>) common.	Britain.	—	H. 4.	Eng. bot. v. 6. t. 407.
6	Tràgium. DC. (<i>wh.</i>) Columna's.	S. Europe.	1824.	6. 8.	H. 4.	Column. phyt. t. 17.
	<i>Tràgium Columnæ.</i> s.s.					
7	peregrina. w. (<i>wh.</i>) nodding.	Italy.	1640.	—	H. 4.	Jacq. vind. 2. t. 131.
8	aromática. M.B. (<i>wh.</i>) aromatic.	Caucasus.	1824.	—	H. ♂.	
9	bubonoídes. P.S. (<i>wh.</i>) Bubon-like.	Portugal.	1814.	6. 8.	H. 4.	
	<i>Tràgium Brotèri.</i> R.S.					
10	villòsa. Scho. (<i>wh.</i>) villous.	Barbary.	1824.	—	H. 4.	
	<i>Tràgium Schousb'wi.</i> R.S.					
11	taùrica. DC. (<i>wh.</i>) Taurian.	Tauria.	1824.	6. 8.	H. 4.	
	<i>Ledebùria tàurica.</i> L. en. <i>Tràgium tàuricum.</i> s.s.					
12	nìgra. W. en. (<i>wh.</i>) black-rooted.	Germany.	1683.	—	H. 4.	Moris. sect. 9. t. 5.
13	lateriflòra. L. en. (<i>wh.</i>) side-flowering.	Hungary.	1816.	—	H. 4.	
14	dichótoma. w. (<i>wh.</i>) dichotomous.	Spain.	1798.	—	H. 4.	
15	A'nisum. L. (<i>wh.</i>) Anise.	Egypt.	1551.	6. 8.	H. ⊙.	Moris. his. s. 9. t. 9.
	<i>Sison A'nisum.</i> R.S. <i>A'nisum vulgàre.</i> Gaert.					
S'IUM. K.U.		WATER-PARSNEP. Pentandria Digynia. L.				
1	latifòlium. s.s. (<i>wh.</i>) broad-leaved.	Britain.	7. 8.	H.w. 4.	Eng. bot. v. 3. t. 204.
2	lancifòlium. s.s. (<i>wh.</i>) spear-leaved.	Siberia.	1823.	—	H.w. 4.	Gmel. sib. 1. t. 47.
3	angustifòlium. s.s. (<i>wh.</i>) narrow-leaved.	Britain.	—	H.w. 4.	Eng. bot. v. 2. t. 139.
4	Sisarum. s.s. (<i>wh.</i>) Skirret.	China.	1518.	—	H. 4.	Schkuhr. hand. 1. t. 69.
BUPLE'URUM. S.S.		HARE'S-EAR. Pentandria Digynia. L.				
1	coriàceum. s.s. (<i>st.</i>) thick-leaved.	Gibraltar.	1784.	7. 8.	G. 1/2.	L'Herit. st. nov. t. 67.
2	fruticòsum. s.s. (<i>st.</i>) shrubby.	S. Europe.	1596.	—	H. 1/2.	Flor. græc. t. 263.
3	fruticéscens. s.s. (<i>st.</i>) frutescent.	Spain.	1752.	8. 9.	H. 1/2.	Cav. ic. 2. t. 106.
4	plantagíneum. s.s. (<i>st.</i>) plantain-leaved.	Barbary.	1809.	—	G. 1/2.	Desf. atl. 1. t. 57.
	<i>β canéscens.</i> P.S. (<i>st.</i>) hoary.					
5	spinòsum. s.s. (<i>st.</i>) thorny.	Spain.	1752.	—	G. 1/2.	Gouan. ill. 8. t. 2. f. 3.
6	diffòrme. s.s. (<i>st.</i>) various-leaved.	C. B. S.	—	—	F. 1/2.	Burm. afr. t. 71. f. 1.
7	rotundifòlium. s.s. (<i>ye.</i>) round-leaved.	England.	6. 7.	H. ⊙.	Eng. bot. v. 2. t. 99.
8	protràctum. s.s. (<i>st.</i>) protracted.	Portugal.	1824.	—	H. ⊙.	
9	heterophyllum. s.s. (<i>st.</i>) various-leaved.	Egypt.	—	—	H. ⊙.	
10	aùreum. s.s. (<i>ye.</i>) golden.	Siberia.	—	—	H. 4.	
11	longifòlium. s.s. (<i>st.</i>) long-leaved.	Switzerland.	1713.	5. 7.	H. 4.	Moris. sect. 9. t. 11.
12	pyrenàicum. s.s. (<i>st.</i>) Pyrenean.	Pyrenees.	1814.	—	H. 4.	Gouan. ill. t. 4.
13	angulòsum. w. (<i>st.</i>) angular-leaved.	Switzerland.	1759.	—	H. 4.	Moris. sect. 9. t. 12.
14	ranunculoídes. w. (<i>st.</i>) Crowfoot-like.	Pyrenees.	1790.	7. 8.	H. 4.	Park. theatr. f. 7.
15	caricifòlium. w. (<i>st.</i>) Carex-leaved.	S. France.	1824.	—	H. 4.	
16	Burseriànum. W. en. (<i>st.</i>) Burser's.	————	1820.	—	H. 4.	
17	petr'æum. s.s. (<i>st.</i>) alpine.	S. Europe.	1823.	—	H. 4.	Rich. de Bellev. t. 206.
18	sibirícum. M.B. (<i>st.</i>) Siberian.	Siberia.	1826.	—	H. 4.	
19	graminifòlium. s.s. (<i>st.</i>) Grass-leaved.	Switzerland.	1768.	5. 7.	H. 4.	Jacq. ic. 1. t. 56.
20	stellàtum. s.s. (<i>st.</i>) starry.	————	1775.	—	H. 4.	Hall. helv. t. 18.
21	falcàtum. s.s. (<i>st.</i>) twisted-stalk'd.	Germany.	1739.	5. 9.	H. 4.	Jacq. aust. 2. t. 158.

22	scorzoneraefolium. W.en.(st.)	Scorzonera-ld.	Germany.	1818.	6. 8.	H. 4.	
23	rigidum. R.S.	(st.) rigid.	S. France.	1739.	5. 9.	H. 4.	Moris. sect. 9. t. 12.
24	nudum. S.S.	(st.) naked-stalked.	C. B. S.	1778.	10.	G. 4.	
25	gibraltaricum. Lag.	(st.) Gibraltar.	Gibraltar.	1825.	—	G. 4.	
26	glaucum. DC.	(ye.) glaucous.	S. France.	1828.	—	H. ⊙.	
27	Odontites. S.S.	(bh.) narrow-leaved.	England.	—	H. ⊙.	Eng. bot. v. 35. t. 2468.
	<i>Odontites lutéola.</i> R.S.						
28	junceum. S.S.	(ye.) linear-leaved.	S. Europe.	1722.	7. 8.	H. ⊙.	Moris. sect. 9. t. 12.
29	Gerardi. R.S.	(ye.) Gerard's.	—	1804.	—	H. ⊙.	Jacq. aust. t. 256.
30	baldense. R.S.	(ye.) channel-leav'd.	M. Baldo.	1818.	—	H. ⊙.	W. et K. hung. 3. t. 257.
	<i>exaltatum.</i> P.S.						
31	lancifolium. H.H.	(ye.) lance-leaved.	1824.	6. 9.	H. ⊙.	
32	semicompositum. S.S.	(ye.) dwarf.	Spain.	1778.	—	H. ⊙.	Flor. græc. t. 261.
	<i>Odontites semicomposita.</i> R.S.						
33	gracile. M.B.	(ye.) slender-twigg'd.	Tauria.	1827	—	H. ⊙.	
34	tenuissimum. S.S.	(ye.) slender.	England.	7. 8.	H. ⊙.	Eng. bot. v. 7. t. 478.
35	trifidum. S.S.	(ye.) trifid-umbel'd.	Italy.	1824.	5. 9.	H. 4.	
HETEROMO'RPHA. DC. HETEROMO'RPHA. Pentandria Digynia.							
	arborescens. DC.	(st.) arborescent.	C. B. S.	1816.	7. 8.	G. ½.	
	<i>Bupleurum arborescens.</i> S.S.	<i>Tendria arborescens.</i> R.S.					

Tribus IV. SESELINEÆ. DC.

LICHTENSTEINIA. DC. LICHTENSTEINIA. Pentandria Digynia.							
	inèbrians. DC.	(wh.) various-leaved.	C. B. S.	1816.	8. 9.	G. 4.	
	<i>Enánthe inèbrians.</i> S.S.						
ENANTHE. S.S. WATER-DROPWORT. Pentandria Digynia. L.							
1	fistulosa. S.S.	(bh.) common.	Britain.	6. 8.	H. 4.	Eng. bot. v. 6. t. 363.
2	tenuifolia. S.S.	(wh.) slender-leaved.	C. B. S.	1816.	6. 8.	G. 4.	
3	peucedanifolia. S.S.	(wh.) round-rooted.	S. Europe.	—	H.w. 4.	Pollich. palat. t. 3.
4	silafolia. S.S.	(wh.) oblong-rooted.	England.	—	H.w. 4.	Eng. bot. v. 5. t. 348.
	<i>peucedanifolia.</i> E.B. non. S.S.						
5	gymnorhiza. S.S.	(wh.) naked rooted.	N. Europe.	1824.	—	H.w. 4.	
6	pimpinelloides. S.S.	(bh.) Burnet Saxifrage.	England.	—	H.w. 4.	Eng. bot. v. 5. t. 347.
7	prolifera. S.S.	(wh.) proliferous.	S. Europe.	1739.	—	H.w. 4.	Jacq. vind. 3. t. 62.
8	globulosa. S.S.	(wh.) globe-headed.	Portugal.	1710.	—	H. ♂.	Gouan. ill. 18. t. 9.
9	crocata. S.S.	(wh.) poisonous.	Britain.	—	H.w. 4.	Eng. bot. v. 33. t. 2313.
10	Phellandrium. S.S.	(wh.) water Hemlock.	—	6. 7.	H.w. ♂.	— v. 10. t. 684.
	<i>Phellandrium aquaticum.</i> E.B.						
11	apiifolia. S.S.	(wh.) Parsley-leaved.	Portugal.	1806.	6. 8.	H. 4.	
12	australis. R.S.	(wh.) southern.	S. Europe.	1824.	—	H. 4.	
13	involutrata. Cav.	(wh.) involucred.	Spain.	1820.	—	H. 4.	
14	am'ena. Leh.	(wh.) handsome.	1827.	—	H. 4.	
ANESORHIZA. DC. ANESORHIZA. Pentandria Digynia.							
	interrupta. (wh.)	interrupted.	C. B. S.	1816.	6. 8.	G. 4.	
	<i>Enánthe interrupta.</i> S.S.						
SCLEROSCIADIUM. DC. SCLEROSCIADIUM. Pentandria Digynia.							
	rigens. DC.	(wh.) rigid-stalked.	C. B. S.	1787.	6. 8.	G. ½.	
	<i>Conium rigens.</i> W. <i>Bunium rigens.</i> S.S.						
ETHUSA. R.S. FOOLS-PARSLEY. Pentandria Digynia. L.							
1	Cynapium. W.	(wh.) common.	Britain.	7. 9.	H. ⊙.	Eng. bot. v. 17. t. 1192.
2	cynapioides. M.B.	(wh.) Caucasian.	Caucasus.	1820.	—	H. 4.	Hoff. umb. ed. 2. t. tit. f. 9.
3	elata. L.en.	(wh.) tall.	Siberia.	—	—	H. ⊙.	
4	fátua. R.S.	(wh.) fine-leaved.	1781.	—	H. 4.	
FENICULUM. G. FENNEL. Pentandria Digynia.							
1	vulgare. G.	(ye.) common.	Britain.	7. 8.	H. 4.	Eng. bot. v. 17. t. 1208.
	<i>Anèthum Fœniculum.</i> E.B. <i>Mèum Fœniculum.</i> S.S.						
2	dulce. DC.	(ye.) sweet.	S. Europe.	1824.	—	H. ⊙.	DC. hort. m. ined. t. 96.
3	piperitum.	(ye.) peppery.	Italy.	—	—	H. ♂.	
	<i>Mèum piperitum.</i> R.S. <i>Anèthum piperitum.</i> Bert.						
4	lateum. F.	(ye.) yellow.	Persia.	1829.	—	H. ♂.	
KUNDMA'NNIA. DC. KUNDMA'NNIA. Pentandria Digynia.							
	pastinacæfolia. (ye.)	Parsnep-leaved.	Sicily.	1686.	7. 8.	H. 4.	Jacq. vind. 2. t. 133.
	<i>Brignòlia pastinacæfolia.</i> K.U. <i>Sium siculum.</i> R.S.						
DEVE'RRÀ. DC. DEVE'RRÀ. Pentandria Digynia.							
1	tortuosa. DC.	(wh.) twisting.	Levant.	1828.	G. ½.	Desf. atl. 1. t. 73.
	<i>Bubon tortuosum.</i> Df.						

- 2 aphylla. DC. (wh.) leafless. C. B. S. 1816. G. ♀.
Bubon aphyllus. Schlecht.
- SE'SELI. S.S. MEADOW SAXIFRAGE. Pentandria Digynia. S.S.
- 1 elatum. s.s. (wh.) tall. Austria. 1710. 7. 8. H. 4. Gouan. ill. 16. t. 8.
- 2 varium. s.s. (wh.) variable. 1818. — H. 4.
- 3 glaucum. s.s. (pu.wh.) glaucous. France. 1759. — H. 4. Jacq. aust. 2. t. 141.
- 4 tauricum. s.s. (wh.) Taurian. Tauria. 1818. 6. 8. H. 4.
- 5 montanum. s.s. (wh.) mountain. Italy. 1658. 6. 7. H. 4. Jacq. vind. 2. t. 129.
- 6 annuum. s.s. (bh.) annual. Europe. 1816. 7. 8. H. ♂. Jacq. aust. t. 55.
Carum simplex. W.
- 7 campestre. s.s. (wh.) field. Poland. 1827. — H. 4.
- 8 pimpinelloides. s.s. (wh.) nodding-flower'd. S. Europe. 1796. — H. 4.
- 9 Hippomarathrum. s.s. (bh.) various-leav'd. Austria. 1656. — H. 4. Jacq. aust. 2. t. 143.
- 10 tortuosum. s.s. (wh.) crooked. S. Europe. 1597. 10. H. 4. Moris. sect. 9. t. 6.
- 11 leucospermum. s.s. (wh.) white-seeded. Hungary. 1805. 7. H. 4. W. et K. hung. t. 89.
- 12 proliferum. s.s. (wh.) prolific. 1823. 5. 8. H. 4.
- 13 chærophyloides. s.s. (wh.) Chervil-like. C. B. S. 1816. — G. 4.
- 14 Bocconi. s.s. (wh.) Boccone's. Sicily. 1826. — H. 4. Boec. sic. s. 27. 28.
- 15 divaricatum. s.s. (ye.) shining-leaved. N. America. 1812. 6. 7. H. 4. Bot. mag. t. 1742.
- 16 striatum. s.s. (wh.) striped-stalked. C. B. S. 1816. 7. 8. G. 4.
- 17 gracile. s.s. (ye.) slender. Hungary. 1805. 6. 7. H. 4. W. et K. hung. 2. t. 117.
- 18 peucedanifolium. K. U. (wh.) smooth-stalk'd. Hungary. 1826. 7. 9. H. 4. ————— t. 146.
- 19 petræum. K. U. (wh.) glaucous. Tauria. 1824. 7. 8. H. 4.
- Bubon glaucus*. s.s.
- 20 cuneifolium. M. B. (wh.) wedge-leaved. Sicily. 1823. 7. 9. H. 4. Moris. his. s. 9. t. 7.
- 21 gummiferum. K. U. (bh.) gum-bearing. Crimea. 1710. — H. ♂. Sm. exot. bot. t. 20.
- 22 dichotomum. M. B. (wh.) forked. Tauria. 1816. — H. ♂. Bot. mag. t. 2073.
- 23 eriocepalum. (wh.) woolly-headed. Siberia. 1827. — H. ♂.
- 24 corsicum. L. en. (wh.) dwarf annual. Corsica. 1825. — H. ○.
- 25 Pallasii. Bess. (wh.) Pallas's. Siberia. 1823. — H. 4.
- 26 Lobelianum. Bess. (wh.) Lobel's. — H. 4.
- LIBAN'OTIS. DC. LIBAN'OTIS. Pentandria Digynia.
- 1 buchtormensis. DC. (wh.) Siberian. Siberia. 1822. 7. 8. H. 4.
- Bubon buchtormensis*. R. S. *Athamanta rigida*. Horn.
- 2 vulgâris. DC. (wh.) mountain. England. — H. 4. Eng. bot. v. 2. t. 138.
Athamanta Libanotis. E. B.
- CENOL'OPHIUM. DC. CENOL'OPHIUM. Pentandria Digynia.
- Fischèri. DC. (wh.) Fischer's. Siberia. 1820. 6. 8. H. 4.
- Cnidium Fischèri*. s.s. *Angélica Fischèri*. R. S. *Ligusticum Fischèri*. L. enum.
- CNI'DIUM. S.S. CNI'DIUM. Pentandria Digynia. S.S.
- 1 Monniéri. s.s. (wh.) annual. S. Europe. 1771. 7. 8. H. ○. Jacq. vind. 1. t. 62.
Selinum Monniéri. Jacq.
- 2 apioides. H. U. (wh.) Parsley-leaved. Europe. 1791. 6. 7. H. 4. Jacq. aust. 5. ap. t. 44.
Ligusticum apioides. R. S. *silafolium*. Jacq.
- 3 venosum. DC. (wh.) veined. Europe. 1818. 7. 8. H. 4.
Séseli dâbium. R. S.
- THA'SPIUM. N. THA'SPIUM. Pentandria Digynia.
- 1 actæifolium. N. (ye.) Actæa-leaved. N. America. 1824. 7. 8. H. 4.
Ligusticum actæifolium. M.
- 2 barbinode. N. (ye.) bearded-jointed. ———— 1759. 6. 7. H. 4.
Thapsia trifoliata. R. S.
- TROCHISCA'NTHE. K. U. TROCHISCA'NTHE. Pentandria Digynia.
- nodiflorus. K. U. (bh.) knot-flowered. Apennines. 1818. 6. 7. H. 4. All. ped. t. 72.
Ligusticum nodiflorum. s.s. *verticillatum*. W. et K. hung. 2. t. 171.
- ATHAMA'NTA. S.S. SPIGNELL. Pentandria Digynia. L.
- 1 macedonica. s.s. (wh.) Macedonian. Greece. 1596. 6. 8. G. ♂. Lobel. hist. 406. ic. 708.
Bubon macedonicum. L.
- 2 condensata. W. (wh.) close-headed. Siberia. 1773. 7. 9. H. 4. Gmel. sib. 1. t. 44.
- 3 sibirica. W. (st.) Siberian. ———— 1771. 7. 8. H. 4. Lam. ill. t. 194. f. 1.
- 4 sicula. s.s. (wh.) Flixweed-leav'd. Sicily. 1686. 6. 7. H. 4. Ten. fl. nap. 1. t. 25.
- 5 Matthioli. s.s. (wh.) fine-leaved. Carniola. 1802. — H. 4. Jacq. ic. rar. 1. t. 57.
- 6 stricta. Led. (wh.) upright. Siberia. 1827. — H. 4.
- 7 cretensis. s.s. (wh.) candy-carrot. Austria. 1596. — H. 4. Jacq. aust. 1. t. 62.
- 8 incana. s.s. (wh.) hoary. Siberia. 1802. 7. 8. H. 4.
- 9 annua. W. (wh.) annual. Candia. 1731. 6. 7. H. ○.
- LIGUSTICUM. S.S. LIGUSTICUM. Pentandria Digynia. L.
- 1 scoticum. s.s. (bh.) Scotch. Britain. — H. 4. Eng. bot. v. 17. t. 1207.
- 2 obtusifolium. s.s. (wh.) blunt-leaved. Tangiers. 1824. 7. 8. H. 4.
- 3 athamantoides. s.s. (st.) Carrot-leaved. Pyrenees. 1734. — H. 4. Scop. carn. t. 10.
Ammi daucifolium. W. *Athamanta pyrenæica*. Jacq. vind. 2. t. 197.

4	alatum. s.s. (ro.wh.) winged-stalked.	Caucasus.	1823.	7. 8.	H. 2.	
5	simplex. s.s. (wh.pu.) shining.	Switzerland.	1775.	7.	H. 3.	Jacq. misc. 2. t. 2.
	<i>Laserpitium simplex.</i> Jacq. <i>lucidum.</i> H.K.					
6	ferulaceum. s.s. (wh.) Fennel-leaved.	Levant.	1752.	6.	H. 2.	Allion. ped. t. 60.
	<i>Laserpitium dauricum.</i> Jacq. vind. 3. t. 38.					
7	candicans. s.s. (wh.) pale.	1780.	7. 8.	H. 2.	
8	pyrenæicum. K.U. (wh.) Pyrenean.	Pyrenees.	1739.	6. 7.	H. 2.	Gouan. ill. t. 7. f. 2.
	<i>Cnidium pyrenæum.</i> s.s. <i>Séseli aristatum.</i> H.K.					
9	Seguierii. K.U. (wh.) Fennel-leaved.	Italy.	1774.	7. 8.	H. 2.	Jacq. vind. 1. t. 61.
	<i>Selinum Seguierii.</i> Jacq. <i>Imperatoria Seguierii.</i> s.s.					
10	Fontanèsii. s.s. (wh.) fine-leaved.	Algiers.	6. 7.	H. 2.	Desf. atl. 1. t. 71.
	<i>Laserpitium peucedanoïdes.</i> Desf.					
11	cuneifolium. Led. (wh.) wedge-leaved.	Siberia.	1827.	—	H. 2.	
	SIL'AUS. K.U. SIL'AUS. Pentandria Digynia.					
1	pratensis. K.U. (st.) meadow.	England.	6. 8.	H. 2.	Eng. bot. v. 30. t. 2142.
	<i>Peucedanum Silaus.</i> E.B. <i>Cnidium Silaus.</i> s.s.					
2	Matthioli. K.U. (ye.) late-flowering.	Italy.	1824.	7. 8.	H. 2.	
	<i>Peucedanum Matthioli.</i> s.s.					
3	alpestris. K.U. (st.) Alpine.	France.	1739.	6. 7.	H. 2.	
	WALLRO'THIA. DC. WALLRO'THIA. Pentandria Digynia.					
1	alpina. DC. (wh.) alpine.	Hungary.	1827.	6. 8.	H. 2.	W. et K. hung. 2. t. 182.
	<i>tuberosa.</i> R.S. <i>Bunium alpinum.</i> W.K.					
2	tenuifolia. DC. (wh.) slender-leaved.	Pyrenees.	1826.	—	H. 2.	DC. mem. umb. t. 1. f. A.
	MEUM. S.S. BAWD-MONEY. Pentandria Digynia. S.S.					
1	athamanticum. s.s. (wh.) common.	Britain.	4. 6.	H. 2.	Eng. bot. v. 32. t. 2249.
2	Mutellina. s.s. (re.) Alpine.	Austria.	1774.	7. 8.	H. 2.	Jacq. aust. t. 56.
	<i>Phellandrium Mutellina.</i> L.					
3	sibiricum. s.s. (ye.) Siberian.	Siberia.	1820.	—	H. 2.	
	CONIOSEL'INUM. H.U. CONIOSEL'INUM. Pentandria Digynia.					
1	ingricum. F. (wh.) Ingrian.	Russia.	1827.	7. 8.	H. 2.	
2	tataricum. F. (wh.) Tartarian.	Tartary.	1825.	—	H. 2.	
	<i>Angélica Fischèri.</i> R.S.					
	CRITHMUM. L.en. SAMPHIRE. Pentandria Digynia. L.					
1	Libanòtis. L.en. (ye.) smooth-seeded.	Sicily.	1570.	7. 8.	H. 2.	Schk. handb. 1. t. 65.
	<i>Cáchrys Libanòtis.</i> s.s.					
2	maritimum. W. (st.) sea-side.	Britain.	7. 9.	H. 2.	Eng. bot. v. 12. t. 819.

Tribus V. ANGELICEÆ. DC.

	LEVI'STICUM. K.U. LOVAGE. Pentandria Digynia.					
	officinale. K.U. (ye.) common.	Italy.	1596.	6. 7.	H. 2.	Schk. handb. t. 68.
	<i>Ligusticum Levisticum.</i> s.s.					
	SEL'INUM. L. MILK-PARSLEY. Pentandria Digynia. L.					
1	Carvifolium. W. (bh.) Caraway-leav'd.	Austria.	1774.	7. 8.	H. 2.	Jacq. aust. 1. t. 16.
	OSTE'RICUM. H.U. OSTE'RICUM. Pentandria Digynia.					
	pratense. H.U. (wh.) field.	Galicia.	1824.	7. 8.	H. 2.	
	<i>Angélica pratensis.</i> M.B.					
	ANGE'LICA. K.U. ANGE'LICA. Pentandria Digynia. L.					
1	sylvestris. s.s. (wh.) wild.	Britain.	6. 8.	H. 2.	Eng. bot. v. 16. t. 1128.
2	Razoulii. s.s. (bh.) decurrent-ld.	Pyrenees.	1816.	—	H. 2.	Gouan. ill. 13. t. 6.
3	montana. K.U. (wh.) mountain.	Switzerland.	—	—	H. 2.	
4	flavescens. Bess. (st.) yellowish.	Pyrenees.	—	—	H. 2.	
5	pyrenæa. s.s. (wh.) Pyrenean.	—	1818.	—	H. 2.	Gouan. ill. p. 11. t. 5.
6	lucida. s.s. (br.) shining.	Canada.	1640.	—	H. 3.	Jacq. vind. 3. t. 24.
7	chærophylla. s.s. (wh.) Chervil-leaved.	Livonia.	1827.	—	H. 2.	
8	Wormskiöldii. F. (wh.) Wormskiold's.	Kamtschatka.	—	—	H. 2.	
9	lanceifolia. s.s. (wh.) lance-leaved.	1818.	—	H. 2.	
	<i>Selinum angelicástrum.</i> L. enum.					
	ARCHANGE'LICA. H.U. ARCHANGE'LICA. Pentandria Digynia.					
1	officinális. H.U. (wh.) garden.	England.	6. 8.	H. 3.	Eng. bot. v. 36. t. 2561.
	<i>Angélica Archangélica.</i> E.B.					
2	atropurpurea. H.U. (pu.) dark purple.	Canada.	1759.	7. 8.	H. 2.	Cornut. canad. t. 199.

Tribus VI. PEUCEDANEÆ. DC.

	OP'OPANAX. K.U. OP'OPANAX. Pentandria Digynia.					
	Chiròonium. K.U. rough.	S. Europe.	1640.	6. 7.	H. 2.	W. et K. hung. 3. t. 211.
	<i>Pastinaca Opòpanax.</i> W. <i>Ferula Opòpanax.</i> s.s.					

FER'ULA. S.S.		GIANT-FENNEL. Pentandria Digynia. L.					
1	<i>lævigata</i> . s.s. (ye.) smooth.	C. B. S.	1774.	12. 3.	G. ♀.		
	<i>Bubon lævigatum</i> . w.						
2	<i>nudicaulis</i> . s.s. (ye.) naked-stalked.	Sicily.	1825.	—	H. 4.		
3	<i>A'sa fœtida</i> . s.s. (st.) Asa fœtida.	Persia.	1818.	7. 8.	H. 4.		
4	<i>communis</i> . s.s. (ye.) common.	S. Europe.	1597.	6. 7.	H. 4.		Moris. s. 9. t. 15 f. 3.
5	<i>glauca</i> . s.s. (ye.) glaucous.	Italy.	1596.	—	H. 4.		
6	<i>sylvatica</i> . s.s. (ye.) wood.	Poland.	1827.	—	H. 4.		
7	<i>campêstris</i> . s.s. (ye.) field.	Tauria.	—	—	H. 4.		
8	<i>nodiflora</i> . s.s. (ye.) knot-flowered.	S. Europe.	1596.	—	H. 4.		Desf. atl. 1. t. 67.
	<i>sulcata</i> . Desf.						
9	<i>Ferulago</i> . s.s. (ye.) Fennel-leaved.	—	—	—	H. 4.		Jacq. aust. 5. ap. t. 5.
	<i>nodiflora</i> . Jacq. non s.s.						
10	<i>thyrsiflora</i> . s.s. (st.) thyrse-flower'd.	Crete.	1823.	—	F. 4.		Flor. græc. t. 280.
11	<i>tingitana</i> . s.s. (ye.) Tangier.	Barbary.	1680.	—	H. ♂.		Herm. parad. t. 165.
12	<i>stricta</i> . s.s. (ye.) upright.	C. B. S.	1816.	—	G. ♂.		
13	<i>nuda</i> . s.s. (ye.) naked.	Siberia.	1827.	—	H. 4.		
14	<i>caspica</i> . s.s. (ye.) Caspian.	Caspia.	1824.	—	H. 4.		Spreng. umb. t. 7. f. 14.
15	<i>orientalis</i> . s.s. (ye.) eastern.	Levant.	1759.	7. 8.	H. 4.		Tourn. it. 3. t. 239.
16	<i>persica</i> . s.s. (ye.) stinking.	Persia.	1782.	—	H. 4.		Andr. rep. t. 558.
17	<i>tatarica</i> . F. (ye.) Tartarian.	Tartary.	1828.	—	H. 4.		
18	<i>capillaris</i> . s.s. (ye.) capillary.	Portugal.	—	—	H. 4.		
19	<i>desertorum</i> . Led. (ye.) desert.	Siberia.	1827.	—	H. 4.		
20	<i>songarica</i> . R.S. (ye.) Songarian.	—	—	—	H. 4.		
ERIOSYNAPHE. DC. ERIOSYNAPHE. Pentandria Digynia.							
	<i>longifolia</i> . DC. (ye.) long-leaved.	Wolga.	1823.	7. 8.	H. 4.		DC. mem. umb. pl. 1 f. E.
	<i>Ferula longifolia</i> . F.						
PÆLI'MBIA. DC. PÆLI'MBIA. Pentandria Digynia.							
	<i>Chabr'æi</i> . DC. (bh.) fine-leaved.	Europe.	1791.	7. 8.	H. 4.		Jacq. aust. 1. t. 72.
	<i>Selinum Chabr'æi</i> . Jacq. <i>Oreoselinum Chabr'æi</i> . M.B. <i>Imperatoria Chabr'æi</i> . R.S.						
PEUCED'ANUM. S.S. SULPHURWORT. Pentandria Digynia. L.							
1	<i>officinale</i> . s.s. (ye.) officinal.	England.	5. 7.	H. 4.		Eng. bot. v. 25. t. 1767.
2	<i>paniculatum</i> . R.S. (ye.) panicked.	Corsica.	1827.	—	H. 4.		
3	<i>alsaticum</i> . w. (wh.) small-headed.	Austria.	1774.	6. 8.	H. 4.		Jacq. aust. 1. t. 70.
4	<i>gallicum</i> . s.s. (wh.) French.	France.	1816.	—	H. 4.		Gmel. sib. 1. t. 41.
5	<i>italicum</i> . P.S. (ye.) yellow-flower'd.	Italy.	5. 7.	H. 4.		
6	<i>ruthenicum</i> . R.S. (ye.) Russian.	Russia.	1824.	6. 8.	H. 4.		
7	<i>tauricum</i> . R.S. (ye.) Taurian.	Tauria.	1828.	—	H. 4.		
8	<i>longifolium</i> . R.S. (ye.) long-leaved.	Hungary.	1826.	—	H. 4.		W. et K. hung. t. 251.
9	<i>arenarium</i> . s.s. (ye.) sand.	—	1816.	6. 7.	H. 4.		— 1. t. 20.
10	<i>Morisòni</i> . R.S. (ye.) Morison's.	—	—	—	H. 4.		Moris. his. 3. s. 9. t. 15. f. 1.
11	<i>nodosum</i> . s.s. (wh.) knotted-stalked.	Crete.	—	H. 4.		Moris. his. s. 9. t. 17.
12	<i>aureum</i> . s.s. (ye.) golden.	Canaries.	1779.	6.	G. ♂.		Bot. reg. t. 559.
13	<i>tenuifolium</i> . s.s. (ye.) slender-leaved.	C. B. S.	1816.	6. 8.	G. ♂.		
14	<i>isetense</i> . s.s. (st.) straw-coloured.	Siberia.	1828.	—	H. ♂.		Gmel. sib. 1. t. 42-43.
15	<i>sibiricum</i> . w. (ye.) Siberian.	—	1804.	6. 7.	H. 4.		W. et K. hung. 1. t. 20.
16	<i>palustre</i> . K.U. (wh.) marsh.	Britain.	7. 8.	H. 4.		Eng. bot. v. 4. t. 229.
	<i>Selinum palustre</i> . E.B. <i>Thysselinum palustre</i> . H.U.						
17	<i>baicalense</i> . K.U. (wh.) Baical.	Siberia.	1824.	—	H. 4.		
18	<i>Cervària</i> . K.U. (wh. pu.) large-leaved.	Europe.	1597.	—	H. 4.		Jacq. aust. 1. t. 69.
	<i>Athamanta Cervària</i> . Jacq. <i>Ligusticum Cervària</i> . s.s.						
19	<i>Oreoselinum</i> . K.U. (re. wh.) bending.	Europe.	1780.	7. 9.	H. 4.		Jacq. aust. 1. t. 68.
	<i>Athamanta Oreoselinum</i> . Jacq. <i>Oreoselinum legitimum</i> . M.B.						
20	<i>montanum</i> . K.U. (wh.) mountain.	Switzerland.	1816.	7. 8.	H. 4.		
21	<i>involutum</i> . K.U. (wh.) involucred.	S. France.	1824.	—	H. 4.		
	<i>Selinum peucedanoïdes</i> . R.S. <i>Oreoselinum peucedanoïdes</i> . H.U.						
22	<i>austriacum</i> . K.U. (wh.) Austrian.	Austria.	1804.	—	H. 4.		Jacq. aust. 1. t. 71.
	<i>Selinum austriacum</i> . Jacq. <i>Oreoselinum austriacum</i> . H.U.						
23	<i>rablense</i> . K.U. (wh.) linear-leaved.	N. Europe.	1816.	7. 8.	H. 4.		Flor. dan. t. 1330.
24	<i>latifolium</i> . (wh.) broad-leaved.	Caucasus.	—	—	H. 4.		
	<i>Oreoselinum latifolium</i> . M.B.						
25	<i>polymorphum</i> . Lag. (wh.) variable.	Russia.	1824.	—	H. 4.		
26	<i>Bellàrdi</i> . Lag. (wh.) Bellardi's.	N. Europe.	—	—	H. 4.		
27	<i>élegans</i> . (wh.) elegant.	—	—	—	H. 4.		
	<i>Oreoselinum elegans</i> . H.U.						
28	<i>podolicum</i> . H.U. (wh.) Polish.	Poland.	1819.	—	H. 4.		
29	<i>nigricans</i> . H.U. (wh.) black-rooted.	Switzerland.	1823.	—	H. 4.		
30	<i>caucasicum</i> . (st.) Caucasian.	Caucasus.	1824.	—	H. 4.		
31	<i>Ostrùthium</i> . K.U. (wh.) Masterwort.	Scotland.	5. 7.	H. 4.		Eng. bot. v. 20. t. 1360.
	<i>Imperatoria Ostrùthium</i> . Eng. bot.						

32	imperatorioïdes. K.U. (wh.) narrow-leav'd. Alps, Europe. 1818. — H. 4.	Moris. his. s. 9. t. 4.
	<i>Imperatoriâ angustifolia</i> . s.s. <i>Selinum imperatorioides</i> . L.en.	
IMPERATORIA. DC.	MASTERWORT. Pentandria Digynia. L.	
	verticillâris. s.s. (wh.) whorl-flowered. Italy. 1683. 7. H. 4.	Jacq. vind. 2. t. 130.
	<i>Angélica verticillâris</i> . W.	
CALLIS'ACE. F.	CALLIS'ACE. Pentandria Digynia.	
	davûrica. F. (wh.) Daurian. Dauria. 1820. 7. 8. H. 4.	
	<i>Thysselinum davûricum</i> . s.s.	
BUBON. K.U.	B'UBON. Pentandria Digynia.	
	Galbânum. K.U. (ye.) Lovage-leaved. C. B. S. 1696. 6. 8. G. 7/2.	Jacq. vind. 3. t. 36.
	<i>Selinum Galbânum</i> . R.S.	
ANETHUM. L.en.	DILL. Pentandria Digynia. L.	
	1 gravèolens. w. (ye.) common. Spain. 1570. 6. 7. H. ♂.	Hoff.umb.gen.t.1.f.13.
	<i>Pastinâca Anethum</i> . s.s.	
	2 ségetum. L.en. (ye.) Portugal. Portugal. 1796. — H. ⊙.	Jacq. vind. t. 132.
	3 sówa. H.B. (st.) Indian. E. Indies. 1810. — H. ⊙.	
CAPNOPHY'LLUM. S.S.	CAPNOPHY'LLUM. Pentandria Digynia. S.S.	
	africânum. s.s. (wh.) Rue-leaved. C. B. S. 1759. 6. 9. H. ⊙.	Jacq. vind. t. 194.
	<i>Conium africânum</i> . w. <i>Rùmia capénsis</i> . L.en.	
ARCHEM'ORA. DC.	ARCHEM'ORA. Pentandria Digynia.	
	rígida. DC. (wh.) rigid. Virginia. 1774. 7. 8. H. 4.	Moris. dis. s. 9. t. 7.f. 1.
	<i>Sium rígidius</i> . w. <i>Cenánthe rígidâ</i> . n. <i>Pastinâca rígidâ</i> . s.s.	
PASTIN'ACA. S.S.	PARSNEP. Pentandria Digynia. L.	
	1 lúcida. s.s. (ye.) shining-leaved. S. Europe. 1771. 6. 7. H. ♂.	Jacq. vind. 2. t. 199.
	2 satíva. W.en. (ye.) cultivated. 7. H. ♂.	Flor. dan. t. 1206.
	3 opâca. W.en. (ye.) wild. Britain. — H. ♂.	Eng. bot. v. 8. t. 536.
	<i>satíva β arcénsis</i> . P.S.	
	4 taraxacifolia. F. (ye.) Dandelion-ld. Russia. 1822. — H. 4.	
	5 gravèolens. s.s. (ye.) strong-scented. Tauria. 1819. 7. 8. H. 4.	Hoff. umb. t. 1. B. f. 6.c.
	<i>Malabâila gravèolens</i> . H.U.	
	6 panacifolia. F. (ye.) Panax-leaved. Tauria. 1826. 7. 8. H. 4.	
	7 pimpinellifolia. s.s. (ye.) Burnet Saxifrage. Caucasus. 1824. — H. ♂.	— p.209.t.1.B.f.6.a.b.
	8 umbrôsa. F. (ye.) shady. ———— 1821. — H. 4.	
	9 dissécta. s.s. (ye.) cut-leaved. Levant. 1816. 6. 7. H. ♂.	Venten. cels. t. 78.
	10 nudicaulis. s.s. (ye.) naked-stalked. N. America. 1816. — H. 4.	
	<i>Smyrniûm nudicaule</i> . Ph.	
	11 divaricâta. Desf. (ye.) spreading. 1824. — H. 4.	
ASTYD'AMIA. DC.	ASTYD'AMIA. Pentandria Digynia.	
	canariénsis. DC. (ye.) cut-leaved. Canaries. 1780. 7. G. ♂.	DC. dis. umb. t. 1. f. D.
	<i>Bupleûrum canariense</i> . s.s. <i>Crithmum latifolium</i> . L. <i>Tendria canariénsis</i> . R.S.	
HERA'CLEUM. S.S.	COW-PARSNEP. Pentandria Digynia. L.	
	1 Sphondylium. w. (wh.) common. Britain. 5. 6. H. 4.	Eng. bot. v. 14. t. 939.
	2 flavescens. w. (wh.) yellowish. Austria. 1789. 6. 7. H. 4.	Jacq. aust. 2. t. 173.
	3 elegans. w. (wh.) rough-leaved. ———— 1800. 5. 6. H. 4.	————— 2. t. 175.
	4 angustifolium. w. (wh.) narrow-leaved. ———— — H. 4.	————— 2. t. 174.
	5 longifolium. Jacq. (wh.) long-leaved. ———— — H. 4.	————— 2. t. 374.
	6 sibiricum. s.s. (st.) Siberian. Siberia. 1768. — H. 4.	Gmel. sib. 1. t. 50.
	7 Panâces. s.s. (wh.) Fig-leaved. ———— 1596. 7. 8. H. 4.	Lobel. ic. 701.
	8 pyrenâicum. w. (wh.) Pyrenean. Pyrenees. 1804. — H. 4.	
	9 amplifolium. Lap. (wh.) large-leaved. ———— — H. 4.	Lap. fl. pyr. t. 79.
	10 gummíferum. w. (wh.) gum-bearing. ———— 1816. — H. 4.	Wild. hort. ber. t. 53. 54.
	11 speciòsum. H.U. (wh.) handsome. ———— — H. 4.	
	12 âperum. M.B. (wh.) rough. Caucasus. ———— — H. 4.	
	13 cordâtum. Pr. (wh.) heart-leaved. Sicily. 1825. — H. 4.	
	14 villòsum. s.s. (wh.) villous. Siberia. 1816. — H. 4.	
	15 grandiflorum. Stev. (w.) large-flowered. Caucasus. 1818. — H. 4.	
	16 decípiens. H.U. (wh.) deceiving. ———— — H. 4.	
	17 marginâtum. F. (wh.) margined. Siberia. 1816. — H. 4.	
	18 pubescens. M.B. (wh.) pubescent. Caucasus. 1824. — H. 4.	
	19 caucâsicum. R.S. (wh.) Caucasean. ———— — H. 4.	
	20 alpinum. s.s. (wh.) Alpine. Switzerland. 1739. 6. 7. H. 4.	Barrel. ic. 55.
	21 austriacum. s.s. (wh.) Austrian. Austria. 1816. — H. 4.	Jacq. aust. t. 61.
	<i>Tordylium siifolium</i> . w.	
	22 ligusticifolium. s.s. (wh.) Lovage-leaved. Tauria. 1824. — H. ♂.	
	23 subvillòsum. F. (wh.) subvillous. Siberia. 1820. — H. 4.	
	24 gigantèum. F. (wh.) gigantic. ———— — H. 4.	
	25 básvicum. F. (wh.) stately. ———— — H. 4.	
	26 laciniâtum. F. (wh.) jagged. ———— 1824. — H. 4.	
	27 taûricum. F. (wh.) Taurian. Tauria. 1823. — H. 4.	

28	<i>cáspicum</i> . F.	(wh.) Caspian.	Caucasus.	1828.	6. 7.	H. 2.	
29	<i>lanatum</i> . M.	(wh.) woolly.	N. America.	—	—	H. 2.	
30	<i>pùmilum</i> . DC.	(wh.) dwarf.	Dauphiny.	1800.	5. 7.	H. 2.	Vill. delph. 2. t. 14.
	<i>Peucedànum Vocontiorum</i> . s.s.						
ZOSÍMIA.	H.U.	ZOSÍMIA.	Pentandria Digynia.				
	<i>orientàlis</i> . H.U.	(ye.) Wormwood-ld.	Persia.	1816.	7. 8.	H. ⊙.	Vent. choix. t. 22.
	<i>Herácleum absinthifolium</i> . s.s. <i>Tordylum absinthifolium</i> . P.S.						

Tribus VII. TORDYLINÆ. DC.

HASSELQUISTIA.	S.S.	HASSELQUISTIA.	Pentandria Digynia.	L.			
1	<i>ægyptiaca</i> . s.s.	(wh.) Egyptian.	Egypt.	1768.	7.	H. ⊙.	Jacq. vind. 1. t. 37.
2	<i>cordata</i> . s.s.	(wh.) heart-leaved.	1787.	—	H. ⊙.	— 2. t. 193.
TORDYLIUM.	K.U.	HARTWORT.	Pentandria Digynia.	L.			
1	<i>syriacum</i> . s.s.	(wh.) Syrian.	Syria.	1597.	7.	H. ⊙.	Jacq. vind. 1. t. 54.
2	<i>cordatum</i> . E.	(wh.) heart-leaved.	—	1826.	—	H. ⊙.	
3	<i>máximum</i> . s.s.	(wh.) great.	England.	6. 7.	H. ⊙.	Eng. bot. v. 17. t. 1173.
4	<i>lusitanicum</i> . W.en.	(wh.) Portugal.	Portugal.	1820.	—	H. ⊙.	
CONDYLOCA'RPUS.	K.U.	CONDYLOCA'RPUS.	Pentandria Monogynia.				
1	<i>officinàlis</i> . K.U.	(bh.) officinal.	England.	7.	H. ⊙.	Eng. bot. v. 34. t. 2440.
	<i>Tordylum officinàle</i> . s.s.						
2	<i>ápus</i> . K.U.	(wh.) small.	Italy.	1739.	—	H. ⊙.	Jacq. vind. 1. t. 53.

Tribus VIII. SILERINÆ. DC.

KRUB'ERA.	H.U.	KRUB'ERA.	Pentandria Digynia.				
	<i>leptophylla</i> . K.U.	slender-leaved.	Barbary.	1800.	6. 7.	H. ⊙.	Desf. atl. 1. t. 66.
	<i>Cònium dichótomum</i> . Df. <i>Cáchrys dichótoma</i> . R.S. <i>Tordylum peregrinum</i> . L.						
AGASY'LLIS.	S.U.	AGASY'LLIS.	Pentandria Digynia.				
1	<i>caucásica</i> . s.u.	(wh.) Caucasian.	Caucasus.	1823.	5. 7.	H. 2.	
	<i>Silér caucásicum</i> . s.s. <i>Cáchrys latifolia</i> . M.B.						
2	<i>sálsa</i> . s.u.	(st.) fine-leaved.	Siberia.	1804.	7. 8.	H. 2.	Pall. act. pet. 1779. t. 5.
	<i>Silér sálsu</i> . R.S. <i>Sison sálsu</i> . L.						
SILE'R.	K.U.	SILE'R.	Pentandria Digynia.				
	<i>trilòbum</i> . K.U.	(wh.) Columbine-leav'd.	Austria.	1796.	5. 7.	H. 2.	Jacq. aust. 2. t. 147.
	<i>aquilegifolium</i> . R.S. <i>Laserpítium aquilegifolium</i> . W.						

Tribus IX. CUMINÆ. DC.

CUMINUM.	S.S.	CUMIN.	Pentandria Digynia.	L.			
	<i>Cy'minum</i> . s.s.	(wh.) officinal.	Egypt.	1594.	6. 7.	H. ⊙.	Cav. ic. 4. t. 360.

Tribus X. THAPSINÆ. DC.

THA'PSIA.	S.S.	DEADLY CARROT.	Pentandria Digynia.	L.			
1	<i>villòsa</i> . s.s.	(ye.) villous.	S. Europe.	1710.	6. 7.	H. 2.	Moris. s. 9. t. 18. f. 3.
2	<i>fœtida</i> . s.s.	(ye.) stinking.	Spain.	1596.	7. 8.	H. 2.	— t. 18. f. 7.
3	<i>gummífera</i> . s.s.	(wh.) gum-bearing.	S. Europe.	1824.	—	H. 2.	Desf. atl. 1. t. 72.
	<i>Laserpítium gummíferu</i> . Desf.						
4	<i>Asclèpiu</i> . s.s.	(ye.) oriental.	Levant.	—	H. 2.	Flor. græc. t. 296.
5	<i>gargánica</i> . s.s.	(ye.) Garganian.	Barbary.	1683.	—	H. 2.	Gouan. ill. 18. t. 10.
6	<i>altíssima</i> . R.S.	(ye.) tall.	—	H. 2.	
CYMO'PTERUS.	DC.	CYMO'PTERUS.	Pentandria Digynia.				
	<i>glomeràta</i> .	(wh.) clustered.	N. America.	1824.	5. 6.	H. 2.	
	<i>Selinu</i> . Ph.						
LASERPITIUM.	DC.	LASERWORT.	Pentandria Digynia.	L.			
1	<i>latifolium</i> . s.s.	(wh.) broad-leaved.	Europe.	1640.	6. 7.	H. 2.	Jacq. aust. t. 146.
2	<i>Libanòtis</i> . s.s.	(pu.) pubescent.	S. Europe.	1824.	—	H. 2.	Lob. ic. 705.
3	<i>marginàtum</i> . s.s.	(st.) purple-margin'd.	Hungary.	1818.	—	H. 2.	W. et K. hung. 2. t. 192.
4	<i>Silér</i> . s.s.	(wh.) mountain.	—	1640.	—	H. 2.	— 2. t. 145.

5	<i>alpinum</i> . K.U. (<i>wh.</i>) alpine. <i>trilobum</i> . s.s.	S. Europe.	1640.	5. 7.	H. ♀.	W. et K. hung. 3. t. 253.
6	<i>angustifolium</i> . w. (<i>wh.</i>) narrow-leaved.	S. Europe.	1738.	6. 7.	H. ♀.	Moris. s. 9. t. 19. f. 9.
7	<i>peucedanoïdes</i> . w. (<i>wh.</i>) fine-leaved.	Italy.	—	H. ♀.	Jacq. ic. 2. t. 350.
8	<i>resinosum</i> . s.s. (<i>ye.</i>) resinous.	Sicily.	1825.	—	H. ♀.	
9	<i>hirsutum</i> . s.s. (<i>wh.</i>) hairy.	Switzerland.	1759.	—	H. ♀.	Hall. stirp. t. 19.
10	<i>Archangélica</i> . s.s. (<i>wh.</i>) spotted-stalked.	Hungary.	1818.	—	H. ♀.	Jacq. ic. 1. t. 58.
11	<i>pilosum</i> . s.s. (<i>st.</i>) sulphur-color'd.	Caucasus.	1759.	—	H. ♀.	
12	<i>pruthenicum</i> . s.s. (<i>wh.</i>) Prussian.	Germany.	—	7. 8.	H. ♀.	Jacq. aust. 2. t. 153.
13	<i>hispidum</i> . M.B. (<i>bh.</i>) hispid.	Caucasus.	1818.	—	H. ♀.	
14	<i>Athamántæ</i> . s.s. (<i>wh.</i>) branching.	Siberia.	—	—	H. ♂.	
15	<i>gállicum</i> . s.s. (<i>wh.</i>) French.	S. Europe.	1683.	6. 7.	H. ♀.	Pluk. phyt. t. 198. f. 6.
16	<i>feruláceum</i> . w. (<i>wh.</i>) Fennel-leaved.	Levant.	1752.	—	H. ♀.	Tourn. it. 2. t. 121.
17	<i>pratense</i> . Led. (<i>wh.</i>) field.	Siberia.	1827.	—	H. ♀.	
18	<i>laxiflorum</i> . F. (<i>wh.</i>) loose-flowered.	—	1828.	—	H. ♀.	
LOPHOSCADIUM. DC. LOPHOSCADIUM. Pentandria Digynia.						
	<i>millefolium</i> . DC. (<i>ye.</i>) milfoil-leaved.	Levant.	1823.	7. 8.	H. ♀.	DC. mem. umb. t. 2. f. P.
	<i>Ferula meoides</i> . s.s.					
MELANOSELINUM. H.U. BLACK-PARSLEY. Pentandria Digynia.						
	<i>decipiens</i> . H.U. (<i>wh.</i>) shrubby.	Madeira.	1785.	6. 7.	G. ♀.	Wend. s. han. 3. t. 13.

Tribus XI. DAUCINEÆ. DC.

ARTEDIA. S.S.		ARTEDIA. Pentandria Digynia. L.				
	<i>squamata</i> . s.s. (<i>wh.</i>) Fennel-leaved.	Levant.	1740.	7.	H. ⊙.	Lam. ill. t. 193.
ORLA'YA. H.U.		ORLA'YA. Pentandria Digynia.				
1	<i>grandiflora</i> . H.U. (<i>wh.</i>) great-flowered.	S. Europe.	1648.	7. 8.	H. ⊙.	Jacq. aust. 1. t. 54.
	<i>Caucalis grandiflora</i> . s.s.					
2	<i>maritima</i> . K.U. (<i>bh.</i>) sea-side.	—	1825.	—	H. ⊙.	Cavan. icon. 2. t. 101.
	<i>Caucalis maritimus</i> . s.s.					
3	<i>platycarpus</i> . K.U. (<i>wh.</i>) broad-seeded.	—	1800.	—	H. ⊙.	Jacq. vind. 3. t. 10.
DAUCUS. S.S.		CARROT. Pentandria Digynia. L.				
1	<i>Carota</i> . w. (<i>wh.</i>) wild.	Britain.	6. 7.	H. ♂.	Eng. bot. v. 17. t. 1174.
	<i>β lutea</i> . (<i>wh.</i>) yellow-rooted, garden.	—	—	H. ♂.	
	<i>γ aurantia</i> . (<i>wh.</i>) long-orange.	—	—	H. ♂.	
	<i>δ præcox</i> . (<i>wh.</i>) early horn.	—	—	H. ♂.	
2	<i>mauritanicus</i> . w. (<i>wh.</i>) fine-leaved.	Spain.	1768.	—	H. ♂.	All. ped. 2. t. 61. f. 1.
3	<i>polygamus</i> . L.en. (<i>wh.</i>) polygamous.	—	—	H. ♂.	Jacq. vind. 3. t. 78.
4	<i>pusillus</i> . R.S. (<i>wh.</i>) small.	N. America.	1812.	—	H. ♂.	
5	<i>maritimus</i> . E.B. (<i>ro.</i>) sea-side.	England.	—	H. ♂.	Eng. bot. v. 36. t. 2560.
6	<i>gummifer</i> . s.s. (<i>ro.</i>) gum-bearing.	Italy.	1722.	—	H. ♂.	Moris. sect. 9. t. 13.
7	<i>prolifer</i> . s.s. (<i>wh.</i>) proliferous.	Sicily.	1828.	—	H. ♂.	
8	<i>hispidus</i> . s.s. (<i>bh.</i>) hispid.	Barbary.	1804.	—	H. ♂.	Desf. atl. t. 63.
9	<i>siculus</i> . s.s. (<i>bh.</i>) Sicilian.	—	—	—	H. ♂.	
10	<i>Gingidium</i> . s.s. (<i>ro.</i>) shining-leaved.	France.	1722.	—	H. ♂.	Moris. s. 9. t. 13. f. 4.
	<i>lucidus</i> . w.					
11	<i>muricatus</i> . s.s. (<i>bh.</i>) prickly-seeded	Barbary.	1683.	—	H. ⊙.	Moris. s. 9. t. 14. f. 4.
12	<i>littoralis</i> . s.s. (<i>wh.</i>) sea-shore.	Greece.	1823.	—	H. ⊙.	Flor. græc. t. 271.
13	<i>montevidensis</i> . Ot. (<i>wh.</i>) Monte Video.	Monte Video.	1826.	—	H. ⊙.	
14	<i>parviflorus</i> . s.s. (<i>wh.</i>) small-flowered.	Barbary.	1823.	—	H. ♂.	Desf. atl. 1. t. 68.
15	<i>crinitus</i> . K.U. (<i>wh.</i>) whorl-leaved.	—	1804.	6. 7.	H. ♀.	— 1. t. 62.
	<i>Torilis crinita</i> . s.s.					
16	<i>pulcherrimus</i> . DC. (<i>wh.</i>) beautiful.	Caucasus.	1816.	—	H. ♂.	
	<i>Caucalis pulcherrima</i> . M.B.					
17	<i>orientalis</i> . DC. (<i>wh.</i>) oriental.	—	1699.	—	H. ♂.	Buxb. cent. 3. t. 28.
	<i>Caucalis orientalis</i> . R.S.					
18	<i>Marschallianus</i> . DC. (<i>wh.</i>) Marschall's.	Odessa.	1824.	—	H. ♂.	
	<i>Caucalis littoralis</i> . M.B. <i>Cachrys littoralis</i> . s.s.					

Subordo II. *CAMPYLOSPERMEÆ. DC.*

Tribus XII. CAUCALINEÆ. DC.

CAUCALIS. S.S.		BUR-PARSLEY. Pentandria Digynia. L.				
1	<i>daucoides</i> . s.s. (<i>ro.</i>) small.	England.	7. 8.	H. ⊙.	Eng. bot. v. 3. t. 197.

2	mauritànica. s.s. (wh.)	Barbary.	Barbary.	1823.	7. 8.	H. ⊙.	
3	leptophylla. s.s. (bh.)	fine-leaved.	Europe.	1739.	—	H. ⊙.	Jacq. vind. t. 195.
4	pùmila. w. (bh.)	dwarf.	—	1640.	—	H. ⊙.	Ger. gallop. n. 4. t. 10.
5	hispida. s.s. (st.)	hispid.	S. Europe.	1825.	—	H. ⊙.	
6	hùmilis. Lag. (wh.)	low.	—	—	—	H. ⊙.	
TURG'ENIA. DC.		TURG'ENIA. Pentandria Digynia.					
	latifòlia. DC. (bh.)	broad-leaved.	England.	7. 8.	H. ⊙.	Eng. bot. v. 3. t. 198.
	<i>Caucalis latifòlia.</i> E.B.						
TOR'ILIS. S.S.		TOR'ILIS. Pentandria Digynia. S.S.					
1	Anthriscus. s.s. (bh.)	upright.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 14. t. 937.
2	infèsta. E.F. (wh.)	spreading.	—	—	H. ⊙.	— v. 19. t. 1311.
	<i>helvética. s.s. arvènsis.</i> L.en. <i>Caucalis infèsta.</i> E.B.						
3	neglécta. R.S. (wh.)	confused.	Austria.	—	H. ⊙.	Jacq. aust. t. 29.
4	ucrànica. s.s. (wh.)	Ukraine.	Ukraine.	1828.	—	H. ⊙.	
5	nodòsa. s.s. (wh.)	knotted.	Britain.	5. 7.	H. ⊙.	Eng. bot. v. 3. t. 199.
6	trichospérma. s.s. (fl.)	hairy-seeded.	Egypt.	1818.	—	H. ⊙.	

Tribus XIII. SCANDICINÆ. DC.

SCA'NDIX. DC.		CICELY. Pentandria Digynia. L.					
1	Pecten. R.S. (wh.)	Venus's-comb.	Britain.	6. 7.	H. ⊙.	Eng. bot. v. 20. t. 1367.
2	austràlis. R.S. (wh.)	southern.	S. Europe.	1713.	5. 7.	H. ⊙.	Flor. græc. t. 285.
	<i>Wylia australis.</i> H.U.						
3	falcàta. R.S. (wh.)	radiated.	Tauria.	—	—	H. ⊙.	Hoff. umb. t. 2. f. 2.
	<i>Wylia ràdians.</i> H.U.						
4	grandiflòra. R.S. (wh.)	large-flowered.	—	1827.	6. 7.	H. ⊙.	Hoff.umb.p.15.t.2.f.3.
5	brachycárpa. s.s. (wh.)	short-seeded.	Sicily.	1829.	—	H. ⊙.	
6	ibèrica. R.S. (wh.)	Iberian.	Iberia.	1828.	—	H. ⊙.	Hoff. umb. t. 2. f. 4.
7	pinnatífida. R.S. (wh.)	cut-leaved.	Persia.	1805.	5. 7.	H. ⊙.	Venten. cels. t. 14.
8	parviflòra. R.S. (wh.)	small-flowered.	Tauria.	1827.	—	H. ⊙.	
ANTHRISCUS. S.S.		ROUGH CHERVIL. Pentandria Digynia. S.S.					
1	vulgàris. s.s. (wh.)	common.	Britain.	5. 6.	H. ⊙.	Eng. bot. v. 12. t. 818.
	<i>Scándix anthriscus.</i> E.B.						
2	trichospérma. R.S. (wh.)	hairy-seeded.	Persia.	1827.	—	H. ⊙.	
3	nemoròsa. s.s. (wh.)	wood.	Caucasus.	1823.	7. 8.	H. ♀.	Hoff.umb.2.t.1.B.f.19.
4	fumarioídes. s.s. (wh.)	Fumitory-like.	Hungary.	1818.	—	H. ♂.	W. et K. hung. 3. t. 224.
5	bulbòsa. DC. (wh.)	bulbous-rooted.	Europe.	1726.	6. 7.	H. ♂.	Jacq. aust. 1. t. 63.
	<i>Myrrhis bulbòsa.</i> s.s. <i>Chærophyllum bulbòsum.</i> Jacq.						
6	sylvéstris. K.U. (wh.)	smooth.	Britain.	4. 5.	H. ♀.	Eng. bot. v. 11. t. 732.
	<i>Chærophyllum sylvéstre.</i> E.B.						
7	Cerefolium. K.U. (wh.)	true Chervil.	—	6. 7.	H. ⊙.	Eng. bot. v. 18. t. 1268.
	<i>Scándix cerefolium.</i> E.B. <i>Chærophyllum sativum.</i> s.s.						
8	capénsis. s.s. (wh.)	Cape.	C. B. S.	1816.	—	G. ♀.	
CHÆROPHYLLUM. S.S. CHERVIL.		Pentandria Digynia. L.					
1	aromáticum. K.U. (wh.)	aromatic.	Scotland.	6. 8.	H. ♀.	Jacq. aust. 2. t. 150.
	<i>Myrrhis aromática.</i> s.s.						
2	angelicæfòlium. M.B. (wh.)	Angelica-leav'd.	Iberia.	1828.	6. 8.	H. ♀.	
3	hirsútum. w. (wh.)	hairy-leaved.	Switzerland.	1759.	6. 7.	H. ♀.	Jacq. aust. 2. t. 148.
4	cicutàrium. L.en. (bh.)	Cicuta-like.	S. Europe.	1816.	—	H. ♀.	
5	aùreum. L. (st.)	golden.	Scotland.	6.	H. ♀.	Eng. bot. v. 30. t. 2103.
6	temuléntum. E.B. (wh.)	rough.	Britain.	7. 8.	H. ♂.	— v. 22. t. 1321.
7	monogònum. L.en. (wh.)	one-angled.	Hungary.	1820.	4. 6.	H. ♀.	
8	angulàtum. Kit. (wh.)	angular.	—	—	—	H. ♀.	
9	hùmile. M.B. (wh.)	dwarf.	1825.	—	H. ♀.	
	<i>Anthriscus hùmilis.</i> Besser. <i>Myrrhis hùmilis.</i> R.S.						
10	nítidum. Wahl. (wh.)	glossy-seeded.	Carpathian-m.	1820.	—	H. ♀.	
11	Biebersteíni. Lag. (wh.)	Bieberstein's.	Caucasus.	1824.	5. 6.	H. ♀.	
12	nodòsum. K.U. (wh.)	knotted.	Sicily.	1656.	5. 6.	H. ♀.	Jacq. vind. 3. t. 25.
	<i>Scándix nodòsa.</i> Jacq. <i>Anthriscus nodòsa.</i> s.s.						
13	procúbens. Ph. (wh.)	procumbent.	N. America.	1699.	7. 8.	H. ⊙.	Moris. his. s. 9. t. 11. f. ult.
14	rosèum. M.B. (ro.)	rose-coloured.	Iberia.	1824.	6. 7.	H. ♂.	Hoff. umb. t. 1. B. f. 33.
15	coloràtum. w. (st.)	color'd-bract'd.	Illyria.	1806.	7. 8.	H. ♂.	
16	tenuifòlium. Poir. (wh.)	slender-leaved.	Morocco.	—	—	F. ♂.	Jacq. vind. t. 51.

- SPHALLEROCARPUS. DC. SPHALLEROCARPUS. Pentandria Digynia.
gracilis. DC. (*wh.*) slender. Siberia. 1827. 6. 8. H. ♂. DC. dis. umb. t. 2. f. N.
Myrrhis gracilis. s.s. *Chærophyllum Cyminum*. F.
- MOLOPOSERMUM. K.U. MOLOPOSERMUM. Pentandria Digynia.
peloponnesiacum. K.U. (*pa.*) Hemlock-l'd. Switzerland. 1596. 5. 7. H. ♀. Jacq. aust. app. t. 13.
Ligusticum peloponnesiacum. s.s.
- MYRRHIS. S.S. MYRRH. Pentandria Digynia. S.S.
odorata. s.s. (*wh.*) sweet-scented. Britain. . . . 5. 6. H. ♀. Eng. bot. v. 10. t. 697.
- OSMORHIZA. DC. OSMORHIZA. Pentandria Digynia.
Claytoni. DC. (*wh.*) sweet-rooted. N. America. 1806. 7. 8. H. ♀. Spreng. umb. t. 3. f. 6.
Myrrhis Claytoni. s.s. *Uraspermum hirsutum*. Bigelow. *Claytoni*. N.

Tribus XIV. SMYRNEÆ. DC.

- LAGECIA. L. WILD CUMIN. Pentandria Monogynia. L.
cuminoïdes. s.s. (*gr. ye.*) common. Levant. 1640. 6. 7. H. ⊙. Flor. græc. t. 243.
- OLIVERIA. V. OLIVERIA. Pentandria Digynia. S.S.
decumbens. v. (*bh.*) Thyme-scented. Bagdad. 1816. 5. 7. H. ⊙. Venten. cels. t. 21.
- ECHINOPHORA. S.S. SEA PARSNEP. Pentandria Digynia. L.
 1 *spinosa*. s.s. (*bh.*) prickly. England. . . . 7. H. ♀. Eng. bot. v. 34. t. 2413.
 2 *tenuifolia*. s.s. (*bh.*) fine-leaved. Apulia. 1731. 7. 8. H. ♀. Flor. græc. t. 266.
 3 *trichophylla*. s.s. (*bh.*) slender-leaved. Armenia. 1829. — H. ♀.
- ARCTOPUS. S.S. ARCTOPUS. Polygamia Diœcia. L.
echinatus. s.s. (*wh.*) rough. C. B. S. 1774. 6. 9. G. ♀. Bot. reg. t. 705.
- CA'CHRYS. L.en. CA'CHRYS. Pentandria Digynia. L.
 1 *odontalgica*. s.s. (*ye.*) Pallas's. Siberia. 1824. 7. 8. H. ♀. Pall. reis. ap. 3. t. 9.
 2 *Morisoni*. s.s. (*ye.*) Morison's. S. Europe. 1710. — H. ♀. Moris. umb. t. 3. f. 1.
- PERLEBIA. DC. PERLEBIA. Pentandria Digynia.
triquetra. DC. (*wh.*) winged. Levant. 1816. 6. 7. H. ♀. Vent. cels. t. 79.
Laserpitium triquetrum. v. *Cáchrys triquetra*. s.s.
- HIPPOMAR'ATHRUM. HIPPOMAR'ATHRUM. Pentandria Digynia.
siculum. L.en. (*ye.*) hairy-seeded. Sicily. 1640. 7. 8. H. ♀. Moris. umb. t. 3. f. 2.
Cáchrys sícula. s.s.
- MAGYD'ARIS. DC. MAGYD'ARIS. Pentandria Digynia.
panacina. DC. (*wh.*) Parsnep-leav'd. Sicily. 1752. 7. 8. H. ♀. Bocc. sic. 1. t. 1.
Cáchrys panacifolia. w. *Athamanta panacifolia*. R.s.
- HERMAS. S.S. HERMAS. Polygamia Monœcia. W.
 1 *gigantea*. s.s. (*pu.*) gigantic. C. B. S. 1794. 6. 7. G. ♀. Thunb. act. pet. 14. t. 11.
 2 *villosa*. s.s. (*bh.*) villous. ——— 1795. — G. ♀. Burm. afr. t. 71. f. 2.
depauperata. L.
- 3 *ciliata*. s.s. (*wh.*) ciliated. ——— 1816. — G. ♀. Burm. t. 72. f. 1.
 4 *capitata*. s.s. (*wh.*) headed. ——— 6. 8. G. ♀. Thun. n. act. pet. 14. t. 12.
 5 *quinquedentata*. s.s. (*wh.*) toothed. ——— 1821. — G. ♀. ——— 14. p. 533. t. 12.
- CONIUM. H.U. HEMLOCK. Pentandria Digynia. L.
 1 *maculatum*. s.s. (*wh.*) common. Britain. . . . 6. 7. H. ♂. Eng. bot. v. 17. t. 1191.
 2 *croaticum*. w.K. (*wh.*) Hungarian. Hungary. . . . — H. ♂.
- ARRAC'ACIA. DC. ARRAC'ACIA. Pentandria Digynia.
esculenta. DC. (*wh.*) esculent. S. America. 1822. 4. 5. F. ♀. Hook. ex. flor. t. 152.
Conium Arracúcha. H.E.F.
- PLEUROSPE'RMUM. S.S. PLEUROSPE'RMUM. Pentandria Digynia. S.S.
austriacum. s.s. (*wh.*) Austrian. Austria. 1596. 6. 8. H. ♀. Jacq. aust. 2. t. 151.
Ligusticum austriacum. w.
- SMY'RNIUM. S.S. ALEXANDERS. Pentandria Digynia. L.
 1 *Olusatrum*. s.s. (*st.*) common. Britain. . . . 5. 6. H. ♂. Eng. bot. v. 4. t. 230.
 2 *perfoliatum*. w. (*st.*) perfoliate. Italy. 1596. 5. H. ♀. Lobel. ic. 709.
Dodonæi. s.s.
- 3 *Dioscoridis*. s.s. (*ye.*) Dioscorides. S. Europe. . . . — H. ♂. Flor. græc. t. 289.
 4 *apiifolium*. s.s. (*ye.*) Smallage-leav'd. Candia. 1731. 5. 7. H. ♀.
 5 *nudicaule*. s.s. (*ye.*) naked-stalked. Caucasus. 1820. — H. ♀. Spreng. umb. t. 4. f. 7.
 6 *cicutarium*. s.s. (*ye.*) Cicuta-like. ——— 1829. — H. ♀.
 7 *cordatum*. s.s. (*ye.*) heart-leaved. N. America. 1759. 6. 7. H. ♀.
 8 *integerrimum*. Ph. (*ye.*) entire-leaved. N. America. 1759. — H. ♀.
- PHYSOSPERMUM. S.S. PHYSOSPERMUM. Pentandria Digynia. S.S.
commutatum. s.s. (*wh.*) Cornish. England. . . . 7. 8. H. ♀. Eng. bot. v. 10. t. 683.
Ligusticum cornubiense. E.B.

Subordo III. *CÆLOSPERMEÆ*. DC.Tribus XV. *CORIANDRÆ*. DC.

BIF'ORIS. S.S.	BIF'ORIS. Pentandria Digynia. S.S.				
1 flosculosa. s.s. (wh.) flosculose.	S. Europe. 1640.	6. 7.	H. ☉.	Moris, sect. 9. t. 11.	
<i>Còrion testiculatum</i> . L.en. <i>Coriándrum testiculatum</i> . L.					
2 ràdians. s.s. (wh.) rayed.	Tauria.	—	H. ☉.	Hoff.umb.ed.2.t.tit.f.2.	
ATR'EMA. DC.	ATR'EMA. Pentandria Digynia.				
americana. DC. (wh.) American.	N. America. 1827.	6. 7.	H. ☉.	DC. mem. umb. t. 18.	
<i>Coriándrum americanum</i> . N.					
CORIA'NDRUM. S.S.	CORIANDER. Pentandria Digynia. L.				
sativum. s.s. (bh.) common.	England.	6.	H. ☉.	Eng. bot. v. 1. t. 67.	

ORDO CIX.

ARALIACEÆ. *Juss. gen. p. 217.*

P'ANAX. L.	P'ANAX. Polygamia Dioecia. L.				
1 quinquefolium. w. (gr.) Ginseng.	N. America. 1740.	6.	H. 2.	Bot. mag. t. 1333.	
2 trifolium. w. (wh.) lesser.	—	1759.	5. 6.	H. 2.	— t. 1334.
<i>pusilla</i> . a. B.M.					
3 fruticosum. w. (gr.) shrubby.	Ternate. 1800.	8. 9.	S. 2.	Andr. rep. t. 595.	
4 digitatum. H.B. (gr.) fingered.	E. Indies. 1818.	S. 2.		
5 arboreum. w. (gr.) tree.	N. Zealand. 1822.	G. 2.		
6 chrysophyllum. R.S. (gr.) golden-leaved.	Guiana. —	S. 2.	Aub. gui. 2. t. 360.	
7 conchifolium. H.B. (gr.) shell-leaved.	—	1820.	S. 2.	Rumph. amb. 4. t. 31.
8 attenuatum. w. (gr.) attenuated.	W. Indies. 1825.	S. 2.		
9 aculeatum. w. (gr.) prickly.	China. 1773.	11.	S. 2.	Jacq. ic. 3. t. 634.	
CUSS'ONIA. W.	CUSS'ONIA. Pentandria Digynia. L.				
1 thyriflora. w. (gr.) thyrse-flower'd.	C. B. S. 1795.	8. 10.	G. 2.	Th. nov. act. ups. 3. t. 12.	
2 triptera. C.R. (gr.) tripterous.	—	1816.	G. 2.	Colla hort. rip. t. 26.
3 spicata. w. (gr.) spike-flowered.	—	1789.	8. 10.	G. 2.	Th. nov. act. ups. 3. t. 15.
SCIODAPHY'LLUM. S.S.	SCIODAPHY'LLUM. Pentandria Pentagynia. S.S.				
1 pentandrum. s.s. (bh.) pentandrous.	Peru. 1828.	G. 2.	Flor. peruv. t. 311.	
2 acuminatum. s.s. (ye.) acuminate-petal'd.	—	1818.	S. 2.	— t. 310.
<i>Actinophyllum acuminatum</i> . R.P.					
3 conicum. s.s. (bh.) conical-flower'd.	—	—	S. 2.	Flor. peruv. p. 75. t. 309.
4 pedicellatum. s.s. (bh.) pedicelled.	—	—	S. 2.	— t. 308.
<i>Actinophyllum pedicellatum</i> . R.P.					
5 angulatum. s.s. (ye.) tree.	—	1824.	G. 2.	
6 Brownii. s.s. (gr.) upright.	W. Indies. 1793.	6. 8.	S. 2.	Brown jam. t. 19. f. 1. 2.	
<i>Aràlia Sciodaphyllum</i> . w.					
AR'ALIA. D.P.	AR'ALIA. Pentandria Pentagynia. L.				
1 pentaphylla. s.s. (gr.) five-ld prickly.	China. 1822.	G. 2.		
2 spinosa. s.s. (wh.) Angelica-tree.	Virginia. 1688.	9.	H. 2.	Comm. hort. 1. t. 47.	
3 racemosa. s.s. (gr.) berry-bearing.	N. America. 1658.	6. 9.	H. 2.	Schkuhr. hand. 1. t. 86.	
4 nudicaulis. s.s. (wh.) naked-stalked.	—	1731.	6. 7.	H. 2.	Pluk. alm. t. 238. f. 5.
5 hispida. s.s. (wh.) hispid.	—	1799.	—	H. 2.	Bot. mag. t. 1085.
6 pubescens. DC. (wh.) pubescent.	New Spain. 1819.	G. 2.	DC. mons. ined. t. 45.	
GAST'ONIA. J.	GAST'ONIA. Dodecandria Monogynia.				
palmata. H.B. (wh.) palmate-leaved.	E. Indies. 1818.	3. 4.	S. 2.	Bot. reg. t. 891.	
HEDERA. D.P.	IVY. Pentandria Mono-Pentagynia.				
1 umbraculifera. (wh.) large.	E. Indies. 1818.	3. 4.	S. 2.		
<i>Aràlia umbraculifera</i> . H.B.					
2 digitata. H.B. (wh.) fingered.	—	—	—	S. 2.	

3 aculeàta. D.P.	(wh.) prickly Nepaul.	Nepaul.	1816.	F. h.	
4 fràgrans. D.P.	(wh.) fragrant.	—————	—————	F. h.	
5 cochleàta.	(wh.) shell-leaved.	E. Indies.	1820.	S. h.	Rumph. amb. 4. t. 31.
<i>Aràlia cochleàta.</i> R.S.						
6 arbòrea. R.S.	(wh.) tree.	Jamaica.	—————	S. h.	Jacq. schoenb. t. 51.
7 capitàta. R.S.	(gr.) cluster-flower'd.	W. Indies.	1777.	8.	S. h.	Smith ic. pict. 4.
8 canariénsis. R.S.	(gr.) Irish.	Canaries.	1807.	9. 10.	H. h. ∪.	Willd. ber. m. 2. t. 5. f. 1.
9 Hèlix. R.S.	(gr.) common.	Britain.	—————	H. h. ∪.	Eng. bot. v. 18. t. 1267.
β poética. R.S.	(gr.) Poet's.	—————	—————	H. h. ∪.	
γ albo-variegàta.	(gr.) white-variegated.	—————	—————	H. h. ∪.	
δ flàvo-variegàta.	(gr.) yellow-variegated.	—————	—————	H. h. ∪.	

ORDO CX.

CAPRIFOLIACEÆ. *Juss. gen. p. 210.*

CORNUS. L.		DOGWOOD. Tetrandria Monogynia. L.				
1 alternifòlia. R.S.	(wh.) alternate-leav'd.	N. America.	1760.	9.	H. h.	Schm. arb. 2. t. 70.
2 paniculàta. R.S.	(wh.) paniced.	—————	1758.	6. 7.	H. h.	————— 2. t. 68.
3 stricta. R.S.	(wh.) upright.	—————	—————	—————	H. h.	————— 2. t. 67.
β variegàta.	(wh.) variegated-leav'd.	—————	—————	—————	H. h.	
4 oblònga. F.I.	(bh.) oblong-leaved.	Nepaul.	1818.	7. 8.	H. h.	
5 macrophylla. F.I.	(wh.) large-leaved.	—————	1827.	—————	H. h.	
6 circinàta. R.S.	(wh.) Pensylvanian.	N. America.	1784.	—————	H. h.	Schm. arb. 2. t. 69.
7 àlba. R.S.	(wh.) white berried.	Siberia.	1741.	6. 9.	H. h.	————— 2. t. 65.
8 sibírica. L.C.	(wh.) Siberian.	—————	—————	H. h.	
9 sericea. R.S.	(wh.) blue-berried.	N. America.	1683.	8.	H. h.	Schm. arb. 2. t. 64.
10 sanguinea. R.S.	(wh.) common.	Britain.	6. 7.	H. h.	Eng. bot. v. 4. t. 249.
β variegàta.	(wh.) variegated.	—————	—————	H. h.	
11 máscula. R.S.	(ye.) Cornelian Cherry.	Europe.	1596.	2. 4.	H. h.	Flor. græc. t. 151.
β variegàta.	(ye.) variegated.	—————	—————	—————	H. h.	
12 flòrida. R.S.	(ye.) great-flowered.	N. America.	1731.	4. 5.	H. h.	Bot. mag. t. 526.
13 capitàta. F.I.	(ye.) headed.	Nepaul.	1820.	—————	H. h.	
14 canadénsis. R.S.	(wh.) Canadian.	Canada.	1774.	6. 8.	H. 4.	Bot. mag. t. 880.
15 suètica. R.S.	(wh.) dwarf.	Britain.	4.	H. 4.	Eng. bot. v. 5. t. 310.
SAMBUCUS. L.		ELDER. Pentandria Trigynia. L.				
1 Ebùlus. R.S.	(fl.) herbaceous.	Britain.	6. 7.	H. 4.	Eng. bot. v. 7. t. 475.
2 hùmilis. Mill.	(fl.) dwarf.	—————	H. 4.	
3 chinénsis. H.T.	(fl.) Chinese.	China.	1825.	—————	H. 4.	
4 nigra. R.S.	(wh.) common.	Britain.	5. 7.	H. h.	Eng. bot. v. 7. t. 475.
β variegàta.	(wh.) variegated.	—————	—————	H. h.	
γ àurea.	(wh.) golden-leaved.	—————	—————	H. h.	
δ pulterulénta.	(wh.) powdered-leaved.	—————	—————	H. h.	
ε monstròsa.	(wh.) deformed.	—————	—————	H. h.	
ζ viréscens.	(wh.) green-fruited.	—————	—————	H. h.	
η àlbida.	(wh.) white-fruited.	—————	—————	H. h.	
5 laciniàta. L.en.	(wh.) Parsley-leaved.	—————	H. h.	Schm. arb. t. 144.
6 híbrida. Jac.	(wh.) hybrid.	1826.	—————	H. h.	
7 rotundifòlia. L.C.	(wh.) round-leaved.	Wiltshire.	—————	H. h.	
8 canadénsis. R.S.	(wh.) Canadian.	N. America.	1761.	6. 8.	H. h.	Schm. arb. t. 142.
9 racemòsa. R.S.	(st.) red-berried.	S. Europe.	1596.	5. 6.	H. h.	Jacq. ic. 1. t. 59.
β purpùrea.	(br.) purple-flowered.	—————	—————	—————	H. h.	
10 pùbens. R.S.	(st.) pubescent.	N. America.	1812.	—————	H. h.	
VIBURNUM. L.		VIBURNUM. Pentandria Trigynia. L.				
1 mólle. R.S.	(wh.) soft.	N. America.	1812.	6. 7.	H. h.	
2 acerifòlium. R.S.	(wh.) Maple-leaved.	—————	1736.	—————	H. h.	Wats. dend. brit. t. 118.
3 èdule. R.S.	(wh.) eatable-fruited.	—————	1812.	7.	H. h.	
4 Oxycóccos. R.S.	(wh.) Cranberry-like.	—————	—————	H. h.	
5 Opulus. R.S.	(wh.) Guelder Rose.	Britain.	5. 6.	H. h.	Eng. bot. v. 5. t. 332.
β ròseum. R.S.	(wh.) Snowball tree.	—————	H. h.	Schm. arb. t. 174.
γ variegàtum.	(wh.) variegated-leav'd.	—————	H. h.	
6 davùricum. R.S.	(wh.) Siberian.	Dahuria.	1785.	6. 7.	H. h.	Pall. ross. 1. t. 38.
7 lantanoídes. R.S.	(wh.) Lantana-like.	N. America.	5. 6.	H. h.	
8 Lantàna. R.S.	(wh.) wayfaring-tree.	Britain.	—————	H. h.	Eng. bot. v. 5. t. 331.
9 nervòsum. D.P.	(wh.) nerved-leaved.	Nepaul.	1826.	—————	H. h.	

10	Lentago. R.S.	(wh.) tree.	N. America.	1761.	7.	H. h.	Wats. dend. brit. t. 21.
11	squamatum. R.S.	(wh.) scaly.	—————	1812.	6. 7.	H. h.	————— t. 21.
12	pyrifolium. R.S.	(wh.) pear-leaved.	—————	5. 6.	H. h.	————— t. 22.
13	prunifolium. R.S.	(wh.) plum-leaved.	—————	1731.	—	H. h.	————— t. 23.
14	pubescens. R.S.	(wh.) pubescent.	—————	1736.	6. 7.	H. h.	
15	dentatum. R.S.	(wh.) tooth-leaved.	—————	—	—	H. h.	Wats. dend. brit. t. 25.
16	laevigatum. R.S.	(wh.) Cassioberry bush.	—————	1724.	7. 8.	H. h.	Mill. ic. 1. t. 83. f. 1.
17	nitidum. R.S.	(wh.) shining-leaved.	—————	1758.	5. 6.	H. h.	
18	cassinoïdes. R.S.	(wh.) thick-leaved.	—————	1761.	6. 7.	H. h.	
19	obovatum. R.S.	(wh.) obovate-leaved.	—————	1812.	5. 6.	H. h.	
20	odoratissimum. B.R.	(w.) sweet-scented. China.	China.	1810.	—	G. h.	Bot. reg. t. 456.
	<i>chinense</i> . Zeyh.						
21	nudum. R.S.	(wh.) oval-leaved.	N. America.	1752.	—	H. h.	Wats. dend. brit. t. 20.
22	cylindricum. D.P.	(wh.) tube-flowered.	Nepaul.	1826.	6. 8.	H. h.	
23	villosum. R.S.	(wh.) villous.	Jamaica.	1820.	4. 6.	S. h.	
24	rugosum. R.S.	(wh.) rugged-leaved.	Canaries.	1796.	4. 5.	H. h.	Bot. reg. t. 376.
	<i>rigidum</i> . Vent. malm. t. 98.						
25	strictum. L.en.	(wh.) upright Laurestine.	S. Europe.	1596.	3. 5.	H. h.	
	β <i>virgatum</i> .	(wh.) twiggy.	—————	—	—	H. h.	
26	Tinus. R.S.	(wh.) common Laurestine.	—————	—	12. 4.	H. h.	Bot. mag. t. 38.
27	lucidum. R.S.	(bh.) shining Laurestine.	—————	—	2. 5.	H. h.	Clus. hist. 1. 49. ic.
SYMPHORIA. S.S. St. PETER'S-WORT. Pentandria Monogynia.							
1	glomerata. s.s.	(bh.) common.	N. America.	1730.	8. 9.	H. h.	Schmidt arb. t. 115.
2	racemosa. s.s.	(bh.) Snowberry.	—————	1812.	7. 9.	H. h.	Wats. dend. brit. t. 7.
DIERVILLA. J. DIERVILLA. Pentandria Monogynia.							
	<i>humilis</i> . P.S.	(ye.) yellow-flower'd.	N. America.	1739.	6. 7.	H. h.	Bot. mag. t. 1796.
	<i>lutea</i> Ph. Tournefortii. R.S.	<i>canadensis</i> . s.s. <i>Lonicera Diervilla</i> . L.					
LONICERA. R.S. FLY-HONEYSUCKLE. Pentandria Monogynia. L.							
1	alpigena. s.s.	(re.) red-berried.	Switzerland.	1596.	4. 5.	H. h.	Schmidt arb. t. 112.
2	microphylla. s.s.	(re.) small-leaved.	Siberia.	1818.	5. 6.	H. h.	
3	sibirica. R.S.	(re.) Siberian.	—————	—	H. h.	
4	orientalis. R.S.	(wh.) oriental.	Levant.	1820.	—	H. h.	
	<i>caucasica</i> . Pall.						
5	purpurea. B.M.	(cr.) crimson-flower'd.	—————	—	4. 5.	H. h.	Bot. mag. t. 2469.
6	caerulea. R.S.	(st.) blue-berried.	Switzerland.	1629.	3. 4.	H. h.	————— t. 1965.
	β <i>altaica</i> . F.	(st.) Altay.	Altay.	1827.	—	H. h.	
7	canadensis. R.S.	(st.) Canadian.	Canada.	1812.	4. 5.	H. h.	
8	involuta. s.s.	(ye.) involucred.	N. America.	1824.	5. 6.	H. h.	Bot. reg. t. 1179.
9	iberica. R.S.	(br.) Iberian.	Iberia.	1818.	5. 6.	H. h.	
10	villosa. R.S.	(st.) villous.	Canada.	—	4. 5.	H. h.	
	<i>Xylosteum villosum</i> . M.						
11	Xylosteum. R.S.	(wh.) fly.	England	6. 7.	H. h.	Eng. bot. v. 13. t. 96.
12	canescens. R.S.	(wh.) canescent.	Barbary.	1820.	—	H. h.	Desf. atl. 1. t. 52.
	<i>biflora</i> . Desf.						
13	ciliata. R.S.	(bh.) ciliated.	N. America.	1824.	5. 6.	H. h.	
	β <i>alba</i> . R.S.	(wh.) white berried.	—————	—	—	H. h.	
14	tatarica. R.S.	(wh.) Tartarian.	Tartary.	1752.	4. 5.	H. h.	Pall. ros. 1. t. 36.
	α <i>alba</i> .	(wh.) white-flowered.	—————	—	—	H. h.	
	β <i>rubra</i> .	(pi.) red-flowered.	—————	—	—	H. h.	Bot. reg. t. 31.
15	nigra. R.S.	(pu.) black-berried.	Switzerland.	1597.	3. 4.	H. h.	Schmidt arb. t. 110.
16	flexuosa. R.S.	(wh.) flexuose.	China.	1806.	7. 9.	H. h.	
17	quadrifolia. R.S.	(wh.) four-leaved.	Siberia.	1824.	—	H. h.	
18	pyrenaica. R.S.	(wh.) Pyrenean.	Pyrenees.	1739.	5.	H. h.	Magn. hort. t. 209.
19	hispida. R.S.	(wh.) hispid-branch'd.	Dahuria.	1821.	—	H. h.	
20	ligustrina. D.P.	(st.) Privet-leaved.	Nepaul.	1825.	4. 5.	H. h.	
NINTO'OA. NINTO'OA. Pentandria Monogynia.							
1	longiflora.	(st.) long-flowered.	China.	1816.	5. 10.	F. h. ∪.	Bot. reg. t. 1233.
	<i>Caprifolium longiflorum</i> . B.R.	<i>japonicum</i> . D.P.					
2	confusa.	(st.) pale-flowered.	China.	1806.	7. 10.	F. h. ∪.	Andr. reposit. t. 523.
	<i>Nin-too</i> . Kæmpf. amœn. 5. p. 785.	<i>Lonicera japonica</i> .					Bot. reg. t. 70. non Thunb.
3	japonica. Th.	(re.) red-flowered.	China.	1814.	4. 11.	H. h. ∪.	Wats. dend. brit. t. 117.
	<i>Lonicera chinensis</i> . W.D.	<i>flexuosa</i> .					Bot. reg. v. 9. t. 712. nec aliorum.
CAPRIFOLIUM. R.S. HONEYSUCKLE. Pentandria Monogynia.							
1	italicum. R.S.	(bh.) early.	England.	4. 6.	H. h. ∪.	Eng. bot. v. 12. t. 790.
	<i>album</i> .	(wh.) white-flowered.	—————	—	H. h. ∪.	Jacq. aust. t. 357.
	<i>Lonicera Caprifolium</i> . E.B.						
	β <i>rubrum</i> .	(re.) early red.	Italy.	—	H. h. ∪.	Schmidt arb. t. 106.
2	etruscum. R.S.	(wh. pu.) Italian.	—————	1824.	—	H. h.	San. Viag. al. m. t. 1.
3	balearicum. R.S.	(st.) red-barked.	S. Europe.	—	—	H. h. ∪.	

- 4 dioicum. R.S. (*re.*) small-flowered. N. America. 1766. 6. 7. H. $\frac{1}{2}$. Bot. reg. t. 138.
parciflorum. Ph? *bracteosum*. M? *Lonicera media*. Murr. com. got. 1776. t. 3.
- 5 gratum. R.S. (*re.*) evergreen. N. America. 1730. 6. 8. H. $\frac{1}{2}$. Hort. angl. n. 10. t. 8.
- 6 flavum. B.M. (*ye.*) golden-flowered. ———— 1810. 5. 7. H. $\frac{1}{2}$. Bot. mag. t. 1318.
Fraseri. Ph. *Lonicera flava*. B.M.
- 7 Douglasii. H.T. (*ye.*) Douglas's. Canada. 1824. 5. 7. H. $\frac{1}{2}$.
- 8 pubescens. H.E.F. (*ye.*) pubescent. N. America. 1820. ———— H. $\frac{1}{2}$. Hook. ex. flor. t. 27.
Lonicera Góldii. s.s.
- 9 sempervirens. R.S. (*sc.*) Trumpet. ———— 1656. 5. 8. H. $\frac{1}{2}$. Bot. mag. t. 781.
- 10 oblongifolium. (*sc.*) oblong-leaved. Carolina. ———— F. $\frac{1}{2}$. ———— t. 1753.
Lonicera sempervirens. β *minor*. B.M.
- 11 ciliosum. R.S. (*ye.*) fringed. N. America. 1827. ———— H. $\frac{1}{2}$.
- 12 impléxum. R.S. (*pa.*) glaucous-leaved. Minorca. 1772. 6. 9. H. $\frac{1}{2}$. Bot. mag. t. 640.
- 13 Pericly'menum. R.S. (*st.*) Woodbine. Britain. 5. 7. H. $\frac{1}{2}$. Eng. bot. v. 12. t. 800.
a vulgàris. H.K. (*st.*) common. ———— ———— H. $\frac{1}{2}$. Schmidt arb. t. 107.
 β serotinum. H.K. (*re.*) late red. ———— 6. 8. H. $\frac{1}{2}$. ———— t. 108.
 γ bélgicum. H.K. (*bh.*) dutch. ———— 5. 7. H. $\frac{1}{2}$. Hort. angl. n. 5. t. 6.
 δ quercifolium. H.K. (*st.*) Oak-leaved. Britain. ———— H. $\frac{1}{2}$.
 ϵ variegatum. H.K. (*st.*) variegated-leaf'd. ———— ———— H. $\frac{1}{2}$.
- TRIO'STEUM. R.S. FEVERWORT. Pentandria Monogynia. L.
- 1 perfoliatum. R.S. (*pu.*) perfoliate. N. America. 1730. 6. 7. H. $\frac{1}{2}$.
- 2 angustifolium. R.S. (*ye.*) narrow-leaved. ———— 1699. ———— H. $\frac{1}{2}$. Pluk. alm. t. 104. f. 2.
- LINN'ÆA. W. LINN'ÆA. Didynamia Angiospermia. L.
- boreàlis. w. (*bh.*) two-flowered. Britain. 5. 8. H. $\frac{1}{2}$. Eng. bot. v. 7. t. 433.

ORDO CXI.

LORANTHÆ. *Juss. ann. mus. 12. p. 292.*

- LORA'NTHUS. L. LORA'NTHUS. Hexandria Monogynia.
- europ'æus. s.s. (*st.*) European. Europe. 1824. H. $\frac{1}{2}$. Jacq. aust. t. 30.
- VISCUM. L. MISSELTOE. Diœcia Tetrandria. L.
- album. E.B. (*gr.*) common. England. 5. H. $\frac{1}{2}$. Eng. bot. v. 21. t. 1470.

ORDO CXII.

CHLORANTHÆ. *R. Brown.*

- CHLORA'NTHUS. R.S. CHLORA'NTHUS. Tetrandria Monogynia. R.S.
- 1 inconspicuus. R.S. (*st.*) trailing. China. 1781. 5. 9. G. $\frac{1}{2}$. L'Her. sert. angl. t. 2.
- 2 erectus. H.S.L. (*wh.*) upright. ———— 1809. 6. 8. G. $\frac{1}{2}$.
- elàtior*. L. enum.
- 3 odoriferus. (*ye.*) sweet-scented. ———— 1820. ———— G. $\frac{1}{2}$.
- Creodus odorifer*. Loureiro.
- 4 monostachys. s.s. (*st.*) single-spiked. ———— 1819. 2. 6. G. $\frac{1}{2}$. Bot. mag. t. 2190.
- 5 monànder. B. (*ye.*) single-stamen'd. ———— 1817. 1. 12. G. $\frac{1}{2}$.

ORDO CXIII.

LOPHIREÆ. *G. Don.*

- LO'PHIRA. S.S. SCRUBBY OAK. Icosandria Monogynia. S.S.
- alàta. s.s. (*gr.*) winged. Sierra Leone. 1822. S. $\frac{1}{2}$.

ORDO CXIV.

RUBIACEÆ. *Juss. gen.* 196.Sect. I. GUETTARDEÆ. *Kunth synops.* 3. p. 67.

GUETTA'RDA. S.S.	GUETTA'RDA.	Monœcia	Tetr-Pent-Hexandria.				
1 argénteà. s.s.	(wh.) silvery-leaved.	Jamaica.	1826.	S. h.	Brown. jam. t. 20. f. 1.	
2 hirsùta. s.s.	(wh.) hairy.	Peru.	1822.	S. h.	Flor. per. 2. t. 145. f. 1.	
	<i>Laugèria hirsùta.</i> R.P.						
3 tomentòsa. s.s.	(wh.) tomentose.	Jamaica.	—	S. h.		
4 lùcida. s.s.	(wh.) glossy.	—	1818.	S. h.	Vahl. symb. 3. t. 57.	
	<i>Laugèria lùcida.</i> Sw.						
5 odoràta. R.S.	(br.) sweet-scented.	Havannah.	1827.	S. h.	Jacq. am. pic. t. 259. f. 10.	
6 scábra. s.s.	(wh.) rough.	W. Indies.	—	S. h.	Vent. choix. 1. t. 1.	
	<i>Matthiòla scábra.</i> L.						
7 rugòsa. s.s.	(wh.) rough-leaved.	—	1793.	S. h.		
8 ellíptica. R.S. elliptic-leaved.	Jamaica.	1825.	S. h.		
9 speciòsa. s.s.	(wh.) great-flowered.	E. Indies.	1771.	S. h.	Rheed. mal. 4. t. 47. f. 1.	
NONATELIA. R.S.	NONATELIA.	Pentandria	Monogynia.				
1 racemòsa. R.S.	(wh.) racemed.	Trinidad.	1825.	S. h.	Aubl. guian. 1. t. 72.	
2 officinàlis. R.S.	(wh.) officinal.	W. Indies.	1824.	S. h.	— 1. t. 70. f. 1.	
	<i>Psychòtria involucràta.</i> W.						
VANGU'ERIA. J.	VANGU'ERIA.	Pentandria	Monogynia. S.S.				
1 èdulis. s.s.	(gr.) eatable.	E. Indies.	1809.	S. h.	Lam. ill. t. 159.	
2 spinòsa. F.I.	(gr.) spiny.	—	1818.	S. h.		
ERITHALIS. S.S.	ERITHALIS.	Pentandria	Monogynia. L.				
fruticòsa. s.s.	(wh.) shrubby.	Jamaica.	1793.	7. 8.	S. h.	Jacq. am. p. t. 260. f. 2.	
	<i>odorífera.</i> R.S.						

Sect. II. HAMELIACEÆ. *Kth. synops.* 3. p. 63.

HAMELIA. S.S.	HAMELIA.	Pentandria	Monogynia. L.				
1 axillàris. s.s.	(ye.) axillary-flower'd.	Jamaica.	1820.	7. 8.	S. h.		
2 ventricòsa. s.s.	(ye.) large-flowered.	W. Indies.	1778.	9. 11.	S. h.	Bot. reg. 1195.	
	<i>grandiflòra.</i> par. lond. t. 55.						
3 chrysántha. s.s.	(ye.) yellow-flower'd.	—	1820.	—	S. h.	Jacq. ic. 2. t. 335.	
4 pátens. s.s.	(sc.) spreading.	—	1752.	7. 8.	S. h.	Exot. bot. 1. t. 24.	
5 sphærocárpa. P.S.	(or.) round-fruited.	Peru.	1811.	—	S. h.	Flor. per. t. 221. f. 1.	
ISE'RTIA. S.S.	ISE'RTIA.	Hexandria	Monogynia. S.S.				
coccínea. s.s.	(sc.) scarlet-flower'd.	S. America.	1820.	S. h.	Aubl. guian. 1. t. 123.	
SABI'CEA. R.S.	SABI'CEA.	Pentandria	Monogynia.				
1 áspera. R.S.	(wh.) rough.	Guiana.	1824.	S. h. ~	Aubl. guian. 1. t. 76.	
2 hirta. R.S.	(wh.) hairy.	Jamaica.	1825.	S. h. ~		

Sect. III. GARDENIÆ. *Sal. par. lond.* 46.

MUSS'ÆNDA. R.S.	MUSS'ÆNDA.	Pentandria	Monogynia. L.				
1 corymbòsa. F.I.	(or.) corymbose.	E. Indies.	1827.	5. 8.	S. h.		
2 frondòsa. R.S.	(ye.) frondose.	—	1815.	5. 10.	S. h.	Bot. reg. t. 517.	
3 glábra. R.S.	(ye.) smooth.	—	1820.	—	S. h.		
4 macrophy'lla. F.I.	(or.) large-leaved.	Nepaul.	1827.	S. h.	Bot. mag. t. 2099.	
5 pubéscens. R.S.	(ye.) pubescent.	China.	1805.	5. 9.	G. h.		
6 arcuàta. R.S.	(ye.) arched.	Isle France.	1822.	S. h.		
LUC'ULIA. B.F.G.	LUC'ULIA.	Pentandria	Monogynia.				
gratíssima. B.F.G.	(ro.) sweet-scented.	Nepaul.	1818.	10. 2.	G. h.	Sw. br. fl. gar. t. 145.	
	<i>Cinchòna gratíssima.</i> F.I. <i>Muss'ænda Lucùlia.</i> D.P.						
RA'NDIA. R.S.	RA'NDIA.	Pentandria	Monogynia. R.S.				
1 aculeàta. R.S.	(wh.) prickly.	W. Indies.	1733.	5. 6.	S. h.	Bot. mag. t. 1841.	
	<i>Gardènia Rándia.</i> W.						

2	obovata. R.S.	(wh.) obovate-leaved.	Peru.	1818.	5. 6.	S. h.	Flor. per. 2. t. 220. f. b.
3	rotandifolia. R.S.	(wh.) round-leaved.	————	————	————	S. h.	
4	parvifolia. R.S.	(wh.) small-leaved.	Jamaica.	1825.	5. 7.	S. h.	Sloan. hist. 2. t. 207. f. 1.
5	macrantha. R.S.	(wh.) large-flowered.	Sierra Leon.	1796.	8. 9.	S. h.	Sal. par. lond. t. 93.
	longiflora. P.L. non R.S.						
6	racemosa. H.B.	(wh.) racemed.	E. Indies.	1818.	S. h.	
7	longiflora. R.S.	(wh.) long-flowered.	————	————	S. h.	Lam. ill. t. 156. f. 3.
	Gardènia multiflora. W.						
8	stricta. F.I.	(wh.) upright.	————	1824.	5. 7.	S. h.	
	Macrocnemum strictum. R.S.						
9	horrida. R.S.	(wh.) large-spined.	China.	1825.	————	S. h.	
10	sinensis. R.S.	(wh.) Chinese.	————	————	————	S. h.	
	POSOQUERIA. F.I.	POSOQUERIA. Pentandria Monogynia.					
1	rigida. F.I.	(wh.) rigid.	Nepaul.	1825.	S. h.	
2	floribunda. F.I.	(wh.) many-flowered.	E. Indies.	————	S. h.	
3	fasciculata. F.I.	(wh.) fascicle-flower'd.	————	1824.	5. 6.	S. h.	
4	fragrans. F.I.	(wh.) fragrant.	————	1822.	4. 6.	S. h.	
5	longispina. F.I.	(wh.) long-spined.	————	1812.	————	S. h.	
	Gardènia longispina. S.S.						
6	nutans. F.I.	(wh.) drooping.	————	1818.	7. 9.	S. h.	
7	dumetorum. F.I.	(wh.) bushy.	————	1779.	————	S. h.	Roxb. corom. 2. t. 136.
	Gardènia dumetorum. W. Canthium coronatum. Lam.						
8	uliginosa. F.I.	(wh.) marsh.	E. Indies.	1802.	————	S. h.	Roxb. corom. 2. t. 135.
9	spinosa. (wh.) spiny.	China.	1804.	————	————	S. h.	Thunb. gar. n. 7. t. 2. f. 4.
	Gardènia spinosa. Th. Canthium chinense. P.S.						
10	longiflora. R.S.	(wh.) long-flowered.	Guiana.	1820.	S. h.	Aubl. guian. 1. t. 51.
	GARDENIA. R.S.	GARDENIA. Pentandria Monogynia. L.					
1	amœna. S.S.	(re.wh.) crimson-tipped.	China.	1810.	6. 8.	S. h.	Bot. mag. t. 1904.
2	armata. S.S.	(wh.) armed.	W. Indies.	1813.	S. h.	Jacq. amer. pict. t. 71.
	Mussaenda spinosa. Jacq.						
3	tetracantha. S.S.	(wh.) four-thorned.	New Spain.	1818.	S. h.	
4	propinqua. B.R.	(wh.) strong-spined.	1816.	5. 8.	S. h.	Bot. reg. t. 975.
5	montana. F.I.	(wh.) mountain.	E. Indies.	1818.	6. 8.	S. h.	
6	campanulata. F.I.	(st.) bell-flowered.	————	1812.	————	S. h.	
7	micrantha. R.S.	(wh.) small-flowered.	China.	1806.	————	S. h.	Thunb. gar. n. 8. t. 1. f. 2.
8	florida. S.S.	(wh.) Cape Jasmine.	————	1754.	7. 10.	S. h.	Bot. reg. t. 449.
	β flore-pleno. (wh.) double-flowered.	————	————	————	————	S. h.	Ehret. pict. t. 15.
9	angustifolia. B.C.	(wh.) narrow-leaved.	————	1820.	————	S. h.	Lodd. bot. cab. 512.
10	radicans. S.S.	(wh.) rooting.	————	1804.	3. 6.	G. h.	Bot. reg. t. 73.
11	grandiflora. R.S.	(wh.) large-flowered.	————	1816.	————	S. h.	Bot. mag. t. 2627.
	florida var. ovalifolia. Bot. mag. t. 2627.						
12	costata. F.I.	(wh.) ribbed.	E. Indies.	1825.	S. h.	
13	latifolia. S.S.	(wh.) broad-leaved.	————	1787.	S. h.	Roxb. cor. 2. t. 134.
14	lucida. F.I.	(wh.) glossy-leaved.	————	1820.	S. h.	
15	pubescens. R.S.	(wh.) pubescent.	————	1825.	5. 7.	S. h.	
16	Thunbergia. S.S.	(wh.) starry.	C. B. S.	1773.	1. 3.	S. h.	Bot. mag. t. 1004.
17	Rothmannia. S.S.	(sp.) spotted-flower'd.	————	1774.	7.	G. h.	———— t. 690.
	OXYANTHUS. DC.	OXYANTHUS. Pentandria Monogynia.					
	speciosus. DC.	(wh.) tube-flowered.	Sierra Leon.	1789.	7. 12.	S. h.	Bot. mag. t. 1992.
	Gardènia tubiflora. A.R. 183.						
	GENIPA. R.S.	GENIP-TREE. Pentandria Monogynia.					
1	oblongifolia. R.S.	(st.) oblong-leaved.	Peru.	1823.	4. 6.	S. h.	Flor. per. 2. t. 220. f. a.
2	americana. R.S.	(wh.) American.	S. America.	1779.	5. 7.	S. h.	Plum. ic. t. 136.
3	Meriana. R.S.	(wh.) hairy.	Cayenne.	1800.	————	S. h.	Merian. sur. t. 43.
	Duroia eriopila. L.						
4	edulis. R.S.	(wh.) eatable.	————	1825.	————	S. h.	
5	esculenta. R.S.	(wh.) Cherry-fruited.	China.	————	————	S. h.	
	CANTHIUM. F.I.	CANTHIUM. Pentandria Monogynia.					
1	angustifolium. F.I.	(st.) narrow-leaved.	E. Indies.	1826.	5. 7.	S. h.	
2	parvifolium. F.I.	(wh.) small-leaved.	————	1824.	————	S. h.	
3	parviflorum. F.I.	(ye.) small-flowered.	————	————	————	S. h.	Roxb. corom. 1. t. 51.
	Webera tetrandra. W.						
4	didymum. F.I.	(wh.) cyme-flowered.	————	1811.	————	S. h.	Gært. carp. 3. t. 196.
	Webera cymosa. W.						
	AZIMA. Lam.	AZIMA. Tetrandria Monogynia.					
	tetracantha. P.S.	(wh.) four-spined.	E. Indies.	1758.	7.	S. h.	Seb. thes. 1. t. 13. f. 1.
	Monètia barlerioides. L'Herit. stirp. nov. 1. t. 1.						
	WE'BERA. S.S.	WE'BERA. Pentandria Monogynia.					
1	corymbosa. S.S.	(wh.) corymbose.	E. Indies.	1759.	4. 6.	S. h.	Bot. reg. t. 119.

2	macrophylla. F.I.	(wh.) large-leaved.	E. Indies.	1824.	5. 7.	S. h.	
3	odorata. F.I.	(wh.) sweet-scented.	————	1826.	————	S. h.	
BURCHELLIA. B.R. BURCHELLIA. Pentandria Monogynia.							
1	capensis. B.R.	(sc.) broad-leaved.	C. B. S.	1818.	3. 6.	G. h.	Bot. reg. t. 466.
2	parviflora. B.R.	(or.) smaller-flower'd.	————	————	————	G. h.	———— t. 691.
<i>bubalina. B.M. 2339.</i>							
CATESBÆA. S.S. LILY-THORN. Tetrandria Monogynia. L.							
1	spinosa. s.s.	(wh.) spiny.	Providence I.	1726.	5. 9.	S. h.	Bot. mag. t. 131.
2	latifolia. B.R.	(wh.) broad-leaved.	W. Indies.	1818.	9. 11.	S. h.	Bot. reg. t. 858.
3	parviflora. s.s.	(wh.) small-flowered.	————	1810.	7. 10.	S. h.	Sloan. h. 2. t. 207. f. 1.
FERNELIA. J. FERNELIA. Tetrandria Monogynia.							
1	obovata. R.S.	(wh.) obovate-leaved.	Isl. France.	1816.	S. h.	Lam. ill. t. 67. f. 1.
2	biflora. R.S.	(wh.) two-flowered.	Bourbon.	————	S. h.	
<i>Coccocypselum buxifolium. s.s. biflorum. w</i>							
3	uniflora. R.S.	(wh.) one-flowered.	Mauritius.	————	S. h.	
<i>buxifolia. β. Lamarck.</i>							
COCCOCY'PSELUM. S.S. COCCOCY'PSELUM. Tetrandria Monogynia. S.S.							
	repens. s.s.	(li.) creeping.	W. Indies.	1793.	5.	S. 4.	Brown. jam. t. 6. f. 1.

Sect. IV. CINCHONEÆ. *Kth. synops. 3. p. 47.*

PORTLANDIA. S.S. PORTLANDIA. Pentandria Monogynia. L.							
1	grandiflora. R.S.	(wh.) great-flowered.	Jamaica.	1775.	6. 8.	S. h.	Sm. ic. pict. 1. t. 6.
2	coccinea. R.S.	(sc.) scarlet-flowered.	————	1812.	S. h.	
COUTAREA. S.S. COUTAREA. Hexandria Monogynia. S.S.							
	speciosa. s.s.	(sc.) Laurel-leaved.	Guiana.	1803.	S. h.	Aubl. guian. 1. t. 122.
<i>Portlandia hexandra. Jacq. am. pict. t. 65.</i>							
EXOSTEMMA. R.S. EXOSTEMMA. Pentandria Monogynia. R.S.							
1	caribæum. R.S.	(wh.) Caribbean.	W. Indies.	1780.	6. 9.	S. h.	Andr. reposit. t. 481.
<i>Cinchona caribæa. w.</i>							
2	floribundum. R.S.	(bh.) many-flowered.	————	1794.	S. h.	Lamb. cinch. 27. t. 7.
PINCKNEYA. M. PINCKNEYA. Pentandria Monogynia.							
	pubens. M.	(bh.) pubescent.	Georgia.	1786.	6. 7.	F. h.	Mich. amer. t. 13.
HYMENODICTYON. F.I. HYMENODICTYON. Pentandria Monogynia.							
1	thyrsiflorum. Wall.	(st.) thyrses-flower'd.	E. Indies.	1816.	S. h.	Roxb. cor. 2. t. 106.
2	excelsum. Wall.	(wh.) tall.	————	————	S. h.	
<i>Cinchona excelsa. R.S.</i>							
HILLIA. S.S. HILLIA. Tetr-Hexandria Monogynia. S.S.							
1	longiflora. s.s.	(wh.) long-flowered.	W. Indies.	1789.	2. 3.	S. h.	Bot. mag. t. 721.
2	tetrandra. s.s.	(wh.) mountain.	Jamaica.	1793.	6. 7.	S. h.	
MACROCNEMUM. L. MACROCNEMUM. Pentandria Monogynia. L.							
1	jamaicense. R.S.	(wh.) Jamaica.	Jamaica.	1806.	S. h.	Swartz obs. t. 3. f. 1.
2	speciosum. s.s.	(li.) handsome.	Caracas.	1828.	S. h.	Jacq. schœnb. 1. t. 41.
<i>Mussaenda speciosa. R.S.</i>							
3	coccineum. s.s.	(sc.) scarlet.	Trinidad.	1825.	S. h.	
<i>Mussaenda coccinea. R.S.</i>							
RONDEL'ETIA. R.S. RONDEL'ETIA. Pentandria Monogynia. L.							
1	americana. R.S.	(wh.) American.	W. Indies.	1752.	8.	S. h.	Plum. ic. t. 242. f. 1.
2	laevigata. R.S.	(wh.) smooth-leaved.	————	1790.	7. 8.	S. h.	Jacq. amer. pict. t. 62.
3	trifoliata. R.S.	(re.) three-leaved.	Jamaica.	————	S. h.	
4	paniculata. F.I.	(wh.) paniced.	E. Indies.	1820.	————	S. h.	
5	tinctoria. F.I.	(wh.) dyer's.	————	1825.	S. h.	Brown jam. 143. t. 2. f. 1.
6	racemosa. R.S.	(wh.) racemed.	W. Indies.	1818.	————	S. h.	
7	tomentosa. R.S.	(wh.) downy-leaved.	————	————	————	S. h.	Lodd. bot. cab. t. 352.
8	hirta. R.S.	(br. ye.) hairy.	————	1776.	6. 8.	S. h.	

Sect. V. HEDYOTIDÆ. *Kth. synops. 3. p. 40.*

HEDYOTIS. R.S. HEDYOTIS. Tetrandria Monogynia. L.							
1	diffusa. R.S.	(wh.) spreading.	E. Indies.	1818.	7. 9.	S. ○.	Rheed. mal. 10. t. 35.
2	herbacea. R.S.	(wh.) herbaceous.	————	1816.	6. 9.	S. ○.	
3	capensis. R.S.	(wh.) Cape.	C. B. S.	1824.	7. 10.	H. ○.	Roxb. cor. 1. t. 3.
4	umbellata. R.S.	(wh.) Indian Madder.	E. Indies.	1792.	7. 8.	S. 4.	
<i>Oldenlandia corymbosa L.</i>							

5 cymòsa. R.S.	(wh.) Hyssop leaved.	Jamaica.	1739.	6. 10.	S. ☉.	Ehret pic. t. 2. f. 1. et t. 4.
	<i>Oldenlandia corymbosa.</i> W.					
6 ramosíssima. R.S.	(wh.) branching.	1816.	—	S. ☉.	
7 biflòra. R.S.	(pu.) two-flowered.	E. Indies.	—	—	S. ☉.	
8 lactea. R.S.	(st.) milk-coloured.	—	—	—	S. ☉.	
9 campanuliflòra. B.M.	(pu.) bell-flow'r'd.	Brazil.	1825.	2. 10.	S. 4.	
MANETTIA. R.S.	MANETTIA.	Tetrandria Monogynia.	L.			
1 Lygístum. R.S.	(re.) veined-leaved.	W. Indies.	1822.	2. 4.	S. ½. ~.	Brown. jam. t. 3. f. 2.
2 coccínea. R.S.	(sc.) scarlet.	Trinidad.	1806.	12. 4.	S. ½. ~.	Bot. reg. t. 693.
BOUVA'RDIA. R.S.	BOUVA'RDIA.	Tetrandria Monogynia.				
1 triphy'lla. R.S.	(sc.) blunt-leaved.	Mexico.	1794.	4. 11.	G. ½.	Sal. par. lond. t. 88.
2 Jacquíni. R.S.	sharp-leaved.	—	—	—	G. ½.	Jacq. schœnb. 1. t. 257.
	<i>Ixora americana.</i> Jacq.	<i>Bouvardia triphy'lla.</i>	Bot. reg. t. 107.			
3 versicolor. s.s.	(re. ye.) various-color'd.	S. America.	1814.	7. 1.	S. ½.	Bot. reg. t. 245.
DENTE'LLA. W.	DENTE'LLA.	Pentandria Monogynia.	W.			
repens. w.	(wh.) creeping.	N. Holland.	1802.	7.	H. ☉.	Rumph. am. 6. t. 170. f. 4.
SPERMADI'CTYON. B.R.	SPERMADI'CTYON.	Pentandria Monogynia.				
1 suavèolens. B.R.	(wh.) sweet-scented.	E. Indies.	1816.	8. 12.	S. ½.	Bot. reg. t. 318.
	<i>Hamiltonia suavèolens.</i> F.I.					
2 azùreum. B.R.	(bl.) blue-flowered.	Nepaul.	1827.	1. 3.	S. ½.	Bot. reg. t. 1235.

Sect. VI. CEPHALANTHEÆ. *Kth. synops. 3. p. 37.*

NA'UCLEA. R.S.	NA'UCLEA.	Pentandria Monogynia.	L.			
1 Adina. Sm.	(wh.) Myrtle-leaved.	China.	1804.	7. 8.	G. ½.	Bot. reg. t. 895.
	<i>Adina globiflòra.</i>	Sal. par. lond. t. 115.				
2 adinoídes. s.s.	(wh.) Adina-like.	—	1825.	—	G. ½.	
3 orientális. R.S.	(ye.) oriental.	E. Indies.	1800.	S. ½.	
4 Cadámba. F.I.	(or.) broad-leaved.	—	1823.	S. ½.	Rheed. mal. 3. t. 33.
5 undulàta. F.I.	(ye.) wave-leaved.	—	—	S. ½.	
6 parvifòlia. F.I.	(ye.) small-leaved.	—	1825.	—	S. ½.	Roxb. corm. 1. t. 52.
7 cordifòlia. R.S.	(st.) heart-leaved.	—	—	S. ½.	— 1. t. 53.
8 purpùrea. F.I.	(pu.) purple-flowered.	—	1827.	S. ½.	— 1. t. 54.
UNC'ARIA. F.I.	UNC'ARIA.	Pentandria Monogynia.				
Gámber. F.I.	(pi.) Gambier-tree.	E. Indies.	1826.	S. ½. ~.	Linn. trans. v. 9. t. 22.
SARCOCE'PHALUS. Afz.	SARCOCE'PHALUS.	Pentandria Monogynia.				
esculéntus. Afz.	(wh.) eatable-fruited.	Sierra Leone.	1822.	6. 8.	S. ½.	Hort. trans. 5. t. 18.
CEPHALA'NTHUS. L.	BUTTON-WOOD.	Tetrandria Monogynia.	L.			
occidentális. L.	(wh.) American.	N. America.	1735.	8.	S. ½.	Schmidt arb. 1. t. 45.
MORI'NDA. L.	MORI'NDA.	Pentandria Monogynia.	L.			
1 umbellàta. R.S.	(wh.) umbelled.	E. Indies.	1809.	6. 8.	S. ½.	
2 citrifòlia. R.S.	(wh.) broad-leaved.	Otaheite.	1793.	—	S. ½.	Rheed. mal. 1. t. 52.
3 tinctòria. F.I.	(wh.) dyer's.	—	1826.	S. ½.	
4 bracteàta. F.I.	(wh.) bracted.	E. Indies.	1816.	5. 7.	S. ½.	
5 angustifòlia. F.I.	(wh.) narrow-leaved.	—	—	—	S. ½.	Roxb. corom. 3. t. 237.
6 Róyoc. R.S.	(wh.) Laurel-leaved.	W. Indies.	1793.	7. 10.	S. ½.	Jacq vind. 1. t. 16.

Sect. VII. COFFEACEÆ. *Kth. synops. 3. p. 20.*

MITCHE'LLA. L.	MITCHE'LLA.	Tetrandria Monogynia.	L.			
repens. L.	(wh.) creeping.	N. America.	1761.	6.	H. ½.	Cat. car. 1. t. 20.
PAVETTA. R.S.	PAVETTA.	Tetrandria Monogynia.	L.			
1 índica. R.S.	(wh.) Indian.	E. Indies.	1791.	8. 10.	S. ½.	Burm. ind. t. 13. f. 3.
2 tomentòsa. R.S.	(wh.) woolly.	—	1824.	—	S. ½.	
3 cáffra. R.S.	(wh.) Cape.	C. B. S.	1816.	—	G. ½.	
4 pentándra. R.S.	(wh.) pentandrous.	W. Indies.	1823.	—	S. ½.	Plum. ic. t. 156. f. 1.
5 arenòsa. R.S.	(wh.) tubercled.	China.	3. 10.	S. ½.	Bot. reg. t. 198.
	<i>índica.</i> B.R. <i>nec aliorum.</i>					
IX'ORA. L.	IX'ORA.	Tetrandria Monogynia.	L.			
1 grandiflòra. B.R.	(sc.) great-flowered.	E. Indies.	1814.	7. 9.	S. ½.	Bot. reg. t. 154.
	<i>coccínea.</i> L. <i>non</i> B.M.					

2	Bandhûca F.I.	(sc.) stem-clasping.	E. Indies.	1814.	1. 4.	S. h.	Bot. reg. t. 513.
3	fûlgens. F.I.	(sc.) glossy.	————	1820.	S. h.	Rumph. amb. 4. t. 46.
	<i>longifolia</i> . Sm. <i>lanceolata</i> . Lam.						
4	flâmmea. s.P.	(or.) flame-coloured.	China.	1690.	4. 8.	S. h.	Bot. mag. t. 169.
	<i>coccinea</i> . B.M. <i>stricta</i> . F.I. <i>speciosa</i> . W. enum.						
5	crocâta. B.R.	(sn.) saffron-colour'd.	————	1820.	—	S. h.	Bot. reg. t. 782.
6	incarnâta. B.C.	(fl.) flesh-coloured.	————	—	—	S. h.	Lodd. bot. cab. 1048.
7	blânda. B.R.	(bh.) charming.	————	1812.	—	S. h.	Bot. reg. t. 100.
8	âlba. w.	(wh.) white.	E. Indies.	1768.	6.	S. h.	Rheed. mal. 2. t. 14.
9	cuneifolia. F.I.	(wh.) wedge-leaved.	————	1820.	—	S. h.	Bot. reg. t. 648.
10	brachiâta. F.I.	(wh.) brachiate-panicled.	————	—	—	S. h.	
11	Pavétta. A.R.	(wh.) fragrant.	————	—	S. h.	Andrews's reposit. t. 78.
12	acumiâta. F.I.	(wh.) tapering-leaved.	————	1824.	3. 5.	S. h.	
13	parviflora. F.I.	(wh.) small-flowered.	————	1800.	8. 10.	S. h.	Vahl symb. 3. t. 52.
14	barbâta. F.I.	(wh.) bearded.	————	1822.	6. 8.	S. h.	Bot. mag. t. 2505.
15	undulâta. F.I.	(wh.) wave-leaved.	————	1818.	—	S. h.	
16	rôsea. F.I.	(ro.) rose-coloured.	————	1820.	4. 8.	S. h.	Bot. reg. t. 540.
17	obovâta. R.S.	(cr.) obovate-leaved.	————	1810.	—	S. h.	
	<i>purpurea</i> . F. ?						
	CHOM'ELIA. R.S.	CHOM'ELIA. Tetrandria Monogynia. W.					
1	spinosa. R.S.	(wh.) spiny.	W. Indies.	1793.	S. h.	Jacq. amer. 18. t. 13.
2	fasciculâta. R.S.	(wh.) fascicled.	Jamaica.	1824.	4. 6.	S. h.	
	SIDERODE'NDRON. S.S. IRON-TREE. Tetrandria Monogynia. W.						
	<i>triflorum</i> . s.s. (ro.wh.) three-flowered.	W. Indies.	1793.	S. h.	Jacq. amer. 19. t. 175. f. 9.	
	TETRAMERIUM. G. TETRAMERIUM. Tetrandria Monogynia. S.S.						
1	odoratissimum. s.s. (wh.) sweet-scented.	W. Indies.	1793.	4. 6.	S. h.	Jacq. amer. t. 47.	
	<i>Coffea occidentalis</i> . w. <i>Ixora americana</i> . Sw.						
2	paniculatum. s.s. (wh.) panicled.	Guiana.	1822.	S. h.	Aubl. guian. t. 58.	
	COFFEA. L. COFFEE-TREE. Pentandria Monogynia. L.						
	<i>arabica</i> . w. (wh.) Arabian.	Yemen.	1696.	8. 11.	S. h.	Bot. mag. t. 1303.	
	CEPHA'ELIS. S.S. CEPHA'ELIS. Pentandria Monogynia. L.						
1	clâta. s.s. (pu.) tall.	Jamaica.	1793.	S. h.		
2	tomentosa. R.S. (pu.) tomentose.	Trinidad.	1820.	4. 6.	S. h.		
3	punicea. R.S. (pu.) puniceous.	Jamaica.	1825.	—	S. h.		
4	violacea. R.S. (vi.) violet-coloured.	W. Indies.	1824.	—	S. h.	Aubl. guian. 1. t. 60.	
	<i>Tapogomea violacea</i> . Aubl.						
5	axillaris. s.s. (pu.) axillary-flow'r'd.	Brazil.	1816.	4. 5.	S. h.	Lind. coll. t. 21.	
	<i>calycina</i> . L. col.						
6	glabra. R.S. (bl.) smooth.	Trinidad.	1820.	5. 8.	S. h.	Aubl. guian. 1. t. 63.	
7	alba. R.S. (bh.) white.	Guiana.	1824.	—	S. h.	———— 1. t. 62. f. 1.	
8	involuta. R.S. (wh.) involucred.	————	—	S. h.	———— 1. t. 64.	
	<i>Carapichea guianensis</i> . Aubl.						
9	pedunculata. P.L. (wh.) long-peduncled.	Sierra Leon.	2. 4.	S. h.	Sal. par. lond. t. 103.	
	PSYCHOTRIA. R.S. PSYCHOTRIA. Pentandria Monogynia. L.						
1	asiatica. R.S. (wh.) Indian.	E. Indies.	1806.	4. 5.	S. h.	Jacq. amer. p. t. 260. f. 19.	
2	glabrata. R.S. (wh.) smooth.	Jamaica.	1822.	—	S. h.		
3	laurifolia. R.S. (wh.) Laurel-leaved.	W. Indies.	1825.	5. 8.	S. h.		
4	fœtens. R.S. (wh.) strong-scented.	Jamaica.	—	—	S. h.		
5	citrifolia. R.S. (wh.) Citron-leaved.	W. Indies.	1793.	1. 12.	S. h.		
6	elliptica. B.R. (wh.) elliptic-leaved.	Brazil.	1820.	2. 6.	S. h.	Bot. reg. t. 607.	
7	myrtiphyllum. R.S. (wh.) Myrtle-leaved.	Jamaica.	1823.	2. 5.	S. h.	Sloan. his. 2. t. 209. f. 2.	
8	parasitica. R.S. (wh.) parasitic.	W. Indies.	1802.	5. 8.	S. h.	Jacq. amer. t. 51. f. 1.	
9	brachiata. R.S. (wh.) cross-branched.	————	1793.	S. h.		
10	pubescens. R.S. (wh.) pubescent.	Jamaica.	1812.	S. h.		
11	corymbosa. R.S. (pu.) corymbose.	————	—	3. 4.	S. h.		
12	pedunculata. R.S. (st.) pedunculate.	————	1824.	5. 6.	S. h.		
13	undata. R.S. (wh.) wave-leaved.	Bahama.	1818.	4. 6.	S. h.	Jacq. schœnb. 3. t. 260.	
14	Reevesii. F.I. (gr.) Reeves's.	China.	1823.	—	G. h.		
	GEO'PHILA. D.P. GEO'PHILA. Pentandria Monogynia.						
	<i>reniformis</i> . D.P. (wh.) kidney-leaved.	W. Indies.	1793.	4. 6.	S. 4.	Jacq. amer. t. 46.	
	<i>Psychotria herbacea</i> . w.						
	CHIOCO'CCA. W. SNOWBERRY. Pentandria Monogynia. L.						
	<i>racemosa</i> . w. (wh.) cluster-flower'd.	Jamaica.	1729.	2.	S. h.	Andr. reposit. t. 284.	
	ERN'ODEA. S.S. ERN'ODEA. Tetrandria Monogynia. W.						
	<i>montana</i> . s.s. (pu.) mountain.	Sicily.	1820.	6. 7.	H. h.	Flor. græc. t. 143.	
	<i>Asperula calabrica</i> . L.						
	SERISSA. S.S. SERISSA. Pentandria Monogynia. W.						
	<i>fœtida</i> . s.s. (wh.) Japanese.	Japan.	1787.	5. 9.	G. h.	Bot. mag. t. 361.	
	<i>3 multiplex</i> . (wh.) double-flowered.	————	—	—	G. h.		

PLOC'AMA. W.	PLOC'AMA.	Pentandria Monogynia. W.			
pendula. w.	(wh.) pendulous.	Canaries.	1779.	G. h.
PÆD'ERIA. W.	PÆD'ERIA.	Pentandria Monogynia. L.			
1 fœtida. w.	(pu.) stinking.	China.	1806.	G. h. ~. Icon. Kæmpf. 9.
2 Lingun. Boj. tongue.	Madagascar.	1823.	S. h. ~.

Sect. VIII. SPERMACOCEÆ. *Kth. synopsis. 3. p. 14.*

RICHARDS'ONIA. Kth.	RICHARDS'ONIA.	Hexandria Monogynia. L.			
1 scabra. B.F.G.	(wh.) rough.	S. America.	1812.	9. 10.	H. ⊙. Swt. br. fl. gar. t. 91.
2 pilosa. K.S.	(wh.) hairy.	Lima.	1824.	7. 9.	H. ⊙. Flor. peruv. 3. t. 279. f. b.
PHYLLIS. W.	BASTARD HARE'S-EAR.	Pentandria Digynia. L.			
Nòbla. w.	(br.) Canary.	Canaries.	1699.	6. 7.	G. h. Dill. elth. t. 299. f. 386.
DIODIA. S.S.	DIODIA.	Tetrandria Monogynia. W.			
1 virginica. s.s.	(wh.) Virginian.	Virginia.	1820.	6. 8.	H. ♀. Jacq. ic. 1. t. 29.
2 sarmentosa. s.s.	(wh.) sarmentose.	W. Indies.	1821.	—	S. h.
3 verticillata. s.s.	(wh.) whorl-leaved.	Santa Cruz.	—	S. ♀.
BIGEL'OVIA. S.S.	BIGEL'OVIA.	Tetrandria Monogynia. S.S.			
1 verticillata. s.s.	(wh.) whorl-flowered.	Africa.	1732.	6. 8.	S. h. Dill. elth. t. 277. f. 358.
	<i>Spermacoce verticillata. L.</i>				
2 commutata. s.s.	(wh.) starry-headed.	W. Indies.	1818.	—	S. ♀.
3 stricta. s.s.	(wh.) upright.	E. Indies.	1821.	—	S. ⊙.
	<i>Spermacoce stricta. L.</i>				
SPERMAC'OCE. S.S.	BUTTON-WEED.	Tetrandria Monogynia. L.			
1 glabra. s.s.	(wh.) smooth.	N. America.	1823.	7. 8.	H. ⊙.
2 diodina. s.s.	(wh.) Diodia-like.	—	1820.	—	H. ⊙.
3 hispida. s.s.	(vi.) bristly.	E. Indies.	1781.	8. 9.	S. ⊙. Burm. zeyl. t. 20. f. 3.
4 spinosa. s.s.	(wh.) spiny.	W. Indies.	1825.	—	S. ⊙. Brown. jam. p. 141. 1.
5 latifolia. s.s.	(wh.) broad-leaved.	Guiana.	1803.	7.	S. ♂. Aub. gui. t. 19. f. 1.
6 cornifolia. s.s.	(wh.) Dogwood-leav'd.	Brazil.	1820.	8. 9.	S. ⊙.
7 stylosa. s.s.	(wh.) long-styled.	Manila.	—	—	S. ⊙.
8 suffruticosa. s.s.	(bh.) suffruticose.	1823.	7. 8.	S. h. Jacq. schoen. t. 322.
9 radicans. s.s.	(wh.) rooting.	Guiana.	1803.	—	S. ♀. Aub. gui. 1. t. 20. f. 4.
10 aspera. s.s.	(wh.) rough.	W. Indies.	1822.	—	S. ⊙. ——— t. 22. f. 6.
11 tenuior. s.s.	(bh.) slender.	—	1732.	6. 8.	H. ⊙. Sch. hand. 1. t. 22.
12 lanceolata. L.en.	(wh.) spear-leaved.	—	1818.	—	H. ⊙.
13 hirta. s.s.	(wh.) hairy.	Jamaica.	1822.	7. 9.	H. ⊙. Jacq. ic. t. 308.
14 villosa. s.s.	(wh.) villous.	—	1823.	—	S. ⊙.
15 scabra. s.s.	(wh.) rough.	E. Indies.	1816.	—	S. ⊙. Rheed. mal. 9. t. 76?
16 capitata. s.s.	(wh.) headed.	Peru.	1826.	6. 8.	G. ♀. Flor. peruv. 1. t. 91. f. B.
17 rubra. s.s.	(pi.) Cross-wort.	S. America.	1760.	7. 8.	S. ♂. Jacq. schoen. 3. t. 256.
	<i>strigosa. B.M. 1558.</i>				
18 Fischèri. s.s.	(wh.) Fischer's.	Jamaica.	1820.	—	S. ⊙.
19 sexangularis. s.s.	(bl.) six-angled.	W. Indies.	1822.	—	S. ⊙. Aubl. guian. 1. t. 20. f. 3.
20 involucrata. R.S.	(wh.) involucred.	Carolina.	1812.	—	H. ⊙.
21 Roxburghii. s.s.	(wh.) Roxburgh's.	E. Indies.	1818.	—	S. ♂.
	<i>lævis. F.I. non Lam.</i>				
KNO'XIA. S.S.	KNO'XIA.	Tetrandria Monogynia. W.			
1 corymbosa. s.s.	(wh.) Sumatra.	E. Indies.	1818.	4. 6.	S. h.
	<i>Spermacoce sumatrensis. F.I.</i>				
2 umbellata. s.s.	(wh.) umbel-flower'd.	Nepaul.	1820.	—	S. h.
	<i>Spermacoce tères. F.I.</i>				

Sect. IX. GALEÆ. *Kth. synopsis. 3. p. 10.*

ANTHOSPERMUM. W.	AMBER-TREE.	Diœcia Tetrandria. L.			
æthiopicum. s.s.	(gr.) Ethiopian.	C. B. S.	1692.	6. 7.	G. h. Pluk. alm. t. 183. f. 1.
CRUCIANE'LLA. R.S.	CROSS-WORT.	Tetrandria Monogynia. L.			
1 angustifolia. R.S.	(st.) narrow-leaved.	S. Europe.	1658.	6. 7.	H. ⊙. Sm. exot. bot. 2. t. 109.
2 ciliata. R.S.	(st.) ciliated.	Levant.	1805.	7. 8.	H. ⊙.
3 patula. R.S.	(ye.) spreading.	Spain.	1798.	6. 7.	H. ⊙. Flor. græc. t. 139.
4 latifolia. R.S.	(gr.) broad-leaved.	S. Europe.	1633.	—	H. ⊙.
5 ægyptiaca. R.S.	(st.) Egyptian.	Egypt.	1800.	—	H. ⊙. Flor. græc. t. 140.
6 monspeliaca. R.S.	(st.) Montpellier.	S. France.	1791.	7. 8.	H. ⊙.

7	marítima. R.S.	(<i>ye.</i>) sea-side.	S. France.	1640.	7. 8.	G. $\frac{1}{2}$.	Sabb. hort. 2. t. 13.
8	americàna. R.S.	(<i>bl.</i>) American.	Vera Cruz.	—	S. $\frac{1}{2}$.	
9	pubescens. R.S.	(<i>pu.</i>) pubescent.	Candia.	1799.	7. 8.	G. $\frac{1}{2}$.	
10	áspera. M.B.	(<i>st.</i>) rough.	Iberia.	1827.	6. 8.	H. $\frac{1}{2}$.	
11	glomeràta. M.B.	(<i>st.</i>) clustered.	—	1828.	—	H. $\frac{1}{2}$.	
12	molluginòides. R.S.	(<i>wh.</i>) Mollugo-like.	Caucasus.	1800.	—	H. $\frac{1}{2}$.	Buxb. cent. 2. t. 30. f. 1.
13	hispida. R.S.	(<i>pu.</i>) hispid.	Vera Cruz.	—	S. $\frac{1}{2}$.	
SHERA'RDIA. R.S.		SHERA'RDIA.	Tetrandria Monogynia.	L.			
	arvensis. R.S.	(<i>li.</i>) little.	Britain.	4. 9.	H. \odot .	Eng. bot. v. 13. t. 891.
R'UBIA. R.S.		MADDER.	Tetrandria Monogynia.	L.			
1	tinctòrum. R.S.	(<i>gr.</i>) dyer's.	S. Europe.	1596.	6.	H. $\frac{1}{2}$.	Flor. græc. t. 141.
2	spléndens. R.S.	(<i>ye.</i>) glossy.	Portugal.	1812.	6. 8.	H. $\frac{1}{2}$.	
3	galioídes. R.S.	(<i>gr.</i>) Galium-like.	Canaries.	1816.	—	F. $\frac{1}{2}$.	Eng. bot. v. 12. t. 851.
4	peregrina. R.S.	(<i>ye.</i>) wild.	England.	7.	H. $\frac{1}{2}$.	Flor. græc. t. 142.
5	lúcida. R.S.	(<i>ye.</i>) shining.	Majorca.	1762.	—	F. $\frac{1}{2}$.	Jacq. ic. 1. t. 25.
6	fruticòsa. R.S.	(<i>ye.</i>) prickly-leaved.	Canaries.	1779.	9.	F. $\frac{1}{2}$.	Bocc. mus. t. 75. f. 2-3.
7	Bocconi. R.S.	(<i>bh.</i>) Boccone's.	Italy.	1823.	—	H. $\frac{1}{2}$.	Lam. ill. t. 60. f. 2.
8	angustifòlia. R.S.	(<i>st.</i>) narrow-leaved.	S. Europe.	1772.	7. 8.	F. $\frac{1}{2}$.	Pall. it. 3. ap. t. L. f. 1.
9	cordifòlia. R.S.	(<i>wh.</i>) heart-leaved.	Siberia.	1783.	7.	H. $\frac{1}{2}$.	
ASPE'RULA. R.S.		WOODRUFF.	Tetrandria Monogynia.	L.			
1	lævigàta. R.S.	(<i>wh.</i>) shining.	S. Europe.	1775.	6.	H. $\frac{1}{2}$.	Moris. his. 3. t. 21. f. 4.
2	taurina. R.S.	(<i>li.</i>) broad-leaved.	Italy.	1739.	4. 6.	H. $\frac{1}{2}$.	Lob. ic. 800. f. 1.
3	longiflòra. R.S.	(<i>li.</i>) long-flowered.	Hungary.	1818.	—	H. $\frac{1}{2}$.	W. et K. hung. 2 t. 150.
4	aristàta. R.S.	(<i>st.</i>) awned.	S. Europe.	1823.	—	H. $\frac{1}{2}$.	
5	supina. R.S.	(<i>bh.</i>) trailing.	Caucasus.	—	6. 7.	H. $\frac{1}{2}$.	
6	brevifòlia. R.S.	(<i>li.</i>) short-leaved.	Levant.	1818.	—	H. $\frac{1}{2}$.	
7	cynánchica. R.S.	(<i>bh.</i>) small.	England.	7.	H. $\frac{1}{2}$.	Eng. bot. v. 1. t. 33.
8	alpina. s.s.	(<i>bh.</i>) Alpine.	Caucasus.	1825.	—	H. $\frac{1}{2}$.	
9	crassifòlia. R.S.	(<i>wh.</i>) thick-leaved.	Levant.	1775.	6.	H. $\frac{1}{2}$.	
10	scàbra. s.s.	(<i>wh.</i>) rough.	Italy.	1824.	—	H. $\frac{1}{2}$.	
11	tinctòria. R.S.	(<i>bh.</i>) narrow-leaved.	Europe.	1764.	6. 7.	H. $\frac{1}{2}$.	Tabern. ic. 151.
12	montàna. R.S.	(<i>bh.</i>) mountain.	Hungary.	1801.	—	H. $\frac{1}{2}$.	
13	arvensis. R.S.	(<i>bh.</i>) field.	Europe.	1596.	7.	H. \odot .	Lobel. ic. t. 801. f. 2.
14	arcadiénsis. s.s.	(<i>ro.</i>) Arcadian.	Arcadia.	1819.	5.	H. $\frac{1}{2}$.	Bot. mag. t. 2146.
15	tomentòsa. T.N.	(<i>pu.</i>) woolly.	Italy.	1826.	—	H. $\frac{1}{2}$.	Ten. fl. nap. 1. t. 9.
16	hirta. R.S.	(<i>pu.</i>) thick-rooted.	Pyrenees.	—	5. 6.	H. $\frac{1}{2}$.	Ram. phil. t. 9. f. 1. 2.
17	hirsùta. R.S.	(<i>ro.</i>) hairy creeping.	S. Europe.	1820.	—	H. $\frac{1}{2}$.	
	rèpens. Brot.						
18	incàna. R.S.	(<i>pu.</i>) hoary.	Crete.	1823.	6. 7.	H. $\frac{1}{2}$.	Flor. græc. t. 119.
19	galioídes. s.s.	(<i>wh.</i>) glaucous.	S. Europe.	1710.	6. 9.	H. $\frac{1}{2}$.	Bocc. mus. 2. t. 116.
	<i>Galium glaucum.</i> L.						
20	humifùsa. s.s.	(<i>wh.</i>) spreading.	Caucasus.	1825.	—	H. $\frac{1}{2}$.	
21	longifòlia. R.S.	(<i>wh.</i>) long-leaved.	Greece.	1823.	—	H. $\frac{1}{2}$.	Flor. græc. t. 118.
22	Aparine. R.S.	(<i>wh.</i>) marsh.	Crete.	—	—	H. $\frac{1}{2}$.	— t. 117.
	<i>rivàlis.</i> Sm. <i>Galium uliginòsum.</i> Pall.						
23	odoràta. R.S.	(<i>wh.</i>) sweet-scented.	Britain.	5. 6.	H. $\frac{1}{2}$.	Eng. bot. 755.
24	tyràica. Bes.	(<i>wh.</i>) Tyraican.	Levant.	1826.	—	H. $\frac{1}{2}$.	
VALA'NTIA. S.S.		VALA'NTIA.	Tetrandria Monogynia.	S.S.			
1	muràlis. s.s.	(<i>st.</i>) wall.	S. Europe.	1739.	5. 7.	H. \odot .	Colum. Ecphr. t. 297.
2	hispida. s.s.	(<i>wh.</i>) bristly.	—	1768.	—	H. \odot .	Gært. fr. C. 2. t. 21. f. 1.
3	filifòrmis. s.s.	(<i>wh.</i>) least.	Canaries.	1780.	7. 9.	H. \odot .	
GA'LIIUM. S.S.		BEDSTRAW.	Tetrandria Monogynia.	L.			
1	cruciàtum. s.s.	(<i>ye.</i>) Crosswort.	Britain.	5. 6.	H. $\frac{1}{2}$.	Eng. bot. v. 2. t. 143.
	<i>Valántia cruciàta.</i> W.						
2	chersonénsis. R.S.	(<i>ye.</i>) fringed.	Tauria.	1829.	5. 7.	H. $\frac{1}{2}$.	
3	tauricum. R.S.	(<i>ye.</i>) fragrant.	—	1820.	—	H. $\frac{1}{2}$.	Bot. mag. t. 2670.
	<i>Valántia taurica.</i> B.M.						
4	pedemontànum. s.s.	(<i>ye.</i>) Piedmont.	Hungary.	1799.	7.	H. \odot .	W. et K. hung. 1. t. 33.
5	Bauhini. s.s.	(<i>ye.</i>) Bauhin's.	Europe.	1731.	7. 8.	H. $\frac{1}{2}$.	— 1. t. 32.
	<i>Valántia glàbra.</i> W.						
6	Scopoliànum. R.S.	(<i>ye.</i>) Scopoli's.	—	—	—	H. $\frac{1}{2}$.	Scop. c. e. 2. 1. n. 144. t. 2.
	<i>rèrnum.</i> Scop.						
7	Hallèri. R.S.	(<i>st.</i>) Haller's.	Switzerland.	1823.	5. 6.	H. $\frac{1}{2}$.	
8	articulàtum. s.s.	(<i>ye.</i>) jointed.	Egypt.	1752.	7. 8.	H. \odot .	Lam. ill. t. 843. f. 3.
9	rubioídes. s.s.	(<i>st.</i>) Madder-leaved.	S. Europe.	1775.	7.	H. $\frac{1}{2}$.	Buxb. cent. 2. t. 29.
10	diffùsum. s.s.	(<i>st.</i>) spreading.	—	1820.	—	H. $\frac{1}{2}$.	
11	tatàricum. s.s.	(<i>wh.</i>) Tartarian.	Tartary.	—	6. 8.	H. $\frac{1}{2}$.	
12	valantioides. s.s.	(<i>wh.</i>) Valantia-like.	Caucasus.	1823.	—	H. $\frac{1}{2}$.	
13	palùstre. s.s.	(<i>wh.</i>) water.	Britain.	—	H. w. $\frac{1}{2}$.	Eng. bot. v. 26. t. 1857.

14	<i>satureiæfolium</i> . s.s. (<i>wh.</i>) Savory-leaved.	Caucasus.	1818.	7.	H.w. 4.	
15	<i>trifidum</i> . s.s. (<i>wh.</i>) 3-fid-flowered.	N. Europe.	—	—	H.w. 4.	Flor. dan. t. 48.
16	<i>fruticosum</i> . s.s. (<i>wh.</i>) frutescent.	Crete.	1823.	7. 8.	F. ½.	
17	<i>helodes</i> . R.S. (<i>wh.</i>) weak-branched.	Portugal.	1827.	—	H.w. 4.	
18	<i>Claytoni</i> . R.S. (<i>wh.</i>) Clayton's.	N. America.	—	—	H.w. 4.	
19	<i>Witheringii</i> . s.s. (<i>wh.</i>) rough.	England.	6. 7.	H. 4.	Eng. bot. v. 31. t. 2206.
20	<i>glabrum</i> . s.s. (<i>wh.</i>) smooth.	C. B. S.	1816.	—	G. 4.	
21	<i>uliginosum</i> . s.s. (<i>wh.</i>) marsh.	Britain.	7. 8.	H.w. 4.	Eng. bot. v. 28. t. 1972.
22	<i>divaricatum</i> . s.s. (<i>wh.</i>) divaricate.	S. France.	1820.	—	H. ⊙.	DC. ic. gal. rar. t. 24.
23	<i>campéstre</i> . s.s. (<i>st.</i>) field.	Barbary.	1818.	8. 9.	H. ⊙.	
24	<i>austriacum</i> . R.S. (<i>wh.</i>) Austrian.	Europe.	1804.	6. 7.	H. 4.	Jacq. aust. t. 80.
25	<i>Bocconi</i> . R.S. (<i>wh.</i>) Boccone's.	—	1801.	5. 6.	H. 4.	Bocc. mus. t. 101.
26	<i>obliquum</i> . R.S. (<i>wh.</i>) oblique-leaved.	S. France.	—	H. 4.	Vill. delph. 2. n. 9. t. 8.
27	<i>pusillum</i> . E.B. (<i>wh.</i>) least.	England.	7. 8.	H. 4.	Eng. bot. v. 2. t. 74.
28	<i>alpéstre</i> . R.S. (<i>wh.</i>) smooth-leaved.	S. Europe.	1824.	—	H. 4.	Vill. delph. 2. t. 7. bis.
29	<i>tenuifolium</i> . R.S. (<i>wh.</i>) slender-leaved.	—	1820.	6. 7.	H. 4.	
30	<i>rubrum</i> . s.s. (<i>re.</i>) red.	Italy.	1597.	—	H. 4.	Ger. herb. 967. f. 3.
31	<i>tenuissimum</i> . s.s. (<i>br.</i>) slenderest.	Caucasus.	1818.	7. 9.	H. ⊙.	
32	<i>verum</i> . s.s. (<i>ye.</i>) cheese-rennet.	Britain.	—	H. 4.	Eng. bot. v. 10. t. 660.
33	<i>mutabile</i> . R.S. (<i>st.</i>) changeable-color'd.	Poland.	1828.	7. 10.	H. 4.	
34	<i>vero-simile</i> . R.S. (<i>ye.</i>) large yellow.	1825.	7. 9.	H. 4.	
35	<i>caucasicum</i> . R.S. (<i>ye.</i>) Caucasian.	Caucasus.	1820.	—	H. 4.	
36	<i>tyrolense</i> . R.S. (<i>wh.</i>) Tyrolese.	Tyrol.	1801.	7.	H. 4.	
37	<i>Mollugo</i> . R.S. (<i>wh.</i>) great hedge.	Britain.	7. 8.	H. 4.	Eng. bot. v. 24. t. 1673.
38	<i>elatum</i> . P.S. (<i>wh.</i>) tall.	France.	1827.	—	H. 4.	
39	<i>campanulatum</i> . s.s. (<i>wh.</i>) bell-flowered.	Europe.	1710.	6. 9.	H. 4.	Jacq. aust. 1. t. 81.
	<i>glaucum</i> . Jacq. non L.					
40	<i>erectum</i> . s.s. (<i>wh.</i>) upright.	Britain.	6. 7.	H. 4.	Eng. bot. v. 29. t. 2067.
41	<i>lucidum</i> . R.S. (<i>wh.</i>) glossy.	S. Europe.	1820.	—	H. 4.	All. ped. 1. t. 77. f. 2.
42	<i>linifolium</i> . s.s. (<i>wh.</i>) Flax-leaved.	—	1759.	—	H. 4.	Barr. ic. t. 356 et 583.
43	<i>rigidum</i> . s.s. (<i>wh.</i>) rigid.	Azores.	1778.	—	H. 4.	
44	<i>sylvaticum</i> . s.s. (<i>wh.</i>) wood.	S. Europe.	1658.	7. 8.	H. 4.	
45	<i>cinereum</i> . s.s. (<i>wh.</i>) cinereous.	Scotland.	8.	H. 4.	All. ped. t. 77. f. 4.
46	<i>aristatum</i> . s.s. (<i>wh.</i>) awned.	—	7. 8.	H. 4.	Barr. ic. t. 356.
47	<i>purpureum</i> . s.s. (<i>pu.</i>) purple.	Switzerland.	1731.	6. 7.	H. 4.	Noc. et B. fl. tic. 1. t. 3.
48	<i>saxatile</i> . s.s. (<i>wh.</i>) smooth heath.	Britain.	7. 8.	H. 4.	Eng. bot. v. 12. t. 815.
49	<i>helveticum</i> . s.s. (<i>wh.</i>) Swiss.	Switzerland.	1823.	—	H. 4.	J.m.ac.p.1714.t.15.f.1.
50	<i>baldense</i> . s.s. (<i>wh.</i>) tufted.	Mount Baldo.	1825.	—	H. 4.	
51	<i>tricornè</i> . E.B. (<i>st.</i>) three-flowered.	Britain.	7.	H. ⊙.	Eng. bot. v. 23. t. 1641.
52	<i>spurium</i> . E.B. (<i>gr.</i>) spurious.	—	6. 7.	H. 4.	— v. 26. t. 1871.
53	<i>verrucosum</i> . E.B. (<i>st.</i>) warted.	—	6. 8.	H. ⊙.	— v. 31. t. 2173.
	<i>saccharatum</i> . R.S. <i>Valantia Aparine</i> . w.					
54	<i>Cucullaria</i> . s.s. (<i>ye.</i>) hooded.	Levant.	1780.	5. 6.	H. ⊙.	Buxb. cent. 1. t. 19. f. 2.
55	<i>boreale</i> . E.B. (<i>wh.</i>) cross-leaved.	Britain.	7.	H. 4.	Eng. bot. v. 2. t. 105.
56	<i>septentrionale</i> . R.S. (<i>wh.</i>) northern.	N. America.	1827.	—	H. 4.	
57	<i>brachyphyllum</i> . R.S. (<i>wh.</i>) short-leaved.	Caucasus.	—	—	H. 4.	
58	<i>rotundifolium</i> . s.s. (<i>wh.</i>) round-leaved.	Europe.	6. 7.	H. 4.	Jacq. aust. t. 94.
59	<i>ellipticum</i> . s.s. (<i>wh.</i>) elliptic-leaved.	Sicily.	1820.	—	H. 4.	Barr. ic. t. 21. f. 4.
60	<i>pilosum</i> . R.S. (<i>wh.</i>) hairy.	N. America.	1778.	—	H. 4.	
61	<i>suavèolens</i> . R.S. (<i>wh.</i>) sweet-scented.	N. Europe.	1827.	—	H. 4.	
62	<i>reflexum</i> . R.S. (<i>wh.</i>) reflexed.	Tauria.	1818.	—	H. 4.	
63	<i>humifusum</i> . R.S. (<i>wh.</i>) trailing.	—	1820.	—	H. 4.	
64	<i>maritimum</i> . s.s. (<i>pu.</i>) sea-side.	S. Europe.	—	7. 8.	H. 4.	
65	<i>triflorum</i> . R.S. (<i>wh.</i>) three-flowered.	N. America.	1827.	—	H. 4.	Willd. hort. ber. t. 66.
66	<i>anglicum</i> . E.B. (<i>st.</i>) English.	England.	6. 7.	H. ⊙.	Eng. bot. v. 6. t. 384.
67	<i>parvifolium</i> . R.S. (<i>wh.</i>) small-leaved.	Switzerland.	1825.	—	H. ⊙.	
68	<i>parisiense</i> . R.S. (<i>st.</i>) Paris.	France.	1818.	—	H. ⊙.	
69	<i>murale</i> . s.s. (<i>st.</i>) wall.	Italy.	1805.	6. 8.	H. ⊙.	All. ped. 34. t. 77. f. 1.
	<i>Sherardia muralis</i> . w.					
70	<i>verticillatum</i> . R.S. (<i>wh.</i>) whorled.	France.	1829.	—	H. ⊙.	Flor. græc. t. 116.
71	<i>græcum</i> . s.s. (<i>pu.</i>) Candian.	Candia.	1798.	6. 7.	H. 4.	— t. 136.
72	<i>capillare</i> . R.S. (<i>wh.</i>) woolly-fruited.	Spain.	1828.	—	H. ⊙.	Cavan. icon. 2. t. 191. f. 1.
73	<i>Aparine</i> . E.B. (<i>wh.</i>) Cleavers.	Britain.	5. 9.	H. ⊙.	Eng. bot. v. 12. t. 316.
74	<i>infestum</i> . R.S. (<i>st.</i>) infesting.	Europe.	1818.	—	H. ⊙.	W. et K. hung. 3. t. 202.
75	<i>scaberrimum</i> . R.S. (<i>st.</i>) roughest.	Egypt.	—	6. 9.	H. ⊙.	

ORDO CXVI.

OPERCULARIÆ. *Juss. ann. mus. 4. p. 418.*

OPERCULARIA. G.		OPERCULARIA. Tetrandria Monogynia. W.			
1	umbellata. G. (wh.) umbel-flower'd. N. Holland. 1818.	6. 7.	G. ♀.	Gært. fr. 1. t. 24. f. 4.	
2	Lamarckiana. R.S. (wh.) Lamarck's. N. S. W. 1825.	7. 9.	H. ⊙.	Lam. ill. t. 58. f. 1.	
3	aspera. s. s. (wh.) rough. N. Zealand. 1790.	6. 7.	G. ♀.	Gært. fr. 1. t. 24. f. 4.	
4	hispida. s. s. (wh.) hispid. N. S. W. ———	——	G. ♀.	Juss. an. mus. 4. t. 70. f. 1.	
	<i>aspera. J.</i>				
5	sessiliflora. R.S. (wh.) sessile-flow'r'd. ———	1816.	——	G. ♀.	Juss. an. mus 4. t. 70. f. 2.
6	ocymifolia. R.S. (wh.) Basil-leaved. ———	1820.	——	G. ♀.	
CRYPTOSPERMUM. P.S.		CRYPTOSPERMUM. Tetrandria Monogynia. P.S.			
	Youngii. P.S. (gr. re.) Young's. N. S. W. 1793.	7. 8.	G. ♀.	Linn. trans. 3. t. 5.	
	<i>Opercularia paleata. R.S.</i>				

ORDO CXVII.

VALERIANEÆ. *DC. fl. fr. ed. 3. v. 4. p. 418.*

CENTRANTHUS. DC.		CENTRANTHUS. Monandria Monogynia. R.S.			
1	ruber. DC. (re.) common. England.	6. 10.	H. ♀.	Eng. bot. v. 22. t. 1531.	
	<i>Valeriana rubra. E.B.</i>				
	<i>a coccineus. (sc.) scarlet. ———</i>	——	H. ♀.	
	<i>β carneus. (fl.) flesh-coloured. ———</i>	——	H. ♀.	
	<i>γ albus. (wh.) white-flowered. ———</i>	——	H. ♀.	
2	intermedius. (re.) spear-leaved. Europe.	——	——	H. ♀.	
3	angustifolius. DC. (re.) narrow-leaved. ———	1731.	5. 7.	H. ♀.	Flor. græc. 1. t. 29.
4	Calcitrapa. R.S. (pi.) cut-leaved. Portugal. 1570.	——	——	H. ⊙.	—— 1. t. 30.
VALERIANA. DC.		VALERIAN. Triandria Monogynia. L.			
1	dioica. E.B. (bh.) dioecious. Britain.	5. 7.	H. ♀.	Eng. bot. v. 9. t. 628.	
2	Phu. R.S. (wh.) garden. Germany. 1597.	——	——	H. ♀.	Plenck. t. 28.
3	officinalis. E.B. (bh.) great wild. Britain.	6. 7.	H. ♀.	Eng. bot. v. 10. t. 698.	
4	tenuifolia. Vahl. (bh.) linear-leaved. Germany.	——	——	H. ♀.	Sturm. fl. germ. fas. 9.
5	sambucifolia. R.S. (bh.) Elder-leaved. Sweden. 1818.	——	——	H. ♀.	
6	cardamines. M.B. (bh.) Ladies smock-ld. Caucasus. 1823.	6. 7.	H. ♀.		
7	sisymbriifolia. R.S. (pi.) water-rocket-ld. Levant. 1820.	——	——	H. ♀.	
8	montana. R.S. (bh.) mountain. Switzerland. 1748.	——	——	H. ♀.	Lodd. bot. cab. 317.
9	tripteris. R.S. (bh.) three-leaved. ———	1752.	3. 5.	H. ♀.	Jacq. aust. 3. t. 268.
10	pyrenæica. E.B. (ro.) heart-leaved. Scotland.	5. 6.	H. ♀.	Eng. bot. v. 23. t. 1591.	
11	alliarifolia. R.S. (wh.) Alliaria-leaved. Levant. 1825.	5. 8.	H. ♀.	Buxb. cent. 2. t. 11.	
12	tuberosa. R.S. (ro.) tuberous-root'd. S. Europe. 1629.	——	——	H. ♀.	Lapeyr. pyr. t. 53.
13	elongata. R.S. (st.) elongated. Austria. 1812.	6. 7.	H. ♀.	Jacq. ic. 3. t. 219.	
14	supina. R.S. (ro.) creeping-root'd. Germany. 1818.	——	——	H. ♀.	Jacq. misc. 2. t. 17. f. 2.
15	saxatilis. R.S. (wh.) rock. ———	1748.	7.	H. ♀.	Jacq. aust. 3. t. 267.
16	saliunca. R.S. (bh.) headed-flower'd. Italy. 1824.	6. 7.	H. ♀.	All. ped. 1. t. 70. f. 1.	
17	celtica. R.S. (st.) raceme-flower'd. Switzerland. 1748.	——	——	H. ♀.	Jacq. coll. 1. t. 1.
18	capensis. R.S. (bh.) Cape. C. B. S. 1816.	——	——	F. ♀.	
PATRINIA. J.		PATRINIA. Tetrandria Monogynia. R.S.			
1	sibirica. J. (ye.) Siberian. Siberia. 1759.	5. 6.	H. ♂.	Bot. mag. t. 2325.	
	<i>Valeriana sibirica. L. ruthenica. B.M.</i>				
2	coronata. s. s. (ye.) crowned. Altay. 1826.	5. 7.	H. ♂.		
3	rupëstris. J. (re.) rock. Siberia. 1801.	——	——	H. ♂.	Bot. mag. t. 714.
	<i>Valeriana sibirica. B.M.</i>				
4	intermedia. R.S. (ye.) intermediate. ———	1823.	——	H. ♂.	
5	nudiüscula. s. s. (ye.) naked-stemm'd. Altay. 1826.	6. 8.	H. ♂.		
6	scabiosafolia. s. s. (ye.) Scabious-leav'd. Dahuria. ———	——	——	H. ♀.	Swt. br. fl. gar. t. 154.
7	serratulæfolia. F. (ye.) Serratula-leav'd. ———	1826.	——	H. ♀.	
FEDIA. DC.		FEDIA. Diandria Monogynia.			
	Cornucopiae. R.S. (pu.) purple. S. Europe. 1596.	5. 8.	H. ⊙.	Bot. reg. t. 155.	
	<i>Valeriana cornucopiae. B.R.</i>				

VALERIANE'LLA. DC. VALERIANE'LLA. Triandria Monogynia.

1 echinata. DC.	(li.) prickly-capsul'd.	S. Europe.	1807.	7. 8.	H. ⊙.	Reich. ic. C. 1. t. 68.
2 olitoria. DC.	(bh.) Lamb's Lettuce.	Britain.	4. 8.	H. ⊙.	Eng. bot. v. 12. t. 811.
<i>Valeriana locusta.</i> E.B. <i>Fedia olitoria.</i> R.S. <i>Fedia locusta.</i> Reich. ic. t. 60.						
3 carinata. DC.	(bh.) keeled.	France.	—	H. ⊙.	Reich. ic. C. 1. t. 61.
4 dentata. DC.	(bh.) oval-fruited.	Britain.	—	H. ⊙.	Eng. bot. v. 20. t. 1370.
<i>Valeriana dentata.</i> E.B. <i>Fedia dentata.</i> Reich. ic. 1. t. 62.						
5 discoidea. DF.	(bh.) discoid.	Italy.	1731.	4. 7.	H. ⊙.	Reich. ic. C. 2. t. 116.
6 rotata. R.S.	(bh.) rotate.	—	1828.	—	H. ⊙.	— 1. t. 67.
7 vesicaria. DF.	(bh.) bladdered.	Candia.	1739.	—	H. ⊙.	Flor. græc. 1. t. 34.
8 hamata. DC.	(bh.) hooked.	France.	1825.	—	H. ⊙.	
9 coronata. DC.	(bh.) prickly seeded.	Portugal.	1731.	—	H. ⊙.	Dufres. val. t. 3. f. 2.
10 radiata. DF.	(bh.) rayed.	N. America.	1818.	—	H. ⊙.	— t. 3. n. 7.
11 auricula. DC.	(bh.) eared.	Montpelier.	—	—	H. ⊙.	Reich. ic. C. 1. t. 63.
12 pumila. DC.	(re.) small.	S. Europe.	1823.	—	H. ⊙.	— 2. t. 113.
13 mixta. DF.	(bh.) mixed.	—	1828.	—	H. ⊙.	Dufr. val. t. 3. n. 6.
14 campanulata. Biv.	(bh.) bell-flowered.	Italy.	1829.	—	H. ⊙.	
15 eriocarpa. DC.	(bh.) woolly-capsul'd.	France.	1823.	—	H. ⊙.	Reich. ic. C. 1. t. 65.
16 truncata. S.S.	(bh.) truncate.	Crete.	1829.	—	H. ⊙.	— 2. t. 115.
17 microcarpa. S.S.	(bh.) small-capsuled.	S. Europe.	1828.	—	H. ⊙.	— 2. t. 114.
18 chenopodiifolia. R.S.	(bh.) Goosefoot-l'd.	N. America.	—	H. ⊙.	
19 uncinata. DF.	(bh.) uncinata.	Tauria.	1818.	—	H. ⊙.	Reich. ic. C. 1. t. 69.
20 dasycarpa. L.en.	(bh.) thick-capsuled.	—	—	—	H. ⊙.	
21 muricata. M.B.	(bh.) muricate.	Caucasus.	1828.	—	H. ⊙.	
22 tridentata. L.en.	(bh.) three-toothed.	Tauria.	1823.	—	H. ⊙.	Reich. ic. C. 1. t. 64.
23 angulosa. DC.	(bh.) angular.	1826.	—	H. ⊙.	
24 congesta. B.R.	(ro.) close-headed.	N. America.	—	5. 6.	H. ⊙.	Bot. reg. t. 1094.

ORDO CXVIII.

DIPSACEÆ. Juss. gen. 194.

MOR'INA. R.S.	MOR'INA. Diandria Monogynia. L.					
persica. R.S.	(re.) Persian.	Persia.	1740.	7. 8.	G. ♀.	Flor. græc. 1. t. 28.
DIPSACUS. S.S.	TEASEL. Tetrandria Monogynia. L.					
1 fullonum. S.S.	(li.) manured.	Britain.	7.	H. ♂.	Eng. bot. v. 29. t. 2080.
2 sylvestris. S.S.	(li.) wild.	—	—	H. ♂.	— v. 15. t. 1032.
3 laciniatus. S.S.	(li.) cut-leaved.	Germany.	1683.	7. 8.	H. ♂.	Jacq. aust. 5. t. 403.
4 divaricatus. S.	(li.) spreading-leav'd.	Sicily.	1827.	—	H. ♂.	
5 Gmelini. S.S.	(bl.) Gmelin's.	Caucasus.	1820.	—	H. ♂.	Jacq. f. ecl. t. 106.
6 ferox. S.S.	(bh.) fierce.	Corsica.	—	—	H. ♂.	— t. 107.
7 pilosus. S.S.	(wh.) small.	Britain.	8.	H. ♂.	Eng. bot. v. 13. t. 877.
8 inermis. F.I.	(st.) spineless.	Nepaul.	1820.	8. 10.	H. ♂.	
SCABIOSA. S.S.	SCABIOUS. Tetrandria Monogynia. L.					
1 arvensis. S.S.	(li.) field.	Britain.	7. 10.	H. ♀.	Eng. bot. v. 10. t. 659.
<i>Trichera arvensis.</i> R.S.						
2 campestris. Bes.	(li.) pasture.	Poland.	1824.	—	H. ♀.	
3 sylvatica. S.S.	(re.) broad-leaved.	Austria.	1633.	7.	H. ♀.	Jacq. aust. 4. t. 362.
4 montana. S.S.	(bl.) mountain.	Caucasus.	1823.	—	H. ♀.	Jacq. f. eclog. t. 60.
5 longifolia. S.S.	(li.) long-leaved.	Hungary.	1802.	7. 8.	H. ♀.	W. et K. hung. 1. t. 5.
6 pubescens. S.S.	(st.) pubescent.	—	1820.	—	H. ♀.	
7 reversa. S.S.	(li.) reversed.	Siberia.	1829.	—	H. ♀.	
8 ciliata. S.S.	(st.) ciliated.	Hungary.	1820.	—	H. ♀.	
9 hybrida. S.S.	(li.) hybrid.	S. Europe.	—	6. 9.	H. ⊙.	
10 integrifolia. S.S.	(pu.) entire-leaved.	—	1748.	6. 8.	H. ⊙.	
11 Hornemanni. S.S.	(li.) Horneman's.	1825.	—	H. ♀.	
12 australis. S.S.	(ye.) creeping-root'd.	Italy.	1823.	—	H. ♀.	
SUCCISA. S.S.	SUCCISA. Tetrandria Monogynia. S.S.					
1 pratensis. S.S.	(bl.) Devil's-bit.	Britain.	8. 10.	H. ♀.	Eng. bot. v. 13. t. 878.
<i>Scabiosa Succisa.</i> L.						
2 glabrata.	(bl.) smooth-leaved.	Austria.	1823.	7. 9.	H. ♀.	
<i>Scabiosa glabrata.</i> R.S.						
3 syriaca. S.S.	(wh.) Syrian.	Syria.	1633.	7.	H. ♀.	Flor. græc. t. 105.
4 Vaillantii. R.S.	(bl.) Vaillant's.	Levant.	1826.	—	H. ⊙.	
5 transylvanica. S.S.	(li.) Transylvanian.	Hungary.	1699.	—	H. ⊙.	Jacq. vind. 2. t. 111.

6	jóppica. s.s.	(st.) Joppa.	Joppa.	1828.	7.	H. ☉.	Reich. H. bot. t. 15.
7	uralénsis. s.s.	(st.) Uralian.	Siberia.	1789.	7. 8.	H. ☉.	Murr. c. got. 1782. t. 4.
8	tatárica. s.s.	(ye.) Tartarian.	Russia.	1759.	6. 8.	H. ♀.	Lin. act. ups. 1744. t. 1.
9	alpina. s.s.	(st.) Alpine.	Switzerland.	1570.	6. 7.	H. ♀.	Moris. s. 6. t. 13. f. 10.
	<i>Cephalària alpina.</i>	R.S. <i>Scabiòsa alpina.</i>	W.				
10	leucántha. s.s.	(wh.) white flowered.	S. Europe.	1633.	9. 10.	H. ♀.	Ger. emac. f. 8.
11	centauroídes. s.s.	(st.) Centaury-like.	—————	1816.	7. 8.	H. ♀.	
12	lævigàta. s.s.	(st.) smooth.	Hungary.	1823.	————	H. ♀.	W. et K. hung. 3. t. 230.
13	corniculàta.	(st.) horned.	—————	1801.	————	H. ♀.	————— 1. t. 13.
	<i>Cephalària corniculàta.</i>	R.S. <i>Scabiòsa corniculàta.</i>	W.K.				
14	cretàcea. M.B.	(st.) leathery-leaved.	Tauria.	1828.	————	H. ♀.	
15	rígida. s.s.	(wh.) rough-leaved.	C. B. S.	1731.	7.	G. ♂.	
16	attenuàta.	(wh.) narrow-leaved.	—————	1774.	7. 9.	G. ♂.	
	<i>trífida.</i>	s.s. <i>Scabiòsa attenuàta.</i>	L.				
ASTÉROCE'PHALUS. S.S. ASTÉROCE'PHALUS. Tetrandria Monogynia. S.S.							
1	prolifer. s.s.	(st.) prolific.	Egypt.	1683.	7. 9.	H. ☉.	Flor. græc. t. 107.
	<i>Scabiòsa prolífera.</i>	L.					
2	graminifólius. s.s.	(bl.) grass-leaved.	Switzerland.	————	6.	H. ♀.	Bot. reg. t. 835.
	<i>Scabiòsa graminifólia.</i>	B.R.					
3	créticus. s.s.	(li.) Cretan.	Crete.	1596.	6. 10.	G. ♂.	Moris. s. 6. t. 15. f. 31.
4	limoniifólius. s.s.	(li.) Limonium-leav'd.	Sicily.	6. 8.	H. ♂.	
5	Massòni.	(li.) Masson's.	Azores.	1779.	————	H. ♀.	
	<i>lucidus.</i>	s.s. <i>Scabiòsa lucida.</i>	H.K. <i>Massòni.</i>	H.S.L. <i>nítens.</i>	R.S.		
6	dichótomus. s.s.	(re.) forked.	Sicily.	1804.	6. 8.	H. ☉.	Bocc. mus. t. 120.
7	africànus. s.s.	(wh.) African.	Africa.	1690.	7. 10.	G. ♂.	Herm. parad. t. 219.
8	palæstínus. s.s.	(st.) Palestine.	Palestine.	1771.	7. 8.	H. ☉.	Jacq. vind. 1. t. 96.
9	lucidus.	(li.) shining.	France.	1800.	6. 9.	H. ♀.	
	<i>Scabiòsu lucida.</i>	R.S.					
10	nòricus. R.S.	(li.) simple-stalked.	Caucasus.	1822.	————	H. ♀.	
11	strictus. s.s.	(li.) upright.	Hungary.	1827.	————	H. ♀.	W. et K. hung. 2. t. 138.
12	silenifólius. s.s.	(li.) Silene-leaved.	—————	1823.	7. 8.	H. ♀.	————— 2. t. 157.
13	canéscens. s.s.	(li.) canescent.	—————	1802.	————	H. ♀.	————— 1. t. 53.
14	suavèolens. s.	(li.) sweet-scented.	France.	1827.	————	H. ♀.	
15	setífer. s.s.	(wh.) setiferous.	—————	1820.	————	H. ♀.	
16	lyràtus. s.s.	(li.) lyrate-leaved.	Turkey.	1799.	————	G. ♂.	
17	micránthus. s.s.	(ro.) small-flowered.	Armenia.	1823.	————	H. ♀.	Desf. an. mus. 11. t. 25.
18	Biebersteinií.	(li.) Bieberstein's.	Caucasus.	————	————	H. ☉.	
	<i>Scabiòsa Biebersteinií.</i>	R.S. <i>sícula.</i>	M.B.				
19	sículus. s.s.	(li.) Sicilian.	Sicily.	1783.	————	H. ☉.	Jacq. vind. 1. t. 15.
20	am'œnus. s.s.	(ro.) glossy.	1823.	————	H. ♀.	
21	stellàtus. s.s.	(li.) starry.	Spain.	1596.	————	H. ☉.	Moris. s. 6. t. 15. f. 39.
22	ceratophýllus. R.S.	(li.) stag's-horn-leav'd.	Naples.	1825.	————	H. ♂.	Ten. fl. nap. 1. t. 8.
23	rotàtus. s.s.	(li.) rotate.	Iberia.	1827.	————	H. ☉.	
24	diffusus. s.s.	(li.) diffuse.	Teneriffe.	1825.	6. 8.	F. ♀.	Reich. hort. t. 16.
25	atropurpùreus s.s.	(pu.) sweet.	E. Indies.	1629.	7. 9.	H. ♂.	Bot. mag. t. 247.
	<i>Scabiòsa atropurpùrea.</i>	B.M.					
	β cárneus.	(fl.) flesh-coloured.	—————	————	————	H. ♂.	
	γ ròseus.	(ro.) rose-coloured.	—————	————	————	H. ♂.	
	δ variegàtus.	(v.) variegated.	—————	————	————	H. ♂.	
	ϵ álbis.	(wh.) white-flowered.	—————	————	————	H. ♂.	
	ζ prolífer.	(d. pu.) large-flowered.	—————	————	————	H. ♂.	
26	caucásicus. s.s.	(wh.) Caucasean.	Caucasus.	1814.	————	H. ♂.	Moris. s. 6. t. 14. f. 2.
27	connàtus. H.H.	(bh.) connate-leaved.	—————	1803.	7. 8.	H. ♀.	Jacq. fragm. t. 125. f. 1.
28	élegans. R.S.	(vi.) elegant.	—————	1823.	————	H. ♀.	
	<i>Scabiòsa caucásica.</i>	B.M. <i>élegans.</i>	R.S.	1803.	7. 8.	H. ♀.	Bot. mag. t. 886.
29	holoseríceus. s.s.	(bl.) silky.	Pyrenees.	————	————	H. ♀.	
30	pyrenàicus. R.S.	(li.) Pyrenean.	—————	1823.	————	H. ♀.	
31	tomentòsus. s.s.	(vi.) woolly.	Spain.	1826.	————	H. ♀.	Cavan. icon. 2. t. 183.
32	Webbiànus. s.s.	(wh.) Webb's.	Levant.	1820.	————	H. ♀.	Bot. reg. t. 717.
	<i>Scabiòsa Webbiàna.</i>	B.R.					
33	crenàtus. s.s.	(fl.) crenated.	Sicily.	1824.	7. 8.	H. ♀.	Cyrl. pl. rar. 1. t. 3.
34	rutæfólius. R.S.	(fl.) Rue-leaved.	—————	1801.	6. 8.	H. ♀.	Bocc. sic. t. 40. f. 3.
35	urceolàtus. s.s.	(st.) jagged.	Barbary.	————	7. 8.	H. ♀.	————— t. 52.
36	argénteus. s.s.	(wh. li.) silvery.	Levant.	1713.	6. 10.	H. ♀.	Flor. græc. t. 108.
37	marítimus. s.s.	(li.) sea-side.	S. Enrope.	1818.	7. 9.	H. ☉.	Bauh. hist. 3. p. 7. f. 2.
38	ucrànicus. s.s.	(wh.) Ukraine.	Ukraine.	1795.	9.	H. ♀.	Gmel. sib. 2. t. 87.
39	Columbària. s.s.	(li.) fine-leaved.	Britain.	7. 8.	H. ♀.	Eng. bot. v. 19. t. 1311.
40	grandiflórus. R.S.	(st.) great-flowered.	Barbary.	1804.	6. 9.	H. ♀.	Scop. del. ins 3. t. 14.
41	móllis. L.en.	(li.) soft.	1827.	————	H. ♀.	
	<i>Scabiòsa capillàta.</i>	R.S.					

42 altissimus. s.s.	(li.) tall.	C. B. S.	1816.	6. 9.	G. ♀.	Jacq. vind. 2. t. 185.
43 mollissimus. s.s.	(bl.) soft.	S. Europe.	—	7. 8.	H. ♀.	
44 pilosus. s.s.	(bh.) hairy.	Spain.	1826.	—	H. ♀.	
45 ochroleucus. s.s.	(st.) pale-flowered.	Germany.	1597.	—	H. ♀.	Jacq. aust. 5. t. 439.
46 gramuntius. s.s.	(wh.li.) cut-leaved.	S. Europe.	—	—	H. ♀.	Gerard herb. 582. f. 2.
47 isetensis. s.s.	(wh.li.) Siberian.	Siberia.	1801.	—	H. ♀.	Gmel. sib. 2. t. 88. f. 1.
48 bannaticus. s.s.	(fl.) Hungarian.	Hungary.	1800.	—	H. ♀.	W. et K. hung. 1. t. 12.
49 Columnæ. Ten.	(li.) Columna's.	Italy.	1823.	—	H. ♀.	Ten. fl. nap. 1. t. 7.
50 Scopoli. R.S.	(st.) Scopoli's.	S. Europe.	1822.	—	H. ♀.	
51 comosus. R.S.	(vi.) tufted.	Dahuria.	1828.	—	H. ♀.	
52 agræstis. s.s.	(li.) field.	Hungary.	—	—	H. ♀.	W. et K. hung. 3. t. 204.
53 simplex. s.s.	(wh.) simple-stalked.	Barbary.	—	H. ♀.	Desf. atl. 1. t. 39. f. 1.
54 incanus. R.S.	(li.) hoary.	—	—	H. ♀.	
55 dahuricus. F.	(li.) Dahurian.	Dahuria.	1824.	—	H. ♀.	
PTEROCEPHALUS. S.S. PTEROCEPHALUS. Tetrandria Monogynia. S.S.						
1 plumosus. s.s.	(li.) feathered.	Greece.	1824.	7. 8.	H. ⊙.	Flor. græc. 1. t. 3.
<i>Scabiøsa plumøsa. Sm. Knaütia plumøsa. L.</i>						
2 Vaillantii. s.s.	(wh.) Vaillant's.	S. Europe.	1739.	—	H. ⊙.	
<i>Scabiøsa pappøsa. L.</i>						
KNA'UTIA. R.S. KNA'UTIA. Tetrandria Monogynia. L.						
1 orientalis. R.S.	(re.) red-flowered.	Levant.	1713.	6. 9.	H. ⊙.	Schk. handb. 1. t. 22.
2 propontica. R.S.	(pu.) purple-flowered.	—	1768.	—	H. ♂.	Lam. ill. t. 58.

ORDO CXIX.

CALYCEREÆ. *Brown in Linn. trans. v. 12. p. 132.*

ACICA'RPHA. L.T.	ACICA'RPHA. Syngenesia Necessaria. P.S.					
spatulata. L.T.	(ye.) spatulate-leav'd. Brazil.	1816.	6. 9.	G. ♀.		

ORDO CXX.

COMPOSITÆ. *Adanson fam. 2. 103.*

Subordo I. CICHORACEÆ. *Kth. synops. 2. p. 352.*

Tribus I. HIERACEÆ. *D. Don in Edinb. philos. journ.*

HIER'ACIUM. W. HAWKWEED. Syngenesia Polygamia Æqualis.						
1 alpêtre. w.	(ye.) smooth-leaved.	Austria.	1823.	5. 7.	H. ♀.	Jacq. aust. 2. t. 191.
2 rupêtre. w.	(ye.) rock.	Switzerland.	—	—	H. ♀.	All. auct. t. 1. f. 2.
3 alpinum. w.	(ye.) Alpine.	Britain.	7. 8.	H. ♀.	Eng. bot. v. 16. t. 1110.
4 pumilum. w.	(ye.) small.	Germany.	1804.	—	H. ♀.	
5 glabratum. w.	(ye.) smooth.	Switzerland.	1823.	6. 8.	H. ♀.	
6 bulbosum. w.	(ye.) bulbous-rooted.	S. Europe.	—	—	H. ♀.	
7 Pilosella. w.	(st.) Mouse-ear.	Britain.	5. 7.	H. ♀.	Eng. bot. v. 16. t. 1093.
8 dubium. w.	(st.) branching.	—	7. 8.	H. ♀.	— v. 33. t. 2332.
9 Auricula. w.	(go.) umbell'd mouse-ear.	England.	—	H. ♀.	— v. 33. t. 2368.
10 fallax. W.en.	(go.) hairy spear-leav'd.	1816.	—	H. ♀.	
11 angustifolium. w.	(ye.) narrow-leaved.	Mt. Cenis.	1822.	—	H. ♀.	
12 florentinum. w.	(ye.) Florentine.	Germany.	1796.	—	H. ♀.	Bauhin pin. t. 67.
13 præaltum. s.s.	(ye.) tall.	Europe.	1824.	—	H. ♀.	
14 cymosum. w.	(ye.) small-flowered.	—	1739.	5. 6.	H. ♀.	Moris. s. 7. t. 8. f. 10.
15 piloselloides. P.S.	(ye.) Mouse-ear like.	France.	1823.	5. 7.	H. ♀.	Vill.delph. 3. p. 100. t. 27.
16 staticifolium. w.	(ye.) thrift-leaved.	Europe.	1804.	6. 7.	H. ♀.	— 3. p. 116. t. 27.
17 præmorsum. w.	(ye.) præmorse.	Siberia.	1820.	—	H. ♀.	Gmel. sib. 2. t. 13.
18 succisæfolium. P.S.	(ye.) Succisa-leaved.	Piedmont.	1822.	—	H. ♀.	
19 flagellare. W.en.	(ye.) creeping.	1816.	5. 7.	H. ♀.	
20 bifurcum. M.B.	(ye.) two-forked.	S. Europe.	1822.	—	H. ♀.	
21 bifidum. W.en.	(ye.) bifid.	Hungary.	—	6. 7.	H. ♀.	

22	incarnatum. w.	(fl.)	flesh-coloured.	Carniola.	1815.	6. 7.	H. 4.	Jacq. ic. t. 578.
23	aurantiacum. w.	(or.)	orange-colour'd.	Scotland.	—	H. 4.	Eng. bot. v. 21. t. 1469.
24	venosum. w.	(ye.)	red-veined.	N. America.	1790.	—	H. 4.	
25	Gronovii. w.	(ye.)	Gronovius's.	—	1798.	—	H. 4.	
26	Gmelini. w.	(ye.)	Gmelin's.	Siberia.	—	—	H. 4.	Gmel. sib. 2. t. 8. f. 2.
27	Bauhini. s.s.	(ye.)	Bauhin's.	Switzerland.	1820.	—	H. 4.	
28	Lawsœni. w.	(st.)	Lawson's.	Britain.	—	H. 4.	Eng. bot. v. 29. t. 2083.
29	collinum. w.	(ye.)	hill.	Europe.	1824.	6. 8.	H. 4.	
30	Gochnati. s.s.	(ye.)	Gochnat's.	—	—	—	H. 4.	
31	paniculatum. w.	(ye.)	panicled.	Canada.	1800.	—	H. 4.	
32	chondrilloides. w.	(ye.)	Gum-succory.	Austria.	1640.	—	H. 4.	Jacq. aust. 5. t. 429.
33	humile. w.	(ye.)	low.	S. Europe.	1816.	—	H. 4.	— t. 189.
	<i>pumilum.</i>	Jacq.	<i>Jacquini.</i>	Vill. delph.	3. t. 28.			
34	calcæreum. H.H.	(ye.)	spurred.	S. Europe.	1823.	7. 8.	H. 4.	
35	sonchifolium. M.B.	(ye.)	Sonchus-leaved.	Caucasus.	1828.	—	H. 4.	
36	pictum. P.s.	(ye.)	painted-leaved.	Switzerland.	1823.	—	H. 4.	
37	nigræscens. w.	(ye.)	dark-coloured.	1801.	7. 8.	H. 4.	Willd. hort. ber. t. 10.
38	prunellæfolium. w.	(ye.)	Prunella-leav'd.	Switzerland.	1823.	6. 7.	H. 4.	All. ped. t. 15. f. 2.
39	montanum. w.	(ye.)	mountain.	S. Europe.	1775.	—	H. 4.	Jacq. aust. 2. t. 190.
40	hybridum. s.s.	(ye.)	hybrid.	Switzerland.	1825.	—	H. 4.	
41	porrifolium. w.	(ye.)	Leek-leaved.	Austria.	1640.	7. 8.	H. 4.	Jacq. aust. 3. t. 286.
42	saxatile. w.	(ye.)	rock.	—	1801.	—	H. 4.	Jacq. ic. 1. t. 163.
43	glaucum. w.	(ye.)	glaucous.	S. Europe.	1807.	6. 7.	H. 4.	All. ped. t. 81. f. 1.
44	molle. w.	(go.)	soft-leaved.	Scotland.	7. 8.	H. 4.	Eng. bot. v. 31. t. 2210.
45	croaticum. w.K.	(ye.)	Hungarian.	Hungary.	1820.	—	H. 4.	
46	Sternbergii. L.en.	(ye.)	Sternberg's.	—	—	—	H. 4.	
47	pallæscens. s.s.	(st.)	pale.	—	1815.	6. 7.	H. 4.	W. et K. hung. 3. t. 217.
48	murorum. E.B.	(go.)	wall.	Britain.	7.	H. 4.	Eng. bot. v. 29. t. 2082.
49	maculatum. E.B.	(ye.)	stained-leaved.	England.	7. 8.	H. 4.	— v. 30. t. 2121.
50	ramosum. w.	(ye.)	branching.	Hungary.	1805.	—	H. 4.	
51	incisum. s.s.	(ye.)	cut-leaved.	—	1823.	—	H. 4.	
52	parvifolium. w.	(ye.)	small-leaved.	Austria.	—	—	H. 4.	
53	cydoniæfolium. s.s.	(ye.)	Quince-leaved.	France.	1816.	—	H. 4.	
54	denudatum. s.s.	(ye.)	half-naked.	Pyrenees.	1828.	—	H. 4.	
55	sylvaticum. E.B.	(ye.)	wood.	Britain.	8.	H. 4.	Eng. bot. v. 29. t. 2031.
56	pulmonarium. E.B.	(go.)	lungwort.	Scotland.	7. 8.	H. 4.	— v. 33. t. 2307.
57	lapsanoïdes. w.	(ye.)	Lapsana-like.	Pyrenees.	1812.	—	H. 4.	Gouan. ill. t. 21. f. 3.
58	lyratum. w.	(ye.)	lyre-leaved.	Siberia.	1777.	—	H. 4.	Gmel. sib. 2. t. 9.
59	cerinthoïdes. E.B.	(ye.)	honeywort.	Scotland.	8.	H. 4.	Eng. bot. v. 34. t. 2373.
60	flexuosum. w.	(ye.)	bending-stalk'd.	Hungary.	1804.	7. 8.	H. 4.	
61	amplexicaule. w.	(ye.)	heart-leaved.	Pyrenees.	1739.	—	H. 4.	All. ped. 1. t. 15. f. 1.
62	grandiflorum. w.	(ye.)	great-flowered.	Europe.	1791.	—	H. 4.	W. et K. hung. 1. t. 90.
63	intybacum. w.	(ye.)	endive-leaved.	—	1794.	—	H. 4.	Jacq. aust. ap. t. 43.
64	Halleri. w.	(ye.)	Haller's.	—	1802.	—	H. 4.	Vill. dauph. 3. t. 26.
65	eriphyllum. L.en.	(ye.)	villous.	—	1816.	—	H. 4.	
66	villosum. E.B.	(st.)	shaggy alpine.	Scotland.	—	H. 4.	Eng. bot. v. 34. t. 2379.
67	Schraderi. DC.	(ye.)	Schrader's.	Switzerland.	1823.	—	H. 4.	
68	elongatum. Lap.	(ye.)	elongated.	—	1824.	—	H. 4.	
69	pilocæphalum. L.en.	(ye.)	hairy-headed.	Europe.	1816.	—	H. 4.	
70	trichocæphalum. w.	(ye.)	bristly-headed.	—	1823.	—	H. 4.	
71	prostratum. s.s.	(ye.)	prostrate.	S. Europe.	—	—	H. 4.	
72	calyculatum. H.H.	(ye.)	long-scaled.	—	1826.	—	H. 4.	
73	longifolium. H.H.	(ye.)	long-leaved.	1823.	—	H. 4.	
74	speciosissimum. s.s.	(ye.)	handsome.	S. Europe.	—	—	H. 4.	
	<i>speciosum.</i>	H.H.						
75	ciliatum. w.	(ye.)	fringed.	Crete.	1823.	—	H. 4.	
76	Milleri. L.en.	(ye.)	Miller's.	—	H. 4.	
77	lanatum. w.	(ye.)	woolly.	Hungary.	—	—	H. 4.	W. et K. hung. 2. t. 127.
78	andryaloïdes. P.s.	(ye.)	Andryala-like.	France.	1818.	—	H. 4.	Vill. delph. 3. t. 29.
79	echioïdes. w.	(ye.)	viper's-bugloss.	Hungary.	1802.	—	H. 4.	W. et K. hung. 1. t. 65.
80	verruculatum. L.en.	(ye.)	warted.	1823.	—	H. 4.	
81	undulatum. w.	(ye.)	wave-leaved.	Spain.	1778.	—	H. 4.	
82	glutinòsum. w.	(ye.)	clammy.	S. Europe.	1796.	—	H. 4.	
83	Kalmii. w.	(ye.)	Kalm's.	Pensylvania.	1794.	8.	H. 4.	
84	fasciculatum. Ph.	(ye.)	bundled.	Canada.	7. 8.	H. 4.	
85	racemòsum. w.	(ye.)	racemed.	Hungary.	1818.	—	H. 4.	W. et K. hung. 2. t. 193.
86	foliosum. w.	(ye.)	leafy.	—	1805.	—	H. 4.	— 2. t. 145.
87	corymbòsum. P.s.	(ye.)	corymbose.	1820.	—	H. 4.	
88	sabaudum. w.	(go.)	frutescent.	Britain.	—	H. 4.	Eng. bot. v. 5. t. 349.

89 umbellatum. w. (ye.) umbel-flowered. Britain.	8. 9. H. 4.	Eng. bot. v. 25. t. 1771.
90 prenanthoides. E.B. (ye.) rough-bordered. Scotland.	6. 9. H. 4.	———— v. 32. t. 2235.
91 latifolium. s.s. (ye.) broad-leaved. Pyrenees. 1823.	— H. 4.	
92 denticulatum. E.B. (ye.) small-toothed. Scotland.	7. 8. H. 4.	Eng. bot. v. 30. t. 2122.
93 lævigatum. w. (ye.) smooth.	1804. 8. 9. H. 4.	Willd. hort. ber. t. 16.
94 canescens. L.en. (ye.) canescent.	1820. 7. 8. H. 4.	
95 auriculatum. s.s. (ye.) ear-leaved.	1826. — H. 4.	
96 boreale. s.s. (ye.) northern. N. Europe. 1828.	— H. 4.	
97 bracteolatum. L.en. (ye.) bracted. S. Europe. 1823.	— H. 4.	
98 coronopifolium. L.en. (ye.) Buckshorn-ld.	— H. 4.	
99 parviflorum. Schl. (ye.) small-flowered. Switzerland. —	— H. 4.	
100 ochroleucum. Schl. (st.) sulphur-color'd. —	1821. — H. 4.	
101 ovatum. Schl. (ye.) oval-leaved. —	1820. — H. 4.	
102 compositum. s.s. (ye.) compound. Pyrenees. 1823.	— H. 4.	
103 crassifolium. s. (ye.) thick-leaved.	— H. 4.	
104 rotundatum. s.s. (ye.) round-leaved. Hungary. —	— H. 4.	
105 sudeticum. St. (ye.) Swedish. Sweden. —	— H. 4.	
106 virgatum. Ph. (ye.) twiggy. N. America. 1816.	— H. 4.	
107 virescens. Schl. (gr.) greenish. Switzerland. 1820.	— H. 4.	
108 stoloniferum. Viv. (ye.) stoloniferous. Levant. 1823.	— H. 4.	
109 verbascifolium. P.s. (ye.) Mullein-leav'd. S. Europe. 1732.	5. 6. H. 4.	Mill. ic. 1. t. 146. f. 1.
<i>Andryala lanata. s.s.</i>		
HAPALOSTEPHIUM. D.P. HAPALOSTEPHIUM. Syngenesia Polygamia Æqualis.		
1 paludosum. D.P. (ye.) Succory-leaved. Britain.	7. 8. H. 4.	Eng. bot. t. 1094.
<i>Hieracium paludosum. E.B.</i>		
2 pyrenæicum. D.P. (ye.) Pyrenean. Pyrenees. 1723.	— H. 4.	
<i>Hieracium blattarioides. P.s.</i>		
3 pilosum. D.P. (ye.) hairy. —	— H. 4.	Herm. parad. t. 184.
4 austriacum. (ye.) Austrian. Austria. —	— H. 4.	Jacq. aust. t. 441.
5 sibîricum. D.P. (ye.) Siberian. Siberia. 1755.	— H. 4.	Gmel. sib. 2. t. 10.
<i>Crèpis sibîrica. L. Hieracium sibîricum. w.</i>		
6 grandiflorum. (ye.) large-flowered. Idria. 1824.	6. 8. H. 4.	
<i>Crèpis grandiflora. L.</i>		
LAGO'SERIS. L.en. LAGO'SERIS. Syngenesia Polygamia Æqualis.		
1 bursifolia. L.en. (ye.) pinnatifid. Sicily. 1823.	7. 8. H. 4.	Bocc. m. 2. t. 106 et 112.
<i>Crèpis bursifolia. L.</i>		
2 versicolor. L.en. (ye.) various-color'd. Dauria. —	— H. 4.	
3 cernua. L.en. (ye.) nodding. Calabria. —	6. 8. H. ⊙.	
4 nemausensis. (ye.) Palestine. S. Europe. 1794.	6. 7. H. ⊙.	Vill. delph. 3. t. 26.
<i>Crèpis nemausensis. w.</i>		
5 leontodontoïdes. L.en. (ye.) Dandelion-like. Italy. 1804.	7. 8. H. ♂.	
6 raphanifolia. L.en. (ye.) Radish-leaved.	1816. 6. 7. H. 4.	
7 taurinensis. L.en. (ye.) bladdered. S. Europe. 1823.	5. 7. H. ⊙.	
8 intybacea. L.en. (ye.) Succory-leaved. Portugal. 1816.	6. 7. H. ♂.	
CR'EPIS. S.S. CR'EPIS. Syngenesia Polygamia Æqualis. L.		
1 nudicaulis. s.s. (ye.) naked-stalked. Crete. 1828.	6. 8. H. 4.	
2 rigens. s.s. (ye.) bristle-leaved. Azores. 1778.	7. 8. F. 4.	
3 ramosissima. s.s. (ye.) branched. Archipelago. 1828.	— F. 4.	
4 virens. w. (ye.) green. Switzerland. 1796.	6. 7. H. ⊙.	Lobel. ic. 229. f. 2.
5 bannatica. s.s. (ye.) Hungarian. Hungary. 1823.	7. 8. H. ⊙.	
6 parviflora. s.s. (ye.) small-flowered. Levant. 1829.	— H. ⊙.	
7 rhagadioloïdes. s.s. (ye.) Spanish. Spain. 1818.	6. 7. H. ⊙.	Jacq. schœnb. 2. t. 144.
<i>Picris Rhagadiolus. P.s.</i>		
8 áspera. s.s. (ye.) rough. Sicily. 1797.	7. 8. H. ⊙.	Flor. græc. t. 804.
9 Sprengeriána. s.s. (ye.) Portugal. Portugal. 1783.	6. 7. H. ⊙.	Moris. his. 7. t. 5. f. 17.
<i>Picris Sprengeriána. P.s. Hieracium Sprengeriánum. L.</i>		
10 hieracioides. s.s. (ye.) hawkweed-like. Hungary. 1816.	7. 8. H. 4.	W. et K. hung. 1. t. 17.
11 rigida. s.s. (ye.) rigid. —	1805. 5. 7. H. 4.	———— 1. t. 19.
12 pulchra. s.s. (ye.) hawkweed-leav'd. Scotland.	6. 9. H. ⊙.	Eng. bot. v. 33. t. 2325.
13 nana. s.s. (ye.) dwarf. N. America. 1827.	— H. 4.	
14 heterospérma. s.s. (ye.) various-seeded. Germany. 1824.	— H. ⊙.	
15 Dioscoridis. s.s. (ye.) Dioscorides'. France. 1772.	6. 7. H. ⊙.	Flor. græc. t. 808.
16 lodomiriensis. s.s. (ye.) rough-headed. Germany. 1827.	6. 9. H. ⊙.	
<i>Gmelini. s.</i>		
17 neglecta. s.s. (ye.) neglected. — — H. ⊙.	
18 scabra. s.s. (ye.) rough. S. Europe. 1829.	— H. ♂.	
19 agréstis. s.s. (ye.) field. Hungary. 1801.	7. 8. H. ⊙.	
20 corymbosa. s.s. (ye.) corymbose. Italy. 1828.	— H. ♂.	
21 cernua. s.s. (ye.) nodding-flower'd. Naples. 1824.	— H. ♂.	

22	TECTORUM. E.B.	(ye.) smooth.	Britain.	6. 9.	H. ☉.	Eng. bot. v. 16. t. 111.
23	LACHENALII. DC.	(ye.) entire-leaved.	Europe.	6. 9.	H. ☉.	
24	CINÈREA. P.S.	(ye.) red-stalked.	Britain.	—	H. ☉.	
25	TAURINENSIS. W.	(ye.) early-flowered.	Europe.	5. 6.	H. ☉.	Balb. misc. p. 37. t. 9.
26	BIENNIS. S.S.	(ye.) biennial.	Britain.	6. 7.	H. ♂.	Eng. bot. v. 3. t. 149.
27	FŒTIDA. E.B.	(st.) strong-scented.	—	—	H. ♂.	— v. 6. t. 406.
28	GRAVĒOLENS.	(ye.) strong-smelling.	1824.	7. 9.	H. ☉.	
29	PULCHERRIMA. F.	(ye.) elegant.	Siberia.	1823.	6. 8.	H. ☉.	
30	LATIFŒLIA. P.S.	(ye.) broad-leaved.	Italy.	1816.	—	H. ☉.	
31	PINNATIFIDA. S.S.	(ye.) pinnatifid.	S. Europe.	1820.	4. 6.	H. ☉.	
32	LÁCERA. S.S.	(ye.) torn-leaved.	Naples.	1826.	6. 7.	H. ☉.	
BEHRINIA. Sieb. BEHRINIA. Syngenesia Polygamia Æqualis.							
	CHONDRILLOIDES. Sie.	(ye.) Chondrilla-like.	Carniola.	1829.	6. 7.	H. ☉.	
	<i>Crēpis chondrilloides. s.s. Wibèlia chondrilloides. Hoppe.</i>						
PRENANTHES. D.D. PRENANTHES. Syngenesia Polygamia Æqualis. L.							
1	PURPŒREA. W.	(pu.) purple-flower'd.	Germany.	1658.	7. 9.	H. ♀.	Jacq. aust. 4. t. 317.
2	HISPIDA. S.S.	(ye.) hispid.	Siberia.	1823.	6. 8.	H. ♀.	
3	DIVERSIFŒLIA. S.S.	(ye.) various-leaved.	—	1827.	—	H. ♂.	
HARPALYCE. D.D. HARPALYCE. Syngenesia Polygamia Æqualis.							
1	ALTISSIMA. D.D.	(ye.) tallest.	N. America.	1696.	7. 8.	H. ♀.	Pluk. alm. t. 317. f. 2.
	<i>Prenānthes altissima. W.</i>						
2	CORDATA. D.D.	(ye.) heart-leaved.	—	1816.	—	H. ♀.	
3	VIRGATA. D.D.	(li.) tall slender.	—	1823.	8. 9.	H. ♀.	
4	ALBA. D.D.	(wh.) white-flowered.	N. America.	1762.	7. 8.	H. ♀.	Bot. mag. t. 1079.
	<i>Prenānthes alba. B.M. suavis. Sal. par. lond. t. 85.</i>						
5	RUBICUNDA. D.D.	(fl.) rubicund.	—	1823.	8. 10.	H. ♀.	
6	SERPENTARIA. D.D.	(pu.) Lion's-foot.	—	—	—	H. ♀.	Pursh am. sept. 2. t. 24.
7	RACEMOSA. D.D.	(pu.) racemed.	Canada.	1822.	—	H. ♀.	
CHORISMA. D.D. CHORISMA. Syngenesia Polygamia Æqualis.							
	RĒPENS. D.D.	(ye.) creeping.	Siberia.	1828.	7. 9.	H. ♀.	Linn. am. ac. 2. t. 4. f. 23.
	<i>Prenānthes rēpens. L.</i>						
ANDRYALA. W. ANDRYALA. Syngenesia Polygamia Æqualis.							
1	CHEIRANTHIFŒLIA. W.	(ye.) various-leaved.	Madeira.	1777.	5. 10.	F. ♀.	L'Herit. stirp. 35. t. 19.
2	NIGRICANS. W.	(ye.) dark-headed.	Barbary.	1804.	6. 8.	H. ☉.	
3	PINNATIFIDA. W.	(ye.) wing-leaved.	Madeira.	1778.	7. 8.	F. ♂.	
4	CRITHMIFŒLIA. W.	(ye.) Samphire-leav'd.	—	—	6. 8.	F. ♂.	
5	RAGUSINA. W.	(ye.) downy.	Archipelago.	1753.	—	F. ♀.	Mill. ic. 1. t. 146. f. 1.
6	INCANA. DC.	(ye.) hoary.	Pyrenees.	1826.	—	H. ♀.	
ROTHIA. W. ROTHIA. Syngenesia Polygamia Æqualis.							
1	RUNCINATA. W.	(ye.) hoary.	S. Europe.	1711.	7. 8.	H. ♂.	
2	CHEIRANTHIFŒLIA. W.	(ye.) Stock-leaved.	Spain.	1768.	—	H. ☉.	
3	ANDRYALOIDES. W.	(ye.) Spanish.	—	1810.	8.	H. ☉.	Gært. sem. 2. t. 174.
	<i>Andryala Rothia. P.S.</i>						
LAPSANA. D.D. NIPPLE-WORT. Syngenesia Polygamia Æqualis.							
1	COMMUNIS. W.	(ye.) common.	Britain.	6. 9.	H. ☉.	Eng. bot. v. 12. t. 544.
2	LYRATA. W.en.	(ye.) lyrate.	Caucasus.	1816.	7. 8.	H. ♀.	
	<i>grandiflora. M.B.</i>						
3	INTERMEDIA. M.B.	(ye.) intermediate.	—	1823.	—	H. ☉.	
4	PUBESCENS. Zey.	(ye.) pubescent.	Europe.	1820.	—	H. ☉.	
5	CRISPA. W.en.	(ye.) curled.	1799.	—	H. ☉.	

Tribus II. TARAXACEÆ. D. Don.

LEONTODON. W. DANDELION. Syngenesia Polygamia Æqualis. L.							
1	TARAXACUM. W.	(ye.) common.	Britain.	4. 7.	H. ♀.	Eng. bot. v. 8. t. 510.
2	CORNICULATUS. H.H.	(ye.) horned.	Europe.	1827.	—	H. ♀.	
3	BESSARABICUS. F.	(ye.) small-flowered.	S. Europe.	1823.	6. 8.	H. ♀.	
4	ALPINUS. S.S.	(ye.) Alpine.	—	1827.	—	H. ♀.	
5	CAUCASICUS. M.B.	(ye.) Caucasian.	Caucasus.	—	—	H. ♀.	
6	SEROTINUS. W.	(ye.) late-flowered.	Hungary	1816.	7. 9.	H. ♀.	W. et K. hung. 2. t. 114.
7	GLAUCESCENS. S.S.	(ye.) glaucescent.	Caucasus.	1820.	4. 7.	H. ♀.	
8	OBOVATUS. S.S.	(ye.) obovate-leaved.	Spain.	1805.	7.	H. ♀.	
9	PALUSTRIS. E.B.	(ye.) marsh.	Britain.	6. 7.	H. ♀.	Eng. bot. v. 8. t. 553.
10	NIGRICANS. W.K.	(ye.) dark-leaved.	Hungary.	1823.	7.	H. ♀.	
11	LÆVIGATUS. S.S.	(ye.) smooth.	Spain.	—	—	H. ♀.	
APARGIA. W. APARGIA. Syngenesia Polygamia Æqualis.							
1	ASPERA. S.S.	(ye.) hairy.	Hungary.	1805.	6. 7.	H. ♀.	W. et K. hung. 2. t. 110.
2	SAXATILIS. S.S.	(ye.) rock.	Naples.	1827.	—	H. ♀.	

3 hispida. s.s.	(ye.) rough.	Britain.	7.	H. 4.	Eng. bot. v. 8. t. 554.
<i>Hedy'pnois hispida.</i> E. B. <i>Leóntodon hispidum.</i> L.						
4 dúbia. w.	(ye.) tooth-leaved.	Germany.	—	—	H. 4.	
5 críspa. s.s.	(ye.) curled.	France.	1803.	7. 8.	H. 4.	Vill. dauph. 3. t. 25.
6 fasciculàta. s.s.	(ye.) bunch-rooted.	Naples.	1828.	—	H. 4.	
7 hispànica. s.s.	(ye.) Spanish.	Spain.	1825.	—	H. 4.	Cavan. icon. t. 149.
8 strigòsa. M.B.	(ye.) strigose.	Caucasus.	1828.	—	H. 4.	
9 caucásica. M.B.	(ye.) Caucasian.	—	1823.	—	H. 4.	
10 coronopifòlia. s.s.	(ye.) buck's-horn-ld.	Barbary.	1820.	—	H. 4.	Desf. atl. 2. t. 214.
11 incàna. s.s.	(ye.) hoary.	Europe.	1784.	5. 6.	H. 4.	Jacq. aust. 3. t. 287.
12 alpina. s.s.	(ye.) alpine.	Austria.	1816.	6. 8.	H. 4.	— 1. t. 93.
13 Villársii. s.s.	(ye.) Villars's.	France.	1818.	—	H. 4.	Vill. dauph. 3. p. 82. t. 25.
14 Taráxaci. s.s.	(ye.) Dandelion-like.	Britain.	7. 9.	H. 4.	Eng. bot. v. 16. t. 1109.
<i>Hedy'pnois Taráxaci.</i> E. B. <i>Hieràcium Taráxaci.</i> L. <i>Picris Taráxaci.</i> All.						
15 aurantiaca. w.	(or.) orange-colored.	Hungary.	1816.	5. 6.	H. 4.	
16 cròcea. w.	(sn.) saffron-colored.	—	1820.	—	H. 4.	
17 hástilis. s.s.	(ye.) shining-leaved.	S. Europe.	1796.	7. 8.	H. 4.	Jacq. aust. 2. t. 164.
OPORINIA. D. D. OPORINIA. Syngenesia Polygamia Æqualis.						
autumnàlis. D. D.	(ye.) autumnal.	Britain.	8. 9.	H. 4.	Eng. bot. v. 12. t. 830.
<i>Hedy'pnois autumnàlis.</i> E. B. <i>Apàrgia autumnàlis.</i> w.						
THRINCIA. W. THRINCIA. Syngenesia Polygamia Æqualis.						
1 tuberòsa. DC.	(ye.) tuberous-rooted.	France.	1683.	5. 7.	H. 4.	Flor. græc. t. 797.
<i>Apàrgia tuberòsa.</i> w. <i>Leóntodon tuberòsum.</i> L.						
2 glàbra. Schl.	(ye.) smooth.	Switzerland.	1823.	7. 8.	H. 4.	
3 hírta. w.	(ye.) simple-haired.	Britain.	—	H. 4.	Eng. bot. v. 8. t. 555.
<i>pilocályx.</i> Lag? <i>Hedy'pnois hírta.</i> E. B.						
4 nudicályx. Lag.	(ye.) naked-calyxed.	Spain.	1823.	—	H. 4.	
5 hispida. s.s.	(ye.) hispid.	S. Europe.	1815.	6. 8.	H. ⊙.	Vill. dauph. 3. t. 25.
6 maroccàna. P. S.	(ye.) Morocco.	Morocco.	1799.	7. 8.	H. ⊙.	
7 pygm'æa. P. S.	(ye.) small.	Madeira.	—	H. ⊙.	
<i>Hyóseris pygm'æa.</i> w.						
CALLIOPEA. D. D. CALLIOPEA. Syngenesia Polygamia Æqualis.						
aùrea. D. D.	(go.) golden-flower'd.	Italy.	1769.	5. 7.	H. 4.	Jacq. aust. 3. t. 297.
<i>Leóntodon aùreum.</i> Jacq. <i>Hieràcium aùreum.</i> w.						
ÆTHONIA. D. D. ÆTHONIA. Syngenesia Polygamia Æqualis.						
1 fruticòsa. D. D.	(ye.) shrubby.	Madeira.	1785.	6. 7.	G. ♀.	
<i>Hieràcium fruticosum.</i> H. K.						
2 filifórmis. D. D.	(ye.) fine-leaved.	—	1777.	—	G. ♂.	
<i>Crèpis filifórmis.</i> w.						
3 lagopòda. D. D.	hare's-foot.	Canaries.	1817.	—	G. ♂.	
TO'LPIS. S. S. TO'LPIS. Syngenesia Polygamia Æqualis.						
1 barbàta. s.s.	(ye.) purple-eyed.	France.	1620.	6. 9.	H. ⊙.	Bot. mag. t. 35.
<i>Crèpis barbàta.</i> B. M. <i>Drepània barbàta.</i> DC.						
2 umbellàta. s.s.	(ye.) umbelled.	Italy.	1818.	6. 7.	H. ⊙.	
3 quadriaristàta. Biv.	(ye.) four-awned.	—	1824.	—	H. ⊙.	
4 virgàta. s.s.	(ye.) twiggy.	S. Europe.	1826.	—	H. ⊙.	
5 altíssima. s.s.	(ye.) tall.	—	1818.	—	H. ⊙.	
<i>Drepània ambígua.</i> DC. <i>Crèpis ambígua.</i> Balbis.						
6 coronopifòlia. s.s.	(ye.) fleshy-leaved.	Madeira.	1777.	8. 9.	H. ⊙.	Desf. act. par. 38. t. 9.
<i>Crèpis coronopifòlia.</i> w. <i>succulénta.</i> H. K.						
HEDY'PNOIS. W. HEDY'PNOIS. Syngenesia Polygamia Æqualis.						
1 monspeliénsis. w.	(ye.) branching.	S. Europe.	1683.	6. 7.	H. ⊙.	
2 crètica. w.	(ye.) Cretan.	Crete.	1731.	—	H. ⊙.	Flor. græc. t. 813.
3 coronopifòlia. T. C.	(ye.) buck's-horn-ld.	Italy.	1823.	—	H. ⊙.	
4 tubæfórmis. T. C.	(ye.) thick-tubed.	—	—	—	H. ⊙.	
5 mauritànica. w.	(ye.) Barbary.	Barbary.	—	—	H. ⊙.	
6 rhagadioloides. w.	(ye.) Nipple-wort.	S. Europe.	1773.	7. 8.	H. ⊙.	
7 pérsica. M. B.	(ye.) Persian.	1822.	6. 9.	H. ⊙.	
8 péndula. w.	(ye.) pendulous.	Barbary.	1818.	—	H. ⊙.	
9 aculeàta. Jac.	(ye.) prickly.	1829.	—	H. ⊙.	
RHAGAD'IOLUS. W. RHAGAD'IOLUS. Syngenesia Polygamia Æqualis.						
1 stellàtus. w.	(ye.) starry.	S. Europe.	1633.	6. 7.	H. ⊙.	Flor. græc. t. 817.
2 èdulis. w.	(ye.) heart-leaved.	Levant.	—	—	H. ⊙.	— t. 818.
<i>Lapsàna Rhagadiolus.</i> L.						
KÆLPINIA. Pall. KÆLPINIA. Syngenesia Polygamia Æqualis.						
lineàris. Pall.	(ye.) linear-leaved.	Levant.	1788.	7. 8.	H. ⊙.	Flor. græc. t. 819.
<i>Lapsàna Kælpinia.</i> L. <i>Rhagadiolus Kælpinia.</i> w.						
ARNO'SERIS. G. ARNO'SERIS. Syngenesia Polygamia Æqualis.						
1 fæ'tida. L. en.	(ye.) stinking.	Italy.	1722.	7. 8.	H. 4.	W. et K. hung. 1. t. 49.
<i>Lapsàna fæ'tida.</i> w. <i>Hyóseris fæ'tida.</i> P. S.						

2	<i>mínima</i> . L.en.	(<i>st.</i>) least.	Britain.	5. 7.	H. ⊙.	Eng. bot. v. 2. t. 95.
	<i>Hyóseris mínima</i> . E.B.	<i>Lapsàna pusilla</i> . w.					
	HYO'SERIS . W.	HYO'SERIS . Syngenesia Polygamia Æqualis.					
1	<i>arenària</i> . w.	(<i>ye.</i>) sand.	Morocco.	1800.	7. 8.	H. ⊙.	
2	<i>hispida</i> . w.	(<i>ye.</i>) hispid.	—————	1779.	—	H. ⊙.	
3	<i>scàbra</i> . w.	(<i>ye.</i>) rugged.	Sicily.	1789.	—	H. ⊙.	Lam. ill. t. 654. f. 1.
4	<i>lúcida</i> . w.	(<i>ye.</i>) shining.	Levant.	1770.	6. 8.	H. 4.	Schm. ic. t. 39. 41.
5	<i>radiàta</i> . w.	(<i>ye.</i>) starry.	S. Europe.	1640.	—	H. 4.	Pluk. alm. t. 37. f. 2.
	ZACIN'THA . W.	ZACIN'THA . Syngenesia Polygamia Æqualis.					
	<i>verrucòsa</i> . w.	(<i>ye.</i>) warted.	S. Europe.	1633.	6. 7.	H. ⊙.	Gært. sem. 2. t. 157. f. 7.
	<i>Lapsàna Zacyn'tha</i> . L.						
	TRO'XIMON . D.D.	TRO'XIMON . Syngenesia Polygamia Æqualis.					
1	<i>glàucum</i> . Ph.	(<i>ye.</i>) glaucous-leaved.	N. America.	1811.	7. 8.	H. 4.	Bot. mag. t. 1667.
2	<i>cuspidàtum</i> . Ph.	(<i>ye.</i>) cuspidate.	—————	—	4. 6.	H. 4.	
	<i>marginàtum</i> . N.						
	CY'NTHIA . D.D.	CY'NTHIA . Syngenesia Polygamia Æqualis.					
	<i>amplexicaùlis</i> . D.D. (<i>go.</i>)	stem-clasping.	N. America.	1799.	7. 8.	H. 4.	
	<i>Hyóseris amplexicaùlis</i> . M.	<i>Krìgia amplexicaùlis</i> . N.	<i>Troximon virginicum</i> . Ph.				
	KRI'GIA . W.	KRI'GIA . Syngenesia Polygamia Æqualis.					
	<i>virginica</i> . w.	(<i>ye.</i>) Virginian.	N. America.	1811.	5. 7.	H. ⊙.	
	P'ICRIS . W.	P'ICRIS . Syngenesia Polygamia Æqualis.					
1	<i>hieracioídes</i> . w.	(<i>ye.</i>) hawkweed-like.	England.	7. 8.	H. ⊙.	Eng. bot. v. 3. t. 196.
2	<i>strigòsa</i> . M.B.	(<i>ye.</i>) strigose.	Caucasus.	1823.	—	H. 4.	
3	<i>rígida</i> . s.s.	(<i>ye.</i>) rigid.	Tauria.	1829.	—	H. 4.	
4	<i>hispida</i> . H.K.	(<i>ye.</i>) hispid.	Levant.	1789.	—	H. 4.	
5	<i>altissima</i> . s.s.	(<i>ye.</i>) tall.	Egypt.	1825.	—	H. ⊙.	
6	<i>pauciflòra</i> . w.	(<i>ye.</i>) few-flowered	S. France.	1818.	6. 8.	H. ⊙.	Gært. fr. 2. t. 158. f. 2.
7	<i>pilòsa</i> . s.s.	(<i>ye.</i>) hairy.	Egypt.	1829.	—	H. ⊙.	
8	<i>asplenióides</i> . w.	(<i>ye.</i>) Spleenwort-ld.	Barbary.	1803.	7. 8.	H. ⊙.	L'Herit. stirp. t. 82.
9	<i>dahùrica</i> . F.	(<i>ye.</i>) Dahurian.	Dahuria.	1820.	—	H. ⊙.	
10	<i>kamtschática</i> . Led.	(<i>ye.</i>) Kamtschatka.	Kamtschatka.	1823.	—	H. ⊙.	
	HELMINTHIA . J.	OX-TONGUE . Syngenesia Polygamia Æqualis.					
	<i>echioides</i> . w.	(<i>ye.</i>) bristly.	Britain.	6. 7.	H. ⊙.	Eng. bot. v. 14. t. 972.
	<i>Picris echioides</i> . E.B.						

Tribus III. HYPOCHÆRIDEÆ. D. Don in Edinb. phil. journ.

	HYPOCHÆRIS . S.S.	CAT'S-EAR . Syngenesia Polygamia Æqualis. L.					
1	<i>helvética</i> . s.s.	(<i>ye.</i>) one-flowered.	Switzerland.	1799.	6. 7.	H. 4.	Jacq. ic. 1. t. 165.
2	<i>hispida</i> . s.s.	(<i>ye.</i>) bristly.	S. Europe.	1804.	7. 8.	H. 4.	Willd. hort. ber. 1. t. 46.
3	<i>arachnites</i> . Biv.	(<i>ye.</i>) Cobweb.	Italy.	—	—	H. ⊙.	Flor. græc. t. 816.
4	<i>mínima</i> . s.s.	(<i>ye.</i>) least.	Barbary.	1797.	—	H. ⊙.	Eng. bot. v. 8. t. 575.
5	<i>glàbra</i> . s.s.	(<i>st.</i>) smooth.	Britain.	—	H. ⊙.	
	ACHYRO'PHORUS . G.	ACHYRO'PHORUS . Syngenesia Polygamia Æqualis.					
1	<i>maculàtus</i> . D.D.	(<i>ye.</i>) spotted.	England.	6. 7.	H. 4.	Eng. bot. v. 4. t. 225.
2	<i>radicàtus</i> . D.D.	(<i>ye.</i>) long-rooted.	Britain.	6. 9.	H. 4.	— v. 12. t. 831.
	<i>Hypochæris radicàta</i> . E.B.						
3	<i>Balbísii</i> . W.en.	(<i>ye.</i>) Balbis's.	S. Europe.	1822.	—	H. 4.	
	ROBERTIA . DC.	ROBERTIA . Syngenesia Polygamia Æqualis.					
1	<i>taraxacoídes</i> . DC.	(<i>ye.</i>) Dandelion-like.	Corsica.	1824.	7. 8.	H. 4.	Lois. gal. 530. t. 29.
2	<i>pinnatífida</i> . s.s.	(<i>ye.</i>) pinnatifid.	Naples.	1827.	—	H. 4.	
	<i>Hypochæris pinnatífida</i> . Tenore.						
	SER'IOLA . S.S.	SER'IOLA . Syngenesia Polygamia Æqualis. L.					
1	<i>ùrens</i> . s.s.	(<i>ye.</i>) stinging.	S. Europe.	1773.	7. 8.	H. ⊙.	Schmid. ic. t. 32.
2	<i>æthnénsis</i> . w.	(<i>ye.</i>) rough.	Italy.	1763.	—	H. ⊙.	Jacq. obs. 4. t. 79.
3	<i>glàuca</i> . s.s.	(<i>ye.</i>) glaucous.	Sicily.	1829.	—	H. ⊙.	
4	<i>rubescens</i> . s.s.	(<i>li.</i>) reddish.	—————	—	—	H. ⊙.	
5	<i>álbicans</i> . s.s.	(<i>ye.</i>) whitish.	—————	—	—	H. ⊙.	
6	<i>creténsis</i> . s.s.	(<i>ye.</i>) Cretan.	Crete.	1820.	—	H. ⊙.	
7	<i>Alliàtæ</i> . L.en.	(<i>ye.</i>) wood.	Sicily.	1823.	—	H. ⊙.	Biv. cent. pl. 2. t. 7.
8	<i>apargioídes</i> . Trev.	(<i>ye.</i>) Apargia-like.	S. Europe.	1829.	—	H. ⊙.	
	AGE'NORA . D.D.	AGE'NORA . Syngenesia Polygamia Æqualis.					
	<i>lævigàta</i> . D.D.	(<i>ye.</i>) smooth.	Candia.	1772.	7. 8.	H. ⊙.	Desf. atl. 2. t. 216.
	<i>Seriola lævigàta</i> . w.	<i>Rodìgia lævigàta</i> . s.s.					
	RODÌGIA . S.S.	RODÌGIA . Syngenesia Polygamia Æqualis.					
	<i>commutàta</i> . s.s.	(<i>ye.</i>) Poppy-leaved.	Caucasus.	1823.	6. 7.	H. ⊙.	
	<i>Crèpis rhæadifòlia</i> . M.B.						
	SOLDEVILLA . S.S.	SOLDEVILLA . Syngenesia Polygamia Æqualis.					
	<i>setòsa</i> . s.s.	(<i>ye.</i>) bristly.	Spain.	1826.	7. 8.	H. ⊙.	

Tribus IV. LACTUCEÆ. D. Don in Edinb. phil. journ.

LACTUCA. S.S.	LETTUCE.	Syngenesia	Polygamia	Æqualis.	L.	
1 sativa. w.	(ye.) garden.	1562.	6. 9.	H. ⊙.	Rob. ic. pl. c. ic.
2 crispa. w.	(ye.) curled.	1570.	6. 8.	H. ⊙.	
3 palmata. w.	(ye.) jagged-leaved.	1683.	—	H. ⊙.	
	<i>laciniata</i> . Roth.					
4 intybacea. w.	(ye.) Endive-leaved.	S. America.	1781.	—	H. ⊙.	Jacq. ic. 1. t. 162.
5 quercina. w.	(ye.) Oak-leaved.	Europe.	1686.	5. 7.	H. ⊙.	
6 stricta. w.	(ye.) upright.	Hungary.	1805.	6. 7.	H. ♂.	W. et K. hung. 1. t. 48.
7 elongata. w.	(st.) elongated.	Pensylvania.	—	—	H. ♂.	
8 cichoriifolia. DC.	(ye.) Succory-leaved.	France.	1818.	—	H. ♀.	
9 Scariola. w.	(st.) prickly.	Britain.	7. 8.	H. ♂.	Eng. bot. v. 4. t. 268.
10 maculata. L.en.	(st.) spot-leaved.	Europe.	—	H. ♂.	
11 virosa. E.B.	(st.) strong-scented.	Britain.	7. 9.	H. ♂.	Eng. bot. v. 28. t. 1957.
12 augustana. w.	(st.) entire-leaved.	Italy.	1791.	7. 8.	H. ⊙.	All. ped. 1. t. 52. f. 1.
13 altissima. M.B.	(ye.) tall.	Caucasus.	1818.	—	H. ♀.	
14 sagittata. W.K.	(ye.) arrow-leaved.	Hungary.	1805.	—	H. ♂.	W. et K. hung. 1. t. 1.
15 saligna. w.	(ye.) least.	England.	7. 8.	H. ♂.	Eng. bot. v. 10. t. 707.
16 muralis. D.D.	(st.) wall.	Britain.	—	H. ♀.	— v. 7. t. 457.
	<i>Prenanthes muralis</i> . E.B.					
17 viminea. L.en.	(st.) rushy-twigged.	Austria.	1789.	—	H. ♂.	Jacq. aust. 1. t. 9.
	<i>Prenanthes viminea</i> . Jacq.					
18 villosa. s.s.	(bl.) villous.	1825.	—	H. ♂.	Jacq. schœnb. 3. t. 367.
19 tuberosa. s.s.	(ye.) tuberous.	1820.	—	H. ♀.	Jacq. vind. 1. t. 57.
20 indica. s.s.	(ye.) Indian.	E. Indies.	1784.	8. 10.	H. ⊙.	
21? spectabilis. F. showy.	Persia.	1829.	H. ♂?	
22 pallida. D.P.	(st.) pale-flowered.	Canada.	1704.	7. 9.	H. ♀.	Rob. ic. 148 et 151.
	<i>Sonchus pallidus</i> . W.					
23 segusiàna. s.s.	(pu.) various-leaved.	Italy.	1823.	7. 8.	H. ⊙.	
24 tenerrima. s.s.	(pu.) purple-flower'd.	S. Europe.	1815.	—	H. ♀.	
25 perennis. s.s.	(bl.) perennial.	Germany.	1596.	6. 8.	H. ♀.	Mill. ic. 2. t. 157.
CHONDRILLA. W.	GUM SUCCORY.	Syngenesia	Polygamia	Æqualis.	L.	
1 júncea. w.	(ye.) common.	France.	1633.	9. 10.	H. ♀.	Jacq. aust. 5. t. 427.
2 gramínea. M.B.	(ye.) grass-leaved.	Caucasus.	1824.	7. 9.	H. ♀.	
3 latifolia. M.B.	(ye.) broad-leaved.	—	—	—	H. ♂.	
AGATHYRSUS. D.D.	AGATHYRSUS.	Syngenesia	Polygamia	Æqualis.		
1 alpinus. D.D.	(bl.) Lapland.	Lapland.	1804.	7. 8.	H. ♀.	Smith ic. ined. t. 21.
	<i>Sonchus lappónicus</i> . w.					
2 cœruleus. D.D.	(bl.) blue-flowered.	Scotland.	—	H. ♀.	Eng. bot. v. 34. t. 2425.
	<i>Sonchus alpinus</i> . w. non L.					
3 Plumieri. D.D.	(bl.) Plumier's.	Pyrenees.	1794.	—	H. ♀.	
4 floridanus. D.D.	(bl.) small-flowered.	N. America.	1713.	—	H. ♂.	
5 acuminatus.	(bl.) taper-pointed.	—	1812.	8. 9.	H. ♂.	
	<i>Sonchus acuminatus</i> . Ph.					
6 macrophyllus.	(bl.) large-leaved.	N. America.	1820.	7. 8.	H. ♀.	
	<i>Sonchus macrophyllus</i> . Ph.					
7 spicatus. D.D.	(pa.) whitish-flower'd.	—	—	—	H. ♂.	
	<i>Sonchus leucophæus</i> . w. <i>Prenanthes autumnalis</i> . Walter.					
8 prenanthoides. D.D.	(bl.) Prenanthes-like.	Caucasus.	1827.	—	H. ♀.	
9 cacaliæfolius. D.D.	(bl.) Cacalia-leaved.	Iberia.	1826.	—	H. ♀.	
10 sibiricus. D.D.	(bl.) Siberian.	Siberia.	1759.	7. 9.	H. ♀.	Gmel. sib. 2. f. 3.
	<i>Sonchus sibiricus</i> . w. <i>Lactuca sibirica</i> . D.P.					
11 tatáricus. D.D.	(bl.) Tartarian.	Tartary.	1784.	6. 7.	H. ♀.	
12 pulchellus. D.D.	(bl.) entire-leaved.	Missouri.	1812.	—	H. ♀.	
	<i>Sonchus pulchellus</i> . Ph. <i>Lactuca integrifolia</i> . N.					
13 sonchifolia.	(bl.) Sonchus-leaved.	Levant.	1824.	—	H. ♂.	
	<i>Lactuca sonchifolia</i> . w.					
LYGODESMIA. D.D.	LYGODESMIA.	Syngenesia	Polygamia	Æqualis.		
júncea. D.D.	(ro.) rush-like.	Missouri.	1827.	5. 6.	H. ♀.	
	<i>Prenanthes júncea</i> . Ph.					
ATALANTHUS. D.D.	ATALANTHUS.	Syngenesia	Polygamia	Æqualis.		
1 pinnatus. D.D.	(ye.) pinnated.	Canaries.	1823.	6. 7.	F. ♀.	
	<i>Prenanthes pinnata</i> . w.					
2 arboreus.	(ye.) arborescent.	—	—	6. 8.	F. ♀.	
	<i>Prenanthes arborea</i> . W. enum.					
3 spinosus. D.D.	(ye.) prickly.	Barbary.	1640.	3. 5.	F. ♀.	Park. theatr. 804. f. 7.

SONCHUS. W.		SOW THISTLE. Syngenesia Polygamia Æqualis. L.					
1	squarrosus. DC. (ye.) shrubby.	Madeira.	1777.	4. 7.	G. ♀.		
	<i>fruticosus</i> . L. non Jacq.						
2	Jacquini. DC. (ye.) Jacquin's.	—————	—————	—————	G. ♀.	Jacq. ic. 1. t. 161.	
	<i>fruticosus</i> . Jacq. non L.						
3	laevigatus. L.en. (ye.) smooth.	—————	1816.	—————	G. ♀.		
4	lyratus. L.en. (ye.) lyre-leaved.	—————	—————	—————	G. ♀.		
5	hyoserifolius. H.H. (ye.) Hyoseris-leaved.	—————	1818.	—————	G. ♀.		
6	radicatus. s.s. (ye.) long-rooted.	Canaries.	1780.	7. 8.	G. ♀.		
7	gummifer. s.s. (ye.) gummy.	—————	1816.	—————	G. ♀.		
8	divaricatus. L.en. (ye.) spiny-leaved.	1828.	4. 6.	G. ♀.		
9	pinnatus. s.s. (ye.) wing-leaved.	Madeira.	1777.	4. 7.	G. ♀.		
10	maritimus. s.s. (ye.) sea-side.	Canaries.	1748.	7. 9.	H. ♀.	All. ped. 1. t. 16. f. 2.	
11	oleraceus. s.s. (ye.) common-smooth.	Britain.	6. 12.	H. ♂.	Eng. bot. v. 12. t. 843.	
	<i>lævis</i> . L. enum. <i>oleraceus</i> α. <i>lævis</i> . W. enum.						
12	lacerus. W.en. (ye.) torn-leaved.	Britain.	—————	H. ♂.		
13	asper. s.s. (ye.) rough-leaved.	—————	—————	H. ♂.	Blackw. ic. t. 30.	
	<i>oleraceus</i> γ. <i>asper</i> . L.						
14	uliginosus. s.s. (ye.) marsh.	Caucasus.	1823.	7. 9.	H. ♀.		
15	palustris. s.s. (ye.) tall marsh.	Britain.	—————	H. ♀.	Eng. bot. v. 13. t. 935.	
16	arvensis. s.s. (ye.) corn-field.	—————	—————	H. ♀.	————— v. 10. t. 674.	
17	hantoniensis. (ye.) smooth-headed.	Hampshire.	—————	H. ♀.		
18	tenerrimus. s.s. (ye.) clammy.	S. Europe.	1691.	7. 8.	H. ♂.	Flor. græc. t. 790.	
19	chondrilloides. s.s. (ye.) Chondrilla-like.	Sicily.	1826.	—————	H. ♀.		
20	caucasicus. F. (ye.) Caucasean.	Caucasus.	1820.	—————	H. ♀.		
21	flexuosus. Led. (ye.) flexuose.	—————	1822.	—————	H. ♀.		
22	chinensis. F. (ye.) Chinese.	China.	1820.	—————	H. ♀.		
23	ténax. F. (ye.) tough.	Siberia.	1824.	—————	H. ♀.		
24	longifolius. Trev. (ye.) long-leaved.	—————	—————	H. ♀.		
BARKHAUSIA. DC. BARKHAUSIA. Syngenesia Polygamia Æqualis.							
1	muricata. s.s. (ye.) bristly-headed.	S. Europe.	1825.	6. 8.	H. ♂.		
2	bellidifolia. DC. (ye.) Daisy leaved.	Corsica.	1826.	—————	H. ♂.		
3	Suffreniana. DC. (ye.) mealy-headed.	France.	1825.	—————	H. ♂.		
4	spathulata. s.s. (ye.) spathulate.	Sicily.	1829.	—————	H. ♂.		
5	alpina. s.s. (ye.) alpine.	Italy.	1739.	7. 8.	H. ♂.	Gmel. sib. 2. t. 5.	
	<i>Crèpis alpina</i> . W.						
6	apargioides. s.s. (ye.) Apargia-like.	Germany.	1826.	—————	H. ♀.	Jacq. aust. 3. t. 293.	
7	vesicaria. s.s. (ye.) bladdered.	Crete.	1828.	—————	H. ♀.		
8	hyemalis. s.s. (ye.) winter.	Sicily.	1829.	8. 11.	H. ♀.		
9	purpurea. s.s. (pu.) purple.	—————	1827.	7. 9.	H. ♀.		
10	rùbra. s.s. (li.) lilac.	Italy.	1632.	6. 8.	H. ♂.	Flor. græc. t. 801.	
11	nicæensis. s.s. (ye.) gland-headed.	S. Europe.	1824.	—————	H. ♂.		
12	hispida. s.s. (ye.) hispid.	—————	1798.	—————	H. ♂.	W. et K. hung. 1. t. 43.	
13	setosa. DC. (ye.) setose.	Switzerland.	1824.	—————	H. ♂.		
14	pungens. P.s. (ye.) pungent.	1826.	—————	H. ♂.		
MYOSERIS. L.en. MYOSERIS. Syngenesia Polygamia Æqualis.							
	purpurea. L.en. (pu.) purple.	Tauria.	1823.	6. 7.	H. ♂.		
	<i>Lagoseris taurica</i> . M.B. <i>Crèpis purpurea</i> . M.B.						

Tribus V. SCORZONEREÆ. D. Don in Edinb. phil. journ.

SCORZONERA. W. VIPER'S-GRASS. Syngenesia Polygamia Æqualis.							
1	tomentosa. W. (ye.) white.	Armenia.	1789.	6. 7.	H. ♀.		
2	villosa. s.s. (ye.) villous.	Levant.	1821.	6. 8.	H. ♀.	Scop. carn. t. 46.	
3	hirsuta. s.s. (ye.) hairy.	S. Europe.	1823.	—————	H. ♀.	All. ped. t. 31. f. 33.	
4	humilis. W. (ye.) dwarf.	Europe.	1597.	8.	H. ♀.		
5	austriaca. W.en. (ye.) Austrian.	Austria.	—————	H. ♀.	Jacq. aust. 1. t. 36.	
	<i>humilis</i> . Jacq. non W.						
6	plantaginifolia. Sch. (ye.) Plantain-leav'd.	Switzerland.	1816.	—————	H. ♀.		
7	hispanica. W. (ye.) garden.	Spain.	1576.	6. 9.	H. ♀.	Lam. ill. t. 647. f. 5.	
8	glastifolia. W. (ye.) Wood-leaved.	Germany.	1816.	—————	H. ♀.		
9	taurica. M.B. (ye.) Taurian.	Tauria.	1820.	—————	H. ♀.		
10	rumicifolia. L.en. (ye.) Dock-leaved.	1822.	—————	H. ♀.		
11	caricifolia. W. (ye.) Carex-leaved.	Siberia.	1805.	—————	H. ♀.	Pall. it. 3. ap. t. J. 1. f. 1.	
12	parviflora. W. (ye.) small-flowered.	Austria.	1816.	—————	H. ♀.	Jacq. aust. 4. t. 305.	
13	mollis. M.B. (ye.) soft.	Volga.	1829.	—————	H. ♀.		
14	stricta. s.s. (ye.) upright.	—————	1821.	—————	H. ♀.		
	<i>villosa</i> . M.B. nec Scop.						

15 lanata. M.B.	(ye.) woolly.	Iberia.	1823.	6. 7	H. ♀.	
16 purpurea. W.	(pu.) purple-flower'd.	Austria.	1759.	5. 6.	H. ♀.	Jacq. aust. 1. t. 35.
17 angustifolia. W.	(ye.) narrow-leaved.	S. Europe.	—	6. 8.	H. ♀.	W. et K. hung. 2. t. 122.
18 ensifolia. M.B.	(ye.) sword-leaved.	Caucasus.	1823.	—	H. ♀.	
19 pusilla. s.s.	(st.) small.	Volga.	1827.	—	H. ♀.	Pall. it. 2. ap. t. L.
20 tuberosa. s.s.	(ye.) tuberous-rooted.	—	1825.	—	H. ♀.	Pall. it. 3. ap. t. Y. f. 3.
21 crispa. s.s.	(ye.) curled.	Tauria.	1821.	—	H. ♀.	
PODOSPERMUM. DC. PODOSPERMUM. Syngenesia Polygamia Æqualis.						
1 calcitrapifolium. DC.	(y.) Calcitrapa-leav'd.	Levant.	1823.	6. 8.	H. ♀.	Barr. ic. 800.
2 resedifolium. DC.	(ye.) spreading.	Spain.	1729.	6. 7.	H. ♂.	Bocc. sic. 13. t. 7.
3 laciniatum. DC.	(ye.) cut-leaved.	S. Europe.	1640.	—	H. ♂.	Jacq. aust. 4. t. 356.
4 octangulare. DC.	(ye.) 8-angled.	—	1820.	—	H. ♂.	
5 pumilum.	(ye.) small.	Spain.	1822.	7. 9.	H. ⊙.	Cav. ic. 2. t. 121. f. 2.
<i>Scorzonera pumila. W.</i>						
6 asperimum.	(ye.) roughest.	Galatia.	—	8. 9.	H. ♀.	
<i>Scorzonera asperima. W.</i>						
7 asperum.	(ye.) rough.	Levant.	—	7. 8.	H. ♀.	Desf. an. mus. 1. t. 9.
<i>Scorzonera aspera. Desf. stylösa. P.S.</i>						
8 subulatum. DC.	(ye.) grass-leaved.	Portugal.	1759.	—	H. ♀.	Jacq. obs. 4. t. 100.
<i>Scorzonera graminifolia. F.G. 784.</i>						
9 muricatum. DC.	(ye.) bristly.	Piedmont.	1818.	—	H. ♀.	
10 taraxacifolium.	(ye.) Dandelion-leav'd.	Bohemia.	1801.	6. 8.	H. ♀.	Jacq. ic. 1. t. 106.
<i>Scorzonera taraxacifolia. W.</i>						
LASIOSPERMUM. F. LASIOSPERMUM. Syngenesia Polygamia Æqualis.						
angustifolium. F.	(ye.) narrow-leaved.	Caucasus.	1825.	6. 8.	H. ♀.	
<i>Scorzonera eriosperma. M.B.</i>						
PICRIDIVM. P.S. PICRIDIVM. Syngenesia Polygamia Æqualis.						
1 vulgare. P.S.	(ye.) various-leaved.	France.	1773.	6. 8.	H. ⊙.	All. ped. 1. t. 16. f. 1.
<i>Scorzonera picroides. L. Sönchus picroides. W.</i>						
2 tingitanum. P.S.	(ye.) Tangier.	Barbary.	1713.	6. 9.	H. ⊙.	Bot. mag. t. 142.
<i>Scorzonera tingitana. B.M. Sönchus tingitanus. W.</i>						
3 hispanicum. V.	(ye.) Spanish.	Spain.	1816.	—	H. ⊙.	Jacq. schœnb. 2. t. 143.
4 albidum. P.S.	(ye.) pale-flowered.	France.	1781.	7. 10.	H. ♀.	Jacq. ic. 1. t. 164.
<i>Crëpis albidula. W.</i>						
ARNOPOGON. W. SHEEP'S-BEARD. Syngenesia Polygamia Æqualis.						
1 Dalechampii. W.	(ye.) great-flowered.	S. Europe.	1739.	6. 10.	H. ♀.	Bot. mag. t. 1623.
2 picroides. W.	(ye.) prickly-cupp'd.	—	1683.	7. 8.	H. ⊙.	Flor. græc. t. 781.
3 asper. W.	(ye.) rough.	Montpelier.	1774.	—	H. ⊙.	— t. 782.
4 capense. W.	(ye.) Cape.	C. B. S.	1824.	6. 8.	G. ♂.	Jacq. ic. 3. t. 577.
TRAGOPOGON. W. GOAT'S-BEARD. Syngenesia Polygamia Æqualis.						
1 pratensis. W.	(ye.) yellow.	Britain.	5. 6.	H. ♂.	Eng. bot. v. 7. t. 434.
2 mutabilis. W.	(va.) changeable.	Siberia.	1816.	—	H. ♂.	Jacq. ic. 1. t. 157.
3 undulatus. W.	(st.) wave-leaved.	Crimea.	1790.	—	H. ♂.	— 1. t. 158.
4 parviflorus. L.en.	(ye.) small-flowered.	1822.	—	H. ♂.	
5 orientalis. W.	(ye.) oriental.	Levant.	1787.	6. 7.	H. ♂.	
6 canns. W.K.	(ye.) hoary	Hungary.	1822.	—	H. ♂.	
7 major. W.	(ye.) great.	Austria.	1788.	5. 6.	H. ♂.	Jacq. aust. 1. t. 29.
8 campestris. s.s.	(ye.) field.	Poland.	1828.	—	H. ♂.	
9 roseus. s.s.	(ro.) red-flowered.	Volga.	1827.	—	H. ♂.	
10 porrifolius. W.	(pu.) purple.	England.	—	H. ♂.	Eng. bot. v. 9. p. 638.
11 floccosus. W.K.	(ye.) woolly.	Hungary.	1816.	—	H. ♂.	W. et K. hung. 2. t. 112.
12 dubius. L.en.	(ye.) doubtful.	1822.	—	H. ♂.	
13 crocifolius. W.	(vi.) Crocus-leaved.	Italy.	1739.	6. 7.	H. ♂.	Flor. græc. t. 779.
14 angustifolius. W.	(vi.) narrow-leaved.	—	1816.	—	H. ♂.	
15 villosus. W.	(ye.) hairy.	Spain.	1794.	5. 6.	H. ♂.	
16 rhodanthus.	(ro.) rose-coloured.	Hungary.	1807.	7.	H. ♀.	W. et K. hung. 2. t. 121.
<i>Scorzonera rosea. W.K.</i>						
17 humilis. F. dwarf.	Caucasus.	1829.	H. ♂.	
18 phæopappus. F. glossy-chaff'd.	Persia.	—	H. ♂.	
GEROPOGON. W. OLD MAN'S-BEARD. Syngenesia Polygamia Æqualis.						
1 glaber. W.	(pi.) smooth.	Italy.	1704.	7. 8.	H. ⊙.	Bot. mag. t. 479.
2 hirsutus. W.	(pi.) hirsute.	—	1759.	—	H. ⊙.	Col. ecphr. 1. t. 231.
3 calyculatus. W.	(pi.) perennial.	—	1774.	6. 8.	H. ♀.	Jacq. vind. 2. t. 106.

Tribus VI. CICHOREÆ. D. Don in Edinb. phil. journ.

CICHORIUM. S.S. SUCCORY. Syngenesia Polygamia Æqualis. L.						
1 lntibus. s.s.	(bl.) common.	Britain.	6. 10.	H. ♀.	Eng. bot. v. 8. t. 539.

2	divaricatum. s.s.	(bl.)	branching.	Barbary.	1798.	7. 9.	H. ⊙.		
3	spinosum. s.s.	(bl.)	prickly.	Candia.	1633.	7. 8.	F. ♀.	Flor. græc. t. 823.	
4	pumilum. s.s.	(bl.)	dwarf.	Levant.	1790.	—	H. ⊙.	— t. 821.	
5	Endivia. s.s.	(bl.)	Endive.	E. Indies.	1548.	—	H. ⊙.		
	α latifolia.	(bl.)	broad-leaved.	—	—	—	H. ⊙.		
	β crispa.	(bl.)	curled-leaved.	—	—	—	H. ⊙.		
	γ leucophylla.	(bl.)	white-leaved.	—	—	—	H. ⊙.		
SCO'LYMUS. S.S.		GOLDEN THISTLE. Syngenesia Polygamia Æqualis. L.							
1	maculatus. s.s.	(ye.)	annual.	S. Europe.	1633.	7. 8.	H. ⊙.	Flor. græc. t. 824.	
2	hispanicus. s.s.	(ye.)	Spanish.	—	1658.	7. 9.	H. ♀.	— t. 825.	
3	grandiflorus. s.s.	(ye.)	great-flowered.	Barbary.	1820.	—	H. ♀.	Desf. atl. 2. t. 218.	
CATANA'NCHE. S.S.		CATANA'NCHE. Syngenesia Polygamia Æqualis. L.							
1	lutea. s.s.	(ye.)	yellow.	Candia.	1640.	6. 7.	H. ⊙.	Flor. græc. t. 821.	
2	cœrulea. s.s.	(bl.)	blue-flowered.	S. Europe.	1596.	7. 10.	H. ♀.	Bot. mag. t. 293.	

SUBORDO II. LABIATIFLORÆ. Lagasca et DC. in ann. mus.

L'ERIA. DC.		L'ERIA. Syngenesia Polygamia Superflua.							
1	nütans. DC.	(wh.)	drooping-flower'd.	W. Indies.	1793.	6. 7.	S. ♂.	Plum. ic. t. 41. f. 1.	
	<i>Tussilago nütans.</i> w.								
2	albicans. DC.	(wh.)	woolly-leaved.	Jamaica.	1821.	—	S. ⊙.		
CHAPTALIA. V.		CHAPTALIA. Syngenesia Polygamia Necessaria.							
	tomentosa. v.	(bh.)	woolly.	N. America.	1806.	5. 6.	H. ♀.	Bot. mag. t. 2257.	
	<i>Tussilago integrifolia.</i> m.								
ONO'SERIS. DC.		ONO'SERIS. Syngenesia Polygamia Æqualis.							
1	purpurea. K.S.	(pu.)	purple.	S. America.	1827.	7. 9.	F. ♀.	Smith. ic. ined. t. 65.	
	<i>Atractylis purpurata.</i> Smith.								
2	mexicana. K.S.	(wh.)	Mexican.	Mexico.	1828.	F. ♀.	Smith. ic. ined. 3. t. 66.	
CHÆTANTH'ERA. R.P.		CHÆTANTH'ERA. Syngenesia Polygamia Superflua.							
	ciliata. R.P.	(ye.)	ciliated.	Chile.	1822.	7. 8.	F. ♀.		
MUTISIA. L.		MUTISIA. Syngenesia Polygamia Æqualis. L.							
	speciosa. B.M.	(pu.)	handsome.	Brazil.	1825.	9. 11.	G. ♀. ∪.	Bot. mag. t. 2705.	
	<i>arachnoidea.</i> Martius.								
CHUQUIR'AGA. J.		CHUQUIR'AGA. Syngenesia Polygamia Æqualis.							
	insignis. K.S.	(ye.)	large-flowered.	S. America.	1824.	G. ♀.	Lam. ill. t. 691.	
	<i>Johannia insignis.</i> w.								
DUMERILIA. DC.		DUMERILIA. Syngenesia Polygamia Æqualis.							
	paniculata. DC.	(pu.)	panicled.	Chile.	1825.	7. 9.	H. ♀.	DC. ann. mus. 19. t. 7.	
BACAZIA. R.P.		BACAZIA. Syngenesia Polygamia Æqualis.							
	spinosa. R.P.	(pi.)	spiny.	Peru.	1825.	4. 5.	F. ♀.		
TRIPTILION. R.P.		TRIPTILION. Syngenesia Polygamia Æqualis.							
	cordifolium. B.R.	(wh.)	heart-leaved.	Peru.	1823.	6. 8.	H. ⊙.	Bot. reg. t. 853.	
LEUC'ERIA. Lag.		LEUC'ERIA. Syngenesia Polygamia Superflua.							
	senecioides. D.D.	(wh.)	Ragwort-like.	Chile.	1822.	8. 10.	F. ♀.	Hook. ex. flor. t. 101.	
	<i>Trixis senecioides.</i> Hooker.								
GASTROCA'RPHA. D.D.		GASTROCA'RPHA. Syngenesia Polygamia Æqualis.							
	runcinata. D.D.	(wh.)	Turnep-leaved.	Chile.	1826.	8. 10.	F. ♂.	Swt. br. fl. gar. t. 229.	
PERDICIUM. DC.		PERDICIUM. Syngenesia Polygamia Superflua.							
1	Anandria. DC.	(wh.)	Siberian.	Siberia.	1759.	8.	H. ♀.	Gmel. sib. 2. t. 68. f. 1.	
2	lyratum.	(wh.)	lyrate.	—	1825.	6. 8.	H. ♀.	— t. 67. f. 2.	
	<i>Tussilago lyrata.</i> w. <i>Chaptalia lyrata.</i> s.s.								
TRIXIS. DC.		TRIXIS. Syngenesia Polygamia Superflua.							
1	frutescens. s.s.	(wh.)	frutescent.	Jamaica.	1826.	2. 4.	S. ♀.	Lam. ill. t. 677. f. 2.	
	<i>Perdicium radiata.</i> L.								
2	divaricata. D.D.	(wh.)	divaricate.	Brazil.	1824.	4. 6.	S. ♀.	Bot. mag. t. 2765.	
	<i>auriculata.</i> B.M. <i>Perdicium brasiliense.</i> Gr.								

SUBORDO III. CARDUACEÆ. Don prodr. p. 166.

Div. I. CARDUACEÆ VERÆ. Kth. synops. 2. p. 363.

A'RCTIUM. L.		BURDOCK. Syngenesia Polygamia Æqualis.							
1	Lappa. w.	(pu.)	smooth-headed.	Britain.	7. 8.	H. ♂.	Eng. bot. v. 18. t. 122.	

2 minus. M.B. (pu.) smaller.	Europe.	7. 8. H. ♂.	
<i>Lappa minor</i> . DC.				
3 Bardana. w. (pu.) woolly-headed.	Britain.	— H. ♂.	Eng. bot. v. 35. t. 2478.
<i>tomentosum</i> . P.S.				
SERRATULA. D.P. SAWWORT. Syngenesia Polygamia Æqualis.				
1 pulchella. B.M. (pu.) purple-scaled.	Siberia.	1823.	6. 7. H. ♀.	Bot. mag. t. 2589.
2 depressa. L.T. (pu.wh.) depressed.	Caucasus.	1820.	— H. ♀.	Linn. trans. v. 11. t. 38.
3 elegans. L.T. (ro.) elegant.	—	—	— H. ♀.	— v. 11. t. 37.
4 alpina. E.B. (pu.) Alpine.	Britain.	7. 8. H. ♀.	Eng. bot. v. 9. t. 599.
<i>Saussurea alpina</i> . DC.				
5 angustifolia. w. (pu.) narrow-leaved.	Siberia.	1816.	— H. ♀.	Gmel. sib. 2. t. 33.
6 discolor. w. (pu.wh.) two-coloured.	Europe.	—	— H. ♀.	
<i>Saussurea discolor</i> . DC.				
<i>β lapathifolia</i> . DC. Dock-leaved.	—	—	— H. ♀.	Moris. s. 7. t. 22. f. 1.
7 serrata. (pu.) saw-leaved.	—	—	— H. ♀.	
<i>Saussurea serrata</i> . DC.				
8 salicifolia. w. (re.) Willow-leaved.	Siberia.	1796.	— H. ♀.	Gmel. sib. 2. t. 27.
9 alata. (pu.) winged.	—	1823.	— H. ♀.	
<i>Saussurea alata</i> . DC. non <i>Serratula alata</i> . W.en.				
10 salsa. M.B. (pu.) salt.	Caucasus.	1824.	— H. ♀.	
<i>Heterotrichum salsum</i> . M.B. <i>Saussurea salsa</i> . s.s.				
11 lyrata. F. (pu.) lyrate-leaved.	Dahuria.	1827.	— H. ♀.	
12 Gmelini. Led. (pu.) Gmelin's.	Siberia.	—	— H. ♀.	
13 elongata. DC. (pu.) elongated.	—	1820.	— H. ♀.	
14 nitidula. Led. (pu.) glossy.	—	1827.	— H. ♀.	
15 pycnocephala. Led. (pu.) large-headed.	—	—	— H. ♀.	
16 rigida. Led. (pu.) rigid.	—	—	— H. ♀.	
17 pygmæa. Jac. (pu.) pigmy.	Austria.	1816.	— H. ♀.	Jacq. aust. t. 440.
SYNCARPHA. DC. SYNCARPHA. Syngenesia Polygamia Æqualis.				
gnaphalodes. DC. (or.) squarrose.	C. B. S.	1815.	7. 9. G. ♀.	Pluk. alm. t. 302. f. 3.
<i>Stachelina gnaphaloïdes</i> . L. <i>Leysera squarrosa</i> . Th.				
CARDUUS. D.P. THISTLE. Syngenesia Polygamia Æqualis.				
1 alatus. B.F.G. (pu.) winged-stalked.	—	1812.	6. 8. H. ♂.	Swt. br. fl. gar. t. 103.
2 tinctorius. D.P. (pu.) common.	Britain.	7. 10. H. ♀.	Eng. bot. v. 1. t. 38.
<i>Serratula tinctoria</i> . E.B.				
3 quinquefolius. D.P. (pu.) five-leaved.	Persia.	1804.	7. 8. H. ♀.	Bot. mag. t. 1871.
<i>Serratula quinquefolia</i> . B.M.				
4 coronatus. D.P. (pu.) lyre-leaved.	Italy.	1739.	— H. ♀.	Gmel. sib. 2. t. 20.
<i>Serratula coronata</i> . w.				
5 nitidus. (pu.) glossy.	Siberia.	1821.	— H. ♀.	
<i>Serratula nitida</i> . F.				
6 multiflorus. L. (pu.) Volga.	—	—	— H. ♀.	Gmel. sib. 2. t. 28.
7 linearifolius. DC. (pu.) linear-leaved.	—	1827.	— H. ♀.	
8 Picris. (pu.) scariose.	Caucasus.	1822.	— H. ♀.	
<i>Centaurea Picris</i> . w. <i>Serratula Picris</i> . s.s.				
9 centauroïdes. D.P. (pu.) Centaury-like.	Siberia.	1804.	— H. ♀.	Gmel. sib. 2. t. 40.
10 radiatus. W.K. (pu.) rayed.	Hungary.	1800.	— H. ♂.	W. et K. hung. 1. t. 11.
11 polyclonos. w. (pu.) Siberian.	Siberia.	1823.	— H. ♀.	
12 argutus. (pu.) sharply-tooth'd.	—	—	— H. ♀.	
<i>Serratula arguta</i> . L.en.				
13 cyanoïdes. w. (pu.) blue-bottle-leav'd.	—	1778.	— H. ♀.	Gmel. sib. 2. t. 15.
14 simplex. (pu.) one-flowered.	Caucasus.	1817.	— H. ♀.	Bot. mag. t. 2482.
<i>mollis</i> . w. <i>Serratula simplex</i> . DC.				
15 xeranthemoïdes. (pu.) everlasting-fl'd.	—	1804.	— H. ♀.	Gmel. sib. 2. t. 47. f. 1.
<i>Serratula xeranthemoïdes</i> . M.B. <i>Centaurea radiata</i> . w.				
16 lycopifolius. w. (pu.) horehound-leaved.	France.	1823.	— H. ♀.	Vill. delph. 3. t. 19.
17 heterophyllus. s.s. (pu.) various-leaved.	France.	1824.	— H. ♀.	
18 stachadifolius. (pu.) woolly-headed.	Tauria.	1820.	— H. ♀.	
<i>Serratula stachadifolia</i> . s.s.				
19 leucographus. w. (pu.) white-spotted.	Italy.	1752.	6. 7. H. ⊙.	Jacq. vind. 3. t. 23.
20 arabicus. w. (pu.) Arabian.	Arabia.	1789.	7. 8. H. ⊙.	Jacq. ic. 1. t. 166.
21 nutans. w. (pu.) musk.	Britain.	— H. ⊙.	Eng. bot. v. 16. t. 1112.
22 carinoïdes. W.en. (pu.) Pyrenean.	Pyrenees.	1784.	— H. ♂.	Gouan. ill. t. 23.
<i>Carlina pyrenæica</i> . L.				
23 carlinæfolius. w. (pu.) Carline-leaved.	—	1804.	— H. ♂.	
24 acanthoïdes. w. (li.) walted.	Britain.	6. 7. H. ⊙.	Eng. bot. v. 14. t. 973.
25 hamulosus. w. (pu.) hooked.	Hungary.	1802.	— H. ⊙.	
26 tenuiflorus. E.B. (li.) slender-flower'd.	Britain.	— H. ⊙.	Eng. bot. v. 6. t. 412.
27 crispus. w. (li.) curled.	Europe.	1804.	7. 8. H. ♂.	Flor. dan. t. 621.

28	cándicans. w.	(pu.) hoary.	Hungary.	1805.	7. 8.	H. ♂.	W. et K. hung. 1. t. 63.
29	personatus. w.	(pu.) cut-leaved.	Austria.	1776.	—	H. ♂.	Jacq. aust. 4. t. 348.
30	polyánthemus. w.	(pu.) many-flowered.	Rome.	1739.	6. 7.	H. ♂.	Triumf. obs. t. 103.
31	paniculatus. w.	(pu.) panicked.	S. Europe.	1781.	—	H. ♀.	
32	pyncocéphalus. w.	(pu.) Italian.	—	1739.	7. 9.	H. ♀.	Jacq. vind. 1. t. 34.
33	onopordioídes. M.B.	(pu.) Onopordum-like.	Iberia.	1824.	7. 8.	H. ♀.	
34	argentatus. w.	(pu.) white Egyptian.	Egypt.	1789.	6. 8.	H. ⊙.	Jacq. vind. 2. t. 192.
35	arctioídes. w.	(pu.) pinnated.	Hungary.	1804.	7. 8.	H. ♀.	
36	dúbius. s.s.	(pu.) doubtful.	1827.	—	H. ♀.	
37	seminudus. s.s.	(pu.) half-naked.	Caucasus.	—	—	H. ♀.	
38	uncinatus. s.s.	(pu.) crook-pointed.	Volga.	—	—	H. ♀.	
39	alpéstris. w.	(pu.) alpine.	Hungary.	1805.	7. 8.	H. ♀.	
40	defloratus. w.	(pu.) different leav'd.	Austria.	1570.	7. 9.	H. ♀.	Jacq. aust. 1. t. 89.
41	corymbosus. s.s.	(pu.) corymb-flower'd.	Naples.	1827.	—	H. ♀.	
42	cinereus. s.s.	(pu.) gray.	Caucasus.	—	—	H. ♀.	
43	collinus. s.s.	(pu.) hill.	Hungary.	1828.	—	H. ♀.	
44	Argemone. DC.	(pu.) Argemone-leav'd.	Pyrenees.	1816.	—	H. ♀.	
45	parviflorus. w.	(pu.) small-flowered.	S. Europe.	1781.	6. 7.	H. ♀.	
46	crassifolius. W.en.	(pu.) thick-leaved.	1805.	7.	H. ♀.	
47	sumanus. L.en.	(pu.) Pollini's.	Italy.	1823.	7. 8.	H. ♀.	
48	nítidus. w.	(pu.) glossy.	Hungary.	1806.	—	H. ♀.	W. et K. hung. 1. t. 52.
49	nudicaulis. P.S.	(pu.) naked-stalked.	S. Europe.	1739.	—	H. ♀.	Cav. ic. 3. t. 226.
	<i>cerinthoides. w. glaucus. Cav. Centaurea nudicaulis.</i>						<i>L. Serrátula nudicaulis. DC.</i>
50	clavulatus. s.s.	(pu.) clubbed.	Canaries.	1827.	—	F. ♂.	
51	ábidus. s.s.	(pu.) white-leaved.	Caucasus.	1829.	—	H. ♀.	
52	argyróa. s.s.	(pu.) silvery.	Sicily.	1827.	—	H. ♀.	
53	orientalis. M.B.	(pu.) oriental.	Iberia.	1804.	7.	H. ♀.	
54	salinus. M.B.	(pu.) narrow-leaved.	Siberia.	—	—	H. ♀.	
55	volgénsis. s.s.	(pu.) Volga.	Volga.	—	—	H. ♀.	
56	leucánthus. s.s.	(wh.) white-flowered.	Spain.	1825.	—	H. ⊙.	Cavan. icon. 2. t. 165.
57	atriplicifolius. s.s.	(pu.) Orach-leaved.	Russia.	1823.	—	H. ♀.	
SÍLYBUM. G. SÍLYBUM. Syngenesia Polygamia Æqualis.							
1	mariánum. G.	(pu.) milk-thistle.	Britain.	7.	H. ♂.	Eng. bot. v. 14. t. 976.
	<i>Cárdus mariánus. E.B.</i>						
2	cérnum. G.	(wh.) nodding.	Siberia.	1755.	6. 7.	H. ♀.	Mill. ic. 2. t. 248.
	<i>Cnicus cérnuus. w.</i>						
HALOCHA'RIS. F. HALOCHA'RIS. Syngenesia Polygamia Æqualis.							
1	altáica. F.	(pu.) Altay.	Altay.	1827.	7. 8.	H. ♀.	
2	carthamoídes. F.	(pu.) Carthamus-like.	Siberia.	1823.	—	H. ♀.	
	<i>Cnicus carthamoídes. w. Leúzea? carthamoídes. DC. Cnicus salinus. M.B.</i>						
CÍRSIUM. G. HORSE-THISTLE. Syngenesia Polygamia Æqualis.							
1	palústre. DC.	(li.wh.) marsh.	Britain.	7. 8.	H. ♂.	Eng. bot. v. 14. t. 974.
	<i>Cárdus palústris. E.B. Cnicus palústris. w.</i>						
2	elátum. L.en.	(pu.) tall.	1823.	—	H. ♀.	
3	uliginòsum. M.B.	(pu.) swamp.	Caucasus.	1820.	—	H. ♀.	
4	cànum. M.B.	(pu.) hoary.	Austria.	1633.	—	H. ♀.	Jacq. aust. 1. t. 42-43.
5	Acárna. DC.	(pu.) yellow.	Spain.	1683.	7. 9.	H. ⊙.	Cavan. ic. 1. t. 53.
6	pyrenáicum. DC.	(pu.) Pyrenean.	Pyrenees.	1818.	7. 8.	H. ♀.	Jacq. obs. 4. t. 95.
7	monspessulànum. DC.	(pu.) Montpelier.	Montpelier.	1596.	6. 7.	H. ♀.	
8	pannònicum. L.en.	(pu.) Hungarian.	Hungary.	1816.	7. 9.	H. ♀.	Jacq. aust. 3. t. 5.
9	strictum. s.s.	(pu.) straight.	Naples.	1820.	—	H. ♀.	
10	lanceolátum. DC.	(pu.) common.	Britain.	6. 9.	H. ♀.	Eng. bot. v. 2. t. 107.
	<i>Cárdus lanceolátus. E.B. Cnicus lanceolátus. w.</i>						
11	desertòrum. L.en.	(pu.) desert.	Siberia.	1823.	7. 8.	H. ♀.	
12	cichoráceum. s.s.	(pu.) Succory-like.	Naples.	1824.	—	H. ♀.	
13	itálicum. s.s.	(pu.) Italian.	Italy.	1826.	—	H. ♀.	
14	sículum. s.s.	(pu.) Sicily.	Sicily.	1828.	—	H. ♀.	
15	negléctum. s.s.	(pu.) neglected.	Siberia.	1829.	—	H. ♀.	
16	púngens. s.s.	(pu.) pungent.	Levant.	—	—	H. ♀.	
17	paniculátum. s.s.	(pu.) panicked.	Pyrenees.	1827.	—	H. ♀.	
18	créticum. s.s.	(wh.) Cretan.	Crete.	—	—	H. ♀.	
19	ciliátum. L.en.	(pu.) fringed.	Siberia.	1787.	8.	H. ♀.	Murr. com. got. 6. t. 5.
20	serrulátum. M.B.	(pu.) serrulate.	Tauria.	1820.	7. 8.	H. ♀.	
21	laniflorum. M.B.	(pu.) woolly-flowered.	—	1823.	—	H. ♀.	
22	arachnoídeum. M.B.	(pu.) cobweb.	—	—	—	H. ♀.	
23	strigòsum. M.B.	(pu.) strigose.	Caucasus.	1818.	—	H. ♂.	
24	hórridum. M.B.	(pu.) very spiny.	—	1820.	—	H. ♀.	
25	mùnitum. M.B.	(pu.) armed.	—	1816.	—	H. ♀.	
26	obvallátum. M.B.	(pu.) crowded-flower'd.	—	—	—	H. ♀.	

27	<i>scleranthus</i> . M.B. (<i>wh.</i>) hard-flowered. Caucasus. 1824. 7. 8. H. ♂.	
	<i>carlinoides</i> . F. <i>Carlina Echinus</i> . M.B.	
28	<i>echinatum</i> . s.s. (<i>pu.</i>) hedgehog. Barbary. ——— H. ♀.	
29	<i>eriphorum</i> . DC. (<i>pu.</i>) woolly-headed. Britain. ——— H. ♂.	Eng. bot. v. 6. t. 386.
	<i>Carduus eriphorus</i> . E.B. <i>Cnicus eriphorus</i> . w.	
30	<i>ferox</i> . DC. (<i>wh.</i>) fierce. S. Europe. 1683. ——— H. ♂.	All. ped. 1. t. 50.
31	<i>discolor</i> . s.s. (<i>pu.</i>) two-coloured. N. America. 1803. ——— H. ♂.	
32	<i>inermis</i> . L.en. (<i>pu.</i>) unarmed. Pyrenees. 1818. ——— H. ♀.	
33	<i>cynaroides</i> . s.s. (<i>pu.</i>) Artichoke-like. Crete. 1828. ——— H. ♀.	
34	<i>altissimum</i> . s.s. (<i>pu.</i>) giant. N. America. 1726. 8. 9. H. ♀.	Dill. elth. t. 69. f. 80
35	<i>pratense</i> . (<i>pu.</i>) meadow. Britain. 6. 7. H. ♀.	Eng. bot. v. 3. t. 177.
	<i>anglicum</i> . DC. <i>Carduus pratensis</i> . E.B. <i>Cnicus pratensis</i> . w.	
36	<i>heterophyllum</i> . DC. (<i>pu.</i>) melancholy. ——— 7. 8. H. ♀.	———— v. 10. t. 675.
37	<i>helenioides</i> . L.en. (<i>pu.</i>) Elecampane-ld. Siberia. 1804. ——— H. ♀.	
38	<i>serratuloides</i> . s.s. (<i>pu.</i>) sawwort-like. ——— 1752. 6. 10. H. ♀.	Jacq. aust. 2. t. 127.
39	<i>heteromallum</i> . (<i>pu.</i>) Nepaul. Nepaul. 1820. ——— H. ♂.	
	<i>Cnicus heteromallus</i> . D.P. <i>Carduus candicans</i> . Wal.	
40	<i>arvensis</i> . DC. (<i>li.</i>) corn or way. Britain. 7. H. ♀.	Eng. bot. v. 14. t. 975.
	<i>Serratula arvensis</i> . w. <i>Carduus arvensis</i> . E.B. <i>Cnicus arvensis</i> . Ph.	
41	<i>rivulare</i> . s.s. (<i>pu.</i>) river. Hungary. 1804. 7. 8. H. ♀.	Jacq. aust. 1. t. 91.
	<i>tricephalodes</i> . DC. <i>Cnicus rivularis</i> . w.	
	<i>β salisburgense</i> . smaller. ——— ——— H. ♀.	
42	<i>ambiguum</i> . DC. (<i>pu.</i>) ambiguous. S. Europe. 1823. ——— H. ♀.	
43	<i>orgyale</i> . s.s. (<i>pu.</i>) tall. ——— H. ♀.	
44	<i>carniolicum</i> . s.s. (<i>wh.</i>) Carniola. Carniola. 1792. ——— H. ♀.	Scop. carn. 1005. t. 54.
45	<i>pauciflorum</i> . s.s. (<i>pu.</i>) few-flowered. Hungary. 1816. ——— H. ♂.	W. et K. hung. 2. t. 161.
46	<i>tataricum</i> . s.s. (<i>wh.</i>) Tartarian. Siberia. 1775. 7. 8. H. ♀.	Jacq. aust. 1. t. 90.
47	<i>rigens</i> . s.s. (<i>wh.</i>) upright alpine. Switzerland. ——— H. ♀.	La Chenal. act. h. 4. t. 16.
48	<i>oleraceum</i> . DC. (<i>wh.</i>) pale-flowered. Europe. 1570. ——— H. ♀.	Flor. dan. 860.
49	<i>Erisithales</i> . L.en. (<i>st.</i>) clammy. France. 1752. 6. 8. H. ♀.	Jacq. aust. 4. t. 310.
	<i>glutinodum</i> . DC. <i>Cnicus Erisithales</i> . w.	
50	<i>ochroleucum</i> . DC. (<i>st.</i>) pale yellow. Switzerland. 1801. 7. H. ♀.	
51	<i>mite</i> . s.s. (<i>pu.</i>) soft. Siberia. 1818. 7. 8. H. ⊙.	
52	<i>fimbriatum</i> . s.s. (<i>pu.</i>) fringed. Caucasus. 1829. ——— H. ♀.	
53	<i>medium</i> . s.s. (<i>pu.</i>) middle. Italy. ——— H. ♀.	
54	<i>nivenum</i> . s.s. (<i>pu.</i>) snowy-leaved. Sicily. 1828. ——— H. ♀.	
55	<i>dealbatum</i> . s.s. (<i>pu.</i>) mealy-leaved. Caucasus. ——— H. ♀.	
56	<i>echinocepalum</i> . s.s. (<i>pu.</i>) spiny-headed. ——— 1823. ——— H. ♀.	
57	<i>lappaceum</i> . M.B. (<i>pu.</i>) Burdock-like. ——— 1826. ——— H. ♀.	
58	<i>pinnatifidum</i> . s.s. (<i>pu.</i>) pinnatifid. Spain. ——— H. ♀.	
59	<i>bulbosum</i> . DC. (<i>pu.</i>) tuberous. England. 8. 10. H. ♀.	Eng. bot. v. 36. t. 2562.
	<i>Cnicus tuberosus</i> . E.B. <i>Carduus tuberosus</i> . L.	
60	<i>setosum</i> . M.B. (<i>pu.</i>) setose. Tauria. 1823. 7. 8. H. ♀.	
61	<i>acaule</i> . DC. (<i>pu.</i>) dwarf. Britain. ——— H. ♀.	Eng. bot. v. 3. t. 161.
	<i>Carduus acaulis</i> . E.B. <i>Cnicus acaulis</i> . w.	
	<i>β caulescens</i> . P.S. (<i>pu.</i>) stalked. ——— ——— H. ♀.	
62	<i>Casabonæ</i> . DC. (<i>pu.</i>) fish-bone. S. Europe. 1714. 6. 8. F. ♂.	Schmidt ic. t. 51-52.
63	<i>stellatum</i> . DC. (<i>pu.</i>) starry. Italy. 1665. 6. 7. H. ⊙.	Flor. græc. t. 830.
64	<i>Diacanthus</i> . s.s. (<i>pu.</i>) two-spined. Barbary. 1800. ——— F. ♂.	Lab. ic. pl. syr. 1. t. 3.
65	<i>afrum</i> . s.s. (<i>pu.</i>) African. ——— 1802. ——— F. ♂.	Jacq. schœnb. 2. t. 145.
66	<i>squarrosum</i> . s.s. (<i>pu.</i>) squarrose. Siberia. 1829. ——— H. ♀.	
67	<i>incanum</i> . s.s. (<i>pu.</i>) hoary. Caucasus. ——— H. ♀.	
68	<i>syriacum</i> . L.en. (<i>wh.</i>) Syrian. Levant. 1771. 7. 8. H. ⊙.	Flor. græc. t. 831.
69	<i>spinosissimum</i> . s.s. (<i>wh.</i>) feathery-headed. Switzerland. 1759. 6. 8. H. ♀.	Bot. mag. t. 1366.
70	<i>tataricum</i> . s.s. (<i>wh.</i>) Tartarian. Tartary. 1829. ——— H. ♀.	
71	<i>Bertolonii</i> . s.s. (<i>wh.</i>) Bertoloni's. Italy. 1828. ——— H. ♀.	
72	<i>baeticum</i> . s.s. (<i>wh.</i>) Baetian. Spain. 1825. ——— H. ♀.	
73	<i>semipectinatum</i> . s.s. (<i>w.</i>) semipectinate. Siberia. 1828. ——— H. ♀.	
74	<i>Gmelini</i> . F. (<i>pu.</i>) Gmelin's. Baical. 1829. ——— H. ♀.	
75	<i>arabicum</i> . F. (<i>pu.</i>) Arabian. Arabia. ——— H. ⊙.	
76	<i>pygmaeum</i> . DC. (<i>pu.</i>) pigmy. Austria. 1816. ——— H. ♀.	Jacq. aust. t. 440.
	<i>Serratula pygmaea</i> . w.	
ERYTHROLÆNA. ERYTHROLÆNA. Syngenesia Polygamia Æqualis.		
	<i>conspicua</i> . B.F.G. (<i>sc.</i>) conspicuous. Mexico. 1824. 9. 10. F. ♂.	Swt. br. fl. gar. t. 134.
ONOPO'RDUM. DC. COTTON-THISTLE. Syngenesia Polygamia Æqualis.		
1	<i>Acanthium</i> . E.B. (<i>pu.</i>) woolly. Britain. 7. 8. H. ♂.	Eng. bot. v. 14. t. 977.
2	<i>tauricum</i> . w. (<i>pu.</i>) Taurian. Tauria. 1800. ——— H. ♂.	
3	<i>virens</i> . DC. (<i>pu.</i>) green. S. Europe. 1822. ——— H. ♂.	
4	<i>macrocanthum</i> . w. (<i>pu.</i>) long-spined. Barbary. 1798. ——— H. ♂.	Schousb. maroc. t. 5.

5	illy'ricum. w.	(pu.)	Illyrian.	S. Europe.	1648.	7. 8.	H. ♂.	Jacq. vind. 2. t. 149.
6	arábicum. w.	(pu.)	Arabian.	—————	1686.	7.	H. ♂.	————— 2. t. 149.
7	elátum. Sm.	(pu.)	tall.	Greece.	1818.	7. 8.	H. ♂.	
8	deltóides. w.	(pu.)	Siberian.	Siberia.	1784.	8.	H. ♀.	
9	gr'æcum. w.	(pu.)	Grecian.	Greece.	1799.	6. 7.	H. ♀.	Gouan. ill. t. 25.
10	cynaróides. L.en.	(pu.)	Cynara-like.	Caucasus.	1823.	7. 8.	H. ♀.	
	<i>Cárthamus cynaroides.</i>		M.B.					
11	viscòsum. Schr.	(pu.)	viscous.	Europe.	1821.	—	H. ♂.	
12	pyrenáicum. DC.	(pu.)	Pyrenean.	Pyrenees.	1818.	—	H. ♀.	
13	acaùlon. w.	(pu.)	dwarf.	1739.	—	H. ♂.	Jacq. ic. 1. t. 167.
	BERA'RDIA. P.S.		BERA'RDIA.	Syngenesia Polygamia Æqualis.				
	subacaùlis. P.S.	(pu.)	round-leaved.	Italy.	1791.	7. 8.	H. ♀.	Vill. dauph. 3. t. 22.
	<i>A'rctium lanuginòsum.</i>		DC. <i>Onopórdum rotundifòlium.</i>	w.				
	ACIL'EPIS. D.P.		ACIL'EPIS.	Syngenesia Polygamia Æqualis.				
	squarròsa. D.P.	(pu.)	squarrose.	Nepaul.	1821.	7. 8.	H. ♀.	
	CYN'ARA. W.		ARTICHOKE.	Syngenesia Polygamia Æqualis.				
1	Cardúnculus. w.	(bl.)	Cardoon.	Candia.	1658.	8. 9.	H. ♀.	Tabern. ic. 696.
2	Scólymus. w.	(bl.)	common.	S. Europe.	1548.	—	H. ♀.	Blackw. t. 458.
3	spinosíssima. s.s.	(bl.)	very spiny.	Sicily.	1824.	—	H. ♀.	
4	hórrida. w.	(bl.)	very prickly.	Madeira.	1778.	—	G. ♀.	Flor. græc. t. 834.
5	húmilis. w.	(bl.)	dwarf.	Spain.	1613.	7. 8.	H. ♀.	Pluk. alm. t. 81. f. 2.
6	córsica. Viv.	(bl.)	Corsican.	Corsica.	1825.	—	H. ♀.	
7	py'gmæa. w.	(bl.)	small.	Spain.	1824.	—	H. ♀.	
	CESTR'INUS. Cass.		CESTR'INUS.	Syngenesia Polygamia Æqualis.				
	carthamoídes. Cass.	(bl.)	Carthamus-like.	Barbary.	1799.	7.	H. ♀.	Desf. atl. 2. t. 223.
	<i>Cynàra acaùlis.</i>		w. <i>Serrátula acaùlis.</i>	DC.				
	CARL'INA. W.		CARLINE-THISTLE.	Syngenesia Polygamia Æqualis.				
1	acaùlis. w.	(wh.)	dwarf.	Italy.	1640.	6.	H. ♀.	Knorr. thes. 2. t. c. 1.
	β cauléscens. P.S.	(wh.)	stalked.	—————	—————	—————	H. ♀.	
2	acanthifòlia. w.	(wh.)	Acanthus-leav'd.	Pyrenees.	1818.	6. 7.	H. ♀.	Allion. ped. t. 51.
3	símplex. P.S.	(wh.)	single-flowered.	Hungary.	1816.	—	H. ♀.	W. et K. hung. 2. t. 152.
4	aggregàta. w.	(wh.)	clustered.	—————	1804.	6. 9.	H. ♀.	
5	lyràta. w.	(wh.)	lyre-leaved.	C. B. S.	1816.	—	G. ♂.	
6	lanàta. w.	(ro.)	woolly.	S. Europe.	1683.	6. 7.	H. ⊙.	Garid. aix. t. 21.
7	corymbòsa. w.	(ye.)	corymbed.	—————	1640.	7. 8.	H. ♀.	Flor. græc. t. 837.
8	vulgàris. w.	(bh.)	common.	Britain.	5. 9.	H. ♂.	Eng. bot. v. 16. t. 114.
9	racemòsa. w.	(ye.)	racemed.	Spain.	1658.	6. 8.	H. ⊙.	
10	sícula. s.s.	(wh.)	Sicilian.	Sicily.	1828.	—	H. ♀.	
11	Biebersteíni. Ot.	(wh.)	Bieberstein's.	Caucasus.	1821.	—	H. ♀.	
	STOB'ÆA. W.		STOB'ÆA.	Syngenesia Polygamia Æqualis.				
1	pinnàta. w.	(ye.)	Carthamus-like.	C. B. S.	1812.	1. 12.	G. ♀.	Bot. mag. t. 1768.
2	glomeràta. s.s.	(ye.)	clustered.	—————	1816.	7. 8.	G. ♀.	
	<i>Cynàra glomeràta.</i>		Thunberg.					
3	atractyloídes. s.s.	(ye.)	Atractylis-like.	—————	1823.	—	G. ♀.	
	CA'RTHAMUS. S.S.		BASTARD SAFFRON.	Syngenesia Polygamia Æqualis.				
1	tinctòrius. w.	(or.)	common.	Egypt.	1551.	6. 7.	H. ⊙.	Bot. reg. t. 170.
2	oxyacántha. s.s.	(ye.)	sharp-spined.	Caucasus.	1829.	—	H. ⊙.	
	HERACA'NTHA. L.en.		HERACA'NTHA.	Syngenesia Polygamia Æqualis.				
1	lanàta. L.en.	(ye.)	woolly.	S. Europe.	1596.	7. 8.	H. ⊙.	Bot. mag. t. 2143.
	<i>Cárthamus lanàtus.</i>		B.M. <i>Centaùrea lanàta.</i>	DC.				
2	crética. L.en.	(wh.)	Cretan.	Candia.	1781.	6. 7.	H. ⊙.	
	<i>Cárthamus créticus.</i>		w.					
3	taùrica. L.en.	(ye.)	Taurian.	Tauria.	1818.	—	H. ⊙.	
4	glàuca.	(pu.)	glaucous.	Iberia.	—	—	H. ⊙.	
	<i>Cárthamus glàuca.</i>		M.B.					
	ONOB'R'OMA. G.		ONOB'R'OMA.	Syngenesia Polygamia Æqualis.				
1	tingitàna.	(bl.)	Tangier.	Barbary.	1759.	6. 7.	H. ♀.	Cavan. ic. 2. t. 126.
	<i>Cárthamus tingitànus.</i>		w.					
2	cœrùlea. L.en.	(bl.)	blue-flowered.	Spain.	1640.	—	H. ♀.	Bot. mag. t. 2293.
	<i>Cárthamus cœrùleus.</i>		w.					
3	arboréscens. s.s.	(ye.)	tree.	Spain.	1731.	7. 8.	F. ♀.	
	<i>Cárthamus arboréscens.</i>		w.					
	CARDUNCE'LLUS. DC.		CARDUNCE'LLUS.	Syngenesia Polygamia Æqualis.				
1	vulgàris. DC.	(bl.)	common.	France.	1776.	5. 6.	H. ♀.	Lob. ic. 2. p. 20.
	<i>Cárthamus Carduncéllus.</i>		w.					
2	mitíssimus. DC.	(bl.)	small.	—————	1734.	6. 7.	H. ♀.	
	CARLOW'IZIA. DC.		CARLOW'IZIA.	Syngenesia Polygamia Æqualis.				
	salicifòlia. DC.	(st.)	Willow-leaved.	Madeira.	1784.	8.	G. h.	
	<i>Cárthamus salicifòlius.</i>		w. <i>Onobròma salicifòlium.</i>	L.en.				

ATRA'CTYLIS. W.	ATRA'CTYLIS.	Syngenesia Polygamia Æqualis.					
hùmilis. w. (wh.)	dwarf.	Spain.	1759.	5. 7.	H. 2.		Cav. ic. 1. t. 54.
ACA'RNA. W.	ACA'RNA.	Syngenesia Polygamia Æqualis.					
1 gummífera. w. (pu.)	gummy-rooted.	S. Europe.	1640.	6. 8.	H. 2.		Cavan. ic. 3. t. 228.
2 serratuloídes. s.s. (pu.)	Sawwort-like.	Palestine.	1827.	—	H. 2.		
3 comòsa. s.s. (pu.)	tufted.	—	—	—	H. 2.		
4 cancellàta. w. (bl.)	netted.	S. Europe.	—	6. 7.	H. 2.		Lam. ill. t. 662. f. 1.
<i>Atractylis cancellàta.</i> P.S.							
STOK'ESIA. W.	STOK'ESIA.	Syngenesia Polygamia Æqualis.					
cyànea. w. (bl.)	blue-flowered.	Carolina.	1766.	8.	G. 2.		L'Herit. sert. 27. t. 38.
STÆHEL'INA. W.	STÆHEL'INA.	Syngenesia Polygamia Æqualis.					
1 dùbia. w. (pu.)	Rosemary-leav'd.	S. Europe.	1640.	6. 7.	H. 2.		Lam. ill. t. 666. f. 4.
2 arboréscens. w. (re.)	Storax-leaved.	Candia.	1739.	7. 9.	F. 2.		Flor. græc. t. 345.
3 chamæpeuce. w. (re.)	Pine-leaved.	—	1640.	7. 11.	F. 2.		— t. 347.
PTER'ONIA. W.	PTER'ONIA.	Syngenesia Polygamia Æqualis.					
1 camphoràta. w. (ye.)	aromatic.	C. B. S.	1774.	6. 7.	G. 2.		Pluk. mant. t. 345. f. 2.
2 stricta. w. (ye.)	cluster-flowered.	—	—	4. 6.	G. 2.		
3 echinàta. w. (ye.)	prickly-cupped.	—	1820.	—	G. 2.		
4 flexicaùlis. w. (ye.)	bending-stalk'd.	—	1812.	6. 8.	G. 2.		
5 fasciculàta. w. (ye.)	cluster-flowered.	—	1816.	—	G. 2.		
6 pàllens. w. (pa.)	pale.	—	—	—	G. 2.		
7 oppositifòlia. w. (ye.)	opposite-leaved.	—	1774.	7.	G. 2.		Lam. ill. t. 667. f. 2.
8 glomeràta. w. (ye.)	crowded.	—	1823.	6. 8.	G. 2.		
9 scariòsa. w. (ye.)	window-cupped.	—	1815.	—	G. 2.		
ZÆGEA. W.	ZÆGEA.	Syngenesia Polygamia Frustranea.					
Leptaùrea. w. (ye.)	yellow-flower'd.	Levant.	1779.	7. 8.	H. 2.		Jacq. ic. 1. t. 177.
LE'UZZEA. DC.	LE'UZZEA.	Syngenesia Polygamia Frustranea.					
1 conífera. DC. (pu.)	cone.	S. Europe.	1683.	6. 9.	H. 2.		DC. ann. mus. 16. t. 14.
<i>Centaùrea conífera.</i> w.							
2 altàica. L.en. (pu.)	large-flowered.	Altay.	1818.	—	H. 2.		
3 dahùrica. F. (pu.)	Dahurian.	Dahuria.	1821.	—	H. 2.		
4 austràlis. D.D. (pu.)	New Holland.	N. Holland.	1821.	8. 9.	H. 2.		
GALA'CTITES. DC.	GALA'CTITES.	Syngenesia Polygamia Frustranea.					
tomentòsa. DC.	woolly.	S. Europe.	1738.	7.	H. 2.		DC. ann. mus. 16. t. 16.
<i>Centaùrea galàctites.</i> w.							
CRUP'INA. Cas.	STARRY SCABIOUS.	Syngenesia Polygamia Frustranea.					
1 vulgàris. Cas. (re.)	black-seeded.	Italy.	1596.	6. 7.	H. 2.		Colum. eph. 1. t. 34.
<i>Centaùrea Crupina.</i> w.							
2 crupinoídes. P.S. (sn.)	saffron-colour'd.	Barbary.	1826.	—	H. 2.		
3 Lippii. P.S.	Lippi's.	Egypt.	1739.	—	H. 2.		Isn. act. par. 1719. t. 10.
<i>Centaùrea Lippii.</i> w.							
4 arenària. P.S. (pu.)	sand.	Volga.	1821.	—	H. 2.		
CENTA'UREA. W.	CENTAURY.	Syngenesia Polygamia Frustranea.					
1 moschàta. w. (li.)	sweet sultan.	Persia.	1629.	7. 10.	H. 2.		Knor. thes. 2. t. C. 4.
2 glaùca. w. (pu.)	glaucous.	Caucasus.	1805.	6. 7.	H. 2.		
3 suavèolens. w. (ye.)	yellow sultan.	Levant.	1683.	7. 10.	H. 2.		Swt. brit. fl. gar. 1. t. 51.
4 alpina. w. (ye.)	Alpine.	Italy.	1640.	7. 8.	H. 2.		Cornut. can. 69. t. 70.
5 Centaùrium. w. (bl.)	great.	—	1596.	—	H. 2.		
6 ruthènica. w. (st.)	Russian.	Russia.	1806.	—	H. 2.		Gmel. sib. 2. t. 41.
7 phry'gia. w. (pu.)	feathery-cupp'd.	Switzerland.	1633.	6. 10.	H. 2.		Flor. dan. t. 520.
8 rivulàris. P.S. (br.)	river-side.	Portugal.	1812.	7. 9.	H. 2.		
9 salicifòlia. w. (pu.)	Willow-leaved.	Caucasus.	1816.	—	H. 2.		
10 austriaca. w. (pu.)	Austrian.	Austria.	1815.	6. 10.	H. 2.		
11 pectinàta. w. (pu.)	pectinated.	France.	1727.	7. 10.	H. 2.		
12 uniflòra. w. (pu.)	one-flowered.	S. Europe.	1824.	6. 8.	H. 2.		Bocc. mus. 2. t. 2.
13 flosculòsa. w. (pu.)	flosculose.	Italy.	1817.	—	H. 2.		
14 nervòsa. w. (pu.)	nerved.	S. Europe.	1815.	6. 9.	H. 2.		
15 linifòlia. P.S. (pu.)	Flax-leaved.	—	1826.	—	H. 2.		
16 capillàta. P.S. (pu.)	hairy-headed.	Volga.	1827.	—	H. 2.		
17 tricocéphala. w. (pu.)	downy-cupped.	Siberia.	1805.	7. 8.	H. 2.		Gmel. sib. 2. t. 45. f. 1. 2.
18 hyssopifòlia. w. (pu.)	Hyssop-leaved.	Spain.	1812.	—	F. 2.		Barrel. ic. 306.
19 coronopifòlia. w. (ye.)	Buck's-horn-ld.	Levant.	1739.	6. 7.	H. 2.		
20 procumbens. P.S. (pu.)	procumbent.	Italy.	1821.	—	H. 2.		
21 nigra. w. (pu.)	black knapweed.	Britain.	5. 8.	H. 2.		Eng. bot. v. 4. t. 278.
22 praténsis. P.S. (pu.)	field.	France.	1824.	—	H. 2.		
23 nigréscens. w. (pu.)	dark.	Hungary.	1805.	6. 8.	H. 2.		
24 decípiens. P.S. (pu.)	deceived.	France.	1826.	—	H. 2.		
25 Triumfètti. w. (re.)	Cenisian.	Mt. Cenis.	—	—	H. 2.		
26 montàna. w. (bl.)	mountain.	Austria.	1596.	—	H. 2.		Bot. mag. t. 77.

27	<i>sensâna</i> . P.s.	silvery-fringed.	S. Europe.	1816.	6. 8.	H. 4.	Barrel. ic. 389.
	<i>axillâris</i> . w. <i>variegâta</i> . Lam.						
28	<i>stricta</i> . w.K.	(bl.) upright.	Hungary.	1826.	—	H. 4.	
29	<i>depressa</i> . M.B.	(bl.) depressed.	Caucasus.	—	—	H. 4.	
30	<i>lingulâta</i> . s.s.	(bl.) tongue-leaved.	Spain.	1825.	—	H. 4.	
31	<i>spathulâta</i> . s.s.	(bl.) spathulate-leav'd.	Naples.	1827.	—	H. 4.	
32	<i>Cyânus</i> . w.	(bl.ra.) blue-bottle.	Britain.	—	H. ⊙.	Eng. bot. v. 4. t. 277.
	<i>Cyânus ségetum</i> . Moench.						
33	<i>americâna</i> . N.	(li.) American.	N. America.	1823.	7. 10.	H. ⊙.	Swt. br. fl. gar. ic.
34	<i>ochroleuca</i> . w.	(st.) Caucasian.	Caucasus.	1801.	7. 8.	H. ⊙.	Bot. mag. t. 1175.
35	<i>africâna</i> . w.	(ye.) African.	Africa.	1825.	—	F. 4.	
36	<i>cheiranthifolia</i> . w.	(ye.) Stock-leaved.	Caucasus.	1829.	—	H. 4.	
37	<i>ovina</i> . w.	(ye.) small-flowered.	—	1802.	7. 11.	H. 4.	
38	<i>paniculâta</i> . w.	(pu.) paniced.	Europe.	1640.	7. 8.	H. ♂.	Jacq. aust. 4. t. 320.
39	<i>intybacea</i> . P.s.	(re.) Succory-leaved.	S. Europe.	1778.	7. 9.	H. 4.	
40	<i>leucântha</i> . Lam.	(wh.) white-blossom'd.	—	1826.	—	H. 4.	Barrel. ic. 359.
41	<i>spinosa</i> . w.	(wh.) prickly-branch'd.	Candia.	1640.	—	F. ♀.	Bot. mag. t. 2493.
42	<i>ragusina</i> . w.	(ye.) white-leaved.	—	1710.	6. 7.	G. ♀.	— t. 494.
43	<i>argentea</i> . w.	(ye.) silver-leaved.	—	1739.	7. 8.	F. ♀.	Barrel. ic. t. 218.
44	<i>Cineraria</i> . w.	(pu.) hoary-leaved.	Italy.	1710.	—	H. 4.	Moris. s. 7. t. 26. f. 20.
45	<i>cinerea</i> . w.	(pu.) gray.	—	—	6. 7.	H. 4.	Jacq. vind. 1. t. 92.
46	<i>dealbata</i> . M.B.	(pu.) mealy.	Caucasus.	1804.	7. 8.	H. 4.	
47	<i>cicutæfolia</i> . H.H.	(pu.) Cicuta-leaved.	Europe.	1824.	—	H. 4.	
48	<i>maculosa</i> . P.s.	(pu.) spotted-cupped.	Siberia.	1816.	—	H. 4.	Gmel. sib. 2. t. 44. f. 1. 2.
49	<i>Marschalliana</i> . s.s.	(pu.) Marschall's.	Caucasus.	1829.	—	H. 4.	
50	<i>declinata</i> . M.B.	(pu.) declining.	—	1827.	—	H. 4.	
51	<i>leucophylla</i> . M.B.	(pu.) white-leaved.	—	1824.	—	H. 4.	
52	<i>trinervia</i> . w.	(pu.) three-nerved.	—	1828.	—	H. 4.	
53	<i>dissecta</i> . T.N.	(pu.) cut-leaved.	Italy.	1824.	—	H. 4.	
54	<i>sempervirens</i> . w.	(ye.) evergreen.	Spain.	1683.	—	H. 4.	Bocc. sic. t. 39. f. 3.
55	<i>coriacea</i> . w.	(re.) leathery-leav'd.	Hungary.	1804.	6. 7.	H. 4.	W. et K. hung. 2. t. 195.
56	<i>Scabiösa</i> . w.	(pu.) greater-knapweed.	Britain.	6. 8.	H. 4.	Eng. bot. v. 1. t. 56.
57	<i>tatarica</i> . w.	(ye.) Tartarian.	Tartary.	1801.	7. 8.	H. 4.	
58	<i>St'cebe</i> . w.	(pu.) wing-leaved.	Austria?	1759.	6. 7.	H. 4.	
59	<i>Fischeri</i> . W.en.	(pu.) Fischer's.	Siberia.	1816.	—	H. 4.	
60	<i>macrocephala</i> . w.	(st.) large-headed.	Caucasus.	1805.	6. 8.	H. 4.	Bot. mag. t. 1248.
61	<i>atropurpurea</i> . w.	(pu.) dark purple.	Hungary.	1802.	—	H. 4.	W. et K. hung. 2. t. 116.
62	<i>caloccephala</i> . W.en.	(ye.) smooth-stalked.	Levant.	1816.	—	H. 4.	
63	<i>canariensis</i> . W.en.	(wh.) Canary.	Teneriffe.	1815.	—	G. ♀.	
64	<i>orientalis</i> . w.	(ye.) oriental.	Levant.	1759.	7. 8.	H. 4.	
65	<i>pulcherrima</i> . w.	(pu.) beautiful.	Caucasus.	1823.	—	H. 4.	
66	<i>arachnoidea</i> . P.s.	(ye.) cobweb.	Italy.	—	—	H. 4.	Viv. fl. it. fr. t. 8.
67	<i>sibirica</i> . w.	(pu.) Siberian.	Siberia.	1782.	—	H. 4.	Gmel. sib. 2. t. 42. f. 2.
68	<i>diluta</i> . w.	(li.) pale-flowered.	S. Europe.	1781.	—	H. 4.	
69	<i>alata</i> . w.	(ye.) winged-stalked.	Tartary.	—	8. 9.	H. 4.	Venten. cels. t. 80.
70	<i>elongata</i> . s.s.	(li.) elongated.	Barbary.	1822.	—	H. 4.	
71	<i>Bèhen</i> . w.	(ye.) saw-leaved.	Levant.	1797.	7. 8.	H. ⊙.	
72	<i>repens</i> . w.	(ye.) creeping.	—	1739.	6. 8.	H. 4.	
73	<i>Jacea</i> . w.	(pu.) brown knapweed.	England.	7. 9.	H. 4.	Eng. bot. v. 24. t. 1678.
74	<i>decumbens</i> . P.s.	(pu.) decumbent.	France.	1815.	—	H. 4.	
75	<i>amara</i> . w.	(pu.) bitter.	Italy.	7. 8.	H. 4.	Bocc. mus. 31. t. 17.
76	<i>alba</i> . w.	(pu.) white.	Spain.	1597.	6. 9.	H. 4.	
77	<i>splendens</i> . w.	(pu.) shining.	—	—	7. 8.	H. ♂.	
78	<i>nitens</i> . w.	(pu.) glittering.	Caucasus.	1823.	—	H. ⊙.	Buxb. cent. 2. t. 15. f. 1.
79	<i>tagana</i> . w.	(pu.) Portugal.	Portugal.	1640.	—	H. 4.	Brot. phyt. lus. t. 3.
80	<i>babylonica</i> . w.	(pu.) Babylonian.	Levant.	1710.	6. 9.	H. 4.	Alp. exot. t. 282.
81	<i>glastifolia</i> . w.	(ye.) woad-leaved.	Siberia.	1731.	—	H. 4.	Bot. mag. t. 62.
82	<i>parviflora</i> . s.s.	(pu.) small-flowered.	S. Europe.	1823.	—	H. 4.	
83	<i>multifida</i> . P.s.	(st.) multifid.	—	1824.	—	H. 4.	
84	<i>sordida</i> . s.s.	(pu.ye.) sordid.	1817.	—	H. 4.	
85	<i>rigida</i> . s.s.	(pu.) rigid.	1824.	—	H. 4.	
86	<i>Barrelieri</i> . s.s.	(pu.) Barrelier's.	Hungary.	1826.	—	H. 4.	Barrel. ic. 310.
87	<i>stereophylla</i> . s.s.	(pu.) variable-leaved.	Poland.	1828.	—	H. 4.	
88	<i>spinulosa</i> . s.s.	(pu.) small-spined.	Hungary.	1825.	—	H. 4.	
89	<i>tenuifolia</i> . Leh.	(pu.) slender-leaved.	Siberia.	1829.	—	H. 4.	
90	<i>subspinosa</i> . Leh.	(pu.) somewhat spiny.	—	—	—	H. 4.	
91	<i>Jacobæfolia</i> . s.s.	(ye.) Jacobea-leaved.	—	—	H. 4.	
92	<i>reflexa</i> . s.s.	(ye.) crook-spined.	Iberia.	1801.	7. 8.	H. 4.	
93	<i>centauroides</i> . s.s.	(ye.) lyre-leaved.	S. Europe.	1739.	5. 7.	H. 4.	Column. ecphr. 1. t. 35.

94 collina. s.s.	(ye.) hill.	S. Europe.	1596.	6. 7.	H. 4.	
95 pubescens. s.s.	(ye.) downy.	1804.	7. 8.	H. 4.	
96 nicænsis. s.s.	(ye.) Italian.	Italy.	1827.	—	H. 4.	
97 rupèstris. s.s.	(ye.) rock.	—————	1804.	—	H. 4.	Column.ecph.1.t.et.f.2.
98 hybrida. s.s.	(pu.ye.) hybrid.	—————	1821.	—	H. ♂.	
99 sabulosa. s.s.	(wh.) gravel.	Siberia.	1828.	—	H. 4.	
100 Crocodylium. s.s.	(bh.) blush-flowered.	Levant.	1777.	—	H. ⊙.	Barrel. rar. t. 503.
101 aurea. s.s.	(go.) great golden.	S. Europe.	1758.	7. 9.	H. 4.	Bot. mag. t. 421.
102 scoparia. s.s.	(pu.) broom.	Levant.	1829.	—	H. 4.	
103 Verutum. s.s.	(ye.) dwarf.	—————	1780.	8. 9.	H. ⊙.	Jacq. ic. t. 178.
104 muricata. s.s.	(pu.) muricated.	Spain.	1621.	7. 8.	H. ⊙.	
105 pubigera. P.s.	(pu.) pubescent.	S. Europe.	1828.	—	H. ⊙.	
106 peregrina. s.s.	(pu.) soft-leaved.	—————	1749.	—	H. ⊙.	
107 cichoræa. s.s.	(pu.) Succory-like.	Italy.	7. 9.	H. ♂.	Till. pis. p. 84. t. 27.
108 salmantica. s.s.	(wh.pu.) ragwort-leaved.	S. Europe.	1596.	7. 8.	H. ♂.	Jacq. vind. 1. t. 64.
109 sonchifolia. s.s.	(pu.) Sow-thistle-ld.	—————	1780.	8. 10.	H. ⊙.	Pluk. phyt. 39. f. 1.
110 Séridis. s.s.	(pu.) purple-flower'd.	Spain.	1686.	6. 8.	H. 4.	Pluk. alm. t. 38. f. 1.
111 napifolia. s.s.	(pu.) Turnep-leaved.	Candia.	1691.	7. 9.	H. ⊙.	Herm. parad. t. 189.
112 Zanonii. s.s.	(pu.) Zanoni's.	—————	1822.	—	H. ♂.	
113 Isnardi. s.s.	(li.) Jersey.	Jersey.	7. 8.	H. 4.	Eng. bot. v. 32. t. 2256.
114 áspera. s.s.	(pu.) rough.	S. Europe.	1772.	6. 10.	H. ⊙.	Bocc. mus. 35. t. 26.
115 sphærocéphala. s.s.	(pu.) globe-headed.	—————	1683.	6. 8.	H. ⊙.	Bot. mag. t. 2551.
116 auriculata. P.s.	(pu.) eared.	—————	1816.	7. 8.	H. ⊙.	
117 polyacantha. s.s.	(pu.) many-spined.	Portugal.	1804.	—	H. ⊙.	
118 prolifera. P.s.	(st.) proliferous.	Egypt.	1816.	—	H. ⊙.	Vent. hort. cels. t. 16.
<i>straminea.</i> W. hort. ber. t. 26.						
119 ibérica. s.s.	(pu.) Iberian.	Iberia.	1821.	—	H. ⊙.	
120 ferox. s.s.	(ye.) hedgehog.	Barbary.	1790.	7. 9.	F. 4.	Desf. atl. 2. t. 242.
121 solstitialis. s.s.	(ye.) St. Barnaby's.	England.	7. 8.	H. ⊙.	Eng. bot. v. 4. t. 243.
122 melitensis. s.s.	(ye.) cluster-headed.	Malta.	1710.	—	H. ⊙.	Bocc. sic. t. 35.
123 A'dami. s.s.	(ye.) Adam's.	Siberia.	1804.	—	H. 4.	
124 sulphurea. W.en.	(st.) straw-coloured.	1815.	—	H. ⊙.	
125 sícula. s.s.	(st.) Sicilian.	Sicily	1710.	—	H. 4.	Bocc. sic. t. 8. f. 1.
126 Stevèni. s.s.	(ye.) Steven's.	Caucasus.	1826.	—	H. ⊙.	
127 cruenta. W.en.	(pu.) obovate-leaved.	S. Europe.	1816.	6. 8.	H. 4.	
128 romana. L.	(pu.) Roman.	Italy.	1739.	7. 9.	H. ♂.	Barrel. rar. t. 504.
129 benedicta. s.s.	(st.) blessed thistle.	Spain.	1548.	6. 10.	H. ⊙.	Zorn. ic. t. 122.
130 pullata. s.s.	(br.) sad-coloured.	S. Europe.	1714.	6. 7.	H. ♂.	Mill. ic. 2. t. 152. f. 2.
131 eriophora. s.s.	(ye.) woolly-headed.	Portugal.	1714.	6. 10.	H. ⊙.	
132 ápula. s.s.	(ye.) Apulian.	Sicily.	1829.	6. 8.	H. ⊙.	Column. ecphr. 1. t. 31.
133 Calcitrapa. s.s.	(li.) Star-thistle.	Britain.	—	H. ⊙.	Eng. bot. v. 2. t. 125.
134 calcitrapoides. s.s.	(li.) Phœnician.	Levant.	1683.	6. 7.	H. ⊙.	
135 ægyptiaca. s.s.	(wh.) Egyptian.	Egypt.	1790.	6. 9.	H. ⊙.	
136 balsamita. w.	(ye.) Balsam-scented.	Armenia.	1824.	7. 8.	H. 4.	
137 lanata. DC.	(ye.) hoary.	Switzerland.	1825.	—	H. ⊙.	
138 crética. s.s.	(wh.) Cretan.	Candia.	1827.	—	H. ⊙.	
139 bullata. Leh. blistered.	1829.	H. 4?	
140 ucrànica. Ot. Ukraine.	Ukraine.	—	H. 4?	
RHAPONTICA. DC. RHAPONTICA. Syngenesia Polygamia Frustranea.						
1 scariosa. DC.	(pu.) common.	Switzerland.	1640.	7. 8.	H. 4.	Bot. mag. t. 1752.
<i>Centaurea Rhapontica.</i> B.M.						
β lyrata. DC.	(pu.) lyrate.	—————	—	H. 4.	
2 uniflora. DC.	one-flowered.	Siberia.	1796.	—	H. 4.	Gmel. sib. 2. t. 38.
<i>Cnicus uniflorus.</i> w.						
3 doronicæfolia. F.	(pu.) Doronicum-leav'd.	—————	1825.	6. 8.	H. 4.	
4 dahurica. F.	(pu.) Dahurian.	Dahuria.	1829.	—	H. 4.	
CARDOPATUM. J. CARDOPATUM. Syngenesia Polygamia Segregata.						
corymbosum. P.s.	(bl.) umbelled.	S. Europe.	1640.	6. 7.	H. 4.	Moris. s. 7. t. 33. f. 17.
<i>Brøtera corymbosa.</i> w.						

Div. II. ECHINOPSIDEÆ. *Kth. synops.* 2. p. 364.

ROLA'NDRA. W.	ROLA'NDRA. Syngenesia Polygamia Segregata. L.					
argentea. w.	(wh.) silver-leaved.	W. Indies.	1714.	7.	S. h.	Sloan. jam. 1. t. 7. f. 3.
ECHINO'PS. W.	GLOBE-THISTLE. Syngenesia Polygamia Segregata.					L.
1 sphærocéphalus. w.	(wh.) great.	Austria.	1596.	7. 8.	H. 4.	Flor. græc. t. 923.
2 exaltatus. Schr.	(wh.) tall.	—————	1820.	H. 4.	

2 spinosus. w.	(wh.) thorny-headed.	Egypt.	1597.	7. 8.	H. ♀.	Flor. græc. t. 924.
3 paniculatus. B.R.	(bl.) panicked.	Spain.	1815.	—	H. ♂.	Bot. reg. t. 356.
4 horridus. P.S.	(wh.) horrid.	Persia.	1817.	—	H. ♀.	
5 viscosus. M.B.	(wh.) viscous.	Caucasus.	1823.	—	H. ♂.	
6 tauricus. W.en.	(bl.) Taurian.	Tauria.	1816.	—	H. ♀.	
7 dahuricus. F.	(bl.) Dahurian.	Dahuria.	1827.	—	H. ♀.	
8 ruthenicus. M.B.	(bl.) Russian.	Russia.	1819.	—	H. ♀.	
9 Ritro. w.	(bl.) small.	Europe.	1570.	7. 9.	H. ♀.	Bot. mag. t. 932.
10 tenuifolius. F.	(bl.) slender-leaved.	Russia.	1823.	—	H. ♀.	
11 strictus. B.M.	(bl.) upright.	—	1822.	8. 10.	H. ♂?	Bot. mag. t. 2457.
12 persicus. F.	(wh.) Persian.	Persia.	1821.	—	H. ♀.	
13 bannaticus. W.K.	(wh.) Hungarian.	Hungary.	1828.	—	H. ♀.	
14 lanuginosus. w.	(bl.) woolly.	Levant.	1736.	6. 7.	H. ♀.	Flor. græc. t. 926.
15 humilis. M.B.	(bl.) low.	Siberia.	1826.	6. 8.	H. ♀.	
16 strigosus. w.	(wh.) annual.	Spain.	1729.	7. 9.	H. ♂.	Bot. mag. t. 2109.
GUND'ELIA. W.	GUND'ELIA.	Syngenesia Polygamia Segregata. L.				
Tournefortii. w.	(pu.) Tournefort's.	Levant.	1739.	6. 8.	H. ♀.	Mill. ic. t. 287.
SPHÆRANTHUS. W.	SPHÆRANTHUS.	Syngenesia Polygamia Segregata. L.				
1 mollis. H.B.	(bl.) soft.	E. Indies.	1818.	7. 9.	S. ♂.	
2 indicus. w.	(pu.) Indian.	—	1699.	8. 12.	S. ♀.	Burm. zeyl. t. 94. f. 3.
3 cochinchinensis. w.	(bl.) Cochinchina.	Cochinchina.	1826.	7. 8.	H. ♂.	
4 hirtus. w.	(bl.) hairy.	Manila.	1823.	—	G. ♂.	Lam. ill. t. 718. f. 1.
5 africanus. w.	(bl.) African.	C. B. S.	1759.	7. 8.	G. ♂.	Pluk. mant. t. 108. f. 7.
ANGIANTHUS. W.C.	ANGIANTHUS.	Syngenesia Polygamia Segregata.				
tomentosus. w.c.	(ye.) woolly.	N. Holland.	1803.	7. 8.	G. ♀.	Wendl. coll. 2. t. 48.
Cassinia aurea. H.K.	non L.T.					
BROT'ERA. P.S.	BROT'ERA.	Syngenesia Polygamia Segregata. P.S.				
trinervata. P.S.	(ye.) three-nerved.	S. America.	1799.	7. 8.	H. ♂.	Schr. b. jour. 180. 2. t. 5.
Conrayerva. Spr.	Nauenburgia trinervata. w.					
ÆD'ERA. W.	ÆD'ERA.	Syngenesia Polygamia Segregata. L.				
1 prolifera. w.	(ye.) proliferous.	C. B. S.	1789.	5. 6.	G. ♀.	Bot. mag. t. 1637.
2 aliena. w.	(ye.) linear-leaved.	—	1821.	5. 7.	G. ♀.	Jacq. schœnb. 2. t. 154.
ELEPHANTOPUS. W.	ELEPHANT'S-FOOT.	Syngenesia Polygamia Segregata. L.				
1 scaber. w.	(re.) rough-leaved.	E. Indies.	1695.	6. 9.	S. ♀.	Rheed. mal. 10. t. 7.
2 carolinianus. w.	(re.) Carolina.	America.	1732.	7. 9.	G. ♀.	Dill. elth. t. 106. f. 126.
3 tomentosus. w.	(re.) woolly.	W. Indies.	1733.	7. 8.	S. ♀.	
4 mollis. K.S.	(wh.) soft-leaved.	Caracas.	1825.	—	S. ♀.	
5 nudiflorus. w.	(re.) naked-flower'd.	W. Indies.	1822.	—	S. ♀.	
6 spicatus. w.	(re.) spiked.	—	1821.	—	S. ♀.	Sloan. hist. 1. t. 150. f. 3. 4.
7 angustifolius. w.	(re.) narrow-leaved.	—	1823.	—	S. ♀.	— t. 148. f. 4.
ST'ÆBE. W.	ST'ÆBE.	Syngenesia Polygamia Segregata. L.				
1 æthiopica. w.	(wh.) Juniper-leaved.	C. B. S.	1759.	8.	G. ♀.	
Seriphium æthiopicum. P.S.						
2 ericoides. w.	(wh.) Heath-like.	—	1816.	7. 9.	G. ♀.	Moris. s. 7. t. 18. f. 12.
3 gomphrenoides. w.	(w.) Gomphrena-like.	—	—	—	G. ♀.	Houtt. syst. 4. t. 34. f. 1.
4 gnaphaloides. w.	(wh.) Gnaphalium-like.	—	1824.	—	G. ♀.	Burm. afr. t. 77. f. 1.
5 cinerea. w.	(wh.) Heath-leaved.	—	1774.	—	G. ♀.	Pluk. mant. t. 297. f. 1.
Seriphium cinereum. P.S.						
6 alopecuroides. w.	(wh.) Fox-tail-like.	—	1824.	—	G. ♀.	Pluk. alm. t. 445. f. 2.
7 reflexa. w.	(wh.) reflex-leaved.	—	1816.	—	G. ♀.	
CÆS'ULIA. Roxb.	CÆS'ULIA.	Syngenesia Polygamia Segregata. L.T.				
1 axillaris. w.	(wh.) axillary-flower'd.	E. Indies.	1804.	7. 9.	S. ♀.	Andr. reposit. t. 431.
2 lancifolia.	(wh.) spear-leaved.	—	1820.	—	S. ♀.	
LAGA'SCA. Cav.	LAGA'SCA.	Syngenesia Polygamia Segregata. L.T.				
mollis. w.	(wh.) soft.	S. America.	1815.	6. 9.	G. ♂.	Bot. mag. t. 1804.
NO'CCA. W.	NO'CCA.	Syngenesia Polygamia Segregata.				
1 rigida. C.I.	(re.) red-flowered.	Mexico.	1823.	8. 10.	F. ♀.	Swt. br. fl. gar. s. 2. t. 26.
Lagáscea rubra. H. et B.	pl. amer. 4. t. 311.					
2 suaveolens.	(wh.) sweet-scented.	Mexico.	—	F. ♀.	
Lagáscea suaveolens. K.S.						
3 latifolia. B.F.G.	(wh.) broad-leaved.	—	—	F. ♀.	Swt. br. fl. gar. t. 215.

Div. III. VERNONIACEÆ. *Kth. synops. 2. p. 367. et ASTEREÆ. l. c. p. 399.*

AMPHE'REPHIS. K.S. AMPHE'REPHIS. Syngenesia Polygamia Æqualis. intermedia. L.en. (bl.) intermediate. Brazil. 1822. 7. 9. H. ♂. Swt. br. fl. gar. t. 225.

ASCARI'CIDA. Cass. ASCARI'CIDA. Syngenesia Polygamia Æqualis.					
anthelmintica. (li.)	Indian.	E. Indies.	1770.	8. 9.	S. ♂. Rheed. mal. 2. t. 24.
<i>indica</i> . Cass. <i>Vernonia anthelmintica</i> . W. <i>Conyza anthelmintica</i> . L.					
VERN'ONIA. W. VERN'ONIA. Syngenesia Polygamia Æqualis. W.					
1 noveboracensis. w. (pu.)	long-leaved.	N. America.	1710.	9. 11.	H. ♀. Dill. elt. t. 263. f. 342.
2 præalta. w. (pu.)	tall.	—————	1732.	—————	H. ♀. ————— t. 264. f. 343.
3 angustifolia. Ph. (pu.)	narrow-leaved.	—————	1817.	—————	H. ♀.
4 glauca. w. (pu.)	glaucous-leaved.	—————	1710.	—————	H. ♀. Dill. elt. t. 262. f. 341.
<i>oligophylla</i> . M.					
5 altissima. N. (pu.)	tallest.	—————	1823.	—————	H. ♀.
6 pandurata. L.en. (pu.)	fiddle form.	—————	—————	—————	H. ♀.
7 serratuloides. K.s. (pu.)	Sawwort-like.	Mexico.	1824.	—————	H. ♀.
8 axilliflora. Ot. (pi.)	axillary-flower'd.	—————	1829.	9. 10.	F. ♀.
9 centriflora. Lk. (pu.)	centre-flower'd.	Brazil.	1826.	—————	S. ♀.
10 sericea. B.R. (li.)	silky.	—————	1818.	9. 1.	S. ♀. Bot. reg. t. 522.
11 arborescens. P.s. (pu.)	tree.	Jamaica.	1733.	11. 12.	S. ♀. Plum. sp. 10. t. 130. f. 2.
<i>Conyza arborescens</i> . W.					
12 fruticosa. P.s. (pu.)	shrubby.	S. America.	1818.	—————	S. ♀. Plum. ic. 95. f. 1.
<i>Conyza fruticosa</i> . L.					
13 flexuosa. B.M. (pu.)	flexuose-branch'd.	Brazil.	1823.	9. 10.	S. ♀. Bot. mag. t. 2477.
LI'ATRIS W. LI'ATRIS. Syngenesia Polygamia Æqualis. W.					
1 spicata. w. (pu.)	long-spiked.	N. America.	1732.	8. 10.	H. ♀. Swt. br. fl. gar. t. 49.
β pumila. B.C. (pu.)	dwarf.	—————	—————	H. ♀. Lodd. bot. cab. t. 147.
2 pycnostachya. M. (pu.)	pubescent.	—————	1732.	—————	H. ♀. Dill. elt. t. 72. f. 83.
3 heterophylla. Ph. (pu.)	various-leaved.	—————	1790.	7. 8.	H. ♀. Bot. reg. t. 948.
4 intermedia. B.R. (pu.)	intermediate.	—————	1823.	8. 9.	H. ♀.
5 cylindræca. M. (pu.)	cylindrical-cup'd.	—————	1811.	10.	H. ♀. Bot. reg. t. 595.
6 pilosa. Ph. (pu.)	hairy-leaved.	—————	1783.	—————	H. ♀.
7 gracilis. Ph. (pu.)	smooth-leaved.	—————	1812.	—————	H. ♀.
8 turbinata. B.F.G. (pu.)	turbinate-cup'd.	—————	1823.	—————	H. ♀. Swt. br. fl. gar. ic.
9 elegans. w. (pu.)	hairy-cup'd.	—————	1787.	9. 10.	H. ♀. Bot. reg. t. 267.
10 sphaeroidea. M. (pu.)	globular-cup'd.	—————	1817.	8. 10.	H. ♀. Swt. br. fl. gar. t. 87.
11 scariosa. w. (pu.)	scariose-cup'd.	—————	1739.	9. 10.	H. ♀. Bot. reg. t. 590.
12 squarrosa. w. (pu.)	rough-cup'd.	—————	1732.	—————	H. ♀. Swt. br. fl. gar. t. 44.
13 paniculata. w. (pu.)	panicled.	—————	1826.	8. 10.	H. ♀.
14 odoratissima. w. (pu.)	sweet-scented.	Carolina.	1786.	—————	F. ♀. Andr. reposit. t. 633.
15 corymbosa. w. (pu.)	corymbose.	N. America.	1825.	—————	F. ♀.
BRACHYLÆNA. L.T. BRACHYLÆNA. Syngenesia Polygamia Superflua.					
neriifolia. L.T. (st.)	Oleander-leav'd.	C. B S.	1752.	8. 11.	G. ♀.
<i>Baccharis neriifolia</i> . w.					
BA'CCHARIS. W. PLOWMAN'S-SPIKENARD. Syngenesia Polygamia Superflua.					
1 ivafolia. w. (wh.)	Peruvian.	America.	1696.	7. 8.	G. ♀. Schk. handb. 3. t. 244.
2 angustifolia. M. (wh.)	narrow-leaved.	N. America.	1812.	7. 9.	G. ♀.
3 glomeruliflora. M. (wh.)	close-flowered.	—————	1817.	8. 10.	H. ♀.
4 halimifolia. w. (wh.)	Groundsel-tree.	—————	1683.	10. 11.	H. ♀. Schmidt arb. t. 82.
5 Dioscoridis. w. (wh.)	Dioscorides'.	Levant.	1822.	7. 9.	G. ♀. Rauw. it. 4. t. 54.
6 scoparia. P.s. (wh.)	broom.	Jamaica.	—————	—————	S. ♀. Brown. jam. t. 34. f. 4.
<i>Calea scoparia</i> . L.					
7 mollis. K.s. (wh.)	soft.	Quito.	1824.	5. 6.	F. ♀.
8 genistelloides. K.s. (w.)	wing-stemmed.	Brazil.	1829.	7. 10.	G. ♀.
<i>alata</i> . Hort. <i>Pterocladis genistelloides</i> . Lamb. herb.					
9 parviflora. P.s. (wh.)	small-flowered.	Peru.	1822.	S. ♀.
10 lycopodioides. P.s. (wh.)	Club-moss-like.	Mauritius.	1828.	S. ♀.
<i>Conyza lycopodioides</i> . Lam.					
CONYZA. W. FLEA-BANE. Syngenesia Polygamia Superflua. L.					
1 squarrosa. w. (ye.)	great.	Britain.	7. 8.	H. ♂. Eng. bot. v. 17. t. 1195.
2 marylandica. Ph. (pu.)	Maryland.	N. America.	8. 10.	H. ♂. Dill. elt. t. 88. f. 104.
3 camphorata. Ph. (pu.)	Camphor-scent'd.	—————	1704.	—————	H. ♀. ————— t. 89. f. 105.
<i>Baccharis fœtida</i> . w.					
4 patula. w. (pu. ye.)	spreading.	China.	1758.	7. 9.	H. ♂. Mill. ic. 2. t. 247.
5 axillaris. w. (re.)	axillary.	Mauritius.	1824.	—————	H. ♂.
6 bifrons. w. (st.)	oval-leaved.	N. America.	1739.	8. 9.	H. ♀. Pluk. alm. t. 87. f. 4.
7 purpurascens. w. (li.)	purplish.	Jamaica.	1822.	—————	S. ♂. Sloan. hist. 1. t. 159. f. 1.
8 candida. L. (ye.)	woolly.	Candia.	1714.	6. 7.	F. ♀. Flor. græc. t. 865.
<i>verbascifolia</i> . w.					
9 limonifolia. F.G. (ye.)	white-leaved.	—————	—————	F. ♀. Barr. ic. t. 217.
<i>candida</i> . w. non L.					
10 balsamifera. w. (re.)	balsamiferous.	China.	1818.	—————	S. ♀. Rumph. amb. 6. t. 24. f. 1.
11 chinensis. w. (bl.)	Chinese.	—————	1796.	7. 8.	S. ♂. ————— 6. t. 14. f. 2.

12	cinèrea. w.	(pu.) grey.	E. Indies.	7. 8.	S. ☉.	Rumph. amb. 6. t. 14. f. 1.
13	fastigiàta. W. en.	(pu.) clustered.	Senegal.	1820.	—	H. ☉.	
14	prolifera. w.	(wh.) proliferous.	Java.	1819.	7. 9.	S. ♀.	Rumph. am. 5. t. 104. f. 1.
15	hirsùta. w.	(ye. pu.) shaggy.	China.	1767.	8. 9.	G. ♂.	
16	ægyptiaca. w.	(ye.) Egyptian.	Egypt.	1778.	7. 9.	H. ☉.	Jacq. vind. 3. t. 19.
17	chilénsis. s. s.	(ye.) Chile.	Chile.	1816.	8. 10.	H. ☉.	
18	mauritiàna. Boj.	(pu.) Mauritius.	Mauritius.	1821.	—	S. ☉.	
19	Hubértii. Boj.	(pu.) Hubert's.	Madagascar.	1824.	7. 10.	S. ☉.	
20	viscòsa. Boj.	(pu.) viscous.	Mauritius.	—	8. 10.	S. ☉.	
21	pùmila. s. s.	(ye.) dwarf.	Crete.	1826.	7. 9.	H. ☉.	
22	pinnatífida. R.	(pu.) pinnatifid.	E. Indies.	1816.	—	S. ♀.	
23	Gouàni. w.	(ye.) Gouan's.	Canaries.	1772.	7. 8.	G. ♂.	Jacq. vind. 3. t. 79.
24	sícula. w.	(ye.) red-stalked.	Sicily.	1779.	8. 9.	H. ☉.	Bocc. sic. t. 31. f. 4.
25	aùrita. w.	(wh.) eared.	E. Indies.	1818.	—	S. ☉.	
26	f'œtida. w.	(wh. re.) stinking.	Africa.	1724.	—	G. ♀.	Mill. ic. 2. t. 233.
27	am'œna. L. en.	(pu.) pretty.	—	1816.	—	S. ♀.	
28	glomeràta. L. en.	(pu.) crowded.	1824.	—	S. ♀.	
29	spatulàta. L. en.	(bl.) spatulate.	—	7. 9.	S. ♀.	
30	adnàta. K. s.	(pu.) decurrent.	Mexico.	—	—	S. ♀.	
	<i>Baccharis adnàta. W. en.</i>						
31	thapsoídes. M. B.	(pu.) Thapsus-leav'd.	Caspian Sea.	1806.	—	H. ♀.	
32	sórdida. w.	(br.) small-flowered.	S. Europe.	1570.	—	F. ♀.	Barr. ic. t. 368.
33	saxátilis. w.	(br.) stone.	—	1640.	7. 8.	F. ♀.	Schk. handb. 3. t. 241.
34	rupéstris. w.	(ye.) rock.	Arabia.	1790.	—	G. ♀.	Schmidel ic. t. 36.
35	Tenòrii. L. en.	(br.) Tenore's.	S. Europe.	1824.	F. ♀.	
36	serícea. w.	(ye.) snowy.	Canaries.	1779.	G. ♀.	
37	geminiflòra. L. en.	(br.) twin-flowered.	S. Europe.	1824.	F. ♀.	
38	inuloídes. w.	(pu.) cluster-flower'd.	Teneriffe.	1780.	7. 8.	G. ♀.	Jacq. ic. 1. t. 171.
39	odoràta. w.	(pu.) sweet-scented.	India.	1759.	6. 8.	S. ♀.	Plum. ic. t. 97.
40	incìsa. w.	(pu.) cut-leaved.	C. B. S.	1774.	—	G. ♀.	
41	carolinénsis. w.	(pu.) Carolina.	Carolina.	1823.	—	G. ♀.	Jacq. ic. 3. t. 185.
42	virgàta. w.	(pu.) wing-stalked.	America.	1783.	8. 9.	G. ♀.	Sloan. hist. 1. t. 152. f. 5.
43	rugòsa. H. K.	(br.) St. Helena.	St. Helena.	1772.	11.	G. ♀.	
	CARPESIMUM. W. CARPESIMUM. Syngenesia Polygamia Superflua. L.						
1	cérnum. w.	(ye.) drooping.	Austria.	1739.	7. 8.	H. ♀.	Jacq. aust. 3. t. 204.
2	abrotanoídes. w.	(ye.) Southernwood like.	China.	1768.	—	H. ♀.	Osbeck it. t. 10.
3	torulòsum. F.	(ye.) twisted.	Siberia.	1823.	6. 8.	H. ♀.	
4	Wulfeniànum. Schreb.	(ye.) Wulfen's.	1829.	—	H. ♂.	
	INULA. W. INULA. Syngenesia Polygamia Superflua. L.						
1	Helènum. w.	(ye.) Elecampane.	Britain.	7. 8.	H. ♀.	Eng. bot. v. 22. t. 1546.
2	O'culus-Christi. w.	(ye.) hoary.	Austria.	1759.	7. 9.	H. ♀.	Jacq. aust. 3. t. 223.
3	britànnica. w.	(ye.) creeping-rooted.	Germany.	—	—	H. ♀.	Flor. dan. t. 413.
4	undulàta. w.	(ye.) wave-leaved.	Egypt.	1739.	7. 10.	H. ☉.	
5	indica. w.	(ye.) Indian.	E. Indies.	—	—	S. ☉.	Burm. zeyl. t. 55. f. 2.
6	paludòsa. s. s.	(ye.) marsh.	Portugal.	1828.	—	H. ♀.	
7	áspera. s. s.	(ye.) rough.	—	—	H. ♀.	
8	campéstris. s. s.	(ye.) field.	Poland.	1827.	—	H. ♀.	
9	squarròsa. w.	(ye.) net-leaved.	S. Europe.	1768.	7. 9.	H. ♀.	Flor. græc. t. 875.
10	viscòsa. w.	(ye.) clammy.	Barbary.	1633.	7. 8.	G. ♀.	Jacq. vind. 2. t. 165.
	<i>Erigeron viscòsum. Jacq.</i>						
11	tuberòsa. P. s.	(ye.) tuberous-root'd.	S. Europe.	1640.	—	H. ♀.	Moris. s. 7. t. 19. f. 20.
	<i>Erigeron tuberòsum. w.</i>						
12	salicina. w.	(ye.) willow leaved.	N. Europe.	1648.	8. 9.	H. ♀.	Flor. dan. t. 786.
13	Bubònum. w.	(ye.) Austrian.	Austria.	1801.	7. 9.	H. ♀.	Jacq. aust. 5. ap. t. 10.
14	hírta. w.	(ye.) hairy.	—	1759.	6. 9.	H. ♀.	— 4. t. 358.
15	glandulòsa. w.	(ye.) glandular.	Georgia.	1801.	7. 8.	H. ♀.	Bot. mag. t. 1907.
16	grandiflòra. w.	(ye.) large-flowered.	Caucasus.	1825.	—	H. ♀.	
17	móllis. L. en.	(ye.) soft.	1823.	—	H. ♀.	
18	suavèolens. w.	(ye.) woolly-leaved.	S. Europe.	1758.	6. 8.	H. ♀.	Jacq. vind. 3. t. 51.
19	Vaillàntii. w.	(ye.) Vaillant's.	France.	1739.	—	H. ♀.	Hall. helv. n. 73. t. 2.
20	germánica. w.	(ye.) German.	Germany.	1759.	6. 7.	H. ♀.	Jacq. aust. 2. t. 134.
21	ensifòlia. w.	(ye.) sword-leaved.	Austria.	1793.	7. 9.	H. ♀.	— 2. t. 162.
22	saxátilis. s. s.	(ye.) rock.	S. Europe.	1825.	—	H. ♀.	
	<i>Erigeron glutinòsum. L.</i>						
23	crithmoídes. L.	(ye.) Samphire-leav'd.	England.	8. 9.	H. ♀.	Eng. bot. v. 1. t. 65.
24	provinciàlis. w.	(ye.) oval-leaved.	France.	1778.	7. 8.	H. ♀.	
25	montàna. w.	(ye.) mountain.	S. Europe.	1759.	—	H. ♀.	Garid. aix. t. 10.
26	bifròns. w.	(ye.) Italian.	—	1713.	6. 8.	H. ♀.	Herm. parad. t. 127.
27	trapsoídes. L. en.	(ye.) Mullein-like.	1823.	—	H. ♀.	

28	verbascifolia. s.s.	(ye.) Mullein-leaved.	Caucasus.	1828.	6. 8.	H. 4.	
29	calycina. s.s.	(ye.) reflex-scaled.	Italy.	1829.	—	H. 4.	
30	saturejoïdes. w.	(ye.) Savory-leaved.	Vera Cruz.	1733.	S. 4.	Reliq. houst. 8. t. 19.
31	fœtida. w.	(ye.) stinking.	Malta.	1688.	6. 8.	H. 4.	Bocc. sic. 26. t. 13.
32	odora. w.	(ye.) sweet-scented.	S. Europe.	1824.	—	H. 4.	Moris. s. 7. t. 21. f. 6.
33	hybrida. s.s.	(ye.) hybrid.	Poland.	1828.	—	H. 4.	
34	glabra. M.B.	(ye.) smooth.	Caucasus.	1826.	—	H. 4.	
35	caspica. F.	(ye.) Caspian.	Volga.	—	—	H. 4.	
PULIC'ARIA. G. FLEAWORT. Syngenesia Polygamia Superflua.							
1	vulgaris. G.	(ye.) small.	England.	8. 9.	H. 4.	Gært. sem. 2. t. 173. f. 7.
<i>Inula Pulicaria.</i> Eng. bot. v. 17. t. 1196.							
2	villosa. L.en.	(ye.) villous.	1821.	—	H. 4.	
3	arabica. L.en.	(ye.) Arabian.	Arabia.	1823.	—	F. 4.	Pluk. alm. t. 149. f. 4.
4	dysentérica. L.en.	(ye.) meadow.	England.	—	H. 4.	Eng. bot. v. 16. t. 1115.
<i>Inula dysentérica.</i> E.B.							
CHRYSO'PSIS. N. CHRYSO'PSIS. Syngenesia Polygamia Superflua.							
1	gossypina. N.	(ye.) cottony.	N. America.	1823.	6. 8.	H. 4.	
<i>Inula gossypina.</i> M.							
2	trichophylla. N.	(ye.) hairy-leaved.	—	1827.	—	H. 4.	
3	mariana. N.	(ye.) American.	—	1742.	7. 8.	H. 4.	Mill. ic. 1. t. 57. f. 1.
IXODIA. H.K. IX'ODIA. Syngenesia Polygamia Æqualis.							
	achillæoïdes. H.K.	(wh.) Milfoil-like.	N. Holland.	1803.	3. 9.	G. 4.	Bot. mag. t. 1534.
HUMEA. Sm. H'UMEA. Syngenesia Polygamia Æqualis.							
	elegans. H.K.	(re.) elegant.	N. S. W.	1800.	6. 10.	G. 4.	Exot. bot. 1. t. 1.
CASSINIA. L.T. CASSINIA. Syngenesia Polygamia Æqualis.							
1	spectabilis. L.T.	(st.) Humea-like.	N. Holland.	1821.	5. 10.	G. 4.	Bot. reg. t. 678.
2	affinis. L.T.	(st.) related.	N. S. W.	1823.	4. 6.	G. 4.	
3	aurea. L.T.	(ye.) golden.	—	1821.	—	G. 4.	Bot. reg. t. 764.
4	longifolia. L.T.	(st.) long-leaved.	—	—	—	G. 4.	
5	denticulata. L.T.	(st.) tooth-leaved.	—	1826.	6. 8.	G. 4.	
6	leptophylla. L.T.	(wh.) small-leaved.	N. Zealand.	1821.	4. 6.	G. 4.	
OZOTHA'MNUS. L.T. OZOTHA'MNUS. Syngenesia Polygamia Æqualis.							
1	cinereus. L.T.	(ye.) rusty.	V. Diem. Isl.	1820.	4. 8.	G. 4.	Lab. nov. hol. v. 2. t. 182.
<i>Chrysocoma cinerea.</i> Lab.							
2	rosmarinifolius. L.T.	(ye.) Rosemary-leav'd.	—	1822.	—	G. 4.	Lab. nov. hol. v. 2. t. 181.
<i>Eupatorium rosmarinifolium.</i> Lab.							
3	ferrugineus. L.T.	(ye.) ferruginous.	—	—	—	G. 4.	Lab. nov. hol. v. 2. t. 180.
<i>Eupatorium ferrugineum.</i> Lab.							
AMMOBIUM. Br. AMMOBIUM. Syngenesia Polygamia Æqualis.							
	alatum. B.M.	(wh.) winged-stalk'd.	N. S. W.	1823.	8. 9.	F. 4.	Swt. br. fl. gar. t. 48.
ANTENN'ARIA. L.T. ANTENN'ARIA. Syngenesia Polygamia Superflua. L.							
1	dioica. L.T.	(ro.) red-flowered.	Britain.	5. 7.	H. 4.	Eng. bot. v. 4. t. 267.
<i>Gnaphalium dioicum.</i> E.B.							
2	alpina. L.T.	(wh.) Alpine.	Alps Europe.	1775.	6. 7.	H. 4.	
3	carpatica. L.T.	(wh.) Carpathian.	Carp. mount.	—	—	H. 4.	Flor. dan. t. 332.
<i>Gnaphalium alpinum.</i> w. non L.							
4	plantaginifolia. L.T.	(wh.) Plantain-leav'd.	Virginia.	1759.	6. 7.	H. 4.	Pluk. alm. t. 348. f. 9.
<i>Gnaphalium plantaginifolium.</i> w.							
5	margaritacea. L.T.	(wh.) pearly.	England.	7. 9.	H. 4.	Eng. bot. v. 29. t. 2018.
6	triplinervis. D.P.	(wh.) triple nerved.	Nepaul.	1823.	6. 9.	F. 4.	Bot. mag. t. 2468.
7	contorta. D.P.	(wh.) twisted-leaved.	—	1818.	—	F. 4.	Bot. reg. t. 605.
LEONTOP'ODIUM. L.T. LION'S-FOOT. Syngenesia Polygamia Superflua. L.							
1	alpinum. D.D.	(wh.) Swiss.	Switzerland.	1776.	6. 7.	H. 4.	Bot. mag. t. 1958.
<i>Gnaphalium Leontopodium.</i> B.M.							
2	sibiricum. D.D.	(wh.) Siberian.	Siberia.	1829.	—	H. 4.	
GNAPHALIUM. L.T. EVERLASTING. Syngenesia Polygamia Superflua. L.							
1	luteo-album. w.	(st.) Jersey.	Jersey.	7. 8.	H. 4.	Eng. bot. v. 14. t. 1002.
2	albescens. w.	(wh.) white Jamaica.	Jamaica.	1793.	S. 4.	
3	sanguineum. w.	(re.) bloody.	Egypt.	1768.	5. 7.	H. 4.	Rauw. it. 285. t. 37.
4	undulatum. w.	(wh.) wave-leaved.	Africa.	1732.	6. 9.	H. 4.	Dill. elth. t. 108. f. 130.
5	obtusifolium. w.	(wh.) blunt-leaved.	N. America.	1699.	7. 9.	H. 4.	— t. 108. f. 131.
6	purpureum. w.	(pu.) purple-flower'd.	S. America.	1732.	6. 9.	G. 4.	— t. 109. f. 132.
7	involutatum. w.	(gr.) involucred.	N. Zealand.	1823.	7. 8.	G. 4.	Bot. mag. t. 2582.
8	americanum. w.	(br.) Jamaica.	Jamaica.	1815.	S. 4.	
9	pensylvanicum. w.	(st.) American.	N. America.	—	7. 9.	H. 4.	
10	sylvaticum. w.	(st.) highland.	Britain.	8. 9.	H. 4.	Eng. bot v. 13. t. 913.
11	rectum. w.	(br.) upright wood.	—	—	H. 4.	— v. 2. t. 124.
12	coarctatum. w.	(gr.) crowded.	Chili.	1820.	—	H. 4.	
13	polyccephalum. M.	(st.) many-headed.	N. America.	1826.	—	H. 4.	

14	stachydifolium. s.s. (br.)	Stachy's-leaved.	Monte Video.	1826.	8. 9.	H. ⊙.	
15	supinum. w. (br.)	dwarf.	Scotland.	6. 7.	H. 4.	Eng. bot. v. 17. t. 1193.
16	pusillum. w. (br.)	small.	Sweden.	1818.	—	H. 4.	Krock. siles. t. 41.
17	sphæricum. W.en. (br.)	sphærical.	S. Europe.	—	—	H. 4.	
18	cephaloïdeum. w. (br.)	headed.	—	—	—	H. ⊙.	
19	uliginosum. w. (st.)	marsh.	Britain.	8. 9.	H. ⊙.	Eng. bot. v. 17. t. 1194.
20	germanicum. w. (st.)	common.	—	6. 8.	H. ⊙.	— v. 14. t. 948.
21	gállicum. w. (st.)	narrow-leaved.	England.	—	H. ⊙.	— v. 33. t. 2369.
22	montanum. w. (st.)	mountain.	Europe.	1820.	—	H. ⊙.	
23	pyramidatum. w. (st.)	pyramidal.	S. Europe.	1779.	—	H. ⊙.	
24	minimum. w. (st.)	least.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 17. t. 1157.
25	arvense. w. (st.)	corn.	Europe.	1804.	—	H. ⊙.	
26	australe. F. (st.)	southern.	S. Europe.	1823.	—	H. ⊙.	
27	Sellowii. Lk. (st.)	Sellow's.	Buenos Ayres.	1828.	—	H. ⊙.	
28	alatum. K.s. (st.)	wing-stalked.	Quito.	1829.	—	G. 4.	
29	pompeyanum. E. (st.)	Egyptian.	Egypt.	—	—	H. ⊙.	
30	Lágonus. s.s. (wh.)	Hare's-foot.	Siberia.	1820.	—	H. ⊙.	
METALASIA. L.T. METALASIA. Syngenesia Polygamia Superflua.							
1	umbellata. D.D. (ro.)	umbelled.	C. B. S.	1816.	5. 7.	G. ½.	
2	muricata. D.D. (ro.)	muricate.	—	—	6. 9.	G. ½.	
3	divergens. D.D. (wh.)	spreading.	—	—	—	G. ½.	Burm. afr. t. 72. f. 2.
	<i>Gnaphalium divergens. w.</i>						
4	fastigiata. (wh.)	close-flowered.	—	1812.	5. 8.	G. ½.	Petiv. gaz. 12. t. 7. f. 3.
	<i>Gnaphalium fastigiatum. w.</i>						
5	aurea. D.D. (ye.)	golden.	—	1816.	—	G. ½.	
6	seriphioïdes. D.D. (wh.)	Seriphium-like.	—	1825.	—	G. ½.	
7	mucronata. L.T. (ye.)	mucronate.	—	1824.	—	G. ½.	Burm. afr. t. 66. f. 3.
8	pungens. D.D. (wh.)	pungent.	—	1815.	—	G. ½.	
9	uniflora. D.D. (wh.)	single-flowered.	—	1816.	—	G. ½.	
10	phylicoïdes. D.D. (wh.)	Phylica-leaved.	—	—	—	G. ½.	
SPIRAL'EPIS. D.D. SPIRAL'EPIS. Syngenesia Polygamia Superflua.							
1	squarrosa. D.D. (pu.wh.)	squarrose.	C. B. S.	1816.	7. 10.	G. 4.	Jacq. frag. t. 3. f. 4.
	<i>Gnaphalium squarrosum. Jacq.</i>						
2	glomerata. D.D. (wh.)	cluster-flowered.	—	1774.	3. 9.	G. 4.	
3	tineta. D.D. (bh.)	stained.	—	1816.	—	G. 4.	
4?	declinata. (wh.)	creeping.	—	1787.	7. 9.	G. 4.	
	<i>Gnaphalium declinatum. w.</i>						
PETALA'CTE. D.D. PETALA'CTE. Syngenesia Polygamia Superflua.							
1	coronata. D.D. (wh.)	crowned.	C. B. S.	1816.	5. 7.	G. ½.	Burm. afr. t. 69. f. 3.
	<i>Gnaphalium coronatum. w.</i>						
2	bicolor. D.D. (pu.wh.)	two-coloured.	—	—	—	G. ½.	
PENTATA'XIS. D.D. PENTATA'XIS. Syngenesia Polygamia Superflua.							
	<i>micrantha. D.D. (wh.) small-flowered. C. B. S. 1821. 5. 7. G. ½.</i>						
ASTE'LMA. Br. ASTE'LMA. Syngenesia Polygamia Superflua.							
1	eximium. B.R. (re.)	giant.	C. B. S.	1793.	6. 9.	G. ½.	Bot. reg. t. 532.
	<i>Gnaphalium eximium. A.R. 654.</i>						
2	milleflorum. D.D. (wh.)	many-flowered.	—	1802.	6. 9.	G. ½.	
	<i>Gnaphalium milleflorum. w.</i>						
3	Stæhelina. D.D. (ye.)	keel-leaved.	—	1801.	12. 3.	G. ½.	Andr. reposit. t. 425.
4	crassifolium. D.D. (ye.)	thick-leaved.	—	1816.	3. 5.	G. ½.	
5	proteoides. D.D. (wh.)	Protea-like.	—	1821.	—	G. ½.	
6	speciosissimum. D.D. (wh.)	showy.	—	1691.	7. 9.	G. ½.	Andr. reposit. t. 51.
	<i>Xeranthemum speciosissimum. A.R. Elichrysum speciosissimum. w.</i>						
7	lineare. D.D. (wh.)	linear-leaved.	C. B. S.	1816.	7. 9.	G. ½.	
8	spiralis. D.D. (re.wh.)	spiral-leaved.	—	1801.	7. 10.	G. ½.	Andr. reposit. t. 262.
	<i>Elichrysum spirale. w.</i>						
9	variegatum. D.D. (r.)	large globular-fld.	—	—	5. 6.	G. ½.	
10	imbricatum. D.D. (ro.)	imbricated.	—	1816.	—	G. ½.	
	<i>Elichrysum imbricatum. w. Xeranthemum imbricatum. L.</i>						
11	canescens. D.D. (ro.)	elegant.	C. B. S.	1794.	8. 4.	G. ½.	Bot. mag. t. 420.
12	modestum. Sie. (fl.)	modest.	—	1824.	6. 7.	G. ½.	Bot. mag. t. 2710.
	<i>Gnaphalium modestum. B.M.</i>						
HELICHR'YSUM. P.S. HELICHR'YSUM. Syngenesia Polygamia Superflua.							
1	grandiflorum. D.D. (w.)	great-flowered.	C. B. S.	1731.	6. 8.	G. ½.	Burm. afr. t. 76. f. 1.
	<i>Gnaphalium grandiflorum. w.</i>						
2	fruticans. D.D. (wh.)	frutescent.	—	1779.	—	G. ½.	Bot. mag. t. 1502.
	<i>Astelma fruticans. B.R. 726. Gnaphalium fruticans. B.M. grandiflorum. A.R. 459.</i>						
3	crispum. D.D. (re.)	curled.	C. B. S.	1809.	—	G. ½.	
4	arboresum. D.D. (re.)	shrubby.	—	1770.	2. 8.	G. ½.	

5	congéstum. D.D. (<i>fl.</i>) close-headed.	C. B. S.	1791.	5. 6.	G. $\frac{1}{2}$.	Bot. reg. t. 243.
	<i>Gnaphalium congéstum</i> . B.R.					
6	carneum. P.S. (<i>fl.</i>) flesh-coloured.	————	1816.	4. 6.	G. $\frac{1}{2}$.	
7	pátulum. D.D. (<i>wh.</i>) spreading.	————	1771.	8. 1.	G. $\frac{1}{2}$.	
8	discolórum. D.D. (<i>wh. fl.</i>) two-coloured.	————	1815.	5. 8.	G. $\frac{1}{2}$.	Burm. afr. t. 97. f. 4.
9	cephalòtes. D.D. (<i>wh. re.</i>) large-headed.	————	1789.	11. 1.	G. $\frac{1}{2}$.	Pluk. phyt. t. 410. f. 2.
10?	diosmæfólium. (<i>wh.</i>) Diosma-leaved.	————	1812.	3. 8.	G. $\frac{1}{2}$.	Vent. malm. t. 74.
	<i>Gnaphalium diosmæfólium</i> . v.					
11	ericoídes. D.D. (<i>pa.</i>) Heath-leaved.	————	1774.	—	G. $\frac{1}{2}$.	Bot. mag. t. 435.
	<i>Gnaphalium ericoídes</i> . B.M. non <i>Helichr'ysum ericoídes</i> . P.S.					
12	teretifólium. D.D. (<i>wh.</i>) round-leaved.	C. B. S.	1812.	—	G. $\frac{1}{2}$.	Burm. afr. t. 77. f. 2.
13?	téphròdes. (<i>wh.</i>) slender-leaved.	————	1816.	—	G. $\frac{1}{2}$.	
	<i>Gnaphalium téphròdes</i> . L.en.					
14	acuminátum. (<i>wh.</i>) taper-pointed.	N. Holland.	—	—	G. $\frac{1}{2}$.	
	<i>Gnaphalium acuminátum</i> . L.en.					
15?	lasiocaùlon. (<i>wh.</i>) woolly-stalked.	C. B. S.	1823.	6. 9.	G. $\frac{1}{2}$.	
	<i>Gnaphalium lasiocaùlon</i> . L.en.					
16	Stæchas. D.D. (<i>ye.</i>) common shrubby.	S. Europe.	1629.	6. 10.	H. $\frac{1}{2}$.	Barrel. ic. 410.
17	angustifólium. (<i>ye.</i>) narrow-leaved.	————	1818.	—	H. $\frac{1}{2}$.	
	<i>Gnaphalium angustifólium</i> . P.S.					
18	cònicum. (<i>ye.</i>) conical.	————	1824.	—	H. $\frac{1}{2}$.	
	<i>Gnaphalium cònicum</i> . L.en.					
19	ignéscens. D.D. (<i>re.</i>) red-flowered.	C. B. S.	1731.	6. 10.	G. $\frac{1}{2}$.	
20	microphy'llum. D.D. (<i>ye.</i>) small-leaved.	Crete.	1823.	—	G. $\frac{1}{2}$.	
21?	dasyánthum. (<i>ye.</i>) hairy-flowered.	C. B. S.	1812.	—	G. $\frac{1}{2}$.	
	<i>Gnaphalium dasyánthum</i> . W.en.					
22	crassifólium. D.D. (<i>ye.</i>) thick-leaved.	S. Europe.	1774.	7. 9.	G. $\frac{1}{2}$.	
23	marítimum. D.D. (<i>ye.</i>) sea-side.	C. B. S.	1772.	6. 8.	G. $\frac{1}{2}$.	Burm. afr. t. 77. f. 2.
24	apiculátum. D.D. (<i>ye.</i>) New Holland.	V. Diem. Isl.	1804.	1. 12.	G. $\frac{1}{2}$.	Bot. reg. t. 240.
	<i>Gnaphalium apiculátum</i> . B.R.					
25	fætidum. D.D. (<i>ye.</i>) strong-scented.	C. B. S.	1692.	6. 9.	G. $\frac{1}{2}$.	Bot. mag. t. 1987.
	<i>Gnaphalium fætidum</i> . B.M.					
26	cylíndricum. D.D. (<i>ye.</i>) cylindrical.	————	1780.	6. 8.	G. $\frac{1}{2}$.	Pluk. phyt. 298. f. 4.
27	orientàle. D.D. (<i>ye.</i>) eastern.	Africa.	1629.	4. 8.	G. $\frac{1}{2}$.	Comm. hort. 2. t. 55.
28	arenàrium. D.D. (<i>ye.</i>) sand.	Europe.	1739.	7. 9.	H. $\frac{1}{2}$.	Bot. mag. t. 2159.
29	gravèolens. (<i>ye.</i>) strong-smelling.	Tauria.	1819.	—	H. $\frac{1}{2}$.	
	<i>Gnaphalium gravèolens</i> . M.B.					
30	odoratíssimum. (<i>ye.</i>) sweet-scented.	C. B. S.	1691.	4. 8.	G. $\frac{1}{2}$.	Mill. ic. 1. t. 131. f. 2.
31	candidíssimum. D.D. (<i>ye.</i>) white-leaved.	Caucasus.	1819.	7. 9.	H. $\frac{1}{2}$.	
32	rùtilans. D.D. (<i>re.</i>) shining-flower'd.	C. B. S.	1731.	6. 7.	G. $\frac{1}{2}$.	Dill. elt. t. 107. f. 127.
33	cymòsum. D.D. (<i>ye. wh.</i>) branching.	Africa.	—	4. 8.	G. $\frac{1}{2}$.	———— t. 107. f. 128.
34	helianthemifólium. D. (<i>wh.</i>) Sun-rose-leav'd.	C. B. S.	1774.	7. 10.	G. $\frac{1}{2}$.	Volck. norib. t. 194.
35	bracteàtum. D.D. (<i>ye.</i>) wave-leaved.	N. Holland.	1799.	—	H. \odot .	Andr. reposit. 375
	<i>chrysánthum</i> . P.S. <i>Xeránthemum bracteàtum</i> . v. M. t. 2. <i>lucidum</i> . Maunde.					
36	fúlgidum. P.S. (<i>ye.</i>) great yellow.	C. B. S.	1774.	2. 10.	G. $\frac{1}{2}$.	Bot. mag. t. 414.
37	dealbàtum. P.S. (<i>bh.</i>) herbaceous.	V. Diem. Isl.	1812.	1. 12.	G. $\frac{1}{2}$.	Lab. nov. hol. 2. t. 190.
38	paniculátum. P.S. (<i>wh.</i>) corymb-flower'd.	C. B. S.	1800.	6. 9.	G. $\frac{1}{2}$.	Burm. afr. t. 67. f. 1.
	<i>argénteum</i> . A.R. 552. <i>nec aliorum</i> .					
39	argénteum. P.S. (<i>wh.</i>) silvery.	————	—	—	G. $\frac{1}{2}$.	
40	fràgrans. A.R. (<i>ro.</i>) fragrant.	————	1803.	7. 9.	G. $\frac{1}{2}$.	Andr. reposit. t. 313.
	<i>Elichr'ysum fràgrans</i> . A.R.					
41	retórtum. W. (<i>wh.</i>) trailing.	————	1732.	7. 8.	G. $\frac{1}{2}$.	Dill. elth. t. 322. f. 415.
42?	incànum. B.M. (<i>ro. wh.</i>) hoary-leaved.	V. Diem. Isl.	1828.	5. 6.	G. $\frac{1}{2}$.	Bot. mag. t. 2881.
43	rigidum. A.R. (<i>wh.</i>) rigid-leaved.	C. B. S.	1801.	—	G. $\frac{1}{2}$.	Andr. reposit. t. 387.
44	herbàceum. A.R. (<i>ye.</i>) shining-flowered.	————	1802.	7. 9.	G. $\frac{1}{2}$.	———— t. 487.
	<i>spléndens</i> . B.M. 1773.					
LEUCOSTE'MMA. D.D. LEUCOSTE'MMA. Syngenesia Polygamia Superflua.						
1	vestitum. D.D. (<i>wh.</i>) upright.	C. B. S.	1774.	7. 9.	G. $\frac{1}{2}$.	Burm. afr. t. 66. f. 1.
	<i>Elichr'ysum vestitum</i> . w.					
2	lingulátum. D.D. (<i>wh.</i>) tongue-leaved.	————	1812.	—	G. $\frac{1}{2}$.	
PHENO'COMA. D.D. PHENO'COMA. Syngenesia Polygamia Superflua.						
	prolífera. D.D. (<i>pu.</i>) proliferous.	C. B. S.	1789.	5. 11.	G. $\frac{1}{2}$.	Bot. reg. t. 21.
	<i>Elichr'ysum prolíferum</i> . B.R. <i>Xeránthemum prolíferum</i> . L.					
APHELE'XIS. D.D. APHELE'XIS. Syngenesia Polygamia Superflua.						
1	húmilis. D.D. (<i>pu.</i>) dwarf.	C. B. S.	1812.	6. 9.	G. $\frac{1}{2}$.	Andr. reposit. t. 664.
	<i>Elichr'ysum spectàbile</i> . B.C. 59. <i>pinifólium</i> . P.S.					
2	sesamoídes. D.D. (<i>pu.</i>) superb.	C. B. S.	1739.	4. 6.	G. $\frac{1}{2}$.	Bot. mag. t. 425.
	<i>Elichr'ysum sesamoídes</i> . w. <i>Xeránthemum sesamoídes</i> . B.M.					

3	<i>fasciculata</i> . D.D. (<i>ru.</i>) bundle-leaved. C. B. S. 1799. 3. 9. G. $\frac{h}{2}$. Andr. reposit. t. 242.
	<i>a</i> <i>lutescens</i> . (<i>st.</i>) yellowish. ———— ———— G. $\frac{h}{2}$.
	<i>β</i> <i>versicolor</i> . (<i>pu.wh.</i>) variegated-flower'd. ———— ———— G. $\frac{h}{2}$. Breyn. ic. t. 16. f. 2.
	<i>γ</i> <i>alba</i> . (<i>wh.</i>) white-flowered. ———— ———— G. $\frac{h}{2}$. Andr. reposit. t. 279.
	<i>δ</i> <i>rubra</i> . (<i>sc.</i>) red-flowered. ———— ———— G. $\frac{h}{2}$. ———— t. 650.
4	<i>ericoides</i> . (<i>bh.</i>) filiform. ———— 1796. ———— G. $\frac{h}{2}$. Lam. ill. t. 693. f. 2.
	<i>filiformis</i> . D.D. <i>Helichrysum ericoides</i> . P.S.
XERA'NTHEMUM. D.D. XERA'NTHEMUM. Syngenesia Polygamia Superflua. L.	
1	<i>annuum</i> . D.D. (<i>pu.wh.</i>) common annual. S. Europe. 1570. 7. 8. H. \odot . Jacq. aust. 4. t. 388.
	<i>a</i> <i>roseum</i> . (<i>ro.</i>) rose-coloured. ———— ———— H. \odot .
	<i>β</i> <i>album</i> . (<i>wh.</i>) white-flowered. ———— ———— H. \odot .
2	<i>inapertum</i> . D.D. (<i>pu.</i>) small-flowered. ———— 1620. ———— H. \odot . Moris. his. s. 6. t. 12. f. 1.
CHARDI'NIA. D.D. CHARDI'NIA. Syngenesia Polygamia Superflua.	
	<i>orientalis</i> . D.D. (<i>wh.</i>) oriental. Levant. 1713. 7. 8. H. \odot .
	<i>xeranthemoides</i> . Desf. <i>Xeranthemum orientale</i> . w.
FIL'AGO. W. COTTON-ROSE. Syngenesia Polygamia Necessaria. W.	
1	<i>pygmæa</i> . w. (<i>br.</i>) pigmy. S. Europe. 1629. 7. 8. H. \odot . Cavan. ic. 1. t. 36.
	<i>Evax pygmæa</i> . G.
2	<i>asterisciflora</i> . (<i>br.</i>) simple-stalked. Spain. 1824. ———— H. \odot . Lam. ill. t. 694. f. 2.
	<i>Evax asterisciflora</i> . P.S.
MICR'OPUS. W. MICR'OPUS. Syngenesia Polygamia Necessaria. W.	
1	<i>supinus</i> . w. (<i>pa.</i>) trailing. S. Europe. 1710. 6. 9. H. \odot . Schk. hand. 3. t. 267.
2	<i>erectus</i> . w. (<i>pa.</i>) upright. ———— 1683. ———— H. \odot . Lœfl. hisp. t. 1. f. 3.
ERIGERON. W. ERIGERON. Syngenesia Polygamia Superflua. L.	
1	<i>graveolens</i> . w. (<i>ye.</i>) strong-smelling. S. Europe. 1633. 7. 8. H. \odot . Ger. emac. 481. f. 2.
2	<i>compositum</i> . Ph. (<i>li.</i>) daisy-flowered. N. America. 1811. ———— H. $\frac{4}{4}$.
3	<i>carolinianum</i> . w. (<i>ye.</i>) Hyssop-leaved. ———— 1727. ———— H. $\frac{4}{4}$. Dill. elt. t. 306. f. 394.
4	<i>canadense</i> . w. (<i>wh.</i>) Canada. England. 8. 9. H. \odot . Eng. bot. v. 29. t. 2019.
5	<i>bonariense</i> . w. (<i>wh.</i>) buck's-horn. S. America. 1732. 7. 8. H. \odot . Dill. elt. t. 257. f. 334.
6	<i>linifolium</i> . w. (<i>wh.</i>) flax-leaved. ———— ———— H. \odot .
7	<i>laevigatum</i> . L.en. (<i>wh.</i>) smooth. Cayenne. 1823. ———— S. $\frac{4}{4}$.
8	<i>delphinifolium</i> . w. (<i>wh.</i>) Larkspur-leav'd. S. America. 1816. ———— S. $\frac{4}{4}$.
9	<i>strigosum</i> . w. (<i>wh.</i>) strigose. N. America. 1818. ———— H. $\frac{4}{4}$.
10	<i>heterophyllum</i> . w. (<i>wh.</i>) various-leaved. ———— 1640. 7. 9. H. $\frac{4}{4}$. Flor. græc. t. 486.
	<i>Aster annuus</i> . L. <i>Diplopappus dubius</i> . Cas.
11	<i>chinense</i> . w. (<i>wh.</i>) Chinese. China. 1818. ———— H. \odot . Jacq. schœnb. 3. t. 303.
12	<i>jamaicense</i> . w. (<i>li.</i>) Jamaica. Jamaica. 1820. ———— S. \odot . Swartz obs. t. 8. f. 2.
13	<i>pubescens</i> . K.S. (<i>wh.</i>) pubescent. Mexico. 1827. 7. 11. H. $\frac{4}{4}$.
14	<i>involucratum</i> . Lk. involucred. Brazil. 1828. S. $\frac{4}{4}$.
15	<i>armerifolium</i> . F. (<i>pu.</i>) Thrift-leaved. Baical. 1829. 6. 8. H. $\frac{4}{4}$.
16	<i>nudicaule</i> . M. (<i>wh.</i>) naked-stalked. N. America. 1812. 7. H. $\frac{4}{4}$.
17	<i>philadelphicum</i> . w. (<i>pu.</i>) spreading. ———— 1778. 7. 8. H. $\frac{4}{4}$.
18	<i>purpureum</i> . w. (<i>pu.</i>) purple. Hudson's Bay. 1776. ———— H. $\frac{4}{4}$.
19	<i>bellidifolium</i> . w. (<i>li.</i>) Plantain-leav'd. N. America. 1790. ———— H. $\frac{4}{4}$.
	<i>serpentarium</i> . Hort.
20	<i>glabellum</i> . N. (<i>pu.</i>) smoothish. ———— 1827. 8. 12. H. $\frac{4}{4}$. Bot. mag. t. 2923.
21	<i>podolicum</i> . s.s. (<i>pu.</i>) Polish. Poland. ———— 7. 9. H. $\frac{4}{4}$.
22	<i>Lehmanni</i> . s.s. (<i>li.</i>) Lehman's. 1828. ———— H. $\frac{4}{4}$.
23	<i>glaucum</i> . B.R. (<i>li.</i>) glaucous-leav'd. S. America. 1812. 1. 12. G. $\frac{h}{2}$. Bot. reg. t. 10.
24	<i>chilense</i> . D.P. (<i>wh.</i>) Chili. Chili. 1816. 7. 9. H. \odot .
	<i>Conyza chilensis</i> . L.en.
25	<i>rivulare</i> . s.s. (<i>bh.</i>) rivulet. Trinidad. 1821. ———— S. \odot .
26	<i>Villarsii</i> . w. (<i>pu.</i>) Villars's. Piedmont. 1804. 7. 8. H. $\frac{4}{4}$. Bot. reg. t. 583.
	<i>atticum</i> . Vil.
27	<i>rupestre</i> . Schl. (<i>li.</i>) rock. Switzerland. 1818. ———— H. $\frac{4}{4}$.
28	<i>acre</i> . w. (<i>li.</i>) common. Britain. ———— H. $\frac{4}{4}$. Eng. bot. v. 17. t. 1158.
29	<i>alpinum</i> . w. (<i>li.</i>) Alpine. Scotland. 7. H. $\frac{4}{4}$. ———— v. 7. t. 464.
30	<i>uniflorum</i> . w. (<i>li.</i>) dwarf. ———— 8. 9. H. $\frac{4}{4}$. ———— v. 34. t. 2416.
31	<i>pumilum</i> . N. (<i>wh.</i>) dwarf. N. America. 1827. ———— H. $\frac{4}{4}$.
32	<i>humile</i> . Gr. (<i>wh.</i>) low. ———— 9. 10. H. $\frac{h}{2}$.
33	<i>asperum</i> . N. (<i>wh.</i>) rough. ———— 1828. 8. 9. H. $\frac{4}{4}$.
34	<i>gramineum</i> . w. (<i>pu.</i>) grass-leaved. Siberia. 1824. ———— H. $\frac{4}{4}$. Gmel. sib. 2. t. 76. f. 2.
35	<i>caucasicum</i> . M.B. (<i>pu.</i>) Caucasian. Caucasus. ———— 7. 8. H. $\frac{4}{4}$.
36	<i>asteroides</i> . L.en. (<i>wh.</i>) Starwort-like. 1812. ———— H. $\frac{4}{4}$.
JAS'ONIA. Cas. JAS'ONIA. Syngenesia Polygamia Superflua.	
	<i>longifolia</i> . Cas. (<i>ye.</i>) long-leaved. N. America. 1818. 7. 8. H. $\frac{4}{4}$.
	<i>Erigeron longifolium</i> . P.S.
CAL'OTIS. B.R. CAL'OTIS. Syngenesia Polygamia Superflua.	
	<i>cuneifolia</i> . B.R. (<i>bl.</i>) wedge-leaved. N. Holland. 1819. 7. 8. G. $\frac{h}{2}$. Bot. reg. t. 504.

DIPLOSTEPHIUM. K.S. DIPLOSTEPHIUM. Syngenesia Polygamia Superflua.

- 1 *linariifolium*. (pu.) toad-flax-leav'd. N. America. 1699. 9. 10. H. $\frac{1}{2}$. Lodd. bot. cab. t. 6.
Aster pulcherrimus. L.B.C. *linariifolius*. w. *Chrysopsis linariifolia*. N.
- 2 *rigidum*. (vi.) stiff-leaved. ———— 1759. 8. 10. H. $\frac{1}{4}$. Pluk. alm. t. 14. f. 7.
Aster rigidus. Ph. *nemorâlis*. w. non H.K.
- 3 *linifolium*. (wh.) Flax-leaved. N. America. 1739. 7. 8. H. $\frac{1}{2}$.
Chrysopsis linifolia. N. *Aster linifolius*. w.
- 4 *album*. N. (wh.) white-flowered. Missouri. 1824. 8. 9. H. $\frac{1}{4}$.
- 5 *humile*. (wh.) low. N. America. 1699. 8. 10. H. $\frac{1}{4}$. Willd. hort. ber. t. 67.
Aster humilis. w. *Chrysopsis humilis*. N.
- 6 *cornifolium*. w. (wh.) Dogwood-leaved. ———— 1811. ———— H. $\frac{1}{4}$.
- 7 *amygdalinum*. (wh.) Almond-leaved. ———— 1759. 7. 9. H. $\frac{1}{4}$. Hoff. phyt. blat. t. 8. f. 2.
Aster umbellatus. w. *Chrysopsis umbellata*. N.
- A*STER. W. STARWORT. Syngenesia Polygamia Superflua. L.
- 1 *reflexus*. w. (re.wh.) reflexed-leav'd. C. B. S. 1759. 2. 9. G. $\frac{1}{2}$. Bot. mag. t. 884.
- 2 *tomentosus*. w. (wh.) tooth-leaved. N. S. W. 1793. 5. 7. G. $\frac{1}{2}$. Wend. s.han. p. 8. t. 24.
dentatus. Andr. rep. t. 61.
- 3 *stellatus*. P.s. starry-haired. V. Diem. Isl. 1823. ———— G. $\frac{1}{2}$. Lab. nov. hol. 2. t. 196.
- 4 *phlogopappus*. P.s. (vi.) glossy-haired. ———— 1827. ———— G. $\frac{1}{2}$. ———— 2. t. 195.
- 5 *myrsinoides*. P.s. (wh.) Myrsine-leaved. ———— 1824. ———— G. $\frac{1}{2}$. ———— p. 53. t. 202.
- 6 *erubescens*. s.s. (bh.) blush-flowered. N. S. W. 1826. ———— G. $\frac{1}{2}$.
- 7 *argophyllus*. P.s. (wh.) musk-scented. V. Diem. Isl. 1804. ———— G. $\frac{1}{2}$. Bot. mag. t. 1563.
- 8 *liratus*. B.M. (wh.) fluted-stemm'd. N. S. W. 1812. ———— G. $\frac{1}{2}$. ———— t. 1509.
- 9 *sericeus*. w. (bl.) silky-leaved. Missouri. 1802. 5. 11. G. $\frac{1}{2}$. Venten. cels. t. 33.
- 10 *Cymbalaria*. w. (wh.) Ivy-leaved. C. B. S. 1786. ———— G. $\frac{1}{2}$. Venten. malm. t. 95.
- 11 *papposus*. s.s. (vi.) cluster-leaved. ———— 1812. ———— G. $\frac{1}{2}$.
- 12 *taxifolius*. s.s. (li.) Yew-leaved. ———— 1824. ———— G. $\frac{1}{2}$.
- 13 *angustifolius*. w. (bl.) narrow-leaved. ———— 1804. 5. 7. G. $\frac{1}{2}$. Jacq. schoenb. 3. t. 370.
- 14 *villosus*. w. (li.) villous. ———— 1812. ———— G. $\frac{1}{2}$.
- 15 *obtusatus*. w. (li.) obtuse-leaved. ———— 1793. ———— G. $\frac{1}{2}$.
- 16 *fruticulosus*. w. (li.) shrubby. ———— 1759. 3. 7. G. $\frac{1}{2}$. Jacq. frag. 9. t. 5. f. 4.
- 17 *filifolius*. v. (wh.) thread-leaved. ———— 1812. ———— G. $\frac{1}{2}$. Venten. malm. t. 82.
- 18 *aculeatus*. P.s. (wh.) prickly-leaved. V. Diem. Isl. 1818. ———— G. $\frac{1}{2}$. Lab. nov. hol. 2. t. 200.
exasperatus. L. enum.
- 19 *tenellus*. w. (vi.) slender. C. B. S. 1769. 4. 10. H. \odot . Bot. mag. t. 33.
- 20 *alpinus*. w. (pu.) Alpine. Alps Europe. 1658. 5. 8. H. $\frac{1}{4}$. ———— t. 199.
- 21 *lusitanus*. s.s. (pu.) Portugal. Portugal. 1820. 8. 10. H. $\frac{1}{4}$.
- 22 *salsuginosus*. s.s. (vi.) salt plain. N. America. 1827. 5. 6. H. $\frac{1}{4}$. Bot. mag. t. 2942.
- 23 *pulchellus*. w. (re.) narrow-rayed. Armenia. 1818. ———— H. $\frac{1}{4}$.
- 24 *caucasicus*. w. (pu.) Caucasian. Caucasus. 1804. 7. 8. H. $\frac{1}{4}$.
- 25 *alwartensis*. B.M. (pu.) large-flowered. ———— ———— H. $\frac{1}{4}$. Bot. mag. t. 2321.
- 26 *diversifolius*. M. (li.) various-leaved. N. America. 1811. 7. 9. H. $\frac{1}{4}$.
- 27 *macrophyllus*. w. (bl.) large-leaved. ———— 1739. ———— H. $\frac{1}{4}$.
- 28 *corymbosus*. w. (wh.) corymbed. ———— 1765. 9. H. $\frac{1}{4}$.
- 29 *cordifolius*. w. (bh.) heart-leaved. ———— 1759. 7. 8. H. $\frac{1}{4}$.
- 30 *paniculatus*. w. (li.) paniced. ———— 1640. 9. 10. H. $\frac{1}{4}$. Corn. canad. t. 65.
- 31 *sagittifolius*. w. (bl.) arrow-leaved. ———— 1818. 7. 9. H. $\frac{1}{4}$.
- 32 *undulatus*. w. (pu.) wave-leaved. ———— 1699. 8. 10. H. $\frac{1}{4}$. Herm. parad. t. 96.
- 33 *præcox*. W.en. (li.) early-flowering. ———— 1800. 7. 8. H. $\frac{1}{4}$.
- 34 *pallens*. W.en. (li.) pale-flowered. ———— 9. 10. H. $\frac{1}{4}$.
- 35 *conyzoides*. w. (wh.) Conyza-like. ———— 1778. 8. 9. H. $\frac{1}{4}$.
- 36 *altaicus*. W.en. (pu.) dwarf. Siberia. 1804. 5. 8. H. $\frac{1}{4}$.
- pumilus*. F.
- 37 *nemorâlis*. H.K. (li.) wood. N. America. 1778. 8. 9. H. $\frac{1}{4}$.
ledifolius. Ph.
- 38 *hyssopifolius*. w. (bh.) Hyssop-leaved. ———— 1683. 9. 10. H. $\frac{1}{4}$. Dodart. mem. t. 60.
- 39 *punctatus*. w. (vi.) dotted. Hungary. 1815. 8. 9. H. $\frac{1}{4}$. W. et K. hung. 2. t. 109.
- 40 *acris*. w. (bl.) acrid. S. Europe. 1731. ———— H. $\frac{1}{4}$. Pluk. alm. t. 271. f. 3.
- 41 *canus*. w. (bl.) hoary-leaved. Hungary. 1816. ———— H. $\frac{1}{4}$. W. et K. hung. 1. t. 30.
- 42 *solidaginoïdes*. w. (wh.) Solidago-like. N. America. 1699. ———— H. $\frac{1}{4}$. Pluk. alm. t. 79. f. 2.
- 43 *subulatus*. N. (li.) awl-leaved. ———— 1823. 8. 10. H. \odot .
- 44 *pilosus*. w. (wh.) hairy. ———— 1812. ———— H. $\frac{1}{4}$.
- 45 *foliolosus*. w. (wh.) leafy. ———— 1732. 10. H. $\frac{1}{4}$. Dill. elth. t. 35. f. 39.
- 46 *tenuifolius*. w. (wh.) slender-leaved. ———— 1725. 9. 10. H. $\frac{1}{4}$. Pluk. alm. t. 78. f. 5.
- 47 *damosus*. w. (wh.) bushy. ———— 1734. ———— H. $\frac{1}{4}$. Herm. parad. 95.
- violaceus*. H.K. (vi.) violet-flowered. ———— ———— H. $\frac{1}{4}$.
- albus*. H.K. (wh.) white-flowered. ———— ———— H. $\frac{1}{4}$.
- 48 *ericoides*. w. (wh.) heath-leaved. ———— 1758. 9. H. $\frac{1}{4}$.
- 49 *multiflorus*. w. (wh.) many-flowered. ———— 1732. 9. 10. H. $\frac{1}{4}$. Dill. elth. t. 36. f. 40.
- 50 *ciliatus*. w. (wh.) ciliated. ———— ———— H. $\frac{1}{4}$.

51	canescens. Ph.	(li.) canescent.	N. America.	1812.	—	H. ♂.	
	biennis. N.						
52	pauciflorus. N.	(wh.) few-flowered.	N. America.	1825.	8. 9.	H. 4.	
53	sparsiflorus. w.	(wh.) scattered-flower'd.	—	1798.	9. 11.	H. 4.	
54	coridifolius. w.	(bl.) Coris leaved.	—	8. 11.	H. 4.	
55	squarrosus. w.	(bl.) ragged.	—	1801.	—	H. 4.	
56	argenteus. H.K.	(bl.) silver-leaved.	—	—	7. 9.	H. 4.	
57	concolor. w.	(pu.) self-coloured.	—	1759.	8. 11.	H. 4.	
58	reticulatus. Ph.	(wh.) netted-leaved.	—	1812.	—	H. 4.	
59	salicifolius. w.	(pu.) Willow-leaved.	—	1760.	9. 10.	H. 4.	Rob. ic. 307.
60	æstivus. w.	(bl.) summer.	—	1776.	7. 8.	H. 4.	
61	pannonicus. w.	(vi.) Hungarian.	Hungary.	1815.	—	H. 4.	Jacq. vind. 1. t. 8.
62	Amellus. w.	(bl.) Italian.	Italy.	1596.	7. 9.	H. 4.	Bot. reg. t. 340.
	α latifolius.	(bl.) broad-leaved.	—	—	—	H. 4.	
	β angustifolius.	(bl.) narrow-leaved.	—	—	—	H. 4.	
63	ibericus. M.B.	(bl.) Iberian.	Iberia.	1827.	7. 9.	H. 4.	
64	novæ anglæ. w.	(bl.) New England.	N. America.	1710.	9. 10.	H. 4.	Herm. parad. 98.
	β rubra.	(re.) red-flowered.	—	1812.	—	H. 4.	Bot. reg. 183. f. inf.
65	cyaneus. N.	(bl.) bright-blue.	—	1789.	—	H. 4.	Hoff. phyt. 1. t. B. f. 1.
66	glaucus. N.A.	(bl.) glaucous-leaved.	1823.	8. 10.	H. 4.	
67	paludosus. w.	(bl.) marsh.	N. America.	1784.	—	H. 4.	
68	grandiflorus. w.	(bl.) great-flowered.	—	1720.	10. 11.	H. 4.	Bot. reg. t. 273.
69	carolinianus. w.	(pu.) tall.	Carolina.	8. 9.	H. 4.	
70	oblongifolius. N.	(li.) oblong-leaved.	Missouri.	1823.	—	H. 4.	
71	phlogifolius. w.	(vi.) Phlox-leaved.	N. America.	1797.	7. 10.	H. 4.	
72	pátens. w.	(bl.) spreading.	—	1773.	9. 11.	H. 4.	Swt. brit. fl. gar. t. 234.
73	Tripodium. w.	(bl.) sea-side.	Britain.	8. 9.	H. 4.	Eng. bot. v. 2. t. 57.
74	Schreberi. N.A.	(wh.) Schreber's.	1827.	8. 10.	H. 4.	
75	salignus. w.	(wh.) Sallow-leaved.	Germany.	1815.	—	H. 4.	
76	gravæolens. N.	(bl.) strong-scented.	Arkansa.	1825.	10. 11.	H. 4.	
77	puniceus. w.	(re.) red-stalked.	N. America.	1710.	7. 10.	H. 4.	Herm. lugd. t. 651.
78	hispidus. w.	(wh.) rough-stalked.	China.	1804.	9. 10.	H. 4.	Kæmpf. ic. t. 29.
79	dentatus. Th.	(bl.) tooth-leaved.	C. B. S.	1825.	7. 9.	G. 4.	
80	serratus. Th.	(bl.) saw-leaved.	—	—	—	G. 4.	
81	tataricus. w.	(bl.) Tartarian.	Siberia.	1818.	—	H. 4.	
82	pyrenæus. s.s.	(vi.) Pyrenean.	Pyrenees.	1768.	6. 9.	H. 4.	
83	sibiricus. w.	(pu.) Siberian.	Siberia.	1768.	—	H. 4.	Gmel. sib. 2. t. 80. f. 1.
84	incisus. F.	(li.) cut-leaved.	—	1816.	6. 9.	H. 4.	
85	amelloides. Bes.	(vi.) Amellus-like.	Poland.	1827.	7. 9.	H. 4.	
86	élegans. w.	(bl.) elegant.	1790.	8. 10.	H. 4.	
87	amplexicaulis. w.	(bl.) stem-clasping.	N. America.	9. 11.	H. 4.	
88	adulterinus. w.	(re.) bastard.	—	8. 10.	H. 4.	
89	lævigatus. w.	(li.) smooth-stem'd.	—	1794.	9. 11.	H. 4.	
90	longifolius. P.s.	(bl.) long-leaved.	—	1798.	10.	H. 4.	Moris. s. 7. t. 22. f. 25.
91	versicolor. w.	(wh.re.) various-color'd.	—	1790.	8. 9.	H. 4.	
92	mutabilis. w.	(pu.) changeable.	—	1710.	9. 10.	H. 4.	Herm. lugd. t. 67.
93	lævis. w.	(li.) smooth.	—	1753.	—	H. 4.	
94	concinus. W.en.	(li.) neat.	—	1800.	—	H. 4.	
95	floribundus. w.	(li.) abundant-flower'd.	—	—	H. 4.	
96	novi belgii. w.	(li.) New-York.	—	1710.	—	H. 4.	Herm. lugd. t. 69.
97	fírmus. L.en.	(li.) firm.	—	1818.	—	H. 4.	
98	bellidiflorus. W.en.	(li.) daisy-flowered.	—	—	H. 4.	
99	spectabilis. w.	(bl.) showy.	—	1777.	8. 9.	H. 4.	
100	serotinus. w.	(bl.) late-flowering.	—	9. 11.	H. 4.	
101	tardiflorus. w.	(li.) spear-leaved.	—	1775.	7. 9.	H. 4.	
102	blándus. Ph.	(bh.) charming.	—	1800.	10. 11.	H. 4.	
103	acuminatus. Ph.	(wh.) acuminate.	—	1806.	8. 10.	H. 4.	Bot. mag. t. 2707.
104	éminens. W.en.	(re.) eminent.	—	9. 11.	H. 4.	
105	pubescens. N.A.	(re.) pubescent.	—	1827.	—	H. 4.	
106	Rádula. w.	(wh.) rasp-leaved.	—	1785.	—	H. 4.	
107	prenanthoides. w.	(bl.) hairy-branch'd.	—	1817.	—	H. 4.	
108	strictus. Ph.	(vi.) upright dwarf.	—	1806.	—	H. 4.	
109	Tradescánti. w.	(wh.) Michaelmas daisy.	—	1633.	7. 9.	H. 4.	Moris. s. 7. t. 21. f. 42.
110	vimineus. w.	(bl.) slender.	—	1818.	—	H. 4.	
111	recurvatus. w.	(li.) recurved.	—	1800.	8. 9.	H. 4.	
112	expansus. N.A.	(bl.) expanded.	—	1827.	—	H. 4.	
113	fastigiatus. Led.	(bl.) clustered.	Siberia.	—	—	H. 4.	
114	laxus. W.en.	(wh.) loose-stalked.	N. America.	9. 11.	H. 4.	
115	simplex. W.en.	(wh.) simple-stalked.	—	8. 10.	H. 4.	

116	<i>virgineus</i> . N.A. (<i>wh.</i>) virgin.	N. America.	1826.	8. 10.	H. 4.	
117	<i>polyphyllus</i> . W.en. (<i>w.</i>) many-leaved.	—————	———	H. 4.	
118	<i>junceus</i> . w. (<i>fl.</i>) slender-stalked.	—————	1758.	9. 10.	H. 4.	
119	<i>lanceolatus</i> . w. (<i>wh.</i>) lanceolate.	—————	1811.	8. 11.	H. 4.	
120	<i>dracunculoïdes</i> . w. (<i>w.</i>) Tarragon-like.	—————	———	9. 11.	H. 4.	
121	<i>fragilis</i> . w. (<i>wh.</i>) brittle.	—————	1800.	9.	H. 4.	
122	<i>carneus</i> . N.A. (<i>fl.</i>) flesh-coloured.	—————	1827.	———	H. 4.	
123	<i>pinifolius</i> . L.en. (<i>wh.</i>) Pine-leaved.	—————	1823.	———	H. 4.	
124	<i>laxiflorus</i> . L.en. (<i>li.</i>) loose-flowered.	—————	8. 10.	H. 4.	
125	<i>miser</i> . w. (<i>wh.</i>) meagre-flower'd.	—————	1759.	9. 10.	H. 4.	
126	<i>divergens</i> . w. (<i>wh.</i>) spreading downy.	—————	1758.	———	H. 4.	
127	<i>diffusus</i> . w. (<i>wh.</i>) diffuse.	—————	1777.	———	H. 4.	
128	<i>scoparius</i> . N.A. (<i>wh.</i>) broom-like.	—————	1827.	———	H. 4.	
129	<i>pendulus</i> . w. (<i>wh.</i>) pendulous.	—————	1758.	———	H. 4.	
130	<i>parviflorus</i> . L.en. (<i>w.</i>) small-flowered.	—————	1822.	———	H. 4.	
131	<i>rigidulus</i> . L.en. (<i>re.</i>) stiffish.	—————	———	———	H. 4.	
132	<i>myrtifolius</i> . L.en. (<i>w.</i>) Myrtle-leaved.	—————	1819.	8. 9.	H. 4.	
133	<i>abbreviatus</i> . N.A. (<i>bl.</i>) short-rayed.	—————	1827.	———	H. 4.	
134	<i>robustus</i> . N.A. (<i>bl.</i>) robust.	———	———	H. 4.	
CALLISTEMA. Cas. CHINA ASTER. Syngenesia Polygamia Superflua.						
	<i>hortensis</i> . Cas. (<i>va.</i>) garden.	China.	1731.	7. 9.	H. ⊙.	Dill. elth. t. 34. f. 38.
	<i>α cœrulea</i> . (<i>bl.</i>) blue-flowered.	—————	———	———	H. ⊙.	
	<i>β rubra</i> . (<i>re.</i>) red-flowered.	—————	———	———	H. ⊙.	
	<i>γ alba</i> . (<i>wh.</i>) white-flowered.	—————	———	———	H. ⊙.	
	<i>δ variegata</i> . (<i>bl.wh.</i>) variegated.	—————	———	———	H. ⊙.	
	<i>ε versicolor</i> . (<i>re.wh.</i>) red and white.	—————	———	———	H. ⊙.	
	<i>ζ multiplēx</i> . (<i>va.</i>) double-flowered.	—————	———	———	H. ⊙.	
	<i>η brachyantha</i> . (<i>va.</i>) bonnet.	—————	———	———	H. ⊙.	
SOLIDAGO. W. GOLDEN-ROD. Syngenesia Polygamia Superflua. L.						
1	<i>canadensis</i> . w. (<i>ye.</i>) Canadian.	N. America.	1648.	7. 9.	H. 4.	Schk. hand. 3. f. 246.
2	<i>procera</i> . w. (<i>ye.</i>) great.	—————	1758.	9. 10.	H. 4.	
3	<i>serotina</i> . w. (<i>ye.</i>) upright smooth.	—————	———	7. 8.	H. 4.	
4	<i>gigantea</i> . w. (<i>ye.</i>) gigantic.	—————	———	8. 9.	H. 4.	
5	<i>ciliaris</i> . w. (<i>ye.</i>) ciliated.	—————	1811.	———	H. 4.	
6	<i>reflexa</i> . w. (<i>ye.</i>) hanging-leaved.	—————	1758.	8. 9.	H. 4.	
7	<i>fragrans</i> . W.en. (<i>ye.</i>) fragrant.	—————	7. 9.	H. 4.	
8	<i>lateriflora</i> . w. (<i>ye.</i>) lateral-flowered.	—————	1758.	8. 9.	H. 4.	
9	<i>glabra</i> . s.s. (<i>ye.</i>) smooth.	—————	———	H. 4.	
10	<i>aspera</i> . w. (<i>ye.</i>) rough-leaved.	—————	1732.	9.	H. 4.	Dill. elth. t. 305. f. 392.
11	<i>altissima</i> . w. (<i>ye.</i>) tall.	—————	1686.	8. 9.	H. 4.	Mart. cent. 14.
12	<i>recurvata</i> . W.en. (<i>ye.</i>) recurved.	—————	1814.	———	H. 4.	
13	<i>rugosa</i> . Ph. (<i>ye.</i>) wrinkle-leaved.	—————	1732.	———	H. 4.	Dill. elth. t. 308. f. 396.
14	<i>villosa</i> . Ph. (<i>ye.</i>) villous.	—————	———	———	H. 4.	
15	<i>scabra</i> . w. (<i>ye.</i>) rough.	—————	1811.	———	H. 4.	
16	<i>pyramidata</i> . Ph. (<i>ye.</i>) pyramidal.	—————	1812.	8. 9.	H. 4.	
17	<i>nemoralis</i> . w. (<i>ye.</i>) woolly-stalked.	—————	1769.	9.	H. 4.	
18	<i>pátula</i> . w. (<i>ye.</i>) spreading.	—————	1805.	9. 10.	H. 4.	
19	<i>ulmifolia</i> . w. (<i>ye.</i>) Elm-leaved.	—————	———	8. 10.	H. 4.	
20	<i>arguta</i> . w. (<i>ye.</i>) sharp-notched.	—————	1758.	7. 8.	H. 4.	
21	<i>junceus</i> . w. (<i>ye.</i>) rush-stalked.	—————	1769.	8. 9.	H. 4.	
22	<i>elliptica</i> . w. (<i>ye.</i>) oval-leaved.	—————	1759.	———	H. 4.	
23	<i>asperata</i> . Ph. (<i>ye.</i>) roughish-leaved.	Canada.	1825.	———	H. 4.	
24	<i>odora</i> . w. (<i>ye.</i>) sweet-smelling.	N. America.	1699.	8. 10.	H. 4.	Pluk. alm. t. 116. f. 6.
25	<i>retrorsa</i> . M. (<i>ye.</i>) reflex-leaved.	—————	1824.	———	H. 4.	
26	<i>lævigata</i> . N. (<i>ye.</i>) fleshy-leaved.	—————	———	10. 11.	H. 4.	
27	<i>mexicana</i> . w. (<i>ye.</i>) Mexican.	America.	1683.	7. 10.	H. 4.	Dodart. act 4. t. 219.
28	<i>sempervirens</i> . N. (<i>ye.</i>) evergreen.	N. America.	1699.	9. 10.	H. 4.	Corn. canad. t. 169.
29	<i>speciosa</i> . N. (<i>ye.</i>) handsome.	—————	1812.	———	H. 4.	
30	<i>multiflora</i> . P.S. (<i>ye.</i>) many-flowered.	—————	———	H. 4.	
31	<i>pauciflosculosa</i> . M. (<i>ye.</i>) slender-flower'd.	—————	1811.	8. 10.	H. 4.	
32	<i>bicolor</i> . w. (<i>wh.ye.</i>) two-coloured.	—————	1759.	8. 9.	H. 4.	Pluk. alm. t. 114. f. 8.
<i>Aster bicolor</i> . Nees.						
33	<i>petiolaris</i> . w. (<i>ye.</i>) late-flowered.	—————	1758.	10. 12.	H. 4.	
34	<i>stricta</i> . w. (<i>ye.</i>) Willow-leaved.	—————	———	9.	H. 4.	
35	<i>humilis</i> . Ph. (<i>ye.</i>) dwarf.	—————	1811.	7. 8.	H. 4.	
36	<i>virgata</i> . M. (<i>ye.</i>) slender.	—————	1827.	———	H. 4.	
37	<i>livida</i> . W.en. (<i>ye.</i>) purple-stemmed.	—————	1812.	———	H. 4.	
38	<i>hirta</i> . W.en. (<i>ye.</i>) hairy.	—————	9. 10.	H. 4.	
39	<i>lithospermifolia</i> . Ph. (<i>ye.</i>) Gromwell-leav'd.	—————	1811.	8. 10.	H. 4.	

40 hispida. w.	(ye.) hispid.	N. America.	1820.	8. 10.	H. 2.	
41 c'æsia. w.	(ye.) Maryland.	—————	1732.	9. 10.	H. 2.	
42 flexicaulis. w.	(ye.) crook-stalked.	—————	1725.	9.	H. 2.	Pluk. alm. t. 235. f. 3.
43 latifolia. L.	(ye.) broad-leaved.	—————	—————	—————	H. 2.	————— t. 235. f. 4.
44 ambigua. w.	(ye.) angular-stalked.	1759.	7. 8.	H. 2.	
45 macrophylla. Ph.	(ye.) large-leaved.	N. America.	8. 10.	H. 2.	
46 glomerata. M.	(ye.) close-flowered.	—————	1820.	—————	H. 2.	
47 squarrosa. N.	(ye.) squarrose-cup'd.	—————	1827.	—————	H. 2.	
48 alpestris. w. K.	(ye.) Alpine.	Europe.	—————	7. 9.	H. 2.	
49 Virgaurea. w.	(ye.) common.	Britain.	—————	H. 2.	Eng. bot. v. 5. t. 301.
50 cambrica. w.	(ye.) Welsh.	Wales.	7. 8.	H. 2.	Dill. elth. t. 306. f. 303.
51 asiatica. F.	(ye.) Asiatic.	N. Asia.	1824.	—————	H. 2.	
52 axillaris. Ph.	(ye.) axillary.	N. America.	1811.	8. 10.	H. 2.	
53 erecta. Ph.	(ye.) upright.	—————	—————	H. 2.	
54 viminea. w.	(ye.) twiggy.	—————	1759.	9.	H. 2.	
55 angustifolia. N.	(ye.) narrow-leaved.	—————	1824.	—————	H. 2.	
56 littoralis. s.s.	(ye.) sea-side.	Italy.	1827.	7. 9.	H. 2.	
57 decurrens. s.s.	(ye.) decurrent.	China.	1823.	8. 10.	H. 2.	
58 puberula. N.	(ye.) pubescent.	N. America.	—————	—————	H. 2.	
59 minuta. w.	(ye.) least.	Pyrenees.	1772.	7. 8.	H. 2.	Lodd. bot. cab. t. 159.
60 multiradiata. w.	(ye.) Labrador.	Labrador.	1776.	—————	H. 2.	
61 elata. Ph.	(ye.) tall hairy.	N. America.	1811.	8. 10.	H. 2.	
62 rigida. w.	(ye.) hard-leaved.	—————	1710.	9.	H. 2.	Herm. parad. 243.
EUTHAMIA. N.	EUTHAMIA.	Syngenesia Polygamia Superflua.				
1 graminifolia. N.	(ye.) grass-leaved.	N. America.	1758.	8. 10.	H. 2.	Bot. mag. t. 2546.
	<i>Chrysocoma graminifolia</i> . L. <i>Solidago lanceolata</i> . w.					
2 tenuifolia. N.	(ye.) slender-leaved.	N. America.	—————	9. 10.	H. 2.	
BRACHYRIS. N.	BRACHYRIS.	Syngenesia Polygamia Superflua.				
Euthamiae. N.	(ye.) strong-scented.	Missouri.	1827.	8. 10.	H. 2.	
	<i>Solidago Sarothra</i> . Ph. <i>Brachyachyris Euthamiae</i> . s.s.					
CHRYSOCOMA. W.	GOLDY-LOCKS.	Syngenesia Polygamia Equalis. L.				
1 comaurea. w.	(ye.) great shrubby.	C. B. S.	1731.	6. 8.	G. 2.	Bot. mag. t. 1972.
2 patula. w.	(ye.) spreading.	—————	1816.	—————	G. 2.	
3 cernua. w.	(ye.) small shrubby.	—————	1712.	5. 9.	G. 2.	Comm. hort. 2. t. 45.
4 ciliaris. w.	(ye.) Heath-leaved.	—————	1759.	7. 10.	G. 2.	————— 2. t. 48.
5 nivea. w.	(ye.) woolly-leaved.	—————	1820.	5. 9.	G. 2.	Jacq. schœn. 2. t. 147.
	<i>tomentosa</i> . Jacq. non L.					
6 scabra. w.	(ye.) rugged.	—————	1732.	8. 9.	G. 2.	Dill. elth. t. 88. f. 103.
7 denticulata. w.	(ye.) toothed.	—————	G. 2.	Jacq. schœn. 3. t. 303.
8 Linosyris. w.	(ye.) flax-leaved.	Europe.	9. 10.	H. 2.	Eng. bot. v. 35. t. 250.
9 dracunculoides. w.	(ye.) Siberian.	Siberia.	—————	H. 2.	
10 biflora. w.	(ye.) two-flowered.	—————	1741.	8. 9.	H. 2.	Gmel. sib. 2. t. 82. f. 11
11 graveolens. N.	(ye.) Rue-scented.	Missouri.	1822.	—————	H. 2.	
12 nudata. M.	(ye.) naked.	N. America.	1819.	—————	H. 2.	
13 virgata. N.	(ye.) slender.	—————	—————	—————	H. 2.	
14 villosa. w.	(ye.) villous.	Hungary.	1799.	—————	H. 2.	W. et K. hung. 1. t. 55
BOLTONIA. W.	BOLTONIA.	Syngenesia Polygamia Superflua. L.				
1 asteroides. w.	(wh.) Starwort-flower'd.	N. America.	1758.	8. 10.	H. 2.	Bot. mag. t. 2554.
2 glastifolia. w.	(pu.) glaucous-leaved.	—————	—————	9.	H. 2.	————— t. 2381.
AMELLUS. W.	AMELLUS.	Syngenesia Polygamia Superflua.				
Lychnitis. w.	(bl.) Cape.	C. B. S.	1768.	6. 7.	G. 2.	Bot. reg. t. 586.
SIDERA NTHUS. Fras.	SIDERA NTHUS.	Syngenesia Polygamia Superflua.				
1 villosus.	(ye.) villous.	Missouri.	1811.	8. 9.	H. 2.	
	<i>Sideranthus integrifolius</i> . Fras. <i>Amellus villosus</i> . Ph.					
2 spinulosus.	(ye.) spiny.	—————	—————	—————	H. 2.	
	<i>Amellus spinulosus</i> . Ph. <i>Sideranthus pinnatifidus</i> . Fras.					
STARKEA. W.	STARKEA.	Syngenesia Polygamia Superflua.				
1 umbellata. w.	(ye.) umbel-flower'd.	Jamaica.	1768.	6. 7.	S. 2.	Lam. ill. t. 682. f. 2.
2 igniaria. D.D.	(ye.) close-flowered.	S. America.	1823.	6. 8.	F. 2.	H. et B. pl. æq. 2. t. 112
	<i>Hierba de Santa Maria</i> . incolarum. <i>Andronachia igniaria</i> . K.S.					
GRIND'ELIA. W.en.	GRIND'ELIA.	Syngenesia Polygamia Superflua. W.				
1 glutinosa. Dun.	(ye.) glutinous.	Mexico.	1803.	1. 12.	F. 2.	Bot. reg. t. 187.
	<i>Donia glutinosa</i> . B.R. <i>Doronicum glutinosum</i> . w.					
2 inuloides. W.en.	(ye.) Inula-like.	Mexico.	1815.	6. 9.	F. 2.	Bot. reg. t. 248.
3 pulchella. s.s.	(ye.) pretty.	Chile.	1827.	—————	F. 2.	
4 nitida. Bern.	(ye.) glossy.	Mexico.	1825.	—————	F. 2.	
5 coronopifolia. Leb.	(ye.) Buckshorn-leav'd.	—————	1826.	—————	F. 2.	
6 angustifolia. B.R.	(ye.) narrow-leaved.	—————	1822.	—————	F. 2.	Bot. reg. t. 751.
7 spatulata. L.en.	(ye.) spatulate-leav'd.	—————	—————	—————	F. 2.	

8 squarrosa. Dun.	(ye.) Snake-headed.	Missouri.	1811.	7. 9.	F. 4.	Bot. mag. t. 1706.
9 ciliata. s.s.	(ye.) ciliated.	Arkansa.	1821.	9. 10.	H. 4.	Hook. ex. flor. t. 45.
<i>Donia ciliata.</i> H.E.F.						
10 villosa. D.	(ye.) villous.	Columbia.	1827.	8. 10.	H. 4.	
PODOL'EPIS. Lab. PODOL'EPIS. Syngenesia Polygamia Superflua.						
1 rugata. H.K.	(ye.) wrinkle-scaled.	N. Holland.	1803.	7. 8.	G. 4.	Lab. nov. holl. 2. t. 208.
2 acuminata. H.K.	(ye.) sharp-scaled.	N. S. W.	—	5. 8.	G. 4.	Bot. mag. t. 956.
<i>Scalia jaceoides.</i> B.M.						
3 gracilis. B.F.G.	(li.) slender.	N. Holland.	1827.	8. 10.	H. 4.	Swt. br. fl. gar. t. 285.
GERBERIA. Cass. GERBERIA. Syngenesia Polygamia Superflua.						
1 crenata. B.R.	(li.) crenated.	C. B. S.	1820.	4. 8.	G. 4.	Bot. reg. t. 855.
2 asplenifolia. s.s.	(ye. pu.) Spleenwort-leaved.	—	1822.	4. 6.	G. 4.	Burm. atr. 155. t. 26. f. 1.
<i>Arnica Gerbera.</i> L. <i>Doronicum asplenifolium.</i> Lam.						
A'RNICA. W. A'RNICA. Syngenesia Polygamia Superflua.						
1 montana. w.	(ye.) mountain.	Europe.	1731.	7. 8.	H. 4.	Bot. mag. t. 1749.
2 angustifolia. s.s.	(ye.) narrow-leaved.	Greenland.	1827.	6. 8.	H. 4.	
3 fulgens. Ph.	(ye.) glossy-flowered.	Missouri.	1826.	—	H. 4.	
4 scorpioides. w.	(ye.) alternate-leaved.	Austria.	1710.	—	H. 4.	Jacq. aust. 4. t. 349.
5 glacialis. w.	(ye.) alpine.	Germany.	1816.	7. 8.	H. 4.	Jacq. ic. 3. t. 586.
6 Doronicum. w.	(ye.) Clusius's.	Austria.	—	—	H. 4.	Jacq. aust. 1. t. 92.
<i>Clusii.</i> All. t. 17. f. 1. 2.						
7 lanigera. T.N.	(ye.) woolly.	Italy.	1827.	—	H. 4.	
8 maritima. L.	(ye.) sea-side.	Kantschatka.	1821.	—	H. 4.	
BELLIDIA'STRUM. Cas. BELLIDIA'STRUM. Syngenesia Polygamia Superflua.						
Micheli. Cas.	(wh. ro.) Micheli's.	Austria.	1570.	6. 8.	H. 4.	Bot. mag. t. 1196.
<i>Arnica Bellidiastrum.</i> B.M. <i>Doronicum Bellidiastrum.</i> L.						
DIPLO'COMA. D.D. DIPLO'COMA. Syngenesia Polygamia Superflua.						
villosa. D.D.	(ye.) villous.	Mexico.	1827.	8. 10.	F. 4.	Swt. br. fl. gar. t. 246.
NEJA. D.D. NEJA. Syngenesia Polygamia Superflua.						
gracilis. D.D.	(ye.) slender.	Mexico.	1828.	9. 10.	F. 4.	Swt. br. fl. gar. ser. 2.
DORONICUM. W. LEOPARD'S-BANE. Syngenesia Polygamia Superflua. W.						
1 Pardalianches. w.	(ye.) great.	Britain.	5.	H. 4.	Eng. bot. v. 9. t. 630.
2 macrophyllum. s.s.	(ye.) large-leaved.	Europe.	1821.	—	H. 4.	
3 scorpioides. w.	(ye.) mountain.	Germany.	—	4. 6.	H. 4.	
4 Columnæ. T.S.	(ye.) Columna's.	Naples.	1826.	—	H. 4.	Column. ecphr. 2. t. 46.
5 caucasicum. M.B.	(ye.) Caucasian.	Caucasus.	1815.	—	H. 4.	
<i>orientale.</i> W.en.						
6 altaicum. w.	(ye.) Siberian.	Siberia.	1783.	6. 8.	H. 4.	Pall. a. pet. 1779. t. 16.
7 dentatum. L.en.	(ye.) toothed.	1825.	5. 6.	H. 4.	
8 plantagineum. w.	(ye.) Plantain-leav'd.	S. Europe.	1570.	—	H. 4.	
9 austriacum. w.	(ye.) Austrian.	Austria.	1816.	—	H. 4.	Jacq. aust. t. 130.
LEPTOSTE'LMA. D.D. LEPTOSTE'LMA. Syngenesia Polygamia Superflua.						
maxima. D.D.	(wh.) gigantic.	Mexico.	1828.	8. 9.	H. 4.	Swt. br. fl. gar. s. 2. t. 38.
BELLIS. W. DAISY. Syngenesia Polygamia Superflua. L.						
1 sylvestris. w.	(wh.) large Portugal.	Portugal.	1797.	5. 7.	H. 4.	Bot. mag. t. 2511.
2 perennis. w.	(wh.) common.	Britain.	3. 8.	H. 4.	Eng. bot. v. 6. t. 424.
3 hortensis.	(wh.) large double.	—	H. 4.	Bot. mag. t. 228.
4 fistulosa.	(re.) red quilled.	—	H. 4.	
5 tubulosa.	(wh.) white quilled.	—	H. 4.	
6 prolifera.	(wh. re.) Hen & Chicken.	—	H. 4.	
3 hybrida. Ten.	(wh.) Italian.	Italy.	1824.	4. 8.	H. 4.	
4 annua. w.	(wh.) annual.	S. Europe.	1759.	3. 7.	H. 4.	Bot. mag. t. 2174.
BELLIIUM. W. BELLIIUM. Syngenesia Polygamia Superflua. L.						
1 bellidioides. w.	(wh.) small.	Italy.	1796.	6. 9.	H. 4.	Lam. ill. t. 684.
2 minutum. w.	(wh.) dwarf.	Levant.	1772.	6. 10.	H. 4.	Schreb. a. ups. 1. t. 5. f. 2.
PSIADIA. W. PSIADIA. Syngenesia Polygamia Necessaria. W.						
glutinosa. w.	(ye.) glutinous.	Mauritius.	1796.	6. 8.	S. 4.	Jacq. schœn. 2. t. 152.

Subordo IV. *EUPATOREÆ.* Kth. synops. 2. p. 408.

K'UHNIA. W. K'UHNIA. Syngenesia Polygamia Æqualis.						
1 eupatorioides. w.	(wh.) Eupatorium-like.	N. America.	1812.	6. 8.	H. 4.	Linn. fl. dec. t. 11.
<i>Critonia eupatorioides.</i> G.						
2 Critonia. w.	(st.) glandular-leaved.	—	1816.	—	H. 4.	Gært. carp. 2. t. 174. f. 7.
<i>Critonia Kuhnia.</i> G.						
3 rosmarinifolia. s.s. Rosemary-leaved.	Cuba.	1827.	S. 4.	

EUPATORIUM. W.		EUPATORIUM. Syngenesia Polygamia Æqualis. L.					
1	Dalea. w. (wh.) shrubby.	Jamaica.	1773.	8.	S. h.	Jacq. schœn. 2. t. 146.	
2	parviflorum. w. (wh.) small-flowered.	—————	1823.	—	S. h.		
3	triflorum. w. (wh.) three-flowered.	Trinidad.	1821.	7. 8.	S. h.	Aub. gui. 2. t. 314.	
4	macrophyllum. w. (li.) large-leaved.	S. America.	1824.	S. 2.	Plum. spec. 10. t. 129.	
5	populifolium. K.S. (wh.) Poplar-leaved.	Mexico.	—	S. h.		
6	canescens. w. (wh.) canescent.	S. America.	1822.	6. 8.	S. h.	Vahl symb. 3. t. 73.	
7	veronicæfolium. K.S. (w.) Speedwell-leav'd.	Mexico.	1825.	S. h.	H. et B. v. 4. t. 341.	
8	fœniculaceum. w. (st.) Fennel-leaved.	N. America.	1807.	6. 9.	H. 2.		
9	coronopifolium. w. (wh.) buckshorn-leaved.	—————	1819.	8. 9.	H. 2.		
10	hyssopifolium. w. (wh.) Hyssop-leaved.	—————	1699.	—	H. 2.	Dill. elth. t. 115. f. 140.	
11	sessilifolium. w. (wh.) sessile-leaved.	—————	1777.	9. 10.	H. 2.		
12	truncatum. w. (wh.) truncate-leaved.	—————	1822.	8. 10.	H. 2.		
13	album. w. (wh.) white-flowered.	—————	—	—	H. 2.		
14	lanceolatum. w. (wh.) spear-leaved.	—————	1819.	8. 11.	H. 2.		
15	teucrifolium. w. (wh.) Teucrium-leav'd.	—————	1816.	—	H. 2.	Willd. hort. ber. t. 32.	
16	rotundifolium. w. (wh.) round-leaved.	—————	1699.	7. 8.	H. 2.	Pluk. alm. t. 88. f. 4.	
17	pubescens. w. (wh.) pubescent.	—————	1816.	8. 10.	H. 2.		
18	ceanothifolium. w. (w.) Ceanothus-like.	—————	1812.	8. 11.	H. 2.		
19	altissimum. w. (wh.) tall.	—————	1699.	9. 10.	H. 2.	Jacq. vind. 2. t. 164.	
20	trifoliatum. w. (wh.) three-leaved.	—————	1768.	8. 10.	H. 2.		
21	cannabinum. w. (pu.) Hempagrimony.	Britain.	7. 10.	H. 2.	Eng. bot. v. 6. t. 428.	
22	syriacum. w. (ro.) Syrian.	Syria.	1807.	7. 9.	H. 2.	Jacq. ic. 1. t. 170.	
23	diffusum. s.s. (wh.) spreading.	S. America.	1821.	6. 8.	S. 2.		
24	purpureum. w. (pu.) purple-stalked.	N. America.	1640.	9. 10.	H. 2.	Corn. canad. t. 72.	
25	maculatum. w. (pu.) spotted-stalked.	—————	1656.	8. 9.	H. 2.	Herm. parad. t. 158.	
26	punctatum. Ph. (pu.) punctated.	—————	1815.	—	H. 2.		
27	verticillatum. w. (pu.) whorl-leaved.	—————	1811.	—	H. 2.		
28	perfoliatum. w. (wh.) Feverwort.	—————	1699.	8. 10.	H. 2.	Pluk. alm. t. 87. f. 6.	
29	salviaefolium. B.M. (wh.) Sage-leaved.	—————	1812.	—	H. 2.	Bot. mag. t. 2010.	
30	lamifolium. L.en. (wh.) Lamium-leaved.	—————	1818.	—	H. 2.		
31	paniculatum. Mil. (wh.) paniced.	—————	—	H. 2.		
32	melissoïdes. w. (wh.) Balm-leaved.	—————	1821.	8. 10.	H. 2.		
33	aromaticum. w. (wh.) aromatic.	—————	1739.	7. 8.	H. 2.	Pluk. alm. t. 88. f. 3.	
34	urticæfolium. w. (wh.) Nettle-leaved.	S. America.	1803.	—	G. 2.	Smith ined. t. 68.	
35	ageratoïdes. w. (wh.) Ageratum-like.	N. America.	1640.	8. 10.	H. 2.	Corn. canad. t. 21.	
36	deltoidæum. w. (pi.) deltoid-leaved.	1818.	—	S. 2.	Jacq. schœn. 3. t. 369.	
37	scandens. L.en. (ye.) climbing.	S. America.	1822.	6. 8.	S. h.		
38	squarrosu. w. (st.) squarrose.	Mexico.	1824.	—	S. 2.	Cavan. ic. 1. t. 98.	
39	atriplicifolium. w. (li.) Orache-leaved.	W. Indies.	1820.	S. h.		
40	sinuatum. P.S. (wh.) sinuate.	—————	1824.	6. 8.	S. h.	Plum. sp. 10. ic. 128. f. 1.	
41	odoratum. w. (wh.) sweet-scented.	Jamaica.	1752.	8. 10.	S. h.	Pluk. alm. t. 177. f. 3.	
42	Ayapana. v. (pu.) medicinal.	Brazil.	1821.	—	S. h.	Vent. malm. p. 3. t. 3.	
43	triplinerve. P.S. triply-nerved.	Santa Cruz.	—	—	S. h.		
44	ivæfolium. w. (wh.) Iva-leaved.	Jamaica.	1794.	6. 7.	S. 2.		
45	stœchadifolium. L. (vi.) Stœchas-leav'd.	New Granada.	1826.	S. h.	Sm. ic. ined. t. 69.	
46	myosotifolium. w. (bl.) Myosotis-leav'd.	S. America.	1824.	6. 8.	S. 2.	Jacq. ic. 3. t. 282.	
47	iresinoïdes. K.S. (wh.) Iresine-like.	—————	—	—	S. 2.	H. et B. v. 4. t. 340.	
48	pulchellum. K.S. (vi.) pretty.	Mexico.	—	—	S. h.	— v. 4. t. 345.	
49	xalapense. K.S. (wh.) six-angled.	—————	—	—	S. h.		
50	repandum. w. (wh.) repand-leaved.	Antilles.	1822.	—	S. h.		
51	asperum. H.B. (wh.) rough.	E. Indies.	1820.	6. 8.	S. h.	Plum. ic. 130. f. 1.	
MIK'ANIA. W.		MIK'ANIA. Syngenesia Polygamia Æqualis. W.					
1	Houstoni. w. (wh.) Houston's.	Jamaica.	1733.	7. 8.	S. h.		
2	hastata. w. (wh.) halbert-leaved.	—————	—	S. h.	Brown jam. t. 34. f. 3.	
3	scandens. w. (wh.) climbing.	N. America.	1714.	8. 9.	H. 2.	Jacq. ic. 1. t. 169.	
4	Guaco. K.S. (wh.) medicinal.	S. America.	1823.	S. 2.	H. et B. pl. 2. t. 105.	
5	anara. w. (wh.) bitter.	Trinidad.	1824.	S. h.	Aubl. gui. 2. t. 315.	
6	opifera. Mart. (wh.) snakewort.	Brazil.	1822.	S. h.		
7	nummularia. D.D. (wh.) moneywort.	Mexico.	1826.	6. 8.	S. 2.		
STEVIA. W.		STEVIA. Syngenesia Polygamia Æqualis. W.					
1	connata. L.G. (wh.) connate-leaved.	New Spain.	1825.	8. 10.	F. h.		
2	subpubescens. L.G. (w.) downy-branch'd.	—————	—	—	F. h.		
3	coriacea. L.G. (wh.) leather-leaved.	Peru.	1826.	—	F. h.		
4	lucida. L.G. (wh.) glossy-leaved.	New Spain.	1822.	—	F. h.		
5	salicifolia. w. (wh.) Willow-leaved.	Mexico.	1803.	—	F. h.	Cavan. ic. 4. t. 351.	
6	angustifolia. K.S. (wh.) narrow-leaved.	—————	—	—	F. h.		
7	trifida. L.G. (wh.) trifid-leaved.	—————	—	—	F. h.		
8	micrantha. L.G. (wh.) small-flowered.	New Spain.	1828.	—	F. 2.		
		—————	1825.	8. 10.	F. 2.		

9	incanescens. L.G. (wh.)	flous-stalked.	New Spain.	1825.	8. 10.	F. 2.	
10	pubescens. L.G. (pu.)	pubescent.	Mexico.	1823.	—	F. 2.	
11	tomentosa. K.S. (ro.)	tomentose.	—	1825.	—	F. 2.	
12	monardæfolia. K.S. (ro.)	Monarda-leav'd.	—	—	8. 9.	F. 2.	
13	fastigiata. K.S. (wh.)	crowded-flower'd.	New Spain.	1828.	—	F. 2.	
14	adenophora. L.G. (wh.)	glandular.	Chile.	1822.	—	F. 2.	
15	enarthrotricha. L.G. (w.)	jointed haired.	New Spain.	1828.	—	F. 2.	
16	ovata. L.G. (wh.)	oval-leaved.	Mexico.	1816.	8. 9.	F. 2.	
17	suboctoaristata. L.G. (w.)	8-awned.	Peru.	1824.	—	F. 2.	
18	paniculata. L.G. (wh.)	panicled.	New Spain.	—	—	F. 2.	
19	suavèolens. L.G. (wh.)	sweet-scented.	—	1827.	—	F. 2.	
20	rhombofolia. K.S. (wh.)	rhombo-leaved.	Mexico.	1826.	8. 10.	F. 2.	
21	nepetæfolia. K.S. (wh.)	catmint-leaved.	—	—	—	F. 2.	
22	Eupatoria. w. (ro.wh.)	entire-leaved.	—	1798.	7. 9.	F. 2.	Bot. mag. t. 1849.
23	lanceolata. L.G. (bh.)	spear-leaved.	—	1824.	—	F. 2.	
24	hyssopifolia. B.M. (wh.)	Hyssop-leaved.	—	—	F. 2.	Bot. mag. t. 1861.
25	ivæfolia. W.en. (wh.)	Iva-leaved.	—	1816.	7. 9.	F. 2.	
26	serrata. w. (wh.)	saw-leaved.	—	1799.	—	F. 2.	Jacq. schœn. 3. t. 300
27	virgata. K.S. (wh.)	slender.	—	1824.	—	F. 2.	
28	purpurea. W.en. (pu.)	purple-flowered.	—	1812.	8. 9.	H. 2.	Bot. reg. t. 93.
	<i>Eupatoria. B.R. nec aliorum.</i>						
29	viscida. K.S. (ro.)	rose-coloured.	—	1824.	9. 10.	F. 2.	
30	pilosa. L.G. (ro.)	hairy.	New Spain.	1825.	8. 10.	F. 2.	
31	microphylla. K.S. (bh.)	small-leaved.	Mexico.	1828.	—	F. 2.	
	PALAFO'XIA. Lag. PALAFO'XIA. Syngenesia Polygamia Æqualis.						
1	linearis. L.G. (wh.)	linear-leaved.	Mexico.	1816.	8. 10.	F. 2.	Bot. mag. t. 2132.
	<i>Stèria linearis. w. Ageratum lineare. Cav. ic. 3. t. 205.</i>						
2	callosa. D.D. (wh.)	callous.	Arkansa.	1824.	6. 8.	H. 0.	
	<i>Stèria callosa. N.</i>						
	AGER'ATUM. W. AGER'ATUM. Syngenesia Polygamia Æqualis. L.						
1	strictum. B.M. (wh.)	upright.	Nepaul.	1820.	9. 11.	H. 0.	Bot. mag. t. 2410.
2	conyzoides. w. (bl.)	hairy.	America.	1714.	7. 8.	H. 0.	Schk. hand. 3. t. 238.
3	cœruleum. P.S. (bl.)	blue-flowered.	S. America.	1820.	—	H. 0.	
4	mexicanum. B.M. (bl.)	Mexican.	Mexico.	1823.	8. 10.	H. 0.	Swt. br. fl. gar. t. 89.
5	latifolium. w. (wh.)	broad-leaved.	Peru.	1800.	7. 8.	H. 0.	Cavan. ic. 4. t. 357.
6	Houstonianum. Mil. (bl.)	Houstoun's.	S. America.	6. 8.	S. 0.	
7	paniculatum. Scr. (bl.)	panicled.	—	1827.	9. 10.	H. 0.	
8	album. w. (wh.)	white-flowered.	—	1822.	6. 9.	H. 0.	
	<i>hirtum. Lam.</i>						
9	maritimum. K.S. (bl.)	sea-side.	Cuba.	1826.	—	S. 2.	
10	cordifolium. H.B. (wh.)	heart-leaved.	Bengal.	1820.	8. 10.	S. 0.	
11	aquaticum. H.B. (wh.)	water.	E. Indies.	—	—	S. 0.	
	CÆLESTINA. Cas. CÆLESTINA. Syngenesia Polygamia Æqualis.						
1	suffruticosa. (bl.)	suffruticose.	S. America.	7. 10.	G. ½.	Bot. mag. t. 1730.
	<i>Ageratum caelestinum. B.M.</i>						
2	ageratoïdes. K.S. (bl.)	Ageratum-like.	New Spain.	1824.	—	G. 2.	
3	cœrulea. Cas. (bl.)	blue-flowered.	N. America.	1732.	7. 11.	H. 2.	Dill. elth. t. 114. f. 139.
	<i>Eupatorium caelestinum. w.</i>						
	AL'OMIA. K.S. AL'OMIA. Syngenesia Polygamia Æqualis.						
	ageratoïdes. K.S. (wh.) white-flowered. New Spain. 1823. 7. 9. G. 2. H. et B. 4. t. 354.						
	PIQU'ERIA. W. PIQU'ERIA. Syngenesia Polygamia Æqualis. W.						
1	trinervia. w. (wh.)	three-nerved.	Mexico.	1798.	7. 8.	G. 2.	Cavan. ic. 3. t. 235.
2	pilosa. K.S. (wh.)	hairy.	—	1824.	—	G. 2.	
3	artemisioides. K.S. (wh.)	Wormwood-like.	Quito.	—	8. 12.	G. 2.	
	SELL'OA. Spr. SELL'OA. Syngenesia Polygamia Æqualis.						
	glutinosa. B.R. (ye.) clammy. Brazil. 1815. 1. 5. G. ½. Bot. reg. t. 462.						
	LEYS'ERA. W. LEYS'ERA. Syngenesia Polygamia Superflua. W.						
1	ciliata. w. (ye.)	ciliated.	C. B. S.	1816.	7. 8.	G. 2.	
2	gnaphalodes. w. (or.)	woolly.	—	1774.	7. 9.	G. ½.	Jacq. ic. 3. t. 588.

SUBORDO V. JACOBÆÆ. *Kth. synops. 2. p. 440.*

	KLEI'NIA. W. KLEI'NIA. Syngenesia Polygamia Æqualis. W.						
1	rueralis. w. (gr.ye.)	glaucous-leav'd.	S. America.	1824.	7. 10.	S. 0.	Jacq. amer. t. 127.
2	Porophyllum. w. (gr.ye.)	perforated.	—	1699.	6. 10.	S. 0.	Cavan. ic. 3. t. 222.
3	viridiflora. K.S. (gr.)	green-flowered.	Mexico.	1823.	—	S. ½.	

4	tagetoïdes. K.S.	(gr.) Tagetes-like.	Mexico.	1823.	6. 10.	H. ☉.	
5	suffruticòsa. W.	(pu.) suffruticose.	S. America.	1825.	—	G. ☽.	Cavan. ic. 3. t. 257.
6	coloràta. K.S.	(vi.) violet-colour'd.	Mexico.	—	—	H. ☉.	
CAC'ALIA. W. CAC'ALIA. Syngenesia Polygamia Æqualis. L.							
1	papillàris. W.	(wh.) rough-stalked.	C. B. S.	1727.	G. ☽.	Dill. elth. t. 55. f. 63.
2	Anteuphòrbium. W.	(st.) oval-leaved.	—	1596.	2. 3.	G. ☽.	— t. 55. f. 2. 3.
3	Kleínia. W.	(wh.) Oleander-leaved.	Canaries.	1732.	9. 10.	G. ☽.	DC. plant. gras. t. 12.
4	Ficoides. W.	(st.) flat-leaved.	C. B. S.	1710.	6. 11.	G. ☽.	— t. 90.
5	rèpens. W.	(st.) glaucous-leaved.	—	1759.	6. 10.	G. ☽.	— t. 42.
6	cylíndrica. DC.	(ye.) cylindrical.	Africa.	1818.	—	G. ☽.	— t. ic.
7	carnòsa. W.	(st.) narrow-leaved.	C. B. S.	1757.	6.	G. ☽.	
8	canéscens. W.	(st.) woolly-leaved.	—	1795.	G. ☽.	
<i>Hawórhii.</i> H.S.L. <i>Kleínia tomentòsa.</i> H.S. non C. <i>tomentòsa.</i> L.							
9	longifòlia. H.R. long-leaved.	1820.	S. ☽.	
<i>pugionifórmis.</i> L.en.							
10	articulàta. W.	(wh.) jointed.	C. B. S.	1775.	9. 11.	G. ☽.	DC. plant. gras. t. 15.
<i>laciniàta.</i> Jacq. ic. 1. t. 168.							
11	tomentòsa. W.	(ye.) tomentose.	—	1795.	—	G. ☽.	
12	reticulàta. W.	(ye.) netted.	Bourbon.	1823.	G. ☽.	
13	appendiculàta. W.	(ye.) appendaged.	Teneriffe.	1815.	6. 9.	G. ☽.	
14	salicina. Lab.	(ye.) willow-leaved.	V. Diem. Isl.	1820.	4. 6.	G. ☽.	Bot. reg. t. 923.
15	bicolor. W.	(or.) two-coloured.	E. Indies.	1804.	9. 5.	S. ☽.	— t. 110.
16	ovàlis. B.R.	(ye.) oval-leaved.	—	—	S. ☽.	— t. 102.
17	sonchifòlia. W.	(re.) Sonchus-leaved.	—	1768.	7.	S. ☉.	Rheed. mal. 10. t. 68.
18	coccinea. B.M.	(sc.) scarlet-flower'd.	S. America.	1799.	6. 7.	H. ☉.	Bot. mag. t. 564.
19	sarracènica. W.	(st.) creeping-rooted.	France.	1772.	8. 10.	H. ☽.	
20	runcinàta. K.S.	(ro.) runcinate.	Mexico.	1825.	H. ☽.	
21	hastàta. W.	(wh.) spear-leaved.	Siberia.	1780.	8. 10.	H. ☽.	Gmel. sib. 2. t. 66.
22	rhombifòlia. W.en.	(st.) rhomb-leaved.	—	1816.	—	H. ☽.	
23	macrophy'lla. M.B.	(st.) large-leaved.	Caucasus.	1828.	—	H. ☽.	
24	suavèolens. W.	(wh.) sweet-scented.	N. America.	1752.	—	H. ☽.	
25	atriplicifòlia. W.	(wh.) Orache-leaved.	—	1699.	8.	H. ☽.	Pluk. alm. t. 101. f. 2.
26	cordifòlia. K.S.	(ye.) heart-leaved.	Mexico.	1825.	7. 9.	F. ☽.	
27	renifórmis. W.	(wh.) kidney-leaved.	N. America.	1801.	7. 8.	H. ☽.	
28	tuberòsa. N.	(wh.) tuberous-rooted.	—	1812.	—	H. ☽.	
29	pinnàta. W.en.	(ye.) pinnate-leaved.	Iberia.	1816.	—	H. ☽.	
30	peltàta. K.S.	(gr.) peltated.	Mexico.	1825.	—	G. ☽.	H. et Bonpl. 4. t. 361.
31	scàndens. W.	(pi.) climbing.	C. B. S.	1774.	4.	G. ☽.	
EM'LEA. Cas. EM'LEA. Syngenesia Polygamia Æqualis.							
	flàmmea. Cas.	(or.pu.) flame-flowered.	Java.	1823.	6. 9.	S. ☉.	
<i>Cacàlia sagittàta.</i> W.							
ADENO'STYLES. Cas. ADENO'STYLES. Syngenesia Polygamia Æqualis.							
1	candidíssima. Cas.	(pu.) hoary.	S. France.	1828.	7. 9.	H. ☽.	
<i>Cacàlia tomentòsa.</i> Vill. <i>leucophy'lla.</i> W.							
2	àlbida. Cas.	(pi.) white-leaved.	Austria.	1739.	7. 8.	H. ☽.	Jacq. aust. 3. t. 235.
<i>Cacàlia àlbifrons.</i> Jacq.							
3	víridis. Cas.	(li.) alpine.	—	—	—	H. ☽.	Jacq. aust. 3. t. 234.
<i>Cacàlia alpina.</i> Jacq.							
TUSSIL'AGO. W. COLTSFOOT. Syngenesia Polygamia Superflua. L.							
1	alpina. W.	(pu.) Alpine.	Austria.	1710.	3. 5.	H. ☽.	Bot. mag. t. 84.
2	díscolor. W.	(pu.) two-coloured.	—	1633.	4. 5.	H. ☽.	Jacq. aust. 3. t. 247.
3	sylvéstris. W.	(pu.) wood.	—	1816.	—	H. ☽.	— 5. app. t. 12.
4	Fárfara. W.	(ye.) common.	Britain.	3. 4.	H. ☽.	Eng. bot. v. 6. t. 429.
<i>β variegàta.</i> (ye.) <i>variegated-leav'd.</i> —							
5	frígida. W.	(pa.) Lapland.	Lapland.	1710.	5.	H. ☽.	Flor. dan. t. 61.
6	fràgrans. W.	(bh.) fragrant.	Italy.	1806.	1. 3.	H. ☽.	Bot. mag. t. 1388.
7	álba. W.	(wh.) white butter-bur.	Europe.	1683.	1. 4.	H. ☽.	Flor. dan. t. 524.
8	corymbòsa. S.S.	(wh.) corymböse.	Arctic regions.	1827.	—	H. ☽.	
9	nívea. W.	(wh.) downy-leaved.	Switzerland.	1713.	4.	H. ☽.	Retz. obs. 2. t. 3.
<i>paradóxa.</i> Retz.							
10	Petasites. E.B.	(bh.) common butter bur.	Britain.	3. 4.	H. ☽.	Eng. bot. v. 6. t. 431.
11	hy'brida. E.B.	(bh.) large-leaved.	—	—	H. ☽.	— v. 6. t. 430.
12	spùria. W.	(wh.) lobe-leaved.	Germany.	1790.	—	H. ☽.	Retz. obs. 1. t. 2.
<i>paradóxa.</i> Roth.							
13	palmàta. W.	(wh.) cut-leaved.	Labrador.	1778.	4.	H. ☽.	Hort. Kew. v. 3. t. 11.
SENECIO. W. GROUNDSEL. Syngenesia Polygamia Superflua. W.							
1	reclinàtus. W.	(ye.) grass-leaved.	C. B. S.	1774.	6. 8.	G. ♂.	Jacq. ic. 1. t. 174.
2	hieracifòlius. W.	(ye.) hawkweed-leav'd.	N. America.	1699.	8.	H. ☉.	Herm. parad. t. 226.
3	purpùreus. W.	(pu.) purple.	C. B. S.	1774.	7. 9.	G. ☽.	Jacq. ic. 3. t. 580.

4	<i>cérnuus</i> . w.	(<i>pu.</i>) drooping.	E. Indies.	1780.	7. 8.	H. ☉.	Jacq. vind. 3. t. 98.
5	<i>erubescens</i> . w.	(<i>bh.</i>) blush-coloured.	C. B. S.	1774.	6. 10.	G. ♂.	
6	<i>hematophyllus</i> . W.en.	(<i>ye.</i>) purple leaved.	—————	1789.	————	G. ♀.	
7	<i>divaricatus</i> . w.	(<i>ye.</i>) straddling.	China.	1801.	7.	G. ♂.	
8	<i>croaticus</i> . w.	(<i>ye.</i>) Croatian.	Hungary.	1805.	7. 8.	H. ♀.	W. et K. hung. 2. t. 143.
9	<i>Pseudo-China</i> . w.	(<i>or.</i>) Chinese.	China.	1732.	6. 8.	G. ♀.	Dill. elth. t. 258. f. 335.
10	<i>japonicus</i> . w.	(<i>ye.</i>) jagged-leaved.	Japan.	1774.	8.	H. ♀.	
11	<i>vulgaris</i> . w.	(<i>ye.</i>) common.	Britain.	1. 12.	H. ♀.	Eng. bot. v. 11. t. 747.
12	<i>lanuginosus</i> . s.s.	(<i>ye.</i>) woolly.	1827.	4. 8.	H. ☉.	
13	<i>valerianæfolius</i> . s.s.	(<i>ye.</i>) Valerian-leav'd.	Brazil.	1826.	6. 10.	F. ☉.	
14	<i>peucedanifolius</i> . w.	(<i>w.</i>) Peucedanum-leav'd.	C. B. S.	1816.	6. 8.	G. ♀.	Jacq. ic. 3. t. 581.
	<i>Cacalia peucedanifolia</i> . Jacq.						
15	<i>arabicus</i> . w.	(<i>ye.</i>) Arabian.	Egypt.	1804.	7. 8.	H. ♂.	
16	<i>verbænæfolius</i> . w.	(<i>ye.</i>) Vervain-leav'd.	—————	1803.	6. 7.	H. ☉.	Jacq. vind. 1. t. 3.
17	<i>glomeratus</i> . L.en.	(<i>ye.</i>) close-flowered.	N. Holland.	1816.	8. 10.	H. ☉.	
18	<i>cacalioides</i> . L.en.	(<i>ye.</i>) Cacalia-like.	Brazil.	1820.	————	H. ☉.	
19	<i>triflorus</i> . w.	(<i>ye.</i>) three-flowered.	Egypt.	1776.	7. 9.	H. ☉.	
20	<i>ægyptius</i> . w.	(<i>ye.</i>) Egyptian.	—————	1771.	7. 8.	H. ☉.	
21	<i>crassifolius</i> . w.	(<i>ye.</i>) thick-leaved.	S. Europe.	1815.	————	H. ☉.	
22	<i>lividus</i> . w.	(<i>ye.</i>) livid.	Britain.	————	H. ☉.	Eng. bot. v. 35. t. 2515.
23	<i>telephifolius</i> . w.	(<i>ye.</i>) Telephium-leav'd.	C. B. S.	1823.	————	H. ☉.	Jacq. frag. 1. t. 1. f. 3.
24	<i>trilobus</i> . w.	(<i>ye.</i>) three-lobed.	Spain.	1728.	6. 8.	H. ☉.	
25	<i>cinerascens</i> . w.	(<i>ye.</i>) gray.	C. B. S.	1774.	5. 7.	G. ♀.	Jacq. schoen. 2. t. 150.
26	<i>lilacinus</i> . s.s.	(<i>li.</i>) lilac-coloured.	—————	1826.	6. 12.	G. ♀.	Link et Ott. abb. ic.
27	<i>viscosus</i> . w.	(<i>ye.</i>) stinking.	Britain.	6. 10.	H. ☉.	Eng. bot. v. 1. t. 32.
28	<i>sylvaticus</i> . w.	(<i>st.</i>) mountain.	—————	7. 8.	H. ☉.	————— v. 11. t. 748.
29	<i>coronopifolius</i> . w.	(<i>ye.</i>) Buck'shorn-leav'd.	Spain.	1821.	————	H. ☉.	
30	<i>nebrodensis</i> . w.	(<i>ye.</i>) Nebrodes.	S. Europe.	1704.	6. 8.	H. ☉.	Barrel. rar. 401.
31	<i>glaucus</i> . w.	(<i>ye.</i>) sea-green.	Egypt.	1739.	————	H. ☉.	
32	<i>Marmoræ</i> . s.s.	(<i>ye.</i>) Sardinian.	Sardinia.	1829.	4. 5.	H. ♂.	
33	<i>hastatus</i> . w.	(<i>ye.</i>) halbert-leaved.	C. B. S.	1722.	5. 8.	G. ♀.	Dill. elth. t. 152. f. 184.
34	<i>pubigerus</i> . w.	(<i>ye.</i>) runcinate-leav'd.	—————	1816.	————	G. ♀.	Moris. s. 7. t. 18. f. 32.
35	<i>vernalis</i> . w.	(<i>ye.</i>) spring.	Hungary.	1803.	4. 6.	H. ☉.	W. et K. hung. 1. t. 24.
36	<i>montanus</i> . w.	(<i>ye.</i>) smooth mountain.	Germany.	1819.	————	H. ☉.	
37	<i>rupèstris</i> . w.	(<i>ye.</i>) rock.	Hungary.	1805.	6. 7.	H. ♀.	W. et K. hung. 2. t. 128.
38	<i>laciniata</i> . Bert.	(<i>ye.</i>) jagged.	Italy.	1822.	5. 8.	H. ♂.	
39	<i>dentatus</i> . w.	(<i>ye.</i>) toothed-leaved.	C. B. S.	1823.	————	G. ♀.	
40	<i>squamosus</i> . w.	(<i>ye.</i>) scaly.	—————	1816.	————	G. ♀.	
41	<i>venustus</i> . w.	(<i>re.</i>) wing-leaved.	—————	1774.	5. 11.	G. ♀.	Bot. reg. t. 901.
42	<i>elegans</i> . w.	(<i>re.wh.</i>) elegant.	—————	1700.	6. 8.	H. ☉.	
	<i>α ruber</i> .	(<i>re.</i>) red-flowered.	—————	————	————	H. ☉.	
	<i>β albus</i> .	(<i>wh.</i>) white-flowered.	—————	————	————	H. ☉.	
	<i>γ pleno-albus</i> .	(<i>wh.</i>) double-white.	—————	————	4. 11.	G. ♀.	
	<i>δ pleno-ruber</i> .	(<i>re.</i>) double red.	—————	————	————	G. ♀.	Bot. mag. t. 238.
43	<i>speciosus</i> . w.	(<i>re.</i>) red-flowered.	China.	1789.	7. 8.	G. ♀.	Bot. reg. t. 41.
44	<i>squalidus</i> . w.	(<i>ye.</i>) inelegant.	England.	6. 10.	H. ☉.	Eng. bot. v. 9. t. 600.
45	<i>erucæfolius</i> . w.	(<i>ye.</i>) Eruca-leaved.	Europe.	1816.	7. 8.	H. ♀.	
46	<i>chrysanthemifolius</i> .	(<i>ye.</i>) Chrysanthemum-ld.	Sicily.	1823.	7. 9.	H. ♀.	Bocc. sic. t. 67.
47	<i>uniflorus</i> . w.	(<i>ye.</i>) one-flowered.	S. Europe.	1799.	7. 8.	H. ♀.	All. ped. t. 17. f. 8.
48	<i>incanus</i> . w.	(<i>ye.</i>) downy.	—————	1759.	————	H. ♀.	Pluk. alm. t. 39. f. 6.
49	<i>abrotanifolius</i> . w.	(<i>ye.</i>) Southernwood-leav'd.	—————	1640.	7. 10.	H. ♀.	Jacq. aust. 1. t. 79.
50	<i>artemisæfolius</i> . P.s.	(<i>ye.</i>) Wormwood-leav'd.	France.	1820.	————	H. ♀.	
51	<i>præaltus</i> . s.s.	(<i>ye.</i>) lofty.	Italy.	1827.	7. 8.	H. ♀.	
52	<i>Othonnæ</i> . M.B.	(<i>ye.</i>) Othonna-like.	Caucasus.	1822.	————	H. ♀.	
53	<i>Marschallianus</i> . s.s.	(<i>ye.</i>) Bieberstein's.	Ukraine.	1826.	————	H. ♀.	
	<i>arenarius</i> . M.B. non Thunb.						
54	<i>grandiflorus</i> . s.s.	(<i>ye.</i>) large-flowered.	C. B. S.	1824.	6. 8.	G. ♀.	Pluk. mant. t. 422. f. 5.
55	<i>glaucescens</i> . s.s.	(<i>ye.</i>) glaucescent.	1826.	6. 10.	H. ☉.	
56	<i>carniolicus</i> . s.s.	(<i>ye.</i>) Carniolian.	Carniola.	1827.	7. 8.	H. ♀.	
57	<i>adonidifolius</i> . Lois.	(<i>ye.</i>) Adonis-leaved.	1826.	7. 10.	H. ♀.	
58	<i>dahuricus</i> . F.	(<i>ye.</i>) Dahurian.	Dahuria.	1821.	————	H. ♀.	
59	<i>umbellatus</i> . s.s.	(<i>ye.pu.</i>) umbel-flowered.	C. B. S.	1822.	6. 8.	G. ♀.	
60	<i>canadensis</i> . w.	(<i>ye.</i>) Canadian.	N. America.	1818.	————	H. ♀.	
61	<i>delphinifolius</i> . w.	(<i>ye.</i>) Larkspur-leav'd.	Sicily.	1823.	————	H. ♀.	Vahl symb. 2. t. 43.
62	<i>tennifolius</i> . w.	(<i>ye.</i>) slender-leaved.	Britain.	7. 8.	H. ♀.	Eng. bot. v. 8. t. 574.
63	<i>Jacob'æa</i> . w.	(<i>ye.</i>) common-ragwort.	—————	————	H. ♀.	————— v. 16. t. 1130.
64	<i>erraticus</i> . s.s.	(<i>ye.</i>) water.	S. Europe.	1826.	5. 7.	H. ♀.	
65	<i>aquaticus</i> . w.	(<i>ye.</i>) marsh.	—————	————	H. ♀.	Eng. bot. v. 16. t. 1131.
66	<i>aureus</i> . w.	(<i>ye.</i>) golden.	N. America.	1758.	7. 8.	H. ♀.	

67	lyratifolius. s.s.	(ye.)	lyrate-leaved.	S. Europe.	1826.	5. 6.	H. 2.	
68	fragrans. s.s.	(ye.)	fragrant.	Siberia.	—	6. 8.	H. 2.	
69	Balsamitæ. w.	(ye.)	various-leaved.	N. America.	1819.	—	H. 2.	
70	obovatus. w.	(ye.)	obovate-leaved.	—	—	—	H. 2.	
71	leucophyllus. DC.	(ye.)	white-leaved.	S. Europe.	1821.	—	H. 2.	
72	rosmarinifolius. w.	(ye.)	Rosemary-leav'd.	C. B. S.	7. 8.	G. h.	Jacq. ic. 3. t. 567.
73	asper. w.	(ye.)	rough.	—	1774.	—	G. h.	
74	linifolius. w.	(ye.)	Flax-leaved.	Spain.	1817.	—	H. 2.	Barrel. rar. t. 802.
75	rigescens. w.	(ye.)	stiff-leaved.	C. B. S.	1815.	—	G. h.	Jacq. coll. 5. t. 6. f. 1.
76	nervatus. s.s.	(pu.)	nerved-leaved.	—	1824.	7. 8.	G. h.	
77	paludosus. w.	(ye.)	Bird's-tongue.	England.	6. 8.	H. 2.	Eng. bot. v. 10. t. 650.
78	persicæfolius. DC.	(ye.)	peach-leaved.	Pyrenees.	1817.	—	H. 2.	Ram. bul. phil. t. 11. f. 3.
79	nemorënsis. w.	(ye.)	branching.	Austria.	1785.	7. 8.	H. 2.	Jacq. aust. 2. t. 194.
80	sarracenicus. w.	(ye.)	creeping-root'd.	Britain.	7. 10.	H. 2.	Eng. bot. v. 31. t. 221.
81	ovatus. w.	(ye.)	oval-leaved.	Germany.	1817.	—	H. 2.	
82	coriaceus. w.	(ye.)	leathery-leaved.	Levant.	1728.	7. 8.	H. 2.	Dill. elth. t. 105. f. 125.
83	Doria. w.	(ye.)	broad-leaved.	Austria.	1570.	7. 9.	H. 2.	Jacq. aust. 2. t. 185.
84	macrophyllus. M.B.	(ye.)	large-leaved.	Caucasus.	1817.	—	H. 2.	
85	Doronicum. w.	(ye.)	Leopard's-bane.	S. Europe.	1705.	—	H. 2.	Jacq. aust. 5. t. ap. 45.
86	umbrösus. w.K.	(ye.)	ear-leaved.	Hungary.	1815.	—	H. 2.	
87	Barrelieri. w.	(ye.)	Barrelier's.	Pyrenees.	1824.	—	H. 2.	Barrel. ic. 146.
88	lanceus. w.	(ye.)	spear-leaved.	C. B. S.	1774.	7. 10.	G. h.	
89	oporinus. w.	(ye.)	Jacquin's.	—	—	G. 2.	Jacq. schœn. 3. t. 304.
90	longifolius. w.	(ye.)	long-leaved.	—	1775.	8. 11.	G. h.	Comm. hort. 2. t. 71.
91	halimifolius. w.	(ye.)	succulent-leaved.	—	1723.	7.	G. h.	Dill. elth. t. 104. f. 124.
92	ilicifolius. w.	(ye.)	Ilex-leaved.	—	1731.	6. 7.	G. h.	Comm. rar. t. 42.
93	rigidus. w.	(ye.)	hard-leaved.	—	1704.	6. 9.	G. h.	Comm. hort. 2. t. 75.
94	solidaginoïdes. w.	(ye.)	Golden-rod-like.	—	1819.	—	G. h.	Hout. syst. 4. t. 32. f. 1.
95	vérnus. Biv.	(ye.)	vernal.	Italy.	—	—	H. 2.	
96	cordifolius. s.s.	(ye.)	heart-leaved.	C. B. S.	1827.	7. 9.	G. 2.	
97	arenarius. s.s.	(ye.)	sand.	—	1826.	—	G. 2.	
98	spicatus.	(ye.)	spike-flowered.	1828.	—	H. 2.	
ADENOTRÍCHA. B.R.				ADENOTRÍCHA. Syngenesia Polygamia Superflua.				
	amplexicaulis. B.R.	(ye.)	stem-clasping.	Chile.	1826.	5. 7.	F. 2.	Bot reg. t. 1190.
SENECI'LLIS. G.				SENECI'LLIS. Syngenesia Polygamia Superflua.				
	glauca. G.	(ye.)	glaucous.	Siberia.	1790.	6. 7.	H. 2.	Gmel. sib. 2. t. 74.
	<i>Cineraria glauca. w.</i>							
CINER'ARIA. W.				CINER'ARIA. Syngenesia Polygamia Superflua. L.				
1	americana. w.	(ye.)	American.	S. America.	1823.	S. h.	
2	incana. P.s.	(ye.)	hoary.	Jamaica.	—	6. 8.	S. h.	
3	discolor. P.s.	(ye.)	two-coloured.	—	1822.	—	S. h.	
4	lucida. P.s.	(ye.)	glossy.	W. Indies.	—	—	S. h.	Plum. 2. ic. 154.
5	glabrata. s.s.	(ye.)	smooth.	—	1827.	4. 7.	S. h.	
6	geifolia. w.	(ye.)	kidney-leaved.	C. B. S.	1710.	4. 8.	G. h.	Comm. hort. 2. t. 73.
7	canescens. L.en.	(ye.)	small-flowered.	—	1790.	—	G. h.	Bot. mag. t. 1990.
8	aurea. w.	(pu.)	purple-flower'd.	Madeira.	1777.	6. 7.	G. h.	— t. 1786.
9	lactea. W.en.	(wh.)	milk-coloured.	1816.	—	G. h.	
10	lanata. w.	(pu.)	woolly.	Canaries.	1780.	5. 9.	G. h.	Bot. mag. t. 53.
11	hybrida. W.en.	(ye.)	hybrid.	Hybrid.	2. 5.	G. h.	
12	elatior. L.en.	(wh.)	tall.	—	G. h.	
13	cruenta. w.	(pu.)	purple-leaved.	Canaries.	1777.	—	G. 2.	Bot. mag. t. 406.
	<i>aurea. A.R. 24. nec aliorum.</i>							
14	pulchella.	(re.)	bright red-flower'd.	—	1818.	—	G. 2.	
15	populifolia. H.K.	(re.)	Poplar-leaved.	—	1780.	6. 9.	G. h.	Venten. malm. t. 100.
16	hypoleuca. s.s.	(pu.)	snowy-leaved.	C. B. S.	1828.	4. 7.	G. h.	
17	venusta. s.s.	(re.)	charming.	—	—	—	G. 2.	
18	lobata. w.	(ye.)	lobed.	—	1774.	6. 8.	G. h.	
19	malvæfolia. w.	(li.)	Mallow-leaved.	Azores.	1777.	8.	G. 2.	
20	petasites. B.M.	(ye.)	butter-bur-leav'd.	Mexico.	1812.	12. 2.	G. h.	Bot. mag. t. 1536.
21	præcox. w.	(ye.)	early-flowering.	—	1824.	2. 4.	G. h.	DC. pl. rar. gen. t. 7.
22	sibirica. w.	(ye.)	Siberian.	Siberia.	1784.	6. 8.	H. 2.	Bot. mag. t. 1869.
23	speciosa. L.en.	(ye.)	large-flowered.	—	1818.	—	H. 2.	Bot. reg. t. 812.
24	caucasica. M.B.	(ye.)	Caucasean.	Caucasus.	1820.	—	H. 2.	
25	gigantea. H.K.	(bh.)	gigantic.	Cape Horn.	1801.	7. 8.	H. 2.	Sm. exot. bot. 2. t. 65.
26	lævis. s.s.	(ye.)	smooth.	C. B. S.	1828.	4. 7.	G. 2.	
27	crenata. s.s.	(st.)	crenate.	—	—	—	G. 2.	
28	palustris. w.	(ye.)	marsh.	England.	—	H. 2.	Eng. bot. v. 3. t. 151.
29	aurantiaca. w.	(or.)	orange-colour'd.	Switzerland.	1818.	5. 7.	H. 2.	Swt. br. fl. gar. t. 256.
30	campestris. w.	(ye.)	mountain.	N. Europe.	—	H. 2.	Jacq. aust. t. 180.

31	<i>integrifolia</i> . E.B.	(<i>ye.</i>) entire-leaved.	England.	5. 7.	H. 4.	Eng. bot. v. 3. t. 152.
32	<i>longifolia</i> . w.	(<i>ye.</i>) long-leaved.	Austria.	1792.	6. 8.	H. 4.	Jacq. aust. 2. t. 181.
33	<i>crispa</i> . w.	(<i>ye.</i>) curled.	—————	1818.	—	H. 4.	————— 2. t. 178.
34	<i>cordifolia</i> . w.	(<i>ye.</i>) heart-leaved.	—————	1739.	7. 8.	H. 4.	————— 2. t. 176.
35	<i>media</i> . w.k.	(<i>ye.</i>) intermediate.	Hungary.	1818.	—	H. 4.	
36	<i>alpina</i> . w.	(<i>ye.</i>) Alpine.	Austria.	1683.	6. 8.	H. 4.	Jacq. aust. 2. t. 177.
37	<i>aurea</i> . w.	(<i>ye.</i>) golden.	Siberia.	1825.	—	H. 4.	
38	<i>rivularis</i> . s.s.	(<i>ye.</i>) rivulet.	Hungary.	1822.	—	H. 4.	
39	<i>crassifolia</i> . s.s.	(<i>ye.</i>) thick-leaved.	Carinthia.	1825.	—	H. 4.	
40	<i>alpestris</i> . s.s.	(<i>ye.</i>) rough-leaved.	N. Europe.	1826.	—	H. 4.	
41	<i>spathulæfolia</i> . s.s.	(<i>ye.</i>) spathulate-leav'd.	Germany.	1820.	—	H. 4.	
42	<i>papposa</i> . s.s.	(<i>ye.</i>) long-chaffed.	Gallicia.	1828.	—	H. 4.	
43	<i>parviflora</i> . s.s.	(<i>ye.</i>) small-flowered.	Caucasus.	1827.	—	H. 4.	
44	<i>congesta</i> . s.s.	(<i>ye.</i>) close-headed.	Melville Isl.	—	5. 6.	H. 4.	
45	<i>taraxacifolia</i> . s.s.	(<i>ye.</i>) Dandelion-leav'd.	Caucasus.	1824.	6. 8.	H. 4.	
46	<i>exsquàmata</i> .	(<i>ye.</i>) scaleless.	Portugal.	1827.	—	H. ⊙.	
	<i>Senecio exsquàmatus</i> . Brot.						
47	<i>frigida</i> . s.s.	(<i>ye.</i>) frigid.	N. America.	1827.	5. 6.	H. 4.	
48	<i>scapiflora</i> . s.s.	(<i>ye.</i>) long-peduncled.	C. B. S.	1828.	—	G. 4.	
49	<i>gibbosa</i> . s.s.	(<i>ye.</i>) gibbous-headed.	Sicily.	—	6. 8.	H. ½.	
50	<i>Aitoniàna</i> . s.s.	(<i>ye.</i>) Aiton's.	—	G. ½.	
51	<i>maritima</i> . w.	(<i>ye.</i>) sea ragwort.	S. Europe.	1633.	7. 9.	F. ½.	Flor. græc. t. 871.
52	<i>bicolor</i> . w.	(<i>ye.</i>) shining-leaved.	1820.	—	F. ½.	
53	<i>acanthifolia</i> . s.s.	(<i>ye.</i>) Acanthus-leav'd.	Levant.	1826.	—	G. ½.	
54	<i>thyrsoides</i> . F.	(<i>ye.</i>) thyrse-flower'd.	Armenia.	1827.	—	H. 4.	
55	<i>angulata</i> .	(<i>ye.</i>) angular-leaved.	Mexico.	—	12. 1.	G. 4.	
56	<i>canadensis</i> .	(<i>ye.</i>) Canadian.	Canada.	1739.	6. 8.	H. 4.	
57	<i>linifolia</i> . w.	(<i>ye.</i>) flax-leaved.	C. B. S.	—	G. ½.	Jacq. schoen. 3. t. 308.
58	<i>angustifolia</i> . K.S.	(<i>ye.</i>) narrow-leaved.	Mexico.	1825.	G. ½.	
59	<i>humifusa</i> . w.	(<i>ye.</i>) trailing.	C. B. S.	1704.	7. 8.	G. 4.	
60	<i>viscosa</i> . w.	(<i>wh.</i>) clammy.	—————	1774.	6. 8.	G. ♂.	Jacq. frag. 12. t. 7. f. 2
61	<i>vestita</i> . H.R.	(<i>ye.</i>) clothed.	—————	1824.	5. 6.	G. 4.	
	AGATH'ÆA. Cas. AGATH'ÆA. Syngenesia Polygamia Superflua.						
	<i>coelestis</i> . Cas.	(<i>bl.</i>) Cape-Aster.	C. B. S.	1753.	2. 9.	G. ½.	Bot. mag. t. 249.
	<i>Cineraria amelloides</i> . w.						
	KAULFU'SSIA. Nees. KAULFU'SSIA. Syngenesia Polygamia Superflua.						
1	<i>amelloides</i> . Nees.	(<i>bl.</i>) blue-flowered.	C. B. S.	1819.	6. 7.	H. ⊙.	Bot. reg. t. 490.
2	<i>ciliata</i> . s.s.	(<i>st.</i>) fringed.	—————	1822.	6. 9.	H. ⊙.	
	TAG'ETES. W. TAG'ETES. Syngenesia Polygamia Superflua. L.						
1	<i>lucida</i> . w.	(<i>ye.</i>) sweet-scented.	Mexico.	1798.	7. 11.	F. 4.	Bot. mag. t. 740.
2	<i>florida</i> . B.F.G.	(<i>ye.</i>) gay-flowering.	—————	1827.	8. 11.	F. 4.	Swt. br. fl. gar. s. 2. t. 35.
3	<i>pátula</i> . w.	(<i>pu. ye.</i>) French Marygold.	—————	1573.	7. 10.	H. ⊙.	Bot. mag. t. 150.
4	<i>corymbosa</i> . B.F.G.	(<i>va.</i>) corymbus-flower'd.	—————	1825.	9. 11.	H. ⊙.	Swt. br. fl. gar. t. 151.
	<i>a purpurea</i> .	(<i>pu.</i>) purple-flowered.	—————	—	—	H. ⊙.	
	<i>β lutea</i> .	(<i>ye.</i>) yellow-flowered.	—————	—	—	H. ⊙.	
5	<i>erecta</i> . w.	(<i>ye.</i>) African Marygold.	—————	1596.	6. 9.	H. ⊙.	Lam. ill. t. 684.
6	<i>tenuifolia</i> . w.	(<i>ye.</i>) fine-leaved.	—————	1797.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 141.
7	<i>subvillòsa</i> . LG.	(<i>ye.</i>) villous-leaved.	—————	1825.	8. 11.	H. ⊙.	
8	<i>minuta</i> . w.	(<i>ye.</i>) small-flowered.	Chili.	1728.	8. 10.	H. ⊙.	Dill. elth. t. 280. f. 362.
9	<i>clandestina</i> . LG.	(<i>ye.</i>) small-rayed.	Mexico.	1822.	—	H. ⊙.	
	<i>coronopifolia</i> . W.en.						
10	<i>micrantha</i> . w.	(<i>ye.</i>) solitary-flower'd.	—————	—	—	H. ⊙.	Cavan. ic. 4. t. 352.
11	<i>glandulosa</i> . L.en.	(<i>ye.</i>) glandular.	—————	1825.	—	H. ⊙.	
12	<i>glandulifera</i> . Sck.	(<i>ye.</i>) gland-bearing.	—————	1826.	9. 11.	H. ⊙.	
	BOEB'ERA. W. BOEB'ERA. Syngenesia Polygamia Superflua.						
1	<i>glandulosa</i> . N.	(<i>ye.</i>) glandular.	N. America.	1823.	8. 9.	H. ⊙.	Venten. cels. t. 36.
	<i>chrysanthemoides</i> . W.en. <i>Tagetes papposa</i> . v. <i>Dyssodia glandulosa</i> . Cav.						
2	<i>Porophyllum</i> . K.S.	(<i>ye.</i>) Mexican.	Mexico.	—	—	H. ⊙.	
	<i>Dyssodia Porophyllum</i> . W.en.						
3	<i>fastigiata</i> . K.S.	(<i>ye.</i>) clustered.	—————	1827.	9. 11.	H. ⊙.	
4	<i>divaricata</i> .	(<i>ye.</i>) spreading.	—————	1828.	—	H. ⊙.	
	<i>Dyssodia divaricata</i> . Rich.						
5	<i>pubescens</i> . s.s.	(<i>ye.</i>) pubescent.	New Spain.	1826.	8. 10.	H. ⊙.	Cavan. icon. 3. t. 212.
	<i>Dyssodia pubescens</i> . LG. <i>Aster pinnatus</i> . Cavan.						
	OTHONNA. W. RAGWORT. Syngenesia Polygamia Necessaria. L.						
1	<i>flabellifolia</i> . B.C.	(<i>ye.</i>) fan-leaved.	C. B. S.	1822.	7. 9.	G. ½.	Lodd. bot. cab. t. 728.
2	<i>pinnatifida</i> . P.S.	(<i>ye.</i>) pinnatifid.	—————	1823.	—	G. 4.	
3	<i>pinnata</i> . w.	(<i>ye.</i>) wing-leaved.	—————	1759.	4. 6.	G. 4.	Bot. mag. t. 768.
4	<i>ciliata</i> . w.	(<i>ye.</i>) fringed-leaved.	—————	1824.	5. 6.	G. 4.	
5	<i>Tagetes</i> . w.	(<i>ye.</i>) slender-stalked.	—————	1823.	7. 9.	H. ⊙.	

6	pectinàta. w.	(ye.) Wormwood-leav'd.	C. B. S.	1731.	4. 6	G. h̄.	Bot. mag. t. 306.
7	Athanàsiæ. w.	(ye.) Athanasia-like.	————	1795.	11. 12.	G. h̄.	Jacq. schoen. 2. t. 242.
8	abrotanifòlia. w.	(ye.) Southernwood-leav'd.	————	1692.	1. 5.	G. h̄.	Bot. reg. t. 108.
9	digitàta. w.	(ye.) finger-leaved.	————	1822.	6. 9.	G. 4.	
10	trifurcàta. w.	(ye.) three-forked.	————	————	————	G. h̄.	
11	trífida. w.	(ye.) trifid-leaved.	————	1823.	————	G. h̄.	
12	retrofràcta. w.	(ye.) axillary-flower'd.	————	1812.	————	G. h̄.	Jacq. schoen. 3. t. 370.
13	coronopifòlia. w.	(ye.) Buckshorn-leav'd.	————	1731.	7. 9.	G. h̄.	Comm. hort. 2. t. 70.
14	cheirifòlia. w.	(ye.) Stock-leaved.	Barbary.	1752.	4. 6.	H. h̄.	Bot. reg. t. 266.
15	crassifòlia. w.	(ye.) thick-leaved.	C. B. S.	1710.	9. 10.	G. h̄.	Mill. ic. 2. t. 245. f. 2.
16	denticulàta. w.	(ye.) tooth-leaved.	————	1774.	4. 7.	G. h̄.	Bot. mag. t. 1979.
17	heterophy'lla. w.	(ye.) various-leaved.	————	1812.	————	G. 4.	
18	Língua. w.	(ye.) tongue-leaved.	————	1787.	5. 9.	G. 4.	Jacq. schoen. 2. t. 200.
19	filicau'lis. w.	(ye.) Yam-rooted.	————	1791.	4. 5.	G. 4.	———— 2. t. 242.
20	bulbòsa. w.	(ye.) bulbous.	————	1774.	5. 6.	G. 4.	Breyn. cent. t. 66.
21	capillàris. w.	(ye.) capillary-stalked.	————	1822.	6. 9.	H. ⊙.	
22	parviflòra. w.	(ye.) small-flowered.	————	1704.	7. 8.	G. h̄.	Volk. norib. t. 226.
23	perfoliàta. H. K.	(ye.) perfoliate.	————	1789.	5. 7.	G. 4.	Jacq. schoen. t. 240.
	amplexicaùlis. B. M.	1312. non Thunb.					
24	ericoídes. w.	(ye.) Heath-leaved.	————	1815.	7. 8.	G. h̄.	
25	linifòlia. w.	(ye.) Flax-leaved.	————	1825.	————	G. h̄.	
26	tenuíssima. w.	(ye.) fine-leaved.	————	1759.	4. 7.	G. h̄.	Jacq. schoen. 2. t. 239.
27	frutèscens. w.	(ye.) frutescent.	————	1816.	7. 8.	G. h̄.	Comm. hort. 2. t. 70.
28	arborèscens. w.	(ye.) tree.	————	1723.	————	G. h̄.	Dill. elth. t. 103. f. 122.
29	cacalióides. w.	(ye.) tuberous.	————	1774.	5. 9.	G. h̄.	
30	amplexicaùlis. w.	(ye.) stem-clasping.	————	1826.	————	G. h̄.	

Subordo VI. *HELIANTHÆÆ*. *Kth. synops. 2. p. 463.*

HYMENOPAPPUS. J. HYMENOPAPPUS. Syngenesia Polygamia Æqualis.							
1	pedatus. L. G.	(wh.) pedate-leaved.	Mexico.	1803.	7. 9.	G. ⊙.	Cavan. ic. 4. t. 356.
	<i>Stèvia pedata.</i> B. M.	2040. <i>Florestina pedata.</i>	Cas.				
2	scabiòsæus. Ph.	(wh.) Scabious-like.	Missouri.	1812.	6. 8.	H. ⊙.	Jour. de hist. nat. n. 110.
3	tenuifolius. Ph.	(wh.) slender-leaved.	————	1811.	————	F. ♂.	
SCHK'UHRIA. W. SCHK'UHRIA. Syngenesia Polygamia Superflua. L.							
	abrotanoídes. w.	(wh.) Wormwood-leav'd.	Mexico.	1798.	7. 9.	H. ⊙.	Schk. hand. 3. t. 200.
PE'CTIS. W. PE'CTIS. Syngenesia Polygamia Superflua. L.							
1	humifusa. w.	(ye.) trailing.	W. Indies.	1822.	7. 9.	S. ⊙.	Plum. ic. t. 95. f. 2.
2	prostrata. w.	(ye.) prostrate.	New Spain.	1824.	————	H. ⊙.	Cavan. ic. 4. t. 324.
3	ciliàris. w.	(ye.) ciliated.	Hispaniola.	1793.	7.	S. ⊙.	Plum. ic. 151. f. 2.
4	linifòlia. w.	(ye.) Flax-leaved.	Jamaica.	1732.	7. 8.	S. ⊙.	Sloan. hist. 1. t. 140. f. 1.
5	canèscens. K. S.	(ye.) canescent.	Mexico.	1827.	8. 9.	H. ⊙.	H. et B. n. gen. 4. t. 200.
6	punctàta. w.	(ye.) dotted.	Hispaniola.	1824.	6. 8.	S. ⊙.	Jacq. amer. t. 126.
HETEROSPERMUM. HETEROSPERMUM. Syngenesia Polygamia Superflua. W.							
	pinnatum. w.	(ye.) wing-leaved.	New Spain.	1799.	8. 9.	H. ⊙.	Cavan. ic. 3. t. 267.
MELANANTHERA. M. MELANANTHERA. Syngenesia Polygamia Æqualis. P. S.							
1	Linn'æi. K. S.	(li.) Linnæus's.	S. America.	1799.	6. 8.	S. ♂.	Jacq. ic. 3. t. 583.
	<i>Bidens nivea.</i> L.	<i>Càlea áspera.</i> Jacq.					
2	hastata. M.	(wh.) hastate-leaved.	N. America.	1732.	————	G. 4.	Dill. elth. t. 47. f. 56.
	<i>β pandurata.</i> Ph.	(wh.) fiddle-leaved.	————	————	————	G. 4.	———— t. 46. f. 54.
MARSHA'LLIA. W. MARSHA'LLIA. Syngenesia Polygamia Æqualis. W.							
1	lanceolata. Ph.	(li.) spear-leaved.	Carolina.	1812.	6. 7.	F. 4.	Mich. amer. 2. t. 45.
2	latifolia. Ph.	(li.) broad-leaved.	————	1806.	————	F. 4.	
	<i>Persoonia latifolia.</i> M.	<i>Trattenickia latifolia.</i>	P. S.				
PLATYPTERIS. K. S. PLATYPTERIS. Syngenesia Polygamia Æqualis.							
	crocata. K. S.	(sn.) saffron-colour'd.	Mexico.	1812.	1. 3.	S. 4.	Bot. mag. t. 1627.
	<i>Spilánthes crocata.</i> B. M.						
SPILANTHES. W. SPILANTHES. Syngenesia Polygamia Æqualis. L.							
1	tenella. K. S.	(st.) slender.	Caracas.	1823.	8. 10.	G. ⊙.	Pluk. alm. t. 159. f. 4.
2	Pseudo-Acmella. w.	(ye.) spear-leaved.	Ceylon.	1768.	7.	S. ⊙.	Jacq. ic. 3. t. 584.
3	uliginosa. w.	(ye.) marsh.	Jamaica.	1820.	7. 9.	S. ⊙.	L'Herit. stirp. 7. t. 4.
4	exasperata. w.	(wh.) rough-stalked.	Caracas.	1825.	————	S. ⊙.	Jacq. vind. 2. t. 135.
5	álba. w.	(wh.) white-flowered.	Peru.	1783.	6. 7.	H. ⊙.	
6	oleracea. w.	(ye.) esculent.	E. Indies.	1770.	7. 9.	S. ♂.	
7	pállida. F.	(st.) pale-flowered.	Jamaica.	1821.	————	S. ⊙.	
8	multiflora. Ot.	(ye.) many-flowered.	————	1829.	————	S. ⊙.	

- ACME'LLA. P.S. ACME'LLA. Syngenesia Polygamia Superflua. P.S.
 1 mauritiâna. P.S. (ye.) Balm-leaved. Mauritius. 1768. 7. 8. S. ☉. Rumph. amb. 6. t. 65.
Spilánthes Acmélla. W.
 2 repens. P.S. (ye.) creeping. N. America. 1819. — H. ☉.
 3 occidentâlis. P.S. (ye.) oval-leaved. S. America. 1825. — H. ☉.
 4 buphthalmoides. P.S. (ye.) Ox-eye-leaved. — 1798. 7. 9. H. ☉. Jacq. schœnb. 2. t. 151.
Anthemis buphthalmoides. Jacq.
- LAVENIA. W. LAV'ENIA. Syngenesia Polygamia Æqualis.
 erecta. w. (ye.) upright. E. Indies. 1739. 7. 9. S. ☉. Burm. zeyl. t. 42.
- SAL'MEA. DC. SAL'MEA. Syngenesia Polygamia Æqualis.
 1 scândens. DC. (wh.) climbing. S. America. 1815. 4. 6. S. ♀. Bot. mag. t. 2062.
Calea Améllus. L.
 2 hirsuta. DC. (wh.) hairy. — — — S. ♀.
- PETR'OBIIUM. L.T. PETR'OBIIUM. Syngenesia Polygamia Æqualis.
 arboreum. (st.) tree. St. Helena. 1816. S. ♀.
Spilánthus arboreus. Forst.
- CALEA. L.T. C'ALEA. Syngenesia Polygamia Æqualis. L.
 1 jamaicénsis. L.L. (li.) purple-flower'd. W. Indies. 1739. 6. 7. S. ♀. Sloan. jam. 1. t. 151. f. 3.
 2 martinicénsis. (li.) Martinico. Martinico. 1821. S. ♀.
 3 cordifolia. L.T. (ye. li.) heart-leaved. Jamaica. 1822. 6. 7. S. ♀.
 CALEA'CTE. L.T. CALEA'CTE. Syngenesia Polygamia Æqualis.
 1 urticifolia. L.T. (ye.) Nettle-leaved. Vera Cruz. S. ♀.
Solidago urticifolia. Mill.
 2 pinnatifida. L.T. (ye.) pinnatifid. Brazil. 1816. 6. 8. S. ♀.
- ISOCA'RPHA. L.T. ISOCA'RPHA. Syngenesia Polygamia Æqualis.
 oppositifolia. (wh.) opposite-leaved. W. Indies. 1739. 7. 8. S. ♂.
Calea oppositifolia. W.
- NEUROL'ÆNA. L.T. NEUROL'ÆNA. Syngenesia Polygamia Æqualis.
 lobata. (ye.) halberd-weed. W. Indies. 1733. 6. 7. S. ♀. Bot. mag. t. 1734.
Calea lobata. B.M.
- MADIA. W. M'ADIA. Syngenesia Polygamia Superflua. W.
 1 viscosa. w. (ye.) viscous. Chili. 1794. 7. 8. H. ☉. Bot. mag. t. 2574.
 2 mellosa. w. (ye.) stem-clasping. — 1824. — H. ☉.
- TETRAGONOTH'ECA. TETRAGONOTH'ECA. Syngenesia Polygamia Superflua. W.
 helianthoides. w. (ye.) Sunflower-like. Virginia. 1726. 8. 10. H. ♀. Schk. hand. 3. t. 263.
- XIMEN'ESIA. W. XIMEN'ESIA. Syngenesia Polygamia Superflua. W.
 1 heterophylla. K.S. (ye.) various-leaved. Mexico. 1827. 8. 10. F. ♀.
 2 encelioides. w. (ye.) oval-leaved. — 1795. 6. 11. G. ♂. Cavan. ic. 2. t. 178.
 3 foetida. K.S. (ye.) foetid. — 1799. 7. 8. H. ☉. — 1. t. 77.
Coreópsis foetida. Cav. *Simsia ficifolia*. P.S.
 4 cordata. K.S. (ye.) heart-leaved. Mexico. — — F. ♀.
- HELENIIUM. W. HEL'ENIUM. Syngenesia Polygamia Superflua. W.
 1 autumnale. w. (ye.) smooth. N. America. 1729. 8. 10. H. ♀. Schk. hand. 3. t. 250.
 2 pubescens. w. (ye.) downy. — 1776. 8. 9. H. ♀.
 3 quadripartitum. L.en. (ye.) four-cleft. 1825. — G. ♂.
 4 quadridentatum. w. (ye.) four-toothed. Louisiana. 1790. 5. 10. H. ♀. Bot. reg. t. 598.
Rudbeckia alata. Jacq. ic. t. 193.
 5 pumilum. W.en. (ye.) dwarf. N. America. 1819. — H. ♀.
 6 mexicanum. K.S. (ye.) Mexican. Mexico. 1823. 8. 10. H. ♀.
- ZINNIA. W. ZI'NNIA. Syngenesia Polygamia Superflua. W.
 1 pauciflora. w. (ye.) yellow-flower'd. Peru. 1753. 7. 8. H. ☉. Mill. ic. 1. t. 64.
 2 multiflora. w. (re.) red-flowered. N. America. 1770. 6. 10. H. ☉. Bot. mag. t. 149.
 3 hybrida. B.M. (sc.) hybrid. Mexico. 1818. 6. 9. H. ☉. — t. 2123.
 4 verticillata. w. (re.) whorl-leaved. — 1789. 7. 8. H. ☉. Andr. repos. t. 189.
 5 violacea. C.I. (pu.) purple-flowered. — 1796. 7. 10. H. ☉. — t. 55.
elegans. Bot. mag. t. 527.
 6 coccinea. B.R. (sc.) scarlet-flowered. — 1829. — H. ☉. Bot. reg. t. 1294.
 7 tenuiflora. w. (re.) slender-flower'd. — 1799. 7. 8. H. ☉. Bot. mag. t. 555.
 8 angustifolia. K.S. (re.) narrow-leaved. — 1825. — H. ☉.
- RELHANIA. W. RELH'ANIA. Syngenesia Polygamia Superflua. W.
 1 squarrosa. w. (ye.) cross-leaved. C. B. S. 1774. 5. 6. G. ♀.
 2 genistaefolia. w. (ye.) Genista-leaved. — 1823. 5. 7. G. ♀.
 3 lateriflora. w. (ye.) side-flowering. — — G. ♀.
 4 pungens. w. (ye.) pungent-leaved. — 1820. 6. 8. G. ♀. Bot. reg. t. 587.
 5 pedunculata. w. (ye.) dwarf. — 1824. 5. 8. G. ♀.
 6 paleacea. w. (ye.) chaffy. — 1825. — G. ♀. Gært. fruct. 2. t. 173. f. 9.
Leysera paleacea. Gært.
- ATHRI'XIA. B.R. ATHRI'XIA. Syngenesia Polygamia Superflua.
 capensis. B.R. (li.) Cape. C. B. S. 1823. 6. 8. G. ♀. Bot. reg. t. 681.

- MATA'XA. S.S.** **MATA'XA.** Syngenesia Polygamia Superflua.
capensis. s.s. (ye.) fleshy-leaved. C. B. S. 1821. 6. 8. G. ♀.
Lasiospermum radiatum. Treviranus.
- LONGCHA'MPIA. W.** **LONGCHA'MPIA.** Syngenesia Polygamia Superflua. W.
capillifolia. w. (st.) Leysera-like. Africa. 1824. 6. 8. H. ☉.
Gnaphalium leyseroides. Df. *Pectis discoidea.* H.H. *Leysera capillifolia.* Spr.
- SANVITALIA. W.** **SANVITALIA.** Syngenesia Polygamia Superflua. W.
procumbens. w. (ye.) trailing. Mexico. 1798. 7. 8. H. ☉. Bot. reg. t. 707.
- TRIDAX. L.** **TRIDAX.** Syngenesia Polygamia Superflua. L.
procumbens. l. (st.) procumbent. Mexico. 1804. 7. 8. H. ☉.
Balbisia elongata. w.
- COLUME'LLIA. W.** **COLUME'LLIA.** Syngenesia Polygamia Superflua. W.
biennis. w. (ye.) biennial. C. B. S. 1820. 7. 9. G. ♂. Jacq. schœn. 3. t. 300.
Nestlèra biennis. s.s.
- MEY'ERA. L.T.** **MEY'ERA.** Syngenesia Polygamia Superflua.
séssilis. s.s. (ye.) sessile-flowered. W. Indies. 7. 8. S. ♀.
- ECLI'PTA. W.** **ECLI'PTA.** Syngenesia Polygamia Superflua. L.
 1 *erecta. w. (wh.)* upright. S. America. 1690. 7. 9. H. ☉. Dill. elth. t. 113. f. 13.
 2 *punctata. w. (wh.)* dotted. W. Indies. 1822. — S. ☉. Jacq. amer. pict. t. 19.
 3 *prostrata. w. (wh.)* trailing. E. Indies. 1732. — S. ☉. Dill. elth. t. 113. f. 13.
 4 *procumbens. m. (wh.)* procumbent. Carolina. 1819. — H. ☉.
 5 *linearis. Ot. (wh.)* linear-leaved. 1825. — S. ☉.
- CHRYSANTHE'LLUM. CHRYSANTHE'LLUM.** Syngenesia Polygamia Superflua. P.S.
procumbens. p.s. (ye.) procumbent. W. Indies. 1768. 6. 7. S. ☉. Swartz obs. 314. t. 8. f. 11.
Verbesina mucica. w.
- SIEGESBE'CKIA. W.** **SIEGESBE'CKIA.** Syngenesia Polygamia Superflua. L.
 1 *orientalis. w. (ye.)* oriental. E. Indies. 1730. 8. 10. H. ☉. Schk. hand. 3. t. 256.
 2 *triangularis. c.i. (ye.)* triangular-leav'd. Mexico. — H. ☉. Cav. ic. 3. t. 253.
 3 *iberica. w. (ye.)* Iberian. Iberia. 1823. — H. ☉. Buxb. cent. 3. t. 32.
 4 *droseroides. B.F.G. (ye.)* Sundew-like. Mexico. 1825. — F. ♀. Swt. br. fl. gar. t. 200.
 5 *flosculosa. w. (ye.)* small-flowered. Peru. 1784. 6. 7. H. ☉. L'Herit. stirp. t. 13.
- VERBES'INA. W.** **VERBES'INA.** Syngenesia Polygamia Superflua. L.
 1 *alata. w. (or.)* wing-stalked. S. America. 1699. 5. 10. G. ♀. Bot. mag. t. 1716.
 2 *chinensis. w. (or.)* Chinese. China. 1814. — G. ♀.
 3 *virginica. w. (wh.)* white-flowered. N. America. 1812. 7. 9. H. ♀.
 4 *virgata. w. (ye.)* slender. Mexico. 1825. — H. ♀. Cav. ic. 3. t. 275.
 5 *gigantea. w. (wh.)* tree. W. Indies. 1758. — S. ♀. Jacq. ic. 1. t. 175.
 6 *Boswellia. L. (ye.)* eatable. E. Indies. 1818. — S. ☉.
 7 *salicifolia. k.s. (ye.)* Willow-leaved. Mexico. 1824. 10. 11. G. ♀.
 8 *tridentata. s.s. (ye.)* three-toothed. W. Indies. 1759. 6. 8. S. ♀.
 9 *atriplicifolia. s.s. (st.)* Atriplex-leav'd. Trinidad. 1822. 9. 11. S. ♀. Colla hort. rip. t. 31.
 10 *bupthaloïdes. s.s. (ye.)* procumbent. Monte Video. 1827. 6. 8. F. ♀. Link et Ott. abb. t. 4.
 11 *serrata. w. (ye.)* saw-leaved. Mexico. 1803. 7. 10. G. ♀. Cav. ic. 3. t. 214.
 12 *Siegesbeckia. w. (ye.)* American. Virginia. 1731. 10. 11. H. ♀.
 13 *dichotoma. w. (ye.)* forked. E. Indies. 1789. 6. 7. S. ☉.
 14 *sativa. B.M. (ye.)* oil-seed. ———— 1806. 8. 9. S. ☉. Murr. c. got. 1779. t. 1.
 15 *biflora. w. (ye.)* two-flowered. ———— 1818. 7. 9. S. ☉. Bot. mag. t. 1017.
 16 *calendulacea. w. (ye.)* Marygold-flower'd. Ceylon. 1739. — S. ☉. Rheed. mal. 19. t. 40.
 17 *fruticosa. w. (ye.)* shrubby. W. Indies. 1759. 6. 8. S. ♀. Burm. zeyl. t. 22. f. 1.
 18 *pinnatifida. w. (st.)* pinnatifid. Mexico. 1824. 8. 10. F. ♀. Plum. ic. t. 52.
 19 *nodiflora. p.s. (ye.)* sessile-flowered. W. Indies. 1726. 6. 7. S. ☉. Jacq. schœn. 3. t. 300.
 20 *Encelia. J. (ye.)* caescent. Mexico. 1786. 7. 9. G. ♀. Dill. elth. t. 45. f. 13.
 21 *Pallasia halimifolia. w. (ye.)* great-flowered. Mexico. 1825. — G. ♀. Bot. reg. t. 909.
 22 *Pallasia grandiflora. w. (ye.)* ———— Cavan. ic. 3. t. 216.
- GALINS'OGEA. K.S.** **GALINS'OGEA.** Syngenesia Polygamia Superflua. W.
 1 *trilobata. w. (ye.)* three-lobed. Peru. 1797. 8. 11. H. ☉. Swt. br. fl. gar. t. 36.
 2 *balbisioïdes. k.s. (ye.)* Mexican. Mexico. 1825. — H. ☉. H. et B. 4. t. 306.
- PTILOSTE'PHIUM. K.S.** **PTILOSTE'PHIUM.** Syngenesia Polygamia Superflua.
 1 *coronopifolium. k.s. (ye.)* Buckshorn-leav'd. Mexico. 1823. 8. 10. H. ☉. H. et B. 4. t. 387.
 2 *trifidum. k.s. (ye.)* trifid-leaved. ———— H. ☉. ———— 4. t. 388.
- WIBO'RGIA. K.S.** **WIBO'RGIA.** Syngenesia Polygamia Superflua.
parviflora. k.s. (wh.) small-flowered. S. America. 1796. 6. 8. H. ☉. Cavan. icon. 3. t. 250.
- PASC'ALIA. W.** **PASC'ALIA.** Syngenesia Polygamia Superflua. W.
glauca. w. (ye.) glaucous-leav'd. Chili. 1799. 6. 8. H. ♀. Andr. reposit. t. 344.

HELIO'PSIS. P.S.		HELIO'PSIS.		Syngenesia Polygamia Superflua. P.S.		
1	canescens. K.S. (ye.) hoary-leaved.	S. America.	1820.	8. 10.	H. 4.	Bot. reg. t. 592.
2	lævis. P.S. (ye.) smooth.	Mexico.	1714.	7. 10.	H. 4.	
3	helianthoides. (ye.) roughish.	N. America.	—	—	H. 4.	L'Herit. stirp. t. 45.
	<i>Bupthálmum helianthoides. L.</i>					
4	scabra. s.s. (ye.) rough-leaved.	—	—	—	H. 4.	
DIOMEDA. Cas.		DIOM'EDEA.		Syngenesia Polygamia Superflua.		
1	glabrata. K.S. (ye.) smooth.	S. America.	1699.	5. 9.	G. 1/2.	Dill. elth. t. 38. f. 43.
	<i>Bupthálmum arborésens. W.</i>					
2	bidentata. s.s. (ye.) two-toothed.	Carolina.	1696.	6. 8.	G. 1/2.	Catesb. carol. 1. t. 93.
	<i>Bupthálmum frutescens. Ph.—Dill. elth. t. 28. f. 4.</i>					
3	argentea. K.S. (ye.) silvery-leaved.	Cuba.	1823.	—	G. 1/2.	
BUPHTHALMUM.		OX-EYE.		Syngenesia Polygamia Superflua. L.		
1	stenophyllum. s.s. (ye.) linear-leaved.	Canaries.	1816.	5. 7.	G. 1/2.	
2	élegans. s.s. (ye.) elegant.	—	—	—	G. 1/2.	
3	lævigatum. s.s. (ye.) smooth-leaved.	Teneriffe.	1824.	—	G. 1/2.	
4	flosculosum. s.s. (ye.) rayless.	Mesopotamia.	1827.	—	G. 1/2.	Vent. h. cels. t. 25.
5	sericeum. W. (ye.) silky.	Canaries.	1779.	5. 7.	G. 1/2.	Bot. mag. t. 1836.
6	spinosum. W. (ye.) prickly.	Spain.	1570.	6. 9.	H. ⊙.	Barrel. icon. 551.
7	aquaticum. W. (ye.) sweet-scented.	S. Europe.	1731.	7. 8.	H. ⊙.	Breyn. cent. t. 77.
8	maritimum. W. (ye.) sea.	Sicily.	1640.	7. 9.	H. 4.	Bocc. mus. t. 129.
9	salicifolium. W. (ye.) Willow-leaved.	Austria.	1759.	6. 10.	H. 4.	Jacq. aust. 4. t. 370.
10	grandiflorum. W. (ye.) great-flowered.	—	1722.	—	H. 4.	Moris. s. 6. t. 7. f. 52.
11	speciosissimum. s.s. (ye.) handsome.	Italy.	1828.	—	H. 4.	Arduin. spec. 1. t. 12.
12	cordifolium. W. (ye.) heart-leaved.	Hungary.	1739.	6. 8.	H. 4.	W. et K. hung. 2. t. 113.
13	procumbens. Df. (ye.) procumbent.	—	1820.	—	H. 4.	
ZEXMENIA. D.D.		ZEXM'ENIA.		Syngenesia Polygamia Necessaria.		
	tagetiflora. D.D. (ye.) Tagetes-flowered.	Mexico.	1828.	8. 10.	F. 1/2.	
WED'ELIA. K.S.		WED'ELIA.		Syngenesia Polygamia Necessaria. W.		
1	acapulcensis. K.S. (ye.) Acapulco.	Mexico.	1823.	6. 8.	S. 1/2.	
2	hispida. K.S. (ye.) hispid.	New Spain.	1819.	—	S. 1/2.	Bot. reg. t. 543.
3	aurea. D.D. (ye.) golden-flower'd.	Mexico.	1828.	8. 10.	F. 1/2.	
4	radiosa. B.R. (ye.) rayed.	S. America.	1822.	—	S. 1/2.	Bot. reg. t. 610.
GYMNOL'OMA. K.S.		GYMNOL'OMA.		Syngenesia Polygamia Necessaria.		
1	triplinerve. K.S. (ye.) triple-nerved.	S. America.	1825.	6. 9.	S. 1/2.	
2	maculatum. B.R. (ye.) spotted-stalked.	—	1822.	—	S. 1/2.	Bot. reg. t. 662.
ACTINOMERIS. N.		ACTINOM'ERIS.		Syngenesia Polygamia Frustranea.		
1	squarrosa. N. (ye.) squarrose.	N. America.	1640.	9. 11.	H. 4.	Jacq. vind. 2. t. 110.
	<i>Coreópsis alternifolia. Jacq. Verbesina Coreópsis. Ph.</i>					
2	procera. N. (ye.) tall.	N. America.	1765.	9. 10.	H. 4.	
	<i>Coreópsis procera. H.K.</i>					
	β alba. N. (wh.) white-flowered.	—	—	—	H. 4.	
3	helianthoides. N. (ye.) Sunflower-like.	Louisiana.	1825.	—	H. 4.	
4	alata. N. (ye.) wing-stalked.	Mexico.	1803.	9. 11.	H. 4.	Cavan. ic. 3. t. 260.
	<i>Coreópsis alata. W.</i>					
5	ovata. N. (ye.) oval-leaved.	—	1829.	—	H. 4.	Cavan. ic. 3. t. 280.
HELIA'NTHUS. W.		SUNFLOWER.		Syngenesia Polygamia Frustranea. L.		
1	annuus. W. (ye.) annual.	S. America.	1596.	6. 10.	H. ⊙.	
2	indicus. W. (ye.) dwarf annual.	Egypt.	1785.	—	H. ⊙.	Tabern. ic. 764.
3	lenticularis. B.R. (ye.) freckled.	N. America.	1827.	8. 9.	H. ⊙.	Bot. reg. t. 1265.
4	petiolaris. N. (ye.) long-petioled.	Arkansa.	1826.	7. 11.	H. ⊙.	Swt. br. fl. gar. ser. 2.
	<i>úper. Roth.</i>					
5	dentatus. W. (ye.) tooth-leaved.	Mexico.	1798.	9. 11.	F. 4.	Cavan. ic. 3. t. 220.
6	multiflorus. W. (ye.) many-flowered.	N. America.	1597.	8. 10.	H. 4.	Bot. mag. t. 227.
	<i>β plenus.</i>					
7	tuberosus. W. (ye.) Jerusalem Artichoke.	Brazil.	1617.	9. 10.	H. 4.	Jacq. vind. 2. t. 161.
8	pubescens. B.R. (ye.) pubescent.	N. America.	1795.	7. 10.	H. 4.	Bot. reg. t. 524.
9	atrorubens. W. (ye.) dark eyed.	—	1732.	—	H. 4.	Dill. elth. t. 94. f. 110.
10	diffusus. B.M. (ye.) spreading.	—	1812.	—	H. 4.	Bot. mag. t. 2020.
11	lætiflorus. P.S. (ye.) pale-flowered.	—	—	—	H. 4.	
12	divaricatus. W. (ye.) divaricate.	—	1759.	8. 10.	H. 4.	Moris. s. 6. t. 7. f. 66.
13	trachelifolius. W. (ye.) Trachelium-leav'd.	—	1818.	—	H. 4.	
14	longifolius. Ph. (ye.) long-leaved.	Georgia.	1812.	—	H. 4.	
15	pauciflorus. N. (ye.) few-flowered.	Louisiana.	1823.	—	H. 4.	
16	giganteus. W. (ye.) gigantic.	N. America.	1714.	9. 10.	H. 4.	
17	altissimus. W. (ye.) tallest.	—	1731.	7. 9.	H. 4.	Jacq. vind. 2. t. 160.
18	strumosus. W. (ye.) Carrot-rooted.	—	1710.	—	H. 4.	Bocc. sic. t. 27. f. 4.
19	prostratus. W. (ye.) rough.	—	1800.	—	H. 4.	
20	decapetalus. W. (ye.) ten-rayed.	—	1759.	8. 11.	H. 4.	Rob. ic. 235.

21	móllis. w.	(ye.) soft.	N. America.	1805.	7. 10.	H. 4.	
22	macrophyllus. w.	(ye.) large-leaved.	————	1800.	8. 10.	H. 4.	Willd. hort. ber. t. 70.
23	angustifolius. w.	(ye.) narrow-leaved.	————	1789.	9. 10.	H. 4.	Bot. mag. t. 2051.
24	excelsus. w.	(ye.) lofty.	Mexico.	1824.	——	H. 4.	Cav. ic. 3. t. 219.
	<i>giganteus.</i> Cav. non w.						
25	linearis. w.	(ye.) linear-leaved	————	1818.	8. 10.	H. 4.	Bot. reg. t. 523.
26	parviflorus. k.s.	(ye.) small-flowered.	————	1824.	——	H. 4.	H. et B. 4. t. 378.
27	cornifolius. k.s.	(ye.) Dogwood-leaved.	————	——	——	H. 4.	
28	trilobatus. L.en.	(ye.) three-lobed.	————	1823.	——	H. 4.	
VIGUIERA. K.S.		VIGUIERA. Syngenesia Polygamia Frustranea.					
	helianthoides. k.s.	(ye.) Sunflower-like.	Cuba.	1825.	6. 9.	S. 4.	H. et B. 4. t. 379.
GAILLARDIA. W.		GAILLARDIA. Syngenesia Polygamia Frustranea. W.					
1	bicolor. w.	(ye. re.) two-coloured.	Carolina.	1787.	7. 10.	H. 4.	Bot. mag. t. 1602.
2	aristata. Ph.	(ye.) long-awned.	N. America.	1812.	——	H. 4.	Bot. reg. t. 1186.
RUDBECKIA. D.D.		RUDBECKIA. Syngenesia Polygamia Frustranea. L.					
1	pinnata. Ph.	(ye.) fragrant.	N. America.	1803.	8. 9.	H. 4.	Swt. br. fl. gar. t. 146.
2	digitata. Ph.	(ye.) narrow-jagged-leav'd.	——	1759.	——	H. 4.	Moris. s. 6. t. 6. f. 51.
3	laciniata. Ph.	(ye.) broad jagged-leav'd.	——	1640.	7. 9.	H. 4.	—— s. 6. t. 6. f. 53.
4	columnaris. Ph.	(ye.) high-crowned.	——	1811.	8. 9.	H. 4.	Bot. mag. t. 1601.
5	laevigata. Ph.	(ye.) smooth.	Georgia.	1812.	7. 8.	H. 4.	
6	amplexifolia. Ph.	(ye.) stem-clasping.	Louisiana.	1793.	7. 9.	H. 4.	Jacq. icon. 3. t. 592.
CENTROCARPHA. D.D.		CENTROCARPHA. Syngenesia Polygamia Frustranea.					
1	subtomentosa. Ph.	(ye.) downy-lobed.	N. America.	1802.	8. 9.	H. 4.	
2	triloba. D.D.	(ye.) three-lobed.	——	1699.	7. 10.	H. 4.	Bot. reg. t. 525.
	<i>Rudbeckia triloba.</i> B.R.						
3	hirta. D.D.	(ye.) great hairy.	——	1714.	6. 11.	H. 4.	Swt. br. fl. gar. t. 82.
	<i>Rudbeckia hirta.</i> B.F.G.						
4	fulgida. D.D.	(ye.) small hairy.	——	1760.	7. 8.	H. 4.	Bot. mag. t. 1996.
5	acutifolia. B.F.G.	(ye.) pointed-leaved.	——	1822.	7. 11.	H. 4.	Swt. br. fl. gar. s. 2.
6	spathulata. w.	(ye.) spathulate-leav'd.	——	1825.	8. 11.	H. 4.	
7	gracilis. N.	(ye.) slender hairy.	——	——	——	H. 4.	
ECHINACEA. D.D.		ECHINACEA. Syngenesia Polygamia Frustranea.					
1	purpurea. D.D.	(pu.) reflexed-rayed.	N. America.	1699.	7. 10.	H. 4.	Bot. mag. t. 2.
	<i>Rudbeckia purpurea.</i> B.M.						
2	serotina. D.D.	(li.) hispid-stalked.	——	1816.	8. 10.	H. 4.	Swt. br. fl. gar. t. 4.
	<i>Rudbeckia serotina.</i> B.F.G.						
3	napifolia.	(ro.) Rape-leaved.	New Spain.	1824.	7. 10.	F. 4.	
	<i>Rudbeckia napifolia.</i> k.s.						
4	heterophylla. D.D.	(li.) various-leaved.	Mexico.	1828.	9. 11.	H. 4.	Swt. br. fl. gar. s. 2. t. 32.
COSMOS. C.I.		COSMOS. Syngenesia Polygamia Frustranea. W.					
1	sulphureus.	(st.) Southernwood-leav'd.	Mexico.	1799.	7. 8.	H. 4.	Jacq. ic. 3. t. 595.
2	tenellus. k.s.	(ro.) slender.	Mexico.	1825.	10. 11.	G. 4.	
3	bipinnatus. C.I.	(pu.) purple-flower'd.	——	1799.	——	G. 4.	Bot. mag. t. 1535.
4	crithmifolius. k.s.	(ro.) Samphire-leav'd.	——	1825.	——	G. 4.	
5	parviflorus. w.	(wh.) white-flowered.	——	1800.	——	H. 4.	Jacq. schœn. 3. t. 374.
GEORGINA. W.		GEORGINA. Syngenesia Polygamia Superfluo—Frustranea.					
1	Cervantesii. LG.	(sc.) Cervantes'.	Mexico.	1820.	8. 10.	H. 4.	Swt. br. fl. gar. s. 2. t. 122.
	<i>β Aurora.</i> s.F.G. (sc.) double-flowered.						
2	crocata. LG.	(sc.) saffron-coloured.	——	1828.	——	H. 4.	Swt. flor. guid. t. 117.
3	coccinea. w.	(sc.) scarlet-flowered.	——	1818.	——	H. 4.	Swt. br. fl. gar. t. 252.
4	rosea. C.I.	(ro.) bipinnate-leaved.	——	1802.	——	H. 4.	Cavan. icon. t. 266.
5	astrantiaeflora.	(pu.) Astrantia-flower'd.	——	——	7. 10.	H. 4.	—— t. 265.
6	variabilis. w.	(va.) variable.	——	1812.	——	H. 4.	
	<i>Dahlia pinnata.</i> C.I. <i>superflua.</i> H.K.						
	<i>α purpurea.</i>	(pu.) purple-flowered.	——	——	——	H. 4.	Swt. br. fl. gar. s. 2. t. 122.
	<i>β lilacina.</i>	(li.) lilac-coloured.	——	——	——	H. 4.	Swt. flor. guid. t. 117.
	<i>γ pallida.</i>	(bh.) blush-flowered.	——	——	——	H. 4.	Swt. br. fl. gar. t. 252.
	<i>δ alba.</i>	(wh.) white-flowered.	——	——	——	H. 4.	Cavan. icon. t. 266.
	<i>ε flava.</i>	(ye.) yellow-flowered.	——	——	——	H. 4.	—— t. 265.
	<i>ζ cuprea.</i>	(co.) copper-coloured.	——	——	——	H. 4.	
	<i>η rubra.</i>	(re.) red-flowered.	——	——	——	H. 4.	
	<i>θ coccinea.</i>	(sc.) scarlet-flowered.	——	——	——	H. 4.	Bot. mag. t. 1885. A.
	<i>ι punicea.</i>	(cr.) crimson-flowered.	——	——	——	H. 4.	Bot. reg. t. 55.
	<i>κ atrosanguinea.</i>	(d.cr.) dark crimson.	——	——	——	H. 4.	
	<i>λ atropurpurea.</i>	(d.pu.) dark purple.	——	——	——	H. 4.	
	<i>μ nigra.</i>	(da.) dark-coloured.	——	——	——	H. 4.	
	<i>ν variegata.</i>	(v.) variegated-flower'd.	——	——	——	H. 4.	
	<i>ξ nana.</i>	(li.) double dwarf lilac.	——	——	——	H. 4.	Andr. reposit. t. 483.
	<i>ο superba.</i>	(pu.) double purple.	——	——	——	H. 4.	Bot. mag. t. 1885. B.
					H. 4.	

π <i>Junoniàna.</i> (d.pu.) <i>Juno.</i>	Mexico.	6. 11.	H. 4.	Swt. flor. guid. t. 102.
ρ <i>imperiosa.</i> (d.pu.) <i>Dennis's imperial.</i>	————	1827.	————	H. 4.	———— v. 1. t. 71.
σ <i>stellàris.</i> (sc.) <i>morning star.</i>	————	1826.	————	H. 4.	———— v. 1. t. 65.
τ <i>sphærocéphala.</i> (d.cr.) <i>globe-flowered.</i>	————	1827.	————	H. 4.	———— v. 2. t. 115.
υ <i>Belladonna.</i> (pi.) <i>painted Lady.</i>	————	————	————	H. 4.	———— v. 2. t. 110.

The varieties of the present species are almost endless.

CALLIO'PSIS. S.S. CALLIO'PSIS. Syngenesia Polygamia Frustranea.					
1 <i>tinctòria.</i> N. (ye.pu.) two-coloured.	Arkansa.	1823.	6. 10.	H. ⊙.	Swt. br. fl. gar. t. 72.
<i>bicolor.</i> s.s. <i>Coreòpsis tinctòria.</i> N.					
2 <i>palmàta.</i> s.s. (ye.) palmate-leaved.	Louisiana.	————	8. 10.	H. ⊙.	
3 <i>rosea.</i> s.s. (ro.) rose-coloured.	N. America.	————	————	H. 4.	
<i>Coreòpsis rosea.</i> N.					
COREO'PSIS. W. COREO'PSIS. Syngenesia Polygamia Frustranea. L.					
1 <i>grandiflòra.</i> N. (ye.) large-flowered.	N. America.	1826.	8. 9.	H. 4.	Swt. br. fl. gar. t. 175.
2 <i>verticillàta.</i> W. (ye.) whorl-leaved.	————	1759.	7. 10.	H. 4.	Bot. mag. t. 156.
3 <i>tenuifòlia.</i> W. (ye.) slender-leaved.	————	1780.	7. 8.	H. 4.	Pluk. man. t. 344. f. 4.
4 <i>trichospérma.</i> M. (ye.) pinnate leaved.	Carolina.	1822.	8. 10.	G. ♂.	
5 <i>chrysántha.</i> W. (ye.) Angelica-leav'd.	W. Indies.	1752.	7. 9.	S. ♂.	Plum. ic. 53. f. 1.
6 <i>aùrea.</i> W. (ye.) Hemp-leaved.	N. America.	1785.	8. 9.	H. 4.	Bot. reg. t. 1228.
7 <i>trípteris.</i> Ph. (ye.) three-leaved.	————	1737.	8. 10.	H. 4.	Moris. s. 6. t. 3. f. 44.
8 <i>díscolòr.</i> L.en. (ye.) two-coloured.	————	1818.	————	H. 4.	
9 <i>senifòlia.</i> Ph. (ye.) sessile-leaved.	————	1812.	————	H. 4.	
10 <i>amplexicaùlis.</i> K.s. (ye.) stem-clasping.	1806.	7. 8.	H. 4.	
<i>Simsia amplexicaùlis.</i> P.S.					
11 <i>álba.</i> W. (wh.) climbing.	Jamaica.	1699.	6. 7.	S. 4. ∩.	Herm. parad. 124.
12 <i>incisa.</i> B.R. (ye.) jagged-leaved.	W. Indies.	9. 12.	S. 4. ∩.	Bot. reg. t. 7.
13 <i>réptans.</i> W. (ye.) trailing.	————	1792.	7. 9.	S. ⊙.	Smith spic. t. 22.
14 <i>auriculàta.</i> W. (ye.) ear-leaved.	N. America.	1699.	8. 10.	H. 4.	Schk. hand. 3. t. 260.
15 <i>latifòlia.</i> W. (ye.) broad-leaved.	————	1786.	8. 9.	H. 4.	
16 <i>argùta.</i> Ph. (ye.) sharp-notched.	Carolina.	————	H. 4.	
17 <i>lanceolàta.</i> W. (ye.) spear-leaved.	————	1724.	7. 9.	H. 4.	Swt. br. fl. gar. t. 10.
18 <i>crassifòlia.</i> W. (ye.) thick-leaved.	————	1786.	8. 10.	H. 4.	
19 <i>angustifòlia.</i> W. (ye.) narrow-leaved.	N. America.	1778.	6. 8.	H. 4.	
BIDENS. K.S. B'IDENS. Syngenesia Polygamia Frustranea.					
1 <i>nodiflòra.</i> W. (ye.) sessile-flowered.	E. Indies.	1732.	7. 8.	S. ⊙.	Dill. elth. t. 44. f. 52.
2 <i>tripartita.</i> W. (ye.) trifid.	Britain.	7. 9.	H. ⊙.	Eng. bot. t. 1113.
3 <i>cérnua.</i> W. (ye.) nodding.	————	————	H. ⊙.	———— t. 1114.
4 <i>chrysanthemoídes.</i> W. (ye.) large yellow.	N. America.	1827.	8. 10.	H. ⊙.	
5 <i>argùta.</i> K.s. (ye.) sharp-toothed.	Mexico.	1825.	————	H. 4.	
6 <i>triplinérvia.</i> K.s. (ye.) triply-nerved.	————	————	————	H. 4.	
7 <i>heterophýlla.</i> W. (ye.) various-leaved.	————	1803.	8. 9.	F. 4.	Orteg. dec. 8. t. 12.
8 <i>luxùrians.</i> W.en. (ye.) luxuriant.	————	1823.	————	F. 4.	
9 <i>frondòsa.</i> W. (ye.) smooth-stalked.	N. America.	1710.	7. 8.	H. ⊙.	Moris. his. s. 6. t. 5. f. 21.
10 <i>foliòsa.</i> W.en. (ye.) leafy.	1823.	————	H. ⊙.	
11 <i>connàta.</i> W. (ye.) connate.	N. America.	————	————	H. ⊙.	
12 <i>leucántha.</i> W. (wh.) white-flowered.	S. America.	————	H. ⊙.	
13 <i>striàta.</i> B.F.G. (std.) stripe-flowered.	Mexico.	1827.	8. 11.	H. ⊙.	Swt. br. fl. gar. t. 237.
14 <i>chinénsis.</i> W. (wh.) Chinese.	China.	1801.	6. 7.	H. ⊙.	Rumph. amb. 6. t. 15. f. 2.
15 <i>diversifòlia.</i> W. (ye.) different-leav'd.	S. America.	1811.	9. 10.	H. ⊙.	Bot. mag. t. 1689.
<i>Cósmea lùtea.</i> B.M. <i>Coreòpsis diversifòlia.</i> Jacq.					
16 <i>pilòsa.</i> W. (wh.) hairy.	N. America.	1732.	7.	H. ⊙.	Dill. elth. t. 43. f. 51.
17 <i>sambucifòlia.</i> W. (sc.) Elder-leaved.	S. America.	1801.	7. 8.	H. 4.	Cavan. ic. 3. t. 229.
18 <i>odoràta.</i> W. (wh.) sweet-scented.	Mexico.	1823.	————	H. ⊙.	———— 1. t. 13.
19 <i>grandiflòra.</i> S.s. (wh.) large-flowered.	S. America.	1825.	8. 11.	H. ⊙.	
20 <i>bipinnàta.</i> W. (ye.) Hemlock-leav'd.	N. America.	1687.	————	H. ⊙.	Herm. parad. t. 123.
21 <i>parviflòra.</i> S.s. (ye.) small-flowered.	Siberia.	1823.	————	H. ⊙.	
22 <i>bullàta.</i> W. (ye.) rough-leaved.	Italy.	1759.	————	H. ⊙.	Arduin. spec. 2. t. 18.
23 <i>refléxa.</i> L.en. (ye.) reflexed.	Mexico.	1824.	————	G. 4.	
24 <i>crithmifòlia.</i> K.s. (ye.) Samphire-leav'd.	Quito.	————	9. 10.	F. 4.	
25 <i>angustifòlia.</i> K.s. (or.) narrow-leaved.	New Spain.	————	————	H. 4.	
26 <i>pròcera.</i> B.R. (ye.) tall.	S. America.	1818.	————	H. 4.	Bot. reg. t. 684.
27 <i>ferulæfòlia.</i> (ye.) Fennel-leaved.	Mexico.	1799.	10. 11.	F. 4.	Jacq. schœnb. 3. t. 373.
<i>Coreòpsis ferulæfòlia.</i> Jacq.					
28 <i>ciliàta.</i> (ye.) fringed.	Mexico.	1827.	8. 10.	H. ⊙.	
29 <i>chrysántha.</i> Ort. (ye.) golden-flowered.	————	————	————	H. ⊙.	
30 <i>coronàta.</i> F. (ye.) crowned.	1829.	————	H. ⊙.	
31 <i>serrulàta.</i> Df. (ye.) serrulate.	————	————	H. ⊙.	
OSMITES. W. OSM'ITES. Syngenesia Polygamia Frustranea. W.					
1 <i>bellidiástrum.</i> W. (wh.) Daisy-like.	C. B. S.	1816.	4. 8.	G. ½.	
2 <i>asteriscoídes.</i> W. (wh.) starry.	————	1823.	4. 7.	G. ½.	Burm. afr. t. 58. f. 1.

3	camphorina. w. (wh.)	Camphor-scent'd.	C. B. S.	1794.	4. 7.	G. h.	Seb. mus. 1. t. 90. f. 2.
4	dentata. w. (wh.)	tooth-leaved.	————	1820.	————	G. h.	————
SCLEROCA'RPUS. W. SCLEROCA'RPUS. Syngenesia Polygamia Frustranea. W.							
	africanus. w. (ye.)	African.	Guinea.	1812.	7. 8.	G. ⊙.	Jacq. ic. 1. t. 176.
CULL'UMIA. H.K. CULL'UMIA. Syngenesia Polygamia Frustranea. H.K.							
1	ciliaris. H.K. (ye.)	ciliated.	C. B. S.	1774.	5. 6.	G. h.	Burm. afr. t. 54. f. 1.
2	setosa. H.K. (ye.)	recurved smooth-leav'd.—	————	1780.	6. 8.	G. h.	Comm. hort. 2. t. 28.
3	squarrosa. H.K. (ye.)	recurved-awl-leaved.	————	1786.	————	G. h.	Th. act. hafn. 3. t. 5.
BERCKH'EYA. H.K. BERCKH'EYA. Syngenesia Polygamia Frustranea. H.K.							
1	cynaroides. w. (ye.)	Artichoke-cup'd.	C. B. S.	1789.	6.	G. 4.	————
2	obovata. w. (ye.)	smooth shrubby.	————	1794.	6. 8.	G. h.	Hout. n. h. 6. t. 34. f. 2.
3	incana. w. (ye.)	hoary.	————	1739.	7. 8.	G. h.	Jacq. ic. 3. t. 591.
4	cuneata. w. (ye.)	wedge-leaved.	————	1812.	6. 8.	G. h.	Th. act. hafn. 3. t. 10.
5	palmata. w. (ye.)	palmated.	————	1800.	————	G. h.	———— 3. t. 13.
6	grandiflora. w. (ye.)	large-flowered.	————	1812.	————	G. h.	Bot. mag. t. 1844.
7	uniflora. w. (ye.)	single-flowered.	————	1815.	————	G. h.	Th. act. hafn. 3. t. 7.
8	cernua. H.K. (ye.)	drooping-flower'd.	————	1774.	5. 7.	G. ♂.	Meerb. ic. 1. t. 40.
DIDE'LTA. H.K. DIDE'LTA. Syngenesia Polygamia Frustranea. H.K.							
1	carnosum. H.K. (ye.)	alternate-leav'd.	C. B. S.	1774.	6. 7.	G. h.	L'Her. stirp. t. 28.
2	spinosum. H.K. (ye.)	opposite-leaved.	————	————	————	G. h.	Wendl. obs. t. 4. f. 32.
GORT'ERIA. H.K. GORT'ERIA. Syngenesia Polygamia Frustranea. H.K.							
	personata. H.K. (ye.)	procumbent.	C. B. S.	1774.	7. 8.	G. ⊙.	Jacq. coll. 4. t. 21. f. 1.
GAZ'ANIA. H.K. GAZ'ANIA. Syngenesia Polygamia Frustranea. H.K.							
1	uniflora. B.M. (ye.)	golden.	C. B. S.	1816.	7. 8.	G. h.	Bot. mag. t. 2270.
2	rigens. H.K. (ye.ve.)	great-flowered.	————	1755.	5. 9.	G. h.	———— t. 90.
3	heterophylla. w. (ye.ve.)	various-leaved.	————	1812.	————	G. 4.	Willd. hort. ber. t. 97.
4	Pavonia. H.K. (ye.ve.)	Peacock.	————	1804.	6. 7.	G. 4.	Bot. reg. t. 35.
5	subulata. H.K. (ye.)	awl-leaved.	————	1792.	7. 8.	G. 4.	————
CRYPTOSTE'MMA. H.K. CRYPTOSTE'MMA. Syngenesia Polygamia Frustranea.							
1	calendulaceum. H.K. (ye.)	Marygold-flow'r'd.	C. B. S.	1752.	6. 8.	H. ⊙.	Bot. mag. t. 2252.
2	hypochondriacum. H.K. (ye.)	divided-rayed.	————	1731.	7. 8.	H. ⊙.	————
3	runcinatum. H.K. (ye.)	Dandelion-leaved.	————	1794.	————	H. ⊙.	————
ARCTOTH'ECA. W. ARCTOTH'ECA. Syngenesia Polygamia Frustranea. H.K.							
1	repens. w. (ye.)	creeping.	C. B. S.	1793.	7. 8.	G. 4.	Jacq. schoen. 3. t. 306.
2	hirta. L.en. (ye.)	hairy.	————	1818.	7. 9.	G. 4.	————
SPHENO'GYNE. H.K. SPHENO'GYNE. Syngenesia Polygamia Frustranea. H.K.							
1	anthemoïdes. H.K. (ye.)	white-crowned.	C. B. S.	1774.	7. 9.	H. ⊙.	Bot. mag. t. 544.
2	crithmifolia. H.K. (ye.)	Samphire-leav'd.	————	1768.	4. 8.	G. h.	Burm. afr. t. 65. f. 1.
3	scariosa. H.K. (ye.)	scaly-cupped.	————	1774.	————	G. h.	————
4	abrotanifolia. H.K. (ye.)	Southernwood-leav'd.	————	1789.	5. 8.	G. h.	————
5	dentata. H.K. (ye.)	small-leaved.	————	1787.	6. 7.	G. h.	Burm. afr. t. 64.
6	pilifera. B.R. (ye.)	hair toothed.	————	1820.	————	G. h.	Bot. reg. t. 604.
7	serrata. s.s. (ye.)	saw-leaved.	————	1826.	————	G. h.	————
8	fœniculacea. (ye.)	Fennel-leaved.	————	1825.	5. 9.	H. ⊙.	Jacq. schoen. 2. t. 156.
	<i>Arctotis fœniculacea.</i>	Jacq.	————	————	————	————	————
9	leucanthemoïdes. (ye.)	Ox-eye Daisy-leav'd.	————	————	————	H. ⊙.	———— 2. t. 164.
	<i>Arctotis leucanthemoïdes.</i>	Jacq.	————	————	————	————	————
10	odorata. H.K. (ye.)	smooth-seeded.	————	1774.	4. 6.	G. h.	————
TITH'ONIA. W. TITH'ONIA. Syngenesia Polygamia Frustranea. W.							
1	tagetiflora. w. (or.)	Tagetes-flower'd.	W. Indies.	1821.	8. 9.	S. 4.	Bot. reg. t. 591.
2	tubæformis. D.D. (ye.)	tube-flowered.	Mexico.	1799.	9. 11.	H. ⊙.	Jacq. schoen. 3. t. 375.
	<i>Heliánthus tubæformis.</i>	Jacq.	————	————	————	————	————
ARCT'OTIS. H.K. ARCT'OTIS. Syngenesia Polygamia Necessaria. L.							
1	acaulis. w. (ye.)	dwarf.	C. B. S.	1759.	4. 7.	G. 4.	Bot. reg. t. 122.
2	tricolor. w. (pu.wh.)	three-coloured.	————	1794.	5. 7.	G. 4.	———— t. 131.
3	undulata. w. (or.)	wave-leaved.	————	1795.	4. 6.	G. 4.	Jacq. schoen. 2. t. 160.
4	grandiflora. w. (or.cr.)	great-flowered.	————	1774.	3. 5.	G. h.	———— 3. t. 375.
5	Massoniàna. s.s. (st.re.)	Masson's.	————	————	————	G. ♂.	————
	<i>grandiflora.</i>	H.K. non Jacq.	————	————	————	————	————
6	speciosa. w. (pu.ye.)	showy.	————	1812.	6. 8.	G. 4.	Bot. mag. t. 2182.
7	glaucophylla. w. (or.pi.)	Sea-green-leav'd.	————	1794.	5. 8.	G. 4.	Jacq. schoen. 2. t. 170.
8	plantaginea. w. (ye.pu.)	Plantain-leaved.	————	1768.	6. 8.	G. 4.	————
9	argentea. w. (v.)	silver-leaved.	————	1774.	8.	G. ♂.	————
10	rosea. w. (ro.)	Rose.	————	1793.	7. 9.	G. 4.	Jacq. schoen. 2. t. 102.
11	decumbens. w. (wh.pi.)	decumbent.	————	1790.	————	G. 4.	———— 3. t. 381.
12	angustifolia. w. (or.)	narrow-leaved.	————	1739.	————	G. 4.	————
13	flaccida. w. (wh.re.)	bending-stalked.	————	1794.	5. 7.	G. ⊙.	Jacq. schoen. 2. t. 103.
14	virgata. w. (ye.pu.)	slender-twigged.	————	1816.	7. 9.	H. ⊙.	———— 3. t. 307.
15	flammea. J.F. (or.)	flame-coloured.	————	1822.	————	G. 4.	Jacq. frag. t. 47. f. 1.

16 am'œna. J.F. (wh.pu.) handsome.	C. B. S.	1822.	7. 9.	G. 4.	Jacq. frag. t. 118.
17 paniculâta. w. (wh.cr.) paniced.	————	————	————	G. h.	Jacq. schœn. 3. t. 380.
18 decurrrens. w. (wh.pi.) decurrent.	————	————	6. 7.	G. h.	———— 2. t. 165.
19 melanocicla. w. (wh.re.) various-colour'd.	————	1812.	————	G. h.	————
20 réptans. w. (st.br.) creeping.	————	1795.	7. 9.	G. 4.	Jacq. schœn. 3. t. 382.
21 auriculâta. w. (ye.pu.) ear-leaved.	————	————	6. 8.	G. h.	———— 2. t. 169.
22 fastuosa. w. (or.cr.) Orange-flower'd.	————	————	5. 7.	G. ♂.	———— 2. t. 166.
23 spinulosa. w. (or.bk.) thorny-leaved.	————	————	5. 8.	G. ⊙.	———— 2. t. 167.
24 maculâta. w. (st.pu.) spotted.	————	1812.	————	G. h.	Bot. reg. t. 130.
25 áspera. B.R. (wh.ro.) broad rough-leav'd.	————	1710.	7. 9.	G. h.	———— t. 34.
26 elâtiôr. w. (ye.pu.) tall.	————	1816.	————	G. h.	Jacq. schœn. 2. t. 172.
27 arboréscens. w. (wh.pi.) arborescent.	————	————	————	G. h.	———— 2. t. 171.
28 aurèola. B.R. (or.) narrow rough-leav'd.	————	1710.	————	G. h.	Bot. reg. t. 32.
29 revolûta. w. (ye.bk.) revolute-leaved.	————	1824.	8. 10.	H. ⊙.	Jacq. schœn. 2. t. 173.
30 cùprea. w. (co.pu.) copper-coloured.	————	————	7. 8.	G. h.	———— 2. t. 176.
31 squarròsa. w. (or.pu.) squarrose.	————	1825.	————	G. h.	———— 2. t. 177.
32 Cinerària. w. (ye.or.) black-eyed.	————	————	————	G. 4.	———— 2. t. 174.
33 bicolor. W.en. (wh.re.) two-coloured.	————	1812.	————	G. 4.	————
34 glabrâta. w. (ye.pu.) smooth-leaved.	————	1816.	7. 9.	G. h.	Jacq. schœn. 2. t. 175.
35 purpùrea. W.en. (pu.) purple.	————	1827.	————	G. h.	————
CALENDULA. W. MARYGOLD. Syngenesia Polygamia Necessaria. L.					
1 arvênsis. w. (ye.) field.	Europe.	1597.	6. 9.	H. ⊙.	Ger. herb. 603. f. 10.
2 sícula. W.en. (ye.) Sicilian.	Sicily.	1816.	————	H. ⊙.	————
3 stellâta. w. (ye.) starry.	Barbary.	1795.	————	H. ⊙.	Schk. hand 3. t. 265.
4 officinâlis. w. (ye.) common.	S. Europe.	1573.	————	H. ⊙.	————
β plèna. (ye.) double-flowered.	————	————	————	H. ⊙.	————
5 ægyptiaca. P.S. (ye.) Egyptian.	Egypt.	1820.	————	H. ⊙.	————
6 suffruticosa. w. (ye.) suffrutescent.	S. Europe.	1823.	————	G. h.	————
7 denticulâta. s.s. (ye.) toothed.	Barbary.	1821.	6. 8.	F. h.	————
8 sáncta. w. (st.) pale-flowered.	Levant.	1731.	5. 9.	H. ⊙.	————
9 incàna. w. (ye.) hoary.	Barbary.	1796.	6. 8.	H. ⊙.	Desf. atl. 2. t. 245.
tomentosa. Df. non L.					
10 pluviâlis. w. (wh.pu.) small Cape.	C. B. S.	1699.	————	H. ⊙.	Mill. ic. t. 75. f. 2.
11 hy'brida. w. (wh.pu.) great Cape.	————	1752.	6. 7.	H. ⊙.	Swt. br. fl. gar. t. 39.
12 nudicau'is. w. (wh.) naked-stalked.	————	1731.	6. 8.	H. ⊙.	Comm. hort. 2. t. 33.
13 graminifolia. w. (wh.pu.) Grass-leaved.	————	————	5. 9.	G. 4.	Bot. reg. t. 289.
14 Trâgus. w. (pu.wh.) bending-stalked.	————	1774.	5. 6.	G. h.	Bot. mag. t. 408.
β flaccida. v. (or.) flaccid.	————	————	————	G. h.	Bot. reg. t. 28.
15 viscosa. H.K. (or.) viscous.	————	1790.	6. 9.	G. h.	Andr. reposit. t. 412.
Arctôtis glutinosa. B.M. 1343.					
16 dentâta. A.R. (wh.) tooth-leaved.	————	1790.	5. 6.	G. h.	Andr. reposit. c. ic.
17 oppositifolia. w. (ye.) glaucous-leaved.	————	1774.	8.	G. h.	————
18 fruticosa. w. (wh.) shrubby.	————	1752.	6. 7.	G. h.	Mill. ic. 2. t. 283.
19 chrysanthemifolia. v. (ye.) large-flower'd.	————	1790.	3. 8.	G. h.	Bot. reg. t. 40.
20 arboréseens. w. (ye.) rough-leaved.	————	1774.	12.	G. h.	Jacq. ic. 3. t. 596.
21 muricâta. w. (ye.) muricate.	————	1816.	————	G. h.	————
POLYMNIA. W. POLYMNIA. Syngenesia Polygamia Necessaria. L.					
1 canadênsis. w. (ye.) Canadian.	N. America.	1768.	7. 8.	H. 4.	Lin. am. ac. 3. t. 1. f. 5.
2 Uvedâlia. w. (ye.) broad-leaved.	————	1699.	8. 10.	H. 4.	Moris. s. 6. t. 7. f. 55.
3 maculâta. C.I. (ye.) spotted-stalked.	Mexico.	1823.	9. 11.	H. 4.	Cav. ic. 3. t. 227.
4 abyssinica. w. (ye.) upright.	Africa.	1775.	4. 5.	S. ♂.	————
MELAMP'ODIUM. W. MELAMP'ODIUM. Syngenesia Polygamia Necessaria. W.					
1 americânum. w. (ye.) American.	Vera Cruz.	1733.	8. 10.	S. ⊙.	Reliq. Houst. 9. t. 21.
2 hùmile. w. (ye.) dwarf.	Jamaica.	1782.	6. 10.	S. ⊙.	————
3 hispídum. K.s. (ye.) hispid.	New Spain.	1825.	9. 11.	H. ⊙.	H. et B. 4. t. 399.
4 perfoliâtum. K.s. (ye.) perfoliate.	————	1796.	8. 10.	H. ⊙.	Cavan. ic. 1. t. 15.
Alcina perfoliâta. Cav. Wedèlia perfoliâta. w.					
5 longifolium. W.en. (ye.) long-leaved.	————	1820.	————	H. ⊙.	————
6 ovatifolium. R.I. (ye.) oval-leaved.	S. America.	1828.	————	H. ⊙.	————
Wedèlia ovatifolium. w. Alcina ovalifolia. LG.					
7 sericeum. s.s. (ye.) silky-leaved.	New Spain.	1825.	————	H. ⊙.	————
MILL'ERIA. L. MILL'ERIA. Syngenesia Polygamia Necessaria. L.					
1 quinqueflora. w. (ye.) five flowered.	Vera Cruz.	1731.	7. 10.	H. ⊙.	Cavan. ic. 1. t. 82.
2 biflora. w. (ye.) two-flowered.	S. America.	1730.	————	H. ⊙.	Mart. dec. 47. f. 1.
FLAV'ERIA. J. FLAV'ERIA. Syngenesia Polygamia Necessaria. P.S.					
1 repânda. LG. (ye.) repand.	S. America.	1799.	7. 9.	H. ⊙.	————
2 Contrayérba. K.s. (ye.) Peruvian.	Peru.	1794.	8. 10.	S. ♂.	Cavan. ic. 1. t. 4.
3 angustifolia. K.s. (ye.) narrow-leaved.	Mexico.	1825.	————	H. 4.	———— 3. t. 223.

4	linearis. LG.	(ye.) linear-leaved.	S. America.	1825.	8. 10.	S. ☉.	
5	maritima. K.S.	(ye.) sea-side.	Cuba.	1822.	—	S. ☉.	
BALTIM'ORA. W.		BALTIM'ORA.	Syngenesia Polygamia Necessaria. L.				
1	recta. w.	(ye.) upright.	Vera Cruz.	1699.	6. 7.	H. ☉.	Schk. ha. 3. t. 261. C.
2	alba. P.S.	(wh.) white.	1824.	—	H. ☉.	
ERIO'COMA. K.S.		ERIO'COMA.	Syngenesia Polygamia Frustranea.				
1	floribunda. K.S.	(wh.) many-flowered.	Mexico.	1828.	9. 11.	F. ♀.	H. et B. 4. t. 396.
2	fragens. D.D.	(wh.) sweet-scented.	—	—	—	F. ♀.	Swt. br. fl. gar. s. 2.
SILPHIUM. W.		SILPHIUM.	Syngenesia Polygamia Necessaria. L.				
1	laciniatum. w.	(ye.) jagged-leaved.	N. America.	1781.	7. 9.	H. ☉.	Lin. fil. fas. 1. t. 3.
2	compositum. w.	(ye.) scollop-leaved.	—	1789.	—	H. ♀.	
3	therebinthinaceum.	(ye.) broad-leaved.	—	1765.	8. 9.	H. ♀.	Jacq. vind. 1. t. 43.
4	perfoliatum. w.	(ye.) perfoliate.	—	1766.	7. 10.	H. ♀.	
5	conjunctum. W.en.	(ye.) conjoined.	—	—	H. ♀.	
6	connatum. w.	(ye.) round-stalked.	—	1765.	—	H. ♀.	
7	Asteriscus. w.	(ye.) hairy-stalked.	—	1732.	7. 9.	H. ♀.	Dill. elth. t. 37. f. 42.
8	scabrum. N.	(ye.) rough-leaved.	—	1823.	—	H. ♀.	
9	pumilum. w.	(ye.) dwarf woolly.	—	—	—	H. ♀.	
10	trifoliatum. w.	(ye.) three-leaved.	—	1755.	7. 10.	H. ♀.	Moris. s. 6. t. 3. f. 68.
11	ternatum. w.	(ye.) various-leaved.	—	1806.	—	H. ♀.	
12	atropurpureum. w.	(ye.) purple-stalked.	—	1812.	—	H. ♀.	
OSTEOSPERMUM.		OSTEOSPERMUM.	Syngenesia Polygamia Necessaria. L.				
1	spinosum. H.K.	(ye.) rough-leaved.	C. B. S.	1700.	2. 10.	G. ♀.	Com. hort. 2. t. 43.
2	spinescens. H.K.	(ye.) smooth-leaved.	—	1793.	3. 6.	G. ♀.	Jacq. schoen. 3. t. 377.
3	pisiferum. w.	(ye.) smooth.	—	1757.	3. 5.	G. ♀.	Mill. ic. 2. t. 194. f. 1.
4	moniliferum. w.	(ye.) Poplar-leaved.	—	1714.	7. 8.	G. ♀.	Dill. elth. t. 68. f. 79.
5	hirsutum. w.	(ye.) hairy.	—	1822.	—	G. ♀.	
6	ciliatum. w.	(ye.) fringed.	—	1818.	—	G. ♀.	
7	imbricatum. w.	(ye.) imbricated.	—	1824.	—	G. ♀.	
8	calendulaceum. w.	(ye.) Marygold-like.	—	1823.	—	G. ♀.	
9	ilicifolium. w.	(ye.) Holly-leaved.	—	1816.	—	G. ♀.	Burm. afr. 172. t. 62.
10	rigidum. w.	(ye.) rigid.	—	1774.	4. 7.	G. ♀.	
11	cœruleum. w.	(bl.) blue-flowered.	—	—	6. 9.	G. ♀.	Jacq. ic. 1. t. 179.
12	perfoliatum. w.	(ye.) perfoliate.	—	1816.	5. 8.	G. ♀.	
13	niveum. w.	(ye.) white-leaved.	—	1820.	—	G. ♀.	
14	corymbosum. w.	(ye.) corymbed.	—	—	—	G. ♀.	
15	incanum. w.	(ye.) hoary-leaved.	—	1816.	7. 8.	G. ♀.	
16	polygaloides. w.	(ye.) Milkwort-leaved.	—	1759.	—	G. ♀.	Pluk. mant. t. 382.

Subordo VII. *AMBROSIACEÆ*. Link enum. 2. p. 366.

PARTHENIUM. W.		PARTH'ENIUM.	Syngenesia Polygamia Necessaria. L.				
1	integrifolium. w.	(wh.) entire-leaved.	Virginia.	1661.	6. 10.	H. ♀.	Willd. hort. ber. t. 4
2	incanum. K.S.	(wh.) hoary.	Mexico.	1821.	—	H. ☉.	H. et B. 4. t. 391.
3	Hysterophorus. w.	(wh.) cut-leaved.	W. Indies.	1728.	7. 10.	H. ☉.	Bot. mag. t. 2275.
		<i>Argyroch'ata bipinnatifida.</i>	Cavan. icon. 4. t. 378.				
'IVA. W.		'IVA.	Syngenesia Polygamia Necessaria. L.				
1	ciliata. w.	(ye.) ciliated.	N. America.	1820.	7. 8.	H. ☉.	
2	annua. w.	(ye.) annual.	S. America.	1768.	—	H. ☉.	Schmidel ic. t. 16.
3	xanthiifolia. N.	(ye.) Xanthium-leaved.	Missouri.	1827.	—	H. ☉.	
4	axillaris. Ph.	(ye.) axillary-flowered.	—	—	5. 6.	H. ♀.	
5	frutescens. w.	(ye.) shrubby.	N. America.	1711.	8.	H. ♀.	Pluk. alm. t. 27. f. 1.
AMBR'OSIA. W.		AMBR'OSIA.	Monœcia Pentandria. L.				
1	integrifolia. w.	(gr.) entire-leaved.	N. America.	1816.	7. 9.	H. ☉.	
2	trifida. w.	(gr.) trifid-leaved.	—	1699.	—	H. ☉.	Moris. s. 6. t. 1. f. 4.
3	elätior. w.	(gr.) tall.	—	1696.	7. 8.	H. ☉.	Herm. lugdb. t. 35.
4	artemisiæfolia. w.	(gr.) Mugwort-leaved.	—	1759.	—	H. ☉.	
5	paniculata. w.	(gr.) paniced.	—	1811.	7. 9.	H. ☉.	Pluk. alm. t. 10. f. 5.
6	maritima. w.	(gr.) sea.	Italy.	1570.	7. 8.	H. ☉.	Schk. hand. 3. t. 292.
7	cumanensis. K.S.	(gr.) Cumana.	S. America.	1823.	9. 11.	G. ♀.	
8	peruviana. w.	(gr.) Peruvian.	Peru.	1821.	—	G. ♀.	
XANTHIUM. W.		XANTHIUM.	Monœcia Pentandria. L.				
1	Strumarium. w.	(gr.) small burdock.	England.	7. 9.	H. ☉.	Eng. bot. v. 36. t. 254.
2	orientale. w.	(gr.) oriental.	China.	1685.	—	H. ☉.	Linn. dec. 33. t. 17.
3	canadense. S.S.	(gr.) Canadian.	Canada.	—	—	H. ☉.	
4	echinatum. w.	(gr.) hedgehog.	1818.	—	H. ☉.	

5 catharticum. K. s. (gr.)	divided-leaved.	S. America.	1825.	9. 10.	H. ☉.	
6 spinosum. w. (gr.)	spiny.	S. Europe.	1713.	7. 9.	H. ☉.	Herm. parad. 246.
FRANS'ERIA. W. FRANS'ERIA. Monœcia Pentandria. W.						
1 artemisioides. w. (gr.)	Mugwort-leaved.	Peru.	1759.	7. 9.	G. ♀.	Willd. hort. ber. t. 2.
2 ambrosioides. w. (gr.)	Ambrosia-leaved.	Mexico.	1796.	—	G. ♀.	Cavan. ic. 2. t. 200.

Subordo VIII. *ANTHEMIDEÆ*. *Kth. synopsis. 2. p. 513.*

CEPHALO'PHORA. W. CEPHALO'PHORA. Syngenesia Polygamia Æqualis. W.						
glauca. w. (wh.)	glaucous.	Chili.	1798.	7. 8.	H. ☉.	Cavan. ic. 6. t. 599.
<i>Gr'emia aromática</i> . Hook. ex. flor. 189.						
ETH'ULIA. W. ETH'ULIA. Syngenesia Polygamia Æqualis. W.						
1 conyzoides. w. (li.)	panicled.	India.	1776.	7. 8.	S. ☉.	Linn. fil. dec. t. 1.
2 divaricata. w. (pu.)	spreading.	—	1815.	—	S. ☉.	Lam. ill. t. 699.
<i>Epáltes divaricata</i> . Cas.						
3 ramosa. H. B. (pu.)	branching.	—	1818.	—	S. ☉.	
4 brasiliensis. L. en. (pu.)	Brazilian.	Brazil.	1822.	—	S. ♀.	
SPARGANO'PHORUS. G. SPARGANO'PHORUS. Syngenesia Polygamia Æqualis.						
1 Vaillantii. P. s. (pu.)	Vaillant's.	E. Indies.	1824.	6. 8.	S. ♀.	Gært. fr. 2. t. 165. f. 4.
<i>Ethulia Sparganophorus</i> . L.						
2 Struchium. P. s. (pu.)	axillary-flower'd.	W. Indies.	1826.	—	S. ♀.	Brown. jam. t. 34. f. 2.
3 verticillatus. M. (pu.)	whorl-leaved.	N. America.	1827.	8. 10.	H. w. ♀.	
TARCHONA'NTHUS. W. AFRICAN FLEABANE. Syngenesia Polygamia Æqualis. L.						
1 camphoratus. w. (ye.)	strong-scented.	C. B. S.	1690.	6. 10.	G. ♀.	Lam. ill. t. 671.
2 dentatus. P. s. (ye.)	scentless.	—	1816.	—	G. ♀.	
3 ellipticus. P. s. (ye.)	elliptic-leaved.	—	1823.	—	G. ♀.	
PODA'NTHUS. LG. PODA'NTHUS. Syngenesia Polygamia Æqualis.						
1 mliqui. H. C. (ye.)	Chilian.	Chile.	1826.	7. 9.	F. ♀.	
2 gratus. D. D. (ye.)	grateful.	—	1825.	—	F. ♀.	Hor. phys. ber. 75. t. 16.
<i>Euxenia grata</i> . s. s.						
OTA'NTHUS. L. en. OTA'NTHUS. Syngenesia Polygamia Æqualis.						
maritimus. L. en. (ye.)	sea-side.	England.	7. 9.	H. ♀.	Eng. bot. v. 2. t. 141.
<i>Santolina maritima</i> . E. B.						
SANTOL'INA. W. LAVENDER-COTTON. Syngenesia Polygamia Æqualis. L.						
1 Chamae-Cyparissus. w. (ye.)	common.	S. Europe.	1573.	7.	H. ♀.	Lam. ill. t. 671. f. 3.
2 ericoides. P. s. (ye.)	Heath-like.	—	1827.	7. 9.	H. ♀.	
3 squarrosa. w. (ye.)	hoary.	—	1570.	7. 8.	H. ♀.	Moris. s. 6. t. 3. f. 17.
4 viridis. w. (ye.)	dark-green.	—	1727.	7.	H. ♀.	
5 rosmarinifolia. w. (ye.)	Rosemary-leaved.	—	1683.	7. 9.	H. ♀.	Sm. exot. bot. 2. t. 62.
6 pectinata. s. s. (ye.)	pectinate.	Spain.	1825.	—	H. ♀.	
7 viscosa. s. s. (ye.)	viscous.	—	—	—	H. ♀.	
8 crithmifolia. W. en. (ye.)	Samphire-leaved.	S. Europe.	1823.	—	H. ♀.	
9 pinnata. Viv. (wh.)	wing-leaved.	—	1791.	—	F. ♀.	
10 anthemoides. w. (ye.)	Chamomile-leaved.	—	1727.	7. 8.	H. ♀.	Flor. græc. t. 854.
11 alpina. L. (ye.)	alpine.	—	1798.	7. 9.	H. ♀.	Barr. rar. t. 522.
ATHAN'ASIA. W. ATHAN'ASIA. Syngenesia Polygamia Æqualis. L.						
1 crenata. w. (ye.)	crenated.	C. B. S.	1816.	6. 8.	G. ♀.	
2 punctata. w. (ye.)	punctated.	—	1822.	5. 7.	G. ♀.	Petiv. gaz. t. 81. f. 6.
3 capitata. w. (ye.)	hairy.	—	1774.	1. 3.	G. ♀.	Moris. s. 6. t. 3. f. 48.
4 pubescens. w. (ye.)	villous-leaved.	—	1768.	6. 8.	G. ♀.	Comm. hort. 2. t. 47.
5 canescens. w. (ye.)	canescent.	—	1822.	—	G. ♀.	Cavan. ic. 1. t. 3.
<i>lanuginosa</i> . Cav.						
6 cuneifolia. P. s. (ye.)	wedge-leaved.	—	1816.	7. 9.	G. ♀.	Lam. ill. t. 670. f. 3.
7 annua. w. (ye.)	annual.	Barbary.	1686.	7. 8.	H. ☉.	Bot. mag. t. 2276.
8 dentata. w. (ye.)	tooth-leaved.	C. B. S.	1759.	—	G. ♀.	Comm. rar. t. 41.
9 trifurcata. w. (ye.)	trifid-leaved.	—	1710.	—	G. ♀.	Comm. hort. 2. t. 49.
10 virgata. w. (ye.)	twiggy.	—	1815.	—	G. ♀.	Jacq. schoen. 2. t. 148.
11 tomentosa. w. (ye.)	Lavender-leaved.	—	1774.	5. 6.	G. ♀.	Lam. ill. t. 670. f. 1.
<i>cinerea</i> . L.						
12 filiformis. w. (ye.)	fine-leaved.	—	1787.	8.	G. ♀.	
13 crithmifolia. w. (ye.)	Samphire-leav'd.	—	1723.	7. 8.	G. ♀.	Comm. hort. 2. t. 50.
14 parviflora. w. (ye.)	small-flowered.	—	1731.	4.	G. ♀.	Jacq. schoen. 2. t. 149.
15 tricuspis. P. s. (ye.)	three-pointed.	—	1816.	—	G. ♀.	
16 pectinata. w. (ye.)	pectinated.	—	1774.	5. 6.	G. ♀.	
17 pinnata. w. (ye.)	pinnated.	—	1824.	6. 8.	G. ♀.	Lam. ill. t. 670. f. 4.
BALSAMITA. W. COSTMARY. Syngenesia Polygamia Æqualis. W.						
1 virgata. w. (ye.)	twiggy.	Italy.	1791.	6. 7.	H. ♀.	Jacq. obs. 4. t. 81.

2	ageratifolia. w. (ye.)	Ageratum-leav'd.	Candia.	1605.	6. 10.	G. h.	Alp. exot. t. 326.
3	vulgàris. w. (ye.)	common.	Italy.	1568.	8. 9.	H. 4.	Schk. hand. 3. t. 240.
4	ànnua. DC. (ye.)	annual.	S. Europe.	1629.	7. 8.	H. ☉.	Mill. ic. 2. t. 227. f. 1.
	<i>Tanacètum ànnum. w.</i>						
PE'NTZIA. Th.	PE'NTZIA.	Syngenesia Polygamia	Æqualis. W.				
	flabellifòrmis. w. (ye.)	fan-leaved.	C. B. S.	1774.	5. 8.	G. h.	Bot. mag. t. 212.
	<i>Tanacètum flabellifòrme. B.M.</i>						
TANACETUM. W.	TANSY.	Syngenesia Polygamia	Superflua. L.				
1	vestitum. w. (ye.)	imbricated.	C. B. S.	1816.	8. 9.	G. h.	
2	linifolium. w. (ye.)	Flax-leaved.	————	1774.	8.	G. h.	
3	suffruticosum. w. (ye.)	shrubby.	————	1751.	5. 9.	G. h.	Comm. hort. 2. t. 100.
4	canariense. DC. (ye.)	Canary.	Canaries.	1816.	————	G. h.	
5	incanum. s.s. (ye.)	hoary.	Levant.	1827.	————	H. 4.	
6	sibiricum. w. (ye.)	Siberian.	Siberia.	1823.	————	H. 4.	Gmel. sib. 2. t. 65. f. 2.
7	argenteum. w. (ye.)	silvery.	Levant.	1812.	————	H. 4.	
8	grandiflorum. w. (ye.)	great-flowered.	C. B. S.	1825.	————	G. 4.	
9	myriophyllum. w. (ye.)	many-leaved.	Levant.	1818.	————	H. 4.	
	<i>Achillea bipinnata. L.</i>						
10	pauciflorum. s.s. (ye.)	few-flowered.	N. America.	1827.	————	H. 4.	
11	vulgare. w. (ye.)	common.	Britain.	————	H. 4.	Eng. bot. v. 18. t. 1220.
	<i>β crispum.</i>	<i>curled.</i>	————	H. 4.	
ARTEMISIA. W.	WORMWOOD.	Syngenesia Polygamia	Superflua. L.				
1	judæica. w. (ye.)	Judean.	Levant.	1688.	8.	G. h.	Pluk. alm. t. 73. f. 2.
2	valentina. w. (ye. gr.)	Spanish.	Spain.	1739.	7. 8.	F. h.	Barr. ic. t. 485.
3	arragonensis. w. (ye. gr.)	snowy-white.	————	1816.	————	F. h.	Asso arrag. t. 8. f. 1.
4	salsoloides. s.s. (ye. gr.)	saltwort-like.	Siberia.	1827.	————	F. h.	
5	subcanescens. w. (ye. gr.)	hoary-leav'd.	S. Europe.	————	F. h.	
6	Abrotanum. w. (ye. gr.)	Southernwood.	————	1548.	8. 10.	H. h.	Blackw. t. 555.
7	viridifolia. s.s. (ye. gr.)	green-leaved.	Siberia.	1828.	————	H. h.	
8	procera. w. (ye. gr.)	tall.	S. Europe.	1816.	————	F. h.	Lobel. ic. 768.
	<i>paniculata. Lam.</i>						
9	tenuifolia. w. (ye. gr.)	slender-leaved.	1732.	9. 12.	G. h.	Dill. elth. t. 33. f. 37.
10	afra. w. (wh. gr.)	Cape.	C. B. S.	1816.	————	G. h.	
11	arborescens. w. (ye. gr.)	tree.	Levant.	1640.	6. 8.	H. h.	Flor. græc. t. 856.
12	argentea. w. (ye.)	silvery.	Madeira.	1777.	6. 7.	G. h.	
13	lednicensis. s.s. (ye. gr.)	linear-lobed.	Hungary.	1829.	————	H. h.	
14	pauciflora. s.s. (ye.)	few-flowered.	Siberia.	1824.	————	H. h.	
15	glaciàlis. w. (ye. gr.)	silky.	Switzerland.	1739.	7. 8.	H. 4.	Jacq. aust. 5. t. ap. 35.
16	rupèstris. w. (br.)	stone.	N. Europe.	————	H. h.	All. ped. t. 9. f. 1.
17	mutellina. w. (ye. gr.)	Alpine.	Alps of Europ.	1815.	————	H. 4.	Vill. daup. 3. t. 35.
18	spléndens. s.s. (ye.)	glossy.	Caucasus.	1827.	————	H. 4.	
19	furcata. s.s. (br.)	forked.	Siberia.	1829.	————	H. 4.	
20	lanata. s.s. (wh. ye.)	woolly.	S. Europe.	1827.	————	H. 4.	
21	alpina. M.B. (ye. gr.)	alpine.	Caucasus.	————	————	H. 4.	
22	jeniseensis. s.s. (ye. gr.)	leafy-panicled.	Siberia.	1824.	————	H. 4.	
23	pedemontana. L. en. (br.)	Swiss.	Switzerland.	1823.	————	H. 4.	
24	caucásica. w. (ye. gr.)	Caucasian.	Caucasus.	1804.	6. 7.	H. 4.	
25	spicata. w. (br.)	spiked.	Switzerland.	1790.	————	H. 4.	Jacq. aust. 5. t. ap. 34.
26	norvègica. s.s. (br.)	Norwegian.	Norway.	1823.	————	H. 4.	Flor. dan. t. 801.
	<i>rupèstris. Flor. dan. nec aliorum.</i>						
27	groenlândica. s.s. (br.)	Greenland.	Greenland.	1827.	————	H. 4.	
28	ludoviciana. N. (br.)	St. Louis.	Missouri.	————	————	H. 4.	
29	desertorum. s.s. (br.)	desert.	Tartary.	1817.	7. 9.	H. 4.	
	<i>leucanthemifolia. Hort.</i>						
30	pectinata. w. (br.)	comb-leaved.	Dauria.	1806.	————	H. ☉.	Pall. it. 3. t. Hh. f. 2.
31	tanacetifolia. w. (br.)	Tansy-leaved.	Siberia.	1768.	7. 8.	H. ♂.	All. ped. 1. t. 10. f. 3.
32	laciniata. w. (gr.)	jagged.	Dauria.	1823.	————	H. 4.	
33	insipida. w. (br.)	insipid.	S. Europe.	————	————	H. 4.	Vill. delph. 3. t. 35.
34	mollissima. D.P. (ye.)	soft-leaved.	Nepaul.	————	8. 11.	H. 4.	
35	potentillæfolia. s.s. (gr. st.)	Cinquefoil-leav'd.	Siberia.	1827.	7. 9.	H. 4.	
36	armeniaca. s.s. (gr. ye.)	Armenian.	Armenia.	1828.	————	H. 4.	
37	canescens. s.s. (gr. ye.)	canescent.	————	————	————	H. 4.	
38	Santonica. w. (wh. gr.)	Tartarian.	Siberia.	1596.	9. 11.	H. h.	Gmel. sib. 2. t. 51.
39	scoparia. w. (wh. gr.)	besom.	Hungary.	1796.	7. 9.	H. ☉.	W. et K. hung. 1. t. 65.
40	campèstris. w. (br.)	field.	England.	8.	H. 4.	Eng. bot. v. 5. t. 338.
41	herbacea. w. (ye. gr.)	herbaceous.	Siberia.	1817.	————	H. 4.	
42	Marschalliana. s.s. (gr. ye.)	M. Bieberstein's.	————	1800.	8. 9.	H. 4.	
	<i>inodora. M.B. pauciflora. w.</i>						
43	virgata. s.s. (br.)	twiggy.	N. America.	1827.	7. 9.	H. 4.	

44 palustris. w. (ye.) marsh.	Siberia.	1804.	7. 8.	H. ☉.	Gmel. sib. 2. t. 55.
45 neglecta. W.en. (gr.ye.) neglected.	—————	1815.	————	H. ♀.	
46 camphorata. w. (ye.gr.) Camphor-scent'd.	S. Europe.	1820.	————	H. ♀.	Lob. ic. t. 769. f. 1.
47 albida. W.en. (st.) white-leaved.	Siberia.	————	————	H. ♀.	
48 humilis. W.en. (ye.gr.) dwarfish.	Carniola.	8. 10.	H. ♀.	
49 crithmifolia. w. (br.) Samphire-leav'd.	Portugal.	1739.	————	H. ♀.	
50 saxatilis. w. (wh.) rock.	Hungary.	1816.	6. 8.	H. ♀.	
51 glauca. w. (gr.) glaucous.	Siberia.	1806.	————	H. ♀.	
52 nutans. w. (br.gr.) nodding.	Tartary.	1819.	7. 9.	H. ♀.	
53 monogyna. w. (ye.) one-styled.	Hungary.	1816.	————	H. ♀.	W. et K. hung. 1. t. 75.
54 palmata. w. (gr.ye.) palmated.	S. Europe.	1739.	6. 7.	G. ♀.	
55 nivea. W.en. (gr.ye.) snowy.	Siberia.	1815.	————	H. ♀.	
56 maritima. w. (br.) drooping-flower'd.	Britain.	8. 9.	H. ♀.	Eng. bot. v. 21. t. 1706.
57 gallica. w. (br.) upright-flower'd.	—————	————	H. ♀.	———— t. 1001.
58 salina. w. (wh.gr.) sea-side.	Germany.	1817.	————	H. ♀.	Spreng. halens. t. 12.
59 fragrans. w. (st.) Lavender-leav'd.	Armenia.	1739.	6. 7.	H. ♀.	
60 austriaca. w. (br.) Austrian.	Austria.	1597.	8. 10.	H. ♀.	Jacq. aust. 1. t. 100.
61 frigida. s.s. (gr.ye.) frigid.	Siberia.	————	————	H. ♀.	
62 vallesiaca. w. (st.) downy.	Italy.	1739.	7. 8.	H. ♀.	
63 taurica. w. (wh.gr.) Taurian.	Tauria.	1824.	————	H. ♀.	
64 orientalis. w. (br.) oriental.	Armenia.	8. 10.	H. ♀.	
65 sericea. w. (wh.) silky-leaved.	—————	1796.	6. 7.	H. ♀.	Gmel. sib. t. 64. f. 1.
66 repens. w. (br.) creeping.	—————	1805.	————	H. ♀.	
67 ramosa. s.s. (st.) branching.	Canaries.	1816.	6. 8.	G. ♀.	
68 balsamita. W.en. (ye.) Balsam-scented.	————	————	H. ♀.	
69 pontica. w. (ye.) Roman.	Austria.	1570.	9.	H. ♀.	Jacq. aust. 1. t. 99.
70 chamamelifolia. w. (br.) Chamomile-leav'd.	S. Europe.	1739.	7. 8.	F. ♀.	Vill. dauph. 3. t. 35.
71 annua. w. (wh.gr.) annual.	Siberia.	1741.	————	H. ☉.	Am. ruth. t. 196. f. 23.
72 biennis. Ph. (ye.gr.) biennial.	Missouri.	1804.	————	H. ♂.	Bot. mag. t. 2472.
73 Absinthium. w. (ye.) common.	Britain.	7. 10.	H. ♀.	Eng. bot. v. 18. t. 1230.
74 Sieversiana. w. (lr.gr.) Sievers's.	Siberia.	1800.	7. 8.	H. ♂.	
75 vulgaris. w. (pu.) Mugwort.	Britain.	8. 9.	H. ♀.	Eng. bot. v. 14. t. 978.
76 procumbens. DC. (ye.gr.) procumbent.	Siberia.	1823.	————	H. ♀.	
77 incisa. W.en. (ye.pu.) cut-leaved.	————	————	H. ♀.	
78 fasciculata. M.B. (ye.pu.) fascicled.	Iberia.	1820.	————	H. ♀.	
79 elegans. F. (ye.) elegant.	China.	————	7. 9.	H. ♀.	
80 camtschatica. F. (gr.st.) Kamtschatka.	Kamtschatka.	1827.	8. 10.	H. ♀.	
81 sacrorum. Led. (gr.st.) sacred.	Siberia.	1828.	7. 9.	H. ♀.	
82 Mertensiana. Wh. (gr.st.) Mertens's.	Hungary.	1826.	————	H. ♀.	
83 indica. w. (ye.gr.) Indian.	E. Indies.	1796.	9. 10.	F. ♀.	Rheed. mal. 10. t. 45.
84 integrifolia. w. (ye.gr.) entire-leaved.	Siberia.	1759.	7. 8.	H. ♀.	Gm. sib. 2. t. 48. f. 1. 2.
85 japonica. w. (wh.) Japanese.	Japan.	1804.	10. 11.	H. ♀.	
86 dracunculoides. Ph. (gr.) Tarragon-like.	N. America.	1811.	8. 10.	H. ♀.	
cernua. N. nutans. Fraser.					
87 serrata. N. (gr.) saw-leaved.	Missouri.	1827.	————	H. ♀.	
88 gnaphalioides. N. (br.) Cudweed-like.	—————	————	————	H. ♀.	
89 caeruleus. w. (ye.) blueish.	England.	8. 10.	H. ♀.	Eng. bot. v. 34. t. 2426.
90 inodora. w. (ye.) inodorous.	Siberia.	1548.	7. 8.	H. ♀.	Gm. sib. 2. t. 59 & 60. f. 1.
91 Dracunculus. w. (wh.gr.) Tarragon.	S. Europe.	————	————	H. ♀.	
92 chinensis. w. (ye.gr.) Moxa.	China.	1816.	————	H. ♀.	Gmel. sib. 2. t. 61. f. 1. 2.
ERIOCEPHALUS. W. WOOLHEAD. Syngenesia Polygamia Necessaria. L.					
1 africanus. w. (ye.) cluster-leaved.	C. B. S.	1732.	1. 4.	G. ♀.	Bot. mag. t. 833.
frutescens. H.K.					
2 decussatus. B.T. (ye.) cross-leaved.	—————	1816.	3. 6.	G. ♀.	
3 purpureus. B.T. (pu.) purple.	—————	————	————	G. ♀.	
4 racemosus. w. (ye.) silver-leaved.	—————	1739.	3. 4.	G. ♀.	
5 spinescens. B.T. (ye.) spiny.	—————	1816.	————	G. ♀.	
HIPPPIA. W. HIPPIA. Syngenesia Polygamia Necessaria. L.					
1 frutescens. w. (ye.) shrubby.	C. B. S.	1710.	2. 8.	G. ♀.	Bot. mag. t. 1855.
2 integrifolia. w. (ye.) annual.	E. Indies.	1777.	7. 8.	S. ☉.	Hout. n. hist. t. 67. f. 2.
SOLIVA. L.T. SOLIVA. Syngenesia Polygamia Necessaria.					
1 anthemifolia. (gr.) Chamomile-leav'd.	S. America.	1812.	4. 12.	H. ☉.	J. ann. mus. t. 61. f. 1.
Gymnostyles anthemifolia. P.S.					
2 pterospérma. J. (gr.) wing-seeded.	Brazil.	1827.	5. 9.	H. ☉.	
3 stolonifera. L.T. (gr.) stoloniferous.	Portugal?	1818.	4. 12.	H. ☉.	
Hippia stolonifera. P.S. Gymnostyles lusitânica. s.s.					
4 minuta. (ye.) fringe-leaved.	S. America.	1825.	————	H. ☉.	
Hippia minuta. I. Gymnostyles minuta. s.s.					
5 pedicellata. P.S. (gr.) pedicelled.	S. America.	————	————	H. ☉.	

LIDBE'CKIA. W.	LIDBE'CKIA.	Syngenesia Polygamia Superflua. W.			
1 lobata. w. (ye.)	lobe-leaved.	C. B. S.	1816.	5. 6. G. h.	Lam. ill. t. 701. f. 3.
<i>Lancisia lobata. P.S. Cõtula quinqueloba. L.</i>					
2 pectinata. w. (ye.)	silver-leaved.	C. B. S.	1774.	5. 6. G. h.	Berg. cap. 306. t. 5. f. 9.
C'ENIA. J.	C'ENIA.	Syngenesia Polygamia Superflua.			
turbinata. P.S. (wh. re.)	turbinated.	C. B. S.	1713.	7. 8. H. ⊙.	Lam. ill. t. 701. f. 1.
<i>Lidbeckia turbinata. w. Cõtula turbinata. L.</i>					
C'OTULA. W.	C'OTULA.	Syngenesia Polygamia Superflua. W.			
1 anthemoides. w. (ye.)	Anthemis-like.	St. Helena.	1696.	7. 8. S. ⊙.	Dill. elth. t. 23. f. 25.
2 aurea. w. (ye.)	golden.	S. Europe.	1823.	7. 9. H. ⊙.	
3 nudicaulis. w. (ye.)	naked-stalked.	C. B. S.	1816.	— G. 2.	Houtt. syst. t. 69. f. 4.
4 coronopifolia. w. (ye.)	Buck's Horn.	—	1683.	— G. ⊙.	Lam. ill. t. 700. f. 1.
5 umbellata. w. (ye.)	umbel-flowered.	—	1822.	— H. ⊙.	
6 viscosa. w. (wh.)	clammy.	Vera Cruz.	1739.	8. S. 2.	
7 tanacetifolia. w. (ye.)	Tansy-leaved.	C. B. S.	1780.	6. 8. H. ⊙.	Pluk. man. t. 430. f. 7.
8 sericea. w. (ye.)	silky.	—	1816.	— G. 2.	
9 sphaeranthus. L. en. (ye.)	round-headed.	Congo.	1820.	— S. 2.	
GR'ANGEA. J.	GR'ANGEA.	Syngenesia Polygamia Superflua.			
1 cuneifolia. Lk. (br. ye.)	wedge-leaved.	China.	1816.	7. 9. H. ⊙.	Lam. ill. t. 699. f. 2.
2 minima. w. (ye.)	least.	—	1768.	— H. ⊙.	Burm. ind. t. 58. f. 3.
3 decumbens. Df. (ye.)	decumbent.	N. Holland.	1815.	— H. ⊙.	
4 maderaspatana. J. (ye.)	Madras.	E. Indies.	1780.	7. 8. S. ⊙.	Lam. ill. t. 699. f. 3.
<i>Cõtula maderaspatana. w.</i>					
5 bicolor. Df. (ye.)	two-coloured.	—	1804.	— S. ⊙.	Lam. ill. t. 699. f. 1.
<i>Cõtula bicolor. w. latifolia. P.S.</i>					
6 cinerea. L. en. (ye.)	grey.	Egypt.	1825.	— H. ⊙.	
ANAC'YCLUS. W.	ANAC'YCLUS.	Syngenesia Polygamia Superflua. W.			
1 creticus. w. (wh.)	trailing.	Candia.	1759.	6. 8. H. ⊙.	Ann. mus. 11. t. 22.
2 orientalis. w. (wh.)	oriental.	Levant.	1731.	— H. ⊙.	Boer. lugd. 1. t. 110.
3 aureus. w. (ye.)	golden-flower'd.	—	1570.	— H. ⊙.	Lam. ill. t. 700. f. 2.
4 radiatus. L. en. (ye.)	rayed.	—	1823.	— H. ⊙.	
5 alexandrinus. w. (wh.)	Egyptian.	Egypt.	1828.	— H. ⊙.	
6 clavatus. P.S. (wh.)	clavate.	Barbary.	1823.	— H. ⊙.	
7 Pyrethrum. L. en. (w.)	Pellitory of Spain.	S. Europe.	1570.	6. 7. H. 2.	Bot. mag. t. 462.
<i>Anthemis Pyrethrum. w.</i>					
8 valentinus. w. (ye.)	fine-leaved.	Spain.	1656.	— H. ⊙.	Schk. han. 3. t. 254. b.
9 purpurascens. P.S. (ye. cr.)	two-coloured.	S. Europe.	1829.	— H. ⊙.	
10 officinarum. Hayn. (wh.)	officinal.	1828.	— H. ⊙.	
11 inflatus. Leh. (wh.)	inflated.	Siberia.	1829.	— H. ⊙.	
12 tomentosus. Leh. (wh.)	woolly.	—	—	— H. ⊙.	
13 divaricatus. Cav. (wh.)	spreading.	—	1824.	— H. ⊙.	
ZALUZ'ANIA. P.S.	ZALUZ'ANIA.	Syngenesia Polygamia Superflua.			
triloba. P.S. (ye.)	three-lobed.	Mexico.	1798.	7. 9. F. h.	
<i>Anthemis triloba. w.</i>					
FERDINA'NDIA. LG.	FERDINA'NDIA.	Syngenesia Polygamia Superflua.			
1 augusta. LG. (ye.)	august.	Mexico.	1816.	8. 10. F. h.	
2 integrifolia. D.D. (ye.)	entire-leaved.	—	1828.	— F. h.	
A'NTHEMIS. W.	CHAMOMILE.	Syngenesia Polygamia Superflua. L.			
1 rigescens. W. en. (wh.)	rigid.	Caucasus.	1805.	7. 9. H. 2.	W. hort. ber. 1. t. 62.
<i>nigricans. Hort.</i>					
2 Cota. w. (wh.)	Venetian.	Italy.	1714.	7. 8. H. ⊙.	Pluk. alm. t. 17. f. 5.
3 altissima. w. (wh.)	tall.	S. Europe.	1731.	8. H. ⊙.	Flor. græc. t. 881.
4 punctata. w. (wh.)	dotted.	Levant.	1825.	7. 9. G. h.	Desf. atl. 2. t. 139.
5 maritima. w. (wh.)	sea.	England.	7. 8. H. ⊙.	Eng. bot. v. 33. t. 2370.
6 tomentosa. w. (wh.)	downy.	Levant.	1795.	7. 10. H. 2.	
7 ruthenica. M.B. (wh.)	Russian.	Tauria.	1823.	— H. ⊙.	
8 fruticulosa. M.B. (wh.)	frutescent.	—	—	— H. h.	Barrel. ic. t. 451.
9 pubescens. w. (wh.)	pubescent.	S. Europe.	1803.	7. 8. H. 2.	
10 biaristata. s.s. (wh.)	two-awned.	S. France.	1822.	— H. 2.	
11 revoluta. s.s. (wh.)	revolute.	Canaries.	1816.	8. 10. G. h.	
12 secundiramea. s.s. (w.)	secund-branch'd.	Sicily.	1824.	7. 9. H. ⊙.	
13 mixta. w. (wh.)	simple-leaved.	France.	1731.	7. 8. H. ⊙.	Mich. gen. t. 30. f. 1.
14 Kitaibeli. (wh.)	Kitaibel's.	Hungary.	1807.	— H. 2.	
15 coronopifolia. w. (wh.)	Buckshorn-leav'd.	Spain.	—	— H. 2.	
16 australis. w. (wh.)	procumbent.	S. France.	1818.	— H. 2.	
17 ibERICA. M.B. (wh.)	Iberian.	Iberia.	1829.	— H. 2.	
18 Barrelieri. s.s. (wh.)	Barrelier's	Naples.	—	8. 10. H. ⊙.	
19 saxatilis. DC. (wh.)	rock.	S. France.	1807.	7. 8. H. 2.	
20 alpina. w. (wh.)	Alpine.	Europe.	—	— H. 2.	Jacq. aust. 6. ap. t. 30.

21	carpática. w.	(wh.) Carpathian.	Carpathian-m.	1818.	7. 8.	H. 4.	
22	corymbòsa. w.	(wh.) corymbose.	Austria.	1821.	—	H. 4.	
23	retusa. s.s.	(wh.) retuse.	1824.	—	H. 4.	
24	ramòsa. s.s.	(wh.) branching.	—	9. 11.	H. 4.	
25	mucronulàta. s.s.	(wh.) mucronulate.	Italy.	1829.	8. 10.	H. ⊙.	
26	Chamomilla. W.	(wh.) various-leaved.	S. Europe.	—	—	H. 4.	
27	chia. w.	(wh.) cut-leaved.	Chio.	1731.	6. 10.	H. ⊙.	
28	nòbilis. w.	(wh.) common.	Britain.	7. 9.	H. 4.	Eng. bot. v. 14. t. 908.
29	arvensis. w.	(wh.) corn.	—	6. 8.	H. ♂.	— v. 9. t. 602.
30	austriaca. w.	(wh.) Austrian.	Austria.	1759.	5. 8.	H. ⊙.	Jacq. aust. 5. t. 411.
31	Còtula. w.	(wh.) stinking.	Britain.	6. 9.	H. ⊙.	Eng. bot. v. 25. t. 1772.
32	fàllax. W.en.	(wh.) false Chamomile.	—	—	—	H. ⊙.	
33	fuscàta. w.	(wh.) brown-scaled.	Portugal.	1805.	7. 8.	H. ⊙.	
34	peregrina. w.	(wh.) close-branched.	Piedmont.	1817.	—	H. ⊙.	
35	candidíssima. s.s.	(w.) silvery-leaved.	Caucasus.	1812.	—	H. 4.	
36	montàna. w.	(wh.) mountain.	Italy.	1759.	7. 10.	H. 4.	Ger. prov. t. 8.
37	incrassàta. s.s.	(wh.) thick-stalked.	S. France.	1823.	—	H. ⊙.	
38	pedunculàta. s.s.	(wh.) large-stalked.	Portugal.	—	8. 10.	H. ⊙.	
39	petr'æa. L.en.	(wh.) long-stalked.	Naples.	—	—	H. ⊙.	
40	apiifòlia. B.R.	(wh.) Parsley-leaved.	1764.	8. 9.	H. 4.	Bot. reg. t. 527.
41	minuta. Leh.	(wh.) minute.	1829.	—	H. ⊙.	
42	suffruticòsa. Leh.	(wh.) suffrutescent.	—	6. 9.	H. ♀.	
43	globòsa. w.	(ye.) globe.	Naples.	—	8. 9.	G. 4.	Jacq. schœn. 3. t. 371.
44	valentina. w.	(ye.) purple-stalked.	S. Europe.	1596.	7. 8.	H. ⊙.	Breyn. cent. t. 75.
45	tinctòria. w.	(ye.) Ox Eye.	Britain.	6. 11.	H. 4.	Eng. bot. v. 21. t. 1472.
46	discoidea. w.	(ye.) saw-leaved.	Italy.	1800.	7. 8.	H. ⊙.	
47	Marschalliana. w.	(ye.) M. Bieberstein's.	Caucasus.	1828.	—	H. 4.	
48	Rudolphiàna. M.B.	(ye.) Rudolph's.	—	—	—	H. 4.	
CLADA'NTHUS. Cas.			CLADA'NTHUS. Syngenesia Polygamia Superflua.				
	aràbicus. Cas.	(ye.) Arabian.	Barbary.	1759.	7. 8.	H. ⊙.	Smith spic. 9. t. 10.
A'nthemis aràbica. w.							
MATRIC'ARIA. W.			MATRIC'ARIA. Syngenesia Polygamia Superflua. L.				
1	suavèolens. w.	(wh.) sweet.	Europe.	1781.	6. 8.	H. ⊙.	
2	Chamomilla. w.	(wh.) Wild Chamomile.	Britain.	5. 7.	H. ⊙.	Eng. bot. v. 18. t. 1232.
3	capénsis. w.	(wh.) Cape.	C. B. S.	1699.	7. 9.	G. ♂.	Seb. thes. 1. t. 16. f. 2.
4	pusilla. W.en.	(wh.) small.	—	H. ⊙.	
ACHILL'EA. W.			MILFOIL. Syngenesia Polygamia Superflua. L.				
1	lingulàta. w.	(wh.) tongue-leaved.	Hungary.	1815.	7. 8.	H. 4.	W. et K. hung. 1. t. 2.
2	Hërba-ròta. w.	(wh.) Herbarota.	France.	1640.	6. 7.	H. 4.	All. ped. 1. t. 9. f. 3.
3	grandiflòra. M.B.	(wh.) great-flowered.	Caucasus.	1815.	7. 8.	H. 4.	
4	Ptármica. w.	(wh.) Sneezewort.	Britain.	7. 11.	H. 4.	Eng. bot. v. 11. t. 757.
	β flore plèno.	(wh.) double-flowered.	—	—	H. 4.	
5	crisàta. w.	(wh.) slender-branch'd.	Italy.	1784.	7. 8.	H. 4.	
6	Ageràtum. w.	(ye.) Sweet Maudlin.	S. Europe.	1570.	8. 10.	H. 4.	
7	decolòrans. W.en.	(st.) pale yellow.	England.	1798.	6. 8.	H. 4.	Eng. bot. v. 36. t. 2531.
	serràta. E.B. nec aliorum.						
8	speciòsa. W.en.	(wh.) spear-leaved.	1804.	7. 9.	H. 4.	
9	biserràta. M.B.	(wh.) two-toothed.	Iberia.	1825.	—	H. 4.	
10	salicifòlia. F.	(wh.) Willow-leaved.	Siberia.	1827.	—	H. 4.	
11	dentifera. Jac.	(wh.) tooth-leaved.	1824.	—	H. 4.	
12	alpina. w.	(wh.) Alpine.	Siberia.	1731.	7. 11.	H. 4.	Bocc. mus. 141. t. 101.
13	serràta. w.	(wh.) saw-leaved.	Switzerland.	1686.	8. 9.	H. 4.	
14	coronopifòlia. w.	(st.) buckshorn-leav'd.	Levant.	1816.	—	H. 4.	
15	Clavennæ. w.	(wh.) silver-leaved.	Austria.	1656.	6. 7.	H. 4.	Bot. mag. t. 1287.
16	Thomasiàna. DC.	(wh.) Thomas's.	S. France.	1828.	—	H. 4.	
17	impàtiens. w.	(wh.) impatient.	Siberia.	1759.	6. 9.	H. 4.	Gmel. sib. 2. t. 83. f. 1.
18	pectinàta. w.	(st.) comb-leaved.	Hungary.	1801.	8. 9.	H. 4.	W. et K. hung. 1. t. 34.
	ochroleuca. w. K. non w.						
19	Gérberi. w.	(ye.) various-leaved.	Siberia.	1816.	—	H. 4.	Gmel. sib. 2. t. 83. f. 2.
20	pilòsa. w.	(ye.) hairy.	1826.	—	H. 4.	
21	squarròsa. w.	(wh.) rough-headed.	1775.	7. 8.	H. 4.	
22	falcàta. w.	(wh.) sickle-leaved.	Levant.	1739.	6. 9.	H. 4.	Lam. ill. t. 683. f. 3.
23	santolinoídes. LG.	(w.) Santolina-like.	Spain.	1824.	—	H. 4.	
24	tenuifòlia. w.	(ye.) slender-leaved.	Levant.	1733.	6. 8.	H. ♀.	
25	Santolina. w.	(ye.) Lavender-cotton-leav'd.—	—	1759.	—	H. 4.	Flor. græc. t. 891.
26	álbida. s.s.	(st.) white woolly.	1819.	6. 10.	H. 4.	
27	anthermoídes. w.	(ye.) Chamomile-like.	—	H. 4.	
28	decumbens. s.s.	(ye.) decumbent.	Kamtschatka.	1800.	6. 8.	H. 4.	
29	atràta. w.	(wh.) black-cupped.	Austria.	1596.	7. 9.	H. 4.	Jacq. aust. 1. t. 77.

30	moschàta. w.	(wh.) musk.	Italy.	1775.	6. 7.	H. 2.	Jacq. aust. 5. t. ap. 33.
31	nàna. w.	(wh.) dwarf.	—————	1759.	6. 8.	H. 2.	All. ped. 1. t. 9. f. 3.
32	crética. w.	(wh.) Cretan.	Candia.	1739.	7. 8.	H. 2.	Bocc. mus. t. 34.
33	ægyptiaca. w.	(ye.) Egyptian.	Levant.	1610.	7. 9.	G. 2.	Flor. græc. t. 892.
34	macrophy'lla. w.	(wh.) large-leaved.	Italy.	1710.	7. 8.	H. 2.	Triumpf. obs. t. 23.
35	holosericea. F.G.	(wh.) silky-leaved.	Greece.	1823.	7. 9.	H. 2.	
36	punctàta. T.N.	(st.) dotted.	Naples.	1828.	—	H. 2.	
37	leptophy'lla. M.B.	(ye.) narrow-leaved.	Tauria.	1823.	—	H. 2.	
38	taurica. M.B.	(st.) Taurian.	—————	1829.	—	H. 2.	
39	aurea. w.	(go.) golden-flower'd.	Levant.	1739.	6. 9.	H. 2.	
40	Eupatòrium. w.	(go.) Caspian.	Caspian Shores.	1803.	7. 8.	H. 2.	Buxb. cent. 2. t. 19.
41	filipendulina. s.s.	(go.) short-rayed.	—————	1812.	—	H. 2.	
42	compàcta. w.	(ye.) compact.	—————	—	—	H. 2.	
43	pubescens. w.	(st.) downy.	Levant.	1739.	6. 9.	H. 2.	
44	crithmifolia. w.	(wh.) Samphire-leav'd.	Hungary.	1804.	7. 8.	H. 2.	W. et K. hung. 1. t. 66.
45	tanacetifolia. w.	(ro.) Tansy-leaved.	Switzerland.	1658.	—	H. 2.	Moris. s. 6. t. 11. f. 14.
46	dístans. w.	(wh.) branching.	Italy.	1804.	—	H. 2.	All. ped. t. 53. f. 1.
47	lanàta. W.en.	(wh.) woolly.	—————	—	—	H. 2.	
48	màgna. w.	(wh.) great.	S. Europe.	1683.	6. 11.	H. 2.	Flor. græc. t. 896.
49	Millefòlium. w.	(wh.) Yarrow.	Britain.	6. 10.	H. 2.	Eng. bot. v. 758.
	β rùbra.	(re.) red-flowered.	—————	—	H. 2.	
50	asplenifolia. P.s.	(ro.) Rose-coloured.	N. America.	1803.	6. 8.	H. 2.	Vent. cels. t. 93.
51	micrántha w.	(st.) small-flowered.	Levant.	1805.	6. 10.	H. 2.	
52	tomentosa. w.	(ye.) tomentose.	S. Europe.	1648.	5. 10.	H. 2.	Bot. mag. t. 498.
53	ochroleuca. w.	(st.) cream-coloured.	—————	1804.	7. 9.	H. 2.	
54	montàna. L.en.	(wh.) mountain.	Switzerland.	1798.	—	H. 2.	
55	bannática. w. K.	(wh.) Hungarian.	Hungary.	1823.	—	H. 2.	
56	microphy'lla. w.	(wh.) small-leaved.	Spain.	1800.	—	H. 2.	Barr. ic. 1114.
57	ligústica. w.	(wh.) Ligurian.	Italy.	1791.	6. 8.	H. 2.	Flor. græc. t. 897.
58	nòbilis. w.	(wh.) showy.	Germany.	1640.	—	H. 2.	Schk. hand. 3. t. 255.
59	myriophy'lla. s.s.	(wh.) many-leaved.	—————	1798.	7. 9.	H. 2.	
60	odoràta. w.	(wh.) sweet-scented.	Spain.	1729.	6. 8.	H. 2.	Jacq. col. 1. t. 21.
61	setàcea. w.	(wh.) bristly.	Hungary.	1805.	5. 6.	H. 2.	W. et K. hung. 7. t. 80.
62	abrotanifolia. w.	(ye.) Southernwood-leav'd.	Levant.	1739.	6. 8.	H. 2.	
63	chamæmelifolia. DC.	(wh.) Chamomile-ld.	Pyrenees.	1820.	—	H. 2.	
64	mongolica. F.	(wh.) Mongolic.	Tartary.	1823.	—	H. 2.	
65	sibírica. Df.	(wh.) Siberian.	Siberia.	1800.	—	H. 2.	
66	ròsea. W.K.	(ro.) rosy.	Hungary.	1803.	—	H. 2.	
67	dùbia. F.	(wh.) doubtful.	Siberia.	1800.	—	H. 2.	
68	heterophy'lla. s.	(wh.) different-leaved.	—————	1804.	7. 9.	H. 2.	
69	intermedia. s.	(wh.) intermediate.	—————	1824.	—	H. 2.	
70	paradóxa. L.C.	(wh.) uncertain.	—————	1822.	—	H. 2.	
CHRYSANTHEMUM. W. CHRYSANTHEMUM. Syngenesia Polygamia Superflua. L.							
1	atrátum. w.	(wh.) fleshy-leaved.	Austria.	1731.	7. 8.	H. 2.	
2	Leucánthemum. w.	Ox-eye Daisy.	Britain.	6. 7.	H. 2.	Eng. bot. v. 9. t. 601.
3	montànum. w.	(wh.) mountain.	France.	1759.	—	H. 2.	Jacq. obs. 4. t. 91.
4	heterophy'llum. w.	(wh.) various-leaved.	Switzerland.	1806.	7. 8.	H. 2.	
5	sylvéstre. W.en.	(wh.) wood.	Portugal.	1804.	6. 7.	H. 2.	
6	hy'bridum. Gus.	(st.) hybrid.	Sicily.	1827.	—	H. 2.	
7	paludòsum. w.	(wh.) marsh.	Barbary.	1817.	8. 9.	H. 2.	Desf. atl. 2. t. 238.
8	rotundifòlium. w.	(wh.) round-leaved.	Hungary.	1819.	7. 8.	H. 2.	
9	mexicànum. K.s.	(wh.) Mexican.	Mexico.	1827.	8. 11.	H. 2.	
10	graminifòlium. w.	(wh.) Grass-leaved.	Montpelier.	1739.	5. 7.	H. 2.	Jacq. obs. 4. t. 92.
11	integrifòlium. s.s.	(wh.) entire-leaved.	N. America.	1827.	6. 8.	H. 2.	
12	perpusillum. s.s.	(wh.) small.	Corsica.	—	—	H. 2.	
13	anómalum. P.s.	(wh.) anomalous.	Spain.	1824.	7. 9.	H. 2.	
14	daucifòlium. P.s.	(wh.) carrot-leaved.	—————	—	—	H. 2.	
15	monspeliense. w.	(wh. pu.) Montpellier.	—————	1739.	6. 9.	H. 2.	Jacq. obs. 4. t. 93.
16	Achille'æ. w.	(wh.) Milfoil-leaved.	Italy.	1775.	6. 8.	H. 2.	Mich. gen. 34. t. 29.
17	argénteum. w.	(wh.) silver-leaved.	Levant.	1731.	7. 8.	H. 2.	
18	árcticum. w.	(bh.) northern.	Kamtschatka.	1801.	6. 8.	H. 2.	Willd. hort. ber. t. 33.
19	carinàtum. w.	(wh. pu.) three-coloured.	Barbary.	1796.	7. 10.	H. 2.	Bot. mag. t. 508.
20	pùmilum. W.en.	(wh.) small.	C. B. S.	1806.	—	H. 2.	
21	coronàrium. w.	(wh. ye.) garden.	Sicily.	1629.	—	H. 2.	Lam. ill. t. 678. f. 6.
	α àlbum.	(wh.) white-flowered.	—————	—	—	H. 2.	
	β àureum.	(ye.) golden.	—————	—	—	H. 2.	
22	ségetum. w.	(ye.) corn.	—————	—	—	H. 2.	
23	Mycònis. w.	(ye.) tongue-leaved.	Britain.	6. 8.	H. 2.	Eng. bot. v. 8. t. 540.
24	itálicum. w.	(ye.) Italian.	Italy.	1775.	7. 8.	H. 2.	Jacq. obs. 4. t. 94.
			—————	1796.	6. 7.	H. 2.	

25 tripartitum. B.F.G. (ye.) three-parted.	China.	1820.	10. 12.	F. 2.	Swt. br. fl. gar. t. 193.
26 indicum. P.S. (ye.) Indian.	————	1819.	————	G. 2.	Hort. trans. v. 4. pl. 12.
27 sinense. L.T. (va.) variable chinese.	————	1790.	————	H. 2.	
<i>A'nthemis artemisiaefolia</i> , w. <i>Chrysanthemum indicum</i> , B.M. non L.					
β purpureum. (pu.) old purple.	————	————	————	H. 2.	Bot. mag. t. 327.
γ variabile. (wh.) changeable white.	————	1802?	————	H. 2.	———— t. 2042.
δ tubulosum album. (wh.) quilled white.	————	1808.	————	H. 2.	Bot. reg. t. 4.
ε superbum. (wh.) superb white.	————	1817.	————	H. 2.	———— t. 455.
ζ tessellatum. (wh.) tasselled white.	————	1816.	————	H. 2.	
η tubulosum luteum. (ye.) quilled yellow.	————	1802.	————	H. 2.	
θ sulphureum. (st.) straw-coloured.	————	————	————	H. 2.	
ι aureum. (go.) golden yellow.	————	————	————	H. 2.	Bot. reg. t. 4. f. sup.
κ discolor. (li.) large lilac.	————	1808.	————	H. 2.	
λ lilacinum. (pi.) pink or lilac.	————	1798.	————	H. 2.	
μ cupreum. (co.) buff or copper-colour'd.	————	————	————	H. 2.	
ν fulrum. (br.) Spanish brown.	————	1806.	————	H. 2.	
ξ flammæum. (ye.) quilled flame yellow.	————	1819.	————	H. 2.	Hort. trans. v. 4. pl. 14.
ο tubulosum roseum. (li.) quilled pink.	————	————	————	H. 2.	Bot. reg. t. 616.
π atropurpureum. (cr.) early crimson.	————	1820.	————	H. 2.	Hort. trans. v. 5. pl. 3. inf.
ρ aurantiacum. (or.) large quilled orange.	————	————	————	H. 2.	———— v. 5. pl. 3. f. sup.
σ expansum. (li.) expanded light purple.	————	————	————	H. 2.	Bot. mag. t. 2556.
τ purpurascens. (li.) quilled light purple.	————	————	————	H. 2.	
υ involutum. (li.) curled lilac.	————	————	————	H. 2.	Swt. br. fl. gar. t. 7.
φ fasciculatum. (ye.) superb clustered yellow.	————	————	————	H. 2.	———— t. 14.
χ tubulosum carneum. semidouble quilled pink.	————	————	————	H. 2.	Hort. tr. v. 5. pl. 17*. inf.
ψ album semiduplex. semidouble quilled white.	————	————	————	H. 2.	
ω tubulosum aurantium. semidouble quilled orange.	————	————	————	H. 2.	Hort. tr. v. 5. pl. 17**. inf.
αα serotinum. (p. pu.) late pale purple.	————	————	————	H. 2.	
ββ salmoneum. (sa.) quilled salmon-colour'd.	————	————	————	H. 2.	Hort. t. v. 5. pl. 17**. sup.
γγ parvulum. (ye.) small yellow.	————	————	————	H. 2.	Hort. t. 5. pl. 17**. f. sup.
δδ papyraceum. (wh.) paper white.	————	1821.	————	H. 2.	
εε pallidum. (li.) late pale pink.	————	1822.	————	H. 2.	
ζζ chrysocomum. (ye.) tasselled yellow.	————	1824.	————	H. 2.	
ηη Waratah. (ye.) yellow Waratah.	————	————	————	H. 2.	
θθ Sabini. (ye.) golden Lotus.	————	————	————	H. 2.	
ιι chryseides. (ye.) double Indian yellow.	————	————	————	H. 2.	
κκ Parkii. (ye.) Park's small yellow.	————	————	————	H. 2.	
λλ pallens. (p. or.) semidouble quilled pale orange.	————	————	————	H. 2.	
μμ stramineum. (st.) pale buff.	————	————	————	H. 2.	
νν mutabile. (st.) changeable pale buff.	————	————	————	H. 2.	
ξξ bicolor. (c.) two-coloured incurved.	————	————	————	H. 2.	
οο versicolor. (re.) two-coloured red.	————	————	————	H. 2.	
ππ stellatum. (pu.) starry purple.	————	————	————	H. 2.	
ρρ ornatum. (li.) tasselled lilac.	————	————	————	H. 2.	
σσ fulvescens. (pu.) brown purple.	————	————	————	H. 2.	
ττ rerecundum. (bh.) early blush.	————	————	————	H. 2.	
υυ blandum. (bh.) blush.	————	————	————	H. 2.	
φφ leucanthum. (wh.) double Indian white.	————	————	————	H. 2.	
CENTROSPERMUM. S.S. CENTROSPERMUM. Syngenesia Polygamia Superflua.					
chrysanthemum. s.s. (ye.) yellow-flower'd. Spain.	————	1821.	8. 10.	H. 2.	
<i>Heteranthemis hirta</i> . Schot.					
PYRETHRUM. W. FEVERFEW. Syngenesia Polygamia Superflua. W.					
1 feniculaceum. W.en. (wh.) Fennel-leav'd. Teneriffe.	————	1815.	1. 12.	G. 2.	Bot. reg. t. 272.
2 crithmifolium. W.en. (wh.) Samphire-leav'd.	————	————	————	G. 2.	
3 anethifolium. W.en. (wh.) Dill-leaved.	————	————	————	G. 2.	
4 frutescens. W.en. (wh.) shrubby. Canaries.	————	1699.	————	G. 2.	
5 coronopifolium. W.en. (wh.) Buckshorn-leav'd.	————	————	G. 2.	
6 grandiflorum. W.en. (wh.) great-flowered.	————	1815.	————	G. 2.	
7 speciosum. W.en. (wh.) large-flowered.	————	————	————	G. 2.	
8 Broussonetii. s.s. (wh.) Broussonet's.	————	1829.	7. 10.	G. 2.	
9 pinnatifidum. L.en. (wh.) cut-leaved. Madeira.	————	1778.	5. 8.	G. 2.	
<i>Chrysanthemum pinnatifidum</i> . s.s.					
10 ptarmicæfolium. w. (wh.) Sneezewort-leav'd. Caucasus.	————	1803.	7. 8.	H. 2.	
11 serotinum. w. (wh.) creeping-rooted. N. America.	————	1731.	9. 10.	H. 2.	Jacq. obs. 4. t. 90.
12 uliginosum. w. (wh.) marsh. Hungary.	————	1816.	7. 9.	H. 2.	Bot. mag. t. 2706.
13 alpinum. w. (wh.) Alpine. Switzerland.	————	1759.	7. 8.	H. 2.	
14 saxatile. B.C. (wh.) rock. ————	————	1816.	————	H. 2.	Lodd. bot. cab. t. 126.
15 Barrelieri. Lk. (wh.) Barrelier's. Alps Europe.	————	————	H. 2.	
16 Halleri. W.en. (wh.) Haller's. Switzerland.	————	1820.	————	H. 2.	Barrel. ic. 458. f. 2.

17	ceratophylloides. w. (wh.)	Stags-horn-ld. Piedmont.	1808.	6. 7.	H. 4.	All. ped. t. 87. f. 1.
	<i>Chrysanthemum ceratophylloides.</i> All.					
18	simplicifolium. w. (wh.)	simple-leaved. S. America.	1825.	8. 10.	H. ⊙.	
19	maximum. Dc. (wh.)	broad-leaved. Pyrenees.	1816.	5. 8.	H. 4.	
	<i>latifolium.</i> w.					
20	Balsamita. w. (wh.)	various-leaved. Levant.	1779.	—	H. 4.	Jacq. obs. 4. t. 89.
21	oppositifolium. s.s. (wh.)	opposite-leaved. Portugal.	1828.	7. 9.	H. 4.	
22	tomentosum. s.s. (wh.)	woolly. Corsica.	1829.	—	H. 4.	
23	palustre. w. (wh.)	marshy. Armenia.	1824.	7. 10.	H. ⊙.	
24	macrophyllum. w. (wh.)	large-leaved. Hungary.	1803.	—	H. 4.	W. et K. hung. 1. t. 94
25	corymbosum. w. (wh.)	mountain. Germany.	1596.	6. 8.	H. 4.	Jacq. aust. 4. t. 379.
26	pulverulentum. W.en. (wh.)	powdered. Iberia.	1806.	—	H. 4.	
27	cinerarifolium. s.s. (wh.)	Ragwort-leav'd. Dalmatia.	1824.	—	H. 4.	
28	Parthenium. w. (wh.)	common. Britain.	6. 9.	H. 4.	Eng. bot. v. 18. t. 1231
	β flore pleno. (wh.)	double-flowered. ———	—	H. 4.	
29	parthenifolium. w. (wh.)	Parthenium-leav'd. Caucasus.	1804.	6. 7.	H. 4.	Vent. cels. t. 43.
30	caucasicum. w. (wh.)	Caucasian. ———	—	7. 8.	H. 4.	
31	tenuifolium. T.N. (wh.)	slender-leaved. Naples.	1806.	—	H. 4.	
32	sericeum. M.B. (wh.)	silky. Iberia.	1824.	—	H. 4.	
33	inodorum. w. (wh.)	scentless. Britain.	8. 9.	H. ⊙.	Eng. bot. v. 10. t. 676.
34	maritimum. w. (wh.)	sea. ———	6. 10.	H. 4.	———— v. 14. t. 979.
35	parviflorum. w. (wh.)	small-flowered. Caucasus.	—	6. 7.	H. ⊙.	
36	præcox. M.B. (wh.)	early-flowered. ———	1827.	5. 7.	H. 4.	
37	incanum. Led. (wh.)	hoary. Siberia.	—	7. 8.	H. 4.	
38	glabrum. LG. (wh.)	smooth. Spain.	1825.	—	H. 4.	
39	leptophyllum. s.s. (wh.)	narrow-leaved. Caucasus.	1829.	—	H. 4.	
40	diversifolium. H.E.F. (wh.)	different-leaved. N. Holland.	1824.	5. 7.	G. 7.	Hook. ex. flor. t. 215.
41	carneum. M.B. (pi.)	flesh-coloured. Caucasus.	1804.	8. 9.	H. 4.	Bot. mag. t. 1080.
	<i>Chrysanthemum coccineum.</i> B.M.					
42	roseum. M.B. (ro.)	rose-coloured. ———	1818.	—	H. 4.	
	<i>Chrysanthemum coccineum.</i> w.					
43	achillæfolium. M.B. (ye.)	Milfoil-like. Cumana.	1824.	6. 7.	H. ⊙.	
44	millefoliatum. w. (ye.)	Milfoil-leaved. Siberia.	1731.	5. 9.	H. 4.	Mill. ic. 1. t. 9.
45	bipinnatum. w. (ye.)	wing-leaved. ———	1796.	6. 7.	H. 4.	Gmel. sib. 2. t. 85. f. 1.
46	indicum. H.K. (ye.)	Indian. E. Indies.	1810.	6. 9.	H. ⊙.	Bot. mag. t. 1321.
ERIOPHYLLUM. LG. ERIOPHYLLUM. Syngenesia Polygamia Superflua.						
1	lanatum. (ye.)	woolly. N. America.	1827.	6. 8.	H. 4.	Bot. reg. t. 1167.
	<i>cæspitosum.</i> B.R. <i>Actinella lanata.</i> Ph. <i>Trichophyllum lanatum.</i> N. <i>Helonium lanatum.</i> s.s.					
2	oppositifolium. N. (ye.)	opposite-leaved. N. America.	1826.	—	H. 4.	
3	trolliifolium. LG. (ye.)	Trollius-leaved. New Spain.	1828.	8. 10.	F. 4.	

ORDO CXXI.

LOBELIACEÆ. *Juss. ann. mus. 18. p. 1.*

LOBELIA. R.S.	LOBELIA. Pentandria Monogynia. R.S.					
1 linearis. R.S. (bl.)	linear-leaved. C. B. S.	1791.	5. 8.	G. 7.		
2 setacea. R.S. (bl.)	bristle-leaved. ———	1816.	—	G. 4.		Act. Gorenk. 1811. f. 11.
3 commutata. R.S. (bl.)	notch-leaved. ———	—	—	G. 7.		
4 simplex. R.S. (bl.)	simple-stalked. ———	1794.	—	G. 7.		
5 unidentata. R.S. (d. pu.)	single-toothed. ———	—	—	G. 4.		Bot. mag. t. 1484.
6 pinifolia. R.S. (bl.)	Pine-leaved. ———	1752.	—	G. 4.		Andr. reposit. t. 240.
7 Dortmanna. R.S. (bl.)	water. Britain.	7. 8.	H. w. 4.		Eng. bot. v. 2. t. 140.
8 paludosa. R.S. (bl.)	marsh. N. America.	1823.	—	H. w. 4.		
9 Tupa. R.S. (sc.)	Mullein-leav'd. Peru.	1824.	8. 10.	F. 4.		Swt. br. fl. gar. t. 254.
10 salicifolia. H.S.L. (or.)	Willow-leaved. Chili.	1794.	6. 8.	G. 7.		Bot. mag. t. 1325.
	<i>Tupa.</i> H.K. non L. <i>gigantea.</i> B.M. non Cav. <i>arguta.</i> B.R. t. 973.					
11 Kalmii. R.S. (bl.)	Kalm's. N. America.	1820.	7. 9.	H. 7.		Bot. mag. t. 2238.
12 Nuttalli. R.S. (bl.)	Nuttall's. ———	—	—	H. 4.		
	<i>gracilis.</i> N. nec aliorum.					
13 pauciflora. K.S. (bl.)	few-flowered. Mexico.	1824.	—	F. 4.		
14 chinensis. R.S. (p. bl.)	Chinese. China.	1822.	—	H. ⊙.		
15 bellidifolia. R.S. (bl.)	Daisy-leaved. C. B. S.	1790.	5. 8.	G. 4.		
16 rhizoph'yta. R.S. (wh.)	rooting branched. ———	1814.	—	G. 4.		Bot. mag. t. 2519.

17	<i>decumbens</i> . B.M.	(<i>bl.</i>) decumbent.	C. B. S.	1820.	5. 8.	G. 4.	Bot. mag t. 2277.
18	<i>triquetra</i> . R.S.	(<i>bl.</i>) triangular.	————	1774.	————	G. 4.	
19	<i>cinerea</i> . R.S.	(<i>wh.</i>) gray.	————	1824.	6. 10.	H. ⊙.	
20	<i>fenestrâlis</i> . R.S.	(<i>bl.</i>) windowed.	Mexico.	1826.	9. 11.	H. ⊙.	Cavan. icon. 6. t. 512. f. 1.
21	<i>gigantea</i> . R.S.	(<i>or.</i>) gigantic.	S. America.	1828.	8. 11.	S. ½.	———— 6. t. 513.
22	<i>longiflora</i> . R.S.	(<i>wh.</i>) long-flowered.	Jamaica.	1752.	5. 8.	S. 4.	Bot. mag. t. 2563.
23	<i>tomentosa</i> . R.S.	(<i>bl.</i>) tomentose.	C. B. S.	1816.	————	G. 4.	
24	<i>secunda</i> . R.S.	(<i>wh.</i>) side-flowering.	————	1790.	————	G. 4.	
25	<i>trialata</i> . D.P.	(<i>bl.</i>) three-winged.	Nepaul.	1820.	————	G. 4.	Hook. ex. flor. t. 44.
	<i>micrantha</i> . H.E.F. non K.S.						
26	<i>alata</i> . B.P.	(<i>bl.</i>) winged-stalked.	N. S. W.	1804.	————	G. 4.	Lab. nov. hol. 1. t. 72.
27	<i>acuminata</i> . R.S.	(<i>st.</i>) taper-pointed.	Jamaica.	1822.	6. 9.	S. ½.	Sloan. his. 1. t. 95. f. 2.
28	<i>nicotianæfolia</i> . R.S.	(<i>st.</i>) Tobacco-leaved.	E. Indies.	————	————	S. 4.	
29	<i>circiifolia</i> . R.S.	(<i>st.</i>) Cirsium-leaved.	W. Indies.	1825.	8. 10.	S. 4.	Plum. sp. v. 4. t. 116.
30	<i>persicifolia</i> . R.S.	(<i>pu.</i>) Peach-leaved.	————	1818.	6. 9.	S. 4.	
31	<i>Cavanillesiana</i> . R.S.	(<i>re.</i>) Cavanilles'.	New Spain.	1825.	————	S. 4.	Cavan. ic. 6. t. 518.
	<i>persicifolia</i> . Cav. non Lam.						
32	<i>Claytoniana</i> . R.S.	(<i>p.bl.</i>) Clayton's.	N. America.	1799.	6. 8.	H. 4.	Willd. hort. ber. t. 30.
	<i>goodenioides</i> . w. <i>pallida</i> . Roth.						
33	<i>assurgens</i> . R.S.	(<i>pu.</i>) purple.	W. Indies.	1787.	6. 10.	S. ½.	Andr. reposit. t. 553.
34	<i>pyramidâlis</i> . D.P.	(<i>pu.</i>) pyramidal.	Nepaul.	1819.	7. 10.	G. 4.	Bot. mag. t. 2387.
35	<i>fulgens</i> . R.S.	(<i>cr.</i>) fulgent.	Mexico.	1809.	5. 9.	F. 4.	Bot. reg. t. 165.
36	<i>splendens</i> . R.S.	(<i>sc.</i>) splendid.	————	1814.	————	F. 4.	———— t. 60.
37	<i>cardinalis</i> . R.S.	(<i>sc.</i>) Cardinal flower.	Virginia.	1629.	————	F. 4.	Bot. mag. t. 320.
38	<i>syphilitica</i> . R.S.	(<i>bl.</i>) blue cardinal.	————	1665.	8. 10.	H. 4.	Bot. reg. t. 537.
39	<i>débilis</i> . R.S.	(<i>bl.</i>) feeble.	C. B. S.	1774.	4. 8.	H. ⊙.	
40	<i>gracilis</i> . B.P.	(<i>bl.</i>) slender.	N. S. W.	1801.	7. 10.	G. ⊙.	Bot. mag. t. 741.
41	<i>purpurascens</i> . B.P.	(<i>pu.</i>) purplish.	————	1809.	6. 8.	G. 4.	
42	<i>surinamensis</i> . R.S.	(<i>bh.</i>) Surinam.	W. Indies.	1786.	1. 7.	S. ½.	Bot. mag. t. 225.
	<i>β rubra</i> .	(<i>re.</i>) red-flowered.	Brazil.	1820.	12. 4.	S. ½.	Lodd. bot. cab. t. 749.
43	<i>Cliffortiâna</i> . S.S.	(<i>pu.</i>) purple-flowered.	S. America.	1733.	7. 8.	H. ⊙.	Lin. h. clif. 426. t. 26.
44	<i>Michauxii</i> . N.	(<i>pu.</i>) Michaux's.	N. America.	————	H. ⊙.	
	<i>Cliffortiâna</i> . M. non L.						
45	<i>inflata</i> . R.S.	(<i>bl.</i>) bladder-podded.	————	1759.	————	H. ⊙.	Swt. br. fl. gar. t. 99.
46	<i>urens</i> . R.S.	(<i>bl.</i>) acrid.	England.	6. 7.	H. 4.	Eng. bot. v. 14. t. 953.
47	<i>puberula</i> . R.S.	(<i>bl.</i>) downy.	N. America.	1819.	————	H. 4.	
48	<i>amœna</i> . R.S.	(<i>bl.</i>) bright blue.	————	1812.	6. 8.	H. 4.	Ann. mus. 18. t. 1. n. 1.
49	<i>minuta</i> . R.S.	(<i>bh.</i>) small.	C. B. S.	1772.	6. 9.	G. 4.	Bot. mag. t. 2590.
50	<i>minima</i> . B.M.	(<i>wh.</i>) least.	————	6. 10.	G. 4.	———— t. 2077.
51	<i>Laurentia</i> . R.S.	(<i>bl.</i>) Italian.	Italy.	1778.	7. 8.	H. ⊙.	Mich. gen. 18. t. 14.
52	<i>tenella</i> . R.S.	(<i>vi.</i>) slender-leaved.	Sicily.	1820.	6. 8.	H. ⊙.	
53	<i>campanuloïdes</i> . R.S.	(<i>bl.</i>) campanulate.	Japan.	1819.	7. 9.	G. 4.	Bot. reg. t. 733.
54	<i>Erinus</i> . R.S.	(<i>bl.</i>) ascending.	C. B. S.	1752.	6. 9.	H. 4.	Bot. mag. t. 901.
55	<i>Breynii</i> . R.S.	(<i>bl.</i>) Breynius's.	————	1823.	————	G. 4.	Breyn. cent. t. 89.
56	<i>erinoïdes</i> . R.S.	(<i>bl.</i>) trailing.	————	1759.	6. 8.	G. ♂.	Herm. lugd. t. 109.
57	<i>bicolor</i> . R.S.	(<i>bl.wh.</i>) spotted.	————	1795.	————	H. ⊙.	Bot. mag. t. 514.
58	<i>Schrânkii</i> .	(<i>bl.</i>) Schrank's.	————	1824.	————	G. 4.	Schrank. h. mon. t. 31.
	<i>secunda</i> . Sck. non Thunb. <i>decumbens</i> . L. enum. non B.M.						
59	<i>corymbosa</i> . B.M.	(<i>wh.pu.</i>) corymbose.	C. B. S.	1825.	————	G. 4.	Bot. mag. t. 2693.
60	<i>ilicifolia</i> . B.M.	(<i>wh.pu.</i>) Holly-leaved.	————	1815.	5. 9.	G. 4.	———— t. 1896.
61	<i>anceps</i> . R.S.	(<i>bl.</i>) flat-edged.	————	1824.	7. 10.	H. ⊙.	
62	<i>pubescens</i> . R.S.	(<i>wh.</i>) downy-leaved.	————	1780.	6. 8.	G. 4.	Jacq. schœn. 2. t. 178.
63	<i>hirsuta</i> . R.S.	(<i>bl.</i>) blue-flower'd hairy.	————	1759.	5. 9.	G. 4.	Burm. afr. t. 40. f. 2.
64	<i>zevlânica</i> . R.S.	(<i>pu.</i>) Ceylon.	E. Indies.	1820.	————	S. 4.	
65	<i>lutea</i> . R.S.	(<i>ye.</i>) yellow.	C. B. S.	1774.	6. 7.	G. 4.	Bot. mag. t. 1319.
66	<i>variifolia</i> . B.M.	(<i>ye.</i>) various-leaved.	————	1812.	————	G. 4.	———— t. 1692.
67	<i>coronopifolia</i> . R.S.	(<i>bl.</i>) Buckshorn-leaved.	————	1752.	7. 8.	G. 4.	———— t. 644.
68	<i>cœrulea</i> . B.M.	(<i>bl.</i>) blue-flowered.	————	1823.	5. 8.	G. ½.	———— t. 2701.
69	<i>Thunbergii</i> .	(<i>bl.</i>) upright-raceme-flower'd.	————	1812.	7. 10.	G. 4.	
	<i>coronopifolia</i> . Th. non B.M.						
70	<i>crenata</i> . R.S.	(<i>bl.</i>) notched-leaved.	————	1794.	4. 5.	G. 4.	
71	<i>Simsii</i> .	(<i>bl.</i>) long-peduncled.	————	1819.	8. 11.	G. 4.	Bot. mag. t. 2251.
	<i>pedunculata</i> . B.M. non B.P.						
72	<i>verbascifolia</i> . Sm.	(<i>pu.</i>) Mullein-leaved.	Nepaul.	1822.	5. 7.	G. 4.	
73	<i>racemosa</i> . B.M.	(<i>gr.</i>) racemed.	W. Indies.	1818.	7. 9.	S. ½.	Bot. mag. t. 2137.
74	<i>crispa</i> . Gr.	(<i>bl.</i>) curled-leaved.	Mexico.	1825.	5. 6.	F. 4.	
75	<i>heteromalla</i> . Jac.	(<i>bl.</i>) woolly-leaved.	1829.	G. 4.	
76	<i>mollis</i> . Gr.	(<i>pu.</i>) soft.	Dominica.	1828.	5. 8.	S. 4.	
77	<i>rugulosa</i> . Gr.	(<i>wh.</i>) rugged.	New Zealand.	————	————	G. 4.	

78	cóncolor. B.P.	(bl.) self-coloured.	N. S. W.	1828.	5. 6.	G. 4.	
79	inundàta. B.P.	(bl.) inundated.	————	1822.	5. 8.	G.w. 4.	
80	pedunculàta. B.P.	(bl.) long-stalked.	————	————	————	G. 4.	
81	dentàta. B.P.	(bl.) toothed.	————	1819.	————	G. 4.	Cavan. ic. 6. t. 522.
82	gibbòsa. B.P.	(bl.) gibbous.	————	1824.	————	G. 4.	Lab. nov. hol. 1. t. 71.
83	senecioídes. B.M.	(bl.) Groundsel-like.	————	————	7. 10.	G. ½.	Bot. mag. t. 2702.
	<i>Isotoma axillàris</i> . Bot. reg. t. 964.						
MONO'PSIS. Sal.			MONO'PSIS. Pentandria Monogynia.				
1	conspícua. H.T.	(bl.) conspicuous.	C. B. S.	1812.	7. 8.	H. ⊙.	Bot. mag. t. 1499.
	<i>Lobelia spéculum</i> . B.M.						
2	inconspícua. H.T.	(bl.) inconspicuous.	————	————	H. ⊙.	
CLINTONIA. B.R.			CLINTONIA. Pentandria Monogynia.				
	élegans. B.R.	(bl.) elegant.	Columbia.	1827.	6. 9.	H. ⊙.	Bot. reg. t. 1241.
CYPHIA. R.S.			CYPHIA. Pentandria Monogynia. W.				
1	volùbilis. R.S.	(pi.) climbing.	C. B. S.	1795.	6. 8.	S. 4. ∪.	
2	digitàta. R.S.	(li.) finger-leaved.	————	1820.	7. 10.	G. 4.	
3	incìsa. R.S.	(bh.) cut-leaved.	————	————	————	G. 4.	
4	bulbòsa. R.S.	(pi.) bulb-bearing.	————	1791.	8. 9.	S. 4.	Burm. afr. t. 38. f. 2.
5	Phyteùma. R.S.	(pi.) Phyteuma-leav'd.	————	1820.	2. 5.	S. 4.	Bot. reg. t. 625.
6	Cardámines. R.S.	(bh.) Cardamine-leaved.	————	————	————	S. 4.	

ORDO CXXII.

STYLIDEÆ. *Brown prodr. 1. p. 565.*

STYLI'DIUM. B.P.			STYLI'DIUM. Gynandria Diandria.				
1	graminifòlium. B.P.	(ro.) grass-leaved.	N. S. W.	1803.	4. 8.	G. 4.	Bot. reg. t. 90.
2	lineàre. B.P.	(li.) linear-leaved.	————	1820.	————	G. 4.	Sm. exot. bot. 2. t. 67.
	<i>Ventenàtia minor</i> . Ex. b.						
3	scándens. B.P.	(wh.) climbing.	N. Holland.	1803.	7. 8.	G. 4. ∪.	
4	fruticòsum. B.P.	(wh.) frutescent.	————	————	5. 10.	G. ½.	Sal. par. lond. t. 77.
	<i>glandulòsum</i> . P.L.						
5	laricifòlium. B.R.	(ro.) Larch-leaved.	N. S. W.	1818.	————	G. ½.	Bot. reg. t. 550.
	<i>tenuifòlium</i> . B.M. 2249.						
6	adnàtum. B.P.	(bh.) adnate.	N. Holland.	1824.	————	G. ½.	Bot. reg. t. 914.

ORDO CXXIII.

GOODENOVIAÆ. *Brown prodr. 1. p. 573.*

GOOD'ENIA. B.P.			GOOD'ENIA. Pentandria Monogynia. W.				
1	bellidifòlia. B.P.	(ye.) Daisy-leaved.	N. S. W.	1823.	6. 9.	G. 4.	
2	stellígera. B.P.	(ye.) starry-haired.	————	1825.	————	G. 4.	
3	paniculàta. B.P.	(ye.) paniced.	————	————	————	G. 4.	Cavan. ic. 6. t. 507.
4	grácilis. B.P.	(ye.) slender.	N. Holland.	1824.	5. 8.	G. 4.	Lodd. bot. cab. t. 1032.
5	decúrrens. B.P.	(ye.) decurrent.	N. S. W.	1825.	————	G. 4.	
6	ovàta. B.P.	(ye.) oval-leaved.	————	1793.	6. 10.	G. ½.	Andr. reposit. t. 68.
7	grandiflòra. B.P.	(ye.) large-flowered.	————	1802.	6. 8.	G. ½.	Bot. mag. t. 890.
8	hederàcea. B.P.	(ye.) Ivy-leaved.	————	1823.	————	G. 4.	
EUTHALES. B.P.			EUTHALES. Pentandria Monogynia. R.S.				
	trinérvis. B.P.	(ye. pu.) three-nerved.	N. Holland.	1803.	5. 9.	G. 4.	Bot. mag. t. 1137.
	<i>Goodenia tenélla</i> . A.R. 466. <i>Velleia trinérvis</i> . Lab. n. hol. t. 77.						
VELLE'IA. B.P.			VELLE'IA. Pentandria Monogynia. R.S.				
1	paradóxa. B.P.	(ye.) paradoxical.	N. S. W.	1823.	6. 8.	G. 4.	Bot. reg. t. 971.
2	lyràta. B.P.	(ye.) lyrate-leaved.	————	1819.	4. 6.	G. 4.	———— t. 551.
3	spathulàta. B.P.	(ye.) spathulate.	————	1823.	————	G. 4.	
LECHENAULTIA. B.P.			LECHENAULTIA. Pentandria Monogynia. R.S.				
1	formòsa. B.P.	(sc.) handsome.	N. Holland.	1823.	6. 9.	G. ½.	Swt. flor. aust. t. 26.
2	oblàta. S.F.A.	(ye.) oblate-petaled.	————	————	————	G. ½.	———— t. 46.
SCÆVOLA. B.P.			SCÆVOLA. Pentandria Monogynia. R.S.				
1	Koenigii. R.S.	(wh.) König's.	E. Indies.	1818.	8. 10.	S. ½.	Bot. mag. t. 2732.

2 Plumieri. R.S. (wh.) Plumier's. <i>Lobelia Plumieri.</i> Jacq.	W. Indies.	1724.	8. 10.	S. h.	Jacq. amer. t. 179. f. 88.
3 ivæfòlia. Lht. (wh.) Iva-leaved.	Trinidad.	1820.	—	S. h.	
4 Taccàda. F.I. (wh.) Indian.	E. Indies.	1818.	—	S. h.	Gært. fruct. 1. t. 25.
5 crassifòlia. B.P. (bl.) thick-leaved.	N. Holland.	1805.	8. 10.	G. h.	Lab. nov. hol. 1. t. 79.
6 cuneifòrmis. B.P. (bl.) wedge-leaved.	V. Diem. Isl.	1823.	—	G. 4.	— 1. t. 80.
7 microcàrpa. B.P. (bl.) small-fruited. <i>Goodenia lævigata.</i> B.M. 287.	N. S. W.	1790.	5. 9.	G. 4.	Cavan. ic. 6. t. 509.
8 suavèolens. B.P. (bl.) sweet-scented. <i>Goodenia calendulæcea.</i> A.R.	—	1798.	—	G. 4.	Andr. reposit. t. 22.
9 hispida. B.P. (li.) branching. <i>Goodenia ramosissima.</i> Sm. new holl. 15. t. 5.	N. S. W.	1820.	5. 8.	G. 4.	Cavan. ic. 6. t. 510.
DAMPI'ERA. B.P. DAMPI'ERA. Pentandria Monogynia. R.S.					
1 undulàta. B.P. (bl.) wave-leaved.	N. S. W.	1824.	5. 8.	G. h.	
2 ovalifòlia. B.P. (pu.) oval leaved.	—	1823.	5. 9.	G. h.	
3 purpùrea. B.P. (pu.) purple-flowered.	—	1825.	—	G. h.	
4 stricta. B.P. (bl.) upright.	N. S. W.	1814.	6. 8.	G. 4.	

ORDO CXXIV.

CAMPANULACEÆ. *Juss. gen. 163.*

CANAR'INA. W. CANAR'INA. Hexandria Monogynia. W.					
<i>Campánula.</i> w. (or.) Canary.	Canaries.	1696.	1. 3.	G. 4.	Bot. mag. t. 441.
MICHA'UXIA. W. MICHA'UXIA. Octandria Monogynia. W.					
1 campanuloídes. w. (li.) rough-leaved.	Levant.	1787.	6. 8.	G. h.	Bot. mag. t. 219.
2 decàndra. F. decandrous.	Persia.	1829.	—	H. h?	
LIGHTFO'OTIA. R.S. LIGHTFO'OTIA. Pentandria Monogynia. R.S.					
1 oxycoccoídes. R.S. (pa.) lance-leaved.	C. B. S.	1787.	7.	G. h.	Sm. exot. bot. 2. t. 69.
2 tenélla. B.C. (pu.) slender.	—	1824.	6. 8.	H. h.	Lodd bot. cab. t. 1038.
3 lanceolàta. L.en. (w.bl.) spear-leaved.	—	1826.	—	G. 4.	
4 muscòsa. L.en. (wh.bl.) moss-like.	—	—	—	G. 4.	
5 subulàta. R.S. (bl.) awl-leaved.	—	—	—	G. 4.	L'Herit. s. angl. 4. t. 5.
ADENO'PHORA. F. ADENO'PHORA. Pentandria Monogynia.					
1 verticillàta. F. (bl.) whorled.	Dahuria.	1783.	6. 8.	H. 4.	Pall. it. 3. t. G. f. 1.
2 marsupiiflòra. F. (bl.) bellied. <i>Campánula coronàta.</i> B.R.	—	1815.	7. 8.	H. 4.	Bot. reg. t. 149.
3 Gmelini. F. (bl.) Gmelin's.	—	1823.	5. 8.	H. 4.	Gmel. sib. 3. t. 33.
4 coronopifòlia. F. (bl.) buckshorn-leav'd.	—	1822.	—	H. 4.	Swt. br. fl. gar. t. 104.
5 denticulàta. F. (bl.) toothed. <i>Campánula tricuspida.</i> R.S.	—	—	5. 7.	H. 4.	— t. 116.
6 latifòlia. F. (bl.) broad-leaved.	Siberia.	1827.	—	H. 4.	
<i>Campánula pereskiaefolia.</i> R.S.					
7 Lamàrckii. F. (bl.) Lamarck's.	—	1826.	—	H. 4.	Gmel. sib. 3. n. 18. t. 26.
8 stylòsa. F. (bl.) long-styled.	—	1820.	—	H. 4.	— 3. n. 20. t. 27.
9 reticulàta. F. (bl.) netted.	—	1829.	—	H. 4.	
10 commùnis. F. (p.bl.) common. <i>Campánula liliifolia.</i> B.R.	—	1784.	5. 9.	H. 4.	Jacq. schœnb. 3. t. 335.
β suavèolens. R.S. (p.bl.) sweet-scented.	Hungary.	1818.	—	H. 4.	Bot. reg. t. 236.
γ híbrida. R.S. (p.bl.) upright-flower'd.	—	—	—	H. 4.	
11 intermèdia. (p.bl.) intermediate. <i>Campánula intermèdia.</i> R.S.	Siberia.	1820.	—	H. 4.	
WAHLENBER'GIA. Sc. WAHLENBER'GIA. Pentandria Monogynia.					
1 grandiflòra. Sc. (bl.) great-flowered.	Siberia.	1782.	6. 8.	H. 4.	Bot. mag. t. 252.
<i>Campánula grandiflora.</i> B.M.					
2 pèndula. Sc. (bh.) pendulous.	Canaries.	1777.	7. 8.	H. 4.	
<i>Campánula lobelioides.</i> R.S.					
3 elongàta. Sc. (p.bl.) elongated.	—	1816.	—	H. 4.	
CAMPA'NULA. R.S. BELL-FLOWER. Pentandria Monogynia. L.					
1 cenisia. R.S. (bl.) ciliated.	Switzerland.	1775.	6. 7.	H. 4.	All. ped. 1. t. 6. f. 2.
2 uniflòra. R.S. (bl.) single-flowered.	Lapland.	1827.	—	H. 4.	Linn. fl. lap. t. 9. f. 5. 6.
3 Kitaibeliàna. R.S. (bl.) Kitaibel's.	Hungary.	1828.	—	H. 4.	
4 Bellàrdi. R.S. (bl.) Bellardi's.	Italy.	1813.	—	H. 4.	All. ped. t. 85. f. 5.
5 Stevèni. M.B. (bl.) Steven's.	Siberia.	1828.	—	H. 4.	
6 pùlla. R.S. (d.pu.) dark-flowered.	Austria.	1779.	—	H. 4.	Bot. mag. t. 2492.

7	Zbysii. R.S.	(bl.) blunt-leaved.	Carniola.	1813.	6. 8.	H. 2.	Jacq. ic. 2. t. 334.
8	diffusa. R.S.	(bl.) diffuse.	Italy.	1818.	—	H. 2.	
	<i>β fragilis.</i> L.en.	(bl.) brittle.	—	—	—	H. 2.	Cyr. pl. rar. n. t. 11. f. 2.
9	carpathica. R.S.	(bl.) Carpathian.	Carp. Alps.	1774.	—	H. 2.	Bot. mag. t. 117.
10	dasycarpa. R.S.	(bl.) fleshy-podded.	Hungary.	1827.	—	H. 2.	
11	rotundifolia. R.S.	(bl.) round-leaved.	Britain.	—	H. 2.	Eng. bot. v. 13. t. 866.
	<i>α cœrulea.</i>	(bl.) blue-flowered.	—	—	H. 2.	
	<i>β albiflora.</i>	(wh.) white-flowered.	—	—	H. 2.	
12	excisa. R.S.	(bl.) cut-flowered.	Switzerland.	1816.	—	H. 2.	Lodd. bot. cab. t. 561.
13	pusilla. R.S.	(bl.wh.) small.	Europe Alps.	—	H. 2.	Scheuch. it. 4. f. 4.
14	pumila. R.S.	(bl.wh.) dwarf.	Switzerland.	—	H. 2.	Bot. mag. t. 512.
	<i>α cœrulea.</i>	(bl.) blue-flowered.	—	—	H. 2.	
	<i>β alba.</i>	(wh.) white-flowered.	—	—	H. 2.	
15	cœpitosa. R.S.	(bl.) tufted.	Carniola.	1818.	—	H. 2.	Scop. carn. ed. 2. t. 4.
16	pubescens. R.S.	(bl.) pubescent.	Bohemia.	1813.	—	H. 2.	
17	gracilis. B.M.	(bl.) slender.	N. S. W.	1794.	4. 8.	G. ♂.	Bot. mag. t. 691.
18	erecta.	(bl.) upright.	—	—	—	G. ♂.	Sm. exot. bot. t. 45.
	<i>stricta.</i> Sm. non L.						
19	littoralis. Lab.	(bl.) sea-side.	V. Diem. Isl.	1820.	—	G. ♂.	Lab. nov. hol. 1. t. 70.
20	capillaris. B.C.	(bl.) capillary.	N. Holland.	1824.	—	G. ♂.	Lodd. bot. cab. t. 1406.
21	quadrifida. B.P.	(bl.) quadrifid.	N. S. W.	1822.	—	G. ♂.	
22	saxicola. B.P.	(bl.) small rock.	V. Diem. Isl.	1825.	5. 10.	G. ♂.	
23	Waldsteiniàna. R.S.	(vi.) Waldstein's.	Hungary.	—	6. 8.	H. 2.	W. et K. hung. t. 136.
24	lanceolata. R.S.	(bl.) spear-leaved.	Pyrenees.	1827.	—	H. 2.	All. ped. t. 47. f. 2.
25	divaricata. R.S.	(bl.) divaricate.	N. America.	—	—	H. 2.	
26	virgata. R.S.	(bl.) twiggy.	—	1823.	—	H. 2.	
27	linifolia. R.S.	(bl.) Flax-leaved.	Sweden.	1816.	—	H. 2.	Vill. delph. 1. t. 10.
28	Scheuchzèri. s.s.	(bl.) Scheuchzer's.	Alps Europe.	1813.	—	H. 2.	Lodd. bot. cab. t. 485.
29	pátula. R.S.	(bl.) spreading.	Britain.	7. 8.	H. ♂.	Eng. bot. v. 1. t. 42.
30	neglecta. R.S.	(bl.) neglected.	Europe.	1818.	—	H. 2.	
	<i>crenata.</i> L.en. <i>ucrànica.</i> Hort.						
31	Rapunculus. R.S.	(bl.) Rampion.	Britain.	—	H. 2.	Eng. bot. v. 4. t. 283.
32	persicifolia. R.S.	(va.) Peach-leaved.	Europe.	1596.	7. 9.	H. 2.	Flor. dan. t. 1087.
	<i>α cœrulea.</i>	(bl.) blue-flowered.	Scotland.	—	H. 2.	Flor. græc. t. 205.
	<i>β alba.</i>	(wh.) white-flowered.	Europe.	—	H. 2.	
	<i>γ máxima.</i> B.M.	(bl.) large-flowered.	—	—	H. 2.	Bot. mag. t. 397.
	<i>δ albo-plèna.</i>	(wh.) double white.	—	—	H. 2.	
	<i>ε cœruleo-plèna.</i>	(bl.) double blue.	—	—	H. 2.	
33	pyramidàlis. R.S.	(bl.) pyramidal.	Carniola.	1596.	—	H. 2.	
	<i>α cœrulea.</i>	(bl.) common blue.	—	—	—	H. 2.	
	<i>β albiflora.</i>	(wh.) white flowered.	—	1816.	—	H. 2.	
34	versicolor. R.S.	(bl.) various-color'd.	Greece.	1788.	—	H. 2.	Andr. reposit. t. 396.
	<i>planiflora.</i> W.en. non Lam. <i>Willdenowiàna.</i> R.S.						
35	obliqua. R.S.	(bl.) oblique-flower'd.	N. Europe.	1813.	6. 7.	H. ♂.	Jacq. schœn. 3. t. 336.
36	americàna. R.S.	(bl.) American.	N. America.	1763.	7.	H. ♂.	
37	nítida. H.K.	(bl.wh.) glossy.	—	1731.	7. 8.	H. 2.	Dodart. mem. 4. t. 113.
	<i>α cœrulea.</i>	(bl.) blue-flowered.	—	—	—	H. 2.	
	<i>β alba.</i>	(wh.) white-flowered.	—	—	—	H. 2.	
38	aùrea. R.S.	(ye.) golden-flower'd.	Madeira.	1777.	7. 9.	G. ♀.	Bot. reg. t. 57.
	<i>α latifolia.</i> R.S.	(ye.) broad-leaved.	—	—	—	G. ♀.	Duham. ed. nov. t. 41.
	<i>β angustifolia.</i> R.S.	(ye.) narrow-leaved.	—	—	—	G. ♀.	Jacq. schœn. 4. t. 472.
39	rhombóidea. R.S.	(bl.) Germander-ld.	Switzerland.	1775.	7.	H. 2.	Barrel. ic. 567.
40	asteróides. R.S.	(bl.) star-flowered.	1824.	—	H. 2.	
41	Alpini. R.S.	(bl.) Alpinus'.	Italy.	1823.	7. 9.	H. 2.	
42	Ottoniàna. R.S.	(bl.) Otto's.	C. B. S.	1822.	5. 7.	G. ♀.	
43	undulàta. R.S.	(bl.) waved.	—	—	—	G. 2.	
44	latifolia. R.S.	(bl.) giant.	Britain.	7.	H. 2.	Eng. bot. v. 5. t. 302.
	<i>α cœrulea.</i>	(bl.) blue-flowered.	—	—	H. 2.	
	<i>β alba.</i>	(wh.) white-flowered.	—	—	H. 2.	
45	macrántha. L.en.	(bl.) great-flowered.	Russia.	1822.	6. 7.	H. 2.	Flor. dan. t. 85.
46	eriocarpa. R.S.	(bl.) woolly-capsul'd.	Caucasus.	1824.	—	H. 2.	Bot. mag. t. 2553.
47	urticifolia. R.S.	(bl.) Nettle-leaved.	Germany.	1800.	8.	H. 2.	
	<i>β flore plèno.</i>	(wh.) double white.	—	—	H. 2.	
48	Trachelium. R.S.	(bl.) throatwort.	Britain.	6. 8.	H. 2.	Eng. bot. v. 1. t. 12.
	<i>α cœrulea.</i>	(bl.) blue-flowered.	—	—	H. 2.	
	<i>β alba.</i>	(wh.) white-flowered.	—	—	H. 2.	
	<i>γ múltiplex.</i> (bl.wh.) double-flowered.		—	—	H. 2.	
49	rapunculoídes. R.S.	(bl.) creeping.	England.	6. 7.	H. 2.	Eng. bot. v. 20. t. 1369.
	<i>infundibulifórmis.</i> Bot. mag. t. 2632.						

50	ucrànica. R.S.	(bl.) Ukraine.	Ukraine.	1819.	6. 7.	H. 4.	
51	trachelioïdes. R.S.	(bl.) throatwort-like.	Caucasus.	1818.	—	H. 4.	
52	bononiensis. R.S.	(bl.) paniced.	Italy.	1773.	8. 9.	H. 4.	Moris. s. 5. t. 4. f. 38.
53	símplex. DC.	(bl.) simple-stalked.	—	1823.	7. 8.	H. 4.	
54	lychnitis. H.H.	(bl.) Lychnis-like.	—	—	H. 4.	
55	obliquifolia. R.S.	(bl.) oblique-leaved.	Italy.	1820.	—	H. 4.	Ten. fl. neap. t. 17.
56	trichocalycina. R.S.	(bl.) long-pointed-calyx'd.	—	1824.	—	H. 4.	— t. 16.
57	ruthènica. R.S.	(bl.) Russian.	Russia.	1815.	6. 8.	H. 4.	Bot. mag. t. 2653.
58	graminifolia. R.S.	(vi.) grass-leaved.	Hungary.	1823.	—	H. 4.	W. et K. hung. 2. t. 154.
59	tenuifolia. R.S.	(vi.) slender-leaved.	—	1820.	5. 9.	H. 4.	— t. 155.
60	glomerata. R.S.	(bl.) clustered.	Britain.	—	H. 4.	Eng. bot. v. 2. t. 90.
	<i>β albiflora.</i>	(wh.) white-flowered.	—	—	H. 4.	
61	elliptica. R.S.	(bl.) elliptic-leaved.	Hungary.	1819.	—	H. 4.	Bocc. mus. 70. t. 58.
62	cephalántha. F.	(p.bl.) pale-flowered.	Siberia.	1824.	—	H. 4.	
63	farinosa. Bes.	(bl.) mealy.	Poland.	—	—	H. 4.	
64	aggregata. R.S.	(bl.) crowded-flower'd.	Bavaria.	—	—	H. 4.	
65	speciosa. R.S.	(bl.) specious.	Siberia.	—	—	H. 4.	Bot. mag. t. 2649.
	<i>glomerata β dahùrica.</i>	Bot. reg. 620.					
66	nicæensis. R.S.	(bl.) Nice.	Italy.	1820.	—	H. 4.	All. ped. t. 39. f. 1.
67	foliosa. R.S.	(bl.) leafy.	—	—	6. 9.	H. 4.	Ten. fl. neap. t. 18.
68	petræa. R.S.	(bl.) woolly-leaved.	Mt. Baldo.	1818.	—	H. 4.	
69	Rainèri. R.S.	(bl.) Rainer's.	Italy.	1825.	—	H. 4.	
70	Cervicària. R.S.	(bl.) wave-leaved.	Germany.	1768.	7.	H. ♂.	Flor. dan. t. 787.
71	cervicarioïdes. R.S.	(bl.) intermediate.	Italy.	1819.	—	H. 4.	
72	multiflora. R.S.	(vi.) many-flowered.	Hungary.	1814.	6. 7.	H. ♂.	W. et K. hung. t. 263.
	<i>macrostachya.</i>	W. en.					
73	collina. R.S.	(bl.) Sage-leaved.	Caucasus.	1803.	7. 8.	H. 4.	Bot. mag. t. 927.
74	azùrea. R.S.	(bl.) azure.	Switzerland.	1778.	6. 7.	H. 4.	— t. 551.
75	Lòrei. R.S.	(bl.) Pollini's.	Mt. Baldo.	1819.	6. 9.	H. ⊙.	— t. 2581.
76	lactiflora. R.S.	(st.) milk-coloured.	Caucasus.	1814.	7. 9.	H. 4.	Bot. reg. t. 241.
77	thyrsoïdea. R.S.	(st.) long-spiked.	Switzerland.	1785.	6. 8.	H. ♂.	Bot. mag. t. 1290.
78	peregrina. R.S.	(bl.) rough-leaved.	C. B. S.	1794.	—	G. ♂.	— t. 1257.
79	tomentosa. R.S.	(wh.) tomentose.	Levant.	1820.	6. 9.	H. 4.	
80	aparinoïdes. R.S.	(p.bl.) Aparine-like.	N. America.	1825.	7. 9.	H. ⊙.	
81	cérnua. R.S.	(wh.) nodding-flower'd.	C. B. S.	1804.	—	G. ♂.	
82	capensis. R.S.	(vi.) Cape.	—	1803.	—	G. ⊙.	Bot. mag. t. 782.
	<i>Roëlla decurrens.</i>	And. rep. t. 238.					
83	paniculata. R.S.	(wh.) paniced.	C. B. S.	1822.	6. 8.	G. ½.	
84	spathulata. F.G.	(bl.) spathulate.	Greece.	1824.	—	G. 4.	Flor. græc. t. 203.
85	velutina. R.S.	(p.bl.) velvety.	Gibraltar.	—	—	F. 4.	Desf. atl. 1. t. 51.
86	microphylla. R.S.	(p.bl.) small-leaved.	Spain.	1820.	—	H. 4.	
87	Allioni. R.S.	(p.bl.) Allioni's.	S. Europe.	1818.	—	H. 4.	All. ped. n. 418. t. 6. f. 3.
88	ligularis. R.S.	(bl.) strap-leaved.	Alps.	1825.	—	H. 4.	
89	barbata. R.S.	(p.bl.) bearded.	Italy.	1752.	—	H. 4.	Bot. mag. t. 1258.
90	punctata. R.S.	(wh.) dotted-flower'd.	Siberia.	1813.	5. 6.	H. 4.	— t. 1723.
91	Mèdium. R.S.	(bl.) Canterbury-bell.	Germany.	1597.	6. 9.	H. ♂.	Knor. delic. 1. t. 9.
	<i>β albida.</i>	(wh.) white-flowered.	—	—	H. ♂.	Garid. aix. p. 76. t. 18.
92	longifolia. R.S.	(bl.) long-leaved.	Pyrenees.	1824.	—	H. ♂.	Lapeyr. pyren. t. 6.
93	betonicifolia. R.S.	(bl.) Betony-leaved.	Olympus.	1823.	—	H. ♂.	Flor. græc. t. 210.
94	dichótoma. R.S.	(bl.) forked.	Levant.	1827.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 280.
95	spicata. R.S.	(bl.) spiked.	Switzerland.	1786.	7.	H. ♂.	All. ped. 1. t. 46. f. 2.
96	alpina. R.S.	(pa.bl.) Alpine.	—	1779.	—	H. 4.	Bot. mag. t. 957.
97	móllis. R.S.	(bl.) soft.	Syria.	1788.	5. 8.	G. 4.	— t. 404.
98	saxátilis. R.S.	(bl.) rock.	Candia.	1768.	—	G. 4.	Barrel. ic. t. 813.
99	alliarifolia. R.S.	(wh.) Alliaria-leaved.	Caucasus.	1803.	8. 9.	H. 4.	Sal. par. lond. t. 26.
	<i>macrophylla.</i>	B.M. t. 912.					
100	sarmatica. B.R.	(pa.bl.) gum-bearing.	Siberia.	—	6. 8.	H. 4.	Bot. reg. t. 237.
	<i>gummifera.</i>	R.S. <i>betonicifolia.</i>	M.B.				
101	lamiifolia. R.S.	(st.) Lamium-leaved.	Caucasus.	1818.	—	H. 4.	Buxb. cent. 5. t. 18.
102	péndula. R.S.	(st.) pendulous.	—	1824.	—	H. 4.	
103	sibírica. R.S.	(bl.) Siberian.	Siberia.	1783.	7. 9.	H. 4.	Bot. mag. t. 659.
104	divérgens. R.S.	(bl.) divergent.	Hungary.	1814.	6. 7.	H. ♂.	W. et K. hung. t. 258.
	<i>spathulata.</i>	W.K.					
105	violæfolia. R.S.	(wh.) Violet-leaved.	Siberia.	1827.	6. 8.	H. 4.	
106	A'dami. R.S.	(bl.) Adam's.	Caucasus.	1829.	—	H. 4.	
107	Pallasiana. R.S.	(bl.) Pallas's.	Siberia.	1827.	—	H. 4.	
108	lingulata. R.S.	(vi.) tongue-leaved.	Hungary.	1804.	7. 8.	H. 4.	W. et K. hung. 1. t. 64.
109	caucásica. R.S.	(bl.) Caucasian.	Caucasus.	—	—	H. 4.	
110	laciniata. R.S.	(bl.) jagged-leaved.	Greece.	1788.	5. 8.	G. 4.	Andr. reposit. t. 385.

111	lyrata. R.S.	(bl.) lyre-leaved.	Levant.	6. 8.	H. ♀.	Moris. 2. v. 5. t. 3. f. 51.
112	rupèstris. R.S.	(bl.) various-leaved.	—————	1827.	—	H. ♂.	Flor. græc. t. 213.
113	stricta. R.S.	(bl.) straight.	Egypt.	—	—	H. ♀.	Tour. an. mu. p. 137. t. 13.
114	cichoræcea. R.S.	(bl.) Succory-leaved.	Greece.	1824.	—	F. ♂.	Flor. græc. t. 209.
115	capitata. R.S.	(bl.) headed.	—————	1768.	6. 7.	H. ♀.	Bot. mag. t. 811.
116	lanuginosa. R.S.	(bl.) woolly.	1824.	—	H. ♂.	
117	Erinus. R.S.	(pa.bl.) forked.	S. Europe.	1768.	7. 8.	H. ⊙.	Moris. s. 5. t. 3. f. 25.
118	drabifolia. R.S.	(bl.) Draba-leaved.	Athens.	1823.	—	H. ⊙.	Flor. græc. t. 215.
119	erinoïdes. R.S.	(bl.) Erinus-like.	Africa.	—	—	H. ⊙.	Herm. lugd. t. 111?
120	Elátines. R.S.	(pa.pu.) trailing-stalked.	S. Europe.	—	7. 9.	H. ♀.	All. ped. n. 422. t. 7. f. 1.
121	hederæcea. R.S.	(pa.bl.) Ivy-leaved.	England.	5. 6.	H. ♀.	Eng. bot. v. 2. t. 73.
122	arvática. R.S.	(bl.) Spanish.	Spain.	1825.	—	H. ♀.	Pluk. phyt. t. 23. f. 1.
123	hispídula. R.S.	(bl.wh.) hispid-calyxed.	C. B. S.	1816.	7. 9.	H. ⊙.	Comm. hort. 2. t. 37.
PRISMATOCARPUS. L'H. VENUS-LOOKING-GLASS. Pentandria Monogynia.							
1	fruticòsus. L'H.	(bl.) shrubby.	C. B. S.	1787.	8.	G. ♀.	
2	Hookèri.	(wh.) Hooker's.	—————	1823.	—	G. ♀.	Bot mag. t. 2733.
<i>Campánula Prismatocárpus. B.M. nec L'Her.</i>							
3	nítidus. L'H.	(bl.) shining.	—————	—	6. 8.	H. ⊙.	L'Her. sert. ang. 2. t. 3.
<i>Campánula Prismatocárpus. w.</i>							
4	hispídula. R.S.	(bl.wh.) bristly.	—————	1822.	—	G. ⊙.	Comm. hort. 2. t. 37.
5	interrúptus. L'H.	(bl.) interrupted.	—————	1820.	—	G. ⊙.	
6	Spéculum. L'H.	(bl.) common.	S. Europe.	1596.	5. 8.	H. ⊙.	Bot. mag. t. 102.
	<i>β álbus.</i>	(wh.) white-flowered.	—————	—	—	H. ⊙.	
7	hirsútus. T.N.	(bl.) hairy.	Italy.	1822.	—	H. ⊙.	Ten. fl. neap. t. 19.
8	falcátus. T.N.	(bl.) falcate.	—————	—	—	H. ⊙.	————— t. 20.
9	hy'bridus. L'H.	(bl.) corn.	England.	—	H. ⊙.	Eng. bot. v. 6. t. 375.
10	pentagónius. L'H.	(bl.) five-angled.	Turkey.	1686.	—	H. ⊙.	Bot. reg. t. 56.
11	perfoliátus.	(bl.) perfoliate.	N. America.	1680.	—	H. ⊙.	Moris. s. 5. t. 2. f. 23.
<i>Campánula perfoliata. R.S. amplexicaulis. M.</i>							
ROE'LLA. R.S. ROE'LLA. Pentandria Monogynia. L.							
1	ciliata. R.S.	(bl.wh.) ciliate.	C. B. S.	1774.	6. 9.	G. ♀.	Bot. mag. t. 378.
2	pedunculata. R.S.	(bl.) peduncled.	—————	1827.	—	G. ♀.	
3	filifórmis. R.S.	(bl.) filiform.	—————	1816.	—	G. ♀.	Lam. ill. t. 123. f. 2.
4	decúrrens. R.S.	(bl.) decurrent.	—————	1787.	7. 9.	H. ⊙.	L'Her. sert. ang. 4. t. 6.
5	squarròsa. R.S.	(bl.) trailing.	—————	—	7. 8.	G. ♀.	
6	muscòsa. R.S.	(bl.) moss-like.	—————	1802.	8. 10.	H. ⊙.	
7	spicàta. R.S.	(wh.) spiked.	—————	1824.	—	G. ♀.	
PHYTE'UMA. R.S. PHYTE'UMA. Pentandria Monogynia. L.							
1	pauciflòrum. R.S.	(bl.) few-flowered.	Germany.	1823.	6. 8.	H. ♀.	
2	globulariæfólium. R.S.	(bl.) Globularia-leav'd.	S. Europe.	—	—	H. ♀.	
3	Scheuchzèri. R.S.	(bl.) Scheuchzer's.	Switzerland.	1813.	5. 6.	H. ♀.	Bot. mag. t. 1797.
4	scorzonerifólium. R.S.	(bl.) Scorzonera-leav'd.	Europe.	1817.	—	H. ♀.	————— t. 2271.
5	Michèlii. R.S.	(bl.) Micheli's.	Pyrenees.	1822.	6. 7.	H. ♀.	All. ped. n. 427. t. 7. f. 3.
6	hemisph'æricum. R.S.	(bl.) linear-leaved.	Switzerland.	1752.	7.	H. ♀.	Jacq. ic. 2. t. 333.
7	comòsum. R.S.	(da.bl.) tufted.	Austria.	—	6. 7.	H. ♀.	Jacq. aust. ap. t. 50.
8	orbiculàre. R.S.	(bl.) round-headed.	England.	6. 8.	H. ♀.	Eng. bot. v. 2. t. 142.
9	Charmèlii. R.S.	(bl.) long-bracted.	Pyrenees.	1819.	—	H. ♀.	Vill. delph. 2. t. 11. f. 3. A.
10	Siebèrii. s.s.	(bl.) Sieber's.	Levant.	1827.	7. 8.	H. ♀.	
11	inæquátum. R.S.	(bl.) unequal-leaved.	Hungary.	1826.	6. 7.	H. ♀.	
12	cordátum. B.M.	(bl.) heart-leaved.	S. Europe.	1804.	7. 8.	H. ♀.	Bot. mag. t. 1466.
13	ellipticum. R.S.	(bl.) elliptic-leaved.	Switzerland.	1820.	—	H. ♀.	Vill. delph. 2. t. 11. f. 2.
14	nigrum. R.S.	(da.pu.) black-flowered.	Bohemia.	—	—	H. ♀.	
15	betonicifólium. R.S.	(pa.) Betony-leaved.	Switzerland.	1816.	6. 8.	H. ♀.	Bot. mag. t. 2066.
16	spicátum. R.S.	(st.) spiked.	Europe.	1597.	—	H. ♀.	Flor. dan. t. 362.
17	Hallèri. R.S.	(pa.vi.) Haller's.	Switzerland.	1819.	—	H. ♀.	
	<i>β orátum.</i>	(pa.) oval-spiked.	—————	1814.	—	H. ♀.	
18	stylòsum. Bes.	(bl.) long-styled.	Poland.	1827.	—	H. ♀.	
19	strictum. B.M.	(bl.) upright.	S. Europe.	1819.	—	H. ♀.	Bot. mag. t. 2145.
20	virgátum. R.S.	(bl.) slender-branched.	Levant.	1823.	7. 9.	H. ♀.	Lab. syr. 2. p. 11. t. 6.
21	campanuloïdes. R.S.	(bl.) Campanula-like.	Caucasus.	1804.	6. 8.	H. ♀.	Bot. mag. t. 1015.
22	canéscens. R.S.	(li.) canescent.	Hungary.	—	—	H. ♀.	W. et K. hung. 1. t. 14.
23	pinnátum. R.S.	(bl.) winged-leaved.	Candia.	1640.	—	G. ♀.	Venten. cels. t. 52.
TRACHELIUM. R.S. THROATWORT. Pentandria Monogynia. L.							
1	cørùleum. R.S.	(bl.) blue.	Italy.	1640.	7. 9.	H. ♂.	Bot. reg. t. 72.
2	diffùsum. R.S.	(bl.) shrubby.	C. B.S.	1787.	—	G. ♀.	
JASIONE. R.S. SHEEP'S SCABIOUS. Pentandria Monogynia. W.							
1	montàna. R.S.	(bl.) mountain.	Britain.	6. 7.	H. ♀.	Eng. bot. v. 13. t. 682.
2	perénnis. R.S.	(bl.) perennial.	France.	1787.	—	H. ♀.	Bot. reg. t. 505.
3	foliosa. s.s.	(bl.) leafy.	S. Spain.	1826.	—	H. ♀.	

ORDO CXXV.

GESNEREÆ. *Rich. et Juss. ann. mus. 5. p. 428.*

GLOXINIA. S.S.		GLOXI'NIA. Didynamia Angiospermia. L.			
1	hirsuta. B.R.	(bl.) hairy.	Brazil.	1825.	6. 8. S. 2. Bot. reg. t. 1004.
2	speciosa. B.R.	(bl.) many-flowered.	————	1815.	6. 11. S. 2. ——— t. 213.
	<i>β</i> alba.	(wh.) white-flowered.	————	1822.	—— S. 2.
3	caulescens. B.R.	(vi.) caulescent.	Pernambuca.	1820.	8. 10. S. 2. Bot. reg. t. 1127.
4	maculata. s.s.	(pu.) spotted-stalked.	S. America.	1739.	7. 10. S. 2. Bot. mag t. 1191.
SINNINGIA. Nees.		SINNINGIA. Didynamia Angiospermia.			
1	guttata. B.R.	(gr.ye.) spotted-throated.	Brazil.	1825.	6. 8. S. 2. Bot. reg. t. 1134.
2	Helleri. B.R.	(gr.ye.) Heller's.	————	1824.	—— S. 2. ——— t. 997.
3	velutina. B.R.	(gr.ye.) velvety.	————	——	—— S. 2. Lodd. bot. cab. t. 1398.
4	villosa. B.R.	(gr.ye.) shaggy.	————	1826.	—— S. 2. Bot. reg. t. 1134.
CODONOPHORA. B.R.		CODONOPHORA. Didynamia Angiospermia.			
1	grandiflora. B.R.	(gr.) large-flowered.	Brazil.	1816.	5. 6. S. 2. Bot. reg. t. 428.
	<i>Gesneria prasinata.</i> Bot. reg.				
2	lanceolata. B.R.	(gr.) spear-leaved.	————	1826.	—— S. 2.
GESNERIA. L.		GESNERIA. Didynamia Angiospermia. L.			
1	tomentosa. s.s.	(gr.pu.) woolly.	S. America.	1752.	11. 6. S. 2. Bot. mag. t. 1023.
2	scabra. s.s.	(pu.) rough.	Jamaica.	1822.	6. 8. S. 2.
3	corymbosa. s.s.	(ye.) corymbose.	————	——	—— S. 2.
4	Douglasii. B.R.	(sp.) Douglas's.	Brazil.	1825.	5. 8. S. 2. Bot. reg. t. 1110.
	<i>verticillata.</i> Bot. mag. t. 2776. non Cavan.				
5	aggregata. s.s.	(sc.) clustered.	————	1816.	6. 10. S. 2. Bot. reg. t. 329.
6	pendulina. B.R.	(sc.) drooping-flowered.	————	1825.	6. 9. S. 2. ——— t. 1032.
7	rutila. B.R.	(sc.) brilliant.	————	1826.	6. 10. S. 2. ——— t. 1158.
	<i>β</i> atrosanguinea. B.R.	(cr.) dark-crimson.	————	——	—— S. 2. ——— t. 1279.
8	latifolia. M.N.	(sc.) long-spiked.	————	1825.	7. 10. S. 2. ——— t. 1202.
	<i>macrostachya.</i> B.R.				
9	tubiflora. C.I.	(sc.) tube-flowered.	S. America.	1815.	2. 6. S. 2. Cavan. ic. 6. t. 584.
10	bulbosa. s.s.	(sc.) bulbous-rooted.	Brazil.	1816.	5. 8. S. 2. Bot. reg. t. 343.
11	acaulis. s.s.	(sc.) stemless.	Jamaica.	1793.	—— S. 2. Sloan. jam. 1. t. 102. f. 1.
BESLERIA. L.		BESLERIA. Didynamia Angiospermia. L.			
1	cristata. s.s.	(ye.) crested.	W. Indies.	1739.	6. 8. S. 2. Jacq. amer. t. 119.
2	coccinea. s.s.	(ye.) scarlet-calyxed.	Guiana.	1824.	5. 8. S. 2. Aub. gui. 2. t. 255.
3	dichrus. s.s.	(ye.re.) two-coloured.	Brazil.	1823.	—— S. 2.
4	pulchella. s.s.	(or.) large-flowered.	W. Indies.	1806.	—— S. 2. Bot. mag. t. 1146.
5	melittifolia. s.s.	(pu.) Balm-leaved.	Guiana.	1739.	6. 7. S. 2. Sm. exot. bot. 1. t. 54.
6	serrulata. s.s.	(st.) saw-leaved.	W. Indies.	1806.	—— S. 2. Jacq. schœn. 3. t. 290.
7	lutea. s.s.	(ye.) yellow-flowered.	Guiana.	1739.	7. 8. S. 2. Plum. ic. 49. f. 1.
8	grandifolia. s.s.	(ye.) large-leaved.	Brazil.	1823.	—— S. 2.
9	hirtella. s.s.	(ye.) hairy-leaved.	————	——	—— S. 2.
10	incarnata. s.s.	(fl.) flesh-coloured.	Guiana.	——	—— S. 2. Aub. gui. 2. t. 256.

ORDO CXXVI.

VACCINIEÆ. *DC. theor. ed. 1. p. 216.*

VACCINIUM. W.		WHORTLE-BERRY. Oct-Decandria Monogynia.			
1	Myrtillus. w.	(bh.) Blea-berry.	Britain.	4. 6. H. 2. Eng. bot. 7. t. 456.
2	stamineum. Ph.	(wh.) long-stamened.	N. America.	1772.	5. 6. H. 2. Pluk. alm. t. 339. f. 3.
3	album. Ph.	(wh.) white-flowered.	————	——	—— H. 2. Andr. reposit. t. 263.
	<i>stamineum.</i> A.R. non Ph.				
4	pallidum. w.	(wh.) pale.	————	——	—— H. 2.
5	uliginosum. w.	(ro.) great Bilberry.	Britain.	4. 5. H. 2. Eng. bot. v. 9. t. 581.
6	diffusum. w.	(bh.) tree.	N. America.	1765.	5. 11. H. 2. Bot. mag. t. 1607.
	<i>arboresum.</i> M.				
7	damosum. B.M.	(bh.) bushy.	————	1774.	5. 6. H. 2. Bot. mag. t. 1106.
	<i>hirtellum.</i> H.K.				
	<i>β</i> humile. W.D.	(wh.) dwarf.	————	——	—— H. 2. Wats. dend. brit. t. 32.

8	frondosum. w.	(wh.) blunt-leaved.	N. America.	1761.	5. 6.	H. h.	Andr. reposit. t. 140.
9	venustum. H.K.	(wh.) red-twigged.	————	1770.	—	H. h.	————
10	resinosum. w.	(st.) clammy.	————	1772.	—	H. h.	Wang. am. t. 30. f. 60.
	β rubescens.	(re.) red-flowered.	————	————	—	H. h.	Bot. mag. t. 1288.
11	parviflorum. A.R.	(re.) small-flowered.	————	1804.	—	H. h.	Andr. reposit. t. 125.
12	corymbosum. w.	(wh.) corymbose.	————	1806.	6. 7.	H. h.	Wats. dend. brit. t. 125.
13	amœnum. w.	(wh.) broad-leaved.	————	1765.	5. 6.	H. h.	Bot. reg. t. 400.
14	canadense. s.s.	(wh.) Canadian.	————	1827.	5. 7.	H. h.	————
15	virgatum. w.	(pa.re.) twiggy.	————	1767.	4. 5.	H. h.	Andr. reposit. t. 181.
16	Watsoni.	(bh.) Watson's.	————	1812.	—	H. h.	Wats. dend. brit. t. 30.
	virgatum β angustifolium. w.D.	————	————	————	—	—	————
17	mariannum. w.D.	(wh.) Maryland.	————	—	5. 6.	H. h.	Wats. dend. brit. t. 125.
18	grandiflorum. w.D.	(wh.) great-flowered.	————	—	7. 8.	H. h.	———— t. 125. A.
19	elongatum. w.D.	(bh.) elongated.	————	—	—	H. h.	———— t. 125. B.
20	minutiflorum. w.D.	(bh.) minute-flowered.	————	—	—	H. h.	———— t. 125. C.
21	glabrum. w.D.	(re.) smooth.	————	—	—	H. h.	———— t. 125. D.
22	mucronatum. L.	(wh.) mucronate.	————	5. 6.	H. h.	————
23	fuscatum. w.	(re.) cluster-flowered.	————	1770.	—	H. h.	Bot. reg. t. 302.
	formosum. A.R. 97.	————	————	—	—	—	————
	β angustifolium. Ph.	(re.) narrow-leaved.	————	—	—	H. h.	————
24	galèzans. M.	(st.) Gale-leaved.	————	1806.	—	H. h.	————
25	ligustrinum. w.	(pu.re.) Privet-leaved.	————	—	H. h.	————
26	tenellum. w.	(ro.) Pensylvanian.	————	1772.	—	H. h.	Wats. dend. brit. t. 30.
	pensylvanicum. M.	————	————	—	—	—	————
27	angustifolium. w.	(wh.) narrow-leaved.	————	1776.	4. 5.	H. h.	————
	myrtilloides. M.	————	————	—	—	—	————
28	Arctostaphylos. w.	(re.) oriental.	Levant.	1777.	6. 8.	H. h.	Bot. mag. t. 974.
29	maderense. s.s.	(re.) Madeira.	Madeira.	1810.	7. 2.	H. h.	Andr. reposit. t. 30.
	Arctostaphylos. A.R.	————	————	—	—	—	————
30	meridionale. w.	(re.) Jamaica.	Jamaica.	1778.	3. 6.	G. h.	————
31	salicinum. s.s.	(bh.) Willow-like.	N. America.	1827.	6. 8.	H. h.	————
32	crassifolium. s.s.	(pi.) thick-leaved.	Carolina.	1787.	6. 7.	F. h.	Bot. mag. t. 1152.
33	myrtifolium. M.	(pi.) Myrtle-leaved.	————	1812.	5. 7.	F. h.	————
34	nitidum. s.s.	(pi.) glossy-leaved.	————	1794.	5. 6.	F. h.	Andr. rep. t. 480.
35	decumbens. B.M.	(pi.) decumbent.	————	—	—	F. h.	Bot. mag. t. 1550.
36	myrsinites. M.	(pu.) Myrsine-leaved.	————	—	F. h.	————
37	buxifolium. s.s.	(bh.) Box-leaved.	N. America.	1794.	—	H. h.	Bot. mag. t. 928.
38	Vitis Id'æa. w.	(bh.) Cow-berry.	Britain.	4. 6.	H. h.	Eng. bot. v. 9. t. 596.
	α minor.	(bh.) smaller.	————	—	H. h.	Lodd. bot. cab. t. 192.
	β major.	(ro.) larger.	N. America.	—	H. h.	———— t. 616.
39	ovatum. Ph.	(bh.) oval-leaved.	————	1827.	5. 7.	H. h.	————
40	obtusum. Ph.	(bh.) blunt-creeping.	————	—	—	H. h.	————
41	halleriæfolium. L.C.	(wh.) Halleria-leaved.	————	5. 6.	H. h.	————
OXYCOCCUS. P.S. CRANBERRY. Octandria Monogynia.							
1	palustris. P.S.	(pi.) common.	Britain.	5. 6.	H. h.	Eng. bot. v. 5. t. 310.
	Vaccinium Oxycoccos. E.B.	Schöllera Oxycoccos. Roth.	————	—	—	—	————
2	macrocarpus. Ph.	(pi.) large-fruited.	N. America.	1760.	5. 8.	H. h.	Wats. dend. brit. t. 125.
3	erectus. Ph.	(ro.) upright.	————	1806.	6. 8.	H. h.	———— t. 31.
	Vaccinium erythrocarpum. M.	————	————	—	—	—	————
4	hispidulus. P.S.	(pi.) Thyme-leaved.	————	1776.	5. 7.	H. h.	Mich. amer. 1. t. 23.
	Vaccinium hispidulum. w.	Arbutus thymifolium. Ait. Gaultheria serpyllifolia. Ph.	————	—	—	—	————

ORDO CXXVII.

ERICAÆ. Don Prodr. p. 148.

Sect. I. ERICÆÆ VERÆ.

ARCTOSTA'PHYLOS. K.S. ARCTOSTA'PHYLOS. Decandria Monogynia.							
1	'Uva-ursi. s.s.	(bh.) Bear-berry.	Britain.	4. 6.	H. h.	Eng. bot. v. 10. t. 714.
	Arbutus 'Uva-ursi. E.B.	Mairania 'Uva-ursi. Desv.	————	—	—	—	————
2	alpina. s.s.	(pi.) Alpine.	Scotland.	4. 5.	H. h.	Eng. bot. v. 29. t. 290.

ARBUTUS. K.S.		STRAWBERRY-TREE.		Decandria	Monogynia.	L.		
1	Unèdo. s.s.	(wh.re.)	common.	Ireland.	9. 12.	H. h.	Eng. bot. v. 34. t. 2377.
	β rubra.	(re.)	red-flowered.	————	—	H. h.	Lodd. bot. cab. t. 123.
	γ flore pleno.	(wh.)	double-flowered.	————	—	H. h.	
	δ schizopétala.	(wh.)	jagged-petaled.	————	—	H. h.	
	ϵ integrifolia.	(wh.)	entire-leaved.	————	—	H. h.	
	ζ crispa.	(wh.)	curled-leaved.	————	—	H. h.	
	η salicifolia.	(wh.)	Willow-leaved.	————	—	H. h.	
2	canariensis. s.s.	(ro.)	long-leaved.	Canaries.	1796.	5. 6.	G. h.	Bot. mag. t. 1577.
3	hybrida. s.s.	(wh.)	hybrid.	Hybrid.	—	H. h.	Bot. reg. t. 619.
	serratifolia. B.C. 580.		andrachnoïdes. L.en.	————				
4	Millèri.	Miller's.	————	1825.	H. h.	
5	Andrachne. s.s.	(wh.)	oriental.	Levant.	1724.	3. 4.	F. h.	Bot. reg. t. 113.
6	procera. D.	(wh.)	tall.	N. America.	1827.	H. h.	
7	Menzièsi. Ph.	(wh.)	Mr. Menzies's.	————	—	H. h.	
8	tomentosa. Ph.	(wh.)	woolly.	————	—	H. h.	
9	laurifolia. s.s.	(wh.)	Laurel-leaved.	Mexico.	1825.	F. h.	
10	phillyreæfolia. s.s.	(wh.)	Phillyrea-leaved.	Peru.	1812.	G. h.	
11	? pumila. s.s.	(wh.)	dwarf.	Magellan.	1824.	G. h.	
GAULTHERIA. S.S.		GAULTHERIA.		Decandria	Monogynia.	L.		
1	procumbens. s.s.	(bh.)	trailing.	N. America.	1762.	7. 9.	H. h.	Andr. reposit. t. 116.
2	fragrantissima. s.s.	(wh.)	fragrant.	Nepaul.	1824.	H. h.	Wal.as.res.13.p.297.ic.
3	Shallon. Ph.	(bh.)	Shallon.	N. America.	1827.	5. 6.	H. h.	Lodd. bot. cab. t. 1732.
ENKIA'NTHUS. B.M.		ENKIA'NTHUS.		Decandria	Monogynia.			
1	quinqueflorus. B.R.(pi.)		Canton.	China.	1812.	10. 2.	G. h.	Bot. reg. t. 884.
2	reticulatus. B.R.	(bh.)	netted-leaved.	————	1820.	—	G. h.	———— t. 885.
ANDRO'MEDA. N.		ANDRO'MEDA.		Decandria	Monogynia.	L.		
1	hypnoïdes. w.	(wh.)	Moss-like.	Lapland.	1798.	6. 7.	H. h.	Bot. mag. t. 2936.
2	polifolia. w.	(ro.)	wild rosemary.	Britain.	—	H. h.	Eng. bot. v. 10. t. 713.
3	glaucophylla. L.en.	(wh.)	glaucous-leaved.	N. America.	5. 9.	H. h.	
4	rosmarinifolia. Ph.	(bh.)	Rosemary-leaved.	————	—	H. h.	Pall. ross. 2. t. 70. f. B.
5	subulata. P.s.	(ro.)	awl-leaved.	Europe.	—	H. h.	
6	angustifolia. Ph.	(wh.)	narrow-leaved.	N. America.	2. 4.	H. h.	
	crispa. Link enum.							
7	calyculata. w.	(wh.)	various-leaved.	Russia.	1748.	2. 4.	H. h.	Pall. ross. 2. t. 72. f. 1.
	α ventricosa. H.K.	(wh.)	globe-flowered.	————	—	—	H. h.	Bot. mag. t. 1286.
	β nana. B.C.	(wh.)	dwarf.	—	H. h.	Lodd. bot. cab. t. 862.
	γ latifolia. H.K.	(wh.)	broad-leaved.	Newfoundland.	—	H. h.	———— t. 530.
8	japonica. w.	(wh.)	Japan.	Japan.	1806.	5. 6.	H. h.	Thunb. jap. 181. t. 22.
9	ovalifolia. D.P.	(bh.)	oval-leaved.	Nepaul.	1823.	—	G. h.	Wall.as.res.13.p.39.ic.
10	buxifolia. P.s.	(cr.)	Box-leaved.	Mauritius.	1822.	4. 6.	G. h.	Bot. mag. t. 2660.
11	fasciculata. w.	(wh.)	bundle-flower'd.	Jamaica.	—	—	G. h.	
12	jamaicensis. w.	(wh.)	Jamaica.	————	1793.	—	G. h.	
13	mariàna. w.	(bh.)	Maryland.	N. America.	1736.	6. 7.	H. h.	Pluk. mant. t. 448. f. 6.
	α oralis.	(bh.)	oval-leaved.	————	—	—	H. h.	Bot. mag. t. 1579.
	β oblonga.	(bh.)	oblong-leaved.	————	—	—	H. h.	
14	speciosa. Ph.	(wh.)	large-flowered.	Carolina.	1800.	6. 9.	H. h.	
	α nitida. Ph.	(wh.)	smooth-leaved.	————	—	—	H. h.	Bot. mag. t. 970.
	cassinæfolia. B.M.							
	β glauca. W.D.	(wh.)	glaucous-leaved.	————	—	—	H. h.	Wats. dend. brit. t. 26.
	Andrómèda dealbata.							Bot. reg. t. 1010.
	γ pulverulenta. Ph.	(wh.)	mealy-leaved.	————	—	—	H. h.	Bot. mag. t. 667.
15	coriacea. w.	(pi.)	thick-leaved.	N. America.	1765.	6. 8.	H. h.	———— t. 1095.
	nitida. M. lucida. Lam. mariàna. Jacq.			ic. 3. t. 79. nec aliorum.				
16	acuminata. w.	(wh.)	acute-leaved.	N. America.	—	8.	H. h.	Sm. exot. bot. 2. t. 89.
17	Catesb'æi. w.	(wh.)	spiny-leaved.	————	1793.	6. 7.	H. h.	Bot. mag. t. 1955.
	spinulosa. Ph.							
18	axillaris. w.	(wh.)	axil-flowering.	————	1765.	5. 8.	H. h.	Duham. ar.ed. nov. t. 39.
	β longifolia.	(wh.)	long-leaved.	————	—	—	H. h.	Bot. mag. t. 2357.
19	floribunda. Ph.	(wh.)	many-flowered.	Georgia.	1812.	5. 6.	H. h.	———— t. 1566.
20	racemosa. w.	(wh.)	branching.	N. America.	1736.	7.	H. h.	
21	spicata. W.D.	(wh.)	spiked.	————	6. 7.	H. h.	Wats. dend. brit. t. 36.
22	arborea. w.	(wh.)	Sorrel-tree.	————	1752.	7. 9.	H. h.	Bot. mag. t. 905.
LYONIA. N.		LYONIA.		Decandria	Monogynia.	N.		
1	ferruginea. N.	(wh.)	rusty-leaved.	Georgia.	1784.	6. 7.	G. h.	Venten. malm. t. 80.
	Andrómèda ferruginea. w.							
2	rigida. N.	(wh.)	rigid.	————	1774.	4. 5.	G. h.	Lodd. bot. cab. t. 430.
3	salicifolia. W.D.	(wh.)	Willow-leaved.	N. America.	6. 7.	H. h.	Wats. dend. brit. t. 38.
4	paniculata. N.	(wh.)	panicled.	————	1748.	5. 6.	H. h.	———— t. 37.

5	capreæfòlia. W.D.	(wh.)	tendrill-leaved.	N. America.	1812.	7.	H. h.	Wats. dend. brit. t. 127.
6	multiflòra. W.D.	(wh.)	many-flowered.	—	—	—	H. h.	— t. 128.
7	frondòsa. N.	(wh.)	bristly-flowered.	—	1806.	5. 6.	H. h.	—
MYLOC'ARYUM. W.en. BUCKWHEAT-TREE. Decandria Monogynia. W.								
	ligustrinum. Ph.	(wh.)	Privet-leaved.	Georgia.	1786.	5. 6.	G. h.	Bot. mag. t. 1625.
	<i>Cliftònia ligustrina.</i>	s.s.	—	—	—	—	—	—
CLE'THRA. W. CLE'THRA. Decandria Monogynia. W.								
1	alnifòlia. s.s.	(wh.)	Alder-leaved.	N. America.	1731.	8. 10.	H. h.	Lam. ill. t. 369.
2	tomentòsa. s.s.	(wh.)	woolly-leaved.	—	—	—	H. h.	Wats. dend. brit. t. 39.
3	scábra. s.s.	(wh.)	rough-leaved.	Georgia.	1806.	—	H. h.	—
4	acuminàta. s.s.	(wh.)	acute-leaved.	Carolina.	—	—	H. h.	—
5	paniculàta. s.s.	(wh.)	panicked.	N. America.	1770.	—	H. h.	—
6	arbòrea. s.s.	(wh.)	tree.	Madeira.	1784.	—	G. h.	Bot. mag. t. 1057.
	β variegàta.	(wh.)	variegated.	—	—	—	G. h.	—
	γ minor.	(wh.)	dwarf.	—	—	—	G. h.	—
7	ferruginea. L.en.	(wh.)	ferruginous.	S. America.	1818.	—	G. h.	—
CYRILLA. L. CYRILLA. Pentandria Monogynia. L.								
	racemiflòra. L.	(wh.)	Carolina.	Carolina.	1765.	6. 8.	F. h.	Bot. mag. t. 2456.
	<i>caroliniàna.</i>	P.S.	<i>Itea Cyrilla.</i>	W.	—	—	—	—
BROSS'ÆA. L. BROSS'ÆA. Pentandria Monogynia. L.								
	coccinea. L.	(sc.)	scarlet.	S. America.	S. h.	Lam. ill. t. 111. f. 3.
BL'ÆRIA. W. BL'ÆRIA. Tetrandria Monogynia. W.								
1	ericoides. s.s.	(pu.)	heath-leaved.	C. B. S.	1774.	8. 10.	G. h.	Wendl. coll. 1. t. 25.
2	muscosa. s.s.	(wh.)	Moss-leaved.	—	—	6. 8.	G. h.	—
3	fasciculàta. s.s.	(wh.)	close-headed.	—	1812.	—	G. h.	—
4	paucifòlia. s.s.	(fl.)	few-leaved.	—	—	—	G. h.	Wendl. coll. 2. t. 43.
5	articulàta. s.s.	(bh.)	jointed.	—	1795.	5. 6.	G. h.	— 2. t. 44.
6	scábra. s.s.	(wh.)	rough.	—	1806.	—	G. h.	— 1. t. 31.
7	depressa. R.S.	(pu.)	depressed.	—	1816.	—	G. h.	—
8	purpurea. s.s.	(pu.)	purple-flowered.	—	1791.	—	G. h.	—
9	damòsa. s.s.	(ro.)	bushy.	—	1806.	6. 8.	G. h.	Wendl. coll. 2. t. 39.
10	glabèlla. s.s.	(wh.)	smooth.	—	1816.	—	G. h.	Seb. thes. 1. t. 20. f. 2.
11	ciliàris. s.s.	(wh.)	fringed.	—	1795.	—	G. h.	Wendl. coll. 2. t. 49.
SYMPI'EZA. R.S. SYMPI'EZA. Tetrandria Monogynia. R.S.								
	capitellàta. R.S.	(pu.)	headed.	C. B. S.	1812.	6. 8.	G. h.	Wendl. coll. 2. t. 37.
	<i>Bl'æria bracteata.</i>	Wend.	—	—	—	—	—	—
CALL'UNA. Sal. CALL'UNA. Octandria Monogynia.								
	vulgàris. W.en.	(pi.)	common.	Britain.	6. 8.	H. h.	Eng. bot. v. 15. t. 1013.
	<i>Erica vulgàris.</i>	E.B.	—	—	—	—	—	—
	α càrnea.	(pi.)	flesh-coloured.	—	—	H. h.	—
	β àlba.	(wh.)	white-flowered.	—	—	H. h.	—
	γ mùltiplex.	(pi.)	double-flowered.	—	—	H. h.	—
ER'ICA. W. HEATH. Octandria Monogynia. L.								
1	absinthoides. H.K.	(pu.)	Wormwood-like.	C. B. S.	1792.	3. 6.	G. h.	—
2	act'æa. L.en.	(wh.)	cluster-leaved.	—	1810.	—	G. h.	—
3	acuminàta. A.H.	(pi.)	pointed-leaved.	—	1798.	5. 6.	G. h.	Andr. heath. v. 3.
	β pàllida.	(pa.)	pale-flowered.	—	—	—	G. h.	—
4	acùta. A.H.	(re.)	pointed-cupped.	—	1799.	5. 8.	G. h.	Andr. heath. v. 2.
5	acutangulàris. L.C.	(re.)	acute-angled.	—	1823.	—	G. h.	—
6	adenóphora. s.s.	(wh.)	gland-haired.	—	1810.	—	G. h.	—
7	aggregàta. s.s.	(li.)	clustered.	—	—	—	G. h.	Wendl. er. f. 13. n. 5.
8	Aitoniàna. H.K.	(wh. re.)	Aiton's.	—	1790.	6. 9.	G. h.	Bot. mag. t. 429.
9	àlbens. H.K.	(wh.)	pallid.	—	1789.	3. 8.	G. h.	— t. 440.
10	àlbida. L.C.	(wh.)	white-flowered.	—	1823.	5. 8.	G. h.	—
11	alopécuroides. s.s.	(li.)	fox-tail.	—	1812.	—	G. h.	Lodd. bot. cab. t. 874.
12	ambigua. s.s.	(pi.)	ambiguous.	—	1798.	—	G. h.	Andr. heath. v. 1.
	<i>cylíndrica.</i>	A.H.	non Thunb. <i>hybrida.</i>	Hort.	—	—	—	—
13	am'œna. H.K.	(pu.)	feathery.	C. B. S.	1795.	3. 7.	G. h.	Wend. eric. 17. p. 73. ic.
	<i>plumòsa.</i>	A.H.	—	—	—	—	—	—
14	ampullàcea. H.K.	(bh.)	flask.	—	1790.	6. 8.	G. h.	Bot. mag. t. 303.
15	andromedæflòra. H.K.	(pi.)	Andromeda-fl'd.	—	1803.	3. 6.	G. h.	— t. 1250.
16	anthina. s.s.	(pu.)	full-flowering.	—	1811.	—	G. h.	—
	<i>flòrida.</i>	Hort. non W.	—	—	—	—	—	—
17	apèrta. s.s.	(re.)	open-flowered.	—	—	—	G. h.	—
18	Aphànes. s.s.	(wh.)	Parsley-piert.	—	—	—	G. h.	—
19	arbòrea. s.s.	(wh.)	tree.	S. Europe.	1658.	2. 6.	G. h.	—
	β stylòsa. P.S.	(wh.)	long-styled.	—	—	—	G. h.	—
20	arbúscula. B.C.	(re.)	little-tree.	C. B. S.	1818.	4. 8.	G. h.	Lodd. bot. cab. t. 845.
21	arctàta. L.C.	(wh.)	arched.	—	—	—	G. h.	—

22	Archeriàna. H.K.	(re.)	Lady Archer's.	C. B. S.	1796.	8. 11.	G. h.	Andr. heath. v. 2.
23	árdens. H.K.	(sc)	ardent.	————	1800.	4. 6.	G. h.	Bot. reg. t. 115.
24	argentiflòra. s.s.	(wh.)	silvery-flowered.	————	1816.	————	G. h.	Andr. heath. v. 4.
25	aristàta. H.K.	(cr.)	awned.	————	1801.	3. 8.	G. h.	Bot. mag. t. 1249.
26	assúrgens. L.en.	(wh.)	assurgent.	————	1810.	5. 8.	G. h.	
27	aùrea. H.K.	(ye.)	golden.	————	1799.	7. 9.	G. h.	Andr. heath. v. 2.
28	auriculàris. L.T.	(re.)	eared.	————	1810.	3. 7.	G. h.	
29	austràlis. H.K.	(re.)	Spanish.	Spain.	1769.	4. 7.	H. h.	Andr. heath. v. 3.
30	axillàris. w.	(pu.)	axillary.	C. B. S.	1798.	5. 7.	G. h.	
31	azaleæfòlia. L.T.	(li.)	Azalea-leaved.	————	————	5. 8.	G. h.	
32	báccans. H.K.	(li.)	Arbutus-flower'd.	————	1774.	4. 7.	G. h.	Bot. mag. t. 358.
33	Bandoniàna. L.C.	(bh.)	Lord Bandon's.	————	1816.	5. 8.	G. h.	Andr. heath. v. 4.
34	Bánskii. H.K.	(st.)	Banks's.	————	1787.	2. 7.	G. h.	———— v. 1.
35	barbàta. H.K.	(wh.)	bearded.	————	1799.	5. 8.	G. h.	———— v. 2.
36	Beaumóntiæ. A.H.	(wh.)	Mrs. Beaumont's.	————	1820.	6. 8.	G. h.	———— v. 4.
37	bélla. s.s.	(pu.)	pretty.	————	————	————	G. h.	
38	Bergiàna. H.K.	(re.)	Bergius's.	————	1787.	4. 8.	G. h.	Lodd. bot. cab. t. 939.
	<i>quadriflòra.</i> A.H.	v. 2.						
39	bícolor. w.	(re.gr.)	two-coloured.	————	1790.	8. 3.	G. h.	
	<i>calatkiflòra.</i> L.T.							
40	biflòra. B.C.	(wh.)	two-flowered.	————	1820.	5. 8.	G. h.	Lodd. bot. cab. t. 683.
41	blánda. H.K.	(pi.)	charming.	————	1800.	4. 9.	G. h.	Andr. heath. v. 3.
42	Blandfordiàna. H.K.	(ye.)	Blandford's.	————	1803.	3. 6.	G. h.	Bot. mag. t. 1793.
43	Bonplandiàna. B.M.	(wh.)	Bonpland's.	————	1816.	————	G. h.	———— t. 2126.
44	borboniæfòlia. L.T.	(wh.)	Borbonia-leaved.	————	————	————	G. h.	
45	Bowieàna. B.C.	(wh.)	Bowie's.	————	————	3. 9.	G. h.	Lodd. bot. cab. t. 842.
	<i>Bauèria.</i> Andr. heath. v. 4.							
46	brachiàlis. L.T.	(re.)	armed.	————	1792.	————	G. h.	
47	bracteàta. w.	(re.)	red-bracted.	————	1800.	5. 7.	G. h.	
48	bracteolàris. P.S.	(wh.)	bracteate.	————	————	3. 7.	G. h.	
49	brevifòlia. L.T.	(wh.)	short-leaved.	————	8. 1.	G. h.	
50	Broadleyàna. A.H.	(pi.)	Broadley's.	————	1810.	5. 7.	G. h.	Andr. heath. v. 3.
51	bruniàdes. w.	(wh.)	Brunia-like.	————	1790.	4. 7.	G. h.	
52	bucciniflòra. B.M.	(li.wh.)	trumpet-flowered.	————	1816.	5. 9.	G. h.	Bot. mag. t. 2465.
53	cæsia. L.T.	(wh.)	grey.	————	1795.	2. 5.	G. h.	
54	cáffra. A.H.	(wh.)	sweet-scented.	————	1774.	8. 10.	G. h.	Lodd. bot. cab. t. 196.
55	caledònica. s.s.	(ro.)	Caledonian.	————	1816.	5. 9.	G. h.	
56	callòsa. s.s.	(li.)	callous-leaved.	————	1799.	6. 9.	G. h.	Andr. heath. v. 3.
	<i>canaliculàta</i> β <i>minor.</i> A.H.							
57	calycina. w.	(pi.)	calycine.	————	————	————	G. h.	
58	calyculàta. P.S.	(br.)	rusty-flowered.	————	1800.	5. 7.	G. h.	
59	campanulàta. H.K.	(ye.)	bell-flowered.	————	1791.	4. 8.	G. h.	Andr. heath. v. 1.
60	campylophy'lla. s.s.	(li.)	hook-leaved.	————	1802.	3. 5.	G. h.	
	<i>incúrra.</i> A.H.							
61	canaliculàta. H.K.	(li.)	channelled.	————	1799.	8. 2.	G. h.	Andr. heath. v. 3.
62	canéscens. H.K.	(li.)	canescent.	————	1790.	5. 8.	G. h.	———— v. 2.
	<i>eriocéphala.</i> A.H. non Lam.							
63	càpax. L.T.	(re.wh.)	capacious.	————	1806.	————	G. h.	
64	capitàta. H.K.	(st.)	downy-headed.	————	1774.	3. 7.	G. h.	Andr. heath. v. 1.
65	carduifòlia. L.T.	(li.)	Carduus-leaved.	————	1806.	5. 7.	G. h.	
66	carinàta. B.C.	(pi.)	keeled.	————	————	6. 9.	G. h.	Lodd. bot. cab. t. 1071.
67	cárnea. L.	(pi.)	early dwarf.	Germany.	1763.	1. 8.	G. h.	Jacq. aust. t. 32.
68	carniula. B.C.	(fl.)	flesh-coloured.	C. B. S.	1816.	5. 8.	G. h.	Lodd. bot. cab. t. 926.
69	catervæfòlia. L.T.	(li.)	huddled-leaved.	————	1790.	4. 7.	G. h.	
70	Celsiàna. L.C.	(re.)	Cels's.	————	————	G. h.	
71	cephalòtes. w.	(pu.)	purple-headed.	————	1812.	3. 7.	G. h.	
72	cerinthoïdes. H.K.	(sc.)	honeywort-flower'd.	————	1774.	5. 9.	G. h.	Bot. mag. t. 220.
	<i>a glabriúscula.</i>	(sc.)	smoothish.	————	————	————	G. h.	
	<i>β hispida.</i>	(sc.)	bristly.	————	————	————	G. h.	
73	cérnuà. H.K.	(bh.)	drooping-flowered.	————	1791.	8. 12.	G. h.	Mont. ac. ups. 2. t. 9. f. 3.
74	cerviciflòra. L.T.	(ye.)	Stag's-horn-flower'd.	————	3. 7.	G. h.	
	<i>inapérta.</i> Hort.							
75	chlamydiflòra. L.T.	(re.)	cloaked-flower'd.	————	1801.	5. 9.	G. h.	
76	ciliàris. w.	(pi.)	ciliated.	Portugal.	1759.	7. 9.	H. h.	Bot. mag. t. 484.
77	ciliciflòra. L.T.	(wh.)	fringe-flower'd.	C. B. S.	5. 8.	G. h.	
78	cineráscens. w.	(pu.)	greyish.	————	————	G. h.	
79	cinèrea. w.	(pu.)	fine-leaved.	Britain.	6. 9.	H. h.	Eng. bot. v. 15. t. 1015.
	<i>a atropurpùrea.</i> (d.pu.)		dark-purple.	————	————	H. h.	Lodd. bot. cab. t. 1409.
	<i>β rubra.</i>	(re.)	red-flowered.	————	————	H. h.	

	<i>γ carnea.</i>	(<i>fl.</i>) <i>flesh-coloured.</i>	Britain.	6. 9.	H. h.	
	<i>δ alba.</i>	(<i>wh.</i>) <i>white-flowered.</i>	—————	—	H. h.	
80	<i>cistifolia.</i> L.en.	(<i>wh.</i>) <i>Cistus-leaved.</i>	C. B. S.	1799.	5. 8.	G. h.	Andr. heath. v. 2.
	<i>barbata</i> <i>β minor.</i> A.H.						
81	<i>clavæflora.</i> H.K.	(<i>gr.</i>) <i>club-flowered.</i>	—————	1779.	8. 10.	G. h.	Andr. heath. v. 2.
	<i>sessiliflora.</i> A.H. non L.						
82	<i>clavata.</i> s.s.	(<i>gr.</i>) <i>clubbed.</i>	—————	1812.	—	G. h.	Andr. heath. ic.
83	<i>Clintoniæ.</i> Lee.	(<i>ro.</i>) <i>Lady Clinton's.</i>	—————	1816.	5. 8.	G. h.	
84	<i>coarctata.</i> s.s.	(<i>li.</i>) <i>close.</i>	—————	—	G. h.	Wendl. eric. f. 19. n. 1.
85	<i>coccinea.</i> H.K.	(<i>sc.</i>) <i>scarlet-flowered.</i>	—————	1783.	1. 12.	G. h.	Andr. heath. v. 1.
86	<i>cólorans.</i> B.R.	(<i>wh.</i>) <i>changing-coloured.</i>	—————	1812.	1. 6.	G. h.	Bot. reg. t. 601.
87	<i>comosa.</i> H.K.	(<i>re.wh.</i>) <i>tufted.</i>	—————	1787.	4. 8.	G. h.	Ic. hort. kew. t. 18.
	<i>α rubra.</i>	(<i>re.</i>) <i>red-flowered.</i>	—————	—	—	G. h.	Wendl. eric. 12. p. 7. ic.
	<i>β alba.</i>	(<i>wh.</i>) <i>white-flowered.</i>	—————	—	—	G. h.	Andr. heath. v. 2.
88	<i>complanata.</i> s.s.	(<i>re.</i>) <i>flattened.</i>	—————	—	G. h.	
89	<i>Comptoniana.</i> s.s.	(<i>re.</i>) <i>Lady Northampton's.</i>	—————	1820.	—	G. h.	Andr. heath. v. 4.
90	<i>concava.</i> B.C.	(<i>pu.</i>) <i>concave-flowered.</i>	—————	1808.	2. 5.	G. h.	Lodd. bot. cab. t. 134.
91	<i>concinna.</i> H.K.	(<i>bh.</i>) <i>blush.</i>	—————	1773.	7. 10.	G. h.	Andr. heath. v. 2.
92	<i>cóncolor.</i> L.C.	(<i>wh.</i>) <i>self-coloured.</i>	—————	3. 6.	G. h.	
93	<i>conferta.</i> H.K.	(<i>wh.</i>) <i>crowded-flowered.</i>	—————	1800.	10. 2.	G. h.	Andr. heath. v. 2.
94	<i>confertifolia.</i> s.s.	(<i>re.</i>) <i>crowded-leaved.</i>	—————	5. 8.	G. h.	
95	<i>congèsta.</i> s.s.	(<i>wh.</i>) <i>close-headed.</i>	—————	1812.	—	G. h.	Wendl. eric. f. 17. n. 5.
96	<i>cónica.</i> L.C.	(<i>re.</i>) <i>conical.</i>	—————	1820.	—	G. h.	Lodd. bot. cab. t. 1159.
97	<i>conspicua.</i> H.K.	(<i>ye.</i>) <i>conspicuous.</i>	—————	1774.	—	G. h.	Andr. heath. v. 2.
98	<i>constántia.</i> Lee.	(<i>re.</i>) <i>constant-flowered.</i>	—————	1810.	—	G. h.	
99	<i>cordata.</i> H.K.	(<i>wh.</i>) <i>heart-leaved.</i>	—————	1799.	4. 7.	G. h.	Andr. heath. v. 3.
100	<i>corifolia.</i> H.K.	(<i>bh.</i>) <i>Coris-leaved.</i>	—————	1774.	8. 12.	G. h.	Bot. mag. t. 422.
	<i>articulàris.</i> B.M. <i>calycina.</i> A.H.						
101	<i>corydalis.</i> L.T.	(<i>re.</i>) <i>winged anthered.</i>	—————	1812.	2. 5.	G. h.	
102	<i>costata.</i> H.K.	(<i>re.</i>) <i>ribbed-flowered.</i>	—————	1795.	2. 6.	G. h.	Andr. heath. v. 1.
	<i>β supérba.</i> A.H.	(<i>bh.</i>) <i>superb.</i>	—————	1820.	4. 5.	G. h.	————— v. 4.
103	<i>Coventryana.</i> B.C.	(<i>ro.</i>) <i>Lord Coventry's.</i>	—————	1808.	5. 6.	G. h.	Lodd. bot. cab. t. 423.
104	<i>crassifolia.</i> A.H.	(<i>li.</i>) <i>thick-leaved.</i>	—————	1826.	—	G. h.	Andr. heath. v. 4.
105	<i>crinita.</i> B.C.	(<i>wh.</i>) <i>long-haired.</i>	—————	1825.	—	G. h.	Bot. cab. t. 1432.
106	<i>cristæflora.</i> L.T.	(<i>li.</i>) <i>crested.</i>	—————	1803.	—	G. h.	
107	<i>crossota.</i> s.s.	(<i>wh.</i>) <i>fringed-calyxed.</i>	—————	1820.	—	G. h.	
108	<i>cruciformis.</i> s.s.	(<i>ye.</i>) <i>cross-like.</i>	—————	1818.	—	G. h.	Andr. heath. v. 4.
109	<i>cruenta.</i> H.K.	(<i>cr.</i>) <i>bloody-flowered.</i>	—————	1774.	9. 5.	G. h.	————— v. 1.
110	<i>cùbica.</i> H.K.	(<i>pu.</i>) <i>cube-flowered.</i>	—————	1790.	4. 7.	G. h.	————— v. 1.
	<i>β minor.</i> B.C.	(<i>pu.</i>) <i>lesser cube-flowered.</i>	—————	—	—	G. h.	Lodd. bot. cab. t. 972.
111	<i>cumuliflora.</i> L.T.	(<i>wh.</i>) <i>heap-flowered.</i>	—————	1801.	5. 9.	G. h.	
112	<i>curviflora.</i> H.K.	(<i>ye.</i>) <i>curve-flowered.</i>	—————	1774.	7. 10.	G. h.	Andr. heath. v. 1.
113	<i>curviróstris.</i> L.T.	(<i>li.</i>) <i>curve-styled.</i>	—————	1790.	—	G. h.	
	<i>declinata.</i> Hort.						
114	<i>Cushiniana.</i> Lee.	(<i>re.</i>) <i>Cushin's.</i>	—————	1816.	—	G. h.	
115	<i>cuspidigera.</i> L.T.	(<i>li.</i>) <i>cuspidate.</i>	—————	—	2. 5.	G. h.	
116	<i>cylíndrica.</i> Th.	(<i>wh.</i>) <i>white cylindrical.</i>	—————	1810.	3. 5.	G. h.	
117	<i>cyrillæflora.</i> L.T.	(<i>li.</i>) <i>Cyrilla-flowered.</i>	—————	1800.	2. 8.	G. h.	
118	<i>daphnæflora.</i> B.C.	(<i>bh.</i>) <i>Daphne-flowered.</i>	—————	1791.	4. 5.	G. h.	Lodd. bot. cab. t. 543.
119	<i>daphnoídes.</i> B.C.	(<i>ro.</i>) <i>Daphne-like.</i>	—————	—	—	G. h.	————— t. 154.
120	<i>decípiens.</i> s.s.	(<i>fl.</i>) <i>slender woolly.</i>	—————	1822.	—	G. h.	
121	<i>decólorans.</i> W.	(<i>ro.wh.</i>) <i>discoloured.</i>	—————	1812.	—	G. h.	
122	<i>decòra.</i> H.K.	(<i>li.</i>) <i>graceful.</i>	—————	1790.	11. 1.	G. h.	Andr. heath. v. 3.
123	<i>defléxa.</i> L.C.	(<i>wh.</i>) <i>deflexed.</i>	—————	1812.	5. 8.	G. h.	
124	<i>demíssa.</i> L.C.	(<i>re.</i>) <i>low.</i>	—————	1810.	—	G. h.	
125	<i>dénsa.</i> s.s.	(<i>bh.</i>) <i>dense.</i>	—————	—	—	G. h.	Andr. heath. ic.
126	<i>densifolia.</i> W.	(<i>re.</i>) <i>dense-leaved.</i>	—————	1811.	3. 8.	G. h.	
127	<i>denticulata.</i> W.	(<i>wh.</i>) <i>tooth-calyxed.</i>	—————	—	—	G. h.	Lodd. bot. cab. t. 1090.
	<i>fastigiata.</i> A.H. <i>nec aliorum.</i>						
128	<i>depréssa.</i> H.K.	(<i>wh.</i>) <i>depressed.</i>	—————	1789.	6. 8.	G. h.	Andr. heath. v. 2.
	<i>rupéstris.</i> A.H.						
129	<i>dianthifolia.</i> L.T.	(<i>re.</i>) <i>pink-leaved.</i>	—————	1796.	3. 8.	G. h.	
130	<i>diaphàna.</i> s.s.	(<i>fl.</i>) <i>transparent.</i>	—————	1800.	5. 8.	G. h.	Andr. heath. v. 4.
	<i>transparens.</i> B.C. 177. non Th.						
131	<i>dichrus.</i> s.s.	(<i>re.gr.</i>) <i>Andrew's 2-color'd.</i>	—————	1790.	8. 5.	G. h.	Andr. heath. v. 4.
	<i>bicolor.</i> A.H. non W.						
132	<i>Dickensoniàna.</i> L.C.	(<i>va.</i>) <i>Mr. Dickenson's.</i>	—————	1809.	—	G. h.	
	<i>α alba.</i>	(<i>wh.</i>) <i>white-flowered.</i>	—————	—	—	G. h.	
	<i>β rubra.</i>	(<i>re.</i>) <i>red-flowered.</i>	—————	—	—	G. h.	

133	<i>diosmæfölia</i> . L.T. (<i>li.</i>) Diosma-leaved. C. B. S.	1792.	3. 7.	G. h.	
134	<i>diotæflöra</i> . L.T. (<i>wh.</i>) Diotis-flowered. ———	1795.	3. 8.	G. h.	
135	<i>díscolor</i> . H.K. (<i>bh.</i>) different-coloured. ———	1788.	10. 3.	G. h.	Andr. heath. v. 1.
136	<i>dístans</i> . s.s. (<i>vi.</i>) distant. ———	1816.	—	G. h.	
137	<i>Donniána</i> . Lee. (<i>re.</i>) Donn's. ———	1812.	5. 9.	G. h.	
138	<i>droseroídes</i> . A.H. (<i>pu.</i>) Sundew-like. ———	—	7. 10.	G. h.	Andr. heath. v. 4.
	<i>droseroídes</i> β <i>mínor</i> . A.H.				
139	<i>dumòsa</i> . A.H. (<i>re.</i>) bushy. ———	—	—	G. h.	Andr. heath. v. 4.
140	<i>echiiflöra</i> . H.K. (<i>pi.</i>) Echium-flowered. ———	1798.	2. 7.	G. h.	———— v. 3.
	β <i>purpúrea</i> . A.H. (<i>pu.</i>) purple-flowered. ———	1812.	—	G. h.	———— v. 4.
141	<i>elâta</i> . H.K. (<i>ye.</i>) tall. ———	1790.	7. 9.	G. h.	———— v. 2.
142	<i>élegans</i> . H.K. (<i>pi.</i>) elegant. ———	1799.	11. 5.	G. h.	Bot. mag. t. 960.
143	<i>elongâta</i> . B.C. (<i>wh.</i>) elongated. ———	1820.	3. 6.	G. h.	Lodd. bot. cab. t. 738.
144	<i>emarginâta</i> . A.H. (<i>wh.</i>) hairy cupped. ———	1800.	6. 10.	G. h.	Andr. heath. ic.
145	<i>embothriifölia</i> . L.T. (<i>re.</i>) Embotrium-leav'd. ———	—	2. 5.	G. h.	
146	<i>empetrifölia</i> . H.K. (<i>re.</i>) crowberry-leaved. ———	1774.	4. 7.	G. h.	Bot. mag. t. 447.
147	<i>empetroídes</i> . H.K. (<i>pu.</i>) close-flowered. ———	1788.	5. 8.	G. h.	Andr. heath. v. 2.
148	<i>epistómia</i> . L.C. (<i>wh.</i>) spiggot. ———	1800.	—	G. h.	Lodd. bot. cab. t. 1186.
149	<i>equisetifölia</i> . L.T. (<i>re.</i>) Equisetum-leaved. ———	—	—	G. h.	
	<i>articulâris</i> . Hort.				
150	<i>eriocéphala</i> . B.C. (<i>wh.</i>) woolly-headed. ———	1816.	6. 8.	G. h.	Lodd. bot. cab. t. 1270.
151	<i>eròsa</i> . B.C. (<i>bh.</i>) gnawed-petal'd. ———	—	—	G. h.	———— t. 133.
152	<i>erubéscens</i> . H.K. (<i>bh.</i>) reddish-flowered. ———	1800.	3. 8.	G. h.	Andr. heath. v. 3.
153	<i>Eweràna</i> . H.K. (<i>cr.</i>) Ewer's. ———	1793.	7. 11.	G. h.	———— v. 2.
	<i>a glábra</i> . (<i>cr.</i>) smooth-leaved. ———	—	—	G. h.	
	β <i>longiflöra</i> . (<i>cr.</i>) long-flowered. ———	—	—	G. h.	
	γ <i>pilòsa</i> . (<i>cr.</i>) hairy-leaved. ———	—	—	G. h.	
154	<i>exígua</i> . L.T. (<i>pu.</i>) small downy. ———	1790.	3. 9.	G. h.	
155	<i>exímia</i> . L.C. (<i>ro.</i>) choice. ———	1811.	—	G. h.	Lodd. bot. cab. t. 1105.
156	<i>exsérta</i> . L.C. (<i>wh.</i>) exerted. ———	1820.	—	G. h.	
157	<i>expánsa</i> . L.C. (<i>re.</i>) expanded. ———	1811.	—	G. h.	
158	<i>exprómta</i> . s.s. (<i>re.</i>) woolly-branched. ———	—	—	G. h.	
159	<i>exsúdans</i> . B.C. (<i>pi.</i>) sweating. ———	1810.	8. 10.	G. h.	Lodd. bot. cab. t. 287.
160	<i>exsúrgens</i> . H.K. (<i>or.re.</i>) quiver-formed. ———	1792.	1. 12.	G. h.	Andr. heath. v. 1.
161	<i>fábrilis</i> . L.T. (<i>re.</i>) tiled-leaved. ———	1791.	4. 8.	G. h.	
162	<i>fállax</i> . L.T. (<i>wh.</i>) viscous-flower'd. ———	—	11. 3.	G. h.	
163	<i>fasciculâris</i> . H.K. (<i>ro.gr.</i>) cluster-flower'd. ———	1787.	2. 7.	G. h.	Andr. heath. v. 1.
	<i>coronâta</i> . A.H. <i>radiiflöra</i> . L.T.				
164	<i>fastigiâta</i> . W. (<i>bh.</i>) crowded. ———	1792.	2. 7.	G. h.	Andr. heath. v. 1.
	<i>Walkèri</i> . A.H. v. 1. nec v. 4.				
165	<i>faústa</i> . L.T. (<i>re.</i>) bristly-leaved. ———	1795.	4. 6.	G. h.	
166	<i>ferrugínea</i> . H.K. (<i>cr.bh.</i>) rusty. ———	1798.	5. 7.	G. h.	Andr. heath. v. 3,
167	<i>fésta</i> . L.T. (<i>bh.</i>) angular-stalked. ———	3. 5.	G. h.	
168	<i>fibula</i> . L.en. (<i>li.</i>) button. ———	1812.	5. 6.	G. h.	
169	<i>filamentòsa</i> . H.K. (<i>re.</i>) long-peduncled. ———	1800.	1. 12.	G. h.	Bot. reg. t. 6.
170	<i>filifórmis</i> . L.T. (<i>re.</i>) filiform. ———	2. 5.	G. h.	
171	<i>fimbriâta</i> . A.H. (<i>re.</i>) fringed. ———	1800.	3. 7.	G. h.	Andr. heath. ic.
172	<i>finitíma</i> . L.C. (<i>pu.</i>) related. ———	—	G. h.	
173	<i>fistulæflöra</i> . L.T. (<i>wh.</i>) white slender-flower'd. —	1800.	7. 11.	G. h.	Andr. heath. v. 3.
	<i>tenuiflöra</i> β <i>álba</i> . A.H. <i>Cliffordiána</i> . B.C. 34.				
174	<i>fláccida</i> . L.en. (<i>wh.</i>) flaccid. ———	1810.	—	G. h.	
175	<i>flagellâris</i> . L.en. (<i>st.</i>) whipcord. ———	—	—	G. h.	
176	<i>flagellifórmis</i> . A.H. (<i>re.</i>) whipcord-like. ———	1812.	—	G. h.	Andr. heath. v. 4.
177	<i>flámmea</i> . H.K. (<i>ye.</i>) flame-flowered. ———	1798.	10. 5.	G. h.	———— v. 2.
	<i>bibax</i> . L.T.				
178	<i>fláva</i> . H.K. (<i>ye.</i>) 3-leaved yellow. ———	1795.	9. 4.	G. h.	Andr. heath. v. 2.
	β <i>imbricâta</i> . B.M. (<i>ye.</i>) imbricated. ———	—	—	G. h.	Bot. mag. t. 1815.
179	<i>flexicaülis</i> . H.F. (<i>re.</i>) crook-stalked. ———	1800.	5. 1.	G. h.	Andr. heath. v. 2.
	<i>glandulòsa</i> . A.H. nec aliorum.				
180	<i>flexuòsa</i> . H.K. (<i>wh.</i>) zigzag. ———	1792.	4. 7.	G. h.	Andr. heath. v. 1.
181	<i>floribúnda</i> . B.C. (<i>li.</i>) many-flowered. ———	1800.	11. 3.	G. h.	Lodd. bot. cab. t. 176.
182	<i>flòrida</i> . H.K. (<i>pu.</i>) florid. ———	1803.	5. 8.	G. h.	Thunb. eric. n. 64. t. 6.
183	<i>foliácea</i> . A.H. (<i>ye.</i>) foliaceous. ———	1822.	5. 7.	G. h.	Andr. heath. v. 4.
184	<i>folliculâris</i> . H.K. (<i>ye.</i>) yellow pencilled. ———	1794.	2. 7.	G. h.	———— v. 1.
	<i>Petiveriána</i> . A.H.				
185	<i>formòsa</i> . W. (<i>va.</i>) handsome. ———	1795.	3. 8.	G. h.	Thunb. eric. n. 82. t. 3.
	<i>a álba</i> . (<i>wh.</i>) white-flowered. <i>reflexa álba</i> . Hort. —	—	—	G. h.	Andr. heath. v. 4.
	β <i>rúbra</i> . (<i>re.</i>) red-flowered. <i>reflexa rúbra</i> . Hort. —	—	—	G. h.	———— v. 4.
186	<i>frágrans</i> . H.K. (<i>pu.</i>) fragrant. C. B. S.	1803.	3. 7.	G. h.	Bot. mag. t. 2181.

187	fùgax. L.T. (pu.) fugacious.	C. B. S.	1800.	3. 5.	G. h.	
188	furfuròsa. H.K. (re.) columnar-threaded.	—	1789.	8. 12.	G. h.	Andr. heath. v. 1.
	<i>monadélpha.</i> A.H. non B.M.					
189	gélida. H.K. (gr.) green verticillate.	—	1790.	4. 7.	G. h.	Andr. heath. v. 2.
	<i>gílva.</i> w. <i>alveiflòra.</i> L.T.					
190	gemmaifera. B.M. (or.) jewel.	—	1802.	7. 10.	G. h.	Bot. mag. t. 2266.
191	genistæfòlia. L.T. (re.) Genista-leaved.	—	10. 5.	G. h.	
192	glábra. L.en. (wh.) glabrous.	—	1802.	5. 8.	G. h.	
193	glandulòsa. Th. (cr.) glandular-haired.	—	1801.	—	G. h.	
194	glàuca. H.K. (pu.) glaucous-leaved.	—	1792.	—	G. h.	Bot. mag. t. 580.
195	globòsa. w. (bh.) globular-flowered.	—	1789.	7. 9.	G. h.	Andr. heath. v. 4.
196	glomeràta. s.s. (li.) glomerate.	—	1812.	—	G. h.	— v. 4.
197	glomiflòra. L.T. (wh.) round-flowered.	—	4. 9.	G. h.	
198	glutinòsa. H.K. (pu.) glutinous.	—	1787.	7. 10.	G. h.	Icon. hort. kew. t. 17.
	<i>droseróides.</i> A.H.					
199	gnaphalòdes. w. (wh.) cudweed-like.	—	1812.	2. 4.	G. h.	Pluk. m. 68. t. 346. f. 11.
200	grácilis. H.K. (re.) gracile.	—	1794.	2. 6.	G. h.	Wend. eric. 8. p. 9. ic.
201	grandiflòra. H.K. (ye.) great-flowered.	—	1775.	5. 9.	G. h.	Bot. mag. t. 189.
202	grandinòsa. B.C. (wh.) hail-flowered.	—	1820.	—	G. h.	Lodd. bot. cab. t. 627.
203	halicácaba. H.K. (wh.) bladder-flowered.	—	1780.	5. 8.	G. h.	Andr. heath. v. 2.
204	helianthemifòlia. L.T. plain-leaved.	—	1796.	6. 9.	G. h.	
205	herbàcea. L. (fl.) trailing.	S. Europe.	1763.	1. 8.	H. f.	Bot. mag. t. 471.
206	Hibbertiàna. H.K. (cr. gr.) Hibbert's.	C. B. S.	1800.	6. 9.	G. h.	Andr. heath. v. 3.
207	hirsùta. B.C. (wh. pu.) hairy.	—	1812.	5. 8.	G. h.	Lodd. bot. cab. t. 734.
208	hírta. w. (re.) hairy-leaved.	—	1795.	4. 7.	G. h.	Thunb. eric. n. 56. t. 2.
209	hirtiflòra. B.M. (li.) hairy-flowered.	—	1790.	—	G. h.	Bot. mag. t. 481.
210	hispida. s.s. (re.) hispid.	—	1791.	7. 9.	G. h.	Andr. heath. ic.
211	hispídula. w. (pu.) bristly-stemmed.	—	—	6. 8.	G. h.	
212	holosericea. L.T. (wh.) velvety.	—	2. 7.	G. h.	
213	horizontàlis. H.K. (wh.) horizontal-leaved.	—	1800.	7. 9.	G. h.	Andr. heath. v. 2.
214	Humeàna. B.C. (pi.) Sir A. Hume's.	—	1808.	5. 7.	G. h.	Lodd. bot. cab. t. 389.
215	humifùsa. L.T. (pi.) low.	—	6. 7.	G. h.	
216	hyacinthóides. H.K. (pi.) Hyacinth-flower'd.	—	1798.	6. 8.	G. h.	Andr. heath. v. 3.
217	hyssopifòlia. L.T. (re.) Hyssop-leaved.	—	1800.	5. 9.	G. h.	
218	ignéscens. H.K. (or. sc.) fiery.	—	1792.	3. 7.	G. h.	Andr. heath. v. 2.
219	imbecílla. (re.) feeble.	—	1793.	6. 7.	G. h.	
	<i>grácilis.</i> L.T. <i>nec aliorum.</i>					
220	imbricàta. w. (pu.) imbricated.	—	1786.	5. 8.	G. h.	Lodd. bot. cab. t. 1243.
221	imperialis. s.s. (ro.) imperial.	—	1816.	—	G. h.	Andr. heath. v. 4.
222	incàna. s.s. (wh. re.) hoary.	—	—	—	G. h.	Wend. er. f. 18. n. 4. ic.
223	incarnàta. w. (fl.) flesh-coloured.	—	1791.	—	G. h.	Andr. heath. v. 1.
224	incúrva. w. (wh.) incurved.	—	—	—	G. h.	
225	inflàta. w. (ro.) inflated.	—	1800.	5. 9.	G. h.	Thunb. dis. n. 67. t. 2. f. 2.
226	infundibulifórmis. (ro. wh.) funnel-flower'd.	—	1812.	—	G. h.	Lodd. bot. cab. t. 589.
227	intertéxta. B.C. (wh.) interwoven.	—	1810.	—	G. h.	— t. 1034.
228	intervallàris. L.T. (bh.) distant-leaved.	—	—	5. 11.	G. h.	
229	Irbyàna. A.H. (bh.) Irby's.	—	1800.	6. 10.	G. h.	Andr. heath. v. 3.
230	jasminiflòra. H.K. (wh.) Jasmine-flower'd.	—	1794.	—	G. h.	— v. 1.
231	jubàta. s.s. (re.) crest-flowered.	—	1816.	—	G. h.	
232	Juliàna. s.s. (re.) Julian's.	—	1812.	5. 10.	G. h.	Lodd. bot. cab. t. 799.
233	labiàlis. L.T. (pi.) lipped.	—	—	—	G. h.	
234	lachneæfòlia. H.K. (pu.) Lachnea-leaved.	—	1793.	5. 7.	G. h.	Andr. heath. v. 3.
235	lactiflòra. B.C. (st.) milk-coloured.	—	1816.	—	G. h.	Lodd. bot. cab. t. 901.
	<i>tricolor.</i> s.s.					
236	l'ævis. A.H. (wh.) smooth.	—	1790.	3. 6.	G. h.	Andr. heath. v. 3.
237	Lambertiàna. H.K. (wh.) Lambert's.	—	1800.	5. 8.	G. h.	— v. 2.
238	lanàta. w. (sn.) woolly.	—	1775.	2. 5.	G. h.	Wend. eric. f. 5. n. 2.
239	lanceolàta. P.S. (wh.) spear-leaved.	—	1791.	6. 12.	G. h.	— fasc. 8. p. 13. ic.
240	lanuginòsa. H.K. (br.) large brown-flower'd.	—	1803.	9. 1.	G. h.	Andr. heath. v. 3.
241	laricina. s.s. (pi.) Larch-leaved.	—	1824.	6. 8.	G. h.	
242	lasiophylla. s.s. (li.) downy-leaved.	—	1816.	5. 8.	G. h.	
243	lateràlis. H.K. (fl.) side-flowered.	—	1791.	3. 7.	G. h.	Andr. heath. v. 1.
244	latifòlia. H.K. (re.) broad-leaved.	—	1800.	5. 8.	G. h.	— v. 2.
245	lavandulæfòlia. L.T. (re.) Lavender-leaved.	—	1795.	—	G. h.	
246	Lawsòni. B.M. (re.) red slender-flower'd.	—	1802.	4. 7.	G. h.	Bot. mag. t. 1720.
247	láxa. H.K. (li.) loose-flowered.	—	1800.	9. 2.	G. h.	Andr. heath. v. 3.
248	Leeàna. H.K. (ye.) Lee's.	—	1788.	8. 1.	G. h.	— v. 1.
249	leptocárpha. s.s. (re.) slender chaffed.	—	1824.	4. 7.	G. h.	
250	leucántha. L.en. (wh.) white-blossomed.	—	1803.	1. 5.	G. h.	Andr. heath. v. 2.
	<i>leucanthèra.</i> A.H. non L.					

251	leucanthèra. w. (wh.) white-tipped.	C. B. S.	1803.	2. 6.	G. h.	
252	Linnæana. H. K. (pu. wh.) Linnæus's.	————	1790.	1. 5.	G. h.	Andr. heath. v. 2.
	<i>Linnæoides.</i> A. H.					
	<i>β superba.</i> A. H. (pu. wh.) superb.	————	1822.	—	G. h.	Andr. heath. v. 4.
253	longiflora. B. C. (ye.) long-flowered.	————	4. 8.	G. h.	Lodd. bot. cab. t. 983.
254	longifolia. w. (re.) long-leaved.	————	1787.	2. 7.	G. h.	Wend. eric. t. 3.
	<i>pinæa.</i> Wend.					
255	longipedunculata. (li.) long-stalked.	————	1818.	3. 8.	G. h.	Lodd. bot. cab. t. 103.
256	lucida. H. K. (pi.) lucid.	————	1800.	4. 1.	G. h.	Andr. heath. v. 2.
257	lutea. H. K. (ye.) yellow.	————	1774.	2. 5.	G. h.	———— v. 1.
258	lyrigera. L. T. (re.) lyre-bearing.	————	1790.	—	G. h.	
259	magnifica. s. s. (ro.) magnificent.	————	1816.	4. 8.	G. h.	Andr. heath. v. 4.
260	mammosa. w. (pu.) nipple.	————	1762.	7. 10.	G. h.	———— v. 1.
	<i>α purpurea.</i> (pu.) purple-flowered.	————	—	—	G. h.	Lodd. bot. cab. t. 125.
	<i>β pallida.</i> (li.) pale-flowered.	————	—	—	G. h.	———— t. 951.
261	margaritacea. H. K. (wh.) pearl-flowered.	————	1775.	5. 9.	G. h.	Andr. heath. v. 1.
262	marifolia. H. K. (wh.) Marum-leaved.	————	1773.	5. 7.	G. h.	———— v. 1.
263	Massoni. H. K. (or. gr.) Masson's.	————	1787.	7. 10.	G. h.	Bot. mag. t. 336.
264	mediterranea. w. (re.) Mediterranean.	Portugal.	1648.	3. 5.	H. h.	———— t. 471.
265	melanthèra. w. (li.) dark-anthered.	C. B. S.	1803.	6. 8.	G. h.	Lodd. bot. cab. t. 867.
266	melastoma. A. H. (ye.) black-anthered.	————	1795.	4. 7.	G. h.	———— t. 333.
267	mellifera. s. s. (pu.) honey-bearing.	————	1816.	—	G. h.	
268	metulæflora. H. K. (re.) nine-pin.	————	1798.	6. 8.	G. h.	Bot. mag. t. 612.
269	microphylla. L. C. (re.) small-leaved.	————	—	G. h.	
270	microstoma. s. s. (re.) aggregate-flower'd.	————	1816.	—	G. h.	
271	minutæflora. A. R. (pu.) minute-flowered.	————	1822.	5. 7.	G. h.	Andr. heath. v. 4.
272	mirabilis. A. H. (pu.) wonderful.	————	—	3. 8.	G. h.	———— v. 4.
273	modesta. L. T. (bh.) modest.	————	—	G. h.	
274	mollearis. P. S. (pu.) soft-leaved.	————	1803.	4. 10.	G. h.	
275	mollis. s. s. (pu.) soft.	————	1816.	—	G. h.	Andr. heath. v. 4.
276	mollissima. L. C. (wh.) softest.	————	—	G. h.	
277	monadelphæ. B. M. (wh.) monadelphous.	————	1789.	5. 7.	G. h.	Bot. mag. t. 1370.
	<i>Banksia β purpurea.</i> A. H.					
278	Monsoniæ. H. K. (wh.) Lady Monson's.	————	1787.	4. 9.	G. h.	Bot. mag. t. 1915.
279	montana. L. C. (li.) mountain.	————	1816.	—	G. h.	
280	moschata. A. H. (li.) musky.	————	1805.	5. 7.	G. h.	Andr. heath. v. 4.
281	mucosa. H. K. (pu.) mucous.	————	1787.	2. 4.	G. h.	———— v. 1.
282	mucosoides. L. C. (li.) mucous-like.	————	1800.	3. 4.	G. h.	Lodd. bot. cab. t. 1212.
283	mucronata. s. s. (re.) mucronate.	————	1812.	4. 8.	G. h.	Andr. heath. v. 4.
284	multiflora. H. K. (bh.) many-flowered.	France.	1731.	6. 11.	G. h.	———— v. 2.
285	munda. L. T. (bh.) neat-flowered.	C. B. S.	5. 7.	G. h.	
286	mundula. B. C. (pi.) neat.	————	1816.	3. 8.	G. h.	Lodd. bot. cab. t. 114.
287	Muscari. H. K. (st.) musk.	————	1790.	—	G. h.	Andr. heath. v. 1.
288	mutabilis. H. K. (pu.) mutable.	————	1798.	2. 10.	G. h.	———— v. 3.
289	nana. L. T. (ye.) dwarf.	————	1792.	5. 8.	G. h.	———— v. 2.
	<i>depressa.</i> A. H.					
290	nidiflora. L. T. (bh.) nest-flowered.	————	10. 5.	G. h.	
291	nidularia. B. C. (pi.) nest-like.	————	1816.	5. 8.	G. h.	Lodd. bot. cab. t. 764.
292	nigricans. s. s. (wh.) black-stamened.	————	—	—	G. h.	
293	nigrita. H. K. (wh.) black-tipped.	————	1790.	3. 7.	G. h.	Andr. heath. v. 1.
294	nitida. H. K. (wh.) shining.	————	1800.	7. 10.	G. h.	———— v. 3.
295	nivalis. A. H. (wh.) snowy-flowered.	————	1820.	5. 6.	G. h.	———— v. 4.
296	nivea. s. s. (wh.) snowy.	————	1816.	5. 9.	G. h.	
297	Niveni. H. K. (re.) Niven's.	————	1799.	2. 7.	G. h.	Andr. heath. v. 2.
298	nolæflora. L. T. (re.) bell-shaped.	————	2. 5.	G. h.	
299	notabilis. s. s. (re.) notable.	————	1816.	3. 8.	G. h.	
300	nudiflora. w. (ye.) small-bracted.	————	1783.	7. 8.	G. h.	
301	obbata. H. K. (re. wh.) bottle.	————	1796.	4. 7.	G. h.	Andr. heath. v. 2.
302	obcordata. s. s. (wh.) obcordate.	————	1812.	—	G. h.	
303	obliqua. H. K. (pu.) oblique-leaved.	————	1789.	8. 10.	G. h.	Andr. heath. v. 1.
304	obtusa. B. C. (re.) obtuse.	————	1816.	5. 8.	G. h.	Lodd. bot. cab. t. 1027.
305	octogona. L. C. (re.) eight-angled.	————	—	—	G. h.	
306	odorata. H. K. (wh.) perfumed.	————	1804.	4. 7.	G. h.	Andr. heath. v. 3.
307	ollula. s. s. (ro.) close smooth-leav'd.	————	1812.	—	G. h.	———— v. 4.
308	onosmaflora. L. T. (ye.) Onosma-flowered.	————	1789.	9. 5.	G. h.	———— v. 1.
	<i>glutinosa.</i> A. H. <i>viscosa.</i> Wend.					
309	oppositifolia. A. H. (wh.) opposite-leaved.	————	1804.	3. 5.	G. h.	Andr. heath. c. ic.
	<i>α alba.</i> (wh.) white-flowered.	————	—	—	G. h.	Lodd. bot. cab. t. 1343.
	<i>β rubra.</i> B. C. (re.) red-flowered.	————	—	—	G. h.	———— t. 1060.

310	<i>ostrina</i> . B.C. (sc.) scarlet-flowered. C. B. S.	1824.	3. 6.	G. h.	Lodd. bot. cab. t. 121
311	<i>ovata</i> . B.C. (re.) ovate.	1791.	2. 5.	G. h.	_____ t. 417.
312	<i>oxycoccifolia</i> . L.T. (bh.) Cranberry-leaved.	_____	_____	G. h.	_____
313	<i>pallens</i> . s.s. (st.) pale.	1812.	3. 8.	G. h.	Andr. heath. v. 4.
314	<i>pallida</i> . B.C. (pu.) pallid.	_____	_____	G. h.	Lodd. bot. cab. t. 133
315	<i>palliiflora</i> . L.T. (pa.) pale-flowered.	2. 8.	G. h.	_____
316	<i>palustris</i> . H.K. (bh.) marsh.	1799.	5. 10.	G. h.	Andr. heath. v. 2.
317	<i>paniculata</i> . w. (pu.) panicked.	1774.	2. 8.	G. h.	Lodd. bot. cab. t. 119
318	<i>pannosa</i> . L.T. (wh.) cloth-flowered.	2. 6.	G. h.	_____
319	<i>parilis</i> . L.T. (re.) matched.	1789.	5. 8.	G. h.	_____
320	<i>Parmentieri</i> . B.C. (wh.) Parmentier's.	1816.	_____	G. h.	Lodd. bot. cab. t. 197
	β <i>rosea</i> . L.C. (ro.) rose-coloured.	_____	_____	G. h.	_____
321	<i>parviflora</i> . L.T. (pu.) small-fl. downy.	1790.	3. 9.	G. h.	_____
322	<i>Passerina</i> . w. (wh.) sparrow-wort.	1800.	11. 5.	G. h.	Petiv. gaz. t. 3. f. 7.
323	<i>pátens</i> . A.H. (pu.) spreading.	_____	3. 6.	G. h.	Andr. heath. v. 3.
324	<i>Patersoni</i> . H.K. (ye.) Paterson's.	1791.	3. 8.	G. h.	_____ v. 1.
325	<i>pavettaflora</i> . L.T. (wh.) Pavetta-flowered.	5. 8.	G. h.	_____
326	<i>pectinifolia</i> . L.T. (bh.) pectinated.	1800.	11. 6.	G. h.	_____
327	<i>pedunculata</i> . s.s. (re.) peduncled.	1810.	5. 9.	G. h.	_____
328	<i>pellucida</i> . A.H. (wh.) pellucid.	1800.	10. 6.	G. h.	Andr. heath. v. 3.
	β <i>rùbra</i> . A.H. (re.) red-flowered.	1806.	_____	G. h.	_____ v. 4.
329	<i>peltata</i> . A.H. (gr.pu.) peltate-stigma'd.	1804.	4. 8.	G. h.	_____ v. 4.
330	<i>péndula</i> . w. (pu.) pendulous.	1791.	7. 8.	G. h.	Lodd. bot. cab. t. 96
331	<i>penicillata</i> . A.H. (re.) pencilled.	1774.	4. 7.	G. h.	Andr. heath. v. 2.
332	<i>penicilliflora</i> . L.T. (wh.) white-pencilled.	1792.	5. 8.	G. h.	Wend. eric. 4. p. 5. k
333	<i>periplocæfolia</i> . L.T. (li.) Periploca-leaved.	_____	8. 12.	G. h.	_____
334	<i>persoluta</i> . H.K. (re.) garland.	1774.	2. 5.	G. h.	Bot. mag. t. 342.
335	<i>perspicua</i> . H.K. (wh.) clear-flowered.	1790.	3. 6.	G. h.	Wend. eric. 1. p. 7. i
	β <i>Linnæa</i> . A.H. v. 2.	_____	_____	_____	_____
336	<i>petiolata</i> . H.K. (wh.) rosemary-leaved.	1774.	3. 7.	G. h.	Andr. heath. v. 3.
337	<i>Petiveriana</i> . H.K. (ye.) Petiver's.	_____	_____	G. h.	Lam. ill. t. 288. f. 3.
338	<i>Peziza</i> . B.C. (wh.) button-flowered.	5. 8.	G. h.	Lodd. bot. cab. t. 256
339	<i>phylicoides</i> . w. (pu.) Phyllica-like.	1800.	4. 7.	G. h.	_____
340	<i>physodes</i> . H.K. (wh.) sticky.	1788.	3. 7.	G. h.	Bot. mag. t. 443.
341	<i>pícta</i> . L.C. (wh.ye.) painted.	1800.	_____	G. h.	_____
342	<i>pilosa</i> . s.s. (gr.) pilose.	_____	_____	G. h.	Lodd. bot. cab. t. 606
343	<i>pilulifera</i> . w. (pu.) ball-bearing.	1789.	4. 5.	G. h.	_____
344	<i>pinea</i> . s.s. (wh.) Pine-like.	1790.	8. 12.	G. h.	_____
	β <i>purpurea</i> . L.C. (pu.) purple.	_____	_____	G. h.	Lodd. bot. cab. t. 1251
345	<i>pinifolia</i> . A.H. (re.) Pine-leaved.	1790.	6. 12.	G. h.	Andr. heath. v. 1.
	<i>pityophylla</i> . s.s.	_____	_____	_____	_____
	α <i>coccinea</i> . A.H. (sc.) scarlet.	_____	_____	G. h.	Andr. heath. v. 1.
	β <i>discolor</i> . A.H. (wh.pu.) two-coloured.	1820.	_____	G. h.	_____ v. 4.
346	<i>planifolia</i> . A.H. (re.) flat-leaved.	_____	_____	G. h.	_____ v. 3.
347	<i>Plukenetiana</i> . H.K. (sc.) Plukenet's.	1774.	4. 7.	G. h.	_____ v. 1.
	β <i>pállida</i> . L.C. (pa.) pale-flowered.	_____	_____	G. h.	_____
	γ <i>álbens</i> . A.H. (wh.) white-flowered.	_____	_____	G. h.	Andr. heath. v. 4.
348	<i>polytricha</i> . (sc.gr.) many-haired.	_____	_____	G. h.	Lodd. bot. cab. t. 115
	<i>hirta</i> . Lodd. bot. cab. nec aliorum <i>pilosa</i> . Hort.	1804.	7. 10.	G. h.	_____
349	<i>præcox</i> . L.C. (li.) early-dwarf.	1805.	2. 5.	G. h.	Lodd. bot. cab. t. 145
350	<i>prægnans</i> . A.H. (bh.) swelled.	1796.	5. 7.	G. h.	Andr. heath. v. 3.
	β <i>coccinea</i> . (sc.) scarlet-flowered.	_____	_____	G. h.	_____ v. 4.
351	<i>præstans</i> . s.s. (bh.) excelling.	_____	_____	G. h.	_____ v. 4.
352	<i>primuloides</i> . A.H. (re.wh.) Cowslip-flower'd.	1802.	4. 7.	G. h.	Bot. mag. t. 1548.
353	<i>princeps</i> . H.K. (pi.) fine red.	1800.	_____	G. h.	Andr. heath. v. 2.
354	<i>procera</i> . s.s. (ye.) lofty.	1791.	_____	G. h.	_____
355	<i>procumbens</i> . s.s. (re.) procumbent.	1816.	_____	G. h.	_____
356	<i>propendens</i> . H.K. (pu.) pendent.	1800.	7. 8.	G. h.	Bot. mag. t. 2140.
357	<i>protrudens</i> . L.en. (wh.) protruding.	1816.	5. 8.	G. h.	_____
358	<i>pubescens</i> . H.K. (li.) pale downy.	1790.	2. 12.	G. h.	_____
359	<i>pubigera</i> . L.T. (li.) pubescent-flowered.	1792.	1. 5.	G. h.	_____
360	<i>pudibunda</i> . L.T. (bh.) nodding.	1812.	3. 8.	G. h.	Wend. eric. f. 3. p. 5. k
	<i>nütans</i> . Wendland.	_____	_____	_____	_____
361	<i>pulchella</i> . w. (re.) neat.	_____	_____	G. h.	Thunb. dis. n. 24. t. 4. k
362	<i>pulcherrima</i> . (ro.wh.) beautiful.	1820.	7. 10.	G. h.	Andr. heath. v. 4.
	<i>jasminiflora</i> β <i>minor</i> . A.H. v. 4, <i>Irbyana</i> . Hort. non Andr.	_____	_____	_____	_____
363	<i>pulverulenta</i> . L.C. (wh.) powdered.	_____	3. 8.	G. h.	_____
364	<i>pulviniformis</i> . L.T. (bh.) cushion.	_____	2. 5.	G. h.	_____
365	<i>pùmila</i> . s.s. (li.) short.	1812.	3. 8.	G. h.	Andr. heath. v. 4.

366	<i>pura</i> . B.C. (wh.) clear.	C. B. S.	1812.	5. 8.	G. h.	Lodd. bot. cab. t. 72.
367	<i>purpurea</i> . H.K. (pu.) purple-flowered.	_____	1789.	1. 12.	G. h.	Andr. heath. v. 2.
368	<i>pusilla</i> . L.T. (bh.) low.	_____	6. 7.	G. h.	
369	<i>pyramidalis</i> . H.K. (bh.) pyramidal.	_____	1787.	2. 5.	G. h.	Bot. mag. t. 366.
370	<i>pyramidiformis</i> . s.s. (bh.) pyramid-formed.	_____	1818.	—	G. h.	
371	<i>pyrolæflora</i> . L.T. (wh.) Pyrola-flowered.	_____	1790.	5. 7.	G. h.	Andr. heath. v. 4.
	<i>andromæflora</i> β <i>álba</i> . A.H. v. 4.					
372	<i>quadræflora</i> . L.T. (re.) four-flowered.	_____	—	3. 8.	G. h.	
373	<i>quadrangularis</i> . A.H. (fl.wh.) square-tubed.	_____	1812.	5. 8.	G. h.	Andr. heath. v. 4.
374	<i>radiata</i> . H.K. (re.) rayed.	_____	1798.	8. 11.	G. h.	_____ v. 1.
	β <i>discolor</i> . A.H. (re.wh.) two-coloured.	_____	1820.	—	G. h.	_____ v. 4.
375	<i>racemosa</i> . w. (fl.) racemed.	_____	1795.	4. 5.	G. h.	
376	<i>racemifera</i> . H.K. (re.) compact-flowered.	_____	1803.	4. 6.	G. h.	Andr. heath. v. 2.
377	<i>ramentacea</i> . H.K. (pu.) slender-branched.	_____	1786.	7. 12.	G. h.	_____ v. 1.
378	<i>ramulosa</i> . Viv. (li.) Italian.	Italy.	1826.	5. 8.	H. h.	
379	<i>recurvata</i> . B.C. (wh.) recurved.	C. B. S.	1812.	—	G. h.	Lodd. bot. cab. t. 1093.
380	<i>reflexa</i> . s.s. (pu.wh.) reflexed.	_____	—	G. h.	
381	<i>refulgens</i> . A.H. (ro.gr.) refulgent.	_____	1816.	5. 9.	G. h.	Andr. heath. v. 4.
382	<i>regérminans</i> . w. (li.) clustered-flower'd.	_____	1791.	5. 8.	G. h.	
383	<i>resinosa</i> . H.K. (or.) varnished.	_____	1803.	—	G. h.	Bot. mag. t. 1139.
	<i>ternix</i> . A.H. v. 3.					
384	<i>retorta</i> . H.K. (ro.) recurved-leaved.	_____	1787.	—	G. h.	Bot. mag. t. 362.
385	<i>retroflexa</i> . H.K. (re.) jointed.	_____	—	7. 9.	G. h.	Andr. heath. v. 1.
	<i>pulchella</i> . A.H. non Th. <i>articularis</i> . Th. non L.					
386	<i>rigida</i> . B.C. (re.) rigid.	_____	1820.	5. 8.	G. h.	Lodd. bot. cab. t. 1286.
387	<i>rigidifolia</i> . s.s. (re.) rigid-leaved.	_____	1816.	6. 8.	G. h.	
388	<i>Rollisoni</i> . (bh.) Rollison's.	_____	1823.	5. 8.	G. h.	Andr. heath. v. 4.
	<i>exurgens</i> β <i>hybrida</i> . A.H. v. 4.					
389	<i>rosea</i> . H.K. (ro.) rose-coloured.	_____	1798.	6. 10.	G. h.	Andr. heath. v. 2.
390	<i>rubella</i> . B.M. (re.) reddish.	_____	1812.	5. 8.	G. h.	Bot. mag. t. 2165.
391	<i>rubens</i> . H.K. (re.) red-flowered.	_____	1798.	6. 9.	G. h.	
392	<i>rubida</i> . B.C. (re.) ruby.	_____	1820.	—	G. h.	Lodd. bot. cab. t. 1166.
393	<i>rubrosépala</i> . (re.wh.) red-calyxed.	_____	1825.	—	G. h.	Andr. heath. v. 4.
	<i>rubercalyx</i> . A.H. v. 4.					
394	<i>rugosa</i> . s.s. (ye.pi.) wrinkled.	_____	1812.	—	G. h.	Andr. heath. v. 4.
395	<i>Russeliàna</i> . B.C. (ro.) Duke of Bedford's.	_____	1824.	—	G. h.	Lodd. bot. cab. t. 1013.
396	<i>Sainsburyàna</i> . s.s. (ro.) Sainsbury's.	_____	1804.	7. 9.	G. h.	Andr. heath. v. 4.
397	<i>sálix</i> . L.T. (re.) broad-stigma'd.	_____	1796.	5. 9.	G. h.	
398	<i>Salisburyàna</i> . s.s. (ro.) Salisbury's.	_____	1815.	—	G. h.	Andr. heath. v. 4.
399	<i>sanguinea</i> . B.C. (cr.) bloody.	_____	3. 8.	G. h.	Lodd. bot. cab. t. 36.
400	<i>sanguinolenta</i> . B.M. (pu.) dark-flowered.	_____	1810.	—	G. h.	Bot. mag. t. 2263.
	<i>pygmæa</i> . Andr. heath. v. 4.					
401	<i>Savileàna</i> . (re.) Savile's.	_____	1800.	6. 7.	G. h.	Lodd. bot. cab. t. 96.
402	<i>scabriuscula</i> . B.C. (wh.) roughish.	_____	—	—	G. h.	_____ t. 517.
403	<i>scariosa</i> . B.C. (li.) scariose.	_____	—	—	G. h.	_____ t. 477.
404	<i>Schöllii</i> . B.C. (pu.) Scholl's.	_____	1790.	5. 9.	G. h.	_____ t. 538.
405	<i>scopària</i> . w. (gr.) small green-fl'd.	S. Europe.	1770.	4. 5.	F. h.	Linn. eric. n. 14. f. fl.
406	<i>Sebàna</i> . H.K. (re.) Seba's.	C. B. S.	1774.	3. 6.	G. h.	Andr. heath. v. 1.
	α <i>fusca</i> . Lod. (br.) brown-flowered.	_____	—	—	G. h.	
	β <i>lutea</i> . Lod. (ye.) yellow-flowered.	_____	—	—	G. h.	Lodd. bot. cab. t. 266.
	γ <i>minor</i> . Lod. (or.) smaller.	_____	—	—	G. h.	
407	<i>selaginifolia</i> . L.T. (re.) Selago-leaved.	_____	1801.	2. 6.	G. h.	
408	<i>serpyllifolia</i> . B.C. (li.) Serpyllum-leaved.	_____	1812.	5. 8.	G. h.	Lodd. bot. cab. t. 744.
409	<i>serratifolia</i> . H.K. (ye.) saw-leaved.	_____	1790.	8. 12.	G. h.	Andr. heath. v. 1.
410	<i>serrulata</i> . L.C. (ye.) sawed.	_____	1814.	6. 8.	G. h.	
411	<i>setacea</i> . A.H. (bh.) bristly-leaved.	_____	1796.	2. 8.	G. h.	Andr. heath. v. 1.
412	<i>sexfaria</i> . H.K. (wh.) six-angled.	_____	1774.	5. 8.	G. h.	_____ v. 2.
413	<i>Shannoniàna</i> . A.H. (bh.) Earl Shannon's.	_____	1800.	6. 7.	G. h.	Lodd. bot. cab. t. 168.
414	<i>sicafolia</i> . L.T. (re.) dagger-leaved.	_____	1791.	2. 7.	G. h.	
415	<i>simpliciflora</i> . H.K. (y.re.) single-flowered.	_____	1774.	3. 7.	G. h.	Wend. eric. 17. p. 69. ic.
416	<i>Smithiàna</i> . L.C. (re.) Smith's.	_____	1810.	—	G. h.	
417	<i>socciflora</i> . L.T. (gr.) green-pencilled.	_____	1799.	4. 5.	G. h.	Andr. heath. v. 1.
	<i>Sebàna viridis</i> . A.H.					
418	<i>Solándri</i> . H.K. (re.) Solander's.	_____	1800.	3. 9.	G. h.	Andr. heath. v. 2.
419	<i>sordida</i> . H.K. (br.) sordid.	_____	1790.	8. 5.	G. h.	_____ v. 1.
	<i>laniflora</i> . Wend.					
420	<i>Sparrmánni</i> . H.K. (ye.) Sparrman's.	_____	1794.	9. 3.	G. h.	Andr. heath. v. 3.
	<i>áspera</i> . A.H. <i>hystericiflora</i> . L.T.					
421	<i>sparsa</i> . L.C. (li.) scattered.	_____	1800.	3. 8.	G. h.	Lodd. bot. cab. t. 1467.

422	<i>speciosa</i> . H.K. (<i>or.re.</i>) specious.	C. B. S.	1800.	6. 9.	G. h.	Andr. heath. v. 2.
423	<i>spicata</i> . H.K. (<i>gr.</i>) spiked.	————	1789.	1. 12.	G. h.	———— v. 1.
424	<i>spiralis</i> . L.C. (<i>wh.</i>) spiral.	————	1816.	5. 8.	G. h.	
425	<i>splendens</i> . W. (<i>sc.</i>) splendid.	————	1792.	4. 9.	G. h.	Wend. eric. 8. p. 5. i.
426	<i>spumosa</i> . H.K. (<i>st.</i>) spumous.	————	1786.	5. 8.	G. h.	Lodd. bot. cab. t. 566.
427	<i>spuria</i> . H.K. (<i>pi.</i>) spurious.	————	1796.	4. 8.	G. h.	Andr. heath. v. 1.
428	<i>squamiflora</i> . L.T. (<i>pi.</i>) scaly-flowered.	————	5. 11.	G. h.	
429	<i>squamosa</i> . H.K. (<i>li.</i>) scaly-cupped.	————	1794.	4. 6.	G. h.	Andr. heath. v. 3.
430	<i>squarrosa</i> . L.T. (<i>pu.</i>) squarrose.	————	3. 8.	G. h.	
431	<i>stagnalis</i> . L.T. (<i>bh.</i>) stagnant.	————	1790.	3. 6.	G. h.	
432	<i>staminea</i> . A.H. (<i>st.</i>) reflex-stamened.	————	1799.	6. 9.	G. h.	Andr. heath. v. 3.
433	<i>stellata</i> . B.C. (<i>wh.</i>) starry.	————	1806.	—	G. h.	Lodd. bot. cab. t. 893.
	<i>solandroïdes</i> . Andr. heath. v. 4.					
434	<i>stellifera</i> . S.S. (<i>bh.</i>) star-bearing.	————	—	4. 8.	G. h.	Andr. heath. v. 4.
435	<i>stenantha</i> . (<i>bh.</i>) slender-blush-flower'd.	—	1820.	5. 8.	G. h.	———— v. 4.
	<i>tenuiflora</i> γ <i>carnea</i> . A.H. v. 4.					
436	<i>stricta</i> . H.K. (<i>li.</i>) straight-branch'd. S. Europe.		1765.	8. 11.	G. h.	Andr. heath. v. 2.
437	<i>strigosa</i> . H.K. (<i>li.</i>) dwarf downy. C. B. S.		1775.	3. 8.	G. h.	
438	<i>struthiolæflora</i> . L.C. (<i>wh.</i>) Struthiola-flower'd.	—	1812.	5. 8.	G. h.	
439	<i>stylaris</i> . S.S. (<i>re.</i>) prominent-styled.	————	—	—	G. h.	
440	<i>stylosa</i> . L.T. (<i>li.</i>) long-styled.	————	1789.	1. 8.	G. h.	
441	<i>suavæolens</i> . L.C. (<i>li.</i>) sweet.	————	1800.	5. 11.	G. h.	Lodd. bot. cab. t. 24.
442	<i>subulata</i> . S.S. (<i>re.</i>) awl-leaved.	————	1818.	6. 8.	G. h.	
443	<i>sulphurea</i> . B.M. (<i>st.</i>) sulphur-coloured.	————	1812.	3. 5.	G. h.	Bot. mag. t. 1984.
444	<i>superba</i> . (<i>re.</i>) superb.	————	1795.	6. 9.	G. h.	Andr. heath. c. ic.
	<i>formosa</i> . A.H. <i>nee aliorum</i> .					
	α <i>coccinea</i> . (<i>sc.</i>) scarlet.	————	—	—	G. h.	Andr. heath. v. 1.
	β <i>rosea</i> . (<i>ro.</i>) rose-coloured.	————	—	—	G. h.	———— v. 2.
	γ <i>bicolor</i> . (<i>ye.gr.</i>) two-coloured.	————	—	—	G. h.	———— v. 4.
445	<i>Swainsoniana</i> . S.S. (<i>pi.</i>) Swainson's.	————	1810.	6. 7.	G. h.	———— v. 4.
446	<i>tardiflora</i> . L.T. (<i>li.</i>) pubescent.	————	1790.	3. 8.	G. h.	Bot. mag. t. 480.
	<i>pubescens</i> . B.M. <i>non L.</i>					
447	<i>taxifolia</i> . H.K. (<i>bh.</i>) yew-leaved.	————	1788.	7. 11.	G. h.	Andr. heath. v. 1.
448	<i>tegulæfolia</i> . L.T. (<i>wh.</i>) tiled.	————	1. 5.	G. h.	
449	<i>Templææ</i> . A.H. (<i>ro.</i>) Lady Temple's.	————	1820.	5. 8.	G. h.	Andr. heath. v. 4.
450	<i>tenella</i> . H.K. (<i>re.</i>) delicate.	————	1791.	8. 5.	G. h.	———— v. 2.
451	<i>tenuiflora</i> . A.H. (<i>st.</i>) slender yellow-flower'd.	—	1800.	4. 6.	G. h.	———— v. 3.
452	<i>tenuifolia</i> . H.K. (<i>re.</i>) slender-leaved.	————	1791.	4. 8.	G. h.	Seb. mus. 1. t. 73. f. 6.
453	<i>tenuis</i> . L.T. (<i>wh.</i>) slender.	————	1790.	8. 2.	G. h.	
454	<i>tenuissima</i> . S.S. (<i>re.</i>) very-slender.	————	1803.	2. 8.	G. h.	Wend. eric. 6. p. 9. i.
455	<i>tetragona</i> . H.K. (<i>ye.</i>) square-flowered.	————	1789.	7. 9.	G. h.	Andr. heath. v. 3.
456	<i>Tétralix</i> . H.K. (<i>li.</i>) cross-leaved. Britain.	—	6. 8.	H. h.	Eng. bot. v. 15. t. 1014.
	α <i>rubra</i> . (<i>re.</i>) red-flowered.	————	—	H. h.	
	β <i>carnea</i> . (<i>li.</i>) flesh-coloured.	————	—	H. h.	
	γ <i>alba</i> . (<i>wh.</i>) white-flowered.	————	—	H. h.	
457	<i>teucrifolia</i> . S.S. (<i>pu.</i>) Teucrium-leaved. C. B. S.		1812.	5. 9.	G. h.	
458	<i>thalictriflora</i> . S.S. (<i>wh.</i>) meadow-rue-flower'd.	—	1810.	—	G. h.	Lodd. bot. cab. t. 124.
459	<i>Thunbergii</i> . H.K. (<i>or.</i>) Thunberg's.	————	1794.	5. 8.	G. h.	Bot. mag. t. 1214.
460	<i>thymifolia</i> . H.K. (<i>re.</i>) Thyme-leaved.	————	1789.	—	G. h.	Andr. heath. v. 2.
461	<i>tiaræflora</i> . H.K. (<i>re.</i>) turban-flower'd.	————	1800.	—	G. h.	———— v. 3.
462	<i>togata</i> . B.M. (<i>re.</i>) large-cupped.	————	1812.	6. 8.	G. h.	Bot. mag. t. 1626.
463	<i>tomentosa</i> . L.T. (<i>wh.</i>) woolly-flower'd.	————	2. 8.	G. h.	
464	<i>tortuosa</i> . L.C. (<i>wh.</i>) twisted.	————	1816.	3. 6.	G. h.	
465	<i>totta</i> . S.S. (<i>wh.</i>) bristly-branched.	————	1822.	—	G. h.	
466	<i>tragulifera</i> . L.T. (<i>li.</i>) broad-anthered.	————	5. 8.	G. h.	
467	<i>translucens</i> . Lee. (<i>bh.</i>) translucent.	————	1797.	—	G. h.	
468	<i>transparens</i> . Th. (<i>bh.</i>) transparent.	————	1800.	—	G. h.	
469	<i>triceps</i> . B.C. (<i>wh.</i>) three-headed.	————	1809.	—	G. h.	Lodd. bot. cab. t. 963.
470	<i>tricolor</i> . H.S.L. (<i>or.r.gr.</i>) three-coloured.	————	1803.	6. 9.	G. h.	Andr. heath. v. 3.
	<i>aristata minor</i> . A.H. <i>non tricolor</i> . S.S.					
471	<i>triflora</i> . H.K. (<i>wh.</i>) three-flowered.	————	1774.	3. 6.	G. h.	Wend. eric. 12. p. 15.
472	<i>triphylla</i> . L.en. (<i>re.ye.</i>) three-leaved.	————	1812.	—	G. h.	
473	<i>triumphans</i> . B.C. (<i>wh.</i>) triumphant.	————	—	5. 10.	G. h.	Lodd. bot. cab. t. 257.
474	<i>trössula</i> . B.C. (<i>wh.pi.</i>) dapper.	————	—	—	G. h.	———— t. 663.
475	<i>tubercularis</i> . L.T. (<i>pu.</i>) tubercled.	————	1790.	2. 8.	G. h.	
476	<i>tubiflora</i> . H.K. (<i>pi.</i>) tube-flowered.	————	1775.	4. 7.	G. h.	Andr. heath. v. 1.
477	<i>tubiúscula</i> . B.C. (<i>re.</i>) small-tubed.	————	1822.	—	G. h.	Lodd. bot. cab. t. 1157.
478	<i>tumida</i> . B.R. (<i>sc.</i>) tumid.	————	1812.	5. 9.	G. h.	Bot. reg. t. 65.
479	<i>turbiniiflora</i> . L.T. (<i>wh.</i>) top-flowered.	————	1793.	10. 2.	G. h.	

480	túrgida. L.en. (pi.) turgid.	C. B. S.	1800.	3. 6.	G. h.	Andr. heath. v. 4.
	<i>taxifolia</i> β <i>màjor</i> . A.H. v. 4.					
481	turrigera. L.T. (li.) Cypress.	————	1796.	6. 9.	G. h.	
	<i>cupressina</i> . Hort.					
482	umbellàta. H.K. (re.) umbelled.	Portugal.	1782.	5. 7.	G. h.	Andr. heath. v. 2.
483	undulàta. A.H. (cr.) crumple-flower'd.	C. B. S.	1824.	5. 8.	G. h.	———— v. 4.
484	única. s.s. (bh.) one-flowered.	————	1812.	5. 7.	G. h.	———— v. 4.
	<i>pedunculàta</i> . A.H. <i>nec aliorum</i> .					
485	urceolàris. H.K. (wh.) pitcher-flowered.	————	1778.	—	G. h.	Icon. hort. kew. t. 16.
486	ursina. Lee. (wh.) shaggy.	————	1812.	4. 8.	G. h.	
487	vàgans. H.K. (bh.) Cornish.	Cornwall.	7. 8.	H. h.	Eng. bot. v. 1. t. 3.
	β <i>álba</i> . (wh.) <i>white-flowering</i> .	————	—	H. h.	
488	vària. B.C. (va.) variable.	C. B. S.	1820.	5. 8.	G. h.	Lodd. bot. cab. t. 1325.
489	velitàris. L.T. (bh.) javelin-flowered.	————	1790.	1. 6.	G. h.	
490	velleriflòra. H.K. (bh.) woolly-flowered.	————	1774.	2. 6.	G. h.	Andr. heath. v. 1.
	<i>bruniàdes</i> . A.H.					
491	ventricòsa. H.K. (bh.) porcelain.	————	1787.	4. 9.	G. h.	Bot. mag. t. 350.
492	ventròsa. (wh.) tun-bellied.	————	1822.	5. 8.	G. h.	Andr. heath. v. 4.
	<i>obbàta</i> β <i>umbellàta</i> . A.H. v. 4.					
493	verecúnda. L.T. (bh.) blushing.	————	1791.	4. 9.	G. h.	Andr. heath. v. 1.
	<i>cérnuà</i> . A.H. <i>non</i> Thunb.					
494	verniciflua. L.T. (wh.) viscous-leaved.	————	1804.	3. 9.	G. h.	
495	versicolor. H.K. (sc.or.) various-colored.	————	1790.	11. 5.	G. h.	Andr. heath. v. 1.
496	verticillàta. A.H. (sc.) verticillate.	————	1774.	7. 10.	G. h.	———— v. 1.
497	vesiculàris. L.T. (bh.) bladdered.	————	1796.	2. 8.	G. h.	
498	vestiflua. L.T. (re.) clothed.	————	—	3. 6.	G. h.	
499	vestita. H.K. (va.) tremulous.	————	1789.	1. 12.	G. h.	
	α <i>álba</i> . H.K. (wh.) <i>white</i> .	————	—	—	G. h.	Andr. heath. v. 1.
	β <i>incarnàta</i> . H.K. (fl.) <i>flesh-coloured</i> .	————	1789.	1. 12.	G. h.	———— v. 2.
	γ <i>purpùrea</i> . H.K. (pu.) <i>purple-flowered</i> .	————	—	—	G. h.	———— v. 1.
	δ <i>ròsea</i> . H.K. (ro.) <i>rose-coloured</i> .	————	—	—	G. h.	———— v. 2.
	ε <i>fúlgida</i> . H.K. (sc.) <i>bright red</i> .	————	—	—	G. h.	———— v. 2.
	ζ <i>coccínea</i> . H.K. (sc.) <i>scarlet</i> .	————	—	—	G. h.	———— v. 1.
	η <i>lùtea</i> . H.K. (ye.) <i>yellow</i> .	————	—	—	G. h.	———— v. 3.
500	villòsa. H.K. (wh.) villous.	————	1800.	2. 6.	G. h.	———— v. 3.
501	virgàta. s.s. (wh.) twiggy.	————	1824.	—	G. h.	
502	viridescens. B.C. (gr.) greenish.	————	1. 6.	G. h.	Lodd. bot. cab. t. 233.
503	viridiflòra. A.H. (gr.) green-flowered.	————	1820.	5. 8.	G. h.	Andr. heath. v. 4.
504	viridipurpùrea. w. (gr.) green & purple.	Portugal.	5. 8.	F. h.	Linn. eric. n. 9. f. fl.
505	viridis. H.K. (gr.) green-flowered.	C. B. S.	1800.	—	G. h.	Andr. heath. v. 2.
506	viscaria. H.K. (li.) clammy-flower'd.	————	1774.	3. 7.	G. h.	Icon. hort. kew. t. 1.
507	Walkeriana. (re.) Walker's.	————	1806.	6. 8.	G. h.	Andr. heath. v. 4.
	<i>Walkèria</i> β <i>rùbra</i> . A.H. v. 4.					
508	xeranthemifolia. L.T. Xeranthemum-ld.	————	1812.	5. 8.	G. h.	
509	Zeyhèri. s.s. (li.) Zeyher's.	————	1824.	—	G. h.	
MENZIESIA Sm. MENZIESIA. Octandria Monogynia.						
1	ferruginea. s.s. (co.) ferruginous.	N. America.	1811.	5. 6.	H. h.	Sm. ic. ined. 1. t. 56.
2	globularis. s.s. (co.) globular-flower'd.	————	1806.	—	H. h.	Sal. par. lond. t. 44.
	<i>ferruginea</i> β. B.M. 1571.					
3	polifolia. s.s. (pu.) Irish.	Ireland.	6. 9.	H. h.	Eng. bot. v. 1. t. 35.
	<i>Erica Daboècia</i> . E.B.					
	β <i>nàna</i> . (pu.) <i>dwarf</i>	—	H. h.	
4	cærulea. s.s. (pu.) yew-leaved.	Scotland.	6. 7.	H. h.	Eng. bot. v. 35. t. 2169.
PYROLA. S.S. WINTER-GREEN. Decandria Monogynia. L.						
1	uniflora. s.s. (wh.) single-flower'd.	Britain.	6. 7.	H. 4.	Eng. bot. t. 146.
2	secunda. s.s. (wh.) serrated.	————	—	H. 4.	———— t. 517.
3	minor. s.s. (bh.) lesser.	————	—	H. 4.	———— t. 158.
	β <i>ròsea</i> . E.B. (ro.) <i>rose-coloured</i> .	England.	7. 8.	H. 4.	———— t. 2543.
4	media. s.s. (bh.) intermediate.	————	6. 7.	H. 4.	———— t. 945.
5	dentata. D.D. (st.) toothed.	N. America.	1827.	—	H. 4.	
6	elliptica. D.D. (wh.) elliptic-leaved.	————	1826.	—	H. 4.	
7	occidentalis. D.D. (st.) western.	————	1827.	—	H. 4.	
8	rotundifolia. s.s. (st.) round-leaved.	Britain.	—	H. 4.	Eng. bot. t. 213.
9	americana. (wh.) American.	N. America.	—	H. 4.	
	<i>rotundifolia</i> . Ph. <i>non</i> Eng. bot.					
10	asarifolia. s.s. (st.) Asarum-leaved.	————	1822.	—	H. 4.	
11	chlorantha. s.s. (st.) cream-colour'd.	————	—	—	H. 4.	
CHIMAPHILA. Ph. CHIMAPHILA. Decandria Monogynia.						
1	umbellata. s.s. (wh.re.) umbelled.	N. America.	1752.	6. 8.	H. 4.	Bot. mag. t. 778.
	<i>corymbosa</i> . Ph. <i>P'yrola umbellata</i> . L.					

- 2 maculâta. s.s. (wh.) spotted-leaved. N. America. 1752. 6. 8. H. 2. Bot. mag. t. 897.
 DIAPE'NSIA. W. DIAPE'NSIA. Pentandria Monogynia. L.
 lappónica. w. (wh.) obtuse-leaved. Lapland. 1801. 2. 3. H. 2. Bot. mag. t. 1108.
 PYXIDANTH'ERA. M. PYXIDANTH'ERA. Pentandria Monogynia.
 barbulâta. m. (wh.) barbed. Carolina. 1806. 7. G. 2. Mich. amer. t. 17.
 Diapénsia cuneifolia. Sal. par. lond. t. 104.

Sect. II. *MONOTROPEÆ*. Don prodr. p. 151.

- MONOTROPA. N. YELLOW BIRD'S-NEST. Decandria Monogynia. L.
 1 uniflora. N. (st.) one-flowered. N. America. 1822. 6. 8. H. 2. Hook. ex. flor. t. 85.
 2 Hypopitys. E.B. (st.) common. Britain. 6. 7. H. 2. Eng. bot. v. 1. t. 69.
 Hypopithys europæa. N.

Sect. III. *RHODORACEÆ*. Don prodr. p. 152.

- KA'LMIA. W. KA'LMIA. Decandria Monogynia. L.
 1 latifolia. w. (pi.wh.) broad-leaved. N. America. 1734. 5. 7. H. 2. Bot. mag. t. 175.
 2 angustifolia. w. (re.) narrow-leaved. ——— 1736. ——— H. 2. ——— t. 331.
 β variegata. (li.) variegated. ——— ——— H. 2.
 γ minima. (re.) least. ——— ——— H. 2.
 δ nana. (re.) dwarf. ——— ——— H. 2.
 ε pumila. (re.) small. ——— ——— H. 2.
 ζ rosea. (ro.) rose-coloured. ——— ——— H. 2.
 η rubra. B.C. (re.) red-flowered. ——— ——— H. 2.
 θ ovata. Ph. (re.) oval-leaved. New Jersey. ——— H. 2. Lodd. bot. cab. t. 502.
 3 glauca. w. (re.) glaucous. N. America. 1767. 4. 5. H. 2. Bot. mag. t. 177.
 4 rosmarinifolia. Ph. (re.) Rosemary-leaved. ——— 1812. ——— H. 2.
 5 hirsuta. w. (ro.) hairy. ——— 1786. 8. 9. H. 2. Bot. mag. t. 138.
 EPIG'ÆA. W. EPIG'ÆA. Decandria Monogynia. L.
 repens. w. (wh.) creeping. N. America. 1736. 7. 8. H. 2. Bot. reg. t. 201.
 RHODODE'NDRON. W. RHODODE'NDRON. Pent-Decandria Monogynia. L.
 1 maximum. w. (bh.) large. N. America. 1736. 6. 8. H. 2. Bot. mag. t. 951.
 2 album. Ph. (wh.) white-flowered. ——— 1811. ——— H. 2.
 3 purpureum. Ph. (pu.) purple-flowered. ——— ——— H. 2.
 4 ponticum. w. (va.) common. Gibraltar. 1763. 5. 6. H. 2. Bot. mag. t. 650.
 α purpureum. (pu.) purple. ——— ——— H. 2.
 β roseum. (ro.) rose-coloured. ——— ——— H. 2.
 γ album. (wh.) white. ——— ——— H. 2.
 δ variegatum. (li.) variegated. ——— ——— H. 2.
 ε marginatum. (li.) silver-edged. ——— ——— H. 2.
 ζ multiplex. (pu.) double-blossom'd. ——— ——— H. 2.
 5 punctatum. w. (li.) dotted-leaved. N. America. 1786. 6. 8. H. 2. Andr. reposit. t. 36.
 α minus. W.D. (li.) smallest. ——— ——— H. 2. Wats. dend. brit. t. 122.
 β major. B.R. (li.) larger. ——— ——— H. 2. Bot. reg. t. 37.
 6 obtusum. W.D. (li.) blunt-leaved. Hybrid. 1812. ——— H. 2. Wats. dend. brit. t. 122.
 7 azaleoides. s.s. (li.) Azalea-like. ——— ——— H. 2. Andr. reposit. t. 373.
 ponticum β subdeciduum. A.R. ——— H. 2.
 8 hybridum. B.R. (li.) Herbert's hybrid. ——— ——— H. 2. Bot. reg. t. 195.
 9 Gowenianum. B.F.G. (pu.) Mr. Gowen's. ——— 1825. ——— H. 2. Swt. br. fl. gar. t. 223.
 10 Smithii. Smith's. Arboreo-pont. 1826. H. 2.
 11 Carnarvoni. Lord Carnarvon's. Arb-catawb. ——— H. 2.
 12 catawbiense. m. (ro.) Catawba. N. America. 1809. 6. 8. H. 2. Bot. mag. t. 1671.
 13 arboreum. Sm. (sc.) tree. India. 1817. 4. 6. F. 2. Swt. br. fl. gar. t. 250.
 β roseum. (ro.) rose-coloured. ——— ——— F. 2. Bot. reg. t. 1240.
 γ niveum. (wh.) snowy white. ——— ——— F. 2.
 14 campanulatum. D.P. (ro.) bell-flowered. Nepaul. 1824. F. 2.
 15 anthopogon. D.P. (ro.) bearded-flower'd. ——— ——— G. 2.
 16 cinnamomeum. Wal. (ro.) cinnamon-color'd. ——— 1826. G. 2.
 17 setosum. D.P. (pu.) bristly. ——— 1820. G. 2.
 18 dauricum. w. (pu.) Daurian. Siberia. 1780. 2. 4. H. 2. Bot. mag. t. 636.
 β altaicum. F. (li.) Altay. ——— 1824. ——— H. 2.
 γ atrovirens. B.R. (d.pu.) dark green. ——— ——— H. 2. Bot. reg. t. 194.

19	myrtifolium. B.C. (pu.) Myrtle-leaved.	Hybrid.	6. 8.	H. h.	Lodd. bot. cab. t. 908.
20	ferrugineum. w. (ro.) rusty-leaved.	Switzerland.	1752.	5. 7.	H. h.	Jacq. aust. 3. t. 255.
21	hirsutum. w. (ro.) hairy-leaved.	—————	1656.	—	H. h.	Bot. mag. t. 1853.
22	chrysanthum. w. (ye.) yellow.	Siberia.	1796.	6. 7.	H. h.	Sal. par. lond. t. 80.
	<i>officinale</i> . P.L.					
23	caucasicum. w. (ro. wh.) Caucasian.	Caucasus.	1803.	5. 7.	H. h.	Bot. mag. t. 1145.
24	Catesbæi. L.C. (ro.) Catesby's.	N. America.	—	H. h.	
25	camtschaticum. w. (pi.) Kamtschatka.	Kamtschatka.	1802.	H. h.	Pall. ros. 1. t. 33.
26	chamæcistus. w. (pi.) Thyme-leaved.	Siberia.	1786.	5. 6.	H. h.	Bot. mag. t. 488.
27	lapponicum. s.s. (ro.) Lapland.	Lapland.	1827.	H. h.	Flor. dan. t. 966.
	<i>Azalea lappónica</i> . L.					
28	Rhodora. (pi.) Canadian.	Canada.	1767.	4. 5.	H. h.	Bot. mag. t. 474.
	<i>Rhodora canadensis</i> . w.					
29	indicum. (va.) Indian.	China.	1808.	3. 5.	G. h.	
	<i>Azalea indica</i> . B.M.					
	<i>a puniceum</i> . (pi.) red-flowered.	—————	—	—	G. h.	Bot. mag. t. 1480.
	<i>β phaniceum</i> . (pu.) purple-flowered.	—————	1824.	—	G. h.	————— t. 2667.
	<i>γ Smithii</i> . (li.) Smith's.	Hybrid.	1826.	4. 7.	G. h.	
	<i>δ purpureum</i> . (pu.) double-purple.	China.	1819.	3. 5.	G. h.	Bot. mag. t. 2509.
	<i>ε luteum</i> . (ye.) double yellow.	—————	1826.	—	G. h.	
	<i>ζ album</i> . (wh.) white-flowered.	—————	1819.	3. 6.	G. h.	Bot. reg. t. 811.
	<i>Azalea ledifolia</i> . Bot. mag. t. 2901.					
30	sinense. B.F.G. (ye.) Chinese.	—————	1824.	—	H. h.	
	<i>a flammæum</i> . B.F.G. (or.) flame-coloured.	—————	—	—	H. h.	Lodd. bot. cab. t. 885.
	<i>β flavescens</i> . B.F.G. (ye.) pale yellow.	—————	1826.	—	H. h.	Swt. br. fl. gar. t. 290.
31	luteum. (ye.) yellow.	Turkey.	1793.	5. 6.	H. h.	Bot. mag. t. 433.
	<i>Azalea pónica</i> . B.M.					
	<i>β cupreum</i> . (co.) copper-coloured.	—————	—	H. h.	
	<i>γ glaucum</i> . (pa.) glaucous.	—————	—	H. h.	
	<i>δ pallidum</i> . (pa.) pale.	—————	—	H. h.	
	<i>ε albiflorum</i> . (wh.) white-flowered.	—————	—	H. h.	Bot. mag. t. 2383.
32	tricolor. (ye. ro. wh.) three-coloured.	Hybrid.	1816.	—	H. h.	
33	Mortèrii. B.F.G. (fl. ye.) Morter's.	—————	1828.	—	H. h.	Swt. br. fl. gar. s. 2. t. 10.
	<i>a carneum</i> . (fl.) flesh-coloured.	—————	—	—	H. h.	
	<i>β præstans</i> . (co. bh.) handsome.	—————	—	—	H. h.	
34	calendulæceum. (ye.) yellow American.	N. America.	1806.	—	H. h.	
	<i>Azalea calendulæcea</i> . M.					
	<i>α crœcum</i> . (sn.) saffron-coloured.	—————	—	—	H. h.	Bot. mag. t. 1721.
	<i>β chrysoléctum</i> . (go.) golden.	—————	—	H. h.	
	<i>γ grandiflorum</i> . (or.) large-flowered.	—————	—	H. h.	
	<i>δ cupreum</i> . (co.) copper-coloured.	—————	—	H. h.	
	<i>ε splendens</i> . (co. ye.) shining.	—————	—	H. h.	
	<i>ζ flammæum</i> . (co. ye.) flame-coloured.	—————	1812.	—	H. h.	Bot. reg. t. 145.
	<i>η triumphans</i> . (co. ye.) triumphant.	—————	—	—	H. h.	
	<i>θ ignescens</i> . (co. ye.) fiery-flowered.	—————	—	—	H. h.	
35	canescens. M. (ro.) canescent.	—————	1812.	—	H. h.	
36	speciosum. (va.) large-calyxed.	—————	—	H. h.	Wats. dend. brit. t. 116.
	<i>a major</i> . (sc.) large scarlet.	—————	—	H. h.	Lodd. bot. cab. 624.
	<i>β crispum</i> . (sc.) curled.	—————	—	H. h.	
	<i>γ aurantium</i> . (or.) orange.	—————	—	H. h.	
	<i>δ obliquum</i> . (re.) oblique-leaved.	—————	—	H. h.	
	<i>ε prunifolium</i> . (re.) Plum-leaved.	—————	—	H. h.	
	<i>ζ cucullatum</i> . (re.) hollow-leaved.	—————	—	H. h.	
	<i>η revolutum</i> . (re.) revolute.	—————	—	H. h.	
	<i>θ ciliatum</i> . (re.) fringed.	—————	—	H. h.	
	<i>ι acutifolium</i> . (re.) acute-leaved.	—————	—	H. h.	
	<i>κ undulatum</i> . (re.) wave-leaved.	—————	—	H. h.	
	<i>λ tortulifolium</i> . (re.) twisted-leaved.	—————	—	H. h.	
37	nudiflorum. (va.) small calyxed.	—————	1734.	—	H. h.	
	<i>Azalea nudiflora</i> . w.					
	<i>α album</i> . (wh.) early white.	—————	—	—	H. h.	
	<i>β albo-plenum</i> . (wh.) double white.	—————	—	H. h.	
	<i>γ blandum</i> . (bh.) blush-flowered.	—————	—	H. h.	
	<i>δ carneum</i> . (fl.) pale red.	—————	1734.	—	H. h.	Bot. reg. t. 120.
	<i>ε carolinianum</i> . (fl.) Carolina.	—————	—	H. h.	
	<i>ζ coccineum</i> . (sc.) scarlet.	—————	—	H. h.	Bot. mag. t. 180.
	<i>η corymbosum</i> . (wh.) corymb-flowered.	—————	—	H. h.	
	<i>θ crispum</i> . (bh.) curled.	—————	—	H. h.	

ι	cumulatum.	(wh.)	bundled.	N.America.	5. 6.	H. h.	
κ	discolor.	(re.wh.)	two-coloured.	—	—	H. h.	
λ	fastigiatum.	(bh.)	crowded.	—	—	H. h.	
μ	floridum.	(bh.)	abundant-flower'd.	—	—	H. h.	
ν	globosum.	(bh.)	globose.	—	—	H. h.	
ξ	glomeratum.	(bh.)	clustered.	—	—	H. h.	
ο	incanum.	(wh.)	hoary-leaved.	—	—	H. h.	
π	incarnatum.	(fl.)	flesh-coloured.	—	—	H. h.	
ρ	mirabile.	(re.)	wonderful.	—	—	H. h.	
σ	montanum.	(fl.)	mountain.	—	—	H. h.	
τ	pallidum.	(li.wh.)	pale-flowered.	—	—	H. h.	
υ	paludosum.	(li.wh.)	marsh.	—	—	H. h.	
φ	papilionaceum.	(fl.)	Butterfly.	—	—	H. h.	
χ	partitum.	(fl.wh.)	five-parted.	—	—	H. h.	
ψ	parviflorum.	(bh.)	small-flowered.	—	—	H. h.	
ω	proliferum.	(bh.)	proliferous.	—	—	H. h.	
αα	pumilum.	(bh.)	dwarf.	—	—	H. h.	
ββ	purpurascens.	(fl.)	purplish.	—	—	H. h.	
γγ	purpureum.	(pu.)	purple.	—	—	H. h.	
δδ	purpureo-plenum.	(pu.)	double purple.	—	—	H. h.	
εε	roseum.	(ro.)	rosy.	—	—	H. h.	
ζζ	ruberrimum.	(re.)	dark-red.	—	—	H. h.	
ηη	rubescens.	(pi.)	reddish.	—	—	H. h.	
θθ	rubicundum.	(re.)	rubicund.	—	—	H. h.	
ιι	rubrum. B.C.	(re.)	red-flowered.	—	—	H. h.	
κκ	rubro-plenum.	(re.)	double-red.	—	—	H. h.	Lodd. bot. cab. t. 51.
λλ	rufum.	(re.)	rufous.	—	—	H. h.	
μμ	rutilans.	(re.)	deep red.	—	—	H. h.	
νν	semiduplex.	(wh.)	semidouble.	—	—	H. h.	
ξξ	stamineum.	(wh.)	long-stamened.	—	—	H. h.	
οο	stellatum.	(wh.)	starry.	—	—	H. h.	
ππ	tricolor.	(wh.re.)	three-coloured.	—	—	H. h.	
ρρ	variabile.	(re.wh.)	variable.	—	—	H. h.	
σσ	variegatum.	(std.)	variegated.	—	—	H. h.	
ττ	versicolor.	(re.wh.)	various-coloured.	—	—	H. h.	
υυ	violaceum.	(vi.)	violet.	—	—	H. h.	
38	bicolor.	(wh.re.)	two-coloured.	—	—	H. h.	
	Azalea bicolor. Ph.			1734.	—	—	H. h.	Trew. ebret. t. 48.
39	viscosum.	(wh.)	viscid.	—	—	7. 8.	H. h.	Meerb. ic. 2. t. 9.
	Azalea viscosa. Ph.							
	α	odoratum.	(wh.)	common white.	—	—	H. h.	
	β	crispum.	(wh.)	curled.	—	—	H. h.	
	γ	dealbatum.	(wh.)	powdered.	—	—	H. h.	
	δ	vittatum.	(re.wh.)	striped-flowered.	—	—	H. h.	
	ε	penicillatum.	(re.wh.)	pencilled.	—	—	H. h.	
	ζ	variegatum.	(re.wh.)	variegated.	—	—	H. h.	
	η	rubescens.	(re.)	reddish-flowered.	—	—	H. h.	
	θ	pubescens.	(re.wh.)	pubescent.	—	—	H. h.	
	ι	fissum.	(re.wh.)	narrow-petaled.	—	—	H. h.	Lodd. bot. cab. t. 41.
40	arborescens.	(re.)	arborescent.	—	—	—	H. h.	
	Azalea arborescens. Ph.			1818.	5. 7.	H. h.		
41	nitidum.	(re.wh.)	glossy-leaved.	—	—	—	H. h.	
	Azalea nitida. B.R.			1812.	6. 8.	H. h.		Bot. reg. t. 414.
42	glaucum.	(wh.)	glaucous dwarf.	—	—	—	H. h.	
	Azalea glauca. Ph.			1784.	6.	H. h.		Wats. dend. brit. t. 5.
43	hispidum.	(wh.)	tall glaucous.	—	—	—	H. h.	
	Azalea hispida. Ph.			—	6. 8.	H. h.		Wats. dend. brit. t. 6.
AZALEA. D.P.		AZALEA. Pentandria Monogynia. R.S.						
	procumbens. E.B.	(ro.)	trailing.	Britain.	4. 5.	H. h.	Eng. bot. v. 13. t. 865.
	Loiseleuria procumbens.	R.S.	Chamaelædon procumbens. L.en.					
AMMYRS'INE. Ph.		AMMYRS'INE. Decandria Monogynia. Ph.						
1	buxifolia. Ph.	(wh.)	upright.	N. America.	1736	4. 5.	H. h.	Bot. reg. t. 531.
	Ledum buxifolium. w.		Leiophyllum thymifolium. s.s.					
2	Lyoni.	(wh.)	spreading.	Carolina.	1812.	—	H. h.	
LEDUM. Ph.		LEDUM. Decandria Monogynia. L.						
1	palustre. w.	(wh.)	marsh.	Europe.	1762.	4. 5.	H. h.	Flor. dan. t. 1031.
2	decumbens. L.C.	(wh.)	decumbent.	Hudson's Bay.	—	—	H. h.	
3	canadense. L.C.	(wh.)	dwarf.	Canada.	1824.	—	H. h.	Lodd. bot. cab. t. 1048.
4	latifolium. w.	(wh.)	broad-leaved.	N. America.	1763.	—	H. h.	Jacq. ic. 3. t. 464.

BEF'ARIA. L.	BEF'ARIA. Dodecandria Monogynia. L.			
racemosa. s.s. (bh.)	sweet-scented. Florida. 1810.	6. 7.	G. h.	Vent. cels. t. 51.
paniculata. M.	Bejaria racemosa. Ph.			
'ITEA. L.	'ITEA. Pentandria Monogynia. L.			
virginica. L. (wh.)	Virginian. N. America. 1744.	6. 8.	H. h.	Wats. dend. brit. t. 12.

ORDO CXXVIII.

GALACINEÆ. *D. Don in Edinb. phil. journ. Dec. 1828. p. 53.*

G'ALAX. W.	G'ALAX. Pentandria Monogynia. W.			
aphylla. w. (bh.)	heart-leaved. N. America. 1786.	6. 7.	H. 4.	Bot. mag. t. 754.
cordifolia. H.K.	Blandfordia cordata. Andr. rep. t. 343.			

ORDO CXXIX.

EPACRIDEÆ. *Brown prodr. 1. p. 535.*

Sect I. EPACRIDEÆ VERÆ.

DRACOPHY'LLUM. B.P.	DRACOPHY'LLUM. Pentandria Monogynia.			
1 secundum. B.P. (wh.)	side-flowering. N. S. W. 1824.	4. 6.	G. h.	
2 longifolium. R.S. (wh.)	long-leaved. N. Zealand. — — —	— — —	G. h.	Fors. ch. gen. t. 10. f. i. m.
SPHENO'TOMA. S.F.A.	SPHENO'TOMA. Pentandria Monogynia.			
gracilis. S.F.A. (wh.)	slender. N. Holland. 1825.	5. 10.	G. h.	Swt. flor. aust. t. 41.
SPRENG'ELIA. Sm.	SPRENG'ELIA. Pentandria Monogynia.			
incarnata. B.P. (pi.)	flesh-coloured. N. S. W. 1793.	4. 6.	G. h.	Bot. mag. t. 1719.
PONCEL'ETIA. B.P.	PONCEL'ETIA. Pentandria Monogynia.			
sprengelioides. B.P. (w.)	marsh. N. S. W. 1826.	4. 6.	G. h.	
ANDERS'ONIA. B.P.	ANDERS'ONIA. Pentandria Monogynia.			
sprengelioides. B.P. (w.)	Sprengelia-like. N. Holland. 1803.	3. 7.	G. h.	Bot. mag. t. 1645.
COSM'ELIA. B.P.	COSM'ELIA. Pentandria Monogynia.			
rubra. B.P. (re.)	red-flowered. N. Holland. 1826.	4. 6.	G. h.	
LYSIN'EMA. B.P.	LYSIN'EMA. Pentandria Monogynia.			
1 pentapetalum. B.P. (w.)	five-petaled. N. Holland. 1826.	4. 6.	G. h.	
2 conspicuum. B.P. (wh.)	conspicuous. — — — 1824.	...	G. h.	
3 pungens. B.P. (wh.)	pungent. N. S. W. 1804.	3. 6.	G. h.	Cav. ic. 4. t. 346.
Epacris attenuata.	Lodd. bot. cab. t. 38.			
4 roseum. B.C. (ro.)	rose-coloured. — — — 1804.	— — —	G. h.	Lodd. bot. cab. t. 863.
Epacris rosea. B.C.	pungens. Bot. mag. t. 1199.			
EPA'CRIS. B.P.	EPA'CRIS. Pentandria Monogynia.			
1 purpurascens. B.P. (li.)	rigid-leaved. N. S. W. 1803.	2. 6.	G. h.	Bot. mag. t. 841.
pungens. B.M.				
α lilacina. (li.)	pale-flowered. — — — — —	— — —	G. h.	Lodd. bot. cab. t. 237.
β rubra. (re.)	red-flowered. — — — — —	— — —	G. h.	— — — t. 876.
2 pulchella. B.P. (wh.)	sweet-scented. — — — 1804.	3. 6.	G. h.	— — — t. 170.
3 microphylla. B.P. (wh.)	small-leaved. — — — 1817.	— — —	G. h.	
4 grandiflora. B.P. (cr.)	crimson. — — — 1803.	1. 6.	G. h.	Bot. mag. t. 982.
5 ruscifolia. B.P. (wh.)	Ruscus-leaved. V. Diem. Isl. 1824.	3. 5.	G. h.	
6 impressa. B.P. (ro.)	impressed. — — — — —	2. 5.	G. h.	Swt. flor. aust. t. 4.
7 sparsa. B.P. (wh.)	scattered-flower'd. N. S. W. 1825.	3. 5.	G. h.	
8 obtusifolia. B.P. (wh.)	blunt-leaved. — — — 1804.	4. 6.	G. h.	Sm. exot. bot. 1. t. 40.
9 heteronema. B.P. (wh.)	hairy-branched. V. Diem. Isl. 1824.	— — —	G. h.	Labill. n. hol. 1. t. 56.
10 paludosa. B.P. (wh.)	marsh. N. S. W. — — — — —	— — —	G. h.	Lodd. bot. cab. t. 1226.
11 apiculata. F.T. (wh.)	pointed. — — — 1823.	5. 8.	G. h.	
12 onosmaeflora. F.T. (re.)	Onosma-flowered. — — — — —	— — —	G. h.	
13 exserta. B.P. (wh.)	exserted. V. Diem. Isl. 1812.	4. 6.	G. h.	
14 mucronulata. B.P. (wh.)	short-pointed. — — — 1824.	— — —	G. h.	

Sect. II. STYPHELIAÆ.

TROCHOCA'RPA. B.P. TROCHOCA'RPA. Pentandria Monogynia.						
laurina. B.P.	(wh.) Laurel-leaved.	N. S. W.	1820.	G. h.	Linn. trans. 8. t. 9.
<i>Styphelia cornifolia</i> . L.T.						
ACRO'TRICHE. B.P. ACRO'TRICHE. Pentandria Monogynia.						
1 cordata. B.P.	(wh.) heart-leaved.	N. Holland.	1825.	4. 6.	G. h.	Labill. n. hol. 1. t. 61.
2 ovalifolia. B.P.	(wh.) oval-leaved.	—————	1824.	—	G. h.	—————
3 serrulata. B.P.	(wh.) saw-leaved.	V. Diem. Isl.	1816.	—	G. h.	Labill. n. hol. 1. t. 62.
<i>Styphelia serrulata</i> . Labill.						
4 divaricata. B.P.	(wh.) divaricate.	N. S. W.	1822.	—	G. h.	—————
MONO'TOCA. B.P. MONO'TOCA. Pentandria Monogynia.						
1 scoparia. B.P.	(wh.) broom.	N. S. W.	1823.	4. 7.	G. h.	Smith new holl. 43.
<i>Styphelia scoparia</i> . Smith.						
2 lineata. B.P.	(wh.) lineated.	V. Diem. Isl.	1804.	5. 8.	G. h.	Lab. nov. hol. 1. t. 61.
<i>Styphelia glauca</i> . Labill.						
3 albens. B.P.	(wh.) white-leaved.	N. S. W.	1823.	—	G. h.	—————
4 elliptica. B.P.	(wh.) elliptic-leaved.	—————	1802.	—	G. h.	Smith new holl. 49.
LEUCOP'OGON. B.P. LEUCOP'OGON. Pentandria Monogynia.						
1 lanceolatus. B.P.	(wh.) small-flowered.	N. S. W.	1790.	5. 8.	G. h.	Swt. flor. aust. t. 47.
<i>Styphelia parviflora</i> . Andr. reposit. t. 287. <i>gnidium</i> . Vent. malm. t. 23.						
2 Richèi. B.P.	(wh.) oblong-leaved.	N. S. W.	1824.	—	G. h.	Lab. nov. hol. 1. t. 60.
3 muticus. B.P.	(wh.) awnless.	—————	1826.	—	G. h.	—————
4 ericoïdes. B.P.	(wh.) heath-leaved.	—————	1815.	4. 7.	G. h.	Smith new holl. 48.
<i>Epacris spuria</i> . Cavan. ic. 4. t. 347. f. 1.						
5 virgatus. B.P.	(wh.) twiggy.	—————	—————	—	G. h.	Lab. nov. hol. 1. t. 61.
6 collinus. B.P.	(wh.) hill.	V. Diem. Isl.	1822.	5. 6.	G. h.	————— 1. t. 61.
7 amplexicaulis. B.P.	(w.) stem-clasping.	N. S. W.	1815.	4. 8.	G. h.	Linn. trans. 8. t. 8.
8 microphyllus. B.P.	(w.) small-leaved.	—————	1818.	—	G. h.	Cavan. ic. 4. t. 349. f. 1.
<i>Perojda microphylla</i> . Cav.						
9 striatus. B.P.	(wh.) striated.	N. Holland.	1824.	—	G. h.	—————
10 attenuatus. F.T.	(wh.) attenuated.	N. S. W.	—————	—	G. h.	—————
11 biflorus. B.P.	(wh.) two-flowered.	—————	1826.	—	G. h.	—————
12 setiger. B.P.	(wh.) bristle-pointed.	—————	1824.	—	G. h.	—————
13 appressus. B.P.	(wh.) pressed-leaved.	—————	—————	4. 6.	G. h.	—————
14 juniperinus. B.P.	(wh.) Juniper-leaved.	—————	1804.	—	G. h.	Lodd. bot. cab. t. 447.
15 interruptus. B.P.	(wh.) interrupted.	N. Holland.	1825.	3. 6.	G. h.	————— t. 1451.
16 polystachyus. B.P.	(wh.) many-spiked.	—————	—————	6. 7.	G. h.	————— t. 1451.
LISSA'NTHE. B.P. LISSA'NTHE. Pentandria Monogynia.						
1 sapida. B.P.	(wh.) recurved-flowered.	N. S. W.	1823.	11. 1.	G. h.	Bot. reg. t. 1275.
2 subulata. B.P.	(wh.) awl-leaved.	—————	—————	4. 7.	G. h.	—————
3 strigosa. B.P.	(wh.) strigose.	—————	—————	—	G. h.	Sm. new holl. 48.
4 daphnoïdes. B.P.	(wh.) Daphne-leaved.	V. Diem. Isl.	1818.	6. 7.	G. h.	Lodd. bot. cab. t. 466.
5 ciliata. B.P.	(wh.) fringed.	—————	1823.	—	G. h.	—————
CYATH'ODES. B.P. CYATH'ODES. Pentandria Monogynia.						
1 glauca. B.P.	(wh.) glaucous.	V. Diem. Isl.	1818.	4. 6.	G. h.	Lab. nov. holl. 1. t. 61.
2 oxycedrus. B.P.	(wh.) linear-leaved.	—————	1822.	5. 8.	G. h.	————— 1. t. 62.
3 abietina. B.P.	(wh.) Fir-like.	—————	1824.	8. 12.	G. h.	————— 1. t. 62.
MELI'CHRUS. B.P. MELI'CHRUS. Pentandria Monogynia.						
1 rotatus. B.P.	(re.) rotate-flowered.	N. S. W.	1822.	5. 8.	G. h.	Cavan. ic. 4. t. 349. f. 1.
<i>Ventenatia procumbens</i> . Cav.						
2 medius. F.T.	(re.) intermediate.	—————	1823.	—	G. h.	—————
STENANTH'ERA. B.P. STENANTH'ERA. Pentandria Monogynia.						
pinifolia. B.P.	(sc.) Pine-leaved.	N. S. W.	1811.	5. 7.	G. h.	Bot. reg. t. 218.
ASTROL'OMA. B.P. ASTROL'OMA. Pentandria Monogynia.						
1 humifusum. B.P.	(sc.) Juniper-leaved.	N. S. W.	1807.	5. 10.	G. h.	Bot. mag. t. 1439.
2 denticulatum. B.P.	(re.) toothed.	—————	1825.	—	G. h.	—————
STYPH'ELIA. B.P. STYPH'ELIA. Pentandria Monogynia.						
1 tubiflora. B.P.	(cr.) crimson.	N. S. W.	1802.	5. 8.	G. h.	Sm. new holl. 45. t. 14.
2 triflora. B.P.	(cr. gr.) three-flowered.	—————	1796.	—	G. h.	Bot. mag. t. 1297.
3 viridiflora. B.P.	(gr.) green-flowered.	—————	1791.	4. 6.	G. h.	Swt. flor. aust. t. 50.
4 latifolia. B.P.	(gr.) broad-leaved.	—————	1823.	—	G. h.	—————
5 adscendens. B.P.	(gr.) ascending.	V. Diem. Isl.	1822.	—	G. h.	—————
6 læta. B.P.	(gr.) fruitful.	N. S. W.	—————	—	G. h.	—————
7 longifolia. B.P.	(gr.) long-leaved.	—————	1807.	—	G. h.	Bot. reg. t. 24.

ORDO CXXX.

PENÆACEÆ.

PENÆA. R.S.		PENÆA. Tetrandria Monogynia. R.S.				
1 myrtoïdes. w.	(ye.)	Myrtle-like.	C. B. S.	1816.	5. 7.	G. h.
2 fruticulosa. R.S.	(re.)	blunt-leaved.	————	1822.	—	G. h.
3 mucronata. R.S.	(re.)	sharp-pointed.	————	1787.	—	G. h.
4 squamosa. R.S.	(re.)	scaly.	————	—	—	G. h.
5 imbricata. B.M.	(re.)	imbricate.	————	1823.	4. 6.	G. h.
6 acuta. R.S.	(re.)	acute-leaved.	————	1824.	—	G. h.
7 Sarcocolla. R.S.	(ye.)	rhomb-leaved.	————	1816.	5. 7.	G. h.
8 marginata. R.S.	(wh.)	thick-edged.	————	—	—	G. h.

Vent. malm. t. 87.
Bot. reg. t. 106.
Bot. mag. t. 2809.
Th.m.n.c.ber.1.t.3.f.1.

SUBCLASSIS III. COROLLIFLORÆ. DC.

ORDO CXXXI.

SYMPLOCINEÆ. Don Prodr. p. 144.

SYMPLOCOS. L'H.		SYMPLOCOS. Polyadelphia Polyandria. L.				
1 coccinea. K.S.	(sc.)	scarlet.	Mexico.	1825.	S. h.
2 tinctoria. w.	(ye.)	Laurel-leaved.	Carolina.	1780.	4. 6.	F. h.
<i>Hæpea tinctoria.</i> Ph.						
3 sinica. B.R.	(wh.)	Chinese.	China.	1822.	4. 6.	F. h.
4 cratagoides. D.P.	(wh.)	Hawthorn-like.	Nepaul.	1824.	G. h.

H. et B. pl. æq. 1. t. 52.
Catesb. car. 1. t. 54.
Bot. reg. t. 710.

SCHO'EPFIA. D.P.		SCHO'EPFIA. Pentandria Monogynia.				
fragens. D.P.	(ye.)	fragrant.	Nepaul.	1827.	G. h.

ORDO CXXXII.

STYRACINEÆ. Kth. synops. 2. p. 315.

STYRAX. W.		STORAX. Decandria Monogynia. L.				
1 officinale. w.	(wh.)	officinal.	Italy.	1597.	7.	H. h.
2 grandifolium. w.	(wh.)	great-leaved.	N. America.	1765.	—	H. h.
3 pulverulentum. M.	(wh.)	powdered.	————	1794.	6. 7.	H. h.
4 glabrum. N.	(wh.)	smooth.	————	1765.	7. 8.	H. h.

Andr. reposit. t. 631.
Wats. dend. brit. t. 129.
———— t. 41.
———— t. 40.

lævigatum. Bot. mag. t. 921.

HALÆSIA. W.		SNOWDROP-TREE. Dodecandria Monogynia. L.				
1 tetraptera. w.	(wh.)	four-winged.	Carolina.	1756.	4. 5.	H. h.
2 parviflora. B.R.	(wh.)	small-flowered.	————	1812.	5.	H. h.
3 diptera. w.	(wh.)	two-winged.	N. America.	1758.	4. 5.	H. h.

Bot. mag. t. 910.
Bot. reg. t. 952.
Lodd. bot. cab. t. 1172.

ORDO CXXXIII.

MYRSINEÆ. Brown prodr. 532.

MÆSA. J.		MÆSA. Pentandria Monogynia.				
1 indica. D.P.	(wh.)	Indian.	E. Indies.	1812.	2. 6.	S. h.
<i>Bæobdrys indica.</i> F.I.						
2 tomentosa. D.P.	(wh.)	tomentose.	Nepaul.	1818.	—	S. h.
3 argentea. F.I.	(wh.)	silvery-leaved.	E. Indies.	—	—	S. h.
4 macrophylla. F.I.	(wh.)	large-leaved.	————	1823.	—	S. h.

Bot. mag. t. 2052.

JACQUI'NIA. W.		JACQUI'NIA. Pentandria Monogynia. W.			
1 arborea. w.	(wh.) blunt-leaved.	W. Indies.	1820.	S. h.
2 armillaris. w.	(wh.) armed-leaved.	—————	1768.	4. 6.	S. h.
3 aurantiaca. H.K.	(or.) orange-color'd.	Sandwich Isl.	1796.	4. 9.	S. h.
4 ruscifolia. w.	(or.) Ruscus-leaved.	S. America.	1729.	————	S. h.
5 macrocarpa. C.I.	(or.) large capsuled.	—————	1820.	————	S. h.
ARDISIA. W.		ARDISIA. Pentandria Monogynia. W.			
1 acuminata. w.	(pi.) acuminate.	Guiana.	1803.	7. 8.	S. h.
<i>Myrsine Icacorea. R.S.</i>					
2 tinifolia. R.S.	(pi.) Tinus-leaved.	Jamaica.	1824.	————	S. h.
3 solanacea. w.	(ro.) Nightshade-like.	E. Indies.	1798.	6. 9.	S. h.
4 paniculata. F.I.	(ro.) paniced.	—————	1818.	3. 8.	S. h.
5 colorata. F.I.	(ro.) red-flowered.	—————	1816.	————	S. h.
6 umbellata. F.I.	(pi.) umbel-flowered.	—————	1809.	6. 9.	S. h.
<i>littoralis. Andr. repos. t. 630.</i>					
7 lanceolata. F.I.	(pi.) leathery-leaved.	—————	1818.	————	S. h.
8 elegans. A.R.	(pi.) elegant.	—————	1809.	7. 9.	S. h.
<i>crenata. F.I.</i>					
9 punctata. B.R.	(pi.) spotted-flowered.	China.	1823.	6. 9.	S. h.
10 lentiginosa. B.R.	(wh.) freckled.	—————	1809.	3. 12.	G. h.
<i>crenulata. B.C. 2. non Vent. crenata. Bot. mag. t. 1950.</i>					
11 glandulosa. F.I.	(wh.) glandular.	E. Indies.	1827.	————	S. h.
12 macrocarpa. F.I.	(pi.) large-fruited.	Nepaul.	1824.	5. 9.	S. h.
13 complanata. F.I.	(pi.) pubescent.	Pinang.	————	————	S. h.
14 thyrsiflora. D.P.	(pi.) thyrses-flower'd.	Nepaul.	————	4. 8.	S. h.
15 pyramidalis. Cav.	(pi.) pyramidal.	Santa Cruz.	1818.	4. 9.	S. h.
16 excelsa. w.	(gr.) Laurel-leaved.	Madeira.	1784.	7. 8.	G. h.
<i>Myrsine Heberdenia. R.S.</i>					
17 coriacea. R.S.	(ro.) leathery-leaved.	W. Indies.	1822.	4. 8.	S. h.
18 serrulata. w.	(pi.) saw-leaved.	—————	1820.	7. 8.	S. h.
19 crenulata. w.	(re.) crenulated.	—————	1809.	6. 9.	S. h.
20 lateriflora. w.	(pi.) side-flowering.	—————	1793.	————	S. h.
21 canaliculata. w.	(pi.) channelled.	New Granada.	1824.	4. 8.	S. h.
EMB'ELIA. L.		EMB'ELIA. Pentandria Monogynia. L.			
1 robusta. F.I.	(gr.wh.) robust.	E. Indies.	1823.	S. h.
2 floribunda. F.I.	(ye.gr.) sweet-scented.	Nepaul.	1826.	S. h.
MYRS'INE. B.P.		MYRS'INE. Polygamia Diœcia. L.			
1 africana. s.s.	(gr.pu.) African.	C. B. S.	1691.	3. 5.	G. h.
2 retusa. s.s.	(gr.pu.) retuse-leaved.	Azores.	1778.	6.	G. h.
3 rotundifolia. R.S.	(w.pu.) round-leaved.	C. B. S.	1816.	————	G. h.
4 semiserrata. F.I.	(bh.) semiserrate.	Nepaul.	1822.	G. h.
5 capitellata. F.I.	(gr.) axillary headed.	—————	————	G. h.
6 bifaria. F.I.	(bh.) bifarious.	—————	————	G. h.
7 subspinosa. D.P.	(wh.) spiny-leaved.	—————	1823.	G. h.
8 coriacea. B.P.	(wh.) leathery-leaved.	Jamaica.	1822.	S. h.
<i>Samara coriacea. Sw.</i>					
9 Samara. s.s.	(wh.) oval-leaved.	C. B. S.	1770.	11. 2.	G. h.
<i>Samara pentandra. w.</i>					
10 melanophleos. s.s.	(wh.) Laurel-leaved.	—————	1783.	3. 6.	G. h.
<i>Sideroxylon melanophleum. w.</i>					
11 mitis. s.s.	(wh.) pointed-leaved.	—————	6. 9.	G. h.
<i>Sideroxylon mite. B.M. Scleroxylon mite. W.en. Manglilla Milleriana. P.S.</i>					
12 venulosa. s.s.	(wh.) veined-leaved.	—————	1816.	————	G. h.
13 canariense. s.s.	(wh.) Canary.	Canaries.	————	————	G. h.
14 variabilis. B.P.	(wh.) variable.	N. S. W.	1820.	————	G. h.
ÆGIC'ERAS. G.		ÆGIC'ERAS. Pentandria Monogynia.			
fragrans. B.P.	(wh.) fragrant.	N. Holland.	1824.	G. h.

ORDO CXXXIV.

SAPOTEÆ. *Brown prodr. 1. p. 528.*

INOCA'RPUS. W.		OTAHEITE-CHESTNUT. Decandria Monogynia. W.			
edulis. w.	(wh.) eatable.	South-sea Isl.	1793.	S. h.
BUM'ELIA. S.S.		BUM'ELIA. Pentandria Monogynia. W.			
1 lycioides. s.s.	(wh.) Boxthorn-leav'd.	N. America.	1758.	8.	H. h.

Jacq. amer. pict. t. 56.
Bot. mag. t. 1639.
Jacq. amer. pict. t. 57.
Cavan. ic. 5. t. 483.

Bot. mag. t. 1678.

Sloan. hist. 2. t. 105.

Bot. mag. t. 1677.

Bot. reg. t. 638.

Lodd. bot. cab. t. 465.

————— t. 531.

Andr. reposit. t. 623.

Bot. reg. t. 827.

————— t. 533.

Lodd. bot. cab. t. 448.

Gært. sem. 1. t. 77. f. 1.

Plum. ic. 80.

Venten. choix. t. 5.

Lodd. bot. cab. t. 1053.

Comm. hort. 1. t. 64.

Venten. cels. t. 86.

Pluk. alm. t. 18. f. 5.

Jacq. vind. 1. t. 71.

Bot. mag. t. 1858.

Kon. an. bot. 1. p. 129. ic.

Roxb. corom. 3. t. 265.

Duham. arb. 2. t. 68.

2 oblongifolia. N.	(wh.) oblong-leaved.	Mississippi.	1818.	7. 8.	H. h.	
3 ténax. R.S.	(wh.) silvery-leaved.	Carolina.	1765.	—	H. h.	Wats. dend. brit. t. 10.
	<i>chrysophylloides</i> . W.D.	<i>Sideroxylon ténax</i> . L.				
4 lanuginosa. R.S.	(wh.) woolly-leaved.	—	—	—	H. h.	
5 reclinata. s.s.	(wh.) reclined.	—	1806.	—	H. h.	Venten. choix. t. 22.
6 strigosa. s.s.	(wh.) strigose.	—	G. h.	
	<i>Sideroxylon strigosum</i> . W.en.					
7 nigra. s.s.	(wh.) black.	W. Indies.	1806.	6. 8.	S. h.	
8 salicifolia. s.s.	(wh.) Willow-leaved.	S. America.	1758.	—	S. h.	Sloan. hist. 2. t. 206. f. 2.
9 fœtidissima. s.s.	(wh.) fetid.	W. Indies.	5. 7.	S. h.	
10 rotundifolia. s.s.	(wh.) round-leaved.	—	1816.	—	S. h.	
SERSALI'SIA. B.P.	SERSALI'SIA.	Pentandria Monogynia.				
sericea. B.P.	(wh.) silky-leaved.	N. Holland.	1772.	5. 6.	G. h.	
	<i>Sideroxylon sericeum</i> . W.					
SIDERO'XYLON. W.	IRON-WOOD.	Pentandria Monogynia. L.				
1 inérme. w.	(wh.) smooth.	C. B. S.	1692.	7. 8.	G. h.	Lam. ill. 2. t. 120. f. 1.
2 tomentosum. w.	(wh.) tomentose.	E. Indies.	1818.	S. h.	Roxb. corom. 1. t. 28.
ARG'ANIA. R.S.	ARG'ANIA.	Pentandria Monogynia.				
<i>Sideroxylum</i> . R.S. (ye.)	spiny.	Morocco.	1711.	7. 8.	H. h.	Comm. hort. 1. t. 83.
	<i>Sideroxylum spinosum</i> . L.	<i>Elæodéndron A'rgan</i> . w.				
CHRYSOPHY'LLUM. W.	STAR-APPLE.	Pentandria Monogynia. L.				
1 Cainito. w.	(wh.) broad-leaved.	W. Indies.	1737.	5. 6.	S. h.	Jacq. amer. t. 37. f. 1.
β jamaicéne.	(wh.) purple-fruited.	—	—	—	S. h.	Jacq. am. pict. t. 52.
γ cærùleum.	(wh.) blue-fruited.	—	—	—	S. h.	Jacq. amer. t. 37.
δ microphy'llum.	(wh.) small-leaved.	—	—	—	S. h.	Jacq. amer. pict. t. 53.
2 monopyrènum. w.	(wh.) acute-leaved.	—	1816.	—	S. h.	Burm. amer. t. 69.
3 argéteum. w.	(wh.) silvery.	Martinico.	1758.	—	S. h.	Jacq. amer. pict. t. 51.
4 macrophy'llum. G.D.	(wh.) large-leaved.	Sierra Leone.	1822.	S. h.	
5 obovatum. G.D.	(wh.) obovate.	—	—	S. h.	
6 glábrum. w.	(wh.) smooth-leaved.	Martinico.	1818.	4. 6.	S. h.	Jacq. amer. pict. t. 55.
NYCTERISITION. R.P.	NYCTERISITION.	Pentandria Monogynia.				
ferrugineum. R.P. (wh.)	ferruginous.	S. America.	1823.	S. h.	Flor. peruv. 2. t. 187.
A'CHRAS. J.	SAPOTA.	Hexandria Monogynia. S.S.				
1 Sapòta. w.	(wh.) common.	S. America.	1731.	4. 6.	S. h.	Jacq. amer. 57. t. 41.
β Zapotilla. Jacq.	(wh.) Naseberry-tree.	—	—	—	S. h.	— 57. t. 41. b.
2 australis. B.P.	(wh.) New Holland.	N. S. W.	1823.	G. h.	
LUC'UMA. J.	LUC'UMA.	Pentandria Monogynia.				
1 mammosum. K.S.	(wh.) Mammee.	S. America.	1739.	5. 8.	S. h.	Jacq. amer. t. 182. f. 19.
2 Bonplandii. K.S.	(wh.) Bonpland's.	Havannah.	1822.	S. h.	
3 obovatum. K.S.	(wh.) obovate-leaved.	Peru.	—	S. h.	Flor. peruv. 3. t. 239.
4 salicifolium. K.S.	(wh.) Willow-leaved.	Mexico.	1823.	S. h.	
MIMUSOPS. W.	MIMUSOPS.	Octandria Monogynia. L.				
1 Eléngi. s.s.	(wh.) pointed-leaved.	E. Indies.	1796.	5. 7.	S. h.	Roxb. cor. 1. t. 14.
2 dissécta. s.s.	(wh.) oval-leaved.	South-sea Isl.	1804.	—	S. h.	
3 hexándra. s.s.	(wh.) hexandrous.	E. Indies.	1816.	—	S. h.	Roxb. cor. 1. t. 15.
4 Kaùki. s.s.	(wh.) obtuse-leaved.	—	1796.	5. 8.	S. h.	Rumph. amb. 3. t. 8.
IMBRIC'ARIA. J.	IMBRIC'ARIA.	Octandria Monogynia.				
borbònica. G.	(wh.) Bourbon.	Bourbon.	1820.	S. h.	
BA'SSIA. L.	BA'SSIA.	Dodecandria Monogynia. L.				
1 longifolia. w.	(wh.) long-leaved.	E. Indies.	1811.	S. h.	Lam. ill. t. 398.
2 latifolia. w.	(wh.) broad-leaved.	—	1799.	S. h.	Roxb. cor. 1. t. 19.
3 butyràcea. D.P.	(wh.) butter-tree.	Nepaul.	1823.	S. h.	

ORDO CXXXV.

EBENACEÆ. *Brown prodr.* 1. p. 524.

MABA. J.	M'ABA.	Diœcia Hexandria. W.				
buxifolia. P.S.	(wh.) Box-leaved.	E. Indies.	1810.	S. h.	Roxb. cor. 1. t. 45.
	<i>Ferredla buxifolia</i> . Roxb.					
CARGI'LLIA. B.P.	CARGI'LLIA.	Polygamia Diœcia.				
austràlis. B.P.	(gr.) southern.	N. S. W.	1816.	G. h.	
DIO'SPYROS. S.S.	DATE PLUM.	Polygamia Diœcia. W.				
1 virginiana. s.s. (p.ye.)	Persimon.	N. America.	1629.	6. 7.	H. h.	Wats. dend. brit. t. 146.
2 pubéscens. s.s. (pa.ye.)	pubescent.	—	1812.	4. 5.	H. h.	

3	reticulàta. s.s.	(wh.) netted.	Mauritius.	1823.	4. 5.	S. h.	
4	Ebenàster. s.s.	(wh.) Ebenus-like.	E. Indies.	1792.	6. 8.	S. h.	Rumph. amb. 1. t. 6.
5	melanóxylon. s.s.	(wh.) black-wooded.	————	1817.	————	S. h.	Roxb. cor. 1. t. 46.
6	E'benum. s.s.	(wh.) smooth.	————	1792.	————	S. h.	Rotb. act. hafn. 2. t. 5.
7	montàna. s.s.	(wh.) mountain.	————	1819.	————	S. h.	Roxb. cor. 1. t. 48.
8	obovàta. s.s.	(wh.) four-seeded.	W. Indies.	1796.	5. 7.	S. h.	Jacq. schœn. 3. t. 312.
9	sylvàtica. s.s.	(wh.) wood.	E. Indies.	1812.	————	S. h.	Roxb. cor. 1. t. 47.
10	Embryóptèris. s.s.	(gr.) glutiniferous.	————	1796.	5. 8.	S. h.	Bot. reg. t. 499.
	<i>Embryóptèris glutinifera.</i> B.C. 1. t. 70.						
11	lobàta. s.s.	(wh.) lobed-fruited.	China.	1822.	————	G. h.	
12	vaccinióides. L.C.	(wh.) Vaccinium-like.	————	————	————	G. h.	Hook. ex. flor. t. 139.
13	èdulis. L.C.	(wh.) eatable.	E. Indies.	————	————	S. h.	
14	Lòtus. s.s.	(pa.ye.) European.	Italy.	1596.	6. 7.	H. h.	Mill. ic. t. 116.
15	Kàki. s.s.	(wh.) Japan.	Japan.	1789.	————	G. h.	Kæmp. amœn. t. 806.
16	hirsùta. s.s.	(wh.) hairy.	Ceylon.	1816.	————	S. h.	
17	chloróxylon. s.s.	(wh.) cluster-flowered.	E. Indies.	1822.	S. h.	Roxb. cor. 1. t. 49.
18	cordifòlia. s.s.	(wh.) heart-leaved.	————	1794.	5. 7.	S. h.	———— 1. t. 50.
	ROY'ENA. W.	ROY'ENA. Decandria Digynia. L.					
1	lúcida. w.	(wh.) shining-leaved.	C. B. S.	1690.	5. 6.	G. h.	Lam. ill. t. 370. f. 1.
2	villòsa. w.	(wh.) heart-leaved.	————	1774.	6. 7.	G. h.	
3	pállens. w.	(wh.) pale.	————	1789.	————	G. h.	
4	myrtifòlia. W.en.	(wh.) Myrtle-leaved.	————	1812.	————	G. h.	
5	glàbra. w.	(wh.) smooth.	————	1731.	7. 9.	G. h.	Comm hort. 1. t. 65.
6	pubéscens. W.en.	(wh.) pubescent.	————	1752.	————	G. h.	Bot. reg. t. 500.
7	hirsùta. W.en.	(wh.) hairy-leaved.	————	————	————	G. h.	Lam. ill. t. 370. f. 2.
8	angustifòlia. w.	(wh.) willow-leaved.	————	1789.	6. 7.	G. h.	
9	latifòlia. W.en.	(wh.) broad-leaved.	————	1816.	————	G. h.	
10	ambígua. v.	(wh.) obovate-leaved.	————	1815.	6. 7.	G. h.	Vent. malin. t. 17.
11	polyándra. w.	(wh.) oval-leaved.	————	1774.	G. h.	
	VISNEA. W.	VISNEA. Dodecandria Trigynia. W.					
	Mocanèra. w.	(wh.) Canary.	Canaries.	1815.	8. 12.	G. h.	

ORDO CXXXVI.

OLEINÆ. *Brown prodr. 1. p. 522.*

	FRA'XINUS. W.	ASH-TREE. Polygamia Diœcia. L.					
1	excélsior. w.	(gr.) common.	Britain.	4. 5.	H. 5.	Eng. bot. v. 24. t. 1699.
	β argénteà.	(gr.) silver-striped.	————	————	H. 5.	
	γ péndula.	(gr.) weeping.	————	————	H. 5.	
	δ horizontàlis.	(gr.) horizontal.	————	————	H. 5.	
	ϵ jáspideà.	(gr.) coloured branch'd.	————	————	H. 5.	
	ζ eròsa.	(gr.) erose-leaved.	————	————	H. 5.	
2	aùrea. W.en.	(gr.) yellow barked.	H. 5.	
3	atrovirens. P.s.	(gr.) green curled-leav'd.	H. 5.	
4	nàna. W.en.	(gr.) dwarf.	H. h.	
5	verrucòsa. L.en.	(gr.) warted.	4. 5.	H. 5.	
6	heterophýlla. s.s.	(gr.) various-leaved.	England.	————	H. 5.	Eng. bot. v. 35. t. 2475.
	<i>simplicifòlia.</i> E.B.						
7	polemonifòlia. R.s.	(gr.) Polemonium-ld.	N. America.	————	H. 5.	
8	parvifòlia. s.s.	(gr.) small-leaved.	Levant.	1816.	————	H. 5.	
9	lentiscifòlia. s.s.	(gr.) Lentiscus-leaved.	Aleppo.	1710.	5. 6.	H. 5.	Pluk. alm. t. 182. f. 4.
10	argénteà. s.s.	(gr.) silver-leaved.	Corsica.	1825.	H. 5.	
11	sambucifòlia. s.s.	(gr.) Elder-leaved.	N. America.	1800.	H. 5.	
12	oxycárpa. s.s.	(gr.) sharp-leaved.	Tauria.	1815.	5. 6.	H. 5.	
	<i>oxyphy'lla.</i> M.B.						
13	pállida. s.s.	(gr.) pale.	N. America.	1818.	H. 5.	
14	rùfa. s.s.	(gr.) rufous.	————	1822.	H. 5.	
15	fúsca. s.s.	(gr.) brown branched.	————	————	H. 5.	
16	nìgra. s.s.	(gr.) black-twigged.	————	1818.	4. 6.	H. 5.	
17	ellíptica. s.s.	(gr.) elliptic-leaved.	————	1824.	H. 5.	
18	ovàta. s.s.	(gr.) oval-leaved.	————	————	H. 5.	
19	Richárdi. s.s.	(gr.) Richard's.	————	————	H. 5.	
20	álba. s.s.	(gr.) grey branched.	————	1825.	H. 5.	
21	cinèrea. s.s.	(gr.) cinereous.	————	1818.	H. 5.	

22	<i>viridis</i> . s.s.	(gr.) green-branched.	N. America.	1816.	H.5.	
23	<i>longifolia</i> . s.s.	(gr.) long-leaved.	—————	1825.	H.5.	
24	<i>tamariscifolia</i> . R.S.	(gr.) Tamarisk-leaved.	Levant.	—	H.5.	
25	<i>mexicana</i> .	(gr.) Mexican.	Mexico.	1825.	H.5.	
26	<i>rubicunda</i> . s.s.	(gr.) red-veined.	N. America.	—	H.5.	
27	<i>pulverulenta</i> . s.s.	(gr.) powdered.	—————	—	H.5.	
28	<i>mixta</i> . s.s.	(gr.) mixed.	—————	—	H.5.	
29	<i>expansa</i> . s.s.	(gr.) expanded	—————	—	H.5.	
30	<i>platycarpa</i> . s.s.	(gr.) flat-seeded.	—————	1816.	4. 6.	H.5.	Catesb. car. t. 80.
31	<i>quadrangulata</i> . s.s.	(gr.) four-sided.	—————	1811.	—	H.5.	Mich. f. arb. ic.
32	<i>epiptera</i> . s.s.	(gr.) dotted-stalked.	—————	—	—	H.5.	————— t. 33.
	<i>discolor</i> . M.						
33	<i>lancea</i> . Bosc.	(gr.) lance-leaved.	—————	1823.	—	H.5.	
34	<i>pannosa</i> . s.s.	(gr.) cloth-leaved.	—————	1818.	—	H.5.	
35	<i>pubescens</i> . s.s.	(gr.) pubescent.	—————	1783.	5.	H.5.	Du Roi. ed. 2. t. 1.
36	<i>curvidens</i> . R.S.	(gr.) curved-toothed.	Carolina.	1811.	4. 5.	H.5.	
37	<i>caroliniàna</i> . s.s.	(gr.) Carolina.	N. America.	—	4. 6.	H.5.	
38	<i>juglandifolia</i> . s.s.	(gr.) Walnut-leaved.	—————	1783.	—	H.5.	
39	<i>acuminata</i> . s.s.	(gr.) taper-pointed.	—————	1723.	—	H.5.	
40	<i>americana</i> . s.s.	(gr.) white.	—————	—	—	H.5.	
ORNUS. P.S. FLOWERING ASH. Diandria Monogynia. P.S.							
1	<i>americana</i> . Ph.	(wh.) American.	N. America.	1812.	5. 6.	H.5.	
2	<i>europæa</i> . P.S.	(wh.) European.	Italy.	1710.	—	H.5.	Flor. græc. 1. t. 4.
	<i>Fraxinus Ornus</i> . w.						
3	<i>rotundifolia</i> . P.S.	(wh.) manna.	—————	1697.	4. 5.	H.5.	
4	<i>striata</i> .	(wh.) streak-barked.	1818.	—	H.5.	
	<i>Fraxinus striata</i> . s.s.						
5	<i>floribunda</i> .	(wh.) many-flowered.	Nepaul.	—	G.5.	
	<i>Fraxinus floribunda</i> . F.I.						
CHIONANTHUS. S.S. FRINGE-TREE. Diandria Monogynia. L.							
1	<i>virginica</i> . w.	(wh.) smooth-leaved.	N. America.	1736.	5. 7.	H.5.	Catesb. car. 1. t. 68.
2	<i>maritima</i> .	(wh.) pubescent-leaved.	—————	—	—	H.5.	Wats. dend. brit. t. 1.
	<i>virginica</i> β <i>maritima</i> . Ph.	<i>virginica</i> β <i>angustifolia</i> . w.D.					
3	<i>axillaris</i> . B.P.	(wh.) axil-flowering.	N. Holland.	1810.	G. h.	
LINOCYRA. S.S. LINOCYRA. Diandria Monogynia. S.S.							
1	<i>ligustrina</i> . s.s.	(wh.) Privet-like.	W. Indies.	1820.	S. h.	
2	<i>cotinifolia</i> . s.s.	(wh.) Cotinus-leaved.	Ceylon.	1818.	S. h.	
3	<i>compacta</i> . s.s.	(wh.) Caribbean.	W. Indies.	1793.	S. h.	Jacq. coll. 2. t. 6. f. 1.
FONTANESIA. S.S. FONTANESIA. Diandria Monogynia. W.							
	<i>phillyræoides</i> . s.s.	(wh.) Phillyrea-leaved.	Syria.	1787.	6. 8.	H. h.	Wats. dend. brit. t. 2.
NOTELÆA. B.P. NOTELÆA. Diandria Monogynia. S.S.							
1	<i>longifolia</i> . B.P.	(wh.) long-leaved.	N. S. W.	1790.	3. 6.	G. h.	Venten. choix. t. 25.
	<i>Olea apetala</i> . A.R. 316.						
2	<i>ovata</i> . B.P.	(wh.) oval-leaved.	—————	1818.	—	G. h.	
3	<i>ligustrina</i> . B.P.	(wh.) Privet-leaved.	V. Diem. Isl.	1807.	7. 8.	G. h.	
4	<i>rigida</i> . R.S.	(wh.) rigid-leaved.	—————	1820.	—	G. h.	
OLEA. B.P. OLIVE. Diandria Monogynia. L.							
1	<i>europæa</i> . s.s.	(wh.) European.	S. Europe.	1570.	6. 8.	G. h.	
	α <i>Oleaster</i> . R.S.	(wh.) spiny-branched.	Portugal.	—	G. h.	Flor. græc. 1. t. 3.
	β <i>longifolia</i> . R.S.	(wh.) long-leaved.	S. Europe.	—	G. h.	Lodd. bot. cab. t. 456.
	γ <i>ferruginea</i> . R.S.	(wh.) ferruginous.	—————	—	G. h.	
	δ <i>latifolia</i> . R.S.	(wh.) broad-leaved.	—————	—	G. h.	
	ε <i>obliqua</i> . R.S.	(wh.) oblique-leaved.	—————	—	G. h.	
	ζ <i>buxifolia</i> . R.S.	(wh.) Box-leaved.	—————	—	G. h.	
2	<i>verrucosa</i> . s.s.	(wh.) warted.	C. B. S.	1814.	—	G. h.	
3	<i>americana</i> . s.s.	(wh.) American.	N. America.	1758.	6.	G. h.	Catesb. car. 1. t. 61.
4	<i>fragrans</i> . s.s.	(wh.) fragrant.	China.	1771.	6. 8.	G. h.	Bot. mag. t. 1552.
5	<i>lancea</i> . s.s.	(wh.) lance-leaved.	Mauritius.	1818.	—	S. h.	
6	<i>dioica</i> . F.I.	(wh.) dioecious.	E. Indies.	—	S. h.	
7	<i>capensis</i> . s.s.	(wh.) Cape.	C. B. S.	1730.	6. 9.	G. h.	Bot. reg. t. 613.
8	<i>undulata</i> . s.s.	(wh.) wave-leaved.	—————	—	—	G. h.	Lodd. bot. cab. t. 379.
9	<i>emarginata</i> . R.S.	(wh.) emarginate.	Mauritius.	1816.	S. h.	
10	<i>excelsa</i> . s.s.	(wh.) Laurel-leaved.	Madeira.	1784.	5. 6.	G. h.	Jacq. schœn. 3. t. 251.
11	<i>cœrnua</i> . s.s.	(wh.) drooping-flower'd.	Mauritius.	1816.	S. h.	
12	<i>paniculata</i> . B.P.	(wh.) paniced.	N. S. W.	1823.	4. 6.	G. h.	
13	<i>Roxburghii</i> .	(wh.) Roxburgh's.	E. Indies.	1828.	S. h.	
	<i>paniculata</i> . F.I. non B.P.						
14	<i>robusta</i> .	(wh.) large Phillyrea.	—————	1818.	S. h.	
	<i>Phillyrea robusta</i> . F.I.						

15	chinensis.	(wh.) Chinese.	China.	1820.	4. 6.	H. h.	
	<i>Phillyrea paniculata</i> . F.I.						
16	angustifolia.	(wh.) narrow-ld.	Phillyrea.	S. Europe.	1597.	5. 6.	H. h. Lam. ill. t. 8. f. 3.
	<i>Phillyrea angustifolia</i> . s.s.						
	α	lanceolata.	(wh.) spear-leaved.	————	————	————	H. h.
	β	rosmarinifolia.	(wh.) Rosemary-leaved.	————	————	————	H. h.
	γ	brachiata.	(wh.) cross-branched.	————	————	————	H. h.
17	media.	R.S. (wh.) twiggy	Phillyrea.	————	————	————	H. h.
	β	buxifolia.	R.S. (wh.) Box-leaved.	————	————	————	H. h.
18	ligustrifolia.	R.S. (wh.) Privet-leaved.	————	————	————	————	H. h.
19	pendula.	R.S. (wh.) pendulous.	————	————	————	————	H. h.
20	oleæfolia.	R.S. (wh.) Olive-leaved	Phillyrea.	————	————	————	H. h. Pluk. alm. t. 310. f. 3.
21	lævis.	R.S. (wh.) smooth-leaved.	————	————	————	————	H. h. Duham. arb. t. 125.
22	latifolia.	R.S. (wh.) broad-leaved	————	————	————	————	H. h. Flor. græc. t. 2.
23	obliqua.	R.S. (wh.) oblique-leaved.	————	————	————	————	H. h.
24	spinosa.	R.S. (wh.) Holly-leaved.	————	————	————	————	H. h.
	<i>Phillyrea ilicifolia</i> . W.en.						
	LIGUSTRUM. W. PRIVET. Diandria Monogynia. L.						
1	vulgare.	R.S. (wh.) common.	Britain.	6. 7.	H. h.	Eng. bot. v. 11. t. 764.
	β	variegatum.	(wh.) striped-leaved.	————	————	H. h.
	γ	angustifolium.	(wh.) narrow-leaved.	————	————	H. h.
	δ	leucocarpum.	(wh.) white-berried.	————	————	H. h.
	ϵ	italicum.	Mill. (wh.) evergreen.	Italy.	————	H. h.
2	lucidum.	R.S. (wh.) Wax-tree.	China.	1794.	6. 9.	F. h.	Wats. dend. brit. t. 137.
	SYRINGA. R.S. LILAC. Diandria Monogynia. L.						
1	vulgaris.	w. (va.) common.	Persia.	1597.	5.	H. h.	Schk. hand. 1. t. 2.
	α	lilacina.	(li.) pale-flowered.	————	————	————	H. h. Bot. mag. t. 183.
	β	purpurea.	(pu.) purple-flowered.	————	————	————	H. h.
	γ	violacea.	(vi.) violet.	————	————	————	H. h.
	δ	alba.	(wh.) white-flowered.	————	————	————	H. h.
	ϵ	variegata.	(li.) variegated-leaved.	————	————	————	H. h.
2	chinensis.	w. (pu.) Siberian.	China.	1795.	————	————	H. h.
3	persica.	w. (li.) Persian.	Persia.	1640.	————	————	H. h. Bot. mag. t. 486.
	α	lilacina.	(li.) pale-flowered.	————	————	————	H. h.
	β	alba.	(wh.) white-flowered.	————	————	————	H. h.
	γ	laciniata.	(wh.) cut-leaved.	————	————	————	H. h. Schmidt arb. 2. t. 79.

ORDO CXXXVII.

JASMINEÆ. *Brown prodr. 1. p. 520.*

	NYCTANTHES. W. NYCTANTHES. Diandria Monogynia. L.						
	arbor tristis.	w. (wh. ye.) square-stalked.	E. Indies.	1781.	6. 9.	S. h.	Bot. reg. t. 399.
	JASMINUM. W. JASMINE. Diandria Monogynia. L.						
1	Sambac.	s.s. (wh.) single Arabian.	E. Indies.	1665.	1. 12.	S. h. ∪.	Bot. reg. t. 1.
	β	múltiplex.	(wh.) semidouble.	————	————	S. h. ∪.	Andr. reposit. t. 497.
	γ	trifoliatum.	(wh.) Tuscan.	————	————	S. h.	Bot. mag. t. 1785.
2	undulatum.	s.s. (wh.) wave-leaved.	————	1730.	————	S. h.	Bot. reg. t. 436.
3	hirsutum.	s.s. (wh.) hairy Indian.	————	1812.	2. 6.	S. h. ∪.	Sm. ex. bot. 2. t. 118.
	<i>multiflorum</i> . And. rep. t. 436.						
4	angustifolium.	F.I. (wh.) narrow-leaved.	————	1759.	5. 12.	S. h.	————
5	laurifolium.	F.I. (wh.) Laurel-leaved.	————	1816.	1. 12.	S. h. ∪.	Rheed. mal. 6. t. 53.
6	trinerve.	s.s. (wh.) three-nerved.	————	————	————	S. h. ∪.	Bot. reg. t. 521.
7	glaucum.	s.s. (wh.) glaucous.	Java.	1804.	4. 6.	S. h. ∪.	———— t. 918.
8	bracteatum.	s.s. (wh.) bracteate.	C. B. S.	1774.	6. 8.	S. h. ∪.	Sal. stirp. rar. t. 8.
9	latifolium.	s.s. (wh.) broad-leaved.	Sumatra.	1820.	————	S. h. ∪.	————
10	arborescens.	s.s. (wh.) arborescent.	E. Indies.	1817.	————	S. h. ∪.	————
11	scandens.	s.s. (wh.) scandent.	————	1824.	S. h.	————
12	simplicifolium.	s.s. (wh.) simple-leaved.	————	————	S. h. ∪.	————
13	elongatum.	s.s. (wh.) long-branched.	Society Isl.	3. 6.	S. h. ∪.	Bot. mag. t. 980.
14	gracile.	s.s. (wh.) slender.	E. Indies.	1823.	S. h. ∪.	Berg. act. an. 1772. t. 11.
15	acuminatum.	s.s. (wh.) acuminate.	Norfolk Isl.	1791.	1. 12.	G. h. ∪.	Andr. reposit. t. 127.
16	volubile.	R.S. (wh.) twisting.	N. Holland.	1820.	6. 9.	G. h. ∪.	Bot. reg. t. 1296.
17	auriculatum.	s.s. (wh.) auriculate.	C. B. S.	1816.	4. 7.	G. h. ∪.	Jacq. schœn. 3. t. 321.
18	paniculatum.	s.s. (wh.) variable-leaved.	E. Indies.	1790.	5. 9.	S. h. ∪.	Bot. reg. t. 264.
			China.	1812.	2. 12.	S. h. ∪.	———— t. 690.

19	<i>flexile</i> . s.s.	(wh.) acute 3-leaved.	E. Indies.	1820.	4. 8.	S. h. ∪.	
20	<i>tortuosum</i> . s.s.	(wh.) twisting.	C. B. S.	—	—	S. h. ∪.	Jacq. schœn. 4. t. 490.
	<i>flexile</i> . Jacq. non w.						
21	<i>campanulatum</i> . s.s.	(wh.) bell-shaped calyx'd.	—	—	S. h. ∪.	
22	<i>capense</i> . s.s.	(wh.) Cape.	C. B. S.	1816.	—	G. h.	
23	<i>azoricum</i> . s.s.	(wh.) white Azorian.	Madeira.	1724.	4. 11.	G. h.	Bot. reg. t. 89.
24	<i>disperrum</i> . s.s.	(wh.) two-seeded.	Nepaul.	1825.	G. h. ∪.	
25	<i>fruticans</i> . s.s.	(ye.) common yellow.	S. Europe.	1570.	4. 10.	H. h.	Bot. mag. t. 461.
26	<i>humile</i> . s.s.	(ye.) Italian.	—	1656.	6. 9.	H. h.	Bot. reg. t. 350.
27	<i>odoratissimum</i> . s.s.	(ye.) yellow Azorian.	Madeira.	—	5. 11.	G. h.	Bot. mag. t. 285.
28	<i>revolutum</i> . s.s.	(ye.) yellow Nepaul.	Nepaul.	1812.	3. 10.	H. h.	Bot. reg. t. 178.
	<i>chrysanthemum</i> . F.I.						
29	<i>pubigerum</i> . D.P.	(ye.) pubescent.	—	1828.	—	H. h. ∪.	
30	<i>officinale</i> . s.s.	(wh.) common white.	E. Indies.	1548.	6. 10.	H. h. ∪.	Bot. mag. t. 31.
	<i>β leucophyllum</i> . (wh.) white-edged.	—	—	—	H. h. ∪.	
	<i>γ chrysophyllum</i> . (wh.) yellow-edged.	—	—	—	H. h. ∪.	
	<i>δ multiplex</i> . (wh.) double-blossomed.	—	—	1823.	—	H. h. ∪.	
31	<i>grandiflorum</i> . s.s.	(wh.) Catalonian.	—	1629.	—	G. h. ∪.	Bot. reg. t. 91.

ORDO CXXXVIII.

APOCINEÆ. *Brown prodr.* 1. p. 465.

ALYXIA. B.P.	ALYXIA. Pentandria Monogynia.						
Richardsoni. (wh.) Richardson's.	N. Holland.	1823.	4. 6.	S. h.			
RAUWO'LFIA. S.S.	RAUWO'LFIA. Pentandria Monogynia. W.						
1 nitida. s.s. (wh.) shining.	S. America.	1752.	6. 9.	S. h.	Lodd. bot. cab. t. 339.		
2 ternifolia. s.s. (wh.) three-leaved.	—	1822.	—	S. h.	Bot. mag. t. 2440.		
3 canescens. s.s. (fl.) hoary.	Jamaica.	1739.	—	S. h.	Jacq. amer. pict. f. 17.		
4 tomentosa. s.s. (wh.) woolly.	S. America.	1823.	—	S. h.	— t. 46.		
5 spinosa. R.S. (st.) spiny.	Peru.	1827.	—	S. h.	Cavan. icon. 6. t. 526.		
VALL'ESIA. R.P.	VALL'ESIA. Pentandria Monogynia.						
cymbæfolia. R.S. (wh.) boat-leaved.	S. America.	1816.	6. 8.	S. h.	Cavan. ic. 3. t. 297.		
<i>Rauwolfia glabra</i> . w.							
OPHIOXYLON. W.	OPHIOXYLON. Polygamia Monœcia. W.						
serpentinum. w. (wh.) serpent-wood.	E. Indies.	1690.	5. 6.	S. h.	Bot. mag. t. 784.		
STRYCHNOS. S.S.	STRYCHNOS. Pentandria Monogynia. W.						
1 Nux vomica. s.s. (wh.) Poison-nut.	E. Indies.	1778.	S. h.	Roxb. cor. 1. t. 4.		
2 colubrina. s.s. (gr.ye.) muricate-fruited.	—	1818.	5. 8.	S. h.	Rheed. mal. 8. t. 24.		
3 potatorum. s.s. (wh.) clearing-nut.	—	1794.	4. 6.	S. h.	Roxb. cor. 1. t. 5.		
4 madagascariensis. s.s. (wh.) Madagascar.	Madagascar.	1818.	S. h.			
5 spinosa. s.s. (gr.ye.) spiny.	—	1824.	S. h.			
6 axillaris. s.s. (wh.) axillary-flowered.	E. Indies.	1818.	5. 7.	S. h.	Linn. trans. v. 12. t. 15.		
THEOPHRASTA. S.S.	THEOPHRASTA. Pentandria Monogynia.						
1 longifolia. R.S. (or.) long-leaved.	Caracas.	1827.	S. h.	Jacq. schœn. 1. t. 116.		
2 macrophylla. R.S. large-leaved.	Brazil.	—	S. h.			
3 americana. R.S. American.	S. America.	—	S. h.	Plum. icon. 126.		
4 Jussieui. s.s. (wh.) Jussieu's.	—	1818.	1. 4.	S. h.	Lindl. coll. t. 26.		
CLAVIJA. R.P.	CLAVIJA. Pentandria Monogynia.						
macrophylla. R.P. (wh.) long-leaved.	S. America.	1816.	S. h.	Flor. peruv. gen. t. 30.		
FAGR'ÆA. W.	FAGR'ÆA. Pentandria Monogynia.						
1 zeylanica. w. (wh.) Ceylon.	Ceylon.	1824.	4. 7.	S. h.	Thunb. ac. hol. 1782. t. 4.		
2 fragrans. F.I. (wh.) fragrant.	China.	1826.	5. 7.	S. h.			
CARISSA. L.	CARISSA. Pentandria Monogynia. L.						
1 Carandas. s.s. (wh.) Jasmine-flower'd.	E. Indies.	1790.	7. 8.	S. h.	Roxb. cor. 1. t. 77.		
2 spinarum. s.s. (wh.) Box-leaved.	—	1809.	8. 12.	S. h.	Lodd. bot. cab. t. 162.		
3 ovata. B.P. (wh.) oval-leaved.	N. Holland.	1817.	6. 9.	G. h.			
4 Xylopiéron. s.s. (wh.) nerved-leaved.	Mauritius.	1820.	—	S. h.	Aub. Thou. obs. p. 24. ic.		
ARDU'INA. L.	ARDU'INA. Pentandria Monogynia. L.						
bispinosa. s.s. (wh.) two-spined.	C. B. S.	1760.	3. 8.	G. h.	Mill. ic. 2. t. 300.		
<i>Carissa Arduina</i> . P.S.							
GELS'EMIUM. J.	GELS'EMIUM. Pentandria Monogynia.						
sempervirens. P.S. (ye.) evergreen.	N. America.	1640.	6. 7.	G. h. ∪.	Catesb. car. 1. t. 53.		
nitidum. R.S. <i>Bignonia sempervirens</i> . W.							

CERBERA. W.		CERBERA. Pentandria Monogynia. L.					
1	Ahouai. s.s. (ye.) oval-leaved.	Brazil.	1739.	6. 7.	S. h.	Bot. mag. t. 737.	
2	ovata. s.s. (ye.) ovate-leaved.	N. Spain.	—	S. h.	Cavan. ic. 3. t. 270.	
3	fruticosa. s.s. (re.) purple-flowered.	Pegu.	1817.	3. 9.	S. h.	Bot. reg. t. 391.	
4	Manghas. L.T. (wh.) blunt-leaved.	E. Indies.	1759.	4. 8.	S. h.	Burm. zeyl. t. 70. f. 1.	
5	Odallam. L.T. (wh. re.) spear-leaved. Manghas. B.M. non L.T.	—	—	6. 9.	S. h.	Bot. mag. t. 1845.	
6	lactaria. L.T. (wh.) Milk-tree. Manghas. G. 2. t. 123 et 124. f. 1. non L.T.	—	—	S. h.	Rumph. amb. 2. t. 81.	
7	Tanghin. B.M. (bh. re.) poison-nut.	Madagascar.	1826.	S. h.	Bot. mag. t. 2968.	
8	laurifolia. B.C. (wh.) Laurel-leaved.	E. Indies.	1819.	6. 9.	S. h.	Lodd. bot. cab. t. 989.	
9	maculata. s.s. (wh. re.) wave-leaved.	Bourbon.	1782.	6. 7.	S. h.	Andr. reposit. t. 130.	
10	dichotoma. B.C. (wh.) forked.	E. Indies.	1827.	—	S. h.	Lodd. bot. cab. t. 1516.	
11	thevetioides. s.s. (ye.) revolute-margin'd.	N. Spain.	1820.	S. h.		
12	Thevetia. s.s. (ye.) linear-leaved.	S. America.	1735.	S. h.	Jacq. amer. 48. t. 34.	
13	cuneifolia. K.S. (ye.) wedge-leaved.	Mexico.	1826.	4. 6.	S. h.		
OCHR'OSIA. J.		OCHR'OSIA. Pentandria Monogynia. R.S.					
	borbònica. R.S. (st.) Bourbon.	Bourbon.	1823.	S. h.		
	<i>Cerbera borbònica</i> . s.s. <i>Ophióxylon Ochrosia</i> . P.S.						
DISSOLENA. R.S.		DISSOLENA. Pentandria Monogynia. R.S.					
	verticillata. R.S. (wh.) whorl-leaved.	China.	1812.	S. h.		
ALLAMA'NDA. S.S.		ALLAMA'NDA. Pentandria Monogynia. L.					
1	cathartica. s.s. (ye.) Willow-leaved.	Guiana.	1785.	6. 7.	S. h.	Bot. mag. t. 338.	
2?	verticillata. s.s. whorl-leaved.	E. Indies.	1812.	S. h.		
	<i>Nerium tinctorium</i> . Hort.						
VINCA. R.S.		PERIWINKLE. Pentandria Monogynia. L.					
1	herbacea. R.S. (bl.) herbaceous.	Hungary.	1816.	6. 7.	H. 2.	Bot. reg. t. 301.	
2	minor. R.S. (bl.) lesser.	Britain.	3. 9.	H. h.	Eng. bot. v. 13. t. 917.	
	α cærulea. (bl.) blue-flowered.	—	—	H. h.		
	β alba. (wh.) white-flowered.	—	—	H. h.		
	γ atropurpurea. (pu.) dark-purple.	—	—	H. h.		
	δ multiplex. (pu.) double-flowered.	—	—	H. h.		
	ϵ variegata. (wh.) variegated.	—	—	H. h.		
3	major. R.S. (bl.) greater.	England.	—	H. h.	Eng. bot. v. 8. t. 514.	
	β multiplex. (bl.) double-blue.	—	—	H. h.		
4	pusilla. R.S. (st.) small-flowered.	E. Indies.	1778.	8.	S. ☉.	Rheed. mal. 9. t. 33.	
	parviflora. W.						
5	rosea. R.S. (ro.) Madagascar.	—	1756.	3. 10.	S. h.	Bot. mag. t. 248.	
	β alba. (wh.) white-flowered.	—	—	—	S. h.		
	γ ocellata. (wh. re.) red-eyed.	—	—	—	S. h.		
WRIGHTIA. S.S.		WRIGHTIA. Pentandria Monogynia. S.S.					
1	antidysenterica. s.s. (wh.) oval-leaved.	E. Indies.	1778.	S. h.	Burm. zeyl. t. 77.	
2	zeylanica. s.s. (wh.) spear-leaved.	—	S. h.	— t. 12. f. 2.	
3	dubia. s.s. (sc.) doubtful.	—	5. 8.	S. h.	Bot. mag. t. 1646.	
	<i>Cameraria dubia</i> . B.M.						
4	coccinea. B.M. (sc.) scarlet.	—	1820.	6. 8.	S. h.	Bot. mag. t. 2696.	
	<i>Nerium coccineum</i> . Bot. cab. t. 894.						
5	tinctoria. s.s. (wh.) dyer's.	—	1812.	—	S. h.	Bot. reg. t. 933.	
STROPHA'NTHUS. DC.		STROPHA'NTHUS. Pentandria Monogynia. P.S.					
1	dichotomus. DC. (ro.) forked.	E. Indies.	1816.	2. 10.	S. h.	Burm. ind. 68. t. 26.	
2	divergens. Gr. (ye.) spreading.	China.	—	—	S. h.	Bot. reg. t. 469.	
	<i>dichotomus</i> . B.R. non DC.						
3	sarmentosus. DC. (re.) sarmentose.	Sierra Leon.	1822.	S. h.	Desf. an. mus. 1. t. 27.	
NERIUM. R.S.		OLEANDER. Pentandria Monogynia. L.					
1	Oleander. R.S. (ro.) common.	S. Europe.	1596.	6. 10.	G. h.	Flor. græc. t. 248.	
	β alba. (wh.) white-flowered.	—	—	—	G. h.	Lodd. bot. cab. t. 700.	
	γ splendens. (ro.) double-hybrid.	Hybrid.	1815.	—	G. h.	Bot. reg. t. 74.	
2	odorum. R.S. (ro.) sweet-scented.	E. Indies.	1683.	6. 8.	S. h.	Rheed. mal. 9. t. 2.	
	β carneum. (fl.) flesh-coloured.	—	1816.	—	S. h.	Bot. mag. t. 2032.	
	γ flore pleno. (ro.) double-flowered.	—	—	S. h.	Rheed. mal. 9. t. 1.	
3	flavescens. R.S. (st.) yellowish.	—	1816.	—	S. h.		
TABERNÆMONTANA. TABERNÆMONTANA.		Pentandria Monogynia. L.					
1	citrifolia. R.S. (st.) Citron-leaved.	Jamaica.	1734.	5. 8.	S. h.	Plum. ic. t. 248. f. 2.	
2	alba. R.S. (wh.) white-flowered.	W. Indies.	1780.	—	S. h.	Jacq. amer. t. 175. f. 13.	
	<i>citrifolia</i> . Jacq. non L.						
3	laurifolia. R.S. (st.) Laurel-leaved.	—	1768.	—	S. h.	Bot. reg. t. 716.	
4	cymosa. R.S. (wh.) cyme-flowered.	S. America.	1820.	—	S. h.	Jacq. amer. t. 181. f. 14.	
5	amygdalifolia. R.S. (wh.) Peach-leaved.	—	1780.	4. 8.	S. h.	Bot. reg. t. 338.	
6	discolor. R.S. (st.) two-coloured.	Jamaica.	1822.	—	S. h.		

7	<i>persicariæfolia</i> . R.S. (<i>st.</i>)	Persicaria-leav'd.	Mauritius.	1826.	4. 8.	S. h.	Jacq. icon. rar. t. 320.
8	<i>arcuata</i> . R.S. (<i>st.</i>)	arch'd follicled.	Peru.	1820.	—	S. h.	Flor. peruv. 2. t. 143.
9	<i>crispa</i> . L.T. (<i>wh.</i>)	wave-leaved.	E. Indies.	1818.	5. 10.	S. h.	Rheed. mal. 1. t. 46.
10	<i>coronaria</i> . L.T. (<i>wh.</i>)	broad-leaved.	—	1710.	6. 10.	S. h.	Lodd. bot. cab. t. 406.
	<i>β flore pleno</i> . (<i>wh.</i>)	double-flowered.	—	—	—	S. h.	Bot. mag. t. 1865.
	<i>Nerium coronarium</i> . B.M.						
11	<i>densiflora</i> . B.R. (<i>wh.</i>)	close-flowered.	Ceylon.	1824.	6. 7.	S. h.	Bot. reg. t. 1273.
12	<i>undulata</i> . R.S. (<i>st.</i>)	waved.	Trinidad.	—	—	S. h.	—
13	<i>odorata</i> . S.S. (<i>ye.</i>)	yellow-flowered.	Cayenne.	1793.	10. 11.	S. h.	Aub. guian. 1. t. 102.
	<i>Cameraria lutea</i> . W. <i>Cameraria Tamaquarina</i> . Aublet.						
	CAMERARIA. S.S.	BASTARD MANGENEEL.	Pentandria Monogynia.	L.			
1	<i>latifolia</i> . S.S. (<i>wh.</i>)	broad-leaved.	Havannah.	1733.	8.	S. h.	Andr. reposit. t. 261.
2	<i>angustifolia</i> . S.S. (<i>wh.</i>)	narrow-leaved.	S. America.	1752.	9.	S. h.	Plum. ic. t. 72. f. 2.
	AMS'ONIA. R.S.	AMS'ONIA.	Pentandria Monogynia.	P.S.			
1	<i>latifolia</i> . R.S. (<i>bl.</i>)	broad-leaved.	N. America.	1759.	5. 6.	H. 4.	Bot. reg. t. 151.
2	<i>salicifolia</i> . R.S. (<i>pa.bl.</i>)	Willow-leaved.	—	1812.	—	H. 4.	Bot. mag. t. 1873.
3	<i>angustifolia</i> . R.S. (<i>bl.</i>)	hairy-stalked.	—	1774.	—	H. 4.	Venten. choix. t. 29.
	PLUMERIA. S.S.	PLUMERIA.	Pentandria Monogynia.	L.			
1	<i>rubra</i> . R.S. (<i>re.</i>)	red-flowered.	Jamaica.	1690.	7. 8.	S. h.	Bot. reg. t. 780.
2	<i>purpurea</i> . R.S. (<i>pu.</i>)	purple.	Peru.	1820.	—	S. h.	Flor. peruv. 2. t. 137.
3	<i>acuminata</i> . H.K. (<i>wh.</i>)	acute-leaved.	E. Indies.	1790.	6. 9.	S. h.	Bot. reg. t. 114.
	<i>acutifolia</i> . R.S.						
4	<i>obtusa</i> . R.S. (<i>wh.</i>)	blunt-leaved.	W. Indies.	1733.	7. 8.	S. h.	Catesb. car. 1. t. 93.
5	<i>alba</i> . R.S. (<i>wh.</i>)	white.	Jamaica.	—	—	S. h.	Jacq. amer. t. 174. f. 2.
6	<i>incarnata</i> . R.P. (<i>fl.</i>)	flesh-coloured.	Peru.	—	S. h.	Flor. peruv. t. 138.
7	<i>carinata</i> . R.P. (<i>wh.re.</i>)	keel-leaved.	—	1824.	—	S. h.	—
8	<i>bicolor</i> . R.P. (<i>ye.wh.</i>)	two-coloured.	S. America.	1815.	6. 9.	S. h.	Bot. reg. t. 480.
9	<i>tricolor</i> . R.P. (<i>wh.re.</i>)	three-coloured.	—	—	—	S. h.	— t. 510.
10	<i>lutea</i> . R.P. (<i>ye.</i>)	yellow-flowered.	—	—	—	S. h.	Flor. peruv. 2. t. 142.
11	<i>aurantia</i> . H.S.S. (<i>or.</i>)	orange-flowered.	—	1816.	—	S. h.	—
12	<i>pudica</i> . R.S. (<i>st.</i>)	wax-flowered.	—	—	7. 8.	S. h.	—
13	<i>longifolia</i> . R.S.	long-leaved.	Madagascar.	1816.	S. h.	—
14	<i>tuberculata</i> . B.C. (<i>wh.</i>)	tubercled.	S. America.	1820.	6. 8.	S. h.	Lodd. bot. cab. t. 681.
15	<i>tenuifolia</i> . L.C.	slender-leaved.	—	S. h.	—
16	<i>Northiana</i> . L.C.	North's.	—	S. h.	—
17	<i>mexicana</i> . B.C. (<i>wh.</i>)	Mexican.	Mexico.	6. 9.	S. h.	Lodd. bot. cab. t. 1024.
18	<i>Cowani</i> . D.D. (<i>wh.</i>)	Cowan's.	—	1824.	—	S. h.	—
19	<i>Blandfordiana</i> . L.C.	Blandford's.	S. America.	S. h.	—
20	<i>nivea</i> . L.C. (<i>wh.</i>)	snowy white.	—	6. 8.	S. h.	—
21	<i>conspicua</i> . L.C.	conspicuous.	—	S. h.	—
22	<i>macrophylla</i> . L.C.	large-leaved.	—	S. h.	—
23	<i>leucantha</i> . L.C. (<i>wh.</i>)	white-blossomed.	—	S. h.	—
24	<i>parvifolia</i> . H.S.S. (<i>wh.</i>)	small-leaved.	W. Indies.	1813.	7. 8.	S. h.	—
	PRESTONIA. S.S.	PRESTONIA.	Pentandria Monogynia.	S.S.			
1	<i>tomentosa</i> . S.S. (<i>ye.</i>)	tomentose.	Brazil.	1820.	5. 8.	S. h. ∪.	—
2	<i>glabrata</i> . S.S. (<i>ye.</i>)	smooth.	S. America.	1823.	—	S. h. ∪.	—
	CRYPTOLEPIS. B.	CRYPTOLEPIS.	Pentandria Monogynia.				
	<i>elegans</i> . L.C.	elegant.	E. Indies.	1823.	S. h. ∪.	—
	ALSTONIA. S.S.	ALSTONIA.	Pentandria Monogynia.	S.S.			
1	<i>scholaris</i> . S.S. (<i>wh.</i>)	whorl-leaved.	E. Indies.	1816.	S. h.	Rheed. mal. 1. t. 45.
2	<i>venenata</i> . S.S. (<i>wh.</i>)	poisonous.	—	1823.	S. h.	—
	THENARDIA. K.S.	THENARDIA.	Pentandria Monogynia.				
	<i>floribunda</i> . K.S. (<i>gr.</i>)	abundant-flowered.	Mexico.	1823.	S. h. ∪.	H. et B. 3. t. 240.
	ECHITES. R.S.	ECHITES.	Pentandria Monogynia.	L.			
1	<i>longiflora</i> . S.S. (<i>wh.</i>)	long-flowered.	Brazil.	1816.	5. 8.	S. h. ∪.	—
2	<i>bispinosa</i> . S.S. (<i>fl.</i>)	two-spined.	C. B. S.	1795.	7. 11.	S. h.	Jacq. fragm. t. 117.
3	<i>succulenta</i> . S.S. (<i>re.wh.</i>)	succulent.	—	1820.	4. 6.	S. h.	—
	<i>tuberosa</i> . H.S.S.						
4	<i>repens</i> . R.S. (<i>re.</i>)	creeping.	St. Domingo.	1824.	6. 8.	S. h.	Jacq. am. pict. t. 35.
5	<i>biflora</i> . S.S. (<i>wh.</i>)	twin-flowered.	W. Indies.	1793.	7. 8.	S. h. ∪.	Jacq. amer. 30. t. 21.
6	<i>umbellata</i> . S.S. (<i>wh.</i>)	umbelled.	Jamaica.	1733.	7.	S. h. ∪.	— 30. t. 22.
7	<i>torosa</i> . S.S. (<i>ye.</i>)	climbing.	—	1778.	6. 8.	S. h. ∪.	— 33. t. 27.
8	<i>antidysenterica</i> . S.S. (<i>pi.</i>)	medicinal.	E. Indies.	1821.	S. h.	—
9	<i>pubescens</i> . L.T. (<i>wh.</i>)	pubescent.	—	1822.	S. h.	Rheed. mal. 1. t. 49. ?
10	<i>suberecta</i> . S.S. (<i>ye.</i>)	Savanna-flower.	W. Indies.	1759.	6. 8.	S. h. ∪.	Bot. mag. t. 1064.
11	<i>caryophyllata</i> . S.S. (<i>st.</i>)	Clove-scented.	E. Indies.	1812.	9. 11.	S. h. ∪.	— t. 1919.
12	<i>difformis</i> . S.S. (<i>ye.</i>)	deformed.	Carolina.	1806.	6. 7.	S. h. ∪.	—
13	<i>grandiflora</i> . R.S. (<i>pi.</i>)	large-flowered.	E. Indies.	1823.	S. h.	—
	<i>macrantha</i> . S.S.						

14	reticulata. s.s.	(wh.) netted-leaved.	E. Indies.	1818.	6. 7.	G. h. ∪.	
15	Héynii. s.s.	(wh.) Heyne's.	—————	—————	—————	S. h. ∪.	
16	frutescens. H.B.	(wh.) frutescent.	—————	1816.	—————	S. h. ∪.	
17	paniculata. H.B.	(wh.) panicled.	—————	—————	—————	S. h. ∪.	
BEAUMONTIA. B.R. BEAUMONTIA. Pentandria Monogynia.							
1	grandiflora. B.R.	(wh.) oval-leaved.	E. Indies.	1812.	5. 7.	S. h. ∪.	Bot. reg. t. 911.
2	longifolia. L.C.	(wh.) long-leaved.	—————	1818.	S. h. ∪.	
HÆMADICTYON. H.T. HÆMADICTYON. Pentandria Monogynia.							
	venosum. H.T.	(ye.) red-veined.	W. Indies.	1820.	4. 8.	S. h. ∪.	Bot. mag. t. 2473.
<i>Echites nutans. B.M.</i>							
VALLARIS. S.S. VALLARIS. Pentandria Monogynia. S.S.							
	Pergulanus. s.s.	(wh.) smooth-leaved.	E. Indies.	1818.	S. h. ∪.	Rumph. am. 5. t. 29.
<i>Pergularia glabra. w. Emericia Pergularia. R.S.</i>							
ICHTNOCARPUS. S.S. ICHNOCARPUS. Pentandria Monogynia. S.S.							
	frutescens. s.s.	(pu.) shrubby.	E. Indies.	1759.	7. 8.	S. h.	Burm. zeyl. t. 12. f. 1.
PARSONSIA. R.S. PARSONSIA. Pentandria Monogynia. R.S.							
1	corymbosa. R.S.	(re.) corymb-flowered.	W. Indies.	1820.	6. 8.	S. h. ∪.	Jacq. amer. pict. t. 37.
<i>Echites corymbosa. Jacq.</i>							
2	floribunda. R.S.	(wh.) many-flowered.	Jamaica.	—————	—————	S. h.	
<i>Echites floribunda. w.</i>							
WILLUGHBEIA. S.S. WILLUGHBEIA. Pentandria Monogynia. S.S.							
	edulis. s.s.	(bh.) eatable.	E. Indies.	1818.	6. 8.	S. h. ∪.	Roxb. corom. 3. t. 280.
LYONSIA. B.P. LYONSIA. Pentandria Monogynia. S.S.							
	straminea. B.P.	(st.) climbing.	N. S. W.	1820.	6. 8.	S. h. ∪.	
MELODINUS. R.S. MELODINUS. Pentandria Mono-Digynia.							
1	scandens. R.S.	(wh.) climbing.	N. Caledonia.	1775.	S. h. ∪.	Lam. ill. t. 179.
2	parvifolius. L.C.	(wh.) small-leaved.	E. Indies.	S. h.	
3	undulatus. L.C.	(wh.) wave-leaved.	—————	S. h.	
4	monogynus. B.R.	(wh.) one-styled.	—————	1816.	4. 8.	S. h. ∪.	Bot. reg. t. 834.
CARPODINUS. D.D. PISHAMIN. Pentandria Digynia.							
1	dulcis. D.D.	(wh.) sweet.	Sierra Leone.	1823.	S. h. ∪.	
2	acidus. D.D.	(wh.) sour.	—————	—————	S. h. ∪.	
APOCYNUM. S.S. DOG'S-BANE. Pentandria Monogynia. R.S.							
1	androsæmifolium. L.C.	(bh.) Tutsan-leaved.	N. America.	1688.	7. 9.	H. 4.	Bot. mag. t. 280.
2	cannabinum. s.s.	(gr.) Hemp-like.	—————	1699.	—————	H. 4.	Moris. s. 15. t. 3. f. 14.
3	hypericifolium. s.s.	(wh.) Hypericum-leav'd.	—————	1758.	6. 7.	H. 4.	Jacq. vind. 3. t. 66.
4	venetum. s.s.	(re.) Venetian.	Adriatic Isl.	1690.	—————	H. 4.	Lob. ic. 372. f. 1. 2.
	β album.	(wh.) white-flowered.	—————	—————	H. 4.	

ORDO CXXXIX.

ASCLEPIADEÆ. *Brown prodr. 1. p. 458.*

PERIPLUCA. R.S. PERIPLUCA. Pentandria Digynia. L.							
1	græca. R.S.	(pu.) Virginian-silk.	Syria.	1597.	7. 8.	H. h. ∪.	Bot. reg. t. 803.
2	mauritiæna. R.S.	(pu.) long-leaved.	Mauritius.	1823.	S. h. ∪.	Rheed. mal. 9. t. 11.
3	lævigata. R.S.	(ye.) smooth.	Canaries.	1779.	6. 8.	G. h.	Cavan. ic. 3. t. 217.
<i>punicæfolia. Cav. icon.</i>							
HEMIDESMUS. R.S. HEMIDESMUS. Pentandria Digynia. R.S.							
	indicus. R.S.	(gr.) Indian.	Ceylon.	1796.	S. h.	Burm. zeyl. t. 83. f. 1.
CRYPTOSTEGIA. B.R. CRYPTOSTEGIA. Pentandria Digynia. S.S.							
	grandiflora. B.R.	(ro.) large-flowered.	E. Indies.	1812.	6. 8.	S. h. ∪.	Bot. reg. t. 435.
SECAMONE. R.S. SECAMONE. Pentandria Digynia. R.S.							
1	emética. R.S.	(wh.) narrow-leaved.	India.	1816.	S. h.	Willd. phyt. 1. t. 5. f. 2.
2	ægyptiaca. H.K.	(wh.) Egyptian.	Egypt.	1752.	7.	G. h. ∪.	Alp. ægyp. t. 134.
<i>Alpini. R.S. Peripluca Secamone. w.</i>							
DUVALIA. H.S. DUVALIA. Pentandria Digynia. H.S.							
1	reclinata. H.S.	(pu. ye.) reclined.	C. B. S.	1795.	8. 10.	D.S. h.	Bot. mag. t. 1397.
2	élegans. H.S.	(d. pu.) elegant.	—————	—————	—————	D.S. h.	————— t. 1184.
<i>Stapelia elegans. B.M.</i>							
3	hirtella. s.s.	(d. pu.) hairy.	—————	—————	—————	D.S. h.	Jacq. stap. c. ic.
<i>Stapelia hirtella. Jacq.</i>							
4	cæspitosa. H.S.	(d. pu.) tufted.	—————	1790.	8. 11.	D.S. h.	Mass. stap. 20. t. 29.

5 radiàta. H.s. (d.pu.) radiated.	C. B. S.	1795.	9. 11.	D.S. $\frac{1}{2}$.	Bot. mag. t. 619.
6 replicàta. s.s. (br.pu.) replicate. <i>Stapèlia replicàta.</i> Jacq.	————	1806.	8. 10.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
7 mastòdes. s.s. (d.pu.) teat.	————	1821.	—	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
8 Jacquiniàna. R.s.(d.pu.)Jacquin's. <i>Stapèlia radiàta.</i> Jacq. non B.M.	————	1802.	7. 9.	D.S. $\frac{1}{2}$.	———— t. 37.
9 tuberculàta. H.s.s.(d.p.)tuberclcd.	————	1774.	7. 11.	D.S. $\frac{1}{2}$.	
10 lævigàta. H.s.s. (d.p.) smooth.	————	1808.	—	D.S. $\frac{1}{2}$.	
11 glomeràta. H.s.s. (d.p.) clustered.	————	—	—	D.S. $\frac{1}{2}$.	
12 compàcta. H.s.s. (d.p.) compact.	————	1800.	8. 11.	D.S. $\frac{1}{2}$.	
PECTIN'ARIA. H.S.S. PECTIN'ARIA.	Pentandria Digynia. H.S.				
1 mammillàris. (br.re.) prickly. <i>Stapèlia mammillàris.</i> w.	C. B. S.	1774.	6. 8.	D.S. $\frac{1}{2}$.	Burm. afr. p. 27. t. 11.
2 articulàta. H.s.s. (d.r.) jointed. <i>Stapèlia articulàta.</i> Mas.	————	—	8. 9.	D.S. $\frac{1}{2}$.	Mass. stap. 20. t. 30.
O'RBEA. H.S.	O'RBEA. Pentandria Digynia. H.S.				
1 maculòsa. H.s. (y.r.) spotted.	C. B. S.	1804.	6. 9.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1833.
2 míxta. H.s. (ri.ye.) mixed. <i>Stapèlia míxta.</i> Mas.	————	1795.	—	D.S. $\frac{1}{2}$.	Mass. stap. 23. t. 38.
3 quinquenèrvia. H.s.(s.p.)five-nerved.	————	1810.	10. 12.	D.S. $\frac{1}{2}$.	
4 trisúlca. J.s. (ye.pu.) trisulcate.	————	1806.	—	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
5 bisúlca. H.s. (s.p.) bisulcate.	————	—	—	D.S. $\frac{1}{2}$.	
6 variegàta. H.s. (s.p.) variegated. <i>Stapèlia variegàta.</i> L. non B.M.	————	1727.	6. 10.	D.S. $\frac{1}{2}$.	Moris. s. 15. t. 3. f. 4.
7 Curtísi. H.s. (s.p.) Curtis's. <i>Stapèlia variegàta.</i> B.M. non L.	————	1787.	—	D.S. $\frac{1}{2}$.	Bot. mag. t. 26.
8 lépida. H.s.s. (st.cr.) pretty.	————	1805.	7. 8.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
9 orbiculàris. H.s.s. (br.) large orbcd.	————	1799.	7. 11.	D.S. $\frac{1}{2}$.	Andr. reposit. t. 448.
10 bufònia. H.s. (y.bk.) toad-like. <i>Stapèlia Bufònis.</i> B.M.	————	1806.	8. 10.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1676.
11 clypeàta. H.s.s. (y.p.) shield-flowered.	————	1799.	6. 11.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
12 planiflòra. H.s.s.(ye.bk.)flat-flowered.	————	1805.	7. 11.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. t. 191.
13 inodòra. H.s.s. (s.p.) scentless.	————	1788.	6. 8.	D.S. $\frac{1}{2}$.	
14 rugòsa. s.s. (gr.br.) rugged.	————	1805.	5. 8.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
15 Wendlandiàna. R.s.(s.br.)Wendland's. <i>Stapèlia rugòsa.</i> Wend. non Jacq.	————	—	6. 9.	D.S. $\frac{1}{2}$.	Wendl. coll. 2. t. 52.
16 marginàta. R.s. (s.vi.) margined.	————	1805.	—	D.S. $\frac{1}{2}$.	
17 conspurcàta. R.s.(s.vi.) dirtied.	————	1795.	6. 10.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
18 normàlis. R.s. (s.p.) sulphur-coloured.	————	1821.	—	D.S. $\frac{1}{2}$.	Bot. reg. t. 755.
19 marmoràta. R.s. (s.da.) marbled.	————	—	—	D.S. $\frac{1}{2}$.	
20 retùsa. H.s. (s.da.) retuse.	————	1808.	9. 10.	D.S. $\frac{1}{2}$.	
21 anguinea. H.s. (y.da.) snake.	————	1806.	8. 9.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. t. 828.
22 picta. H.s. (st.d.p.) painted.	————	1799.	6. 9.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1169.
23 Woodfordiàna. H.s.(s.p.)Woodford's.	————	1805.	—	D.S. $\frac{1}{2}$.	
STAP'ELIA. H.S.	CARRION-FLOWER. Pentandria Digynia. L.				
1 grandiflòra. R.s. (d.p.) great-flowered.	C. B. S.	1795.	9. 12.	D.S. $\frac{1}{2}$.	Mass. stap. 13. t. 11.
2 spectàbilis. H.s. (d.p.) showy. <i>grandiflòra.</i> B.M. non Mas.	————	1802.	—	D.S. $\frac{1}{2}$.	Bot. mag. t. 585.
3 ambígua. R.s. (re.pu.) ambiguous. β fúlva. (br.) brown-flowered. <i>ambígua varietas.</i> Jacq.	————	1795.	6. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 13. t. 12.
4 soròria. R.s. (re.pu.) sister.	————	1797.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 23. t. 39.
5 elongàta. (br.) long-branched. <i>soròria varietas.</i> Jacq.	————	—	—	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
6 lunàta. (pu.) lunate-spotted. <i>soròria varietas alia.</i> Jacq.	————	—	—	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
7 pátula. R.s. (d.p.) spreading. <i>soròria.</i> Jacq. non Mas.	————	—	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
8 defléxa. B.M. (ye.re.) reflexed. <i>refléxa.</i> H.s. <i>Gonostèmon defléxum.</i> s.s.	————	1806.	—	D.S. $\frac{1}{2}$.	Bot. mag. t. 1890.
9 lúcida. R.s. (pu.) glossy.	————	1821.	—	D.S. $\frac{1}{2}$.	
10 breviróstris. W.en.(br.)short-beaked.	————	—	D.S. $\frac{1}{2}$.	
11 Massòni. H.s. (d.p.) Masson's.	————	1808.	—	D.S. $\frac{1}{2}$.	
12 Astèrias. R.s. (d.p.ye.) Starfish.	————	1795.	5. 11.	D.S. $\frac{1}{2}$.	Bot. mag. t. 536.
13 stellàris. H.s.s. (br.p.) starry.	————	1804.	8. 10.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
14 hirsùta. R.s. (s.d.vi.) hairy. β atra. B.R. (da.pu.) dark-flowered.	————	1710.	6. 8.	D.S. $\frac{1}{2}$.	Jacq. misc. 1. t. 3.
15 lanífera. H.s.s. (d.br.) woolly-flowered.	————	1814.	6. 9.	D.S. $\frac{1}{2}$.	Bot. reg. t. 756.

16 flavicomàta. H.s.s. (br.) yellow-haired.	C. B. S.	1814.	6. 9.	D.S. $\frac{1}{2}$.	
17 hamàta. R.s. (pu.re.) hooked.	—————	1805.	—————	D.S. $\frac{1}{2}$.	Lodd. bot. cab. t. 242.
18 comàta. R.s. (d.p.ye.) very-hairy.	—————	1821.	—————	D.S. $\frac{1}{2}$.	
19 multiflòra. DC. (pu.re.) many-flowered.	—————	—————	—————	D.S. $\frac{1}{2}$.	
20 rùfa. R.s. (bl.re.) rusty brown.	—————	1795.	6. 11.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. t. 239.
21 pulvinàta. R.s. (r.p.) cushioned.	—————	—————	—————	D.S. $\frac{1}{2}$.	Bot. mag. t. 1240.
22 fissiròstris. R.s. (gr.pu.) cloven-beaked.	—————	1821.	—————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
23 concinna. R.s. (br.) spruce.	—————	1795.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 15. t. 18.
24 glandulífera. R.s. (y.br.) hairy-glanded.	—————	—————	—————	D.S. $\frac{1}{2}$.	
25 hispídula. R.s. (br.) hispid.	—————	1821.	—————	D.S. $\frac{1}{2}$.	
26 glanduliflòra. R.s. (st.) gland-flowered.	—————	1795.	8. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 16. t. 19.
27 acuminàta. R.s. (d.p.) acuminated.	—————	—————	7. 9.	D.S. $\frac{1}{2}$.	————— 15. t. 17.
28? cordàta. H.s. heart-shaped.	—————	1805.	6. 8.	D.S. $\frac{1}{2}$.	
29? canescens. H.s. canescent.	—————	1795.	—————	D.S. $\frac{1}{2}$.	
30? ophiúncula. H.s. serpent-like.	—————	1805.	—————	D.S. $\frac{1}{2}$.	
TRIDE'NTEA. H.S. TRIDE'NTEA. Pentandria Digynia. H.S.					
1 gemmiflòra. H.s. (bk.) gem-flowered.	C. B. S.	1795.	10. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 14. t. 15.
2 st'ygia. H.s. (bk.) Stygian.	—————	1800.	8. 10.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1839.
<i>Stapèlia gemmiflòra.</i> B.M.					
3 moschàta. H.s.s. (d.p.) musk-scented.	—————	1799.	9. 11.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. t. 1051.
<i>Stapèlia hircòsa.</i> Jacq. stap. c. ic.					
4 vétula. H.s. (d.p.) purple smooth.	—————	1793.	5. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 15. t. 16.
5 Símsii. H.s. (d.p.) Sims's.	—————	1800.	—————	D.S. $\frac{1}{2}$.	Bot. mag. t. 1234.
<i>Stapèlia vétula.</i> B.M. non Mass.					
6 paniculàta. R.s. (re.) paniced.	—————	1805.	6. 9.	D.S. $\frac{1}{2}$.	
7 juvéncula. s.s. (d.br.) short-flowered.	—————	—————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
8 depréssa. R.s. (re.p.) depressed.	—————	—————	D.S. $\frac{1}{2}$.	————— c. ic.
TROMO'TRICHE. H.S. TROMO'TRICHE. Pentandria Digynia. H.S.					
1 fuscàta. H.s.s. (br.) brown-flowered.	C. B. S.	1814.	6. 10.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
<i>Stapèlia fuscàta.</i> Jacq.					
2 glaùca. H.s.s. (cr.) large-glaucous.	—————	1799.	6. 11.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
3 revolùta. H.s. (cr.) revolute-flowered.	—————	1790.	6. 9.	D.S. $\frac{1}{2}$.	Bot. mag. t. 724.
<i>Stapèlia revolùta.</i> B.M.					
4 pruinòsa. H.s. (bh.) frosted.	—————	1795.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 24. t. 41.
5 oblìqua. R.s. (ye.vi.) oblique-flowered.	—————	1805.	6. 9.	D.S. $\frac{1}{2}$.	
6 mutàbilis. (gr.br.) changeable.	—————	1823.	—————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
β variàbilis. (st.re.) variable.	—————	—————	—————	D.S. $\frac{1}{2}$.	————— c. ic.
<i>Stapèlia mutàbilis varietas.</i> Jacq.					
7 ciliàta. (ye.) fringed.	—————	1795.	10. 12.	D.S. $\frac{1}{2}$.	Mass. stap. 9. t. 1.
<i>Stapèlia ciliàta.</i> Mass.					
PODA'NTHEA. H.S. PODA'NTHEA. Pentandria Digynia. H.S.					
1 pùlchra. H.s. (st.) beautiful sulphur.	C. B. S.	1800.	8. 10.	D.S. $\frac{1}{2}$.	
β màjor. (st.d.p.) larger.	—————	—————	—————	D.S. $\frac{1}{2}$.	Bot. mag. t. 786.
<i>Stapèlia verrucòsa.</i> B.M. nec aliorum.					
2 irroràta. H.s. (st.cr.) dewy.	—————	1795.	7. 9.	D.S. $\frac{1}{2}$.	Mass. stap. 12. t. 9.
3 verrucòsa. H.s. (st.br.) warted.	—————	—————	8. 10.	D.S. $\frac{1}{2}$.	————— 11. t. 8.
4 roriflùa. R.s. (st.cr.) dew-bearing.	—————	1802.	—————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
<i>Stapèlia roriflùa.</i> Jacq.					
5 pulchélla. H.s. (st.cr.) beautiful.	—————	1795.	5. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 22. t. 36.
6 incarnàta. s.s. (fl.) flesh-coloured.	—————	1793.	4. 8.	D.S. $\frac{1}{2}$.	————— 22. t. 34.
OB'ESIA. H.S. OB'ESIA. Pentandria Digynia. H.S.					
1 serrulàta. s.s. (st.br.) sawed.	C. B. S.	1805.	6. 8.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
<i>Stapèlia serrulàta.</i> Jacq.					
2 geminàta. H.s. (ye.br.) twin-flowered.	—————	1795.	5. 11.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1326.
<i>Stapèlia geminàta.</i> B.M.					
3 decòra. H.s. (ye.pu.) neat.	—————	—————	—————	D.S. $\frac{1}{2}$.	Mass. stap. 19. t. 26.
4? árida. (ye.br.) dry.	—————	1795.	8.	D.S. $\frac{1}{2}$.	————— 21. t. 33.
<i>Stapèlia árida.</i> Mass.					
GONOST'EMON. H.S. GONOST'EMON. Pentandria Digynia. H.S.					
1 divaricàtum. H.s. (fl.) divaricated.	C. B. S.	1793.	6. 11.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1007.
<i>Stapèlia divaricàta.</i> B.M.					
2 strictum. H.s.s. (fl.) upright.	—————	1819.	10. 12.	D.S. $\frac{1}{2}$.	Bot. mag. t. 2037.
<i>Stapèlia stricta.</i> B.M.					
3 pállidum. R.s. (pa.) pale-flowered.	—————	—————	—————	D.S. $\frac{1}{2}$.	Wendl. coll. 2. t. 51.
<i>Stapèlia pállida.</i> Wendl.					
CARUNCULARIA. H.S. CARUNCULARIA. Pentandria Digynia. H.S.					
1 Símsii. (re.bk.) Sims's.	C. B. S.	1790.	6. 11.	D.S. $\frac{1}{2}$.	Sims bot. mag. t. 793.
<i>Stapèlia pedunculàta.</i> B.M. <i>pedunculàta</i> Símsii. Jacq. stap. c. ic.					

2	Massòni.	(br.) Masson's.	C. B. S.	1790.	6. 11.	D.S. $\frac{1}{2}$.	Mass. stap. p. 17. t. 21.
	<i>Stapèlia pedunculàta</i> . Mass. <i>pedunculàta</i> Massòni. Jacq. stap. c. ic.						
3	Jacquíni.	(co.) Jacquin's.	————	————	————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
	<i>Stapèlia pedunculàta</i> . Jacq.						
4	penduliflòra.	(br.) pendulous-flower'd.	————	————	————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
	<i>Stapèlia pedunculàta alia</i> . Jacq.						
5	apèrta.	(p.pu.) open-flowered.	————	1795.	7. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 23. t. 37.
	<i>Stapèlia apèrta</i> . Mass.						
PIARA'NTHUS. B.		PIARA'NTHUS.		Pentandria Digynia.		H.S.	
1	punctàtus. R.S.	(fl.) purple dotted.	C. B. S.	1795.	7. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 18. t. 24.
2	púllus. R.S.	(d.p.) many-flowered.	————	1774.	8. 9.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1648.
3	ramòsus.	(bk.) branched.	————	1795.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 21. t. 32.
	<i>Stapèlia ramòsa</i> . Mass.						
4	parviflòrus. s.s.	(pu.) small-flowered.	————	————	————	D.S. $\frac{1}{2}$.	Mass. stap. 22. t. 35.
5	pilíferus.	(bk.) hairy-tubercled.	————	1799.	————	D.S. $\frac{1}{2}$.	———— 17. t. 23.
HO'ODIA.		HO'ODIA.		Pentandria Digynia.			
	Gordòni.	(br.) Gordon's.	C. B. S.	1796.	D.S. $\frac{1}{2}$.	Mass. stap. 24. t. 40.
	<i>Stapèlia Gordòni</i> . Mass.						
HUE'RNIA. B.		HUE'RNIA.		Pentandria Digynia.		R.S.	
1	reticulàta. H.S.	(d.pu.) netted.	C. B. S.	1793.	7. 8.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1662.
	<i>Stapèlia reticulàta</i> . B.M.						
	β defòrmis. J.S.(wh.pu.) deformed. ———— D.S. $\frac{1}{2}$. Jacq. stap. c. ic.						
2	campanulàta. H.S.	(st.pu.) bell-shaped.	————	1795.	7. 10.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1227.
3	clavígera. H.S.S.	(st.cr.) club-haired.	————	————	————	D.S. $\frac{1}{2}$.	———— t. 1661.
	<i>Stapèlia campanulàta</i> . B.M. nec aliorum.						
4	venústa. H.S.	(st.re.) showy.	————	————	6. 7.	D.S. $\frac{1}{2}$.	Mass. stap. 10. t. 3.
5	lentiginòsa. H.S.	(st.pu.) freckled.	————	————	7. 11.	D.S. $\frac{1}{2}$.	Bot. mag. t. 506.
6	guttàta. H.S.	(st.cr.) red-spotted.	————	————	8. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 10. t. 4.
7	hùmilis. H.S.	(st.pu.) humble.	————	————	————	D.S. $\frac{1}{2}$.	———— 10. t. 5.
8	tubàta. H.S.	(st.re.) tube-flowered.	————	1805.	————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
9	duodecímfida. J.S.	(st.re.) eleven-cleft.	————	————	————	D.S. $\frac{1}{2}$.	———— c. ic.
10	críspa. H.S.	(st.pu.) curled.	————	————	————	D.S. $\frac{1}{2}$.	————
11	barbàta. H.S.	(st.pu.) bearded.	————	1795.	————	D.S. $\frac{1}{2}$.	Mass. stap. 11. t. 7.
12	ocellàta. R.S.	(st.pu.) eyed.	————	1816.	————	D.S. $\frac{1}{2}$.	————
BRACHYSTE'LMA. B.R.		BRACHYSTE'LMA.		Pentandria Digynia.		S.S.	
	tuberòsum. B.R.	(pu.) tuberous-rooted.	C. B. S.	1820.	4. 10.	S. $\frac{1}{2}$.	Bot. reg. t. 722.
CARALL'UMA. H.S.		CARALL'UMA.		Pentandria Digynia.		S.S.	
1	adscéndens. H.S.S.	(pu.) ascending.	E. Indies.	1804.	7. 11.	D.S. $\frac{1}{2}$.	Roxb. cor. 1. t. 30.
2	umbellàta. H.S.	(fl.) umbelled.	————	————	————	D.S. $\frac{1}{2}$.	———— 3. t. 241.
3	crenulàta. Wa.	(ye.pu.) crenulate.	————	1824.	6. 9.	D.S. $\frac{1}{2}$.	Wall pl. as. rar. t. 7.
4	fimbriàta. Wa.	(pu.) fringed.	————	————	————	D.S. $\frac{1}{2}$.	———— t. 8.
HO'YA. B.P.		HO'YA.		Pentandria Digynia.		R.S.	
1	crassifòlia. H.S.	(wh.) large-leaved.	China.	1817.	10. 1.	D.S. $\frac{1}{2}$.	————
2	carnòsa. H.K.	(bh.) fleshy-leaved.	————	1802.	7. 10.	D.G. $\frac{1}{2}$.	Bot. mag. t. 788.
3	pállida. B.R.	(bh.) pale.	————	1820.	————	D.S. $\frac{1}{2}$.	Bot. reg. t. 951.
	<i>acùta</i> . H.R.						
4	Póttsii. H.T.	(bh.) Potts's.	————	1822.	————	D.S. $\frac{1}{2}$.	————
5	trinérvis. H.T.	(bh.) three-nerved.	————	1824.	————	D.S. $\frac{1}{2}$.	————
6	lanceolàta. D.P.	(bh.) spear-leaved.	Nepaul.	1825.	————	D.G. $\frac{1}{2}$.	————
7	viridiflòra. B.P.	(gr.) green-flowered.	E. Indies.	————	S. $\frac{1}{2}$.	Rheed. mal. 9. t. 15.
FISCH'ERIA. DC.		FISCH'ERIA.		Pentandria Digynia.			
	scándens. DC.	(gr.ye.) climbing.	S. America.	1826.	S. $\frac{1}{2}$.	DC.hort.mon.ined.t.67.
TYLO'PHORA. B.P.		TYLO'PHORA.		Pentandria Digynia.		R.S.	
1	grandiflòra. B.P.	(br.gr.) great-flowered.	N. S. W.	1822.	6. 8.	G. $\frac{1}{2}$.	————
2	barbàta. B.P.	(gr.br.) bearded.	————	————	————	G. $\frac{1}{2}$.	————
3	exilis. L.T.	(pu.) slender.	E. Indies.	1823.	————	S. $\frac{1}{2}$.	Linn. trans. 12. t. 16.
CEROPE'GIA. R.S.		CEROPE'GIA.		Pentandria Digynia.		R.S.	
1	aphýlla. H.S.	(st.) leafless.	Canaries.	1808.	S. $\frac{1}{2}$.	————
2	stapeliæfórmis. H.P.	(br.) Stapelia-like.	C. B. S.	1826.	7. 8.	D.S. $\frac{1}{2}$.	————
3	torulòsa. H.R. straddling.	————	1821.	D.S. $\frac{1}{2}$.	————
4	dichótoma. H.R.	(st.) forked.	E. Indies.	1806.	8.	D.S. $\frac{1}{2}$.	————
5	júncea. R.S.	(st.pu.) rushy.	————	1820.	4. 6.	D.S. $\frac{1}{2}$.	Roxb. cor. 1. t. 10.
6	atricàna. B.R.	(br.) African.	C. B. S.	1821.	4. 11.	D.S. $\frac{1}{2}$.	Bot. reg. t. 626.
7	bulbòsa. R.S.	(pu.) bulbous-rooted.	E. Indies.	————	————	D.S. $\frac{1}{2}$.	Roxb. cor. 1. t. 7.
8	tuberòsa. R.S.	(pu.) tuberous-rooted.	————	————	————	D.S. $\frac{1}{2}$.	———— 1. t. 9.
PERGUL'ARIA. R.S.		PERGUL'ARIA.		Pentandria Digynia.		R.S.	
1	odoratíssima. R.S.	(st.) large.	E. Indies.	1784.	6. 7.	S. $\frac{1}{2}$.	Bot. reg. t. 412.
2	minor. R.S.	(st.) smaller.	————	1790.	5. 8.	S. $\frac{1}{2}$.	Bot. mag. t. 755.
3	sanguinolénta. B.M.	(st.) bloody-juiced.	Sierra Leon.	1822.	8. 9.	S. $\frac{1}{2}$.	———— t. 2532.

MARSD'ENIA. B.P.	MARSD'ENIA.	Pentandria Digynia.	R.S.				
1 suavèolens. B.P. (wh.)	sweet-scented.	N. S. W.	1816.	3. 8.	G. h. ∪.	Bot. reg. t. 489.	
2 erécta. R.S. (wh.)	upright.	Syria.	1597.	7. 8.	G. h.	Jacq. vind. 1. t. 35.	
DISCHI'DIA. B.P.	DISCHI'DIA.	Pentandria Digynia.	S.S.				
bengalénsis. L.T. (st.)	Bengal.	E. Indies.	1818.	6. 10.	S. h. ∪.	Bot. mag. t. 2916.	
GYMN'EMA. B.P.	GYMN'EMA.	Pentandria Digynia.	R.S.				
1 sylvéstre. R.S. (wh.)	netted-leaved.	Ceylon.	1816.	6. 8.	S. h. ∪.	Willd. phyt. 1. t. 5. f. 3.	
2 tíngens. s.s. (ye.)	pointed-leaved.	E. Indies.	1823.	—	S. h. ∪.	Roxb. corom. 3. t. 239.	
<i>Asclèpias tíngens.</i> R.C.							
3 tenacíssimum. s.s. (ye.)	tough.	—	1806.	S. h. ∪.	Roxb. corom. 3. t. 240.	
SARCO'LOBUS. R.S.	SARCO'LOBUS.	Pentandria Digynia.	R.S.				
1 globòsus. R.S. (wh.)	globular-fruit'd.	E. Indies.	1823.	S. h. ∪.	Wall. as. res. 12. t. 4.	
2 carinàtus. R.S. (gr. ye.)	keeled-fruited.	—	—	S. h. ∪.	— 12. t. 5.	
GONO'LOBUS. R.S.	GONO'LOBUS.	Pentandria Digynia.	R.S.				
1 marítimus. R.S. (gr. p.)	sea-side.	Caracas.	1823.	6. 10.	S. h. ∪.	Bot. reg. t. 931.	
2 suberòsus. R.S. (pu.)	cork-barked.	America.	1732.	7. 9.	S. h. ∪.	Dill. elt. t. 229. f. 296.	
3 crispiflòrus. R.S. (wh. gr.)	curled-flower'd.	S. America.	1741.	7. 8.	S. h. ∪.	Plum. ic. t. 216. f. 1.	
4 guianénsis. s.s. (gr.)	green-flowered.	Guiana.	1826.	7. 9.	S. h. ∪.		
<i>viridiflòrus.</i> R.S. non Nutt. <i>Cynánchum viridiflòrum.</i> Meyr.							
5 grandiflòrus. R.S. (ye.)	large-flowered.	S. America.	1825.	8. 10.	S. h. ∪.	Bot. reg. t. 1053.	
6 rostràtus. R.S. (gr.)	beaked-petal'd.	Trinidad.	1823.	—	S. h. ∪.		
7 nìger. R.S. (bk.)	black-flowered.	Mexico.	1825.	9. 11.	G. 4. ∪.	Bot. mag. t. 2799.	
<i>Cynánchum nigrum.</i> Cav. ic. 2. t. 159.							
8 uniflòrus. K.S. (pu.)	solitary-flowered.	—	—	—	S. h. ∪.	H. et B. 3. t. 238.	
9 carolinénsis. R.S. (d. p.)	blunt-flowered.	N. America.	1820.	7. 9.	H. 4. ∪.	Jacq. ic. 2. t. 342.	
10 hirsùtus. R.S. (d. pu.)	hairy.	—	1806.	6. 9.	H. 4. ∪.	Swt. br. fl. gar. t. 1.	
11 macrophy'llus. N. (p. pu.)	large-leaved.	—	1822.	—	H. 4. ∪.		
12 discolor. R.S. (d. pu.)	Virginian.	—	1809.	7. 9.	H. 4. ∪.	Bot. mag. t. 1273.	
<i>Cynánchum discolor.</i> B.M.							
13 obliquus. R.S. (pu.)	oblique-flower'd.	Carolina.	1818.	—	H. 4. ∪.	Jacq. ic. 2. t. 341.	
14 Baldwyniànus. (st.)	Baldwyn's.	Savannah.	1822.	7. 9.	H. 4. ∪.	Lodd. bot. cab. t. 365.	
<i>hirsùtus.</i> L. bot. cab. ? <i>nec aliorum.</i> <i>carolinianus.</i> N. non Jacq.							
15 hirtus. R.S. (pu.)	hairy-leaved.	America.	—	S. h. ∪.	Moris. his. 3. s. 15. t. 3. f. 3.	
16 undulàtus. R.S. (br. pu.)	wave-leaved.	S. America.	1814.	—	S. h. ∪.	Jacq. amer. 85. t. 58.	
17 viridiflòrus. N. (gr.)	Nuttall's.	Mississippi.	1822.	—	H. 4. ∪.		
<i>Nuttalliànus.</i> s.s.							
18 l'ævis. R.S. (d. pu.)	smooth.	—	1806.	6. 7.	H. 4. ∪.		
19 diademàtus. B.R. (st.)	red-crowned.	Mexico.	1812.	9. 10.	S. h. ∪.	Bot. reg. t. 252.	
20 barbàtus. R.S. (ye.)	bearded.	—	1826.	—	G. h. ∪.	H. et B. n. gen. 3. t. 239.	
21 mucronàtus. (br. re.)	sharp-pointed.	Trinidad.	1804.	7. 8.	S. h. ∪.	Andr. reposit. t. 515.	
<i>Cynánchum mucronàtum.</i> A.R. non K.S.							
ENSL'ENIA. N.	ENSL'ENIA.	Pentandria Digynia.					
álbida. N. (st.)	straw-coloured.	Virginia.	1828.	7. 9.	H. 4. ∪.		
ASCL'EPIAS. R.S.	SWALLOW-WORT.	Pentandria Digynia.	R.S.				
1 syriaca. Lam. (li.)	Syrian.	Astracan.	1629.	7. 8.	H. 4.	Blackw. t. 521.	
<i>Beid el Ossar.</i> Veslingius. Linn. trans. v. 14. p. 239.							
2 obovàta. E.C. (pu.)	obovate-leaved.	Carolina.	1826.	—	H. 4.		
3 tomentòsa. E.C. (pu.)	woolly.	—	—	—	H. 4.		
4 exaltàta. L.en. (pu.)	tall.	N. America.	—	H. 4.		
5 phytolaccoídes. R.S. (pu.)	Phytolacca-like.	—	1812.	—	H. 4.		
6 parviflòra. R.S. (wh.)	small flowered.	—	1774.	7. 10.	H. 4.	Jacq. f. ecl. t. 23.	
7 salicifòlia. B.C. (wh.)	Willow-leaved.	S. America.	1816.	6. 9.	G. 4.	Lodd. bot. cab. t. 272.	
8 angustifòlia. R.S. (fl.)	narrow-leaved.	Mexico.	1824.	—	F. 4.		
9 curassávia. R.S. (or.)	Curassavian.	S. America.	1692.	6. 10.	S. 4.	Bot. reg. t. 81.	
10 nívea. R.S. (wh.)	Almond-leaved.	N. America.	1730.	7. 9.	H. 4.	Bot. mag. t. 1151.	
11 virgàta. R.S. (li.)	slender.	Mexico.	1825.	—	F. 4.		
12 incarnàta. R.S. (pu.)	flesh-coloured.	N. America.	1710.	7. 8.	H. 4.	Bot. reg. t. 250.	
13 púlchra. R.S. (pu.)	hairy.	—	—	—	H. 4.	Swt. br. fl. gar. s. 2. t. 15.	
14 am'ena. R.S. (pu.)	oval-leaved.	—	1732.	—	H. 4.	Dill. elt. t. 27. f. 30.	
15 purpuráscens. R.S. (pu.)	purple.	—	—	—	H. 4.	— t. 28. f. 31.	
16 citrifòlia. R.S. (wh.)	Citron-leaved.	Florida.	1812.	—	F. 4.	Jacq. icon. t. 345.	
17 variegàta. R.S. (wh. re.)	variegated.	—	1597.	—	H. 4.	Bot. mag. t. 1152.	
18 obtusifòlia. R.S. (pu.)	blunt-leaved.	—	1823.	—	H. 4.		
19 amplexicaùlis. R.S. (re.)	stem-clasping.	—	1812.	—	H. 4.		
20 laurifòlia. M. (pu.)	Laurel-leaved.	—	1823.	—	H. 4.	Pluk. amal. t. 358. f. 2.	
<i>periplocáfolia.</i> N.							
21 acuminàta. R.S. (wh. pu.)	taper-pointed.	—	1812.	—	H. 4.		
22 paupércula. R.S. (re.)	remote-leaved.	—	—	6. 7.	H. 4.		
23 pedicellàta. R.S. (gr. ye.)	dwarf.	—	—	—	H. 4.		

24	quadrifolia. R.S. (bh.) four-leaved.	N. America.	1823.	8. 9.	H. 2.	Jacq. obs. 2. t. 33.
25	verticillata. R.S. (bh.) whorl-leaved.	—————	1759.	8. 10.	H. 2.	Swt. br. fl. gar. t. 144.
26	mexicana. R.S. (wh.) Mexican.	Mexico.	1823.	7. 9.	G. 2.	Cavan. ic. 1. t. 58.
27	rosea. R.S. (ro.) rose-coloured.	—————	1824.	————	G. 2.	
28	linifolia. R.S. (wh.) Flax-leaved.	—————	————	————	G. 2.	
29	Linaria. R.S. (wh.) toadflax-leaved.	—————	1802.	————	G. 2.	Cavan. ic. 1. t. 57.
30	rubra. R.S. (re.) red-flowered.	N. America.	————	————	H. 2.	
31	tuberosa. R.S. (or.) tuberous-rooted.	—————	1690.	7. 9.	H. 2.	Bot. reg. t. 76.
32	decumbens. W. (or.) decumbent.	—————	1731.	————	H. 2.	Swt. br. fl. gar. s. 2. t. 24.
ACERATES. E.C. ACERATES. Pentandria Digynia.						
	longifolia. E.C. (p.pu.) long-leaved.	N. America.	1816.	7. 8.	H. 2.	
	<i>Asclepias longifolia. R.S. Gomphocarpus longifolius. s.s.</i>					
ANANTHERIX. N. ANANTHERIX. Pentandria Digynia. N.						
	viridis. N. (gr.) green-flowered.	N. America.	1812.	8. 10.	H. 2.	
STYLANDRA. N. STYLANDRA. Pentandria Digynia. N.						
	pumila. N. (st.) dwarf.	Carolina.	1812.	7. 8.	G. 2.	
	<i>Podostigma pubescens. s.s. Asclepias pedicellata. Ph.</i>					
GOMPHOCARPUS. R.S. GOMPHOCARPUS. Pentandria Digynia. R.S.						
1	arborescens. R.S. (wh.) broad-leaved.	C. B. S.	1714.	12.	G. 2.	Jacq. schœnb. 1. t. 50.
2	crispus. R.S. (pu.) curled-leaved.	—————	1774.	7.	G. 2.	Comm. rar. t. 17.
3	fruticosus. R.S. (wh.) Willow-leaved.	—————	1714.	6. 9.	G. 2.	Bot. mag. t. 1628.
	<i>Asclepias fruticosa. w.</i>					
OXYSTEMA. R.S. OXYSTEMA. Pentandria Digynia. R.S.						
	esculentum. R.S. (wh. ro.) esculent.	E. Indies.	1816.	S. 2. ∪.	Roxb. corom. 1. t. 11.
XYSMALOBIUM. R.S. XYSMALOBIUM. Pentandria Digynia. R.S.						
1	undulatum. R.S. (gr.) waved-leaved.	C. B. S.	1783.	7. 8.	G. 2.	Comm. rar. t. 16.
2	grandiflorum. R.S. (pu.) large-flowered.	—————	1823.	————	G. 2.	
CALOTROPIS. R.S. CALOTROPIS. Pentandria Digynia. R.S.						
1	procera. R.S. (wh.) bell-flowered.	Persia.	1714.	7. 9.	S. 2.	Andr. reposit. t. 271.
	<i>Asclepias gigantea. A.R.</i>					
2	gigantea. R.S. (p.pu.) curled-flower'd.	E. Indies.	1690.	————	S. 2.	Bot. reg. t. 58.
OXYPETALUM. R.S. OXYPETALUM. Pentandria Digynia.						
1	appendiculatum. M.N. appendaged.	Brazil.	1824.	6. 8.	S. 2. ∪.	Mart. n. pl. bras. t. 30.
2	Banksii. R.S. Banks's.	—————	1826.	————	S. 2. ∪.	————— t. 29.
CYNANCHUM. R.S. CYNANCHUM. Pentandria Digynia. L.						
1	acutum. R.S. (wh.) acute-leaved.	Europe.	1596.	7.	H. 2. ∪.	Flor. græc. t. 250.
2	monspeliacum. R.S. (bh.) Montpellier.	S. Europe.	————	8. 9.	H. 2. ∪.	————— t. 251.
3	pauciflorum. R.S. (gr. w.) few-flowered.	E. Indies.	1822.	5. 8.	S. 2. ∪.	Will. phy. 1. n. 23. t. 5. f. 3.
	<i>Periplœca tunicata. w.</i>					
4	pilosum. R.S. (wh.) hairy.	C. B. S.	1726.	6. 9.	G. 2. ∪.	Bot. reg. t. 111.
	<i>Periplœca africana. A.R. 557.</i>					
5	crassifolium. R.S. (gr. w.) thick-leaved.	—————	1816.	G. 2. ∪.	
6	capense. R.S. (wh.) Cape.	—————	1820.	G. 2. ∪.	
7	roseum. R.S. (ro.) rosy.	Dahuria.	1816.	7. 8.	H. 2.	Gmel. sib. 4. t. 42.
	<i>Asclepias daurica. w.</i>					
8	nigrum. R.S. (bk.) black.	S. Europe.	1596.	5. 8.	H. 2. ∪.	Bot. mag. t. 2390.
9	medium. R.S. (br.) middle.	————	H. 2. ∪.	
10	Vincetoxicum. R.S. (w.) officinal.	Europe.	1596.	————	H. 2.	Flor. dan. t. 849.
	<i>Asclepias Vincetoxicum. w.</i>					
11	fuscatum. S.S. (st.) yellow-flowered.	—————	————	————	H. 2.	
12	sibiricum. R.S. (st.) Siberian.	Siberia.	1775.	7. 8.	H. 2.	Murr. gott. 2. t. 7.
13	fœtidum. R.S. (st.) fetid.	Mexico.	1823.	————	G. 2. ∪.	Cavan. ic. 2. t. 158.
14	viridiflorum. B.M. (gr. re.) green-flowered.	E. Indies.	1814.	10. 12.	S. 2. ∪.	Bot. mag. t. 1929.
15	undatum. A.R. (gr.) wave-leaved.	—————	1803.	7. 8.	S. 2. ∪.	Andr. reposit. t. 410.
HARRISONIA. B.M. HARRISONIA. Pentandria Digynia.						
	loniceroides. B.M. (cr.) Honeysuckle.	Brazil.	1824.	9. 10.	S. 2.	Bot. mag. t. 2699.
DÆMIA. R.S. DÆMIA. Pentandria Digynia. R.S.						
1	extensa. R.S. (st.) smooth-leaved.	E. Indies.	1778.	7. 8.	S. 2. ∪.	Jacq. ic. 1. t. 54.
2	bicolor. (gr. pu.) two-coloured.	—————	1806.	————	S. 2. ∪.	Andr. reposit. t. 562.
	<i>Cynanchum bicolor. A.R.</i>					
DIPLOLEPIS. R.S. DIPLOLEPIS. Pentandria Digynia.						
1	vomitoria. H.T. (st.) dull-leaved.	China.	1820.	6. 9.	S. 2. ∪.	
2	apiculata. H.T. (st.) glossy-leaved.	—————	————	————	S. 2. ∪.	
SARCOSTEMMA. R.S. SARCOSTEMMA. Pentandria Digynia. R.S.						
1	viminale. R.S. (wh.) twisting.	E. Indies.	1731.	7.	S. 2. ∪.	
2	Swartzianum. R.S. (wh.) Swartz's.	W. Indies.	S. 2. ∪.	Sloan. hist. 1. t. 131. f. 1.
EUSTEGIA. R.S. EUSTEGIA. Pentandria Digynia. R.S.						
	hastata. R.S. (gr. wh.) halberd-leaved.	C. B. S.	1816.	6. 8.	G. 2.	Spr. n. ent. t. 1. f. 5-10.
	<i>Apocynum hastatum. w.</i>					

METASTE'LMA. R.S.	METASTE'LMA.	Pentandria Digynia.				
parviflorum. R.S. (wh.)	small-flowered.	W. Indies.	1826.	5. 6.	S. h. ∩.	Plum. ic. 215. f. 1.
MICROL'OMA. R.S.	MICROL'OMA.	Pentandria Digynia. R.S.				
1 sagittatum. R.S. (sc.)	arrow-leaved.	C. B. S.	1775.	7. 8.	G. h. ∩.	Jacq. schœn. 1. t. 38.
2 lineare. R.S. (cr.)	linear-leaved.	—————	1816.	—————	G. h. ∩.	Pluk. man. 17. t. 335. f. 5.
ASTEPHA'NUS. R.S.	ASTEPHA'NUS.	Pentandria Digynia. R.S.				
1 triflorus. R.S. (wh.)	three-flowered.	C. B. S.	1816.	7. 9.	G. 4. ∩.	
2 linearis. R.S. (wh.)	panicled.	—————	—————	—————	G. 4. ∩.	
3 lanceolatus. R.S. (wh.)	spear-leaved.	—————	1822.	—————	G. 4. ∩.	

ORDO CXL.

GENTIANEÆ. *Brown prodr. 1. p. 449.*

GENTIA'NA. R.S.	GENTIAN.	Tetr-Pentandria Digynia.				
1 lutea. R.S. (ye.)	yellow.	Alps Europe.	1596.	6. 7.	H. 4.	Mill. ic. t. 139.
2 hybrida. R.S. (ye.re.)	hybrid.	Switzerland.	1825.	—————	H. 4.	
3 purpurea. R.S. (pu.)	purple.	—————	1768.	—————	H. 4.	Andr. reposit. t. 117.
4 pannonica. R.S. (pa.pu.)	round-petaled.	—————	—————	H. 4.	Jacq. aust. 2. t. 136.
β albiflora. (wh.)	white-flowered.	—————	1826.	—————	H. 4.	
5 punctata. R.S. (st.pu.)	dotted-flowered.	—————	1775.	—————	H. 4.	Jacq. aust. 5. t. ap. 28.
6 campanulata. R.S. (ye.)	bell-flowered.	—————	1824.	—————	H. 4.	————— ap. t. 29.
7 septemfida. R.S. (bl.)	crested.	Levant.	1804.	—————	H. 4.	Bot. mag. t. 1229.
β guttata. (bl.wh.)	spotted.	—————	—————	—————	H. 4.	————— t. 1410.
8 asclepiadæa. R.S. (bl.)	swallowwort-ld.	Austria.	1629.	7. 8.	H. 4.	————— t. 1078.
9 cruciata. R.S. (bl.)	Crosswort.	—————	1596.	6. 7.	H. 4.	Jacq. aust. 4. t. 372.
10 macrophylla. R.S. (bl.)	long-leaved.	Siberia.	1796.	7. 8.	H. 4.	Bot. mag. t. 1414.
11 adscendens. s.s. (bl.)	ascending.	—————	1799.	6. 7.	H. 4.	————— t. 705.
β decumbens. R.S. (bl.)	decumbent.	—————	—————	—————	H. 4.	————— t. 723.
12 frigida. R.S. (wh.)	frigid.	Carpathian m.	1816.	—————	H. 4.	Frœl. gent. n. 13. ic.
13 algida. R.S. (st.bl.)	narrow-leaved.	Siberia.	1808.	—————	H. 4.	Pall. ros. 2. t. 95.
14 gelida. R.S. (st.)	cream-coloured.	Caucasus.	1816.	—————	H. 4.	
15 Pneumonánthe. R.S. (bl.)	Calathian violet.	England.	8. 9.	H. 4.	Eng. bot. v. 1. t. 20.
β guttata. B.M. (bh.wh.)	spotted-flowered.	—————	H. 4.	Bot. mag. t. 1101.
16 pseudo-pneumonánthe. R.S. (bl.)	Canadian.	N. America.	1828.	—————	H. 4.	
Pneumonánthe. Ph.						
17 linearis. R.S. (bl.)	linear-leaved.	—————	1816.	—————	H. 4.	
18 triflora. R.S. (p.bl.)	three-flowered.	Siberia.	1807.	6. 7.	H. 4.	Pall. ross. 1. t. 93. f. 1.
19 Saponaria. B.M. (bl.)	barrel-flower'd.	N. America.	1776.	8. 9.	H. 4.	Bot. mag. t. 1039.
20 Catesbæi. N. (bl.)	Catesby's.	—————	—————	6. 8.	H. 4.	Andr. reposit. t. 418.
21 intermedia. B.M. (pu.)	intermediate.	—————	1820.	8. 9.	H. 4.	Bot. mag. t. 2303.
22 incarnata. B.M. (fl.)	flesh-coloured.	—————	1812.	9. 11.	H. 4.	————— t. 1856.
23 ochroleuca. R.S. (st.)	pale-flowered.	—————	1803.	8. 9.	H. 4.	————— t. 1551.
24 quinqueflora. R.S. (pu.)	five-flowered.	—————	1823.	7. 9.	H. ♂.	
amarelloides. M.						
25 aurea. R.S. (wh.ye.)	large involucred.	Norway.	—————	—————	H. ♂.	Flor. dan. t. 314.
quinquefolia. F.D. involucrata.	Rottb. ac. havn. 10. p. 434.	t. 1. f. 2.	A. B.			
26 umbellata. M.B. (pa.bl.)	umbel-flowered.	Caucasus.	1823.	8. 10.	H. ⊙.	
27 acaulis. R.S. (bl.)	dwarf.	Wales.	3. 6.	H. 4.	Eng. bot. v. 23. t. 1504.
28 alpina. R.S. (bl.)	Alpine.	Switzerland.	1818.	—————	H. 4.	Lodd. bot. cab. t. 476.
29 altaica. R.S. (bl.)	Altay.	Siberia.	1826.	—————	H. 4.	Pall. ross. 2. t. 97. f. 1.
30 pyrenæica. R.S. (bl.)	Pyrenean.	Pyrenees.	1825.	—————	H. 4.	W. et K. hung. t. 207.
31 pumila. R.S. (bl.)	small.	Switzerland.	—————	—————	H. 4.	Jacq. obs. 2. t. 49.
32 verna. R.S. (bl.)	spring.	England.	—————	H. 4.	Eng. bot. v. 7. t. 493.
33 æstiva. R.S. (bl.)	summer.	Germany.	1826.	—————	H. 4.	Roem. arch. 1. t. 3. f. 5.
34 bavaria. R.S. (bl.)	Bavarian.	—————	1775.	7.	H. 4.	Vill. delph. 2. t. 10.
35 imbricata. R.S. (bl.)	imbricated	Switzerland.	1825.	—————	H. 4.	Barrel. ic. 101. f. 2.
36 angulosa. R.S. (bl.)	angular-calyx'd.	Caucasus.	1826.	4. 6.	H. 4.	Marsch. cent. rar. 1. t. 47.
37 utriculosa. R.S. (bl.)	bladdered.	—————	—————	7. 9.	H. ♂.	W. et K. hung. t. 206.
38 nivâlis. R.S. (bl.)	small alpine.	Scotland.	8. 9.	H. ⊙.	Eng. bot. v. 13. t. 526.
39 aquatica. R.S. (bl.)	water-side.	Dahuria.	1827.	7. 9.	H. ♂.	

40	<i>humilis</i> . R.S.	(<i>pa.bl.</i>) dwarf.	Caucasus.	1827.	7. 9.	H. ♂.	Pall. ross. 2. t. 97. f. 2.
41	<i>uniflora</i> . R.S.	(<i>vi.</i>) one-flowered.	M. Carpathian.	1828.	—	H. ♂.	Rœm. ar. 1. p. 23. t. 2. f. 4.
42	<i>germanica</i> . R.S.	(<i>vi.</i>) German.	Germany.	1825.	8. 9.	H. ♂.	Mayrh. fl. mon. t. 278.
43	<i>Amarëlla</i> . R.S.	(<i>vi.</i>) autumnal.	Britain.	8. 10.	H. ♂.	Eng. bot. v. 4. t. 236.
44	<i>uliginosa</i> . R.S.	(<i>bl.</i>) marsh.	Germany.	1827.	—	H. ♂.	
45	<i>obtusifolia</i> . R.S.	(<i>bl.st.</i>) blunt-leaved.	Switzerland.	1828.	—	H. ♂.	Rœm. ar. 1. p. 22. t. 2. f. 3.
46	<i>pratensis</i> . R.S.	(<i>vi.</i>) field.	Siberia.	1824.	—	H. ♂.	
47	<i>caucasica</i> . R.S.	(<i>bl.</i>) Caucasian.	Caucasus.	1804.	7. 8.	H. ♂.	Bot. mag. t. 1038.
48	<i>campêstris</i> . R.S.	(<i>vi.</i>) field.	Britain.	8. 10.	H. ♂.	Eng. bot. v. 4. t. 237.
49	<i>angustifolia</i> . R.S.	(<i>bl.</i>) slender-leaved.	N. America.	1820.	8. 9.	H. ♀.	
50	<i>glaciâlis</i> . R.S.	(<i>bl.</i>) northern.	N. Europe.	1826.	H. ♂.	Sch. rom. arc. 1. t. 2. f. 5.
51	<i>confërta</i> . F.	(<i>bl.</i>) crowded.	Altay.	1827.	—	H. ♂.	
52	<i>Gebleri</i> . F.	(<i>bl.</i>) Gebler's.	—	—	—	H. ♂.	Reich. ic. t. 271.
53	<i>rotâta</i> . R.S.	(<i>bl.</i>) rotate.	Siberia.	—	—	H. ♂.	Pall. ross. 2. t. 89. f. 3.
54	<i>ciliâta</i> . R.S.	(<i>bl.</i>) fringe-flowered.	S. Europe.	1759.	—	H. ♀.	Jacq. aust. t. 113.
55	<i>fimbriâta</i> . R.S.	(<i>bl.</i>) fimbriate.	Caucasus.	1824.	7. 9.	H. ♀.	
56	<i>crinita</i> . R.S.	(<i>bl.</i>) jagged-flower'd.	N. America.	1804.	7. 10.	H. ♂.	Swt. br. fl. gar. t. 139.
	<i>fimbriâta</i> . Andr. rep.	t. 509. non w.					
57	<i>barbâta</i> . R.S.	(<i>bl.</i>) bearded.	Siberia.	8. 9.	H. ♂.	Bot. mag. t. 639.
	<i>ciliâta</i> . B.M. nec aliorum.						
SWERTIA. R.S.		FELWORT.	Tetr-Pentandria	Digynia.			
1	<i>perennis</i> . R.S.	(<i>br.pu.</i>) marsh.	England.	7. 8.	H. ♀.	Eng. bot. v. 21. t. 1441.
2	<i>Michauxiâna</i> . R.S.	(<i>st.</i>) American.	N. America.	1824.	—	H. ♂.	
3	<i>dichôtoma</i> . R.S.	(<i>gr.re.</i>) forked.	Siberia.	1827.	7. 9.	H. ♂.	Pall. ross. 2. t. 91.
CHLORA. S.S.		YELLOW-WORT.	Octandria	Monogynia.	L.		
1	<i>imperfoliâta</i> . s.s.	(<i>ye.</i>) sessile-leaved.	Italy.	1826.	6. 7.	H. ⊙.	
2	<i>perfoliâta</i> . s.s.	(<i>ye.</i>) perfoliate.	Britain.	—	H. ⊙.	Eng. bot. v. 1. t. 60.
FRASERA. M.		FRASERA.	Tetrandria	Monogynia.	R.S.		
	<i>Walteri</i> . M.	(<i>ye.</i>) Walter's.	N. America.	1795.	7. 8.	H. ♂.	
	<i>carolinensis</i> . Walt.						
ERYTHRÆA. R.S.		ERYTHRÆA.	Pentandria	Monogynia.	P.S.		
1	<i>Centaûrium</i> . R.S.	(<i>ro.</i>) common.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 6. t. 417.
2	<i>latifolia</i> . s.s.	(<i>ro.</i>) broad-leaved.	Lancashire.	—	H. ⊙.	
3	<i>pulchëlla</i> . R.S.	(<i>ro.</i>) dwarf branching.	England.	8. 9.	H. ⊙.	Eng. bot. v. 7. t. 458.
4	<i>littoralis</i> . R.S.	(<i>ro.</i>) simple dwarf.	Britain.	6. 8.	H. ⊙.	— v. 33. t. 2305.
5	<i>confërta</i> . R.S.	(<i>ro.</i>) close-flowered.	Spain.	1818.	5. 11.	H. ♀.	
6	<i>spicâta</i> . R.S.	(<i>ro.</i>) spiked.	S. Europe.	—	H. ♂.	Flor. græc. t. 238.
	<i>β albiflora</i> .	(<i>wh.</i>) white-flowered.	—	—	H. ♂.	Matth. comm. p. 488. f. 2.
7	<i>austrâlis</i> . B.P.	(<i>ro.</i>) New Holland.	New Holland.	1823.	5. 8.	G. ♂.	
8	<i>uliginosa</i> . R.S.	(<i>ro.</i>) marsh.	Hungary.	1825.	6. 8.	H. ♂.	W. et K. pl. hung. t. 238.
9	<i>aggregâta</i> . B.F.G.	(<i>ro.</i>) cluster-branch'd.	Nepaul.	1824.	3. 11.	H. ♀.	Swt. br. fl. gar. t. 137.
10	<i>maritima</i> . F.G.	(<i>ye.</i>) sea-side.	S. Europe.	1777.	7. 8.	H. ⊙.	Flor. græc. t. 237.
11	<i>Massoni</i> .	(<i>ye.</i>) Masson's.	Azores.	—	—	F. ♀.	
	<i>maritima</i> . H.K. nec aliorum.	vid. obs. in Flor. Græc.					
12	<i>lutea</i> . R.S.	(<i>ye.</i>) yellow-flowered.	S. Europe.	—	H. ⊙.	Barrel. ic. 468.
SABBATIA. R.S.		SABBATIA.	Pentandria	Monogynia.	R.S.		
1	<i>gracilis</i> . R.S.	(<i>ro.</i>) slender.	N. America.	7. 9.	H. ♂.	Sal. par. lond. t. 32.
2	<i>stellâris</i> . R.S.	(<i>ro.ye.</i>) starry.	—	1827.	6. 8.	H. ♂.	Bartr. ic. ined. t. 13.
3	<i>angulâris</i> . R.S.	(<i>pu.</i>) angular-stalked.	—	1823.	7. 8.	H. ♂.	
4	<i>calycosa</i> . R.S.	(<i>ro.</i>) dichotomous.	—	1812.	6. 8.	H. ♂.	Bot. mag. t. 1600.
5	<i>chloroides</i> . R.S.	(<i>ro.</i>) Chlora-like.	—	1817.	8. 9.	H. ♂.	
6	<i>paniculâta</i> . R.S.	(<i>wh.</i>) paniced.	—	—	—	H. ♀.	
VOHÏRIA. R.S.		VOHÏRIA.	Pentandria	Monogynia.			
1	<i>rosea</i> . R.S.	(<i>ro.</i>) rose-coloured.	Trinidad.	1822.	6. 8.	S. ♀.	Aubl. guian. 1. t. 83. f. 1.
	<i>Lita rosea</i> . W.						
2	<i>cœrulea</i> . R.S.	(<i>bl.</i>) blue-flowered.	—	1824.	—	S. ♀.	Aubl. guian. 1. t. 83. f. 2.
3	<i>uniflora</i> . R.S.	(<i>ye.</i>) one-flowered.	W. Indies.	—	—	S. ♀.	Jacq. amer. 87. t. 60. f. 3.
CHIRONIA. R.S.		CHIRONIA.	Pentandria	Monogynia.	L.		
1	<i>jasminoïdes</i> . R.S.	(<i>ro.</i>) Jasmine-like.	C. B. S.	1812.	4. 7.	G. ♀.	Bot. reg. t. 197.
2	<i>lychnoïdes</i> . R.S.	(<i>pu.</i>) Lychnis-flowered.	—	1816.	—	G. ♀.	
3	<i>nudicaulis</i> . R.S.	(<i>pu.</i>) naked-stalked.	—	—	—	G. ♀.	Linn. trans. 7. t. 12. f. 3.
4	<i>linoïdes</i> . R.S.	(<i>pi.</i>) flax-leaved.	—	1787.	7. 9.	G. ♀.	Bot. mag. t. 511.
5	<i>tetragona</i> . R.S.	(<i>pu.</i>) four-sided.	—	1822.	—	G. ♀.	Linn. trans. 7. t. 12. f. 2.
6	<i>baccifera</i> . R.S.	(<i>pi.</i>) berry-bearing.	—	1759.	6. 7.	G. ♀.	Bot. mag. t. 233.
7	<i>angustifolia</i> . B.M.	(<i>ro.</i>) narrow-leaved.	—	1800.	6. 8.	G. ♀.	— t. 818.
8	<i>frutescens</i> . R.S.	(<i>ro.</i>) frutescent.	—	1756.	6. 9.	G. ♀.	— t. 37.
	<i>β albiflora</i> .	(<i>wh.</i>) white-flowered.	—	—	G. ♀.	
9	<i>decussata</i> . R.S.	(<i>ro.</i>) cross-leaved.	—	1789.	—	G. ♀.	Bot. mag. t. 707.

- HIPPION. S.S.** **HI'PPION.** Pentandria Monogynia. S.S.
viscòsum. s.s. (*ye.*) clammy. Canaries. 1781. 6. 7. G. ♂. Sm. ic. fas. 3. t. 1.
Exàcum viscòsum. Sm. Gentiàna viscòsa. Bot. mag. t. 2135.
- SEB'ÆA. B.P.** **SEB'ÆA.** Tetr-Pentandria Monogynia. S.S.
 1 *ovàta. B.P.* (*st.*) oval-leaved. N. S. W. 1820. 8. 10. G. ⊙. Lab. nov. hol. 1. t. 1.
 2 *àlbens. B.P.* (*wh.*) white-flowered. C. B. S. ———— G. ⊙. Burm. afr. t. 74. f. 1.
 3 *cordàta. B.P.* (*ye.*) heart-leaved. ———— 1815. 7. 8. H. ⊙. ———— t. 74. f. 1.
- CICE'NDIA. Adans.** **CICE'NDIA.** Tetrandria Monogynia.
filifòrme. (*ye.*) slender-stalk'd. Britain. ———— H. ⊙. Eng. bot. v. 4. t. 1.
Exàcum filifòrme. E.B. Microcàle filifòrme. Lk.
- EX'ACUM. B.P.** **EX'ACUM.** Tetrandria Monogynia. L.
tétragònum. D.P. (*ye.*) square-stalked. Nepaul. 1820. 8. 10. H. ⊙.
- COUTOUB'EA. P.S.** **COUTOUB'EA.** Tetrandria Monogynia.
 1 *ternifòlia. P.S.* (*wh.*) three-leaved. Trinidad. 1820. 6. 10. S. ⊙. Cavan. icon. 4. t. 3.
 2 *ramòsa. Aub.* (*pu.*) purple-flowered. ———— 1823. ———— S. ⊙. Aubl. guian. 1. t. 1.
purpùrea. Lam. ill. t. 79. Exàcum ramòsum. R.S.
- MITRASA'CME. B.P.** **MITRASA'CME.** Tetrandria Monogynia. R.S.
 1 *polymórpha. B.P.* (*wh.*) variable. N. S. W. 1822. 6. 8. G. ♀.
 2 *canéscens. B.P.* (*wh.*) canescent. ———— 1820. ———— G. ♀.
 3 *serpyllifòlia. B.P.* (*wh.*) creeping. ———— 1826. ———— G. ♀.
- HOUSTONIA. R.S.** **HOUSTONIA.** Tetrandria Monogynia. L.
 1 *cœrùlea. R.S.* (*pa.bl.*) blue-flowered. N. America. 1785. 5. 8. H. ♀. Bot. mag. t. 370.
 2 *serpyllifòlia. R.S.* (*wh.*) Thyme-leaved. ———— 1827. ———— H. ♀. ———— t. 292.
 3 *tenélla. R.S.* (*pu.*) slender. Carolina. 1812. ———— H. ♀.
 4 *albiflòra. N.* (*wh.*) white-flowered. N. America. 1828. ———— H. ♀.
 5 *purpùrea. R.S.* (*li.*) purple-flowered. ———— 1800. ———— H. ♀.
- SPIG'ELIA. R.S.** **WORM-GRASS.** Pentandria Monogynia. L.
 1 *Anthélmia. R.S.* (*bl.*) annual. W. Indies. 1759. 7. S. ⊙. Bot. mag. t. 235.
 2 *marylàndica. R.S.* (*sc.*) perennial. N. America. 1694. 7. 8. H. ♀. ———— t. 80.
- EUST'OMA. P.L.** **EUST'OMA.** Pentandria Monogynia.
silénifòlium. P.L. (*pu.*) Silene-leaved. Providence Isl. 1804. 7. S. ♀. Sal. par. lond. t. 2.
Lisiánthus glaucifòlius. Jacq. ic. 1. t. 33.
- LISIA'NTHUS. R.S.** **LISIA'NTHUS.** Pentandria Monogynia. L.
 1 *longifòlius. R.S.* (*ye.*) long-leaved. Jamaica. 1793. 7. 9. S. ♀. Bot. reg. t. 880.
 2 *grandiflòrus. R.S.* (*st.*) large-flowered. Trinidad. 1820. ———— S. ⊙. Aubl. guian. 1. t. 1.
 3 *exsértus. R.S.* (*st.*) oval-leaved. W. Indies. 1793. ———— S. ♀.
 4 *latifòlius. R.S.* (*ye.*) broad-leaved. ———— 1822. S. ♀.
 5 *umbellàtus. R.S.* (*ye.*) umbel-flowered. ———— ———— S. ♀.
 6 *cordifòlius. R.S.* (*ye.*) heart-leaved. ———— 1816. 6. 8. S. ♀. Brown. jam. 2. t. 9.
 7 *acutángulus. R.S.* (*ye.*) acute-angled. Peru. 1820. ———— S. ♀. Flor. per. 2. t. 12.
 8 *angustifòlius. K.S.* (*gr.*) narrow-leaved. S. America. 1824. 7. 10. S. ⊙.
- LOG'ANIA. B.P.** **LOG'ANIA.** Pentandria Monogynia. R.S.
 1 *latifòlia. B.P.* (*wh.*) broad-leaved. N. Holland. 1816. 4. 6. G. ♀. Lab. nov. hol. 1. t. 1.
Exàcum vaginàle. Lab.
 2 *floribúnda. B.P.* (*wh.*) many-flowered. N. S. W. 1797. 4. 5. G. ♀. Andr. reposit. t. 2.
Euósma albiflòra. A.R.
 3 *revolùta. B.P.* (*wh.*) revolute-leaved. ———— 1822. 4. 6. G. ♀.
- VILLA'RSIA. R.S.** **VILLA'RSIA.** Pentandria Monogynia. R.S.
 1 *nymphoïdes. R.S.* (*ye.*) common. England. 6. 7. H.w. ♀. Eng. bot. v. 4. t. 2.
Menyánthes nymphoïdes. E.B.
 2 *índica. R.S.* (*ye.*) Indian. E. Indies. 1790. 6. 8. S.w. ♀. Bot. mag. t. 658.
 3 *sarmentòsa. R.S.* (*ye.*) sarmentose. N. S. W. 1806. ———— G.w. ♀. ———— t. 132.
Menyánthes sarmentòsa. B.M.
 4 *lacunòsa. v.* (*wh.*) smooth-flowered. N. America. 1812. 6. 7. G.w. ♀. Venten. choix. 9.
 5 *renifòrmis. B.P.* (*ye.*) kidney-leaved. N. S. W. 1820. ———— G.w. ♀.
 6 *parnassiifòlia. B.P.* (*ye.*) tall. ———— 1805. 6. 10. G.w. ♀. Bot. mag. t. 103.
Menyánthes exaltàta. B.M. Swértia parnassiifòlia. Lab. n. hol. t. 97.
 7 *ovàta. R.S.* (*ye.*) oval-leaved. C. B. S. 1786. 5. 7. G.w. ♀. Bot. mag. t. 190.
- MENYA'NTHE. R.S.** **BUCK-BEAN.** Pentandria Monogynia. L.
 1 *trifoliàta. E.B.* (*li.*) common. Britain. 6. 7. H.w. ♀. Eng. bot. v. 7. t. 1.
 2 *americàna. (li.) American. N. America. 4. 6. H.w. ♀.*
trifoliàta β mìnor. P.S.

ORDO CXXI.

BIGNONIACEÆ. *Brown prodr. 1. p. 470.*

CHILO'PSIS. D.D.	CHILO'PSIS.	Didymia Angiospermia.				
lineàris.	(ro.) linear-leaved.	Mexico.	1825.	S. h.	Cavan. ic. 3. t. 269.
<i>Bignònia? lineàris. Cav.</i>						
CATA'LPA. J.	CATA'LPA.	Diandria Monogynia. S.S.				
1 syringifòlia. s.s. (wh.)	common.	N. America.	1726.	6. 8.	H. h.	Bot. mag. t. 1094.
<i>Bignònia Catàlpa. L.</i>						
2 longíssima. s.s. (wh. pu.)	wave-leaved.	W. Indies.	1777.	S. h.	Plum. ic. t. 57.
3 microphy'lla. s.s. (bh.)	small-leaved.	Hispaniola.	1820.	S. h.	———— t. 55.
BIGNONIA. S.S.	TRUMPET-FLOWER.	Didymia Angiospermia. L.				
1 U'nguis. s.s. (ye.)	Barbadoes.	W. Indies.	1759.	S. h. ∪.	Plum. amer. t. 94.
2 stamínea. s.s. (ye. pu.)	long-stamened.	Hispaniola.	1820.	6. 9.	S. h. ∪.	Plum. ic. 56. f. 2.
3 capreolàta. s.s. (ye. pu.)	four-leaved.	N. America.	1710.	6. 8.	H. h. ∪.	Bot. mag. t. 864.
4 pubéscens. s.s. (ye.)	downy.	New Spain.	1759.	6. 7.	S. h. ∪.	
5 æquinoctiàlis. s.s. (ye.)	equinoctial.	W. Indies.	1768.	6. 8.	S. h. ∪.	Plum. ic. t. 55. f. 1.
6 Chamberla'ynii. B.M. (ye.)	Chamberlayne's.	S. America.	1818.	—	S. h. ∪.	Bot. mag. t. 2148.
7 chrysoleùca. s.s. (ye. wh.)	yellow & white.	————	1824.	—	S. h. ∪.	
8 alliàcea. s.s.	garlick-scented.	W. Indies.	1790.	S. h. ∪.	
9 spectàbilis. s.s. (pu.)	showy.	S. America.	1820.	S. h. ∪.	
10 picta. K.s. (wh.)	flat-stemmed.	————	—	S. h. ∪.	
11 oblìqua. K.s. (re.)	oblique-leaved.	Caracas.	1828.	—	S. h. ∪.	
12 laurifòlia. s.s. (li.)	Laurel-leaved.	Guiana.	1804.	S. h. ∪.	
13 lactiflòra. s.s. (wh.)	milk-coloured.	Trinidad.	1822.	4. 6.	S. h. ∪.	Vahl. symb. 3. t. 66.
14 villòsa. s.s. (pu.)	villous.	S. America.	1820.	S. h. ∪.	
15 ophthàlmica. A. (ye.)	Anderson's.	St. Vincent.	1812.	S. h. ∪.	
16 rigéscens. s.s. (fl. ye.)	rigid-leaved.	S. America.	1816.	6. 8.	S. h. ∪.	Jacq. schoen. 2. t. 210.
17 grandifòlia. B.R. (ye.)	large-leaved.	————	—	4. 7.	S. h. ∪.	Bot. reg. t. 418.
18 latifòlia. s.s. (ye.)	broad-leaved.	Cayenne.	1824.	S. h. ∪.	
19 elongàta. s.s. (ye.)	long-racemed.	S. America.	1820.	S. h. ∪.	Vahl. ecl. 2. t. 16.
20 mollíssima. K.s. (pu.)	soft-leaved.	Caracas.	1812.	S. h. ∪.	
21 diversifòlia. K.s.	different-leav'd.	Mexico.	1824.	S. h. ∪.	
22 floribúnda. K.s.	abundant-flower'd.	————	—	S. h. ∪.	
23 cándicans. s.s. (pu.)	white-leaved.	Trinidad.	1822.	9. 12.	S. h. ∪.	
24 quadrangulàris. D.L. ...	square-stalked.	————	—	S. h. ∪.	
25 coloràta. s.s. (ye.)	coloured calyxed.	————	1824.	S. h. ∪.	
26 crucígera. s.s. (or.)	cross-bearing.	S. America.	1759.	6. 8.	S. h. ∪.	Plum. ic. t. 58.
27 Cherère. B.R. (or.)	various-leaved.	Guiana.	1820.	6. 10.	S. h. ∪.	Bot. reg. t. 1301.
<i>heterophy'lla. W.</i>						
28 venústa. s.s. (or.)	comely.	S. America.	1816.	9. 12.	S. h. ∪.	Bot. reg. t. 249.
29 incarnàta. s.s. (ro.)	flesh-coloured.	Guiana.	1818.	6. 9.	S. h. ∪.	Aub. gui. 3. t. 261.
30 móllis. s.s. (ye.)	soft.	————	—	S. h. ∪.	Vahl. ecl. 2. t. 10.
<i>tomentòsa. Rich. non Th.</i>						
31 littoràlis. K.s. (re.)	sea-side.	Mexico.	1824.	S. h. ∪.	
32 viridiflòra. B.C. (gr.)	green-flowered.	S. America.	1820.	6. 9.	S. h.	Lodd. bot. cab. t. 1026.
33 triphy'lla. s.s. (wh.)	three-leaved.	Mexico.	1733.	—	S. h.	
34 pállida. B.R. (li.)	pale.	S. America.	1823.	7. 8.	S. h.	Bot. reg. t. 965.
35 fluvíatilis. s.s. (wh.)	marsh.	————	1818.	—	S. h.	Aub. gui. 2. t. 267.
36 Leucóxylon. s.s. (pi.)	white-wooded.	W. Indies.	1759.	6. 7.	S. h.	Andr. reposit. t. 43.
37 chrysántha. s.s. (ye.)	golden-flower'd.	Caracas.	1822.	S. h.	Jacq. schoenb. 2. t. 211.
38 lepidòta. K.s. (ro.)	silver-spotted.	Cuba.	1828.	S. h.	
39 æsculifòlia. K.s. (or.)	Æsculus-leaved.	Mexico.	1824.	S. h.	
40 serratifòlia. s.s. (ye.)	saw-leaved.	Trinidad.	1822.	S. h.	
41 bijùga. s.s.	Madagascar.	Madagascar.	—	S. h.	
42 Clématis. K.s. (wh. ye.)	Clematis-leaved.	Caracas.	—	S. h. ∪.	
43 chelonoídes. s.s. (ye.)	tree.	E. Indies.	1808.	S. h.	Rheed. mal. 6. t. 26.
44 variàbilis. s.s. (gr. ye.)	variable-leaved.	Caracas.	1820.	6. 8.	S. h. ∪.	Jacq. schoenb. 2. t. 212.
45 índica. W. (wh. std.)	Indian.	E. Indies.	1775.	S. h.	Rheed. mal. 1. t. 43.
46 jasminifòlia. K.s.	Jasmine-leaved.	S. America.	1824.	S. h. ∪.	
47 crenàta. L.C.	crenated.	1825.	S. h. ∪.	
48 decipiens. L.C.	doubtful.	—	S. h.	
49 lúcida. L.C.	glossy.	S. America.	1824.	S. h. ∪.	
50 álba. W. (wh.)	white-flowered.	Guiana.	1823.	S. h. ∪.	Aub. gui. 2. t. 266.

- 51 echinata. w. (bh.) bristly-fruited. Guiana. 1801. S. h. ~. Aub. gui. 2. t. 264.
- 52 purpurea. L.C. (pu.) purple. S. America. 1822. S. h.
- 53 tomentosa. Th. tomentose. Japan. 1823. S. h. Kæmpf. amœn. t. 39
- 54 stipulata. H.B. stipuled. E. Indies. 1825. S. h.
- 55 undulata. H.B. wave-leaved. ———— 1827. S. h.
- 56 suaveolens. H.B. sweet-scented. ———— 1825. S. h.
- 57 crispa. H.B. curled. ———— 1822. S. h.
- 58 xylocarpa. H.B. woody-podded. ———— 1825. S. h.
- 59 amœna. handsome. ———— 1823. S. h.
- 60 spicata. D.L. spiked-flowered. Trinidad. 1822. S. h. ~.
- 61 multijuga. R. many-leaved. E. Indies. 1826. S. h.
- MILLINGTONIA. L. MILLINGTONIA. Didynamia Angiospermia. L.**
 hortensis. L. (wh.) cork-barked. E. Indies. 1818. S. h. Roxb. corom. 3. t. 23
Bignonia suberosa. Roxb.
- TEC'OMA. J. TEC'OMA. Didynamia Angiospermia. S.S.**
 1 splendida. s.s. (or.) splendid. Brazil. 1826. S. h.
 2 pentaphylla. s.s. (wh.) five-leaved. Jamaica. 1733. S. h. Marc. bras. t. 118.
 3 digitata. K.S. digitate-leaved. S. America. 1818. S. h.
 4 australis. B.P. (bh.) broad-leaved. N. S. W. 1793. 4. 7. G. h. ~. Bot. mag. t. 865.
Bignonia Pandoræ. B.M.
 5 meonantha. (bh.) narrow-leaved. ———— 1815. ———— G. h. ~.
Bignonia meonantha. L.en.
 6 mollis. K.S. (ye.) soft-leaved. Mexico. 1824. S. h.
 7 radicans. s.s. (or.) Ash-leaved. N. America. 1640. 7. 8. H. h. ~.
a major. H.K. (or.) great. ———— ———— H. h. ~. Bot. mag. t. 485.
β minor. H.K. (or.) smaller. ———— ———— H. h. ~. Catesb. car. 1. t. 65.
 8 grandiflora. (or.) large-flowered. China. 1800. 6. 9. G. h. ~. Bot. mag. t. 1398.
Bignonia grandiflora. B.M. Incartillea grandiflora. s.s.
 9 stans. s.s. (ye.) upright-ash-ld. S. America. 1730. 7. 9. S. h. Plum. ic. t. 54.
 10 incisa. D.L. (ye.) cut-leaved. Trinidad. 1824. ———— S. h.
 11 capensis. B.R. (or.) Cape. C. B. S. ———— 4. 8. G. h. ~. Bot. reg. t. 1117.
- JACARA'NDA. S.S. JACARA'NDA. Didynamia Angiospermia. S.S.**
 1 tomentosa. D.D. (pu.) tomentose. Brazil. 1824. S. h.
 2 mimosifolia. B.R. (bl.) Mimosa-leaved. ———— 1818. 4. 5. S. h. Bot. reg. t. 631.
ovalifolia. Bot. mag. t. 2327.
 3 bahamensis. B.M. (bl.) Bahama. Bahama Isl. 1724. 7. 8. S. h. Catesb. car. 1. t. 42
Bignonia cœrulea. w.
 4 Copaia. D.D. (bl.) Box-leaved. Guiana. 1793. S. h. Aub. gui. 2. t. 265.
Bignonia procera. w.
 5 rhombifolia. s.s. (pu.) rhomb-leaved. Surinam. 1823. S. h.
flicifolia. D.D.
- SPATH'ODEA. S.S. SPATH'ODEA. Didynamia Angiospermia. S.S.**
 1 uncata. s.s. (ye.) hooked. Guiana. 1804. 6. 9. S. h. ~. Bot. mag. t. 1511.
Bignonia uncata. B.M.
 2 corymbosa. s.s. (ye.) corymb-flower'd. Trinidad. 1823. S. h.
 3 Rheedii. s.s. (wh.) Rheede's. E. Indies. 1794. S. h. Roxb. cor. 2. t. 144.
Bignonia spathacea. R.C.
 4 Roxburghii. s.s. (ro.) Roxburgh's. ———— 1820. S. h. Roxb. cor. v. 2. t. 145
Bignonia quadrilocularis. Roxb.
 5 fraxinifolia. K.S. (ye.) Ash-leaved. Caracas. 1821. S. h. ~.
- AMPHILOPHIUM. K.S. AMPHILOPHIUM. Didynamia Angiospermia. S.S.**
 paniculatum. K.S. (pu.) paniced. S. America. 1788. S. h. ~. Jacq. amer. t. 116.
Bignonia paniculata. Jacq.
- CALA'MPELIS. D.D. CALA'MPELIS. Didynamia Angiospermia.**
 scabra. B.F.G. (or.) rough-podded. Chile. 1823. 7. 11. H. h. ~. Swt. br. fl. gar. s. 2. t. 14
Eccremocarpus scaber. Bot. reg. t. 939.
- ECCREMOCA'RPUS. ECCREMOCA'RPUS. Didynamia Angiospermia. S.S.**
 longiflorus. K.S. (ye.) long-flowered. Peru. 1824. G. h. ~. H. et B. pl. æq. 1. t. 65
- FIELDIA. Cun. FIELDIA. Didynamia Angiospermia.**
 australis. Cun. (gr.st.) New Holland. N. Holland. 1824. G. h. Hook. ex. flor. t. 222

ORDO CXLII.

COBŒACEÆ. *D. Don in Edinb. phil. journ.*

COBŒEA. Cav. Pentandria Monogynia.
scândens. Cav. (bl.) climbing. Mexico. 1792. 5. 10. G. h. ∪. Bot. mag. t. 851.

ORDO CXLIII.

PEDALINÆ. *Brown prodr. 519.*

PEDALIUM. S.S. Didynamia Angiospermia. S.S.
Mûrex. s.s. (ye.) prickly-fruited. E. Indies. 1778. 8. 9. S. ⊙. Lam. ill. t. 538.

ORDO CXLIV.

DIDYMOCARPEÆ. *D. Don.*

STREPTOCA'RPIUS. B.R. Diandria Monogynia.
Réxii. B.R. (bl.) Cape. C. B. S. 1824. 2. 10. S. 4. Bot. reg. t. 1173.
Didymocárpus Réxii. Hook. ex. flor. t. 227.

ORDO CXLV.

SESAMEÆ. *Brown.*

TOURR'ETIA. S.S. Didynamia Angiospermia. S.S.
lappàcea. s.s. (sc.) scarlet-flowered. Peru. 1788. 6. 8. S. ⊙. ∪. Sal. stirp. rar. 5. t. 3.
Dombèya lappàcea. Sal.
MARTY'NIA. J. Didynamia Angiospermia. L.
1 diándra. s.s. (re.) two-stamened. New Spain. 1731. 7. 8. S. ⊙. Andr. reposit. t. 575.
2 proboscídea. s.s. (li.) horn-capsuled. America. 1738. 6. 8. G. ⊙. Bot. mag. t. 1056.
 ánna. L.
3 lútea. B.R. (ye.) yellow. S. America. 1824. 7. 9. H. ⊙. Bot. reg. t. 934.
4 longiflòra. s.s. (pu.) long-flowered. C. B. S. 1781. 7. 8. G. ⊙. Meerb. ic. 1. t. 7.
CRANIOL'ARIA. J. Didynamia Angiospermia. L.
 ánna. K. S. (wh. sp.) annual. S. America. 1733. 7. 8. S. ⊙. Jacq. amer. t. 110.
 Marty'nia Craniolària. W.
SES'AMUM. S.S. OILY-GRAIN. Didynamia Angiospermia. L.
1 orientàle. s.s. (bh.) oriental. E. Indies. 1731. 7. 8. S. ⊙. Rheed. mal. 9. t. 54.
2 índicum. s.s. (bh.) Indian. ———— ———— ———— S. ⊙. Bot. mag. t. 1788.
3 lúteum. s.s. (ye.) yellow. ———— 1825. ———— S. ⊙.

ORDO CXLVI.

POLEMONIACEÆ. *D. Don in Edinb. phil. journ.*

POLEMONIUM. S.S. GREEK VALERIAN. Pentandria Monogynia. L.
1 cœrùleum. s.s. (bl.) common. Britain. 6. H. 4. Eng. bot. t. 14.
 β *álbum.* (wh.) white-flowered. ———— ———— H. 4.
 γ *maculàtum.* s.s. (sp.) spot-flowered. ———— ———— H. 4.

- 2 grácile. W.en. (*wh.*) slender. Dahuria. 1818. 6. 7. H. 4.
- 3 mexicanum. s.s. (*bl.*) Mexican. Mexico. 1817. 4. 6. H. 4. Bot. reg. t. 460.
- 4 réptans. s.s. (*bl.*) creeping. N. America. 1758. 4. 5. H. 4. Bot. mag. t. 1887.
- cæruleum* β *piliferum*. Bot. reg. t. 1303.
- 5 villòsum. G.R. (*bl.*) dwarf hairy. Siberia. 1827. 6. 9. H. 4. Swt. br. fl. gar. t. 200.
- 6 Richardsòni. B.M. (*bl.*) Richardson's. N. America. ———— H. 4. Bot. mag. t. 2800.
- 7 hùmile. B.M. (*bl.*) dwarf. ———— H. 4. Bot. reg. t. 1304.
- 8 sibìricum. D.D. (*wh.*) bipinnate. Siberia. 1800. 6. H. 4. Swt. br. fl. gar. t. 189.
- PHLO'X. R.S. LYCHNIDEA. Pentandria Monogynia. L.**
- 1 paniculàta. R.S. (*pu.*) panicked. N. America. 1732. 8. 9. H. 4. Dill. elth. t. 166. f. 20.
- β *álba*. (*wh.*) white-flowered. ———— 1813. ———— H. 4.
- 2 undulàta. R.S. (*pu.*) wave-leaved. ———— 1759. 7. 8. H. 4.
- 3 acuminàta. R.S. (*pu.*) cross-leaved. ———— 1812. 6. 8. H. 4. Bot. mag. t. 1880.
- decussàta*. Lyon. *latifòlia*. Hort. non m.
- 4 virgìnica. L.C. (*pu.*) Virginian. ———— ———— H. 4.
- 5 intermèdia. L.C. (*pu.*) intermediate. ———— 7. 9. H. 4.
- 6 penduliflòra. B.F.G. (*pu.*) drooping-flower'd. ———— 1824. ———— H. 4. Swt. br. fl. gar. s. 2.
- 7 corymbòsa. B.F.G. (*li.*) corymb-flower'd. ———— ———— H. 4.
- 8 acutifòlia. B.F.G. (*pu.*) sharp-leaved. ———— 1825. ———— H. 4.
- 9 odoràta. B.F.G. (*re.*) sweet-scented. ———— 1824. ———— H. 4. Swt. br. fl. gar. t. 221.
- 10 scábra. B.F.G. (*li.*) rough-leaved. ———— 1812. ———— H. 4. ———— t. 248.
- Sickmánni*. Lehman.
- 11 maculàta. R.S. (*pu.*) spotted-stalked. ———— 1740. 7. 8. H. 4. Jacq. vind. 2. t. 147.
- 12 pyramidàlis. R.S. (*li.*) pyramidal. ———— 1800. 6. 8. H. 4. Swt. br. fl. gar. t. 233.
- 13 latifòlia. R.S. (*pu.*) broad-leaved. ———— 1812. ———— H. 4.
- 14 carolìna. R.S. (*re. pu.*) rough-stemmed. ———— 1728. 7. 9. H. 4. Bot. mag. t. 1344.
- 15 cordàta. E.C. (*li.*) heart-leaved. Carolina. 1826. 6. 9. H. 4. Swt. br. fl. gar. s. 2. t. 13.
- 16 excélsa. H.E. (*pu.*) tall upright. N. America. 1824. ———— H. 4.
- 17 Wheeleriàna. B.F.G. (*pi.*) Wheeler's. Hybrid. ———— ———— H. 4.
- 18 Shephèrdii. H.E. (*pu.*) Shepherd's. ———— ———— H. 4.
- 19 glabèrrima. R.S. (*pu.*) smooth-stalked. N. America. 1725. 6. 8. H. 4. Swt. br. fl. gar. s. 2. t. 36.
- 20 triflòra. R.S. (*bh.*) flesh-coloured. ———— 1816. 7. 9. H. 4. Swt. brit. fl. gar. t. 29.
- cárnea*. Bot. mag. t. 2155.
- 21 suavèolens. R.S. (*wh.*) white-flowered. ———— 1766. 7. 8. H. 4.
- 22 longiflòra. B.F.G. (*wh.*) long-flowered. ———— 1827. 7. 10. H. 4. Swt. br. fl. gar. s. 2. t. 33.
- 23 refléxa. B.F.G. (*d. pu.*) reflexed-leaved. ———— 1824. 6. 9. H. 4. Swt. br. fl. gar. t. 232.
- 24 suffruticòsa. B.R. (*d. pu.*) glossy-leaved. ———— 1790. 7. 9. H. 4. Bot. reg. t. 68.
- 25 Listoniàna. H.E. (*pu.*) Liston's. ———— 1816. 5. 7. H. 4.
- 26 ovàta. W. (*pu.*) ovate-leaved. ———— 1759. ———— H. 4. Bot. mag. t. 528.
- 27 stolonífera. B.M. (*bl.*) creeping. ———— 1800. 6. 9. H. 4. ———— t. 563.
- prostràta*. H.K. *réptans*. M. *stolonífera* has the right of priority.
- 28 pilòsa. B.M. (*p. bl.*) hairy-leaved. N. America. 1759. 5. 6. H. 4. Bot. mag. t. 1307.
- aristàta*. M.
- 29 am'œna. B.M. (*ro.*) Fraser's hairy. ———— 1809. 6. 7. H. 4. Bot. mag. t. 1308.
- pilòsa*. β . R.S.
- 30 canadénsis. B.F.G. (*pa. bl.*) Canadian. Canada. 1826. 5. 7. H. 4. Swt. br. fl. gar. t. 221.
- 31 divaricàta. R.S. (*pa. bl.*) early-flowering. N. America. 1746. 4. 6. H. 4. Bot. mag. t. 163.
- 32 procumbens. B.F.G. (*bl.*) procumbent. ———— 1829. 5. 6. H. 4. Swt. br. fl. gar. s. 2. t. 1.
- 33 subulàta. R.S. (*li. pu.*) awl-leaved. ———— 1786. 4. 6. H. $\frac{1}{2}$. Bot. mag. t. 411.
- 34 nivàlis. B.C. (*wh.*) snowy white. ———— 1820. ———— H. $\frac{1}{2}$. Swt. br. fl. gar. t. 156.
- 35 setàcea. R.S. (*pi.*) bristle-leaved. ———— 1786. 4. 5. H. $\frac{1}{2}$. Bot. mag. t. 415.
- COLLOMIA. N. COLLOMIA. Pentandria Monogynia.**
- 1 grandiflòra. D. (*bf.*) large-flowered. N. America. 1827. 6. 7. H. \odot . Bot. reg. t. 1174.
- 2 lineàris. D. (*fl.*) linear-leaved. ———— ———— H. \odot . ———— t. 1156.
- 3 grácilis. D. (*ro.*) slender. ———— ———— H. \odot . Bot. mag. t. 2924.
- Gilia gracilis*. B.M.
- 4 heterophýlla. B.M. (*ro.*) various-leaved. ———— ———— H. \odot . Bot. mag. t. 2895.
- GILIA. R.P. GILIA. Pentandria Monogynia. S.S.**
- 1 inconspícua. B.M. (*bl.*) small blue. America. 1793. 9. 11. H. \odot . Bot. mag. t. 2883.
- Ipomòpsis inconspícua*. Sm. exot. bot. 1. t. 14.
- 2 capitàta. D. (*bl.*) cluster-flowered. ———— 1826. 5. 9. H. \odot . Swt. br. fl. gar. t. 287.
- IPOMO'PSIS. M. IPOMO'PSIS. Pentandria Monogynia.**
- 1 élegans. Ex.B. (*sc.*) elegant. Carolina. 1726. 8. 9. G. δ . Sm. exot. bot. 1. t. 12.
- Cántua coronopifòlia*. Andr. rep. t.
- 2 pulchélla. D. (*sc.*) pretty. N. America. 1827. ———— G. δ . Bot. reg. t. 1281.
- élegans*. Bot. reg. non m.
- HOITZIA. J. HOITZIA. Pentandria Monogynia. S.S.**
- 1 coccínea. K.S. (*sc.*) scarlet. Mexico. 1826. 5. 7. G. $\frac{1}{2}$. Cavan. ic. 4. t. 365.
- 2 cærúlea. K.S. (*bl.*) blue-flowered. ———— 1827. ———— G. $\frac{1}{2}$. ———— 4. t. 366.

CALD'ASIA S.S. CALD'ASIA. Pentandria Monogynia.
 heterophylla. s.s. (bl.) various-leaved. New Spain. 1813. 5. 12. S. ⊙. Bot. reg. t. 92.
Bonplandia geminiflora. Cav. ic. 6. t. 532.

ORDO CXLVII.

HYDROLEACEÆ. *Kth. synops.* 2. p. 234.

HYDR'OLEA. S.S. HYDR'OLEA. Pentandria Digynia. L.
 1 spinosa. s.s. (bl.) thorny. S. America. 1791. 7. 8. S. ♀. Bot. reg. t. 566.
 2 quadrivalvis. s.s. (bl.) four-valved. Carolina. 1824. — G. ♀.
 WIGA'NDIA. K.S. WIGA'NDIA. Pentandria Digynia.
 1 urens. K.S. (vi.) stinging. Mexico. 1827. 4. 6. G. ♀. Flor. peruv. 3. t. 213.
 2 caracasana. K.S. (vi.) Caracas. Caracas. 1825. — S. ♀.
 N'AMA. S.S. N'AMA. Pentandria Digynia. L.
 1 jamaicensis. s.s. (wh. bl.) Jamaica. Jamaica. 1812. 6. 9. S. ⊙. Lam. ill. t. 184.
 2 undulata. K.S. (vi.) wave-leaved. Mexico. 1826. — G. ♀.

ORDO CXLVIII.

CONVOLVULACEÆ. *Brown prodr.* 1. p. 481.

?RETZIA. R.S. RE'TZIA. Pentandria Monogynia. R.S.
 spicata. R.S. (br.) spiked. C. B. S. 5. 6. G. ♀. Lam. ill. t. 103.
 CONVO'LVULUS. B.P. BINDWEED. Pentandria Monogynia. L.
 1 arvensis. R.S. (pi. wh.) small. Britain. 6. 9. H. ♀. Eng. bot. v. 5. t. 312.
 2 chinensis. B.R. (pi.) Chinese. China. 1816. — H. ♀. Bot. reg. t. 322.
 3 Malcolmi. F.I. (wh.) Malcolm's. Persia. 1824. 7. 10. H. ♀.
 4 emarginatus. s.s. (re.) emarginate. 6. 9. H. ♀.
 5 bicuspidatus. s.s. (bh.) two-pointed. Davuria. — H. ♀.
 6 Scammonia. R.S. (st. bh.) Scammony. Levant. 1596. 7. 8. H. ♀. Flor. græc. t. 192.
 7 erubescens. R.S. (bh.) maiden blush. N. S. W. 1803. 7. 9. G. ♂. Bot. mag. t. 1067.
 8 quinqueflorus. R.S. (bh.) five-flowered. Mauritius. 1826. — S. ♀.
 9 pannifolius. R.S. (bl.) cloth-leaved. Canaries. 1805. 6. 9. G. ♀. Bot. reg. t. 222.
 10 canariensis. R.S. (pi.) Canary. — 1690. — G. ♀. Bot. mag. t. 1228.
 11 Massoni. R.S. (wh.) Masson's. — 1788. — G. ♀. Bot. reg. t. 133.
Dryandri. s.s. *suffruticosus*. B.R.
 12 candicans. R.S. hoary. E. Indies. 1818. S. ♀.
 13 bonariensis. R.S. (std.) stripe-flowered. Buenos Ayres. 1827. 6. 8. G. ♀. Cavan. icon. 5. t. 18. f. 2.
 14 tiliaceus. R.S. (wh.) Lime-tree-leaved. Brazil. 1820. — S. ♀.
 15 guianensis. R.S. (bh.) Guiana. Guiana. — S. ♀. Aub. gui. 1. t. 52.
 16 ciliatus. R.S. (bh.) fringed-leaved. Cayenne. — S. ♀.
 17 pentanthus. R.S. (bl.) five-flowered. W. Indies. 1808. 4. 10. S. ♀. Bot. reg. t. 439.
 18 farinosus. R.S. (bh.) mealy-stalked. Madeira. 1777. 5. 6. G. ♀. Sal. par. lond. t. 45.
 19 Hermanniæ. s.s. (wh.) Peruvian. Peru. 1799. 8. 9. G. ♀. L'Herit. stirp. t. 33.
 20 tenuissimus. R.S. (li.) slender-leaved. Levant. 6. 10. G. ♀. Flor. græc. t. 195.
 21 althæoides. R.S. (li.) Althæa-leaved. — 1597. 6. 9. F. ♀. — t. 194.
 22 bryoniaefolius. R.S. (pu.) Bryony-leaved. China. 1802. 7. 8. G. ♀. Bot. mag. t. 913.
 23 italicus. R.S. (pi.) Italian. Italy. F. ♀. Ten. fl. neap. 1. t. 15.
hirsutus. T.N. non M.B.
 24 hirsutus. M.B. (pu. ye.) hairy. Tauria. 1824. — H. ♀.
 25 alceifolius. R.S. (st. pu.) Hollyhock-leav'd. C. B. S. 1823. — G. ♀.
 26 macrocarpus. R.S. (pu.) long-fruited. S. America. 1752. — S. ⊙. Burm. amer. t. 91. f. 1.
 27 quinquefolius. R.S. (w. pu.) five-leaved. Vera Cruz. S. ⊙. Pluk. alm. t. 167. f. 6.
 28 glaber. R.S. (wh.) smooth. Cayenne. 1806. S. ♀. Aub. gui. 1. t. 53.
 29 tenellus. R.S. (wh.) slender. N. America. 1812. 6. 8. H. ⊙. Pluk. alm. t. 166. f. 4.
 30 aquaticus. N. (wh.) water-side. — — H. ⊙.
 31 sículus. R.S. (bl.) small-flowered. S. Europe. 1640. — H. ⊙. Bot. reg. t. 445.
 32 pseudosículus. R.S. (wh.) long-peduncul'd. Canaries. 1815. 7. 8. H. ⊙. — t. 498.
elongatus. W. enum.
 33 Imperati. R.S. (st.) trailing. Naples. 1824. 6. 9. H. ♀. Cyr. pl. rar. fasc. 1. t. 5.

34	sagittifolius. F.G. (bh.)	Sibthorp's.	Samos.	1823.	7. 8.	H. 4.	Flor. græc. t. 193.
35	hirtus. R.S. (bl.)	hairy-stalked.	E. Indies.	1806.	6. 8.	S. ⊙.	
36	platycarpus. R.S. (li.)	flat-podded.	Mexico.	1827.	8. 10.	F. 4.	Cavan. ic. 5. t. 482.
37	multifidus. R.S. (bh.)	multifid.	C. B. S.	1822.	6. 8.	G. 4.	
38	persicus. M.B. (wh.)	Persian.	Persia.	1829.	—	H. 4.	Gmel. iter. 3. t. 7.
39	tricolor. R.S. (bl.ye.)	three-coloured.	S. Europe.	1629.	7. 9.	H. ⊙.	Bot. mag. t. 27.
	β albiflorus. (wh.)	white-flowered.	—	—	—	H. ⊙.	
40	meonanthus. R.S. (bl.ye.)	pale blue.	Portugal.	1827.	—	H. ⊙.	
41	pentapetaloides. R.S. (bl.)	Majorca.	Majorca.	1789.	6. 7.	H. ⊙.	Flor. græc. t. 197.
42	lineatus. R.S. (bh.)	dwarf.	S. Europe.	1714.	—	H. 4.	— t. 199.
43	Gerardi. R.S. (bh.)	Gerard's.	—	—	H. 4.	Barrel. ic. t. 311.
44	undulatus. R.S. (wh.re.)	waved.	—	1816.	6. 10.	H. ⊙.	Cavan. ic. 3. t. 277. f. 1.
	humilis. Jacq. col. 4. t. 22. f. 3.	evoluloïdes. F.G. t. 198.	ciliatus. P.S.				
45	lanatus. R.S. (wh.)	woolly-leaved.	Levant.	1829.	5. 6.	G. ½.	Flor. græc. t. 202.
46	intermedius. R.S. (bh.)	intermediate.	S. Europe.	1825.	6. 7.	H. 4.	
47	Cneorum. R.S. (bh.)	silvery-leaved.	Levant.	1610.	5. 9.	G. ½.	Bot. mag. t. 459.
48	saxatilis. R.S. (bh.)	rock.	S. Europe.	1796.	6. 8.	F. 4.	Bocc. mus. 138. t. 96.
49	floridus. R.S. (bh.)	many-flowered.	Teneriffe.	1779.	8. 9.	G. ½.	Jacq. ic. 1. t. 34.
50	Cantabrica. R.S. (fl.)	flax-leaved.	S. Europe.	1680.	5. 9.	H. 4.	Jacq. aust. 3. t. 296.
51	salvifolius. L.en. (bh.)	Sage-leaved.	Palestine.	1825.	—	H. 4.	
52	linearis. R.S. (wh.re.)	narrow-leaved.	S. Europe.	1770.	—	G. ½.	Bot. mag. t. 289.
53	suffruticosus. R.S. (bh.)	suffrutescent.	Levant.	1827.	6. 8.	F. ½.	Desf. atl. 1. t. 48.
54	Dorycnium. R.S. (ro.)	silky-leaved.	—	1806.	6. 7.	H. ½.	Flor. græc. t. 201.
55	holosericeus. R.S. (st.)	silky.	Tauria.	1824.	—	H. 4.	
56	scoparius. R.S. (wh.)	broom.	Canaries.	1733.	8. 9.	G. ½.	Venten. choix. t. 24.
57	terrestris. F. (wh.)	small.	Altay.	1828.	7. 9.	H. 4.	
CALYSTEGIA. B.P. BEARBIND. Pentandria Monogynia. R.S.							
1	sèpium. R.S. (wh.)	great hedge.	Britain.	6. 9.	H. 4. ∩.	Eng. bot. v. 5. t. 313.
2	sylvestris. R.S. (wh.)	wood.	Hungary.	1815.	—	H. 4. ∩.	W. et K. hung. t. 261.
	Convólulus sylvestris. W.en.						
3	inflata. Df. (re.)	inflated.	N. America.	—	H. 4. ∩.	Bot. mag. t. 732.
	sèpium. Ph. Convólulus sèpium β incarnata. B.M.						
4	dahurica. B.M. (pi.)	Dahurian.	Dahuria.	1820.	7. 8.	H. 4. ∩.	Bot. mag. t. 2609.
5	Catesbiana. R.S. (ro.)	Catesby's.	Carolina.	1816.	7. 9.	H. 4. ∩.	
6	marginata. B.P. (wh.)	marginated.	N. S. W.	1824.	7. 8.	F. 4. ∩.	
7	stans. M. (wh.)	woolly.	N. America.	1818.	6. 7.	H. 4.	
	tomentosa. Ph. Convólulus stans. M.						
8	spithamæa. R.S. (wh.)	small upright.	—	1696.	7. 8.	H. 4.	Hook. ex. flor. t. 97.
9	Soldanella. R.S. (pi.)	sea-side.	Britain.	6. 7.	H. 4.	Eng. bot. v. 5. t. 314.
	Convólulus Soldanella. E.B.						
10	reniformis. B.P. (pi.)	kidney-leaved.	N. S. W.	1822.	6. 8.	F. 4.	Swt. br. fl. gar. v. 2. t. 151.
11	hederacea. F.I. (ro.)	Ivy-leaved.	Nepaul.	1826.	—	F. 4. ∩.	
12	Keriana. (bl.)	Mr. Ker's.	Mauritius.	1818.	—	S. ⊙.	Bot. reg. t. 318.
	Convólulus involucratus. B.R. non Beau. Convólulus bicolor. B.M. 2205. nec aliorum.						
IPOMÆA. B.P. IPOMÆA. Pentandria Monogynia. R.S.							
1	Quamoclit. R.S. (sc.)	wing-leaved.	E. Indies.	1629.	7. 9.	S. ⊙. ∩.	Bot. mag. t. 244.
	β albiflora. (wh.)	white-flowered.	—	—	S. ⊙. ∩.	
2	dissecta. R.S. (wh.)	cut-leaved.	Tropic's.	1813.	6. 9.	S. 4. ∩.	Willd. phyt. 1. t. 2. f. 1.
3	tuberosa. R.S. (st.pu.)	tuberous-rooted.	W. Indies.	1731.	8. 10.	S. 4. ∩.	Bot. reg. t. 768.
4	digitata. R.S. (sc.)	fingered.	S. America.	—	S. 4. ∩.	Plum. ic. 92. f. 1.
5	sinuata. R.S. (wh.)	sinuated.	N. America.	1813.	6. 9.	G. 4. ∩.	Jacq. vind. t. 159.
	dissecta. Ph. non. w. Convólulus dissectus. M.						
6	tuberculata. R.S. (li.)	tuberclad.	Bourbon.	1818.	—	S. ½. ∩.	Jacq. schœn. 2. t. 198.
	stipulacea. Jacq.						
7	cairica. (pu.)	jagged-leaved.	Egypt.	1680.	—	S. ½. ∩.	Bot. mag. t. 699.
	Convólulus cairicus. B.M. Ipomæa palmata. R.S.						
8	pendula. B.P. (pu.)	pendulous-flower'd.	N. S. W.	1808.	5. 10.	G. ½. ∩.	Bot. reg. t. 632.
9	dasysperma. J.E. (ye.pu.)	warted.	E. Indies.	1815.	8. 9.	G. ⊙. ∩.	— t. 86.
	tuberculata. B.R. non R.S. Convólulus pedatus. F.I.						
10	coptica. R.S. (wh.)	palmate-leaved.	E. Indies.	1824.	8. 10.	S. ⊙. ∩.	Dill. elth. t. 318. f. 411.
11	pés-tigridis. R.S. (bh.)	palmated.	—	1732.	—	S. ⊙. ∩.	Bot. reg. t. 333.
12	platensis. B.R. (pu.)	Plata.	S. America.	1817.	6. 9.	S. 4. ∩.	— t. 335.
13	setosa. B.R. (pu.)	bristly-stalked.	Brazil.	—	8. 10.	S. ½. ∩.	— t. 62.
14	paniculata. R.S. (pu.)	panicled.	E. Indies.	1799.	6. 9.	S. ½. ∩.	— t. 75.
15	insignis. A.R. (pu.)	large purple.	—	1814.	—	S. ½. ∩.	
	gossypifolia. R.S.						
16	senegalensis. R.S. (pu.)	Senegal.	Senegal.	1822.	6. 10.	S. ½. ∩.	
17	splendens. G.D. (pu.)	splendid.	Sierra Leon.	—	6. 9.	S. ½. ∩.	
18	parviflora. R.S. (pu.)	small-flowered.	Santa Cruz.	—	7. 10.	S. ⊙. ∩.	Sloan. hist. 1. t. 97. f. 11.

19	heterophylla. R.S. (bl.) various-leaved.	S. America.	1817.	7. 10.	S. 4.	Jacq. frag. t. 42. f. 4.
20	macrorhizos. R.S. (sc.) large-rooted.	W. Indies.	—	—	S. 4.	Plum. cat. mss. v. 2. t. 58.
21	umbellata. R.S. (sc.) umbelled.	S. America.	1739.	6. 7.	S. 4.	Burm. amer. t. 92. f. 2.
22	carolina. R.S. (pu.) Carolina.	Carolina.	1732.	7. 8.	G. 4. ∪.	Dill. elth. t. 84. f. 98.
23	pulchella. R.S. (vi.) neat.	E. Indies.	1824.	5. 8.	S. 4. ∪.	
24	venosa. R.S. (pu.) veined-leaved.	Mauritius.	1820.	7. 8.	S. ½. ∪.	
25	pentaphylla. R.S. (wh.) five-leaved.	W. Indies.	1739.	8. 9.	S. ⊙. ∪.	Jacq. ic. 2. t. 319.
26	Cavanillesii. R.S. (bh.) Cavanille's.	S. America.	1815.	—	S. ½. ∪.	Cavan. ic. 3. t. 256.
	<i>pentaphylla</i> . Cav. non Jacq.					
27	armata. R.S. (re.vi.) armed-calyxed.	Mexico.	1824.	7. 10.	S. ⊙. ∪.	Cavan. ic. 5. t. 478. f. 2.
	<i>muricata</i> . Cav. non Jacq.					
28	ternata. R.S. (wh.) ternate-leaved.	S. America.	—	6. 8.	S. ½. ∪.	Jacq. schœnb. 1. t. 37.
29	coccinea. R.S. (sc.) bright-scarlet.	W. Indies.	1713.	6. 9.	S. ⊙. ∪.	Andr. reposit. t. 99.
30	lutcola. R.S. (or.) common scarlet.	Guatemala.	1759.	—	H. ⊙. ∪.	Bot. mag. t. 221.
	<i>coccinea</i> . B.M. nec aliorum.					
31	angularis. R.S. (cr.) angular-leaved.	E. Indies.	1806.	—	S. ⊙. ∪.	
	<i>phanicea</i> . F.I.					
32	hastigera. K.S. (fl.) halbert-bearing.	Mexico.	1824.	6. 8.	S. 4. ∪.	
33	longiflora. K.S. (wh.) long-flowered.	Cuba.	1803.	—	S. 4. ∪.	
34	sagittata. R.S. (ro.) sagittate.	S. Europe.	1826.	7. 9.	H. 4. ∪.	Cavan. icon. 2. t. 107.
35	bona nox. R.S. (wh.) large white.	America.	1773.	6. 9.	G. ⊙. ∪.	Bot. mag. t. 752.
36	lacunosa. R.S. (wh.pu.) starry.	N. America.	1640.	7. 8.	H. ⊙. ∪.	Dill. elth. t. 87. f. 102.
37	Batatas. R.S. (wh.pu.) sweet potatoe.	India.	1597.	S. 4.	Rheed. mal. 7. t. 50.
	<i>Convolvulus Batatas</i> . w.					
38	Turpethum. R.S. (wh.) square-stalked.	Ceylon.	1752.	3. 6.	S. 4. ∪.	Bot. reg. t. 279.
39	chryseides. B.R. (ye.) golden.	China.	1817.	6. 10.	S. 4. ∪.	— t. 270.
40	ochracea. B.R. (ye.) pale yellow.	Benin.	1826.	8. 10.	S. ⊙. ∪.	— t. 1060.
41	Jalapa. (ro.) true Jalap.	S. America.	1733.	8. 11.	S. ½. ∪.	Bot. mag. t. 1572.
	<i>Jalapa β rōsea</i> . B.R. 621. <i>Convolvulus Jalapa</i> . B.M.					
42	Michauxii. (wh.bh.) Michaux's.	Georgia.	1815.	—	G. 4. ∪.	Bot. reg. t. 342.
	<i>Jalapa. a.</i> B.R. <i>macrorhizu</i> . M. non R.S.					
43	sanguinea. R.S. (sc.) blood-flowered.	W. Indies.	1812.	2. 11.	S. ½. ∪.	Bot. reg. t. 9.
44	repanda. R.S. (sc.) scalloped.	—	1793.	5. 10.	S. ½. ∪.	Sal. par. lond. t. 81.
45	varia. R.S. (bl.) variable-leaved.	S. America.	1816.	—	S. 4. ∪.	
	<i>Convolvulus pubescens</i> . s.s.					
46	scabra. R.S. (wh.) rough.	Egypt.	1804.	—	H. ⊙. ∪.	
47	scabrida. R.S. (wh.) roughish.	S. America.	1824.	—	H. ⊙. ∪.	
48	hederacea. B.R. (bl.) deep-lobed.	N. America.	1729.	8. 10.	H. ⊙. ∪.	Bot. reg. t. 85.
	<i>barbata</i> . Roth.					
49	cuspidata. R.S. (pu.) sharp-pointed.	Peru.	1732.	6. 7.	H. ⊙. ∪.	Flor. per. 2. t. 119. f. a.
50	Dillenii. R.S. (bl.) Dillenius's.	Guinea.	—	S. ⊙. ∪.	Dill. elth. t. 81. f. 93.
51	Nil. P.S. (bl.) blue.	S. America.	1597.	7. 9.	S. ⊙. ∪.	Bot. mag. t. 188.
52	caerulea. B.R. (bl.) East Indian.	E. Indies.	1815.	—	S. ⊙. ∪.	Bot. reg. t. 276.
53	caerulescens. F.I. (bl.) light blue.	—	1820.	6. 8.	S. 4. ∪.	
54	pubibanda. B.R. (ro.) modest.	W. Indies.	1825.	7. 10.	S. ⊙. ∪.	Bot. reg. t. 999.
55	triloba. R.S. (vi.) three-lobed.	—	1752.	6. 7.	S. ⊙. ∪.	
56	hederifolia. R.S. (vi.) Ivy-leaved.	S. America.	1773.	7.	H. ⊙. ∪.	Plum. ic. t. 93. f. 2.
57	hepaticifolia. R.S. (bl.) Hepatica-leav'd.	E. Indies.	1759.	8. 9.	S. ⊙. ∪.	Burm. ind. t. 20. f. 2.
58	punctata. R.S. (vi.) spotted-calyx'd.	S. America.	7. 11.	S. ⊙. ∪.	Dill. elth. t. 83. f. 96.
59	mutabilis. B.R. (bl.) changeable.	—	1812.	5. 9.	S. ½. ∪.	Bot. reg. t. 39.
60	acuminata. R.S. (pu.) taper-pointed.	—	—	S. 4. ∪.	
61	commutata. R.S. (li.) hairy-capsuled.	N. America.	—	H. ⊙. ∪.	Dill. elth. t. 84. f. 98.
	<i>carolinus</i> . Ph. <i>Convolvulus carolinus</i> . M. non L.					
62	gemella. R.S. (wh.) twin-flowered.	E. Indies.	1827.	7. 9.	S. 4. ∪.	Burm. ind. t. 21. f. 1.
63	gangetica. (pi.) Ganges.	—	1812.	5. 9.	S. ½. ∪.	
	<i>Convolvulus gangeticus</i> . F.I.					
64	semidigyna. F.I. (wh.) cleft-styled.	—	1826.	S. ½. ∪.	
65	muricata. R.S. (pu.) rough.	—	1777.	7. 8.	S. ⊙. ∪.	Jacq. schœn. 3. t. 323.
	<i>bona nox β purpurascens</i> . B.R. 290. <i>Convolvulus muricatus</i> . w.					
66	psedomuricata. L.en. (pu.) rough-stem'd.	—	1827.	7. 9.	S. ½. ∪.	
67	carnea. R.S. (fl.) flesh-coloured.	S. America.	1799.	8. 9.	S. ⊙. ∪.	Jacq. amer. 26. t. 18.
68	involuta. R.S. (pu.) involucred.	Sierra Leon.	1822.	8. 10.	S. ⊙. ∪.	Beauv. fl. d'ow. 2. t. 89.
69	barbiger. B.F.G. (bl.) bearded-calyx'd.	America.	1824.	7. 10.	H. ⊙. ∪.	Swt. br. fl. gar. t. 86.
70	purpurea. R.S. (pu.) purple.	—	1629.	6. 9.	H. ⊙. ∪.	Bot. mag. t. 113.
	<i>β incarnata</i> . (fl.) flesh-coloured.	—	—	—	H. ⊙. ∪.	
	<i>γ leucantha</i> . (wh.) white-flowered.	—	—	—	H. ⊙. ∪.	
	<i>ε varia</i> . B.M. (std.) striped-flowered.	—	—	—	H. ⊙. ∪.	Bot. mag. t. 1682.
	<i>ε elatior</i> . B.M. (wh.bl.) spotted-flowered.	—	—	—	H. ⊙. ∪.	— t. 1005.
	<i>discolor</i> . Jacq.					

71	violàcea. R.s.	(vi.) purple-flower'd.	S. America.	1732.	8. 9.	S. ⊙. ∪.	Plum. ic. t. 93. f. 1.
72	corymbòsa. R.s.	(wh.) corymbose.	India.	1823.	—	S. h.	— t. 89. f. 2.
73	campanulàta. R.s.	(pu.w.) bell-flowered.	E. Indies.	1800.	—	S. ⊙.	Rheed. mal. 2. t. 5.
74	polyánthes. R.s.	(ye.gr.) umbel-flowered.	W. Indies.	1739.	6. 7.	S. 4. ∪.	Plum. amer. 88. t.
	<i>Convolvulus umbellatus. W.</i>						
75	multiflòra. R.s.	(pu.) many-flowered.	Jamaica.	—	S. 4. ∪.	Pluk. phyt. t. 167.
76	malabàrica. R.s.	(pu.st.) Malabar.	E. Indies.	1823.	S. h. ∪.	Rheed. mal. 2. t. 5.
77	solanifòlia. R.s.	(ro.) Nightshade-ld.	America.	1759.	7. 8.	S. ♂. ∪.	Plum. ic. 94. f. 1.
78	leucántha. R.s.	(wh.) white-flowered.	S. America.	1823.	8. 10.	H. ⊙. ∪.	Jacq. ic. 2. t. 318.
79	obscura. R.s.	(wh.pu.) hairy.	E. Indies.	1732.	6. 8.	S. ⊙. ∪.	Bot. reg. t. 239.
80	fastigiàta.	(pu.) crowded.	—	1816.	—	S. 4. ∪.	
	<i>Convolvulus fastigiatus. F.I.</i>						
81	máxima.	(pu.re.) great	Ceylon.	1799.	7. 8.	S. h. ∪.	Rheed. mal. 2. t. 5.
82	hirsútula. J.E.	(wh.) hairy-stemmed.	S. America.	1828.	—	S. ⊙.	Jacq. f. eclog. t. 44.
83	blánda.	(wh.) fair-flowered.	—	1820.	S. h. ∪.	
	<i>Convolvulus blandus. F.I.</i>						
84	laurifòlia.	(ro.) Laurel-leaved.	—	1822.	5. 8.	S. h. ∪.	
	<i>Convolvulus laurifolius. F.I.</i>						
85	sphærocéphala.	(ro.) round-headed.	—	1816.	8. 10.	S. ⊙. ∪.	
	<i>Convolvulus sphærocephalus. F.I.</i>						
86	sibírica. R.s.	(wh.) Siberian.	Siberia.	1779.	7. 8.	H. ⊙. ∪.	Pall. it. 3. p. 723.
87	Hardwíckii. s.s.	(wh.) fringe-calyxed.	E. Indies.	1816.	5. 8.	S. 4. ∪.	
	<i>Convolvulus calycinus. F.I. non Kth.</i>						
88	tamnifòlia. R.s.	(bl.) Tamus-leaved.	Carolina.	1732.	7.	H. ⊙. ∪.	Dill. elth. t. 318. f. 1.
89	capitàta. R.s.	(bl.) headed.	E. Indies.	1823.	7. 10.	S. 4. ∪.	
90	triquètra. R.s.	(pu.) triquetrous.	Santa Cruz.	—	S. h.	
91	pilòsa.	(pi.) various-ld. hairy.	E. Indies.	1815.	—	S. ⊙. ∪.	
	<i>Convolvulus pilosus. F.I.</i>						
92	denticulàta. B.P.	(ye.) denticulate.	—	1778.	7. 8.	S. ⊙. ∪.	Bot. reg. t. 317.
	<i>Convolvulus Medium. W. non L.</i>						
93	bícolor.	(ye.pu.) two-coloured.	—	1815.	—	S. 4. ∪.	
	<i>Convolvulus bicolor. F.I.</i>						
94	atropurpùrea. F.I.	(d.pu.) dark purple.	Nepaul.	1824.	7. 9.	H. ⊙. ∪.	
95	dentàta. F.I.	(ye.) toothed-lobed.	E. Indies.	1820.	—	S. 4. ∪.	
96	digitifòlia.	(pu.) finger-leaved.	—	1815.	6. 8.	S. h. ∪.	
	<i>Convolvulus digitatus. F.I.</i>						
97	poly'tricha.	(wh.) many-haired.	—	1826.	6. 10.	S. ⊙. ∪.	
	<i>Convolvulus hirsutus. F.I.</i>						
98	heptaphýlla. F.I.	(pi.) seven-leaved.	—	1827.	S. h. ∪.	
99	bogoténsis. K.s.	(pu.) Bogota.	S. America.	1820.	5. 8.	S. h. ∪.	
100	sidæfòlia. K.s.	(wh.) Sida-leaved.	—	1812.	—	S. h. ∪.	
101	alбивènia.	(wh.) white-veined.	Algoa Bay.	1825.	9. 10.	S. h. ∪.	Bot. reg. t. 1116.
	<i>Convolvulus albivenius. B.R.</i>						
102	scrobiculàta. B.R.	(wh.pu.) furrowed.	Trinidad.	1822.	3. 6.	S. h. ∪.	Bot. reg. t. 1076.
103	grandiflòra. R.s.	(wh.) great-flowered.	E. Indies.	1802.	9.	S. h. ∪.	Andr. reposit. t. 1.
104	noctilùca. B.R.	(wh.) night-flowered.	—	1811.	9. 10.	S. h. ∪.	Bot. reg. t. 889.
105	latiflòra. R.s.	(wh.) broad-flowered.	W. Indies.	—	S. h. ∪.	Jacq. vind. 3. t. 68.
106	filifórmis. R.s.	(pu.) filiform.	—	1823.	—	S. h. ∪.	Jacq. amer. pict. t.
107	salicifòlia. F.I.	(wh.) Willow-leaved.	E. Indies.	1816.	5. 7.	S. ♂. ∪.	
108	Roxbúrgii.	(ro.) Roxburgh's.	—	1817.	—	S. h. ∪.	
	<i>multiflora. F.I. nec aliorum.</i>						
109	sepiària. F.I.	(ro.) hedge.	—	—	—	S. h. ∪.	Rheed. mal. 11. t. 1.
110	panduràta. B.R.	(w.re.) Virginian.	N. America.	1732.	6. 9.	G. 4. ∪.	Bot. reg. t. 588.
	<i>Convolvulus panduratus. B.M. 1939.</i>						
111	cándicans.	(wh.) hoary.	—	6. 8.	G. 4. ∪.	Bot. mag. t. 1048.
	<i>Convolvulus candicans. B.M.</i>						
112	glaucifòlia. R.s.	(fl.) glaucous-leaved.	Mexico.	1732.	5. 7.	G. 4. ∪.	Dill. elth. t. 57.
113	réptans. R.s.	(li.) creeping.	E. Indies.	1806.	—	S. 4.	Rumph. am. 5. t. 116.
114	angustifòlia. R.s.	(ye.) narrow-leaved.	—	1800.	7. 8.	S. ⊙. ∪.	Jacq. ic. rar. t. 2.
115	tridentàta. R.s.	(pu.st.) trifid.	—	1778.	—	S. ⊙. ∪.	Rheed. mal. 2. t. 5.
116	stáns. R.s.	(ri.) Mexican.	Mexico.	1824.	—	S. 4. ∪.	Cavan. icon. 3. t. 1.
117	bignonioides. B.M.	(d.pu.) trumpet-flower'd.	Cayenne.	1823.	—	S. 4. ∪.	Bot. mag. t. 202.
118	sagittifòlia. B.R.	(ro.) arrow-leaved.	Carolina.	1819.	6. 9.	G. 4. ∪.	Bot. reg. t. 437.
	<i>Convolvulus sagittifolius. R.s.</i>						
119	vitifòlia.	(ye.) Vine-leaved.	E. Indies.	1820.	—	S. h. ∪.	Burm. ind. t. 18.
	<i>Convolvulus vitifolius. R.s.</i>						
120	stipulàcea.	(wh.) stipuled.	—	1805.	8. 10.	S. 4. ∪.	
	<i>Convolvulus stipulaceus. F.I.</i>						
121	pentagòna. F.I.	(wh.) five-angled.	—	1824.	5. 8.	S. 4.	
122	caspitòsa. F.I.	(st.) tufted.	—	—	—	S. ♂.	

123	Beladámboe. R.S. (<i>wh.</i>) whipcord.	E. Indies.	1809.	7. 9.	S. 4.	Rheed. mal. 11. t. 58.
	<i>Convolvulus flagelliformis.</i> F.I.					
124	renitörmis. F.I. (<i>ye.</i>) kidney-leaved.	————	1825.	—	S. 4.	
125	bilobata. F.I. (<i>pu.</i>) two-lobed.	————	1809.	6. 7.	S. 4.	Rumph. amb. 5. t. 159. f. 1
126	brasiliensis. (<i>pu.</i>) three-flowered. Brazil.		1726.	—	S. 4.	Plum. amer. 89. t. 104.
	<i>Convolvulus brasiliensis.</i> w.					
127	pés-càpræ. (<i>pu.</i>) single-flowered. E. Indies.		1770.	—	S. 4.	Bot. reg. t. 319.
	<i>maritima.</i> B.R. <i>Convolvulus pés-càpræ.</i> F.I.					
128	arborescens. (<i>wh. pu.</i>) tree.	Mexico.	1818.	S. 4.	
	ARGYR'EA. S.S. ARGYR'EA. Pentandria Monogynia. S.S.					
1	spléndens. (<i>ro.</i>) glossy-leaved. E. Indies.		1814.	11. 1.	S. 4. ~.	Bot. mag. t. 2628.
	<i>Ipom'æa spléndens.</i> B.M. <i>Lettsömia spléndens.</i> F.I.					
2	speciösa. (<i>pu.</i>) broad-leaved. E. Indies.		1778.	7. 9.	S. 4. ~.	Bot. mag. t. 2116.
	<i>Ipom'æa speciösa.</i> B.M. <i>Convolvulus speciösus.</i> w. <i>Lettsömia nervösa.</i> F.I.					
3	argétea. (<i>pi.</i>) silvery-leaved. E. Indies.		1820.	S. 4. ~.	
	<i>Lettsömia argétea.</i> F.I.					
4	setösa. F.I. (<i>pi.</i>) bristly-stemmed. ———	————	—	S. 4. ~.	
5	cuneata. B.R. (<i>d. pu.</i>) wedge-leaved. ———	————	1817.	6. 9.	S. 4. ~.	Bot. reg. t. 661.
	<i>Lettsömia cuneata.</i> F.I. <i>Ipom'æa atrosanguinea.</i> B.M. 2170.					
6	cymösa. (<i>li.</i>) cyme-flowered. E. Indies.		1823.	S. 4. ~.	
	<i>Lettsömia cymösa.</i> F.I.					
7	pomæca. F.I. (<i>pi.</i>) Apple-fruited. ———	————	1828.	S. 4. ~.	
8	böna-nöx. F.I. (<i>wh.</i>) night-flowering. ———	————	1799.	6. 9.	S. 4. ~.	
9	uniflora. F.I. (<i>wh.</i>) kidney-leaved. ———	————	1817.	S. 4. ~.	
10	ornata. F.I. (<i>wh.</i>) large white-flower'd. ———	————	1824.	S. 4.	
11	virgata. slender-twigg'd. ———	————	1825.	S. 4. ~.	
	DIN'ETUS. B.F.G. DIN'ETUS. Pentandria Monogynia.					
1	racemösus. B.F.G. (<i>wh.</i>) cluster-flower'd. Nepaul.		1823.	7. 11.	H. 0. ~.	Swt. br. fl. gar. t. 127.
	<i>Porana racemösa.</i> F.I.					
2	paniculatus. (<i>wh.</i>) paniced. E. Indies.		—	S. 4. ~.	Roxb. corom. 3. t. 235.
	<i>Porana paniculata.</i> F.I.					
	POR'ANA. W. POR'ANA. Pentandria Digynia.					
	volubilis. w. (<i>wh.</i>) climbing. E. Indies.		1823.	S. 4. ~.	Burm. ind. t. 21. f. 1.
	EVO'LVULUS. S.S. EVO'LVULUS. Pentandria Digynia. R.S.					
1	nummularius. R.S. (<i>bl.</i>) round-leaved. Jamaica.		1816.	10.	S. 0.	Jacq. amer. t. 260. f. 23.
2	gangéticus. R.S. (<i>bl.</i>) Ganges. E. Indies.		1823.	—	S. 0.	
3	emarginatus. R.S. (<i>bl.</i>) kidney-leaved. ———	————	1816.	—	S. 0.	Burm. ind. t. 30. f. 1.
4	alsinoides. R.S. (<i>bl.</i>) chickweed-leaved. ———	————	1733.	6. 7.	S. 4.	Rheed. mal. 11. t. 64.
5	hirsutus. R.S. (<i>pa. bl.</i>) hairy. Cumana.		1825.	6. 8.	S. 4.	Lam. ill. t. 216. f. 2.
6	lanceolatus. Poi. (<i>pa. bl.</i>) spear-leaved. S. America.		1818.	—	S. 4.	
7	linifolius. R.S. (<i>bl.</i>) flax-leaved. Jamaica.		1782.	8. 9.	S. 0.	Brown. jam. t. 10. f. 2.
8	sericeus. R.S. (<i>wh.</i>) silky. ———	————	1827.	8. 10.	S. 0.	
9	incanus. R.S. (<i>bl.</i>) hoary. Peru.		1824.	—	S. 4.	
10	Nuttallianus. R.S. (<i>ye.</i>) Nuttall's. Missouri.		1821.	5. 6.	H. 4.	
	<i>argenteus.</i> N.					
11	latifolius. B.R. (<i>wh.</i>) broad-leaved. Brazil.		1819.	6. 7.	S. 4.	Bot. reg. t. 401.
	CRE'SSA. R.S. CRE'SSA. Pentandria Digynia. L.					
	cretica. R.S. (<i>wh.</i>) Cretan. Levant.		1822.	7. 9.	H. 0.	Flor. græc. t. 256.
	DICHO'NDRA. R.S. DICHO'NDRA. Pentandria Digynia. L.					
1	repens. R.S. (<i>wh.</i>) creeping. N. S. W.		1803.	6. 8.	G. 4.	Sm. ic. ined. 1. t. 8.
2	rotundifolia. L. en. (<i>wh.</i>) round-leaved. Persia.		1816.	—	H. 4.	
3	caroliniana. R.S. (<i>gr.</i>) Carolina. Carolina.		1812.	—	G. 4.	
4	sericea. s.s. (<i>wh.</i>) silky. W. Indies.		1793.	—	S. 4.	Swartz. ic. t. 10.
5	argétea. R.S. (<i>wh.</i>) silvery. New Spain.		1818.	—	S. 4.	Willd. hort. ber. t. 81.
	FA'LKIA. R.S. FA'LKIA. Pentandria Digynia. L.					
	repens. R.S. (<i>wh.</i>) creeping. C. B. S.		1774.	5. 8.	G. 4.	Andr. reposit. t. 257.
	CUSCUTA. R.S. DODDER. Pentandria Digynia. R.S.					
1	europæa. R.S. (<i>wh.</i>) great. England.		8. 9.	H. 0. ~.	Eng. bot. v. 6. t. 378.
2	Epithymum. R.S. (<i>wh.</i>) lesser. Britain.		7. 10.	H. 4. ~.	— v. 1. t. 55.
3	epilinum. s.s. (<i>wh.</i>) Flax. Germany.		1821.	—	H. 0. ~.	
4	monogyna. R.S. (<i>wh.</i>) one-styled. Levant.		—	—	H. 0. ~.	Flor. græc. t. 257.
5	lupuliformis. R.S. (<i>wh.</i>) rough dotted. Silesia.		1824.	—	H. 0. ~.	Krock. siles. t. 36.
6	macrocarpa. Led. (<i>wh.</i>) large-podded. Siberia.		1827.	—	H. 0. ~.	
7	chinensis. R.S. (<i>wh.</i>) Chinese. China.		1803.	—	G. 0. ~.	
8	australis. B.P. (<i>wh.</i>) New Holland. N. Holland.		1818.	—	G. 4. ~.	
9	chilensis. B.R. (<i>wh.</i>) Chili. Chili.		1821.	1. 12.	G. 4. ~.	Bot. reg. t. 603.
10	odorata. R.S. (<i>wh.</i>) sweet-scented. Lima.		1820.	—	H. 4. ~.	
11	verrucosa. B.F.G. (<i>wh.</i>) warted-calyc'd. Nepaul.		1822.	9. 11.	H. 4. ~.	Swt. br. fl. gar. t. 6.
12	Hookeri. (<i>wh.</i>) Hooker's. E. Indies.		1823.	—	H. 0.	Hook. ex. flor. t. 150.
	<i>reflexa.</i> var. <i>verrucosa.</i> H.E.F. excl. synon.		2 B 3			

ORDO CXLIX.

BORAGINEÆ. *Brown prodr.* 1. p. 492.

TIARI'DIUM. S.S.		TIARI'DIUM. Pentandria Monogynia. S.S.			
1	<i>indicum</i> . s.s. (li.) Indian. <i>Heliotropium indicum</i> . B.M.	W. Indies.	1713.	6. 8.	S. ⊙. Bot. mag. t. 1837.
2	<i>velutinum</i> . R.S. (wh.) villous-stalked.	E. Indies.	—	S. ⊙. Rheed. mal. 10. t. 49.
HELIOTR'OPIUM. S.S. TURNSOLE. Pentandria Monogynia. L.					
1	<i>peruvianum</i> . s.s. (wh.) Peruvian. <i>β hybridum</i> . (wh.) <i>More's hybrid</i> .	Peru.	1757.	5. 9.	G. h. Bot. mag. t. 141.
2	<i>corymbosum</i> . s.s. (bl.) large-flowered. <i>grandiflorum</i> . L.en.	Hybrid.	1815.	—	G. h. Bot. mag. t. 1609.
3	<i>maroccanum</i> . s.s. (wh.) Morocco.	Morocco.	1821.	—	G. h.
4	<i>parviflorum</i> . s.s. (wh.) small-flowered.	India.	1732.	7. 9.	S. ♂. Dill. elth. t. 146. f. 17.
5	<i>europæum</i> . s.s. (wh.) European.	S. Europe.	1562.	6. 10.	H. ⊙. Jacq. aust. 3. t. 207.
6	<i>commutatum</i> . R.S. (wh.) smaller.	—	—	H. ⊙.
7	<i>oblongifolium</i> . L.en. (w.) oblong-leaved.	—	1827.	—	H. ⊙.
8	<i>suavæolens</i> . s.s. (wh.) sweet-scented.	Caucasus.	1823.	—	H. ⊙.
9	<i>coromandelianum</i> . w. (w.) Coromandel.	E. Indies.	1812.	7. 10.	S. ♂.
10	<i>curassavicum</i> . s.s. (wh.) glaucous.	S. America.	1731.	6. 7.	S. ♂. Bot. mag. t. 2669.
11	<i>chenopodioides</i> . W.en. (w.) smooth-leaved.	—	1820.	—	S. ♂.
12	<i>anisophyllum</i> . B.G. (w.) unequal-leaved.	Africa.	1822.	—	S. ♂. Beau. fl. d. ov. 2. t. 9.
13	<i>zeylanicum</i> . R.S. (wh.) Ceylon.	Ceylon.	1815.	—	S. ♂. Burm. ind. t. 16. f. 2.
14	<i>linifolium</i> . R.S. (wh.) flax-leaved. <i>Myosotis fruticosa</i> . w.	C. B. S.	—	—	G. h.
15	<i>demissum</i> . R.S. (wh.) dwarf. <i>Tournefortia humilis</i> . w.	S. America.	1752.	5. 6.	S. h. Plum. ic. 227. f. 2.
16	<i>supinum</i> . s.s. (wh.) trailing.	S. Europe.	1640.	6. 7.	H. ⊙. Flor. græc. t. 157.
LITHOSPERMUM. S.S. GROMWELL. Pentandria Monogynia. L.					
1	<i>fruticosum</i> . s.s. (re.) shrubby.	S. Europe.	1683.	5. 6.	H. h. Flor. græc. t. 161.
2	<i>prostratum</i> . s.s. (pu.) prostrate.	—	1825.	—	H. h. Lois. fl. gall. add. 1. t.
3	<i>sericeum</i> . s.s. (st.) silky.	N. America.	1824.	—	H. 4.
4	<i>divaricatum</i> . s.s. (st.) spreading.	Africa.	1829.	7. 9.	H. 4.
5	<i>hispidulum</i> . s.s. (bl.) bristly.	Greece.	1828.	—	F. h.
6	<i>arvense</i> . s.s. (st.) corn.	Britain.	5. 6.	H. ⊙. Eng. bot. v. 2. t. 123.
7	<i>officinale</i> . s.s. (ye.) officinal.	—	5. 8.	H. 4. — v. 2. t. 134.
8	<i>latifolium</i> . s.s. (st.) broad-leaved.	America.	1816.	—	H. 4.
9	<i>distichum</i> . s.s. (st.) two-spiked.	Mexico.	1806.	—	G. 4. Jacq. fragm. t. 43. f.
10	<i>orientale</i> . s.s. (ye.) yellow-flower'd.	Levant.	1713.	—	H. 4. Bot. mag. t. 515.
11	<i>lineatum</i> . s.s. (st.) lined.	1816.	—	H. 4.
12	<i>apulium</i> . s.s. (ye.) small.	S. Europe.	1768.	6. 7.	H. ⊙. Flor. græc. t. 158.
13	<i>crassifolium</i> . s.s. (st.) thick-leaved.	Levant.	1825.	5. 8.	H. 4.
14	<i>decumbens</i> . s.s. (st.) decumbent.	Persia.	—	7. 9.	H. ⊙. Vent. cels. t. 37.
15	<i>villosum</i> . s.s. (pu.) villous.	S. Europe.	1820.	6. 7.	H. 4.
16	<i>tinctorium</i> . R.S. (st.) dyer's.	—	1596.	6. 10.	H. 4.
17	<i>purpureo-cæruleum</i> . (bl.) creeping.	England.	5. 6.	H. 4. Eng. bot. v. 2. t. 117.
18	<i>graminifolium</i> . s.s. (bl.) grass-leaved.	S. Europe.	1826.	—	H. h. Viv. frag. ital. t. 5.
19	<i>tenuiflorum</i> . s.s. (wh.) slender-flower'd.	Egypt.	1796.	—	H. ⊙. Jacq. ic. 2. t. 313.
20	<i>disperrum</i> . s.s. (li.) two-seeded.	Spain.	1799.	6. 7.	H. ⊙. Linn. dec. 1. t. 7.
21	<i>davuricum</i> . s.s. (bl.) Daurian. <i>Pulmonaria davurica</i> . B.M. 1743.	Davuria.	1812.	5. 6.	H. 4. Swt. br. fl. gar. t. 121.
22	<i>denticulatum</i> . s.s. (pu.) toothed.	N. America.	1801.	—	H. 4.
23	<i>sibiricum</i> . s.s. (pu.) Siberian.	Siberia.	—	6. 7.	H. 4. Gmel. sib. 4. n. 15. t. 3.
24	<i>maritimum</i> . s.s. (bl.) sea-side. <i>Pulmonaria maritima</i> . E.B.	Britain.	—	H. 4. Eng. bot. v. 6. t. 368.
25	<i>parviflorum</i> . (bl.) small-flowered.	N. America.	1824.	—	H. 4.
26	<i>pulchrum</i> . s.s. (bl.) Virginian. <i>Pulmonaria virginica</i> . B.M.	—	1699.	3. 5.	H. 4. Bot. mag. t. 160.
27	<i>paniculatum</i> . s.s. (pu.) paniced. <i>Pulmonaria paniculata</i> . B.R.	Hudson's Bay.	1778.	5. 6.	H. 4. Bot. reg. t. 146.
28	<i>lanceolatum</i> . (bl.) margined. <i>Pulmonaria lanceolata</i> . Ph. marginata. n.	Louisiana.	1813.	—	H. 4.
29	<i>simplicissimum</i> . s.s. (bl.) simple-stalked.	Siberia.	1829.	—	H. 4.
BA'TSCHIA. M. Pentandria Monogynia.					
1	<i>Gmelini</i> . m. (ye.) Carolina.	Carolina.	1812.	5. 7.	H. 4.
	<i>caroliniana</i> . R.S. <i>Lithospermum hirtum</i> . s.s.				

2	canescens. M.	(ye.) canescent.	N. America.	5. 7.	H. ♀.	Mich. amer. 1. t. 14.
3	longiflora. N.	(ye.) long-flowered.	Missouri.	1812.	—	H. ♀.	
4	decumbens. N.	(ye.) decumbent.	N. America.	1826.	—	H. ♀.	
5	conspicua. B.	(ye.) conspicuous.	—	1827.	—	H. ♀.	
PULMONARIA. S.S. LUNGWORT. Pentandria Monogynia. L.							
1	azurea. s.s.	(bl.) azure.	Hungary.	1823.	5.	H. ♀.	Moris. his. s. 11. t. 29. f. 5.
2	angustifolia. s.s.	(pu.) narrow-leaved.	Britain.	4. 5.	H. ♀.	Eng. bot. v. 23. t. 1628.
3	tuberosa. s.s.	(pu.) tuberous-rooted.	Hungary.	1824.	5.	H. ♀.	
4	mollis. s.s.	(pu.) soft-leaved.	—	1816.	—	H. ♀.	Swt. br. fl. gar. ic.
5	officinalis. R.S.	(pu.) common.	England.	—	H. ♀.	Eng. bot. v. 2. t. 118.
6	saccharata. L.en.	(wh.) white-flowered.	Germany.	1816.	—	H. ♀.	Moris. s. 11. t. 29.
7	grandiflora. R.S.	(pu.) large-flowered.	—	H. ♀.	DC. ic. ined. t. 64.
8	oblongata. Schr.	(pu.) oblong-leaved.	Germany.	1820.	—	H. ♀.	
ONOSMODIUM. M. ONOSMODIUM. Pentandria Monogynia. R.S.							
1	hispidum. R.S.	(st.) hispid.	N. America.	1759.	6.	H. ♀.	Moris. s. 11. t. 28. f. 3.
2	molle. R.S.	(wh.) soft.	—	1812.	6. 8.	H. ♀.	Mich. amer. t. 15.
ONO'SMA. R.S. ONO'SMA. Pentandria Monogynia. L.							
1	echioides. s.s.	(ye.) hairy.	S. Europe.	1683.	3. 6.	H. ♀.	Flor. græc. t. 172.
2	giganteum. s.s.	(ye.) gigantic.	Tauria.	1818.	—	H. ♀.	
3	montanum. R.S.	(ye.) mountain.	Levant.	1827.	—	H. ♀.	Colum. ecphr p. 183. f. 2.
4	arenarium. R.S.	(ye.) sand.	Hungary.	1804.	3. 7.	H. ♀.	W. et K. hung. 3. t. 279.
5	stellulatum. W.K.	(ye.) starry-haired.	—	1816.	—	H. ♀.	— 2. t. 173.
6	tauricum. B.M.	(go.) golden-flower'd.	Tauria.	1801.	4. 6.	F. ♀.	Bot. mag. t. 889.
7	tinctorium. R.S.	(st.) dyer's.	Volga.	1828.	—	H. ♀.	
8	rupestre. R.S.	(ye.) rock.	Caucasus.	1823.	—	H. ♀.	
9	erectum. R.S.	(ye.) upright.	Crete.	1828.	—	F. ♀.	Flor. græc. t. 173.
10	orientale. s.s.	(st.) oriental.	Levant.	1752.	5. 6.	G. ♀.	
11	divaricatum. s.s.	(st.) spreading.	Caucasus.	1818.	4. 6.	H. ♀.	Pall. it. 2. app. t. 50.
12	simplicissimum. R.S.	(st.) linear-leaved.	Siberia.	1768.	—	H. ♀.	Bot. mag. t. 2248.
13	trinervium. s.s.	(st.) three-nerved.	Mexico.	1825.	—	G. ♀.	
14	sericeum. R.S.	(ye.) silky-leaved.	Levant.	1752.	6. 7.	F. ♀.	
15	synanthèrum. F.	(ye.) connected.	Altay.	1827.	—	H. ♀.	
MO'LTZIA. R.S. MO'LTZIA. Pentandria Monogynia.							
	cœrulea. R.S.	(bl.) blue-flowered.	Persia.	1829.	4. 6.	H. ♀.	
SYMPHYTUM. R.S. COMFREY. Pentandria Monogynia. L.							
1	officinale. R.S.	(wh.) common.	Britain.	5. 7.	H. ♀.	Eng. bot. v. 12. t. 817.
	β purpurascens.	(pu.) purplish.	—	—	H. ♀.	
2	bohemicum. P.S.	(re.) red-flowered.	Bohemia.	—	H. ♀.	
3	caucasicum. R.S.	(bl.) Caucasean.	Caucasus.	1816.	—	H. ♀.	
4	tuberosum. R.S.	(wh.) tuberous-root'd.	Scotland.	5. 10.	H. ♀.	Eng. bot. v. 23. t. 1502.
5	bulbosum. s.s. bulbous-rooted.	Levant.	1829.	5. 7.	H. ♀.	Reich. icon. t. 220.
6	orientale. R.S.	(wh.) eastern.	Turkey.	1752.	—	H. ♀.	Bot. mag. t. 1912.
7	bullatum. s.s.	(wh.) blistered.	Tauria.	1806.	—	H. ♀.	— t. 1787.
	tauricum. B.M.						
8	cordatum. W.K.	(st.) heart-leaved.	Hungary.	1813.	—	H. ♀.	W. et K. hung. 6. t. 7.
9	asperinum. R.S.	(bl.) roughest.	Caucasus.	1799.	5. 9.	H. ♀.	Bot. mag. t. 929.
10	echinatum. R.S.	(pu.) bristly.	1824.	—	H. ♀.	
11	peregrinum. s.s.	(wh.) oblique-leaved.	Poland.	1816.	5. 7.	H. ♀.	
CERINTHE. R.S. HONEYWORT. Pentandria Monogynia. L.							
1	majior. R.S.	(ye. pu.) great.	S. Europe.	1596.	7. 8.	H. ⊙.	Bot. mag. t. 333.
2	aspera. R.S.	(pu. ye.) rough.	—	1633.	—	H. ⊙.	Flor. græc. t. 170.
3	retorta. F.G.	(pu. ye.) bent topped.	Levant.	1828.	—	H. ⊙.	— t. 171.
4	minor. R.S.	(ye.) small.	Austria.	1570.	6. 10.	H. ⊙.	Jacq. aust. 2. t. 124.
5	alpina. R.S.	(pu. ye.) alpine.	M. Carpathian.	1827.	—	H. ⊙.	
6	maculata. R.S.	(ye. pu.) spotted.	Tauria.	1804.	—	H. ♂.	
ECHIUM. R.S. VIPER'S-BUGLOSS. Pentandria Monogynia. L.							
1	fruticosum. R.S.	(wh. bh.) frutescent.	C. B. S.	1759.	5. 6.	G. ♀.	Bot. reg. t. 86.
2	hispidum. R.S.	(wh.) hispid-leaved.	—	1816.	—	G. ♀.	
3	verrucosum. R.S.	(wh.) warted.	—	1820.	5. 7.	G. ♀.	
4	laevigatum. R.S.	(wh.) smooth-stalked.	—	1774.	6. 7.	G. ♀.	Jacq. ic. t. 312.
5	glaucophyllum. R.S.	(bl.) glaucous-leaved.	—	1792.	6. 8.	G. ♀.	
6	glabrum. R.S.	(wh.) smooth.	—	1791.	5. 6.	G. ♀.	
7	paniculatum. R.S.	(wh.) paniced.	—	1815.	—	G. ♀.	Bot. reg. t. 124.
8	grandiflorum. R.S.	(ro.) great-flowered.	—	1787.	6. 7.	G. ♀.	
	fermosum. P.S.						
9	ferocissimum. A.R.	(bl.) prickly-stalked.	—	1794.	—	G. ♀.	Andr. reposit. t. 39.
10	petraeum. s.s.	(bl.) rock.	Dalmatia.	1828.	—	H. ♂.	
11	calycinum. R.S.	(bl. ye.) large-calyxed.	S. Europe.	1829.	6. 8.	H. ⊙.	Viv. frag. ital. 1. t. 4.

12	<i>spicatum</i> . R.S.	(wh.) spiked dwarf.	C. B. S.	1799.	3. 5.	G. ♀.	
13	<i>caudatum</i> . R.S.	(re.) tailed.	————	1815.	6. 9.	G. ♀.	
14	<i>capitatum</i> . R.S.	(re.) headed.	————	1822.	—	G. ♀.	
15	<i>sphærocephalon</i> . S.S.(w.)	round-headed.	————	1824.	—	G. ♀.	
16	<i>argenteum</i> . R.S.	(bl.) silvery.	————	1789.	6. 7.	G. ♀.	Andr. reposit. t. 154.
17	<i>lasiophyllum</i> . L.en.(w.)	woolly-leaved.	1819.	—	G. ♀.	
18	<i>Swartzii</i> . R.S.	(bl.) Swartz's.	C. B. S.	1816.	—	G. ♀.	
19	<i>incanum</i> . R.S.	(bl.) hoary.	————	—	4. 6.	G. ♀.	
20	<i>strigosum</i> . R.S.	(vi.) strigose.	————	1819.	6. 7.	G. ♀.	
21	<i>giganteum</i> . R.S.	(wh.) gigantic.	Canaries.	1779.	7. 11.	G. ♀.	Vent. malm. t. 71.
22	<i>aculeatum</i> . R.S.	(st.) prickly.	————	1815.	5. 8.	G. ♀.	
23	<i>molle</i> . R.S.	(wh.) soft-leaved.	————	—	—	G. ♀.	
24	<i>nervosum</i> . H.K.	(bl.) sinewy-leaved.	Madeira.	1777.	6. 8.	G. ♀.	
25	<i>bifrons</i> . DC.	(bh.) two-fronted.	Canaries.	1815.	—	G. ♀.	
26	<i>ambiguum</i> . DC.	(bh.) ambiguous.	————	—	5. 7.	G. ♀.	DC. ic. mons. ined. t. 2.
27	<i>virescens</i> . DC.	(pa.bl.) green-leaved.	————	—	—	G. ♀.	
28	<i>candicans</i> . R.S.	(bl.) hoary tree.	Madeira.	1777.	5. 6.	G. ♀.	Bot. reg. t. 44.
29	<i>cynoglossoides</i> . R.S.(bl.)	hound's-tongue-ld.	Canaries.	1816.	—	G. ♀.	
30	<i>densiflorum</i> . DC.	(li.) dense-flowered.	————	—	—	G. ♀.	DC. ic. m. ined. t. 22.
31	<i>fastuosum</i> . H.K.	(bl.) fastuous.	————	1779.	4. 8.	G. ♀.	
32	<i>strictum</i> . R.S.	(bl.) upright.	————	—	5. 12.	G. ♂.	Jacq. schœn. 1. t. 35.
33	<i>lineatum</i> . R.S.	(bh.) lined.	————	1815.	5. 6.	G. ♀.	Jacq. f. eclog. t. 42.
34	<i>macrophyllum</i> . R.S.(bl.)	large-leaved.	1812.	—	G. ♀.	
35	<i>foliosum</i> . R.S.	(wh.) leafy.	—	—	G. ♀.	
36	<i>simplex</i> . DC.	(wh.) simple-stalked.	Canaries.	—	5. 12.	G. ♂.	DC. ic. m. ined. t. 21.
37	<i>brachyanthum</i> . R.S.(w.)	short-flowered.	Madeira.	1820.	5. 7.	G. ♀.	
38	<i>scabrum</i> . R.S.	(bl.) rough.	C. B. S.	—	—	G. ♀.	
39	<i>plantagineum</i> . R.S.(pu.)	Plantain-leav'd.	Italy.	1776.	7. 10.	H. ⊙.	Flor. græc. t. 179.
40	<i>lusitanicum</i> . R.S.	(bl.) Portugal.	S. Europe.	1731.	7. 8.	H. ♀.	
41	<i>plantainoides</i> . R.S.(bl.)	Plantain-like.	————	1825.	—	H. ⊙.	Jacq. vind. 1. t. 45.
42	<i>prostratum</i> . R.S.	(re.) prostrate.	Egypt.	1824.	—	H. ♀.	
43	<i>macranthum</i> . R.S.(vi.)	large-flowered.	Barbary.	—	7. 10.	H. ⊙.	Desf. atl. 1. t. 46.
	<i>grandiflorum</i> . Desf.	non Andr.					
44	<i>australe</i> . R.S.	(re.pu.) oval-leaved.	S. Europe.	1824.	—	H. ⊙.	Swt. br. fl. gar. t. 102.
45	<i>Simsii</i> .	(re.bl.) Sims's.	————	1816.	—	H. ⊙.	Bot. mag. t. 1934.
	<i>creticum</i> . B.M.	non Flor. græc.					
46	<i>maritimum</i> . R.S.	(bl.) sea-side.	Italy.	1815.	—	H. ⊙.	Bocc. mus. 2. t. 78.
47	<i>italicum</i> . R.S.	(wh.) white.	Jersey.	7. 8.	H. ♂.	Eng. bot. v. 29. t. 200.
48	<i>pyrenæicum</i> . R.S.	(bl.) Pyrenean.	Pyrenees.	1815.	—	H. ♂.	
49	<i>asperimum</i> . M.B.	(bl.) roughest.	Caucasus.	1826.	—	H. ♂.	
50	<i>thyrsoides</i> . R.S.(bl.)	bunch-flowered.	1823.	—	H. ♂.	
51	<i>rubrum</i> . R.S.	(re.) red-flowered.	Hungary.	1791.	—	H. ♀.	Bot. mag. t. 1822.
52	<i>vulgare</i> . R.S.	(bl.) common.	Britain.	—	H. ♂.	Eng. bot. v. 3. t. 181.
	<i>β album</i> .	(wh.) white-flowered.	————	—	H. ♂.	
53	<i>tuberculatum</i> . R.S.(bl.)	tubercled.	S. Europe.	1826.	—	H. ♂.	
54	<i>violaceum</i> . R.S.(vi.bl.)	violet-flowered.	Austria.	1658.	—	H. ⊙.	
55	<i>parviflorum</i> . H.K.(bl.)	small-flowered.	Barbary.	1798.	—	H. ⊙.	
	<i>micranthum</i> . R.S.						
56	<i>tenuis</i> . S.S.	(bl.) slender.	————	1824.	—	H. ⊙.	
57	<i>Sibthorpii</i> . R.S.	(ro.) Sibthorp's.	Naples.	—	—	H. ♂.	Flor. græc. t. 151.
	<i>hispidum</i> . F.G.	nec aliorum, elegans. Lehm.					
58	<i>diffusum</i> . R.S.	(re.) spreading.	Crete.	1827.	7. 9.	H. ⊙.	Flor. græc. t. 182.
59	<i>creticum</i> . R.S.	(pu.) Cretan.	Levant.	1683.	—	H. ⊙.	———— t. 153.
60	<i>orientale</i> . R.S.	(pu.) oriental.	————	1780.	7. 8.	H. ⊙.	Tourn. it. 2. f. 107.
61	<i>dahuricum</i> . F.	(bl.) Dahurian.	Dahuria.	1827.	—	H. ♂.	
62	<i>angustifolium</i> . S.S.(bl.)	narrow-leaved.	Spain.	1826.	—	H. ⊙.	
63	<i>Lagascanum</i> . R.S.(li.)	Lagasca's.	————	—	—	H. ♀.	
64	<i>salmanticum</i> . R.S.(pu.)	long-stamened.	————	1824.	—	H. ⊙.	
N'ONEA. DC.				N'ONEA. Pentandria Monogynia. R.S.			
1	<i>violacea</i> . DC.	(vi.) violet-coloured.	S. Europe.	1686.	5. 7.	H. ⊙.	Moris. s. 11. t. 26. f. 11.
	<i>Lycopsis vesicaria</i> . W.						
2	<i>nigricans</i> . DC.	(d.pu.) black-flowered.	————	—	H. ⊙.	Zanon. hist. 56. t. 28.
3	<i>pulla</i> . DC.	(d.pu.) dark-flowered.	Germany.	1648.	6. 7.	H. ♀.	Jacq. aust. 2. t. 155.
4	<i>ciliata</i> . R.S.	(ye.) fringed.	Levant.	1804.	—	H. ⊙.	
5	<i>rosea</i> . L.en.	(ro.) rose-coloured.	Caucasus.	1824.	—	H. ⊙.	
	<i>Anchusa rosea</i> . M.B.	<i>Lycopsis rosea</i> . S.S.					
6	<i>setosa</i> . R.S.	(ye.) bristly.	Iberia.	1826.	—	H. ⊙.	
7	<i>versicolor</i> .	(bl.wh.) various-colored.	————	1820.	—	H. ⊙.	
	<i>Anchusa versicolor</i> . R.S.						

8	<i>lutea</i> . DC.	(<i>ye.</i>) pale yellow.	S. Europe.	1805.	6. 7.	H. ⊙.	Nocc. hort. tran. t. 3.
	<i>Anchusa lutea</i> . R.S.	<i>Lycopsis lutea</i> . s.s.					
9	<i>picta</i> .	(<i>bl.std.</i>) painted.	Tauria.	1818.	—	H. ⊙.	
	<i>Anchusa picta</i> . M.B.	<i>Lycopsis picta</i> . s.s.					
LYCO'PSIS. L.		WILD BUGLOSS. Pentandria Monogynia. L.					
	<i>arvensis</i> . L.	(<i>bl.</i>) common.	Britain.	5. 8.	H. ⊙.	Eng. bot. v. 14. t. 938.
ASPERUGO. L.		GERMAN MADWORT. Pentandria Monogynia. L.					
	<i>procumbens</i> . L.	(<i>bl.</i>) procumbent.	Britain.	4. 5.	H. ⊙.	Eng. bot. v. 10. t. 661.
ANCH'USA. R.S.		BUGLOSS. Pentandria Monogynia. L.					
1	<i>Barrelieri</i> . R.S.	(<i>bl.</i>) Barrelier's.	Italy.	1815.	6. 7.	H. 4.	Barrel. ic. 333.
2	<i>paniculata</i> . R.S.	(<i>bl.</i>) panicked.	Levant.	1777.	6. 10.	H. 4.	Flor. græc. t. 163.
3	<i>italica</i> . B.R.	(<i>bl.</i>) Italian.	S. Europe.	1597.	—	H. 4.	Bot. reg. t. 483.
4	<i>Millèri</i> . R.S.	(<i>ro.</i>) Miller's.	—	H. ⊙.	
5	<i>myosotidiflora</i> .s.s.	(<i>bl.</i>) Myosotis-flower'd.	Caucasus.	1828.	—	H. 4.	
6	<i>stylösa</i> . R.S.	(<i>bl.</i>) long-styled.	Tauria.	1824.	—	H. ⊙.	MB. cent. pl. rar. t.23.
7	<i>procera</i> . s.s.	(<i>bl.</i>) tall.	Poland.	1822.	—	H. 4.	
8	<i>lycopsoïdes</i> . L.en.	(<i>vi.</i>) Lycopsis-like.	—	—	H. 4.	
9	<i>variegata</i> . s.s.	(<i>bl.cr.</i>) variegated.	Levant.	1683.	6. 7.	H. ⊙.	Flor. græc. t. 178.
	<i>Lycopsis variegata</i> . F.G.						
10	<i>ovata</i> . s.s.	(<i>bl.</i>) oval-leaved.	—	1796.	—	H. ⊙.	Buxb. cent. 5. t. 30.
	<i>Lycopsis orientalis</i> . R.S.						
11	<i>tinctoria</i> . R.S.	(<i>bl.</i>) dyer's.	—	1596.	6. 10.	H. 4.	Flor. græc. t. 166.
12	<i>parviflora</i> . R.S.	(<i>bl.</i>) small-flowered.	Levant.	1827.	—	H. ⊙.	
13	<i>aggregata</i> . s.s.	(<i>bl.</i>) clustered.	—	—	—	H. ⊙.	Flor. græc. t. 107.
	<i>parriflora</i> . Flor. græc.	<i>non w.</i>					
14	<i>hispida</i> . R.S.	(<i>vi.</i>) hispid.	Egypt.	1823.	—	H. 4.	
15	<i>tenella</i> . R.S.	(<i>wh.</i>) slender.	China.	1816.	—	H. ⊙.	Jacq. f. ccl. t. 29.
	<i>zeylanica</i> . Jacq.						
16	<i>cæspitosa</i> . F.G.	(<i>bl.</i>) tufted.	Levant.	1828.	—	H. 4.	Flor. græc. t. 169.
17	<i>officinàlis</i> . R.S.	(<i>vi.</i>) common.	Britain.	—	H. 4.	Eng. bot. v. 10. t. 662.
18	<i>incarnata</i> . Schr.	(<i>fl.</i>) flesh-coloured.	Europe.	—	H. 4.	
19	<i>undulata</i> . R.S.	(<i>pu.</i>) wave-leaved.	S. Europe.	1739.	6. 8.	H. 4.	Bot. mag. t. 2119.
20	<i>ochroleuca</i> . R.S.	(<i>st.</i>) pale-flowered.	Caucasus.	1810.	7. 8.	H. 4.	— t. 1608.
21	<i>angustifolia</i> . R.S.	(<i>bl.</i>) narrow-leaved.	Europe.	1640.	5. 6.	H. 4.	Flor. græc. t. 164.
22	<i>capensis</i> . R.S.	(<i>vi.</i>) Cape.	C. B. S.	1800.	7. 8.	G. ♂.	Andr. reposit. t. 336.
23	<i>hybrida</i> . R.S.	(<i>pu.</i>) villous.	Naples.	1818.	7. 10.	H. ⊙.	Ten. fl. neap. t. 11.
24	<i>Gmelini</i> . s.s.	(<i>bl.</i>) Gmelin's.	Siberia.	1829.	—	H. 4.	
25	<i>alpestris</i> . s.s.	(<i>bl.</i>) alpine.	Caucasus.	—	—	H. 4.	
26	<i>Agárdhii</i> . R.S.	(<i>pu.</i>) tubercle-leav'd.	Siberia.	1823.	7. 9.	H. 4.	
27	<i>verrucosa</i> . R.S.	(<i>wh.</i>) warted.	Egypt.	—	7. 10.	H. ⊙.	Jacq. vind. 3. t. 21.
	<i>Asperugo ægyptiaca</i> . Jacq.						
28	<i>rupëstris</i> . B.P.	(<i>bl.</i>) rock.	Siberia.	1802.	6. 8.	H. 4.	Pall.it. 3. ap. t. E. f. 3.
	<i>Myosotis rupëstris</i> . W.						
MYOS'OTIS. R.S.		SCORPION-GRASS. Pentandria Monogynia. L.					
1	<i>palustris</i> . E.B.	(<i>bl.</i>) marsh.	Britain.	6. 9.	H.w. 4.	Eng. bot. v. 28. t. 1973.
	<i>scorpioïdes</i> . W.						
2	<i>cæspitosa</i> . s.s.	(<i>bl.</i>) tufted.	—	5. 7.	H.w. 4.	
3	<i>intermedia</i> . s.s.	(<i>bl.</i>) intermediate.	—	4. 6.	H. ♂.	Fl. dan. 583. f. maj.
4	<i>sylvatica</i> . R.S.	(<i>bl.ye.</i>) wood.	—	6. 8.	H. 4.	Raii syn. t. 9. f. 2.
5	<i>commutata</i> . R.S.	(<i>bl.</i>) changed.	Europe.	—	H. ♂.	
6	<i>alpestris</i> . R.S.	(<i>bl.</i>) rock.	Scotland.	—	H. 4.	Eng. bot. v. 36. t. 2559.
	<i>rupicola</i> . E.B.						
7	<i>lithospermifolia</i> . R.S.	(<i>bl.</i>) Gromwell-leav'd.	Caucasus.	1823.	—	H. 4.	
8	<i>suavèolens</i> . R.S.	(<i>bl.</i>) sweet-scented.	Europe.	—	—	H. 4.	
9	<i>sericea</i> . s.s.	(<i>bl.</i>) silky-leaved.	Siberia.	1802.	—	H. 4.	
10	<i>villösa</i> . s.s.	(<i>bl.</i>) villous.	—	1828.	—	H. 4.	
11	<i>sparsiflora</i> . R.S.	(<i>wh.</i>) loose-flowered.	Europe.	1818.	—	H. ⊙.	
12	<i>stricta</i> . R.S.	(<i>bl.ye.</i>) upright.	—	—	—	H. ⊙.	
13	<i>arvensis</i> . E.B.	(<i>bl.</i>) corn.	Britain.	6. 9.	H. ⊙.	Eng. bot. v. 36. t. 2558.
14	<i>versicolor</i> . E.B.	(<i>bl.ye.</i>) various-colour'd.	—	4. 6.	H. ⊙.	— t. 480. f. 1.
15	<i>nana</i> . R.S.	(<i>bl.</i>) dwarf.	—	6. 8.	H. 4.	Hacq.pl.alp.car.t.2.f.6.
16	<i>pedunculàris</i> . s.s.	(<i>bl.</i>) peduncled.	Astracan.	1822.	—	H. ⊙.	
17	<i>clavata</i> . s.s.	(<i>bl.</i>) clavate.	Siberia.	1829.	—	H. ⊙.	
18	<i>austràlis</i> . B.P.	(<i>bl.</i>) southern.	N. S. W.	1824.	—	G. ⊙.	
19	<i>ungulata</i> . F.	(<i>bl.</i>) clawed.	Siberia.	1822.	—	H. ⊙.	
ECHINOSPE'RMUM. S.S.		ECHINOSPE'RMUM. Pentandria Monogynia. S.S.					
1	<i>zeylanicum</i> . s.s.	(<i>bl.</i>) Ceylon.	Ceylon.	1826.	6. 9.	S. ⊙.	
2	<i>virginiànum</i> . s.s.	(<i>pa.</i>) Virginian.	Virginia.	1699.	6. 7.	H. ♂.	Moris. s. 11. t. 30. f. 9.
	<i>Myosotis virginiàna</i> . W.	<i>Rochelia virginiàna</i> . R.S.					

3	deflexum. s.s.	(bl.) deflexed.	Hungary.	1823.	6. 7.	H. ♂.	Wahl. a. holm. 1810. t. 4.
4	Láppula. s.s.	(bl.) common.	Europe.	1656.	4. 8.	H. ⊙.	Flor. dan. t. 692.
5	squarrosum. L.en.	(bl.) squarrose.	Siberia.	1802.	—	H. ⊙.	
	pátulum. s.s.						
6	Redówszii. L.A.	(bl.) Redowski's.	Russia.	1821.	6. 7.	H. ♂.	
7	barbatum. s.s.	(bl.) bearded.	Tauria.	1819.	—	H. ⊙.	
8	marginatum. s.s.	(bl.) margined.	Astracan.	—	—	H. ⊙.	
9	heteracanthum. Led.	(bl.) various-spined.	Siberia.	1826.	—	H. ⊙.	
10	grandiflorum. Led.	(bl.) large-flowered.	—	1827.	—	H. ⊙.	
OMPHALODES. L.A. OMPHALODES. Pentandria Monogynia. L.en.							
1	nítida. L.A.	(bl.) shining.	Portugal.	1812.	4. 6.	H. ♀.	Bot. mag. t. 2529.
	<i>Cynoglossum nítidum.</i>	B.M. <i>Picòtia nítida.</i>	R.S.				
2	vérna. L.en.	(bl.) Comfrey-leav'd.	S. Europe.	1633.	3. 5.	H. ♀.	Bot. mag. t. 7.
	<i>Cynoglossum Omphalodes.</i>	B.M. <i>Picòtia vérna.</i>	R.S.				
3	brassicæfolia. L.	(wh.) stem clasping.	Spain.	1824.	6. 8.	H. ⊙.	Lehm. m. ber. 8. 2. t. 6.
	<i>amplexicaulis.</i>	Lehm. <i>Picòtia brassicæfolia.</i>	R.S.				
4	littoralis. L.A.	(wh.) sea-side.	France.	1827.	—	H. ⊙.	
5	linifolia. L.A.	(wh.) Venus Navelwort.	Portugal.	1648.	—	H. ⊙.	Barrel. ic. 1234.
6	lithospermifolia. L.A.	(bl.) loose-racemed.	Levant.	1828.	4. 6.	H. ♀.	
7	scorpioides. L.A.	(bl.) variable-leaved.	Bohemia.	1823.	6. 8.	H. ⊙.	Lehm. m. ber. 8. 2. t. 7.
8	sempervirens. D.P.	(bl.) evergreen.	Britain.	5. 6.	H. ♀.	Eng. bot. v. 1. t. 45.
	<i>Anchusa sempervirens.</i>	E.B.					
RIND'ERA. R.S. RIND'ERA. Pentandria Monogynia. R.S.							
1	lævigata. R.S.	(wh.) smooth.	Siberia.	1824.	6. 7.	H. ♀.	Pall. ross. 2. t. 88.
	<i>tetráspis.</i>	Pall. <i>Cynoglossum Rindera.</i>	Pall. <i>Cynoglossum lævigatum.</i>	w.			
2	magellensis. R.S.	(vi.) woolly.	Italy.	1823.	5. 7.	H. ♀.	
	<i>Cynoglossum magellense.</i>	Tenore.					
3	Colúmnæ. R.S.	(pu.) Columna's.	—	1824.	—	H. ♂.	Column. cephr. 1. t. 173.
4	crístata. R.S.	(pu.) crested.	Armenia.	1829.	—	H. ♂.	
MA'TTIA. R.S. MA'TTIA. Pentandria Monogynia. R.S.							
1	umbellata. R.S.	(re. ye.) umbel-flowered.	Hungary.	1818.	6. 7.	H. ♀.	W. et K. hung. 2. t. 148.
2	lanata. R.S.	(ro.) woolly.	Levant.	1800.	—	G. ♀.	Tourn. an. mus. 10. t. 37.
	<i>Cynoglossum lanatum.</i>	w.					
CYNOGLOSSUM. R.S. HOUND'S-TONGUE. Pentandria Monogynia. L.							
1	officinale. R.S.	(ro.) common.	Britain.	6. 7.	H. ♂.	Eng. bot. v. 13. t. 921.
2	Hænkii. R.S.	(pu.) rough-leaved.	Hungary.	1815.	—	H. ♂.	
3	sylvaticum. R.S.	(pu.) green-leaved.	Britain.	—	H. ♂.	Eng. bot. v. 23. t. 1642.
4	Dioscoridis. R.S.	(bl.) Dioscoride's.	Dauphiny.	1818.	—	H. ♂.	
5	bicolor. R.S.	(wh. re.) two-coloured.	Germany.	—	—	H. ♂.	
6	píctum. R.S.	(re. bl.) Madeira.	Madeira.	1658.	8.	G. ♂.	Clus. hist. 2. p. 162. f. 2.
7	lanceolatum. L.A.	(wh. bl.) spear-leav'd.	Africa.	1806.	7. 8.	H. ⊙.	
8	virginicum. s.s.	(bl. wh.) stem-clasping.	N. America.	1812.	6. 7.	H. ♀.	
	<i>amplexicaule.</i>	M.					
9	clandestinum. R.S.	(vi.) hidden-flower'd.	Barbary.	1823.	—	G. ♂.	Desf. atl. 1. t. 42.
10	canescens. R.S.	(bl.) canescent.	E. Indies.	1815.	7. 10.	G. ⊙.	Jacq. schœnb. 4. t. 489.
	<i>racemosum.</i>	F.I.					
11	apenninum. R.S.	(vi.) Apennine.	Italy.	1731.	4. 7.	H. ♂.	Sabb. hort. rom. 2. t. 36.
12	tomentosum. L.A.	(vi.) woolly-leaved.	—	1823.	5. 8.	H. ♀.	
13	magellense. T.S.	(ro.) woolly.	—	—	5. 7.	H. ♀.	
14	holosericeum. s.s.	(vi.) silky.	Caucasus.	1827.	5. 9.	H. ♂.	
15	diffusum. L.A.	(wh.) spreading.	E. Indies.	1820.	7. 10.	H. ⊙.	
16	australe. B.P.	(vi.) New Holland.	N. S. W.	—	5. 7.	G. ♀.	
17	cheirifolium. s.s.	(pu.) silvery-leaved.	Levant.	1596.	6. 7.	H. ♂.	
	<i>Anchusa lanata.</i>	R.S.					
TRICHODE'SMA. B.P. TRICHODE'SMA. Pentandria Monogynia. R.S.							
1	indicum. R.S.	(bl.) Indian.	E. Indies.	1759.	6. 10.	H. ⊙.	Pluk. alm. 30. t. 76. f. 3.
	<i>Borago indica.</i>	L.					
2	africanum. R.S.	(bl.) African.	C. B. S.	—	7. 8.	H. ⊙.	Isn. act. par. 1718. t. 11.
3	zeylanicum. R.S.	(bl.) Ceylon.	E. Indies.	1799.	—	S. ⊙.	Jacq. ic. 2. t. 314.
BORAGO. R.S. BORAGE. Pentandria Monogynia. L.							
1	officinale. R.S.	(bl.) common.	Britain.	6. 9.	H. ⊙.	Eng. bot. v. 1. t. 36.
	<i>β albiflora.</i>	(wh.) white-flowered.	—	—	H. ⊙.	
2	orientalis. R.S.	(bl.) oriental.	Turkey.	1752.	3. 5.	H. ♀.	Bot. reg. t. 288.
3	crética. R.S.	(bh.) Cretan.	Greece.	1823.	5. 6.	H. ♀.	Flor. græc. t. 176.
4	laxiflora. R.S.	(bl.) bell-flowered.	Corsica.	1813.	5. 8.	H. ♂.	Bot. mag. t. 1798.
5	crassifolia. R.S.	(fl.) thick-leaved.	Persia.	1824.	—	H. ♀.	Venten. cels. t. 100.
TOURNEFORTIA. R.S. TOURNEFORTIA. Pentandria Monogynia. L.							
1	cymosa. R.S.	(fl.) broad-leaved.	Jamaica.	1777.	7.	S. ♀.	Jacq. ic. 1. t. 31.
2	foetidissima. R.S.	(fl.) Tobacco-leav'd.	—	1739.	9.	S. ♀.	Plum. ic. 226. t. 230.

3	bicolor. R.S. (<i>wh.gr.</i>) two-coloured.	Jamaica.	1812.	S. h.	
4	suffruticosa. R.S. (<i>wh.</i>) hoary-leaved.	————	1759.	6. 9.	S. h.	Sloan. hist. 2. t. 162. f. 4.
5	mutabilis. R.S. (<i>wh.</i>) changeable.	Java.	1820.	—	S. h.	Venten. choix. t. 3.
6	maculata. R.S. (<i>st.</i>) spotted-fruited.	Carthagera.	1828.	—	S. h.	
7	gnaphalodes. R.S. (<i>wh.</i>) Gnaphalium-like.	W. Indies.	1820.	—	S. h.	Jacq. amer. t. 173. f. 11.
	<i>Heliotropium gnaphalodes. w.</i>					
8	velutina. K.S. (<i>wh.</i>) velvety.	Mexico.	1826.	—	G. h.	H. et B. am. 3. t. 201.
9	umbellata. K.S. (<i>wh.</i>) umbel-flower'd.	————	—	—	G. h.	———— 3. t. 202.
10	fruticosa. R.S. (<i>wh.</i>) shrubby.	Canaries.	1779.	6. 10.	G. h.	Bot. reg. t. 464.
	<i>Messerschmidia fruticosa. w.</i>					
11	angustifolia. R.S. (<i>pa.bl.</i>) narrow-leav'd.	————	—	G. h.	
12	argentea. R.S. (<i>wh.</i>) silvery-leaved.	E. Indies.	1822.	—	S. h.	Rumph. amb. 4. t. 55.
13	Arguzia. R.S. (<i>wh.</i>) herbaceous.	Siberia.	1780.	—	H. 4.	Gmel. it. 2. t. 27.
	MESSERSCHMIDIA. R.S. MESSERSCHMIDIA. Pentandria Monogynia. R.S.					
1	caracasana. K.S. (<i>wh.</i>) Caracas.	Caracas.	1828.	5. 9.	S. h.	
2	hirsutissima. R.S. (<i>wh.</i>) very hairy.	S. America.	1818.	5. 8.	S. h.	Sloan. hist. 2. t. 212. f. 1.
	<i>Tournefortia hirsutissima. w.</i>					
3	volubilis. R.S. (<i>gr.</i>) climbing.	Jamaica.	1752.	7. 8.	S. h. ~.	Sloan. hist. 1. t. 143. f. 2.
	<i>Tournefortia volubilis. w.</i>					
4	scandens. R.S. (<i>gr.</i>) scandent.	S. America.	1816.	—	S. h. ~.	Flor. peruv. 2. t. 148.
5	laurifolia. R.S. (<i>st.</i>) Laurel-leaved.	W. Indies.	1823.	S. h. ~.	Venten. choix. t. 2.
	BEURRERIA. G. BEURRERIA. Pentandria Monogynia. R.S.					
1	succulenta. s.s. (<i>wh.</i>) oval-leaved.	W. Indies.	1758.	5. 7.	S. h.	Jacq. obs. 2. t. 26.
2	exsucca. s.s. (<i>wh.</i>) dry-fruited.	————	1804.	—	S. h.	Jacq. amer. t. 173. f. 17.
	EHR'ETIA. S.S. EHR'ETIA. Pentandria Monogynia. L.					
1	serrata. F.I. (<i>wh.</i>) saw-leaved.	Nepaul.	1812.	6. 9.	G. h.	
2	tinifolia. s.s. (<i>wh.</i>) Tinus-leaved.	Jamaica.	1734.	6. 7.	S. h.	Trew Ehret. t. 24.
3	acuminata. E.P. (<i>wh.</i>) acuminate.	N. S. W.	1820.	—	G. h.	
4	laxa. s.s. (<i>wh.gr.</i>) loose-flowered.	Mauritius.	1821.	—	S. h.	Jacq. schœn. 1. t. 41.
5	internodis. s.s. (<i>wh.</i>) axillary-flower'd.	————	—	—	S. h.	L'Herit. stirp. 1. t. 24.
6	lævis. s.s. (<i>wh.</i>) smooth.	E. Indies.	1816.	S. h.	Roxb. corom. t. 56.
7	buxifolia. s.s. (<i>wh.</i>) Box-leaved.	————	—	S. h.	———— 1. t. 57.
8	microphylla. s.s. (<i>wh.</i>) small-leaved.	Nepaul.	1818.	6. 8.	S. h.	Pluk. phyt. t. 31. f. 1.
9	aspera. s.s. (<i>wh.</i>) rough-leaved.	E. Indies.	1795.	—	S. h.	Roxb. corom. 1. t. 55.
10	divaricata. DC. (<i>wh.</i>) divaricate.	Havannah.	1820.	—	S. h.	
	CO'RDIA. B.P. CO'RDIA. Pentandria Monogynia. L.					
1	latifolia. F.I. (<i>wh.</i>) broad-leaved.	E. Indies.	1824.	6. 8.	S. h.	Rumph. amb. 2. t. 75.
2	Myxa. R.S. (<i>wh.</i>) smooth-leaved.	————	1640.	S. h.	Rheed. mal. 4. t. 37.
3	monoica. R.S. (<i>wh.</i>) Birch-leaved.	————	1799.	3. 4.	S. h.	Roxb. corom. 1. t. 58.
4	Collococca. R.S. (<i>gr.</i>) long-leaved.	Jamaica.	1759.	—	S. h.	Sloan. hist. 2. t. 203. f. 2.
5	micrantha. R.S. (<i>gr.</i>) small-flowered.	————	1822.	S. h.	
6	serrata. R.S. (<i>wh.</i>) saw-leaved.	E. Indies.	1824.	S. h.	
7	tetraphylla. R.S. (<i>wh.</i>) four-leaved.	Trinidad.	1823.	4. 7.	S. h.	Aubl. guian. 1. t. 88.
8	geraschanthoides. K.S. (<i>w.</i>) taper-leaved.	Cuba.	1824.	—	S. h.	
9	Geraschanthus. R.S. (<i>w.</i>) Spanish Elm.	W. Indies.	1789.	5.	S. h.	Jacq. amer. t. 175. f. 16.
10	grandis. F.I. (<i>wh.</i>) great.	E. Indies.	1818.	S. h.	
11	nodosa. R.S. (<i>wh.</i>) hairy.	Guiana.	1803.	6. 7.	S. h.	Aub. gui. 1. t. 86.
	<i>hirsuta. w. Collococcus. Aub. non L.</i>					
12	flavescens. R.S. (<i>wh.</i>) yellow-fruited.	————	1818.	—	S. h.	Aub. gui. 1. t. 89.
13	spinescens. R.S. (<i>wh.</i>) spiny.	E. Indies.	—	—	S. h.	
14	macrophylla. R.S. (<i>wh.</i>) broad-leaved.	W. Indies.	1752.	—	S. h.	Sloan. hist. 2. t. 221. f. 1.
15	campanulata. F.I. (<i>ye.</i>) bell-flowered.	E. Indies.	1824.	S. h.	Rumph. amb. 2. t. 75.
16	Sebestena. R.S. (<i>or.</i>) rough-leaved.	W. Indies.	1728.	7. 8.	S. h.	Bot. mag. t. 794.
17	lævis. R.S. (<i>bh.</i>) smooth-leaved.	Caracas.	1816.	4. 8.	S. h.	Jacq. schœn. 1. t. 40.
18	reticulata. R.S. (<i>wh.</i>) netted-leaved.	E. Indies.	1820.	—	S. h.	
	<i>angustifolia. F.I.</i>					
19	polygama. F.I. (<i>wh.</i>) polygamous.	————	1812.	6. 8.	S. h.	
20	dentata. R.S. (<i>wh.</i>) toothed.	Caracas.	1823.	S. h.	
21	elliptica. R.S. (<i>wh.</i>) elliptic-leaved.	W. Indies.	1804.	6. 8.	S. h.	
22	dichotoma. R.S. (<i>wh.</i>) forked.	N. Holland.	1824.	S. h.	
23	scaberrima. K.S. (<i>wh.</i>) rough.	Peru.	—	S. h.	
24	angustifolia. R.S. (<i>wh.</i>) narrow-leaved.	Santa Cruz.	1808.	6. 8.	S. h.	
25	curassavica. R.S. (<i>wh.</i>) long-spiked.	S. America.	1759.	—	S. h.	Centur. amer. t. 56.
	<i>Varronia curassavica. w.</i>					
26	martinicensis. R.S. (<i>wh.</i>) Martinico.	Martinico.	1795.	8. 9.	S. h.	Jacq. amer. 41. t. 32.
27	bullata. R.S. (<i>wh.</i>) blister-leaved.	W. Indies.	1823.	S. h.	Jacq. amer. pict. t. 43.
28	monosperma. R.S. (<i>wh.</i>) single-seeded.	Caracas.	1820.	5. 7.	S. h.	Jacq. schœn. 1. t. 39.
29	lineata. R.S. (<i>wh.</i>) round-spiked.	W. Indies.	1793.	6. 9.	S. h.	Brown jam. t. 13. f. 2.
	<i>Varronia lineata. w.</i>					

- 30 globosa. R.S. (wh.) globe-headed. Cuba. 1820. 7. 8. S. h. Sloan. his. 2. t. 194. f. 2.
 31 mirabiloides. R.S. (wh.) jointed. Hispaniola. 1798. 9. S. h. Jacq. amer. 41. t. 33.
 32 alba. R.S. (wh.) white-flowered. Carthagera. 1818. S. h. Comm. hort. 1. t. 60.
 33 bifurcata. R.S. (wh.) forked. Peru. ———. S. h. Flor. peruv. 2. t. 146. f. 2.
Varronia dichotoma. R.P. *parviflora*. P.S.
 PATAG'ONULA. R.S. PATAG'ONULA. Pentandria Monogynia. R.S.
 americana. R.S. (wh.) spear-leaved. S. America. 1732. 6. 8. G. h. Dill. elth. t. 226. f. 208.
Cordia Patagonula. w.

ORDO CL.

HYDROPHYLLÆ. *Brown.*

- HYDROPHYLLUM. L. WATER-LEAF. Pentandria Monogynia. L.
 1 virginicum. L. (wh. bl.) Virginian. N. America. 1739. 5. 6. H. 4. Bot. reg. t. 331.
 2 canadense. L. (wh.) Canadian. Canada. 1759. ———. H. 4. ———. t. 242.
 PHAC'ELIA. B.P. PHAC'ELIA. Pentandria Monogynia. R.S.
 1 bipinnatifida. M. (bl.) bipinnatifid. N. America. 1827. 5. 6. H. 4. Mich. amer. 1. t. 16.
 2 circinnata. J.E. (wh.) woolly. Magellan. 1816. 6. 10. H. 4. Jacq. f. ecl. t. 91.
Hydrophyllum magellanicum. Lam. *Aldæa circinnata*. W.en.
 3 Aldæa. B.P. (wh.) various-leaved. Peru. 1820. ———. G. 4. Flor. peruv. 2. t. 14.
Aldæa pinnata. R.P.
 NEMO'PHILA. N. NEMO'PHILA. Pentandria Monogynia. S.S.
 1 phacelioides. N. (bl.) Phacelia-like. N. America. 1822. 6. 9. H. 0. Swt. br. fl. gar. t. 32.
 2 paniculata. s.s. (pa. bl.) panicled. ———. 1812. 5. 6. H. 4.
Hydrophyllum appendiculatum. M.
 ELL'ISIA. R.S. ELL'ISIA. Pentandria Monogynia. W.
 1 Nyctelæa. R.S. (wh.) cut-leaved. Virginia. 1755. 4. 8. H. 0. Trew pl. select. t. 99.
 2 ambigua. N. (wh.) ambiguous. N. America. 1825. 4. 6. H. 0.
 E'UTOCA. B. E'UTOCA. Pentandria Monogynia.
 1 multiflora. B.R. (pu.) many-flowered. N. America. 1826. 5. 6. H. 0. Bot. reg. t. 1180.
 2 Franklinii. s.s. (pu.) Franklin's. Mississippi. 1827. ———. H. 0.

ORDO CLII.

SOLANEÆ. *Brown prodr. 1. p. 443.*Sect. I. *PERICARPIUM CAPSULARE.*

- ANTHOCE'RCIS. B.P. ANTHOCE'RCIS. Didynamia Angiospermia. S.S.
 1 littorea. B.P. (ye.) yellow. N. Holland. 1803. 5. 8. G. h. Swt. flor. anst. t. 17.
 2 albicans. F.T. (wh.) white-flowered. ———. 1823. 4. 6. G. h. ———. t. 16.
 3 viscosa. B.P. (wh.) viscous. ———. ———. G. h. Bot. mag. t. 2961.
 4 ilicifolia. B.M. (wh.) Holly-leaved. ———. 1829. G. h.
 CE'LSIA. S.S. CE'LSIA. Didynamia Angiospermia.
 1 orientalis. s.s. (ye.) oriental. Levant. 1713. 7. 8. H. 0. Lam. ill. t. 532.
 2 Arcturus. w. (ye.) scollop-leaved. Candia. 1780. 7. 9. F. ♂. Bot. mag. t. 1962.
 3 coromandelina. w. (ye.) Coromandel. E. Indies. 1783. 7. 8. S. 0.
 4 crética. s.s. (ye. pu.) great-flowered. Crete. 1752. 7. 9. F. ♂. Bot. mag. t. 964.
 5 viscosa. s.s. (ye.) clammy. 1816. ———. F. 0.
 6 betonicaefolia. s.s. (ye.) Betony-leaved. Barbary. 1824. ———. F. ♂.
 7 sublanata. B.R. (ye.) woolly. 1818. ———. H. 4. Bot. reg. t. 438.
 8 lanceolata. s.s. (ye.) spear-leaved. Levant. 1816. ———. F. ♂. Venten. cels. t. 27.
 VERBA'SCUM. L. MULLEIN. Pentandria Monogynia. L.
 1 Thapsus. R.S. (st.) Shepherd's club. Britain. 7. 8. H. ♂. Eng. bot. v. 8. t. 549.
 2 elongatum. W.en. (wh.) long-spiked. Europe. 1813. ———. H. ♂. Tabern. Kraut. 950. f. 2.
 3 thapsoides. R.S. (ye.) branching. Portugal. ———. H. ♂. Schrad. verb. t. 5. f. 2.
 4 thapsiforme. R.S. (ye.) simple-stalked. Europe. ———. H. ♂.
 5 indicum. Wal. (ye.) Indian. Nepaul. 1827. ———. F. ♂. H. et Lk. fl. port. 1. t. 125.
 6 crassifolium. R.S. (ye.) thick-leaved. S. Europe. 1816. ———. H. ♂. Schrad. verb. t. 1. f. 1.
 7 cuspidatum. R.S. (ye.) sharp-pointed. Austria. ———. ———. H. ♂.

8	<i>gossypinum</i> . M.B. (<i>ye.</i>) cottony.	Iberia.	1824.	6. 8.	H. ♂.	
9	<i>niveum</i> . R.S. (<i>ye.</i>) snowy.	Naples.	—	—	H. ♂.	Ten. fl. neap. t. 22.
10	<i>candidissimum</i> . DC. (<i>ye.</i>) very white-l'd.	S. Europe.	1825.	—	H. ♂.	
11	<i>densiflorum</i> . R.S. (<i>ye.</i>) dense-flowered.	Italy.	—	—	H. ♂.	
12	<i>macranthum</i> . R.S. (<i>ye.</i>) large-flowered.	Portugal.	1823.	—	H. ♂.	H. et Lk. fl. port. t. 27.
13	<i>australe</i> . R.S. (<i>ye.</i>) southern.	S. Europe.	1816.	—	H. ♂.	Schrad. verb. t. 2.
14	<i>phlomoïdes</i> . R.S. (<i>ye.</i>) woolly.	Turkey.	1739.	—	H. ♂.	Flor. græc. t. 224.
15	<i>rugulosum</i> . W. (<i>ye.</i>) rugged-leaved.	S. Europe.	1820.	—	H. ♂.	
16	<i>conocarpon</i> . S.S. (<i>ye.</i>) conical-capsuled.	Sardinia.	1829.	—	H. ♂.	
17	<i>condensatum</i> . R.S. (<i>ye.</i>) close-flowered.	Austria.	1818.	—	H. ♂.	Schrad. verb. t. 3.
18	<i>nemorosum</i> . R.S. (<i>ye.</i>) wood.	—	—	—	H. ♂.	— t. 1. f. 2.
19	<i>montanum</i> . R.S. (<i>st.</i>) mountain.	Switzerland.	1816.	—	H. ♂.	
20	<i>collinum</i> . R.S. (<i>ye.</i>) hill.	Germany.	1820.	—	H. ♂.	Schrad. verb. t. 5. f. 1.
21	<i>versiflorum</i> . R.S. (<i>br. re.</i>) scatter'd-flower'd.	—	1815.	—	H. ♀.	
22	<i>ramigerum</i> . R.S. (<i>ye.</i>) small-branched.	—	1824.	—	H. ♂.	Schrad. verb. t. 4.
23	<i>Bastardi</i> . R.S. (<i>ye.</i>) Bastard's.	S. France.	—	—	H. ♂.	
24	<i>auriculatum</i> . F.G. (<i>ye.</i>) eared-leaved.	Levant.	1826.	—	E. ♂.	Flor. græc. t. 225.
25	<i>sinuatum</i> . R.S. (<i>ye.</i>) scollop-leaved.	S. Europe.	1570.	7. 8.	H. ♂.	— t. 227.
26	<i>undulatum</i> . M.B. (<i>ye.</i>) waved-leaved.	Caucasus.	1816.	—	H. ♂.	
27	<i>plicatum</i> . F.G. (<i>ye.</i>) plaited-leaved.	Greece.	—	—	F. ♀.	Flor. græc. t. 226.
28	<i>bipinnatifidum</i> . B.M. (<i>ye.</i>) bipinnatifid.	Tauria.	1813.	—	H. ♂.	Bot. mag. t. 1777.
29	<i>pinnatifidum</i> . R.S. (<i>ye.</i>) pinnatifid.	Archipelago.	1788.	5. 6.	G. ♀.	Flor. græc. t. 228.
30	<i>Chaixi</i> . R.S. (<i>ye.</i>) French.	France.	1816.	7. 8.	H. ♂.	Vill delph. 2. t. 13.
31	<i>Boerhaavii</i> . R.S. (<i>ye.</i>) annual.	S. Europe.	1731.	—	H. ⊙.	Mill. ic. 2. t. 273.
32	<i>compactum</i> . R.S. (<i>ye.</i>) compact-flower'd.	Tauria.	1824.	—	H. ♂.	
33	<i>gnaphalodes</i> . M.B. (<i>ye.</i>) Gnaphalium-like.	—	—	—	H. ♂.	
34	<i>ovalifolium</i> . B.M. (<i>ye.</i>) oval-leaved.	Caucasus.	1804.	7. 9.	H. ♀.	Bot. mag. t. 1037.
35	<i>formosum</i> . B.R. (<i>ye. pu.</i>) beautiful.	Russia.	1814.	7. 8.	H. ♂.	Bot. reg. t. 558.
36	<i>Lychnitis</i> . R.S. (<i>wh.</i>) white.	Britain.	6. 8.	H. ♂.	Eng. bot. v. 1. t. 58.
37	<i>austriacum</i> . R.S. (<i>st.</i>) Austrian.	Austria.	1819.	—	H. ♂.	
38	<i>pulverulentum</i> . R.S. (<i>ye.</i>) powdered.	England.	—	H. ♂.	Eng. bot. v. 7. t. 487.
39	<i>majale</i> . DC. (<i>ye.</i>) purple-stalked.	Montpelier.	1822.	5. 7.	H. ♂.	
40	<i>Stevèni</i> . F. (<i>ye.</i>) Steven's.	Siberia.	1820.	6. 8.	H. ♂.	
41	<i>fasciculatum</i> . E. (<i>ye.</i>) clustered.	Mount Sinai.	1826.	5. 8.	F. ♀.	
42	<i>æthiopicum</i> . E. (<i>ye.</i>) Ethiopian.	—	1825.	—	F. ♀.	
43	<i>pyramidatum</i> . R.S. (<i>ye.</i>) pyramidal.	Caucasus.	1804.	7. 8.	H. ♀.	Swt. br. fl. gar. t. 31.
44	<i>ovatum</i> . R.S. (<i>ye.</i>) oval-leaved.	Spain.	—	—	H. ♂.	Schrad. h. gott. t. 15.
45	<i>rotundifolium</i> . R.S. (<i>ye.</i>) round-leaved.	Naples.	1826.	—	H. ♂.	Ten. fl. neap. t. 23.
46	<i>floccosum</i> . R.S. (<i>ye.</i>) wool-bearing.	Hungary.	1805.	6. 7.	H. ♂.	W. et K. hung. 1. t. 79.
47	<i>leptostachyum</i> . R.S. (<i>ye.</i>) slender-spiked.	S. France.	1824.	7. 9.	H. ♂.	
48	<i>angustifolium</i> . R.S. (<i>ye.</i>) narrow-leaved.	Naples.	1822.	—	H. ♂.	
49	<i>longifolium</i> . R.S. (<i>ye.</i>) long-leaved.	—	—	—	H. ♂.	Ten. fl. neap. t. 21.
50	<i>nigrum</i> . R.S. (<i>ye.</i>) black-rooted.	England.	6. 8.	H. ♀.	Eng. bot. v. 1. t. 59.
51	<i>orientale</i> . R.S. (<i>ye.</i>) oriental.	Caucasus.	1820.	—	H. ♀.	
52	<i>Alopecurus</i> . R.S. (<i>ye.</i>) fox-tail.	France.	1818.	—	H. ♀.	
53	<i>virgatum</i> . R.S. (<i>ye.</i>) slender.	Britain.	8.	H. ♂.	Eng. bot. v. 8. t. 550.
54	<i>speciosum</i> . R.S. (<i>ye.</i>) splendid.	Austria.	1820.	6. 8.	H. ♀.	Schrad. h. gott. t. 16.
55	<i>grandiflorum</i> . R.S. (<i>ye.</i>) great-flowered.	1816.	—	H. ♀.	— t. 15.
56	<i>monspessulanum</i> . S.S. (<i>ye.</i>) Montpellier.	S. France.	1824.	—	H. ♂.	Schrad. ver. p. 2. t. 2. f. 2.
57	<i>lanatum</i> . S.S. (<i>ye.</i>) woolly-leaved.	S. Europe.	1828.	—	H. ♂.	— pars. 2. t. 2. f. 1.
58	<i>hyoserifolium</i> . S.S. (<i>ye.</i>) Hyoseris-leav'd.	Levant.	1829.	—	F. ♀.	— pars. 2. t. 3. f. 1.
59	<i>chrysarium</i> . S.S. (<i>ye.</i>) golden.	Palestine.	1827.	—	F. ♀.	
60	<i>Schottianum</i> . S.S. (<i>ye.</i>) Schott's.	Austria.	1828.	—	H. ♂.	Schrad. ver. p. 2. t. 3. f. 2.
61	<i>Blattaria</i> . R.S. (<i>ye.</i>) yellow moth.	Britain.	7. 9.	H. ♂.	Eng. bot. v. 6. t. 393.
62	<i>glabrum</i> . Mil. (<i>wh.</i>) white moth.	—	H. ♂.	
63	<i>blattarioïdes</i> . R.S. (<i>ye.</i>) moth-like.	S. Europe.	1816.	—	H. ⊙.	
64	<i>bannaticum</i> . S.S. (<i>ye.</i>) Hungarian.	Hungary.	1820.	—	H. ♂.	
65	<i>repandum</i> . R.S. (<i>ye.</i>) waved.	1813.	7. 8.	H. ♂.	
66	<i>hæmorrhoidale</i> . R.S. (<i>ye.</i>) Madeira.	Madeira.	1777.	6. 8.	G. ♂.	
67	<i>cupreum</i> . R.S. (<i>co.</i>) copper-colour'd.	Hybrid.	1798.	5. 9.	H. ♀.	Bot. mag. t. 1226.
68	<i>phæniceum</i> . R.S. (<i>d. pu.</i>) purple-flower'd.	S. Europe.	1596.	5. 8.	H. ♀.	— t. 885.
69	<i>puniceum</i> . R.S. (<i>pi.</i>) pink-flower'd.	—	1815.	—	H. ♀.	Schrad. h. gott. t. 14.
70	<i>ruginosum</i> . R.S. (<i>re. br.</i>) brown-flower'd.	Hungary.	—	—	H. ♂.	W. et K. hung. 2. t. 197.
71	<i>ferrugineum</i> . R.S. (<i>br.</i>) rusty.	S. Europe.	1683.	—	H. ♀.	Trew Ehret. t. 16. f. 1.
72	<i>triste</i> . R.S. (<i>da. br.</i>) dark-flowered.	Levant.	1788.	—	H. ♀.	Andr. reposit. t. 162.
	<i>ferrugineum</i> . A.R. <i>nec aliorum</i> .	—	—	—	—	
73	<i>spectabile</i> . M.B. (<i>ye.</i>) showy.	Tauria.	1822.	6. 8.	H. ♂.	
74	<i>betonicæfolium</i> . R.S. (<i>ye.</i>) Betony-leav'd.	Levant.	1828.	—	F. ♂.	Desf. ann. mus. 11. t. 4.
75	<i>urticæfolium</i> . R.S. (<i>ye. re.</i>) spotted-flower'd.	1827.	—	H. ♂.	

76	lyratum. R.S.	(ye.) lyrate-leaved.	Spain.	1816.	6. 8.	H. ♂.	
77	Osbeckii. R.S.	(gr.ye.) Osbeck's.	————	1752.	7. 8.	H. ♂.	Buxb. cent. 5. t. 32.
78	ceratophyllum. s.s.	(ye.) buckshorn-leav'd.	Levant.	1829.	—	H. ♂.	Schrad. verb. p. 2. t. 1. 1. 1.
79	spinosum. R.S.	(ye.) spiny.	Candia.	1824.	5. 8.	G. ♀.	Flor. græc. t. 229.
RAMO'NDA. P.S. RAMO'NDA. Pentandria Monogynia. P.S.							
	pyrenæica. P.S.	(pu.) Borage-leaved.	Pyrenees.	1731.	5.	H. ♀.	Bot. mag. t. 236.
<i>Verbascum Myconi.</i> B.M.							
HYOSC'YAMUS. R.S. HENBANE. Pentandria Monogynia. L.							
1	niger. R.S.	(ye.bk.) common.	Britain.	6. 7.	H. ♂.	Eng. bot. v. 9. t. 591.
2	agrestis. R.S.	(gr.pu.) field.	Hungary.	1816.	6. 9.	H. ⊙.	Swt. br. fl. gar. t. 27.
3	pallidus. R.S.	(st.) pale-flowered.	————	1815.	—	H. ⊙.	
4	reticulatus. R.S.	(re.) Egyptian.	Egypt.	1640.	7. 9.	H. ⊙.	Camer. hort. 77. t. 22.
5	albus. R.S.	(st.pu.) white.	Greece.	1570.	7. 8.	H. ⊙.	Flor. græc. t. 230.
6	Clusii. F.G.	(wh.) Clusius's.	S. Europe.	—	—	H. ⊙.	Clus. hist. 2. p. 84. f. 1.
<i>albus β minor.</i> R.S.							
7	aureus. R.S.	(ye.pu.) golden.	Levant.	1640.	3. 10.	G. ♀.	Bot. mag. t. 87.
8	Senecionis. R.S.	(ye.pu.) yellow-flowered.	Egypt.	1812.	—	G. ♀.	
9	canariensis. B.R.	(ye.pu.) various-leaved.	Canaries.	1816.	1. 12.	G. ♂.	Bot. reg. t. 180.
10	mùticus. R.S.	(wh.pu.) three-coloured.	Egypt.	1818.	5. 8.	G. ♂.	
11	Datòra. F.Æ.	(ye.pu.) Egyptian.	————	1829.	—	F. ♀.	
12	pusillus. R.S.	(ye.bk.) dwarf.	Persia.	1691.	7.	H. ⊙.	Pluk. alm. t. 37. f. 5.
13	auriculatus. T.N.	(ye.pu.) eared.	Naples.	1828.	—	H. ⊙.	
14	micranthus. Led.	(st.pu.) small-flowered.	Siberia.	1829.	—	H. ♂.	
15	màjor. Mil.	(st.pu.) large.	Levant.	—	F. ♂.	
16	mìnor. Mil.	(ye.) lesser.	————	—	F. ♂.	
17	physaloides. R.S.	(d.pu.) purple-flowered.	Siberia.	1777.	3. 4.	H. ♀.	Swt. br. fl. gar. t. 13.
18	orientalis. R.S.	(li.) oriental.	Iberia.	1815.	—	H. ♀.	———— t. 12.
SCOP'OLIA. Jacq. SCOP'OLIA. Pentandria Monogynia. R.S.							
	carniòlica. Jacq.	Nightshade-leav'd.	Carniola.	1780.	4. 5.	H. ♀.	Jacq. obs. 1. t. 20.
	atropoides. R.S.	<i>Hyosc'yamus Scopòlia.</i>	Bot. mag. t. 1126.				
NICOT'IANA. R.S. TOBACCO. Pentandria Monogynia. L.							
1	chinensis. R.S.	(ro.) Chinese.	China.	1815.	6. 8.	G. ♀.	
2	fruticosa. R.S.	(ro.) frutescent.	C. B. S.	1699.	7. 9.	G. ♀.	Mill. icon. t. 185. f. 1.
3	álba. Mil.	(wh.) white-flowered.	Tobago.	—	8. 10.	H. ⊙.	
4	latissima. DC.	(ro.) broad-leaved.	America.	7. 9.	H. ⊙.	
<i>macrophylla.</i> R.S.							
5	Tabacum. R.S.	(ro.) Virginian.	————	1570.	—	H. ⊙.	Blackw. t. 146.
	<i>a attenuata.</i>	(re.) slender.	————	—	H. ⊙.	
	<i>β pallescens.</i>	(bh.) pale-flowered.	————	—	H. ⊙.	
	<i>γ àlipes.</i>	(ro.) winged.	————	—	H. ⊙.	
	<i>δ serotina.</i>	(ro.) late-flowered.	————	—	H. ⊙.	
	<i>ε gracilipes.</i>	(ro.) slender-stalked.	————	—	H. ⊙.	
	<i>ζ Vèrdan.</i>	(ro.) Verdán.	————	—	H. ⊙.	
	<i>η lingua.</i>	(ro.) tongue-leaved.	————	—	H. ⊙.	
6	nepalensis. Ot.	(ro.) Nepaul.	Nepaul.	1829.	—	H. ⊙.	
7	brasiliensis. Ot.	(ro.) Brazilian.	Brazil.	1825.	—	H. ⊙.	
8	decurrens. Ag.	(ro.) decurrent.	S. America.	1820.	—	H. ⊙.	
9	petiolata. Ag.	(ro.) petiolate.	————	—	—	H. ⊙.	
10	sanguinea. Ot.	(sc.) scarlet-flowered.	Brazil.	1829.	—	H. ⊙.	
11	angustifolia. R.S.	(gr.) narrow-leaved.	Chili.	1822.	—	H. ⊙.	Flor. peruv. 2. t. 130. f. 1.
12	viscosa. R.S.	(gr.) viscous.	Buenos Ayres.	1824.	—	H. ⊙.	
13	pusilla. R.S.	(gr.) Primrose-leaved.	Vera Cruz.	1733.	8.	S. ♂.	Mill. ic. t. 185. f. 2.
14	glutinosa. R.S.	(or.) clammy.	Peru.	1759.	7. 9.	H. ⊙.	Swt. br. fl. gar. t. 107.
15	rústica. R.S.	(gr.) common.	America.	1570.	—	H. ⊙.	Blackw. t. 437.
	<i>a asiatica.</i> R.S.	(gr.) Asiatic.	————	—	—	H. ⊙.	
	<i>β brasilia.</i> R.S.	(gr.) Brazil.	Brazil.	—	—	H. ⊙.	
	<i>γ pumila.</i> R.S.	(gr.) dwarf.	S. America.	—	—	H. ⊙.	
16	humilis. L.en.	(gr.) lesser.	America.	—	H. ⊙.	
17	paniculata. R.S.	(gr.) paniced.	Peru.	1752.	—	H. ⊙.	Flor. peruv. 2. t. 129. f. 1.
18	cerinthoides. R.S.	(gr.) honeywort.	America.	1816.	—	H. ⊙.	Lehm. nicot. t. 2.
19	Langsdorffii. s.s.	(gr.ye.) Langsdorff's.	S. America.	1824.	—	H. ⊙.	Bot. mag. t. 255.
20	glauca. B.M.	(st.) glaucous.	Buenos Ayres.	1827.	—	H. ⊙.	———— t. 2837.
21	repanda. R.S.	(bh.) stem-clasping.	Havannah.	1822.	8. 10.	H. ⊙.	———— t. 2484.
<i>lyrata</i> K.S.							
22	plumbaginifolia. R.S.	curled-leaved.	America.	1816.	5. 10.	G. ♀.	Vivian. elench. t. 5.
<i>crispa.</i> Jacq. fragm. t. 84.							
23	pulmonarioides. K.S.	(wh.) Pulmonaria-like.	S. America.	1828.	—	H. ⊙.	
24	bonariensis. R.S.	(wh.) Buenos Ayres.	Buenos Ayres.	1821.	—	H. ⊙.	Lehm. nicot. n. 8. t. 1.
25	suaveolens. R.S.	(wh.) sweet-scented.	N. S. W.	1800.	5. 9.	G. ♀.	Bot. mag. t. 673.
	<i>undulata.</i> Vent. malm. t. 10.	<i>non</i> R.P.					

26	<i>vincaflora</i> . s.s. (<i>wh.</i>)	Vinca-flowered.	S. America.	1825.	8. 10.	H. ⊙.	
27	<i>dilatata</i> . L.en. (<i>wh.</i>)	dilated-leaved.	————	————	————	H. ⊙.	
28	<i>noctiflora</i> . B.M. (<i>wh.</i>)	night-flowering.	Andes.	1826.	7. 10.	F. ♀.	Swt. br. fl. gar. t. 262.
29	<i>acuminata</i> . B.M. (<i>wh.</i>)	taper-pointed.	BuenosAyres.	————	————	F. ♀.	Bot. mag. t. 2919.
30	<i>nana</i> . B.R. (<i>wh.</i>)	dwarf.	S. America.	1822.	8. 10.	H. ⊙.	Bot. reg. t. 833.
31	<i>quadrivalvis</i> . R.S. (<i>wh.</i>)	four-valved.	N. America.	1811.	7. 8.	H. ⊙.	Bot. mag. t. 1778.
32	<i>multivalvis</i> . B.R. (<i>wh.</i>)	many-valved.	————	1826.	9. 10.	H. ⊙.	Bot. reg. t. 1057.
PETUNIA. J. PETUNIA. Pentandria Monogynia. R.S.							
	<i>nyctaginiflora</i> . J. (<i>wh.</i>)	large-flowered.	S. America.	1824.	4. 10.	G. ♀.	Swt. br. fl. gar. t. 119.
SALPIGLO'SSIS. R.P. SALPIGLO'SSIS. Didynamia Angiospermia.							
1	<i>straminea</i> . H.E.F. (<i>st.</i>)	straw-coloured.	Chile.	1826.	6. 9.	F. ♀.	Swt. br. fl. gar. t. 231.
2	<i>picta</i> . B.F.G. (<i>wh.bl.</i>)	painted-flowered.	————	————	————	F. ♀.	———— v. 3. t. 258.
3	<i>atropurpurea</i> . B.M. (<i>d.pu.</i>)	dark purple.	————	————	————	F. ♀.	———— v. 3. t. 271.
4	<i>sinuata</i> . R.P. (<i>cr.</i>)	crimson.	————	1829.	————	F. ♀.	Flor.per.v.5.t.515.ined.
DATURA. R.S. THORN-APPLE. Pentandria Monogynia. L.							
1	<i>ferox</i> . R.S. (<i>wh.</i>)	Chinese.	China.	1731.	7. 10.	H. ⊙.	Zanon. hist. t. 162.
2	<i>Stramonium</i> . R.S. (<i>wh.</i>)	common.	England.	————	H. ⊙.	Eng. bot. v. 18. t. 1288.
	<i>β canescens</i> . F.I. (<i>st.</i>)	canescent.	Nepaul.	1824.	————	H. ⊙.	
3	<i>Tatula</i> . R.S. (<i>bl.</i>)	light blue.	S. America.	1629.	————	H. ⊙.	Swt. br. fl. gar. t. 83.
4	<i>muricata</i> . s.s. (<i>wh.</i>)	muricated.	1819.	————	H. ⊙.	
5	<i>hybrida</i> . T.P. (<i>wh.</i>)	hybrid.	Hybrid.	1826.	6. 9.	F. ♀.	
6	<i>Métel</i> . R.S. (<i>wh.</i>)	downy.	Asia.	1596.	6. 10.	H. ⊙.	Bot. mag. t. 1440.
7	<i>fruticosa</i> . L.en. (<i>wh.</i>)	frutescent.	S. America.	1825.	————	S. ♀.	
8	<i>quercifolia</i> . K.S. (<i>li.</i>)	Oak-leaved.	Mexico.	1824.	————	H. ⊙.	
9	<i>fastuosa</i> . R.S. (<i>pu.wh.</i>)	purple.	Egypt.	1629.	————	H. ⊙.	Rumph. am. 5. t. 243. f. 2.
	<i>β flore pleno</i> . (<i>pu.wh.</i>)	double-flowered.	————	————	————	G. ⊙.	
10	<i>dubia</i> . R.S. (<i>wh.</i>)	doubtful.	————	————	H. ⊙.	
11	<i>lævis</i> . R.S. (<i>wh.</i>)	smooth-fruited.	Africa.	1780.	————	H. ⊙.	Jacq. vind. 3. t. 82.
12	<i>ceratocaula</i> . R.S. (<i>wh.pu.</i>)	horn-stalked.	Cuba.	1805.	8. 10.	H. ⊙.	Jacq. schoen. 3. t. 339.
13	<i>guayaquilensis</i> . K.S. (<i>wh.</i>)	Guayaquil.	S. America.	1824.	————	H. ⊙.	
BRUGMA'NSIA. P.S. BRUGMA'NSIA. Pentandria Monogynia. R.S.							
1	<i>candida</i> . P.S. (<i>wh.</i>)	downy-stalked.	Peru.	1818.	8. 9.	S. ♀.	Flor. peruv. 2. t. 128.
	<i>Datura arborea</i> . L.						
2	<i>suavèolens</i> . (<i>wh.</i>)	smooth-stalked.	S. America.	1733.	————	S. ♀.	
	<i>Datura arborea</i> . Hort.	<i>suavèolens</i> . W.enum.					
VE'STIA. W. VE'STIA. Pentandria Monogynia. W.							
	<i>lycioides</i> . W.en. (<i>gr.ye.</i>)	Boxthorn-like.	Chili.	1815.	1. 12.	G. ♀.	Bot. reg. t. 299.
? C'ODON. W. C'ODON. Decandria Monogynia. L.							
	<i>Royèni</i> . w. (<i>re.wh.</i>)	prickly.	C. B. S.	1801.	9. 10.	G. ♂.	And. repos. t. 325.

Sect. II. *PERICARPIUM BACCATUM.*

ANIS'ODUS. S.S. ANIS'ODUS. Pentandria Monogynia. S.S.							
	<i>luridus</i> . s.s. (<i>br.</i>)	lurid.	Nepaul.	1823.	8. 10.	H. ♀.	Swt. br. fl. gar. t. 125.
	<i>Whitlèya stramonifolia</i>		B.F.G.				
NECTO'UXIA. K.S. NECTO'UXIA. Pentandria Monogynia.							
	<i>formosa</i> . K.S. (<i>ye.</i>)	pretty.	Mexico.	1826.	7. 10.	H. ⊙.	H. et B. n.g. am. 3. t. 193.
ATROPA. R.S. A'TROPA. Pentandria Monogynia. L.							
	<i>Belladonna</i> . R.S. (<i>br.pu.</i>)	deadly nightshade.	Britain.	6. 7.	H. ♀.	Eng. bot. v. 9. t. 592.
SA'RACHA. R.S. SA'RACHA. Pentandria Monogynia.							
1	<i>procumbens</i> . R.P. (<i>st.</i>)	procumbent.	Peru.	1822.	7. 9.	H. ♀.	Cavan. ic. 1. t. 72.
	<i>A'tropa procumbens</i> . Cav.	<i>Bellinia procumbens</i> . R.S.					
2	<i>umbellata</i> . DC. (<i>st.</i>)	umbel-flowered.	Peru.	————	————	H. ♀.	Swt. br. fl. gar. t. 85.
MANDRAG'ORA. J. MANDRAKE. Pentandria Monogynia. R.S.							
1	<i>præcox</i> . B.F.G. (<i>st.bh.</i>)	blister-leaved.	Switzerland.	1818.	3. 4.	H. ♀.	Swt. br. fl. gar. t. 198.
2	<i>vernalis</i> . s.s. (<i>bh.</i>)	large-leaved.	S. Europe.	1562.	5. 6.	H. ♀.	
3	<i>autumnalis</i> . s.s. (<i>li.</i>)	autumn-flowered.	Levant.	————	8. 9.	H. ♀.	Flor. græc. t. 232.
NOL'ANA. R.S. NOL'ANA. Pentandria Monogynia. L.							
1	<i>prostrata</i> . R.S. (<i>bl.</i>)	trailing.	Peru.	1761.	7. 9.	H. ⊙.	Bot. mag. t. 731.
2	<i>tenella</i> . H.C. (<i>bl.</i>)	slender.	Chile.	1824.	————	F. ♀.	
3	<i>paradoxa</i> . B.R. (<i>bl.</i>)	violet-coloured.	Chili.	1822.	————	H. ⊙.	Bot. reg. t. 865.
NICA'NDRA. R.S. NICA'NDRA. Pentandria Monogynia. R.S.							
1	<i>physaloïdes</i> . R.S. (<i>bl.</i>)	American.	America.	1759.	7. 9.	H. ⊙.	Bot. mag. t. 2458.
2	<i>indica</i> . R.S. (<i>bl.</i>)	Indian.	Nepaul.	1823.	————	H. ⊙.	Rumph. amb. 6. t. 26. f. 1.
PHY'SALIS. R.S. WINTER CHERRY. Pentandria Monogynia. L.							
	<i>arborescens</i> . w. (<i>ye.</i>)	arborescent.	Campeachy.	1733.	6. 8.	S. ♀.	Mill. ic. 2. t. 206. f. 2.

2	frutēscens. DC. (<i>ye.</i>) frutescent. <i>A'tropa frutēscens.</i> R.S.	Spain.	1737.	1. 3.	G. h.	Cavan. ic. 2. t. 102.	
3	aristāta. w. (<i>ye.</i>) bearded. <i>A'tropa aristāta.</i> R.S.	Canaries.	1779.	5. 8.	G. h.		
4	somnifera. R.S. (<i>st.</i>) clustered. <i>β aristāta.</i> (<i>st.</i>) awned.	Levant. Mexico.	1596. 1826.	7. 8.	G. h. G. h.	Flor. græc. t. 233.	
5	flexuōsa. R.S. (<i>gr.wh.</i>) flexuose.	E. Indies.	1759.	—	G. h.	Jacq. f. ecl. t. 23.	
6	curassāvica. R.S. (<i>st.</i>) Curassavian.	S. America.	1699.	6. 9.	S. 4.	Pluk. alm. t. 111. f. 1.	
7	tomentōsa. R.S. (<i>ye.</i>) woolly.	C. B. S.	1816.	—	G. h.		
8	viscōsa. R.S. (<i>st.</i>) clammy.	America.	1732.	7.	H. 4.	Bot. mag. t. 2625.	
9	lanceolāta. R.S. (<i>ye.</i>) spear-leaved.	N. America.	1780.	—	H. 4.		
10	pensylvānica. R.S. (<i>ye.</i>) Pennsylvanian.	—	1726.	7. 9.	H. 4.		
11	Jacquini. L.en. (<i>ye.</i>) Jacquin's. <i>riscōsa.</i> Jacq. non L.	—	—	H. 4.	Jacq. vind. 2. t. 136.	
12	Alkekēngi. R.S. (<i>wh.</i>) common.	S. Europe.	1548.	—	H. 4.	Flor. græc. t. 234.	
13	tuberōsa. R.S. (<i>ye.pu.</i>) tuberous-rooted.	1816.	S. 4.		
14	chenopodifōlia. R.S. (<i>ye.</i>) goose-foot-leav'd.	S. America.	1798.	7. 8.	S. h.		
15	peruviāna. R.S. (<i>ye.pu.</i>) Peruvian.	Peru.	1773.	—	S. 4.		
16	ēdulis. B.M. (<i>ye.pu.</i>) eatable.	S. America.	—	—	S. 4.	Bot. mag. t. 1068.	
17	pubēscens. R.S. (<i>ye.pu.</i>) pubescent.	America.	1640.	—	H. ⊙.	Feuil. per. 3. t. 1.	
18	micrāntha. L.en. (<i>ye.</i>) small-flowered.	—	1822.	—	H. ⊙.		
19	nodōsa. R.S. (<i>ye.</i>) knotted.	—	—	H. ⊙.		
20	barbadēnsis. R.S. (<i>st.</i>) Barbadoes.	W. Indies.	1798.	—	H. ⊙.	Jacq. ic. 1. t. 39.	
21	dūbia. L.en. (<i>ye.</i>) dubious.	Brazil.	1819.	—	H. ⊙.		
22	fœtidissima. R.S. (<i>ye.br.</i>) stinking.	New Spain.	—	—	H. ⊙.		
23	f'œtens. R.S. (<i>ye.br.</i>) strong-scented.	Peru.	1827.	—	H. 4.		
24	angulāta. R.S. (<i>wh.</i>) angular-branch'd.	India.	1732.	6. 9.	H. ⊙.	Dill. elth. t. 12. f. 12.	
25	Rothiāna. R.S. (<i>wh.</i>) Roth's.	E. Indies.	1827.	—	S. 4.		
26	philadēlphica. R.S. (<i>ye.</i>) Philadelphian.	N. America.	1821.	—	H. ⊙.		
27	atriplicifōlia. R.S. (<i>ye.</i>) Atriplex-leaved. <i>chenopodifōlia.</i> w. non Lamarck.	1798.	7. 8.	H. ⊙.	Jacq. frag. t. 85. f. 1.	
28	mínima. R.S. (<i>ye.</i>) least.	E. Indies.	1759.	—	H. ⊙.	Rheed. mal. 10. t. 73.	
29	pruinōsa. R.S. (<i>ye.</i>) hairy annual.	America.	1726.	—	H. ⊙.	Dill. elth. 10. t. 9. f. 6.	
30	Lagāscii. R.S. (<i>ye.</i>) Lagasca's.	New Spain.	1824.	—	H. ⊙.		
31	pátula. R.S. (<i>wh.</i>) spreading.	Vera Cruz.	1731.	7. 9.	S. ⊙.		
32	villōsa. R.S. (<i>st.</i>) villous.	—	—	—	S. ⊙.		
33	cordāta. R.S. (<i>ye.gr.</i>) heart-leaved.	—	—	—	S. ⊙.		
34	máxima. R.S. (<i>st.</i>) large annual.	—	—	—	S. ⊙.		
35	abyssínica. Ot. (<i>ye.</i>) Abyssinian.	Abyssinia.	1828.	—	S. ⊙.		
36	prostrāta. R.S. (<i>bl.</i>) trailing.	Peru.	1782.	—	H. ⊙.	Andr. reposit. t. 75.	
CA'PSICUM. R.S. CA'PSICUM.		Pentandria Monogynia. L.					
1	ánnuum. R.S. (<i>wh.</i>) annual.	India.	1548.	6. 7.	G. ⊙.	Rheed. mal. 2. t. 35.	
2	lóngum. R.S. (<i>wh.</i>) long-fruited.	—	—	G. ⊙.	Dodon. pemph. 716. f. 3.	
3	cordifórme. R.S. (<i>wh.</i>) heart-shaped.	India.	1731.	—	G. ⊙.		
4	tetragònum. R.S. (<i>wh.</i>) four-sided.	—	—	—	G. ⊙.		
5	angulòsum. R.S. (<i>wh.</i>) angular-fruited.	—	—	S. ⊙.		
6	sph'æricum. R.S. (<i>wh.</i>) round-fruited.	1807.	4. 7.	S. ⊙.		
7	ovàtum. R.S. (<i>wh.</i>) oval-fruited.	—	—	S. h.		
8	péndulum. R.S. (<i>wh.</i>) pendulous.	1804.	—	S. h.		
9	lùteum. R.S. (<i>wh.</i>) yellow-fruited.	E. Indies.	1820.	—	S. h.		
10	gróssum. R.S. (<i>wh.</i>) various-fruited.	India.	1759.	5. 8.	S. h.	Besl. eyst. 2. t. 2. f. 1.	
	<i>α globòsum.</i> R.S. (<i>wh.</i>) globular-fruited.	—	—	—	S. h.		
	<i>β lùteum.</i> R.S. (<i>wh.</i>) yellow oval-fruited.	—	—	—	S. h.		
	<i>γ bifidum.</i> (<i>wh.</i>) cleft-fruited.	—	—	S. h.		
11	conoides. R.S. (<i>st.</i>) conical-fruited.	India.	1728.	—	S. h.		
12	pyramidāle. R.S. (<i>wh.</i>) pyramidal.	Egypt.	1732.	—	S. h.		
13	cerasifórme. R.S. (<i>st.</i>) Cherry-fruited.	W. Indies.	1759.	—	S. h.		
14	Millèri. R.S. (<i>st.</i>) Miller's. <i>cerasifórme.</i> Mill. non w.	New Spain.	—	—	S. h.		
15	purpùreum. F.I. (<i>pu.</i>) purple.	E. Indies.	1824.	—	S. h.		
16	frutēscens. R.S. (<i>wh.</i>) shrubby. <i>β torulòsum.</i> (<i>wh.</i>) twisted.	India.	1656.	6. 9.	S. h.	Rheed. mal. 2. t. 56.	
17	bicolor. R.S. (<i>pu.</i>) purple-flower'd. <i>nigrum.</i> W.en. <i>violàceum.</i> DC.	W. Indies.	1804.	—	S. h.	Bot. mag. t. 1935.	
18	cærulēscens. R.S. (<i>pu.</i>) bluish.	1827.	—	S. h.		
19	baccàtum. R.S. (<i>wh.</i>) Bird pepper.	W. Indies.	1731.	—	S. h.	Sloan. j. 1. t. 146. f. 3.	
20	mínimum. F.I. (<i>wh.</i>) small-berried.	E. Indies.	1728.	—	S. h.		
21	sinēse. R.S. (<i>wh.</i>) oval Chinese.	China.	1807.	—	S. h.	Jacq. vind. 3. t. 67.	
22	havanēse. K.S. (<i>wh.</i>) Havannah.	Havannah.	1826.	—	S. h.		

23	microcárpum. R.S. (wh.) small-fruited.	S. America.	1824.	6. 9.	S. h.	
24	micránthum. R.S. (wh.) small-flowered.	Brazil.	—	—	S. h.	
LYCOPE'RSICUM. R.S. LOVE-APPLE. Pentandria Monogynia. R.S.						
1	pimpinellifólium. R.S. (ye.) Pimpinella-ld.	S. America.	6. 8.	S. 4.	
2	regulàre. R.S. (ye.) regular-leaved.	—	6. 9.	G. ⊙.	
3	peruviànum. R.S. (ye.) Peruvian.	Peru.	6. 8.	G. 4.	Bot. mag. t. 2814.
	<i>Solanum peruviànum.</i> Jacq. icon. t. 327.					
4	dentàtum. R.S. (ye.) tooth-leaved.	S. America.	—	H. ⊙.	Dunal solan. 2. ined. t. 82.
5	Humbóldtii. R.S. (ye.) Humboldt's.	—	1815.	—	H. ⊙.	Willd. hort. ber. 1. t. 27.
6	pyrifórme. R.S. (ye.) Pear-fruited.	—	—	H. ⊙.	Dunal solan. t. 26.
7	cerasifórme. R.S. (ye.) Cherry-fruited.	Peru.	1800.	7. 9.	H. ⊙.	Jacq. vind. 1. t. 11.
	<i>Solanum pseudolycopersicum.</i> Jacq.					
	α rùber. (ye.) red-fruited.	—	—	—	H. ⊙.	
	β làteum. (ye.) yellow-fruited.	—	—	—	H. ⊙.	
8	esculéntum. R.S. (ye.) Tomato.	S. America.	1596.	—	H. ⊙.	Dunal solan. t. 3. f. 3.
	α erythrocárpum. (ye.) red-fruited.	—	—	—	H. ⊙.	
	β chrysocárpum. (ye.) yellow-fruited.	—	—	—	H. ⊙.	
	γ leucocárpum. (ye.) white-fruited.	—	—	—	H. ⊙.	
9	procúmbens. R.S. (ye.) procumbent.	—	—	H. ⊙.	
SOLANUM. R.S. NIGHTSHADE. Pentandria Monogynia. L.						
1	tuberòsum. R.S. (bl.wh.) Potatoe.	Peru.	1597.	6. 8.	H. 4.	Plenck. off. t. 121.
2	appendiculàtum. R.S. (wh.) appendaged.	Mexico.	1823.	—	S. h. ∪.	Dunal solan. ed. 2. t. 84.
3	Seaforthiànum. R.S. (pi.) Seaforth's.	Barbadoes.	1804.	7. 9.	S. h. ∪.	Andr. reposit. t. 504.
4	betàceum. R.S. (bh.) Beet-leaved.	New Spain.	1803.	6. 7.	S. h.	— t. 511.
5	muricàtum. R.S. (wh.vi.) warted.	Peru.	1785.	7. 8.	S. h.	Feuil. peruv. 2. t. 26.
6	diversifólium. R.S. (wh.) different-leaved.	Caracas.	1824.	—	S. h.	Dunal solan. ed. 2. t. 88.
7	Bulbocástanum. R.S. (wh.) tuberous-rooted.	Mexico.	1826.	6. 9.	H. 4.	— ed. 2. t. 3.
8	oligánthum. R.S. (wh.) climbing.	Orinoco.	1824.	7. 8.	S. h. ∪.	— ed. 2. t. 90.
9	reclinàtum. R.S. (bl.) reclining.	Peru.	—	S. h.	Lam. ill. t. 145. f. 4.
10	laciniàtum. B.P. (ll.) cut-leaved.	N. Holland.	1772.	—	G. h.	Bot. mag. t. 349.
	α fruticòsum. (bl.) frutescent.	N. S. W.	—	—	G. h.	
	β herbàceum. (bl.) herbaceous.	V. Diem. Isl.	—	—	H. ⊙.	
11	quercifólium. R.S. (vi.) Oak-leaved.	Peru.	1787.	6. 7.	H. 4.	Feuil. per. 2. t. 15 ?
12	radicans. R.S. (li.) rooting.	—	1771.	7. 8.	G. 4.	Linn. dec. 1. t. 10.
13	corymbòsum. R.S. (vi.) corymb-flowered.	—	1786.	—	S. 4.	Jacq. ic. 1. t. 40.
14	Dulcamàra. R.S. (bl.) bitter-sweet.	Britain.	6. 8.	H. h. ∪.	Eng. bot. v. 8. t. 565.
	β àlbum. (wh.) white-flowered.	—	—	H. h. ∪.	
	γ variegàtum. (pa.) variegated.	—	—	H. h. ∪.	
15	littoràle. L.en. (bl.) sea-side.	Europe.	—	H. h.	
16	Tegòre. R.S. (gr.) hairy-stemmed.	Guiana.	1820.	—	S. h.	Aubl. guian. 1. t. 84.
17	quitense. s.s. (wh.pu.) Lima.	Lima.	1825.	—	G. h.	Bot. mag. t. 2739.
18	macrocárpum. s.s. (bl.) large-fruited.	Peru.	1759.	5. 9.	S. h.	Mill. ic. 2. t. 294.
19	calycinum. R.S. (bl.) large-calyxed.	Mexico.	1825.	—	S. h.	Dunal sol. ed. 2. t. 29.
20	racemiflórum. R.S. (bl.) racemed.	S. America.	1818.	7. 9.	H. ⊙.	Jacq. schœn. 3. t. 333.
	<i>scábrum.</i> Jacq. non Vahl.					
21	æthiòpicum. R.S. (wh.) Ethiopian.	Ethiopia.	1597.	—	H. ⊙.	Jacq. vind. 1. t. 12.
22	Zuccagniànum. R.S. (wh.) Zuccagni's.	1818.	—	H. ⊙.	Dunal solan. t. 11.
23	pseudocápsicum. (wh.) Winter-cherry.	Madeira.	1596.	6. 9.	G. h.	Sabb. h. rom. t. 59.
24	nodiflórum. R.S. (wh.) knot-flowered.	Guiana.	1815.	—	G. ⊙.	Jacq. ic. 2. t. 326.
25	Dillèni. R.S. (wh.) Dillenius's.	Hungary.	—	H. ⊙.	Dill. elth. t. 275. f. 355.
26	guineense. R.S. (gr.wh.) large-berried.	Guinea.	—	H. ⊙.	— t. 274. f. 354.
27	fistulòsum. R.S. (wh.) fistulous-stalked.	Mauritius.	1826.	—	H. ⊙.	
28	nigrum. R.S. (wh.) black-berried.	Britain.	—	H. ⊙.	Eng. bot. v. 8. t. 566.
29	oleràceum. R.S. (wh.) cultivated.	W. Indies.	—	S. ⊙.	Piso lib. 4. c. 50. f. 3.
30	pterocaule. R.S. (wh.vi.) wing-stalked.	America.	—	H. ⊙.	Dill. elth. t. 275. f. 256.
31	judaicum. R.S. (wh.) rough-stalked.	Europe.	—	H. ⊙.	
32	suffruticòsum. R.S. (wh.) suffrutescent.	Barbary.	1804.	5. 9.	G. h.	
33	quadrangulàre. R.S. (wh.) quadrangular.	C. B. S.	1812.	—	H. ⊙.	
34	triangulàre. R.S. (wh.) three-sided.	E. Indies.	6. 9.	S. ⊙.	
35	rùbrum. R.S. (wh.) red-berried.	S. America.	—	H. ⊙.	
36	incértum. R.S. (wh.) uncertain.	E. Indies.	1810.	—	H. ⊙.	
37	miniàtum. R.S. (wh.) pubescent-stalk'd.	Europe.	—	H. ⊙.	
38	hùmile. R.S. (wh.) small.	S. Europe.	—	H. ⊙.	
39	flàvum. R.S. (st.) yellow-berried.	Hungary.	1816.	—	H. ⊙.	
	<i>ochroleucum.</i> Dun.					
40	villòsum. R.S. (wh.) villous annual.	S. Europe.	—	H. ⊙.	Dill. elth. t. 274. f. 353.
41	hirsùtum. R.S. (wh.) hairy annual.	Egypt.	—	H. ⊙.	
42	decemdentàtum. F.R. (wh.) ten-toothed.	China.	1826.	—	H. ⊙.	
43	Rùmphii. R.S. (wh.) Rumphius's.	E. Indies.	—	H. ⊙.	Rumph. amb. 6. t. 26. f. 1.

44	Bessèri. R.S. (wh.) Besser's.	America.	1824.	6. 9.	H. ⊙.	
45	cestrifolium. S.S. (wh.) Cestrum-leaved.	1826.	4. 7.	S. h.	
46	longiflorum. R.S. (bl.) long-flowered.	Guiana.	1823.	6. 8.	S. h.	Dunal solan. t. 9.
	<i>longifolium</i> . Dun.					
47	triquetrum. R.S. (wh.) triquetrous.	New Spain.	1821.	—	S. h.	Cavan. ic. 3. t. 259.
48	bombense. R.S. (wh.) Bomba.	S. America.	1818.	—	S. h.	Jacq. f. eclog. t. 24.
49	pubigerum. R.S. (wh.) downy.	Mexico.	1823.	—	S. h.	Dunal sol. t. 6.
	<i>Cervantesii</i> . Lag.					
50	pyrifolium. R.S. (wh.) Pear-leaved.	W. Indies.	1824.	6. 8.	S. h.	Dun. sol. ed. 2. t. 31.
51	macrantherum. R.S. (vi.) large-anthered.	Mexico.	1826.	—	G. h. ∪.	H. et B. gen. am. 3. t. 12.
52	laurifolium. R.S. (wh.) Laurel-leaved.	S. America.	1820.	—	S. h.	Dunal sol. t. 8.
53	spirale. F.I. (wh.) spiral-racemed.	E. Indies.	—	4. 6.	S. h.	
54	Hookerianum. S.S. (bl.) Hooker's.	Mexico.	1825.	6. 9.	G. h.	Bot. mag. t. 2708.
	<i>coriaceum</i> . Bot. mag. nec aliorum.					
55	dealbatum. Lind. (wh.) white-leaved.	Chile.	1826.	10. 11.	G. h.	Bot. mag. t. 2697.
	<i>saponaceum</i> . B.M. non Dunal.					
56	salicifolium. D.L. (wh.) Willow-leaved.	Trinidad.	1822.	6. 9.	S. h.	
57	verbascifolium. R.S. (w.) Mullein-leaved.	W. Indies.	1749.	6. 8.	S. h.	Jacq. vind. 1. t. 13.
58	auriculatum. R.S. (vi.) ear-leaved.	Madagascar.	1773.	S. h.	Scop. del. 3. t. 8.
59	pubescens. R.S. (pu.) pubescent.	E. Indies.	1816.	6. 8.	S. h.	Willd. phyt. 1. t. 3.
60	argenteum. R.S. (wh.) silvery.	Brazil.	—	—	S. h.	Dunal sol. ed. 2. t. 39.
61	nudum. K.S. (wh.) naked.	Mexico.	1824.	3. 6.	S. h.	
62	diphyllum. R.S. (wh.) two-leaved.	W. Indies.	1699.	6. 7.	S. h.	Jacq. ic. 2. t. 322.
63	arborescens. R.S. (wh.) tree.	Cumana.	1819.	—	S. h.	Dunal sol. ed. 2. t. 12.
64	havanense. R.S. (bl.) Havannah.	W. Indies.	1793.	7. 8.	S. h.	Jacq. amer. pict. t. 4.
65	aggregatum. R.S. (li.) crowded.	Guinea.	—	—	S. h.	Jacq. ic. 2. t. 323.
66	Plukenetii. R.S. (wh.) Plukenet's.	S. America.	6. 8.	S. h.	Pluk. phyt. t. 227. f. 1.
67	eriocalyx. R.S. (wh.) woolly-calyxed.	Carthage.	1731.	5. 8.	S. h.	
68	umbellatum. R.S. (wh.) umbelled.	S. America.	—	—	S. h.	
69	americanum. R.S. (pu.) American.	Virginia.	1727.	7. 9.	H. ⊙.	
70	axilliflorum. R.S. (bl.) axil-flowered.	Vera Cruz.	1728.	6. 9.	S. h. ∪.	
	<i>scandens</i> . Miller.					
71	memphiticum. R.S. (wh.) tooth-stalked.	1823.	—	S. 4.	
72	persicum. R.S. (bl.) Persian.	Persia.	1829.	6. 9.	H. h. ∪.	
73	capsicastrum. Ot. (wh.) Capsicum-like.	1827.	—	S. h.	
74	lycioides. R.S. (li.) spiny.	Peru.	1791.	5. 6.	S. h.	Jacq. ic. 1. t. 46.
75	monanthum. R.S. (fl.) one-flowered.	New Spain.	1816.	—	S. 4.	
76	fugax. R.S. (wh. ye.) fugacious.	Caracas.	—	—	S. h.	Jacq. ic. 2. t. 324.
77	stellatum. R.S. (bl.) starry.	S. America.	—	—	S. h.	— 2. t. 325.
78	virgatum. R.S. (vi.) twiggy.	W. Indies.	1819.	—	S. h.	Dunal sol. ed. 2. t. 4.
79	lentum. R.S. (vi.) climbing woolly.	New Spain.	1823.	6. 8.	S. h. ∪.	Cavan. ic. 4. t. 308.
80	scandens. R.S. (pu.) climbing.	W. Indies.	1822.	S. h. ∪.	
81	atrosanguineum. Sck. (c.) dark crimson.	1827.	S. h.	
82	elæagnifolium. R.S. (bl.) Elæagnus-leaved.	Chile.	1823.	6. 8.	S. h.	Cavan. ic. 3. t. 243.
83	obtusifolium. K.S. (bl.) blunt-leaved.	Mexico.	1826.	—	G. h.	Dunal sol. ed. 2. t. 12.
84	stelligerum. R.S. (li.) starry-haired.	N. Holland.	1820.	—	S. h.	Sm. exot. bot. 2. t. 58.
85	racemosum. R.S. (wh.) wave-leaved.	W. Indies.	1781.	7. 8.	S. h.	Jacq. amer. pict. t. 3.
86	igneum. R.S. (wh.) red-spined.	S. America.	1714.	3. 11.	S. h.	Jacq. vind. 1. t. 14.
87	subarmatum. R.S. (wh.) partly armed.	—	1823.	—	S. h.	
88	bahamense. R.S. (wh. vi.) Bahama.	Bahama.	1732.	6. 7.	S. h.	Dill. elth. t. 271. f. 31.
89	hirtum. R.S. (wh.) hairy-calyxed.	Trinidad.	1823.	—	S. h.	Vahl ic. rar. d. 3. t. 21.
90	tomentosum. R.S. (bl.) tomentose.	S. America.	1662.	—	S. h.	Bocc. sic. 8. t. 5.
91	hybridum. R.S. (pa. bl.) hybrid.	Guinea.	1815.	—	S. h.	Jacq. vind. 2. t. 113.
92	coccineum. R.S. (bh.) scarlet-fruited.	1820.	—	S. h.	Jacq. ic. 1. t. 43.
93	jamaicense. R.S. (li.) Jamaica.	Jamaica.	—	—	S. h.	
94	cuneifolium. R.S. (wh.) wedge-leaved.	W. Indies.	—	S. h.	Dunal sol. t. 22.
95	heterophyllum. R.S. (bh.) variable-leaved.	Guiana.	1823.	7. 9.	S. h.	— ed. 2. t. 62.
96	volubile. R.S. (bl.) twining.	Hispaniola.	—	—	S. h. ∪.	Plum. Mss. t. 4. f. 33.
97	lanceifolium. R.S. (wh.) lance-leaved.	S. America.	—	S. h. ∪.	Jacq. ic. 2. t. 329.
98	coriaceum. R.S. (bl.) leathery-leav'd.	Trinidad.	1824.	6. 9.	S. h. ∪.	Dun. sol. p. 197. t. 14.
99	bonariense. R.S. (wh.) Buenos Ayres.	Buenos Ayres.	1727.	—	H. h.	Dill. elth. t. 272. f. 31.
100	fastigiatum. R.S. (pa. bl.) fastigiata.	S. America.	1820.	—	S. h.	Jacq. f. eclog. t. 6.
101	oporinum. R.S. (bl.) large-leaved.	—	—	—	S. h.	Dunal sol. t. 16.
	<i>macrophyllum</i> . Dun.					
102	subinerme. R.S. (bl.) spear-leaved.	W. Indies.	1752.	7. 8.	S. h.	Jacq. amer. t. 40. f. 1.
103	lanceolatum. R.S. (bl.) lanceolate.	New Spain.	6. 7.	S. h.	Cavan. ic. 3. t. 246.
104	astroites. Jacq. (bl.) Aster-like.	S. America.	1823.	—	S. h.	Jacq. f. eclog. t. 65.
105	glutiniosum. R.S. (bl.) glutinous.	1818.	6. 8.	S. h.	Dunal sol. ed. 2. t. 34.
106	Brownii. R.S. (vi.) Brown's.	N. S. W.	1820.	—	S. h.	
	<i>violaceum</i> . B.P. non Jacq.					

107	<i>giganteum</i> . R.S. (<i>wh. vi.</i>) tall.	C. B. S.	1792.	6. 8.	G. h.	Bot. mag. t. 1921.
108	<i>torvum</i> . R.S. (<i>wh.</i>) curved-prickled.	W. Indies.	1816.	—	S. h.	
109	<i>ferrugineum</i> . R.S. (<i>wh.</i>) ferruginous.	—	—	S. h.	Jacq. schœn. 3. t. 334.
110	<i>elatum</i> . L.en. (<i>bl.</i>) tall.	1824.	6. 9.	S. h.	
111	<i>ochroneurum</i> . L.en. (<i>bl.</i>) rusty-branched.	Brazil.	—	6. 8.	S. h.	
112	<i>molle</i> . K.S. (<i>wh.</i>) soft-leaved.	Caracas.	1826.	—	G. h.	
113	<i>Lichtensteinii</i> . R.S. ... Lichtenstein's.	C. B. S.	1824.	G. h.	
114	<i>esculentum</i> . R.S. (<i>li.</i>) eatable.	Tropics.	1597.	6. 9.	G. ⊙.	Dunal sol. t. 3. f. E.
115	<i>ovigerum</i> . R.S. (<i>pa. bl.</i>) Egg-plant.	Arabia.	—	—	G. ⊙.	Blackw. t. 549.
	<i>a violaceum</i> . (<i>pa. bl.</i>) violet-fruited.	—	—	G. ⊙.	
	<i>β album</i> . (<i>pa. bl.</i>) white-fruited.	—	—	G. ⊙.	
	<i>γ luteum</i> . (<i>pa. bl.</i>) yellow-fruited.	—	—	G. ⊙.	
	<i>δ ruber</i> . (<i>pa. bl.</i>) red-fruited.	—	—	G. ⊙.	
116	<i>longum</i> . F.I. (<i>vi.</i>) long-fruited.	E. Indies.	1816.	—	S. h.	
117	<i>insanum</i> . W. (<i>pu.</i>) insane.	—	1815.	8. 10.	S. h.	Pluk. alm. t. 226. f. 3.
118	<i>melanoxylon</i> . S.S. (<i>vi.</i>) black-wooded.	1825.	7. 10.	S. ⊙.	
119	<i>undatum</i> . R.S. (<i>pa. bl.</i>) waved.	E. Indies.	1818.	6. 9.	S. h.	Rheed. mal. 2. t. 37.
120	<i>fuscatum</i> . R.S. (<i>vi.</i>) brown-branched.	America.	7. 8.	G. ⊙.	Jacq. ic. 1. t. 42.
121	<i>sodomeum</i> . R.S. (<i>pu.</i>) black-spined.	Africa.	1688.	6. 7.	G. h.	Flor. græc. t. 235.
122	<i>incanum</i> . R.S. (<i>re.</i>) hoary.	Mauritius.	1823.	—	S. h.	Scop. del. 1. t. 1.
123	<i>indicum</i> . R.S. (<i>bl.</i>) Indian.	India.	1732.	7.	S. h.	Dill. elth. t. 270. f. 349.
124	<i>coagulans</i> . R.S. (<i>bl.</i>) scollop-leaved.	Arabia Felix.	1802.	—	S. h.	Jacq. schœn. 4. t. 469.
125	<i>santum</i> . R.S. (<i>bl. pu.</i>) oblique-leaved.	Egypt.	—	—	S. h.	
126	<i>marginatum</i> . R.S. (<i>li.</i>) white margined.	Africa.	1775.	6. 9.	G. h.	Bot. mag. t. 1928.
127	<i>congensis</i> . L.en. (<i>bl.</i>) Congo.	—	1815.	—	G. h.	
128	<i>campechiense</i> . R.S. (<i>li.</i>) purple-spined.	America.	1732.	7.	G. h.	Dill. elth. t. 268. f. 347.
129	<i>plataniifolium</i> . B.M. (<i>vi.</i>) Plane-leaved.	S. America.	1822.	7. 9.	S. h.	Bot. mag. t. 2618.
130	<i>myriacanthum</i> . R.S. (<i>w.</i>) many-spined.	—	—	—	S. h.	
131	<i>aculeatissimum</i> . R.S. (<i>w.</i>) very prickly.	—	1800.	—	S. h.	Jacq. ic. 1. t. 41.
132	<i>spinosissimum</i> . D.L. (<i>w.</i>) very spiny.	Trinidad.	1820.	—	S. h.	
133	<i>lividum</i> . S.S. (<i>wh.</i>) livid.	Madagascar.	1821.	—	S. h.	
134	<i>lasiocarpum</i> . R.S. (<i>wh.</i>) four-celled.	E. Indies.	1824.	6. 8.	S. ♂.	Rheel. mal. 2. t. 35.
	<i>hirsutum</i> . F.I. non Dunal. <i>quadriloculare</i> . S.S.					
135	<i>mammosum</i> . R.S. (<i>pa. bl.</i>) nipple.	W. Indies.	1699.	7. 8.	H. ⊙.	Merian. surin. t. 27.
136	<i>ciliatum</i> . R.S. (<i>pa. bl.</i>) ciliated.	1816.	—	H. ⊙.	Dunal sol. t. 18.
137	<i>stramonifolium</i> . R.S. (<i>bl.</i>) broad-leaved.	E. Indies.	1778.	6. 9.	S. h.	Jacq. ic. 1. t. 44.
138	<i>flavescens</i> . R.S. (<i>wh.</i>) yellowish.	Trinidad.	1822.	—	S. h.	
139	<i>ferox</i> . R.S. (<i>li. pu.</i>) Malabar.	Malabar.	1795.	8. 9.	S. ♀.	Dunal sol. ed. 2. t. 68.
140	<i>crassipetalum</i> . F.I. (<i>li.</i>) thick-petaled.	Nepaul.	1824.	4. 7.	G. h.	
141	<i>lysimachioïdes</i> . F.I. (<i>w.</i>) Loosestrife-like.	E. Indies.	1823.	6. 9.	S. ♀.	
142	<i>campanulatum</i> . B.P. (<i>pu.</i>) bell-flowered.	N. S. W.	1818.	8. 9.	G. ⊙.	
143	<i>armatum</i> . B.P. (<i>pu.</i>) armed.	—	1819.	—	S. ♀.	Dunal sol. ed. 2. t. 69.
144	<i>pungetium</i> . B.P. (<i>vi.</i>) pungent.	—	1823.	—	G. ⊙.	— ed. 2. t. 70.
145	<i>cinereum</i> . B.P. (<i>wh.</i>) grey.	—	—	—	G. ♀.	
146	<i>Milleri</i> . R.S. (<i>wh.</i>) Miller's.	C. B. S.	1762.	7. 8.	G. h.	Jacq. ic. 2. t. 330.
147	<i>trilobatum</i> . R.S. (<i>wh.</i>) three-lobed.	W. Indies.	1759.	8.	S. h.	Pluk. alm. t. 316. f. 5.
148	<i>acetosæfolium</i> . R.S. (<i>w.</i>) Sorrel-leaved.	E. Indies.	—	—	S. h.	Burm. ind. t. 22. f. 2.
149	<i>rigescens</i> . R.S. (<i>vi.</i>) rigid.	C. B. S.	1815.	6. 8.	G. h.	Jacq. schœn. 1. t. 42.
150	<i>carolinense</i> . R.S. (<i>w. bl.</i>) Carolina.	Carolina.	1732.	7. 9.	G. ♀.	Jacq. ic. 2. t. 331.
151	<i>violaceum</i> . R.S. (<i>bl.</i>) violet.	E. Indies.	1823.	6. 9.	S. h.	Jacq. fragm. t. 133. f. 1.
152	<i>pyracanthum</i> . B.M. (<i>pu.</i>) orange-thorn'd.	Madagascar.	1789.	8. 9.	S. h.	Sm. exot. bot. 2. t. 64.
	<i>β inermis</i> . (<i>pu.</i>) smooth-calyxed.	—	—	—	S. h.	Bot. mag. t. 2547.
153	<i>virginianum</i> . R.S. (<i>vi.</i>) Virginian.	Virginia.	1662.	5. 8.	H. ⊙.	Dill. elth. t. 267. f. 346.
154	<i>Jacquinii</i> . R.S. (<i>bl. pu.</i>) Jacquin's.	E. Indies.	1804.	9. 11.	S. ⊙.	Jacq. ic. 2. t. 332.
155	<i>xanthocarpum</i> . R.S. (<i>bl.</i>) yellow-fruited.	Ethiopia.	1828.	6. 10.	H. ⊙.	Wend. s. han. 1. t. 2.
156	<i>Balbisii</i> . R.S. (<i>wh.</i>) Balbis's.	S. America.	1816.	4. 9.	S. h.	Bot. mag. t. 2568.
	<i>decurrens</i> . B.R. 140. <i>brancaefolium</i> . Jacq. f. ecl. t. 7. <i>viscosum</i> . DC.					
157	<i>tectum</i> . R.S. (<i>ye.</i>) villous-calyxed.	Mexico.	1826.	7. 10.	G. h.	Cavan. icon. 4. t. 209.
158	<i>capense</i> . R.S. (<i>wh.</i>) Cape prickly.	C. B. S.	1816.	6. 10.	G. h.	
159	<i>Houstoni</i> . R.S. (<i>wh.</i>) Houston's.	Vera Cruz.	1731.	—	S. h.	
160	<i>Angurium</i> . R.S. (<i>ye.</i>) procumbent.	—	—	—	S. h.	
	NYCTERIUM. V. NYCTERIUM. Pentandria Monogynia.					
1	<i>cordifolium</i> . V. (<i>vi.</i>) Canary.	Canaries.	1779.	3. 4.	G. h.	Venten. malm. t. 85.
	<i>Solanum respertilio</i> . R.S.					
2	<i>Amazonium</i> . B.M. (<i>bl.</i>) Lambert's.	Brazil.	1814.	5. 9.	S. h.	Bot. mag. t. 1801.
	<i>Solanum Amazonium</i> . Bot. reg. t. 71.					
3	<i>cornutum</i> . L.en. (<i>ye.</i>) horned.	S. America.	1825.	—	S. h.	Juss. ann. mus. 3. t. 9.
4	<i>lobatum</i> . (<i>ye.</i>) Missouri.	Missouri.	1813.	7. 9.	H. ⊙.	Pursh fl. amer. 1. t. 7.
	<i>Solanum heterandrum</i> . Ph. <i>Androcera lobata</i> . N.					

5	rostratum. L.en. (ye.) beaked.	Mexico.	1823.	7. 9.	H. ⊙.	Dunal sol. t. 24.
6	Fontanesianum. (ye.) Desfontaine's.	Brazil.	1813.	—	H. ⊙.	Bot. reg. t. 177.
7	heterodoxum. L.en. (bl.) very prickly.	Mexico.	1824.	—	H. ⊙.	Dunal sol. t. 25.
WITHERINGIA. R.S. WITHERINGIA. Tetr-Pentandria Monogynia.						
1	solanacea. R.s. (st.) yellow-flowered.	S. America.	1742.	5. 9.	S. 4.	L'Herit. sert. angl.
2	stramonifolia. K.s. (st.) Stramonium-ld.	Mexico.	1823.	—	S. h.	
3	crassifolia. R.s. (li.) thick-leaved.	C. B. S.	1729.	—	G. h.	Dill. elth. t. 273.
4	montana. R.s. (wh.bl.) mountain.	Peru.	1822.	—	G. 4.	Bot. mag. t. 276.
5	phyllantha. R.s. (bl.) annual.	—	—	7. 9.	H. ⊙.	Cavan. ic. 4 t. 30.
6	pinnatifida. R.s. (li.) pinnatifid.	—	—	6. 8.	G. 4.	Flor. peruv. 2. t. 17.
CESTRUM. R.S. CESTRUM. Pentandria Monogynia. L.						
1	laurifolium. R.s. (ye.) Laurel-leaved.	W. Indies.	1691.	5. 8.	S. h.	Smith spicil. 2. t. 2.
2	citrifolium. R.s. (st.) Citron-leaved.	1816.	—	S. h.	
3	macrophyllum. R.s. (st.) large-leaved.	W. Indies.	1812.	—	S. h.	Venten. choix. t. 1.
4	venenatum. R.s. (st.) poisonous.	C. B. S.	1787.	2. 4.	G. h.	
5	nocturnum. R.s. (gr.ye.) night-smelling.	E. Indies.	1732.	11.	S. h.	Dill. elth. t. 153.
6	hirtum. R.s. (gr.wh.) hairy.	Jamaica.	1822.	5. 8.	S. h.	
7	Parqui. R.s. (st.) Willow-leaved.	S. America.	1787.	6. 7.	G. h.	Bot. mag. t. 177.
8	thyrsoides. K.s. (st.) bunch-flowered.	Mexico.	1826.	5. 7.	S. h.	
9	suberosum. R.s. (gr.) cork-barked.	1815.	6. 7.	S. h.	Jacq. schœn. 4. t. 1.
10	auriculatum. W. (wh.) eared-leaved.	Peru.	1774.	—	S. h.	L'Herit. s. nov. 1.
11	exstipulatum. R.s. (gr.) exstipulate.	S. America.	1824.	—	S. h.	
12	tinctorium. R.s. (wh.) dying.	Caracas.	1823.	5. 6.	S. h.	Jacq. schœn. 3. t. 1.
13	undulatum. R.s. (st.) waved-leaved.	Peru.	—	—	S. h.	Flor. peruv. 2. t. 1.
14	multiflorum. R.s. (gr.) many-flowered.	S. America.	1825.	—	S. h.	
15	paniculatum. K.s. (gr.ye.) paniced.	Caracas.	1819.	S. h.	
16	latifolium. R.s. (st.) broad-leaved.	Trinidad.	1822.	5. 6.	S. h.	
17	alaternoïdes. R.s. (gr.ye.) Alaternus-like.	S. America.	1820.	4. 6.	S. h.	Bot. mag. t. 200.
18	hirsutum. R.s. (st.) hairy-stalked.	1822.	5. 6.	S. h.	Jacq. schœn. 3. t. 1.
19	cauliflorum. R.s. (wh.) stem-flowering.	Martinica.	1818.	—	S. h.	— 3. t. 1.
20	salicifolium. R.s. (st.) Sallow-leaved.	Caracas.	3. 6.	S. h.	— 3. t. 1.
21	pendulum. R.s. (wh.) pendulous.	—	1820.	—	S. h.	— 3. t. 1.
22	vespertinum. R.s. (wh.) cluster-flowered.	W. Indies.	1759.	5. 7.	S. h.	— 3. t. 1.
23	pallidum. R.s. (gr.ye.) pale-flowered.	Jamaica.	1732.	—	S. h.	Sloan. hist. 2. t. 2.
24	fœtidissimum. R.s. (ye.) stinking.	—	5. 8.	S. h.	Jacq. schœn. 3. t. 1.
25	bracteatum. B.M. (st.) large-bracted.	S. America.	1828.	12. 2.	S. h.	Bot. mag. t. 297.
26	acuminatum. (ye.gr.) tapering-leaved.	Mexico.	1821.	7. 10.	F. h.	Swt. br. fl. gar. ser.
27	fastigiatum. R.s. (wh.) Honeysuckle.	W. Indies.	10. 12.	S. h.	Bot. mag. t. 172.
28	odontospermum. R.s. (w.) smooth.	S. America.	1793.	7. 9.	S. h.	Jacq. schœn. 3. t. 1.
29	diurnum. R.s. (wh.) day smelling.	W. Indies.	1732.	10. 11.	S. h.	Dill. elth. t. 154.
30	roseum. R.s. (ro.) rose-coloured.	Mexico.	1829.	G. h.	
31	tomentosum. R.s. (st.) downy.	S. America.	1790.	6. 7.	S. h.	
32	angustifolium. B.C. (st.) narrow-leaved.	—	1820.	—	S. h.	Lodd. bot. cab. t. 1.
LYCIUM. R.S. BOX-THORN. Pentandria Monogynia. L.						
1	afrum. R.s. (ri.) African.	C. B. S.	1712.	6. 7.	H. h.	Bot. reg. t. 354.
2	tenuë. R.s. (pu.) slender.	—	—	—	H. h.	
3	rigidum. R.s. (ri.) rigid.	—	1795.	—	H. h.	Trew Ehret. t. 24.
	carnosum. P.s. italicum Miller.	—	—	—	—	
4	microphyllum. R.s. (ri.) small-leaved.	—	—	—	H. h.	
5	ruthenicum. R.s. (ro.) Russian.	Siberia.	1804.	—	H. h.	Pall. ros. 1. t. 49.
6	tetrandrum. R.s. (pu.) tetrandrous.	C. B. S.	—	H. h.	
7	barbarum. R.s. (re.) Willow-leaved.	Barbary.	1696.	5. 8.	H. h.	Wats. dend. brit.
8	Shawii. R.s. (wh.) white-flowered.	—	—	H. h.	Shaw afric. f. 349.
9	Trewianum. R.s. (pu.) Trew's.	China.	—	H. h.	Trew Ehret. t. 68.
	chinense. P.s. non Mill.	—	—	—	
10	chinense. R.s. (re.) Chinese.	—	—	H. h.	Wats. dend. brit.
	otatum. P.s. barbarum β chinense. w.	—	—	—	
11	lanceolatum. P.s. (ri.) spear-leaved.	S. Europe.	—	H. h.	Dubam. arb. nor.
12	turbinatum. P.s. (re.) top-shaped.	China.	1709.	—	H. h.	
13	cinereum. R.s. (pu.) gray.	C. B. S.	1815.	6. 8.	H. h.	Flor. græc. t. 266.
14	europæum. R.s. (li.) European.	S. Europe.	1730.	5. 8.	H. h.	
15	horridum. R.s. (wh.) succulent-leav'd.	C. B. S.	1791.	7. 8.	H. h.	L'Herit. stirp. t. 2.
16	boerhaaviæfolium. (bh.) glaucous-leaved.	Peru.	1780.	4. 5.	G. h.	Flor. peruv. 2. t. 1.
17	arborescens. S.s. (wh.) arborescent.	—	1819.	6. 7.	G. h.	
	A'tropa arborescens. R.s.	—	—	—	—	
18	carolinianum. R.s. (pu.) Carolina.	Carolina.	1806.	7. 9.	H. h.	
19	capsulare. R.s. (pu.) capsular.	Mexico.	1730.	6. 8.	G. h.	
SOLA'NDRA. R.S. SOLA'NDRA. Pentandria Monogynia. R.S.						
1	grandiflora. R.s. (li.) large-flowered.	Jamaica.	1781.	3. 8.	S. h.	Jacq. schœn. 1. t. 1.

2	<i>nitida</i> . R.S.	(<i>st.</i>) glossy-leaved.	Jamaica.	1781.	3. 8.	S. h.	Bot. mag. t. 1874.
	<i>grandiflora</i> . B.M.	non Jacq.					
3	<i>viridiflora</i> . S.S.	(<i>gr.</i>) green-flowered.	Brazil.	1816.	5. 6.	S. h.	Bot. mag. t. 1948.
4	<i>oppositifolia</i> opposite-leaved.	W. Indies.	1824.	S. h.	
BRUNFELSIA. W. BRUNFELSIA. Didynamia Angiospermia. L.							
1	<i>undulata</i> . w.	(<i>wh.st.</i>) large-flowered.	Jamaica.	1780.	6. 7.	S. h.	Bot. reg. t. 228.
2	<i>americana</i> . w.	(<i>wh.st.</i>) American.	W. Indies.	1735.	—	S. h.	Bot. mag. t. 393.
	<i>α latifolia</i> .	(<i>wh.st.</i>) broad-leaved.	—	—	—	S. h.	
	<i>β angustifolia</i> .	(<i>wh.st.</i>) narrow-leaved.	—	—	—	S. h.	
3	<i>violacea</i> . B.C.	(<i>wh.st.</i>) purple-stalked.	—	1820.	—	S. h.	Lod. bot. cab. t. 792.
4	<i>uniflora</i> . D.D.	(<i>bl.wh.</i>) single-flowered.	Brazil.	1827.	1. 12.	S. h.	Bot. mag. t. 2829.
	<i>Franciscea Hopeana</i> . B.M.						
CRESCENTIA. W. CALABASH-TREE. Didynamia Angiospermia. L.							
1	<i>Cujete</i> . w.	(<i>li.ye.</i>) oval-fruited.	Jamaica.	1690.	S. h.	Jacq. amer. t. 111.
2	<i>acuminata</i> . K.S.	(<i>li.</i>) acuminate.	Cuba.	1822.	S. h.	
3	<i>cucurbitina</i> . w.	(<i>li.ye.</i>) round-fruited.	W. Indies.	1733.	S. h.	Plum. ic. t. 109.
4	<i>alata</i> . K.S.	(<i>li.</i>) winged-leaved.	Mexico.	1825.	S. h.	
TRIPINNARIA. S.S. TRIPINNARIA. Didynamia Angiospermia.							
	<i>africana</i> . S.S.	(<i>re.</i>) African.	Mauritius.	1823.	S. h.	Jacq. coll. 3. t. 18.
	<i>Crescentia pinnata</i> . Jacq.	<i>Tanacetium pinnatum</i> . w.					

ORDO CLII.

SCROPHULARINÆ. *Brown prodr. 1. p. 433.*

Sect. I. STAMINA (4) ANTHERIFERA.

BUDDLEA. S.S. BUDDLEA. Tetrandria Monogynia. L.							
1	<i>madagascariensis</i> . (<i>or.</i>)	Madagascar.	Madagascar.	1824.	9. 10.	S. h.	Bot. mag. t. 2824.
2	<i>saligna</i> . S.S.	(<i>wh.</i>) Willow-like.	C. B. S.	1816.	8. 9.	G. h.	Jacq. schœn. 1. t. 29.
3	<i>paniculata</i> . S.S.	(<i>wh.</i>) paniced.	Nepaul.	1823.	—	G. h.	
4	<i>americana</i> . R.S.	(<i>ye.</i>) American.	W. Indies.	1824.	7. 10.	S. h.	Sloan. hist. 2. t. 173. f. 1.
5	<i>occidentalis</i> . R.S.	(<i>wh.</i>) occidental.	Peru.	1730.	G. h.	Flor. peruv. 1. t. 83.
6	<i>salvifolia</i> . S.S.	(<i>wh.cr.</i>) Sage-leaved.	C. B. S.	1760.	8. 9.	G. h.	Jacq. schœn. 1. t. 28.
7	<i>Neemda</i> . S.S.	(<i>wh.</i>) Nepaul.	Nepaul.	1822.	—	G. h.	
8	<i>brasiliensis</i> . S.S.	(<i>or.</i>) Brazilian.	Brazil.	—	9. 11.	S. h.	Bot. mag. t. 2713.
9	<i>heterophylla</i> . B.R.	(<i>ye.</i>) different-leaved.	S. America.	1826.	1. 5.	S. h.	Bot. reg. t. 1259.
10	<i>globosa</i> . S.S.	(<i>ye.</i>) round-headed.	Chile.	1774.	5. 7.	H. h.	Bot. mag. t. 174.
11	<i>connata</i> . S.S.	(<i>or.</i>) connate-leaved.	Peru.	1826.	5. 6.	G. h.	— t. 2853.
12	<i>salicifolia</i> . S.S.	(<i>ye.</i>) Willow-leaved.	S. America.	1823.	S. h.	
13	<i>diversifolia</i> . R.S.	(<i>wh.</i>) various-leaved.	Java.	—	S. h.	
SCOPARIA. L. SCOPARIA. Tetrandria Monogynia. L.							
1	<i>dulcis</i> . L.	(<i>wh.</i>) sweet.	S. America.	1730.	6. 9.	S. h.	Herm. parad. t. 241.
2	<i>flava</i> . Ot.	(<i>ye.</i>) yellow.	—	1829.	—	S. h.	
CAPRARIA. S.S. GOAT-WEED. Didynamia Angiospermia. L.							
1	<i>undulata</i> . S.S.	(<i>ro.</i>) wave-leaved.	C. B. S.	1774.	3. 7.	G. h.	Bot. mag. t. 1556.
2	<i>cuneata</i> . S.S.	(<i>ro.</i>) wedge-leaved.	S. America.	1759.	6. 8.	S. h.	
3	<i>lanceolata</i> . S.S.	(<i>ye.</i>) spear-leaved.	C. B. S.	1774.	5. 7.	G. h.	Pl. sel. h. ber. t. 4.
4	<i>biflora</i> . S.S.	(<i>wh.</i>) two-flowered.	S. America.	1752.	7. 8.	S. h.	Jacq. amer. t. 115.
5	<i>humilis</i> . w.	(<i>ro.</i>) dwarf.	E. Indies.	1781.	—	S. ⊙.	
TEEDIA. S.S. TEEDIA. Didynamia Angiospermia. S.S.							
1	<i>lucida</i> . S.S.	(<i>pu.</i>) shining.	C. B. S.	1774.	4. 7.	G. h.	Bot. reg. t. 210.
	<i>Capraria lucida</i> . w.	<i>Borkhausenia lucida</i> . Roth.					
2	<i>pubescens</i> . S.S.	(<i>pu.</i>) pubescent.	C. B. S.	1816.	5. 10.	G. h.	Bot. reg. t. 214.
HALLERIA. S.S. HALLERIA. Didynamia Angiospermia. L.							
1	<i>lucida</i> . S.S.	(<i>sc.</i>) shining-leaved.	C. B. S.	1752.	6. 8.	G. h.	Bot. mag. t. 1744.
2	<i>elliptica</i> . S.S.	(<i>sc.</i>) elliptic-leaved.	—	1816.	—	G. h.	Burm. afr. t. 84. f. 1.
STEMODIA. S.S. STEMODIA. Didynamia Angiospermia. W.							
1	<i>suffruticosa</i> . S.S.	(<i>bl.</i>) suffruticose.	S. America.	1823.	5. 8.	S. h.	
2	<i>viscosa</i> . S.S.	(<i>vi.</i>) viscous.	E. Indies.	1818.	7. 10.	S. ⊙.	Roxb. Corom. t. 163.
3	<i>verticillaris</i> . S.S.	(<i>pu.</i>) whorled.	Brazil.	1822.	—	H. ⊙.	
4	<i>parviflora</i> . H.K.	(<i>wh.</i>) small-flowered.	S. America.	1759.	7. 8.	S. ♀.	
5	<i>maritima</i> . S.S.	(<i>bl.</i>) sea-side.	Cuba.	1822.	—	S. ⊙.	Jacq. amer. t. 174. f. 66.

RUSS'ELIA. S.S.	RUSS'ELIA.	Didynamia Angiospermia. W.			
1 floribúnda. k.s. (sc.)	abundant-flowering.	Mexico.	1824.	6. 8.	S. ♀.
2 multiflora. s.s. (sc.)	many-flowered.	—————	1812.	—————	S. ♀.
TREVIR'ANIA. S.S.	TREVIR'ANIA.	Didynamia Angiospermia. S.S.			
coccínea. s.s. (sc.)	scarlet.	Jamaica.	1778.	8. 10.	S. ♀.
<i>Cyrilla pulchélla.</i> B.M.	<i>Achimènes coccínea.</i> P.S.				
COLU'MNEA. S.S.	COLU'MNEA.	Didynamia Angiospermia. L.			
1 scándens. s.s. (sc.)	climbing.	W. Indies.	1759.	8. 9.	S. ♀.
2 hirsúta. s.s. (li.)	hairy.	—————	1780.	8. 11.	S. ♀.
3 trifoliáta. L.en. (bl.)	three-leaved.	S. America.	1825.	—————	S. ♀.
4 rútilans. s.s. (ye.re.)	red-leaved.	Jamaica.	1823.	—————	S. ♀.
5 hispída. s.s. (sc.)	bristly.	—————	1824.	—————	S. ♀.
MAURA'NDIA. S.S.	MAURA'NDIA.	Didynamia Angiospermia. W.			
1 semperflórens. s.s. (ro.)	red-flowered.	Mexico.	1796.	1. 12.	G. ♀. ∪.
2 antirrhiniflora. s.s. (bl.)	blue-flowered.	—————	1814.	—————	G. ♀. ∪.
3 Barclayána. B.R. (bl.)	Mr. Barclay's.	—————	1826.	4. 11.	G. ♀. ∪.
LOPHOSPE'RMUM. D.D.	LOPHOSPE'RMUM.	Didynamia Angiospermia.			
scándens. L.T. (pu.)	climbing.	Mexico.	1830.	6. 8.	G. ♀. ∪.
DODA'RTIA. S.S.	DODA'RTIA.	Didynamia Angiospermia. L.			
orientális. s.s. (d.pu.)	oriental.	Levant.	1752.	7. 8.	H. ♀.
CYMB'ARIA. S.S.	CYMB'ARIA.	Didynamia Angiospermia. L.			
davúrica. s.s. (ye.)	Daurian.	Davuria.	1796.	6. 7.	H. ♀.
COLLI'NSIA. N.	COLLI'NSIA.	Didynamia Angiospermia.			
1 vérna. N. (bl.pu.)	large-flowered.	N. America.	1827.	4. 11.	H. ⊙.
<i>grandiflora.</i> Bot. reg. t. 1107.					
2 parviflora. D. (bl.)	small-flowered.	—————	—————	6. 9.	H. ⊙.
NEM'ESIA. S.S.	NEM'ESIA.	Didynamia Angiospermia. S.S.			
1 chamædryfólia. s.s. (w.bl.)	Chamædry's-ld.	C. B. S.	1787.	4. 9.	G. ♀.
<i>Antirrhinum macrocárpum.</i> w.					
2 bicórne. s.s. (wh.bl.)	horned.	—————	1774.	7. 8.	G. ⊙.
3 fœ'tens. s.s. (wh.bl.)	fœtid.	—————	1798.	4. 9.	G. ♀.
4 lineàris. s.s. (sn.ro.)	linear-leaved.	—————	1822.	—————	G. ⊙.
ANARRH'INUM. S.S.	ANARRH'INUM.	Didynamia Angiospermia. S.S.			
1 pubéscens. E. (bl.)	pubescent.	Mount Sinai.	1826.	5. 8.	H. ♀.
2 bellidifólium. s.s. (bl.)	Daisy-leaved.	France.	1629.	6. 8.	H. ♂.
ANTIRRH'INUM. S.S.	SNAP-DRAGON.	Didynamia Angiospermia. L.			
1 màjus. s.s. (va.)	great.	England.	6. 8.	H. ♀.
<i>α albiflorum.</i> (wh.)	white-flowered.	—————	—————	H. ♀.
<i>β ròseum.</i> (ro.)	rose-coloured.	—————	—————	H. ♀.
<i>γ coccíneum.</i> (sc.)	scarlet.	—————	—————	H. ♀.
<i>δ bicolor.</i> (re.wh.)	two-coloured.	—————	—————	H. ♀.
<i>ε múltiplex.</i> (sc.)	double-flowered.	—————	H. ♀.
2 meonánthum. L.en. (re.)	smaller-flower'd.	S. Europe.	1820.	—————	H. ♀.
3 angustifólium. Urv. (re.)	narrow-leaved.	Italy.	1818.	—————	H. ♀.
4 sículum. s.s. (st.)	Sicilian.	Sicily.	1804.	7. 8.	H. ♀.
5 Oróntium. s.s. (bh.)	Calf's-snout.	Britain.	7. 9.	H. ⊙.
6 calycínium. L.en. (wh.)	long-calyxed.	S. Europe.	—————	H. ⊙.
7 Asarína. s.s. (wh.)	heart-leaved.	Italy.	1699.	7.	F. ♀.
8 mólle. s.s. (wh.)	soft-leaved.	Spain.	1752.	7. 10.	F. ♀.
LIN'ARIA. S.S.	TOAD-FLAX.	Didynamia Angiospermia. S.S.			
1 fruticósa. s.s. (ye.)	shrubby.	Barbary.	1822.	5. 6.	G. ♀.
2 frutéscens. s.s. (ye.)	frutescent.	C. B. S.	1816.	5. 7.	G. ♀.
<i>Antirrhinum frutéscens.</i> Th.					
3 dalmática. s.s. (ye.)	Dalmatian.	Levant.	1731.	6. 7.	G. ♀.
4 scopària. s.s. (ye.)	broom-like.	Teneriffe.	1815.	—————	G. ♀.
5 Cymbalària. s.s. (bh.)	Ivy-leaved.	England.	5. 11.	H. ♀.
6 pállida. T.S. (li.)	pale-flowered.	Italy.	1824.	—————	H. ♀.
<i>pubéscens.</i> T.P. non P.S.					
7 pilósa. s.s. (li.)	hairy-leaved.	—————	1800.	6. 9.	H. ♀.
8 hepaticæfólia. s.s. (pu.)	Hepatica-leav'd.	Corsica.	1828.	—————	F. ♀.
9 æquitrilóba. s.s. (d.pu.)	equal 3-lobed.	Sardinia.	—————	—————	F. ♀.
10 Elátine. s.s. (bl.)	sharp-pointed.	England.	7. 11.	H. ⊙.
11 cirrhósa. s.s. (bl.wh.)	cirrhose.	Egypt.	1777.	7. 8.	H. ⊙.
12 spúria. s.s. (ye.vi.)	round-leaved.	England.	7. 9.	H. ⊙.
<i>Antirrhinum spúrium.</i> E.B.					
13 lanígera. s.s. (st.)	woolly.	S. Europe.	1820.	—————	H. ⊙.
14 dealbàta. s.s. (ye.)	villous-leaved.	Portugal.	—————	7. 9.	H. ⊙.
15 latifólia. s.s. (ye.)	broad-leaved.	Barbary.	1800.	6. 7.	H. ⊙.
16 triphy'lla. s.s. (bl.ye.)	three-leaved.	Sicily.	1596.	6. 9.	H. ⊙.

Bot. mag. t. 1528.

Bot. mag. t. 374.

Bot. reg. t. 805.

Brown jam. t. 30. f. 1.

Bot. mag. t. 460.

————— t. 1643.

Bot. reg. t. 1108.

Swt. br. fl. gar. t. 15.

Amm. ruth. t. 1. f. 2.

Swt. br. fl. gar. t. 22.

Bot. reg. t. 1092.

Burm. afr. t. 75. f. 1.

Venten. malm. t. 41.

Bot. mag. t. 2056.

Eng. bot. v. 2. t. 129.

Lk. fl. port. 1. t. 56.

Eng. bot. v. 17. t. 113.

Bot. mag. t. 902.

Desf. atl. 2. t. 135.

Buxb. cent. 1. t. 24.

Eng. bot. v. 7. t. 52.

Jacq. obs. 2. t. 48.

Bot. mag. t. 2941.

Eng. bot. v. 10. t. 62.

Jacq. vind. 1. t. 52.

Eng. bot. v. 10. t. 62.

Desf. atl. 2. t. 134.

Bot. mag. t. 324.

17	<i>reflexa</i> . s.s.	(wh.) reflex-flowered.	S. Europe.	1824.	6. 9.	H. ⊙.	Flor. græc. t. 593.
18	<i>origanifolia</i> . s.s.	(bl.) Marjoram-leav'd.	—————	1785.	—	F. ♀.	Barrel. ic. 598.
19	<i>cretæca</i> . s.s.	(bl.ye.) crowded-flower'd.	Siberia.	1826.	—	H. ⊙.	
20	<i>virgata</i> . s.s.	(bl.) slender-stalked.	Barbary.	1824.	—	H. ⊙.	Desf. atl. 2. t. 135.
21	<i>thymifolia</i> . s.s.	(ye.) Thyme-leaved.	S. Europe.	—	—	H. ⊙.	
22	<i>villôsa</i> . s.s.	(wh.) villous.	Spain.	1786.	7. 8.	F. ♀.	Barrel. ic. 597.
23	<i>rubrifolia</i> . s.s.	(bl.) red-leaved.	S. France.	1824.	—	F. ♀.	
24	<i>saxatilis</i> . P.s.	(ye.) rock.	S. Europe.	1827.	6. 8.	H. ♀.	
25	<i>pubescens</i> . P.s.	(ye.) pubescent.	—————	1824.	6. 9.	H. ⊙.	
26	<i>hirta</i> . s.s.	(ye.) shaggy-leaved.	Spain.	1759.	—	H. ⊙.	Jacq. ic. 1. t. 117.
27	<i>trionithophora</i> .	(pu.) three bird's.	Portugal.	1710.	—	F. ♀.	Bot. mag. t. 523.
28	<i>parviflora</i> . s.s.	(ye.) small flowered.	Sardinia.	1829.	—	H. ⊙.	Desf. atl. 2. t. 137.
29	<i>albifrons</i> . F.G.	(wh.) white fronted.	Greece.	1828.	—	H. ⊙.	Flor. græc. t. 588.
30	<i>bipartita</i> . s.s.	(bl.) cloven flowered.	Barbary.	1801.	—	H. ⊙.	Swt. br. fl. gar. t. 30.
	<i>speciosa</i> . Jacq. fil. eclog. t. 95.						
31	<i>minor</i> . s.s.	(pu.ye.) little erect.	England.	6. 11.	H. ⊙.	Eng. bot. v. 28. t. 2014.
	<i>Antirrhinum minus</i> . E.B.						
32	<i>littoralis</i> . s.s.	(bl.) shore.	Austria.	1824.	—	H. ⊙.	
33	<i>chalepensis</i> . s.s.	(wh.) white-flowered.	Levant.	1680.	6. 7.	H. ⊙.	Flor. græc. t. 592.
34	<i>tristis</i> . s.s.	(bk.br.) melancholy.	Spain.	1727.	7. 8.	G. ♀.	Bot. mag. t. 74.
35	<i>versicolor</i> . s.s.	(ye.bl.) various-colour'd.	France.	1777.	7. 9.	H. ⊙.	Jacq. ic. 1. t. 116.
36	<i>linarioïdes</i> . s.s.	(ye.) toadflax-like.	S. Europe.	1816.	5. 8.	H. ♀.	
37	<i>micrantha</i> . s.s.	(ye.) small-flowered.	Spain.	1825.	5. 7.	H. ⊙.	Flor. græc. t. 587.
38	<i>viscosa</i> . s.s.	(br.ye.) clammy.	—————	1786.	7.	H. ⊙.	Bot. mag. t. 368.
39	<i>purpurea</i> . s.s.	(pu.) purple.	S. Europe.	1648.	7. 9.	H. ♀.	Flor. græc. t. 589.
40	<i>arenaria</i> . s.s.	(ye.) sand.	Hungary.	1825.	—	H. ⊙.	
41	<i>alpina</i> . s.s.	(bl.) Alpine.	Austria.	1570.	7. 11.	H. ♀.	Bot. mag. t. 205.
42	<i>lusitânica</i> . s.s.	(ye.) Portugal.	S. Europe.	1820.	6. 7.	H. ♀.	
43	<i>pyrenæica</i> . s.s.	(ye.) Pyrenean.	Pyrenees.	1824.	6. 8.	H. ⊙.	
44	<i>Hælava</i> . F.E.	(ye.) hairy calyxed.	Egypt.	1803.	7. 9.	H. ⊙.	
45	<i>pelisseriana</i> . s.s.	(vi.) violet-coloured.	S. Europe.	1640.	6. 9.	H. ⊙.	Flor. græc. t. 591.
46	<i>élegans</i> . P.s.	(bl.) elegant.	Spain.	1812.	—	H. ⊙.	
47	<i>répens</i> . H.K.	(std.) creeping rooted.	England.	7. 10.	H. ♀.	Eng. bot. v. 18. t. 1253.
48	<i>amethy'stina</i> . s.s.	(bl.) bright blue.	S. Europe.	1816.	—	H. ⊙.	Cavan. ic. 1. t. 33. f. 1.
	<i>Antirrhinum bipunctatum</i> . Cav. nec aliorum.						
49	<i>supina</i> . s.s.	(ye.) trailing.	Spain.	1728.	—	H. ⊙.	Flor. græc. t. 595.
50	<i>bipunctata</i> . s.s.	(ye.) two-spotted.	—————	1749.	6. 8.	H. ⊙.	
51	<i>spârtea</i> . s.s.	(ye.) branching.	—————	1772.	6. 10.	H. ⊙.	Bot. mag. t. 200.
52	<i>simplex</i> . s.s.	(bl.) upright.	S. Europe.	1816.	7. 8.	H. ⊙.	Jacq. ic. 3. t. 499.
53	<i>arvensis</i> . s.s.	(ye.) corn.	—————	—	H. ⊙.	Flor. græc. t. 590.
54	<i>diffûsa</i> . s.s.	(ye.bl.) spreading.	Portugal.	1824.	—	H. ⊙.	
55	<i>multicaulis</i> . s.s.	(wh.bl.) many-stalked.	Levant.	1728.	5. 7.	H. ⊙.	Bocc. sic. t. 19. f. 1.
56	<i>macroûra</i> . L.en.	(ye.) large-spurred.	Caucasus.	1823.	6. 9.	H. ♀.	
57	<i>incarnata</i> . s.s.	(li.) flesh-coloured.	S. Europe.	1826.	—	H. ⊙.	
58	<i>reticulata</i> . s.s.	(ye.pu.) netted-flower'd.	Algiers.	1788.	5. 7.	F. ♀.	Smith ic. pict. t. 2.
59	<i>glaûca</i> . s.s.	(ye.) glaucous-leaved.	S. Europe.	1800.	6. 8.	H. ⊙.	Buxb. cent. 4. t. 37.
60	<i>ægyptiaca</i> . s.s.	(ye.) Egyptian.	Egypt.	1771.	7.	H. ⊙.	
61	<i>silensifolia</i> . Lk.	(ye.) Silene-leaved.	Portugal.	1820.	7. 9.	H. ⊙.	
62	<i>genistifolia</i> . s.s.	(ye.) Broom-leaved.	Austria.	1704.	7. 8.	H. ♀.	Flor. græc. t. 596.
63	<i>linifolia</i> . s.s.	(ye.) flax-leaved.	Italy.	1824.	—	H. ♀.	
64	<i>vulgâris</i> . s.s.	(ye.) common.	Britain.	6. 9.	H. ♀.	Eng. bot. v. 10. t. 658.
	<i>Antirrhinum Linaria</i> . E.B.						
	<i>β Pelôria</i> .	(ye.) regular-flowered.	—————	—	H. ♀.	Eng. bot. v. 4. t. 260.
65	<i>Loesëlii</i> . s.s.	(ye.bl.) Loesel's.	Russia.	1824.	—	H. ⊙.	
66	<i>odôra</i> . M.B.	(ye.bl.) sweet-scented.	Caucasus.	1827.	—	H. ⊙.	
67	<i>stricta</i> . s.s.	(ye.) upright.	Levant.	1829.	—	H. ⊙.	Flor. græc. t. 594.
68	<i>júncea</i> . s.s.	(ye.) rush-stalked.	Spain.	1780.	7. 8.	H. ⊙.	
69	<i>canadensis</i> . s.s.	(vi.) Canadian.	N. America.	1812.	6. 8.	H. ⊙.	Venten. cels. t. 49.
70	<i>acutifolia</i> . F.	(ye.bl.) sharp-leaved.	Levant.	1826.	—	H. ⊙.	
71	<i>fasciculata</i> . Ot.	(ye.) clustered.	1829.	—	H. ⊙.	
	SCROPHULARIA. L. FIGWORT. <i>Didynamia Angiospermia</i> . L.						
1	<i>marilandica</i> . s.s.	(g.br.) Maryland.	N. America.	1759.	5. 7.	H. ♀.	Flor. græc. t. 597.
2	<i>peregrina</i> . s.s.	(pu.) Nettle-leaved.	Italy.	1640.	6. 8.	H. ♀.	Eng. bot. v. 22. t. 1544.
3	<i>nodosa</i> . s.s.	(d.pu.) knotty-rooted.	Britain.	5. 7.	H. ♀.	————— v. 12. t. 854.
4	<i>aquatica</i> . s.s.	(d.pu.) water.	—————	—	H. ♀.	Jacq. schoen. 2. t. 209.
5	<i>glabrata</i> . s.s.	(pu.ye.) spear-leaved.	Canaries.	1779.	4. 5.	G. ♀.	
6	<i>biserrata</i> . s.s.	(pu.ye.) double-serrate.	1816.	5. 7.	H. ♀.	
7	<i>arguta</i> . s.s.	(re.) slender upright.	Canaries.	1778.	—	H. ⊙.	
8	<i>vernâlis</i> . s.s.	(ye.) yellow.	Britain.	3. 5.	H. ♀.	Eng. bot. v. 8. t. 567.

9	Smíthii. L.en. (br.ye.)	Smith's.	Canaries.	1815.	4. 8.	G. 2.		
10	glandulosa. s.s. (br.ye.)	glandular.	Hungary.	1806.	6. 9.	H. 2.	W. et K. hung. t. 211.	
11	rugosa. w.k. (br.ye.)	rugged.	————	1816.	————	H. 2.		
12	Scopòlii. P.s. (br.ye.)	Scopoli's.	Germany.	————	————	H. 2.	Scop. carn. 2. t. 32.	
13	Scorodònia. s.s. (pu.)	balm-leaved.	Britain.	7. 8.	H. 2.	Eng. bot. v. 31. t. 223.	
14	grandidentata. r.s. (pu.)	great-toothed.	Italy.	1829.	6. 8.	H. 2.		
15	altàica. s.s. (st.)	white-flowered.	Siberia.	1786.	5. 6.	H. 2.	Mur. com. got. 4. t. 2.	
16	betonicæfòlia. s.s. (pu.)	Betony-leaved.	Spain.	1752.	6. 8.	H. 2.	Barrel. ic. 274.	
17	hirsuta. L.en. (pu.ye.)	hairy.	S. Europe.	1822.	————	H. 2.		
18	appendiculata. s.s. (pu.)	heart-leaved.	Morocco.	1805.	7.	H. 2.		
19	Balbísii. s.s. (pu.ye.)	Balbis's.	Italy.	1823.	6. 8.	H. 2.		
20	auriculata. s.s. (br.ye.)	ear-leaved.	Spain.	1772.	7. 8.	H. 2.	Lobel. ic. 533.	
21	micrantha. s.s. (pu.)	small-flowered.	Levant.	1828.	————	H. 2.		
22	heterophylla. s.s. (pu.ye.)	various-leaved.	————	1827.	————	G. 2.		
23	trifoliata. s.s. (ye.br.)	three-leaved.	Africa.	1731.	5. 9.	H. 2.	Jacq. schœn. 3. t. 26.	
24	laciniata. w.k. (br.ye.)	jag-leaved.	Hungary.	1806.	7.	H. 2.	W. et K. hung. 2. t. 11.	
25	verbenæfòlia. Poir. (br.ye.)	Vervain-leav'd.	1816.	7. 8.	H. 2.		
26	cæsia. s.s. (ye.br.)	grey.	Levant.	1828.	————	F. 2.		
27	adscendens. W.en. (br.ye.)	ascending.	1816.	————	H. 2.		
28	variegata. s.s. (pu.ye.)	variegated.	Caucasus.	————	————	H. 2.		
29	ebulifolia. s.s. (ye.pu.)	Elder-leaved.	————	1824.	————	H. 2.		
30	grandiflora. DC. (br.ye.)	large-flowered.	1816.	————	H. 2.		
31	frutescens. s.s. (br.ye.)	shrubby.	Portugal.	1768.	6. 8.	F. 2.	Herm. lugd. t. 547.	
32	rupèstris. s.s. (br.ye.)	rock.	Tauria.	1826.	6. 9.	H. 2.		
33	orientalis. s.s. (br.ye.)	oriental.	Levant.	1710.	7. 8.	H. 2.	Schk. hand. 2. t. 173.	
34	melissæfòlia. s.s. (br.ye.)	balm-like.	————	1823.	————	H. 2.		
35	lanceolata. s.s. (st.)	spear-leaved.	Pensylvania.	1826.	————	H. 2.		
36	cretacea. s.s. (ye.)	narrow-leaved.	Siberia.	1828.	————	H. 2.		
37	lyrata. s.s. (br.pu.)	lyrate-leaved.	Portugal.	1816.	————	H. 2.	W. hort. ber. 1. t. 55.	
38	mellifera. s.s. (br.pu.)	honey-bearing.	Barbary.	1786.	————	H. 2.	Desf. atl. 2. t. 143.	
39	sambucifolia. s.s. (br.g.)	Elder-like.	Spain.	1640.	7. 9.	H. 2.	Mill. ic. 2. t. 231.	
40	hispida. s.s. (br.ye.)	hispid.	Levant.	1820.	————	H. 2.		
41	tanacetifolia. s.s. (br.ye.)	Tansy-leaved.	Tauria.	1804.	————	H. 2.	W. hort. ber. 1. t. 55.	
42	canina. s.s. (or.re.)	wing-leaved.	S. Europe.	1683.	6. 8.	H. 2.	Flor. græc. t. 599.	
43	chrysanthemifolia. (br.pu.)	Chrysanthemum-ld.	Tauria.	1816.	————	H. 2.	W. hort. ber. 1. t. 58.	
44	lucida. s.s. (br.ye.)	shining-leaved.	Levant.	1596.	————	H. 2.	———— 1. t. 57.	
45	filicifolia. s.s. (d.pu.)	Fern-leaved.	Crete.	————	H. 2.	Flor. græc. t. 600.	
46	multifida. s.s. (br.ye.)	multifid-leaved.	1816.	————	H. 2.	W. hort. ber. 1. t. 58.	
47	glauca. F.G. (pu.)	glaucous.	Greece.	1827.	————	H. 2.	Flor. græc. t. 599.	
48	pubescens. F. (pu.)	pubescent.	————	————	H. 2.		
49	pallida. F. (pu.)	pale-flowered.	Iberia.	————	————	H. 2.		
50	obtusifolia. F. (pu.)	blunt-leaved.	Hungary.	1821.	————	H. 2.		
DIGITALIS. S.S.			FOXGLOVE. Didynamia Angiospermia. L.					
1	Scéptrum. s.s. (or.)	Madeira shrubby.	Madeira.	1777.	7. 8.	G. 2.	Sm. exot. bot. 2. t. 72.	
2	canariensis. s.s. (ye.)	Canary.	Canaries.	1698.	6. 7.	G. 2.	Bot. reg. t. 48.	
3	obscura. s.s. (or.)	Willow-leaved.	Spain.	1778.	7. 8.	H. 2.	Lind. digit. t. 26.	
4	lutea. s.s. (st.)	small yellow.	France.	1629.	————	H. 2.	———— t. 23.	
5	hy'brida. Sv. (pi.wh.)	hybrid.	Hybrid.	————	H. 2.	Salv. nou. bull. 3. 357.	
6	fucata. P.s. (pu.)	painted.	————	————	H. 2.		
	lutea δ. Lindl. digit. t. 24.							
7	mèdia. s.s. (ye.)	middle yellow.	Germany.	1816.	————	H. 2.		
8	micrantha. s.s. (st.)	small-blossom'd.	Switzerland.	1824.	————	H. 2.	Elm. mon. 46. t. 2.	
9	tubiflora. L.D. (st.)	tube-flowered.	S. Europe.	1816.	————	H. 2.	Lind. digit. t. 22.	
10	lutescens. L.D. (st.)	pale yellow.	————	————	————	H. 2.	———— t. 21.	
11	purpurascens. s.s. (pi.)	blush-flowered.	Italy.	1776.	————	H. 2.	———— t. 20.	
	erubescens. H.K.							
12	rigida. L.D. (pu.ye.)	rigid.	S. Europe.	1824.	————	H. 2.	Lind. digit. t. 19.	
13	viridiflora. L.D. (gr.)	green-flowered.	Levant.	1827.	————	H. 2.	———— t. 18.	
14	parviflora. s.s. (pu.)	small-flowered.	1798.	6. 8.	H. 2.	———— t. 17.	
15	laciniata. B.R. (ye.)	cut-leaved.	Malaga.	1826.	————	H. 2.	Bot. reg. t. 1201.	
16	orientalis. s.s. (li.wh.)	oriental.	Levant.	1818.	7. 8.	H. 2.	———— t. 554.	
17	lanata. s.s. (wh.br.)	woolly.	Hungary.	1789.	6. 7.	H. 2.	Swt. br. fl. gar. t. 201.	
18	leucophæa. s.s. (wh.br.)	broad-lipped.	Greece.	1788.	6. 10.	H. 2.	Lind. digit. t. 14.	
19	aurea. s.s. (or.)	golden.	————	1815.	7. 8.	H. 2.	———— t. 13.	
20	ferruginea. s.s. (lr.)	iron-coloured.	Italy.	1597.	————	H. 2.	———— t. 12.	
21	sibirica. L.D. (ye.re.)	Siberian.	Siberia.	1820.	————	H. 2.	———— t. 11.	
22	laevigata. s.s. (ye.)	shining-leaved.	Hungary.	1810.	————	H. 2.	———— t. 10.	
23	fulva. s.s. (co.)	tawny.	S. Europe.	1820.	6. 8.	H. 2.	———— t. 9.	

24	<i>ambigua</i> . w.	(<i>ye.</i>) greater yellow.	Switzerland.	1596.	7. 8.	H. 4.	Bot. reg. t. 64.	
	<i>grandiflora</i> . s.s.							
25	<i>ochroleuca</i> . s.s.	(<i>st.</i>) sulphur-color'd.	Germany.	1816.	—	H. 4.	Lind. digit. t. 8.	
26	<i>fuscescens</i> . s.s.	(<i>br.</i>) netted-flower'd.	Hungary.	1824.	—	H. 4.		
27	<i>minor</i> . s.s.	(<i>pu.</i>) dwarf.	Spain.	1789.	6. 7.	H. 4.	Lind. digit. t. 5. 6.	
28	<i>eristachya</i> . Bes.	(<i>pu.</i>) woolly spiked.	1826.	—	H. 4.		
29	<i>tomentosa</i> . s.s.	(<i>pu.</i>) tomentose.	Portugal.	1820.	6. 8.	H. 4.	Bot. mag. t. 2194.	
30	<i>Thápsi</i> . s.s.	(<i>pu.</i>) Mullein.	Spain.	1752.	5. 8.	H. 4.	Sm. exot. bot. 1. t. 43.	
31	<i>purpurea</i> . s.s.	(<i>pu.</i>) common.	Britain.	6. 9.	H. 4.	Eng. bot. v. 19. t. 1297.	
	<i>β álba</i> .	(<i>wh.</i>) white-flowered.	—	—	H. 4.		
CHELONE. S.S.		CHELONE. Didynamia Angiospermia. L.						
1	<i>glabra</i> . w.	(<i>wh.</i>) white-flowered.	N. America.	1730.	8. 10.	H. 4.	Trew pl. select. t. 88.	
2	<i>obliqua</i> . w.	(<i>pu.</i>) red-flowered.	—	1752.	—	H. 4.	Bot. reg. t. 175.	
3	<i>Lyóni</i> . s.s.	(<i>re.</i>) Lyon's.	—	1812.	7. 9.	H. 4.	Swt. br. fl. gar. t. 293.	
	<i>máior</i> .						Bot. mag. t. 1864.	
4	<i>nemorosa</i> . D.	(<i>pu.</i>) wood.	N. America.	1827.	7. 9.	H. 4.	Bot. reg. t. 1211.	
5	<i>Scouleri</i> . D.	(<i>bl.</i>) Scouler's.	Columbia.	—	5. 7.	H. 4.	— t. 1277.	
6	<i>erianthera</i> . N.	(<i>bl.</i>) blue-flowered.	Louisiana.	1811.	7. 9.	F. 4.	Bot. mag. t. 1672.	
	<i>Pentstemon glabra</i> . B.M.							
7	<i>barbata</i> . s.s.	(<i>sc.</i>) scarlet.	Mexico.	1794.	6. 9.	H. 4.	Bot. reg. t. 116.	
8	<i>rosea</i> . B.F.G.	(<i>ro.</i>) rose-coloured.	—	1825.	—	H. 4.	Swt. br. fl. gar. t. 230.	
	<i>Pentstemon angustifolium</i> . B.R.						t. 1122. non Pursh.	
9	<i>campanulata</i> . s.s.	(<i>ro.</i>) bell-flowered.	Mexico.	1794.	3. 10.	F. 4.	Bot. mag. t. 1878.	
	<i>Pentstemon campanulata</i> . Jacq.						schœn. 3. t. 362.	
10	<i>atropurpurea</i> . B.F.G.	(<i>d. pu.</i>) dark purple.	Mexico.	1824.	—	H. 4.	Swt. br. fl. gar. t. 235.	
11	<i>pulchella</i> . B.R.	(<i>pu.</i>) pretty.	—	1825.	5. 10.	H. 4.	Bot. reg. t. 1138.	
12	<i>lævigata</i> . s.s.	(<i>pi.</i>) smooth.	N. America.	1776.	7. 9.	H. 4.	Bot. mag. t. 1425.	
13	<i>hirsuta</i> . s.s.	(<i>bl. pi.</i>) narrow-ld hairy.	—	1758.	—	H. 4.	Moris. s. 11. t. 21. f. 3.	
14	<i>pubescens</i> .	(<i>bl. pu.</i>) broad-ld hairy.	—	—	—	H. 4.	Bot. mag. t. 1424.	
	<i>Pentstemon pubescens</i> . B.M.							
15	<i>gracilis</i> . N.	(<i>li.</i>) slender.	—	1825.	—	H. 4.	Bot. mag. t. 2945.	
16	<i>glauca</i> . D.	(<i>li.</i>) glaucous.	—	1827.	7. 9.	H. 4.	Bot. reg. t. 1286.	
17	<i>digitalis</i> . B.F.G.	(<i>wh.</i>) foxglove-flower'd.	Arkansa.	1824.	6. 8.	H. 4.	Swt. br. fl. gar. t. 120.	
	<i>Pentstemon digitalis</i> . Bot. mag.						t. 2587.	
18	<i>cristata</i> . s.s.	(<i>ri.</i>) crested.	Louisiana.	1811.	7. 9.	F. 4.		
19	<i>cœrulea</i> . s.s.	(<i>bl.</i>) slender blue.	—	—	—	F. 4.		
	<i>Pentstemon angustifolium</i> . Ph.						non K.S.	
20	<i>grandiflora</i> . s.s.	(<i>pi. wh.</i>) great-flowered.	—	—	—	F. 4.		
21	<i>albida</i> . s.s.	(<i>wh.</i>) dwarf.	—	—	—	F. 4.		
22	<i>diffusa</i> . D.	(<i>pu.</i>) spreading.	Columbia.	1827.	6. 10.	H. 4.	Bot. reg. t. 1132.	
23	<i>ovata</i> . D.	(<i>bl. pu.</i>) oval-leaved.	N. America.	—	6. 8.	H. 4.	Bot. mag. t. 2903.	
24	<i>venusta</i> . D.	(<i>pu.</i>) handsome.	—	—	7. 9.	H. 4.	Bot. reg. t. 1309.	
25	<i>deusta</i> . D.	(<i>pu.</i>) blasted.	—	—	—	H. 4.		
26	<i>decussata</i> . D.	(<i>pu.</i>) cross-leaved.	—	—	—	H. 4.		
27	<i>glandulosa</i> . D.	(<i>pu.</i>) glandular.	—	—	—	H. 4.	Bot. reg. t. 1262.	
28	<i>acuminata</i> . D.	(<i>pu.</i>) pointed-leaved.	—	—	6. 8.	H. 4.	— t. 1285.	
29	<i>Richardsoni</i> . D.	(<i>pu.</i>) Richardson's.	—	—	7. 10.	H. 4.	— t. 1121.	
30	<i>attenuata</i> . D.	(<i>st.</i>) taper-pointed.	—	—	7. 9.	H. 4.	— t. 1295.	
31	<i>conferta</i> . D.	(<i>st.</i>) crowded-flower'd.	Columbia.	—	—	H. 4.	— t. 1260.	
32	<i>pruinosa</i> . D.	(<i>bl.</i>) blue-leaved.	N. America.	—	6. 8.	H. 4.	— t. 1280.	
33	<i>procera</i> . D.	(<i>ri.</i>) tall.	—	—	—	H. 4.	Bot. mag. t. 2954.	
34	<i>speciosa</i> . D.	(<i>bl.</i>) beautiful.	—	—	6. 9.	H. 4.	Bot. reg. t. 1270.	
35	<i>triphylla</i> . D.	(<i>li.</i>) three-leaved.	—	—	7. 9.	H. 4.	— t. 1245.	
36	<i>serrulata</i> . D.	(<i>pu.</i>) saw-leaved.	—	—	—	H. 4.		
37	<i>suffruticosa</i> . D.	(<i>pu.</i>) suffrutescent.	—	—	—	H. 4.		
HERPESTIS. G.		HERPESTIS. Didynamia Angiospermia. S.S.						
1	<i>stricta</i> . s.s.	(<i>bl.</i>) upright.	Brazil.	1823.	6. 8.	S. 4.		
2	<i>Mouneria</i> . K.S.	(<i>wh.</i>) thyme-leaved.	S. America.	1772.	7. 9.	S. 4.	Ehret. pict. t. 14. f. 2.	
3	<i>portulacæa</i> . B.M.	(<i>w.</i>) Purslane-leaved.	—	1823.	—	S. 4.	Bot. mag. t. 2557.	
4	<i>cuneifolia</i> . Ph.	(<i>bl.</i>) wedge-leaved.	N. America.	1812.	8. 9.	H. 4.		
5	<i>amplexicaulis</i> . s.s.	(<i>bl.</i>) stem-clasping.	Carolina.	1822.	6. 8.	H. 4.		
6	<i>micrantha</i> . Ph.	(<i>wh.</i>) small-flowered.	N. America.	1827.	7. 8.	H. 4.		
7	<i>semiserrata</i> . Ot.	(<i>wh.</i>) semiserrate.	Mexico.	1824.	—	G. 4.		
8	<i>chrysantha</i> . Ot.	(<i>ye.</i>) yellow-flowered.	—	1829.	—	G. 4.		
MAZUS. B.P.		MAZUS. Didynamia Angiospermia. S.S.						
	<i>rugosus</i> . B.P.	(<i>wh.</i>) China.	China.	1780.	5. 10.	H. 4.	Swt. br. fl. gar. t. 36.	
	<i>Lindernia japonica</i> . Th.						<i>Hornemannia bicolor</i> . W.en.	
TOR'ENIA. B.P.		TOR'ENIA. Didynamia Angiospermia. S.S.						
1	<i>ovata</i> .	(<i>wh.</i>) oval-leaved.	Manila.	1823.	5. 10.	H. 4.	Pl. sel. hort. ber. t. 9.	
	<i>Hornemannia ovata</i> . L.en.						<i>Tittmannia ovata</i> . s.s.	

- 2 viscòsa. (wh.) viscous. E. Indies. 1823. 5. 10. S. ⊙.
Hornemánia viscòsa. W.en. *Tittmánia viscòsa*. s.s.
- LINDE'RNIA. B.P. LINDE'RNIA. *Didynamia Angiospermia*. L.
 Pyxidària. w. (pu.) European. S. Europe. 1789. 6. 8. H. ⊙. Lam. ill. t. 522.
- MI'MULUS. L. MONKEY-FLOWER. *Didynamia Angiospermia*. L.
- 1 glutinòsus. s.s. (ye.) orange-colored. California. 1794. 1. 12. G. h. Bot. mag. t. 354.
 2 ríngens. s.s. (li.) gaping. N. America. 1759. 7. 8. H. 2. ——— t. 283.
 3 alàtus. s.s. (li.) oval-leaved. ——— 1783. ——— H. 2.
 4 guttátus. DC. (ye.) spotted-flowered. America. 1812. 6. 9. F. 2. Bot. mag. t. 1501.
luteus. B.M. non L.
- 5 luteus. B.R. (ye.) yellow-flower'd. Chile. 1825. ——— H. 2. Feuill. peruv. 2. t. 34.
β rivulàris. B.R. (ye. pu.) dark-spotted. Columbia. ——— ——— H. 2. Bot. reg. t. 1030.
- 6 floribúndus. B.R. (ye.) many-flowered. ——— 1826. 8. 10. H. ⊙. ——— t. 1125.
 7 moschátus. B.R. (ye.) musk-scented. ——— ——— 7. 10. H. 2. ——— t. 1118.
 8 parviflórus. B.R. (st.) small-flowered. Mexico. 1824. 6. 9. H. ⊙. ——— t. 874.
- BROWA'LLIA. L. BROWA'LLIA. *Didynamia Angiospermia*. L.
- 1 elàta. w. (bl. wh.) upright. Peru. 1768. 6. 9. G. ⊙. Bot. mag. t. 34.
 2 demíssa. w. (bl. wh.) spreading. S. America. 1735. ——— G. ⊙. ——— t. 1136.
- ANGEL'ONIA. K.S. ANGEL'ONIA. *Didynamia Angiospermia*. L.
salicariæfòlia. K.S. (bl.) *Salicaria*-leav'd. S. America. 1818. 7. 10. S. h. Bot. reg. t. 415.
- ALONS'OA. R.P. ALONS'OA. *Didynamia Angiospermia*. H.K.
- 1 incisifòlia. R.P. (sc.) Nettle-leaved. Chile. 1795. 5. 10. G. h. Bot. mag. t. 417.
Célsia urticæfòlia. B.M. *Hemímeris urticæfòlia*. w.
- 2 acutifòlia. R.P. (sc.) acute-leaved. Peru. 1790. ——— G. h.
 3 intermèdia. B.C. (or.) intermediate. ——— ——— G. h. Lodd. bot. cab. t. 1456.
 4 lineàris. H.K. (sc.) linear-leaved. ——— 1790. ——— G. h. Bot. mag. t. 210.
 5 caulialàta. R.P. (sc.) wing-stemmed. Chile. 1823. 5. 10. G. h.
- DIA'SCIA. L.en. DIA'SCIA. *Didynamia Angiospermia*. S.S.
 Bergiàna. L.en. (re.) Bergius's. C. B. S. 1816. 7. 10. H. ⊙. Pluk. phyt. 320. f. 5.
Hemímeris diffusa. w.
- VANDE'LLIA. S.S. VANDE'LLIA. *Didynamia Angiospermia*. L.
 diffusa. s.s. (wh.) spreading. S. America. 1824. 7. 9. S. ⊙. Marc. bras. 1. c. 15. f. 1.
- LIMOSE'LLA. L. MUDWORT. *Didynamia Angiospermia*. L.
 aquática. L. (fl.) water. Britain. 7. 9. H. ⊙. Eng. bot. v. 5. t. 357.
- DISA'NDRA. L. DISA'NDRA. *Heptandria Monogynia*. L.
 prostràta. L. (ye.) trailing. Madeira. 1771. 5. 8. G. 2. Bot. mag. t. 218.
- SIBTHO'RPIA. L. SIBTHO'RPIA. *Didynamia Angiospermia*. L.
 europ'æa. L. (wh.) Cornish money-wort. England. 7. 8. H. 2. Eng. bot. v. 10. t. 619.
- ER'INUS. S.S. ER'INUS. *Didynamia Angiospermia*. L.
- 1 Lychnidèa. s.s. (wh. pu.) Phlox-flower'd. C. B. S. 1821. 3. 10. G. h. Bot. reg. t. 748.
 2 fràgrans. H.K. (wh. pu.) fragrant. ——— 1776. 5. 6. G. h. Burm. afr. t. 49. f. 4.
 3 alpinus. P.S. (pu.) smooth-leaved. Pyrenees. 1739. 3. 4. H. 2. Bot. mag. t. 310.
 4 hispánicus. P.S. (pu.) hairy-leaved. Spain. ——— ——— H. 2.
- MAN'ULEA. S.S. MAN'ULEA. *Didynamia Angiospermia*. L.
- 1 viscòsa. s.s. (re.) clammy. C. B. S. 1774. 6. 11. G. h. Bot. mag. t. 217.
Buchnèra viscòsa. B.M.
- 2 tomentòsa. s.s. (or.) tomentose. ——— 1774. 5. 12. G. h. Bot. mag. t. 322.
 3 angustifòlia. L.en. (or.) narrow-leaved. ——— 1822. ——— G. h. Pl. sel. hort. ber. t. 20.
 4 rhynchántha. s.s. (or.) wedge-leaved. ——— 1816. 6. 9. G. h.
 5 oppositifòlia. v. (wh.) opposite-leaved. ——— 5. 12. G. h. Vent. malm. t. 15.
 6 villòsa. P.S. (wh.) villous. ——— 1783. 6. 7. G. ⊙. Burm. afr. t. 50. f. 2.
Buchnèra capénsis. w.
- 7 cærùlea. s.s. (bl.) blue-flowered. ——— 1822. ——— G. h.
 8 rùbra. s.s. (re.) red. ——— 1790. 4. 9. G. h.
 9 Cheiránthus. s.s. (ye.) Wallflower-like. ——— 1795. 6. 8. G. ♂. Comm. hort. 2. t. 42.
- 10 argénteà. s.s. (wh.) silvery. ——— 1801. 7. 11. G. ⊙.
 11 pedunculàta. P.S. (wh.) solitary-flower'd. ——— 1790. 6. 11. G. h. Andr. reposit. t. 81.
 12 f'œtida. s.s. (wh.) stinking. ——— 1794. 6. 9. G. ⊙. ——— t. 80.
Buchnèra f'œtida. A.R.
- 13 violàcea. s.s. (vi.) violet-flowered. ——— 1816. ——— G. h.
 14 cordàta. s.s. (wh.) trailing heart-ld. ——— ——— G. 2.
- BUCHN'ERA. S.S. BUCHN'ERA. *Didynamia Angiospermia*. L.
 americàna. s.s. (bl.) American. N. America. 1733. 6. 8. H. 2.
- EUPHR'ASIA. W. EYE-BRIGHT. *Didynamia Angiospermia*. L.
- 1 linifòlia. s.s. (li.) flax-leaved. S. France. 1823. 7. 9. H. ⊙.
 2 lùtea. s.s. (ye.) yellow. S. Europe. 1816. ——— H. ⊙. Jacq. aust. t. 396.
 3 alpina. s.s. (pu.) Alpine. ——— 1823. ——— H. ⊙.
 4 latifòlia. s.s. (re.) broad-leaved. ——— 1826. ——— H. ⊙.
 5 mínima. P.S. (wh. pu.) least. Switzerland. 1828. ——— H. ⊙. Magn. monsp. t. 94.

6	<i>tricuspidata</i> . s.s. (<i>w. pu.</i>)	three-pointed.	Italy.	1828.	6. 9.	H. ⊙.	Pluk. alm. t. 177. f. 1.
7	<i>officinalis</i> . s.s. (<i>wh. pu.</i>)	common.	Britain.	7. 9.	H. ⊙.	Eng. bot. v. 20. t. 1416.
BA'RTSIA. S.S. BA'RTSIA. Didynamia Angiospermia. L.							
1	<i>viscosa</i> . s.s. (<i>ye.</i>)	yellow viscid.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 15. t. 1045.
2	<i>alpina</i> . s.s. (<i>vi.</i>)	Alpine.	————	————	H. ⊙.	———— v. 6. t. 361.
3	<i>Odontites</i> . s.s. (<i>re.</i>)	red-flowered.	————	7. 9.	H. ⊙.	———— v. 20. t. 1415.
4	<i>Trixago</i> . s.s. (<i>ye.</i>)	simple-stalked.	S. Europe.	1820.	————	H. ⊙.	Flor. græc. t. 585.
<i>Trixago rhinantha</i> . L. enum.							
5	<i>latifolia</i> . F.G. (<i>re. wh.</i>)	broad-leaved.	Greece.	1827.	6. 9.	H. ⊙.	Flor. græc. v. 5. t. 586.
CASTILL'EJA. S.S. CASTILL'EJA. Didynamia Angiosperma. S.S.							
1	<i>integrifolia</i> . s.s. (<i>wh.</i>)	entire-leaved.	S. America.	1825.	G. ♯.	Sm. ic. ined. t. 39.
2	<i>toluccensis</i> . s.s. (<i>wh.</i>)	procumbent.	Mexico.	————	G. ♯.	Bot. reg. t. 925.
3	<i>septentrionalis</i> . B.R. (<i>st.</i>)	northern.	N. America.	1824.	7. 8.	H. ⊙.	Gmel. sib. 3. t. 42.
4	<i>pallida</i> . s.s. (<i>st.</i>)	pale-flowered.	Siberia.	1782.	6. 9.	H. ♯.	Bot. reg. t. 1136.
<i>Bartsia pallida</i> . w.							
5	<i>coccinea</i> . s.s. (<i>or.</i>)	vermilion.	N. America.	1787.	7. 9.	H. ⊙.	Bot. reg. t. 1136.
<i>Bartsia coccinea</i> . w. <i>Euchroma coccinea</i> . N.							
6	<i>sessiliflora</i> . Ph. (<i>bh.</i>)	sessile-flowered.	Louisiana.	1811.	7. 8.	H. ♯.	
<i>grandiflora</i> s.s. <i>Euchroma grandiflorum</i> . N.							
RHINA'NTHUS. W. YELLOW RATTLE. Didynamia Angiospermia. L.							
1	<i>Crista-galli</i> . w. (<i>ye.</i>)	Cock's-comb.	Britain.	6. 8.	H. ⊙.	Eng. bot. v. 10. t. 657.
2	<i>major</i> . E.F. (<i>ye.</i>)	larger.	England.	————	H. ⊙.	Bull. herb. t. 125.
3	<i>Alecterolophus</i> . L.en. (<i>vill.</i>)	villous.	Germany.	1816.	————	H. ⊙.	
<i>villosus</i> . P.s.							
MELAMP'YRUM. S.S. COW-WHEAT. Didynamia Angiospermia. L.							
1	<i>cristatum</i> . E.B. (<i>ye. pu.</i>)	crested.	England.	7. 8.	H. ⊙.	Eng. bot. v. 1. t. 41.
2	<i>arvense</i> . E.B. (<i>ye. pu.</i>)	corn-field.	————	6. 7.	H. ⊙.	———— v. 1. t. 53.
3	<i>nemorosum</i> . s.s. (<i>ye.</i>)	coloured-bracted.	Europe.	1823.	————	H. ⊙.	Flor. dan. t. 305.
4	<i>pratense</i> . E.B. (<i>ye.</i>)	common.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 2. t. 113.
5	<i>sylvaticum</i> . E.B. (<i>co.</i>)	wood.	————	————	H. ⊙.	———— v. 12. t. 804.
PEDICUL'ARIS. S.S. LOUSEWORT. Didynamia Angiospermia. L.							
1	<i>incarnata</i> . s.s. (<i>fl.</i>)	flesh-coloured.	Austria.	1796.	6. 7.	H. ♯.	Jacq. aust. 2. t. 140.
2	<i>rostrata</i> . s.s. (<i>pu.</i>)	beaked.	S. Europe.	1823.	————	H. ♯.	———— t. 205.
3	<i>tuberosa</i> . s.s. (<i>ye.</i>)	tuberous.	Switzerland.	1799.	7. 8.	H. ♯.	Hall. helv. n. 323. t. 10.
4	<i>ascendens</i> . Schl. (<i>ye.</i>)	ascending.	————	1825.	————	H. ♯.	Vill. delph. 2. t. 9.
5	<i>gyroflexa</i> . s.s. (<i>pu.</i>)	bending.	————	————	————	H. ♯.	
6	<i>atrorubens</i> . DC. (<i>d. re.</i>)	dark-red.	————	————	————	H. ♯.	Willd. bot. zeit. c. ic.
7	<i>asplenifolia</i> . P.s. (<i>pu.</i>)	Fern-leaved.	————	1828.	————	H. ♯.	Gmel. sib. 3. t. 45.
8	<i>uncinata</i> . s.s. (<i>fl. ye.</i>)	hooked-flowered.	Siberia.	1815.	————	H. ♯.	
9	<i>compacta</i> . s.s. (<i>ye.</i>)	close-headed.	————	————	————	H. ♯.	Gmel. sib. 3. t. 44.
10	<i>resupinata</i> . s.s. (<i>pu.</i>)	resupinate.	————	1816.	5. 7.	H. ♯.	Eng. bot. v. 6. t. 399.
11	<i>palustris</i> . E.B. (<i>pu.</i>)	marsh.	Britain.	6. 7.	H. ♯.	Gmel. sib. 3. t. 43.
12	<i>euphrasioides</i> . s.s. (<i>ye. re.</i>)	eyebright-leaved.	Siberia.	1816.	————	H. ♯.	Pall. it. 3. a. n. 98. t. R. f. 2.
13	<i>striata</i> . s.s. (<i>ye. cr.</i>)	stripe-flowered.	Dahuria.	1826.	————	H. ♯.	Swt. br. fl. gar. t. 37.
14	<i>canadensis</i> . s.s. (<i>ye.</i>)	Canadian.	N. America.	1800.	7. 8.	H. ♯.	Eng. bot. v. 6. t. 400.
15	<i>sylvatica</i> . E.B. (<i>ro.</i>)	common.	Britain.	5. 7.	H. ♯.	Pall. it. 3. ap. t. 8. f. 1.
16	<i>myriophylla</i> . s.s. (<i>ye.</i>)	Milfoil-leaved.	Dahuria.	1816.	————	H. ♯.	
17	<i>rubens</i> . s.s. (<i>pu.</i>)	red-flowered.	————	1827.	————	H. ⊙.	
18	<i>sudetica</i> . s.s. (<i>pu.</i>)	Swedish.	N. Europe.	————	————	H. ♯.	Hall. helv. t. 8. f. 3.
19	<i>flammea</i> . s.s. (<i>ye. sc.</i>)	upright.	————	1775.	7.	H. ♯.	
20	<i>Oederi</i> . s.s. (<i>ye.</i>)	Oeder's.	————	1827.	————	H. ♯.	
21	<i>versicolor</i> . s.s. (<i>ye. br.</i>)	various-coloured.	Switzerland.	1825.	7. 8.	H. ♯.	
22	<i>achillæfolia</i> . s.s. (<i>ye.</i>)	Milfoil-leaved.	Siberia.	1827.	————	H. ♯.	All. ped. 1. t. 4. f. 1.
23	<i>comosa</i> . s.s. (<i>ye.</i>)	spiked.	Italy.	1775.	————	H. ♯.	
24	<i>pallida</i> . s.s. (<i>st.</i>)	pale yellow.	N. America.	1826.	————	H. ♯.	Pall. it. 3. a. n. 100. t. 8. f. 2.
25	<i>spicata</i> . s.s. (<i>pu.</i>)	spike-flowered.	Dahuria.	1827.	————	H. ♯.	Flor. dan. t. 26.
26	<i>Scéptrum</i> . s.s. (<i>ye. cr.</i>)	sceptred.	Sweden.	1793.	————	H. ♯.	Pall. it. 3. a. n. 97. t. R. f. 1.
27	<i>flava</i> . s.s. (<i>ye.</i>)	yellow.	Siberia.	1828.	————	H. ♯.	Jacq. aust. 3. t. 258.
28	<i>recutita</i> . s.s. (<i>pu.</i>)	jagged-leaved.	Austria.	1787.	————	H. ♯.	———— 2. t. 139.
29	<i>foliosa</i> . s.s. (<i>ye.</i>)	leafy.	————	1786.	————	H. ♯.	———— 3. t. 206.
30	<i>verticillata</i> . s.s. (<i>pu.</i>)	whorled.	————	1790.	5. 6.	H. ♯.	
31	<i>proboscidea</i> . s.s.	proboscis-flower'd.	Siberia.	1827.	H. ♯.	
32	<i>élegans</i> . Led. (<i>pu.</i>)	elegant.	————	————	6. 8.	H. ♯.	
33	<i>speciosa</i> . Led. (<i>pu.</i>)	beautiful.	————	————	————	H. ♯.	
34	<i>elata</i> . s.s. (<i>pu.</i>)	lofty.	————	1826.	————	H. ⊙.	
35	<i>exaltata</i> . Led. (<i>pu.</i>)	tall.	————	1827.	————	H. ♯.	Jacq. ic. 1. t. 115.
36	<i>rosea</i> . s.s. (<i>ro.</i>)	rose-coloured.	S. Europe.	1825.	7. 8.	H. ♯.	
GERA'RDIA. S.S. GERA'RDIA. Didynamia Angiospermia.							
1	<i>delphinifolia</i> . s.s. (<i>ro.</i>)	Larkspur-leav'd.	E. Indies.	1800.	6. 7.	S. ♯.	Roxb. corom. 1. t. 90.

2	purpùrea. s.s.	(pu.) purple.	N. America.	1772.	7. 8.	H. ♂.	Bot. mag. t. 2048.
3	tenuifòlia. s.s.	(pu.) slender-leaved.	—————	1812.	————	H. ♂.	Bart. fl. amer. 3. t. 82.
4	marítima. s.s.	(li.) sea-side.	—————	1823.	————	H. ♂.	
5	flàva. s.s.	(ye.) yellow.	—————	1796.	————	H. ♀.	Pluk. amal. t. 369. f. 3.
6	quercifòlia. s.s.	(ye.) oak-leaved.	—————	1812.	————	H. ♀.	Pursh amer. 1. t. 19.
7	Pediculària. s.s.	(ye.) variable.	—————	1826.	6. 8.	H. ♂.	Lam. ill. t. 529. f. 2.
SEYM'ERIA. S.S. SEYM'ERIA. Didynamia Angiospermia. S.S.							
1	tenuifòlia. s.s.	(ye.) slender-leaved.	Carolina.	7. 9.	H. ⊙.	
	<i>Afzèlia cassioides.</i> Gmel. <i>Geràrdia Afzèlia.</i> M.						
2	pectinàta. s.s.	(ye.) pectinated.	Carolina.	————	H. ⊙.	

Sect. II. *STAMINA* (2) *ANTHERIFERA.*

CALCEOL'ARIA. R.S. SLIPPERWORT. Diandria Monogynia. L.							
1	Fothergillii. R.S.	(pu.) Fothergill's.	Falkland. Isl.	1777.	5. 8.	G. ♀.	Bot. mag. t. 348.
2	plantagínea. R.S.	(ye.) Plantain-leaved.	Chile.	1826.	6. 9.	F. ♀.	————— t. 2805.
3	corymbòsa. R.S.	(ye.) corymb-flower'd.	—————	1823.	4. 8.	G. ♀.	Bot. reg. t. 723.
4	arachnoídea. B.M.	(pu.) cobweb.	—————	1827.	6. 10.	F. ♀.	Bot. mag. t. 2874.
5	purpùrea. B.M.	(pu.) purple-flowered.	—————	1826.	————	F. ♀.	————— t. 2775.
6	petioalàris. R.S.	(ye.) much branched.	—————	1827.	6. 9.	G. ♀.	Bot. reg. t. 1214.
	<i>floribúnda.</i> B.R. <i>connàta.</i> Bot. mag. t. 2876.						
7	ascéndens. B.R.	(ye.) ascending.	—————	1826.	————	G. ♀.	Bot. reg. t. 1215.
8	polifòlia. B.M.	(ye.) white-leaved.	—————	————	————	G. ♀.	Bot. mag. t. 2897.
9	rugòsa. R.P.	(ye.) rugged-leaved.	—————	1823.	6. 8.	G. ♀.	Hook. ex. flor. t. 99.
	<i>crenàta.</i> Bot. reg. t. 790.						
10	integrifòlia. R.P.	(ye.) entire-leaved.	—————	————	————	G. ♀.	Bot. reg. t. 744.
	<i>rugòsa.</i> Bot. mag. t. 2523.						
11	angustifòlia.	(ye.) narrow-leaved.	—————	1826.	————	G. ♀.	Bot. reg. t. 1083.
12	thyrsiflòra. B.M.	(ye.) tufted-flowered.	—————	1827.	————	G. ♀.	Bot. mag. t. 2915.
13	pinnàta. R.S.	(st.) wing-leaved.	Peru.	1773.	7. 9.	H. ⊙.	————— t. 41.
14	scabiosæfòlia. R.S.	(st.) Scabious-leaved.	—————	1823.	————	G. ♀.	————— t. 2405.
SCHIZA'NTHUS. R.P. SCHIZA'NTHUS. Diandria Monogynia.							
1	pinnàtus. H.E.F.	(li. pu.) winged-leaved.	Chile.	1823.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 63.
2	pórrigens. H.E.F.	(wh. pu.) spreading.	—————	————	————	H. ⊙.	————— t. 76.
SCHWE'NCKIA. R.S. SCHWE'NCKIA. Diandria Monogynia. W.							
1	americàna. R.S.	(vi.) American.	Cayenne.	1781.	8. 9.	S. ♂.	Schw. h. m. haag. t. 1.
2	browallioides. K.S.	(gr. pu.) Browallia-like.	Caracas.	1824.	————	S. ♀.	H. et B. n. g. am. 2. t. 181.
3	Hilariàna. DC.	(gr. pu.) St. Hilaire's.	Brazil.	1826.	————	S. ⊙.	DC. pl. rar. gener. t. 10.
BONNA'YA. S.S. BONNA'YA. Diandria Monogynia. S.S.							
1	brachiàta. s.s.	(wh.) brachiate.	E. Indies.	1825.	6. 9.	H. ⊙.	Pl. sel. h. ber. t. 11.
2	brachycárpa. Ot.	(vi.) short-capsuled.	—————	1829.	————	S. ⊙.	
3	veronicæfòlia. s.s.	(vi.) Speedwell-leaved.	—————	1798.	————	S. ♂.	Roxb. corom. 2. t. 154.
	<i>Gratiòla veronicæfòlia.</i> w.						
4	réptans. s.s.	(li.) creeping.	—————	1820.	————	S. ⊙.	
GRATIOLA. B.P. HEDGE-HYSSOP. Diandria Monogynia. L.							
1	latifòlia. B.P.	(wh.) broad-leaved.	N. S. W.	1822.	6. 8.	G. ♀.	
2	officinàlis. R.S.	(wh.) officinal.	Europe.	1568.	5. 8.	H. ♀.	Flor. dan. t. 363.
3	virgínica. R.S.	(st.) Virginian.	Virginia.	1759.	8.	H. ♀.	
4	aùrea. Ph.	(ye.) golden pert.	N. America.	1826.	7. 9.	H. ♀.	Lodd. bot. cab. t. 138.
5	quadridentàta. Ph.	(st.) four-toothed.	—————	————	6. 8.	H. ♀.	Lam. ill. 1. t. 16. f. 2.
6	acuminàta. Ph.	(st.) sharp-pointed.	—————	1828.	7. 8.	H. ♀.	
7	pilòsa. Ph.	(wh.) hairy.	—————	1827.	————	H. ♀.	
WULFENIA. R.S. WULFENIA. Diandria Monogynia. R.S.							
	carinthiaca. R.S.	(bl.) blue-flowered.	Carinthia.	1817.	6. 9.	H. ♀.	Swt. br. fl. gar. t. 66.
PÆDER'OTA. R.S. PÆDER'OTA. Diandria Monogynia. L.							
1	Agèria. R.S.	(st.) sulphur-coloured.	Italy.	1823.	6. 7.	H. ♀.	Jacq. vind. 2. t. 121.
2	Bonaròta. R.S.	(vi.) violet-coloured.	Germany.	1826.	————	H. ♀.	Jacq. aust. 5. t. 39.
LEPTA'NDRA. N. LEPTA'NDRA. Diandria Monogynia. N.							
1	virgínica.	(wh.) Virginian.	Virginia.	1714.	7. 9.	H. ♀.	Pluk. alm. t. 70. f. 2.
	<i>Verónica virgínica.</i> w.						
2	incarnàta. G.D.	(li.) lilac-flowered.	—————	————	————	H. ♀.	
3	sibírica. N.	(wh.) Siberian.	Siberia.	1779.	7. 8.	H. ♀.	Amm. ruth. 20. t. 4.
VERO'NICA. R.S. SPEEDWELL. Diandria Monogynia. L.							
1	foliòsa. R.S.	(bl.) leafy.	Hungary.	1805.	7. 9.	H. ♀.	W. et K. hung. 2. t. 132.
2	crenulàta. R.S.	(bl.) notch-flowered.	S. Europe.	1804.	————	H. ♀.	Hoff. phyt. p. 95. t. E. f. 3.
3	marítima. R.S.	(bl.) sea-side.	—————	1570.	————	H. ♀.	Schrad. ver. t. 1. f. 1.
4	Hóstii. R.S.	(bl.) Host's.	Italy.	————	H. ♀.	Tabern. n. kreut. 2. f. 4.

5	<i>spuria</i> . R.S.	(<i>bl.</i>) spurious.	Siberia.	1731.	7. 9.	H. 4.	Gmel. it. 1. t. 39.
6	<i>paniculata</i> . R.S.	(<i>bl.</i>) panicked.	Tartary.	1797.	6. 7.	H. 4.	
7	<i>Stephaniàna</i> . R.S.	(<i>bl.</i>) Stephan's.	Persia.	1821.	—	H. 4.	
8	<i>complicata</i> . R.S.	(<i>bl.</i>) bundled.	S. Europe.	1812.	9. 10.	H. 4.	Hoff. phyt. p. 98. t. E. f. 4.
9	<i>azurea</i> . R.S.	(<i>bl.</i>) azure.	1818.	6. 9.	H. 4.	
10	<i>glabra</i> . R.S.	(<i>bl.</i>) smooth.	S. Europe.	1804.	7. 9.	H. 4.	Schrad. ver. p. 25. t. 1. f. 4.
	<i>β albiflora</i> .	(<i>wh.</i>) white-flowered.	—————	—	—	H. 4.	
11	<i>brachyphylla</i> . R.S.	(<i>bl.</i>) short-leaved.	1818.	—	H. 4.	
	<i>brevifolia</i> . L.en.						
12	<i>elätior</i> . R.S.	(<i>bl.</i>) tall.	S. Europe.	1808.	—	H. 4.	
13	<i>exaltata</i> .	(<i>bl.</i>) lofty.	Siberia.	1816.	—	H. 4.	
14	<i>falcata</i> . R.S.	(<i>bl.</i>) falcate-leaved.	1820.	6. 7.	H. 4.	
15	<i>acuta</i> . R.S.	(<i>bl.</i>) acute-leaved.	—	7. 9.	H. 4.	
16	<i>arguta</i> . R.S.	(<i>bl.</i>) sharp-notched.	S. Europe.	1812.	—	H. 4.	Schrad. ver. n. 7. t. 2. f. 2.
17	<i>nitens</i> . R.S.	(<i>bl.</i>) glossy-leaved.	1816.	—	H. 4.	
18	<i>longibracteata</i> . R.S.	(<i>bl.</i>) long-bracted.	—	—	H. 4.	
	<i>β latifolia</i> .	(<i>bl.</i>) broad-leaved.	—	—	H. 4.	
19	<i>mèdia</i> . R.S.	(<i>bl.</i>) long-spiked.	Germany.	1804.	—	H. 4.	Schrad. ver. n. 8. t. 1. f. 2.
20	<i>persicifolia</i> . R.S.	(<i>bl.</i>) Peach-leaved.	1819.	—	H. 4.	
21	<i>austràlis</i> . R.S.	(<i>bl.</i>) pubescent.	S. Europe.	1812.	—	H. 4.	Schrad. ver. n. 9. t. 2. f. 3.
22	<i>longifolia</i> . R.S.	(<i>bl.</i>) long-leaved.	—————	1731.	—	H. 4.	————— p. 26. t. 2. f. 1.
23	<i>gróssa</i> . R.S.	(<i>bl.</i>) stout.	S. Russia.	1827.	6. 9.	H. 4.	
24	<i>ambigua</i> . R.S.	(<i>bl.</i>) ambiguous.	England.	—	H. 4.	
25	<i>neglécta</i> . R.S.	(<i>bl.</i>) canescent.	Siberia.	1797.	7. 9.	H. 4.	Swt. br. fl. gar. t. 55.
26	<i>angustifolia</i> . S.S.	(<i>bl.</i>) narrow-leaved.	—————	1823.	—	H. 4.	
27	<i>incàna</i> . R.S.	(<i>bl.</i>) hoary.	Russia.	1759.	—	H. 4.	Hoff. c. gott. 15. t. 6.
29	<i>rigens</i> . R.S.	(<i>bl.</i>) rigid.	1824.	—	H. 4.	
29	<i>èlegans</i> . R.S.	(<i>ro.</i>) elegant.	Italy.	—	H. 4.	
30	<i>spicata</i> . R.S.	(<i>bl.</i>) spiked.	England.	—	H. 4.	Eng. bot. v. 1. t. 2.
31	<i>Clusii</i> . R.S.	(<i>bl.</i>) Clusius's.	N. Europe.	—	H. 4.	Flor. dan. t. 52.
32	<i>menthæfolia</i> . R.S.	(<i>bl.</i>) Mint-leaved.	Austria.	1818.	—	H. 4.	
33	<i>Barrelieri</i> . R.S.	(<i>bl.</i>) Barrelier's.	S. Europe.	—	H. 4.	Barrel. ic. t. 682.
34	<i>orchidèa</i> . R.S.	(<i>bl.</i>) Orchis-like.	Europe.	—	H. 4.	
35	<i>crassifolia</i> . R.S.	(<i>vi.</i>) thick-leaved.	Hungary.	1818.	—	H. 4.	
36	<i>hybrida</i> . R.S.	(<i>bl.</i>) Welsh.	England.	—	H. 4.	Eng. bot. v. 10. t. 673.
37	<i>confusa</i> . R.S.	(<i>bl.</i>) confused.	1819.	6. 7.	H. 4.	
38	<i>longiflora</i> . R.S.	(<i>li.</i>) long-flowered.	1823.	7. 9.	H. 4.	
39	<i>ruthénica</i> . R.S.	(<i>bl.</i>) Russian.	Russia.	—	—	H. 4.	
40	<i>grándis</i> . R.S.	(<i>wh.</i>) large white.	Siberia.	1826.	—	H. 4.	
41	<i>Ponæ</i> . R.S.	(<i>bl.</i>) dwarf.	Pyrenees.	1823.	—	H. 4.	Gouan. ill. t. 1. f. 1.
42	<i>polystachya</i> . R.S.	(<i>bl.</i>) many-spiked.	1819.	—	H. 4.	
43	<i>præalta</i> . L.C.	(<i>bl.</i>) tall upright	1817.	6. 8.	H. 4.	
44	<i>incarnata</i> . G.D.	(<i>pi.</i>) flesh-coloured.	—	H. 4.	
45	<i>cárnea</i> . Ræu.	(<i>pi.</i>) pale red.	—	H. 4.	
46	<i>corymbosa</i> . G.D.	(<i>bl.</i>) corymbose.	1817.	6. 7.	H. 4.	
47	<i>melancholica</i> . Df.	(<i>bl.</i>) melancholy.	1820.	—	H. 4.	
48	<i>leucántha</i> . F.	(<i>wh.</i>) white-flowered.	Siberia.	1824.	—	H. 4.	
49	<i>ascéndens</i> . R.S.	(<i>bl.</i>) ascending.	1828.	—	H. 4.	
50	<i>villòsa</i> . R.S.	(<i>bl.</i>) villous.	S. Europe.	1800.	—	H. 4.	Schrad. ver. p. 13. t. 1. f. 3.
51	<i>pinnata</i> . R.S.	(<i>bl.</i>) wing-leaved.	Siberia.	1776.	6. 8.	H. 4.	Hoff. c. gott. 15. t. 10.
52	<i>incisa</i> . R.S.	(<i>bl.</i>) cut-leaved.	—————	1779.	—	H. 4.	
53	<i>laciniata</i> . R.S.	(<i>bl.</i>) jagged-leaved.	—————	1780.	—	H. 4.	Jung. ic. rar. C. 1. f. 2.
54	<i>gentianoïdes</i> . F.G.	(<i>ri.</i>) Gentian-like.	Levant.	1748.	5. 6.	H. 4.	Flor. græc. 1. t. 5.
55	<i>gentianifolia</i> .	(<i>pa.bl.</i>) Gentian-leaved.	—————	—	—	H. 4.	Bot. mag. t. 1002.
	<i>Verónica gentianoïdes</i> .	B.M. non Flor. græc.					
56	<i>pállida</i> . R.S.	(<i>pa.</i>) pale.	—————	1816.	—	H. 4.	
57	<i>bellidioïdes</i> . R.S.	(<i>bl.</i>) Daisy-leaved.	Switzerland.	1775.	6. 7.	H. 4.	Hall. hist. t. 15. f. 1.
58	<i>fruticulosa</i> . R.S.	(<i>pu.</i>) flesh-coloured.	Scotland.	6. 8.	H. 4.	Eng. bot. v. 15. t. 1028.
59	<i>saxatilis</i> . R.S.	(<i>bl.</i>) blue rock.	—————	6. 7.	H. 4.	————— v. 15. t. 1027.
60	<i>crética</i> . R.S.	(<i>bl.</i>) Cretan.	Crete.	1819.	5. 6.	H. 4.	
61	<i>Baumgartèni</i> . R.S.	(<i>pa.bl.</i>) Baumgarten's.	Transylvania.	1826.	—	H. 4.	
62	<i>nummulària</i> . R.S.	(<i>bl.</i>) moneywort.	Pyrenees.	1820.	6. 8.	H. 4.	Gouan. ill. 1. t. 1. f. 2.
63	<i>alpina</i> . R.S.	(<i>bl.</i>) Alpine.	Scotland.	5. 6.	H. 4.	Eng. bot. v. 7. t. 484.
	<i>α acutifolia</i> .	(<i>bl.</i>) acute entire-leaf'd.	Europe.	—	H. 4.	
	<i>β pumila</i> . All.	(<i>bl.</i>) saw-leaved.	—————	—	H. 4.	Allion. ped. t. 22. f. 5.
	<i>γ obtusifolia</i> .	(<i>bl.</i>) blunt entire-leaf'd.	Scotland.	—	H. 4.	Eng. bot. v. 7. t. 484.
	<i>δ integrifolia</i> . W.	(<i>bl.</i>) entire-leaved.	Europe.	—	H. 4.	Krocker siles. t. 3.
	<i>ε heterophylla</i> .	(<i>bl.</i>) various-leaved.	—————	—	H. 4.	
	<i>ζ rotundifolia</i> .	(<i>bl.</i>) round-leaved.	—————	—	H. 4.	Braun. salisb. n. 15. t. 2.

64	Wormskiöldii. R.S. (bl.)	Wormskiöld's.	Greenland.	1819.	5. 6.	H. ♂.	Bot. mag. t. 2975.
65	grandifolia. R.S. (bl.)	large-leaved.	Italy.	1828.	—	H. ♀.	
66	depauperata. R.S. (bl.)	few-flowered.	Hungary.	1819.	—	H. ♀.	W. et K. hung. 3. t. 245.
67	serpyllifolia. R.S. (bl. fl.)	smooth.	Britain.	4. 7.	H. ♀.	Eng. bot. v. 15. t. 1075.
	<i>α ovata.</i> (bl. fl.)	common.	—	—	H. ♀.	
	<i>β tenella.</i> Schm. (bl.)	roundish-leaved.	Europe.	—	H. ♀.	
	<i>γ neglecta.</i> Schm. (pa.)	neglected.	—	—	H. ♀.	
	<i>δ quaternata.</i> (pa. li.)	four-leaved.	—	—	H. ♀.	
	<i>ε nummulariæfolia.</i> (pa.)	moneywort-leaved.	—	—	H. ♀.	
	<i>ζ humifusa.</i> L.T. (pa.)	trailing.	—	—	H. ♀.	
68	hirsuta. R.S. (pa.)	bristly.	Scotland.	—	H. ♀.	
	<i>setigera.</i> s.s.						
69	tenella. R.S. (pu.)	slender.	Pyrenees.	1820.	5. 6.	H. ♀.	Allion. ped. t. 22. f. 1.
70	microphylla. R.S. (pu.)	small-leaved.	Hungary.	1824.	—	H. ♀.	
71	parviflora. R.S. (bl.)	small-flowered.	N. Zealand.	1822.	6. 8.	H. ♀.	
72	undulata. R.S. (wh.)	wave-leaved.	E. Indies.	1827.	—	G. ♀.	
73	decussata. R.S. (wh.)	cross-leaved.	Falkland Isl.	1776.	—	F. ♀.	Bot. mag. t. 242.
74	aphylla. R.S. (bl.)	naked-stalked.	Italy.	1775.	5.	H. ♀.	Seguier. ver. t. 3. f. 2.
75	Beccabunga. R.S. (bl.)	brook-lime.	Britain.	5. 6.	H. w. ♀.	Eng. bot. v. 10. t. 655.
76	Anagallis. R.S. (pa. bl.)	long-leaved water.	—	6. 8.	H. w. ♀.	— v. 11. t. 781.
77	scutellata. R.S. (li.)	marsh.	—	—	H. w. ♀.	— v. 11. t. 782.
78	Parmularia. R.S. (li.)	tooth-leav'd marsh.	Austria.	1816.	—	H. w. ♀.	Trattin. fl. aust. b. 20.
79	caroliniana. R.S. (bl.)	Carolina.	Carolina.	1821.	6. 7.	H. w. ♀.	
80	thymifolia. F.G. (bl.)	thyme-leaved.	Crete.	1827.	5. 7.	F. ♀.	Flor. græc. v. 1. t. 6.
81	pectinata. R.S. (bl.)	pectinated.	Levant.	1820.	6. 8.	H. ♀.	Buxb. C. 1. t. 39. f. 1.
82	orientalis. R.S. (bl.)	various-leaved.	—	1748.	—	H. ♀.	Sal. stirp. rar. 7. t. 4.
83	trichocarpa. R.S. (bl.)	hairy-capsuled.	—	1820.	—	H. ♀.	
	<i>pilocarpa.</i> L.en.						
84	Jacquinii. R.S. (bl.)	Jacquin's.	Austria.	1748.	—	H. ♀.	Jacq. aust. 4. t. 329.
	<i>austriaca.</i> Jacq. non L.						
85	austriaca. R.S. (bl.)	Austrian.	—	—	—	H. ♀.	Moris. h. 2. s. 3. t. 23. f. 12.
	<i>polymorpha.</i> W.en.						
86	tenuifolia. R.S. (bl.)	slender-leaved.	Iberia.	1821.	6. 7.	H. ♀.	
87	pinnatifida. w. (bl.)	pinnatifid.	1817.	5. 6.	H. ♀.	
88	multifida. R.S. (bl.)	multifid-leaved.	Siberia.	1748.	6. 8.	H. ♀.	Bot. mag. t. 1679.
89	caucasica. R.S. (wh. bl.)	Caucasean.	Caucasus.	1815.	—	H. ♀.	
90	taurica. w. (bl.)	Taurian.	Tauria.	—	—	H. ♀.	Lodd. bot. cab. t. 911.
91	Allionii. R.S. (bl.)	shining-leaved.	S. Europe.	1748.	—	H. ♀.	Allion. ped. 1. t. 46. f. 3.
92	officinalis. R.S. (bl.)	officinal.	Britain.	4. 7.	H. ♀.	Eng. bot. v. 11. t. 765.
	<i>β rigida.</i> Gr. (bl.)	rigid-leaved.	Scotland.	—	H. ♀.	
	<i>γ albiflora.</i> (wh.)	white-flowered.	Britain.	—	H. ♀.	
93	Mulleriana. R.S. (bl.)	Muller's.	Styria.	1825.	5. 7.	H. ♀.	
94	Tournefortii. R.S. (bl.)	Tournefort's.	S. France.	1821.	5. 6.	H. ♀.	
95	Chaixi. R.S. (bl.)	Chaix's.	S. Europe.	1825.	5. 7.	H. ♀.	
96	prostrata. R.S. (bl.)	trailing.	Germany.	1774.	5. 6.	H. ♀.	Bauh. hist. 3. p. 287. t.
97	pilosa. R.S. (bl.)	hairy.	Bohemia.	1819.	—	H. ♀.	
98	acutiflora. R.S. (li.)	acute-flowered.	France.	1821.	—	H. ♀.	
99	plicata. R.S. (bl.)	plaited-leaved.	Bohemia.	1823.	—	H. ♀.	Pohl tent. fl. b. p. 15. f. 1.
100	micrantha. R.S. (wh. pu.)	soft-leaved.	Portugal.	—	—	H. ♀.	Hoff. f. port. t. 57.
	<i>mollis.</i> Zea.						
101	latifolia. R.S. (bl.)	broad-leaved.	Austria.	1748.	6. 7.	H. ♀.	Swt. br. fl. gar. t. 23.
102	Teucrium. R.S. (bl.)	saw-leaved.	Europe.	1596.	6. 8.	H. ♀.	Lodd. bot. cab. t. 425.
103	crinita. R.S. (bl.)	very hairy.	Hungary.	1826.	—	H. ♀.	
104	lutetiana. R.S. (pa. bl.)	Portugal.	Portugal.	—	—	H. ♀.	
105	dentata. R.S. (bl.)	tooth-leaved.	S. Europe.	1816.	—	H. ♀.	
106	Schmidtii. R.S. (bl.)	Schmidt's.	Bohemia.	1797.	6. 7.	H. ♀.	
	<i>paniculata.</i> w. non Pall.						
107	peduncularis. R.S. (bl.)	long-peduncled.	Caucasus.	1825.	—	H. ♀.	
108	petræa. R.S. (pa. bl.)	Caucasean rock.	—	1821.	—	H. ♀.	
109	umbrosa. M.B. (bl.)	shady wood.	Tauria.	1827.	—	H. ♀.	M. B. cent. ros. 1. t. 7.
110	Chamædrys. R.S. (bl.)	Germander.	Britain.	5. 8.	H. ♀.	Eng. bot. v. 9. t. 623.
111	stolonifera. R.S. (bl.)	creeping.	N. America.	1827.	—	H. ♀.	
112	divaricata. R.S. (bl.)	divaricate.	Sweden.	1828.	—	H. ♀.	
113	Vestiana. R.S. (bl.)	Vest's.	1820.	—	H. ♀.	
114	máxima. R.S. (pa. bl.)	large.	Iberia.	1824.	—	H. ♀.	Buxb. cent. 1. t. 34.
115	urticæfolia. R.S. (pa. bl.)	Nettle-leaved.	Austria.	1776.	6. 7.	H. ♀.	Jacq. aust. 1. t. 59.
116	montana. R.S. (pa.)	mountain.	Britain.	7. 8.	H. ♀.	Eng. bot. v. 11. t. 765.
117	plebeia. B.P. (bl.)	plebeian.	N. S. W.	1822.	6. 8.	G. ♀.	
	<i>arguta.</i> R.S.						

118	Bro'wnii. B.P.	(bl.) sharp-toothed.	N. S. W.	1822.	6. 8.	G. 2.	
119	gracilis. B.P.	(bl.) slender.	————	————	————	G. 2.	
120	perfoliata. B.P.	(bl.) perfoliate.	————	1815.	7. 8.	G. 2.	Bot. mag. t. 1936.
121	labiata. B.P.	(pa.bl.) labiated.	N. Holland.	1802.	4. 7.	F. 2.	———— t. 1660.
	<i>Derwentia</i> . Andr. reposit. t. 531.						
122	mollissima. R.S.	(bl.) softest.	1819.	6. 8.	H. 2.	
123	reniformis. Ph.	(pa.bl.) kidney-leaved.	Missouri.	1827.	5. 8.	H. 2.	
124	Waldsteiniàna. R.S.	(bl.) Waldstein's.	1819.	6. 8.	H. 2.	
125	véna. R.S.	(pa.bl.) vernal.	Britain.	4. 5.	H. 2.	Eng. bot. v. 1. t. 25.
126	digitata. R.S.	(bl.) fingered.	Spain.	1805.	6. 7.	H. 2.	Reich. ic. t. 36.
127	triphy'llos. R.S.	(bl.) variable-leaved.	Britain.	4. 5.	H. 2.	Eng. bot. v. 1. t. 26.
128	hederifolia. R.S.	(pa.bl.) Ivy-leaved.	————	3. 10.	H. 2.	———— v. 11. t. 784.
129	Cymbalaria. R.S.	(wh.) fleshy-leaved.	Levant.	1823.	4. 8.	H. 2.	Flor. græc. t. 9.
130	peregrina. R.S.	(pa.) knotgrass-leaved.	N. Europe.	1680.	5. 6.	H. 2.	Flor. dan. t. 407.
131	depressa. R.S.	(bl.) depressed.	Hungary.	1826.	4. 8.	H. 2.	
132	glauca. F.G.	(bl.) glaucous.	Greece.	————	————	H. 2.	Flor. græc. v. 1. t. 7.
133	am'ena. R.S.	(bl.) fine blue.	Iberia.	1823.	5. 6.	H. 2.	MB. cent. ros. t. 1. f. 18.
134	biloba. R.S.	(wh.) two-lobed.	Levant.	1819.	4. 6.	H. 2.	Buxb. cent. 1. t. 36.
135	præcox. R.S.	(bl.) early-flowered.	Europe.	————	3. 5.	H. 2.	Allion. ped. t. 1. f. 1.
136	acinifolia. R.S.	(pa.bl.) Basil-leaved.	S. Europe.	1788.	4. 5.	H. 2.	Poit. et Turp. par. 1. t. 23.
137	arvensis. R.S.	(bl.) wall.	Britain.	4. 7.	H. 2.	Eng. bot. v. 11. t. 734.
138	agræstis. R.I.	(va.) field.	————	1. 12.	H. 2.	Reich. ic. C. 3. t. 277.
	<i>pulchella</i> . DC. non Bernhard. <i>versicolor</i> . Fries.						
139	opaca. R.I.	(pa.bl.) dull-leaved.	Britain.	————	H. 2.	Reich. ic. C. 3. p. 67. t. 278.
140	polita. R.I.	(bl.) polished.	————	————	H. 2.	———— C. 3. p. 45. t. 246.
141	didyma. T.N.	(bl.) toothed-calyxed.	Naples.	1827.	————	H. 2.	
142	pulchella. R.S.	(wh.ro.) neat.	1823.	3. 6.	H. 2.	
143	Buxbaumii. s.s.	(bl.) Buxbaum's.	S. Europe.	1820.	————	H. 2.	Ten. fl. nap. t. 1.
144	filiformis. s.s.	(bl.) long-stalked.	Levant.	1780.	5.	H. 2.	Buxb. cent. 1. t. 10. f. 1.
145	persica. s.s.	(bl.) Persian.	Persia.	1816.	1. 12.	H. 2.	
	DIPLOPHY'LLUM. S.S. DIPLOPHY'LLUM. Diandria Monogynia. S.S.						
	veronicaeforme. s.s.	(bl.) Speedwell-like.	Caucasus.	1813.	4. 6.	H. 2.	Linn. trans. v. 11. t. 31.
	<i>Veronica crista galli</i> . L.T.						
	HEMI'MERIS. L. HEMI'MERIS. Diandria Monogynia.						
	montana. L.	(re.) mountain.	C. B. S.	1816.	6. 8.	G. 2.	Lam. ill. t. 532.

ORDO CLIII.

LABIATÆ. *Brown prodr.* 1. p. 499.

Tribus I. MENTHOIDEÆ. *Bentham in Bot. reg. fol.* 1282.

	LYCOPUS. R.S. WATER-HOREHOUND. Diandria Monogynia. L.						
1	australis. B.P.	(wh.) New Holland.	N. S. W.	1823.	5. 7.	G. 2.	
2	europæus. R.S.	(wh.) Europæan.	Britain.	7. 8.	H. 2.	Eng. bot. v. 16. t. 1105.
3	intermedius.	(wh.) intermediate.	Europe.	1816.	————	H. 2.	
4	exaltatus. R.S.	(wh.) tall.	Italy.	1739.	————	H. 2.	Flor. græc. 1. t. 12.
5	virginicus. R.S.	(wh.) Virginian.	N. America.	1760.	8. 9.	H. 2.	
6	sinuatus. E.C.	(wh.) sinuate-leaved.	————	1812.	————	H. 2.	
	ISA'NTHUS. M. ISA'NTHUS. Didynamia Gymnospermia. S.S.						
	cæruleus. M.	(bl.) blue.	N. America.	1732.	6. 8.	H. 2.	Dill. elt. t. 285. f. 369.
	<i>Trichostema brachiata</i> . L.						
	AUDIBERTIA. B.R. AUDIBERTIA. Didynamia Gymnospermia.						
	pusilla. B.R.	(pu.) small.	Corsica.	1829.	5. 8.	H. 2.	
	<i>Thymus parviflorus</i> . Requier.						
	ME'NTHA. L. MINT. Didynamia Gymnospermia. L.						
1	viridis. w.	(pu.) spear.	Britain.	8.	H. 2.	Eng. bot. v. 34. t. 2424.
2	lævigata. W.en.	(pu.) smooth-leaved.	Germany.	6. 8.	H. 2.	
3	balsamea. W.en.	(pu.) Balsam-scent'd.	Italy.	1804.	7. 8.	H. 2.	
4	crispata. W.en.	(pu.) crumpled.	Europe.	1807.	————	H. 2.	
5	piperita. E.B.	(pu.) pepper.	England.	8. 9.	H. 2.	Eng. bot. v. 10. t. 687.
6	niliaca. s.s.	(pu.) Egyptian.	Egypt.	1796.	7. 8.	H. 2.	Jacq. vind. 3. t. 87.
7	tenuis. M.	(wh.) slender.	N. America.	1826.	————	H. 2.	

8	<i>sylvéstris</i> . E.B.	(<i>pu.</i>) wild.	Britain.	7. 8.	H. 2.	Eng. bot. v. 10. t. 686.
9	<i>nemorosa</i> . W.en.	(<i>pu.</i>) wood.	—————	———	H. 2.	Flor. dan. t. 484.
10	<i>hirta</i> . W.en.	(<i>pu.</i>) hairy.	Europe.	———	H. 2.	
11	<i>pubescens</i> . W.en.	(<i>pu.</i>) pubescent.	—————	———	H. 2.	
12	<i>Auriculària</i> . w.	(<i>li.</i>) Indian.	E. Indies.	1796.	———	S. 2.	Rumph. amb. 6. t. 16.
13	<i>crispa</i> . w.	(<i>pu.</i>) curled.	Siberia.	1640.	———	H. 2.	
14	<i>pyramidàlis</i> . T.N.	(<i>pu.</i>) pyramidal.	Naples.	1824.	———	H. 2.	
15	<i>undulàta</i> . W.en.	(<i>pu.</i>) wave-leaved.	Europe.	1816.	———	H. 2.	
16	<i>incàna</i> . W.en.	(<i>pu.</i>) hoary.	—————	1790.	———	H. 2.	
17	<i>lavandulàcea</i> . W.en.	(<i>pu.</i>) Lavender-leaved.	Spain.	1825.	———	H. 2.	
18	<i>capénsis</i> . w.	(<i>pu.</i>) Cape.	C. B. S.	1816.	———	G. 2.	
19	<i>rotundifolia</i> . E.B.	(<i>pu.</i>) round-leaved.	Britain.	8. 9.	H. 2.	Eng. bot. v. 7. t. 446.
	<i>β variegata</i> .	(<i>pu.</i>) variegated.	—————	———	H. 2.	
20	<i>macrostàchia</i> . T.N.	(<i>pu.</i>) long-spiked.	Naples.	1820.	———	H. 2.	
21	<i>gratissima</i> . w.	(<i>pu.</i>) oblong-leaved.	Britain.	7. 8.	H. 2.	
22	<i>citràta</i> . s.s.	(<i>pu.</i>) Bergamot.	England.	———	H. 2.	Eng. bot. v. 15. t. 102.
	<i>odoràta</i> . E.B.						
23	<i>hirsuta</i> . E.B.	(<i>pu.</i>) hairy water.	Britain.	7. 9.	H.w. 2.	Eng. bot. v. 7. t. 447.
24	<i>acutifolia</i> . E.B.	(<i>pu.</i>) acute-leaved.	England.	9.	H.w. 2.	————— v. 34. t. 241.
25	<i>sativa</i> . E.B.	(<i>re.</i>) tall red.	—————	8. 9.	H.w. 2.	————— v. 7. t. 448.
26	<i>rùbra</i> . E.B.	(<i>re.</i>) common red.	Britain.	9.	H.w. 2.	————— v. 20. t. 143.
27	<i>géntilis</i> . E.B.	(<i>re.</i>) bushy red.	—————	7. 8.	H.w. 2.	————— v. 30. t. 215.
28	<i>grácilis</i> . H.K.	(<i>re.</i>) narrow-leaved.	—————	———	H.w. 2.	————— v. 7. t. 449.
29	<i>palústris</i> . s.M.	(<i>pu.</i>) marsh.	—————	9.	H.w. 2.	
30	<i>villòsa</i> . s.M.	(<i>pu.</i>) horse.	—————	7. 8.	H.w. 2.	
31	<i>praténsis</i> . s.M.	(<i>pu.</i>) meadow.	—————	———	H.w. 2.	Sole's Mints. t. 17.
32	<i>rivalis</i> . s.M.	(<i>pu.</i>) river.	—————	———	H.w. 2.	
33	<i>paludosa</i> . s.M.	(<i>pu.</i>) brook.	—————	9.	H.w. 2.	
34	<i>arvénsis</i> . E.B.	(<i>li.</i>) corn.	—————	7. 9.	H. 2.	Eng. bot. v. 30. t. 211.
35	<i>præcox</i> . s.M.	(<i>li.</i>) early-flowering.	—————	6.	H. 2.	Sole's Mints. ic.
36	<i>agréstis</i> . E.B.	(<i>li.</i>) field.	—————	7. 8.	H. 2.	Eng. bot. v. 30. t. 212.
37	<i>austriaca</i> . s.s.	(<i>pu.</i>) Austrian.	Austria.	1818.	———	H. 2.	
38	<i>dentàta</i> . w.	(<i>pu.</i>) toothed.	Germany.	1816.	———	H. 2.	
39	<i>canadénsis</i> . w.	(<i>pu.</i>) Canadian.	N. America.	1801.	———	H. 2.	
40	<i>boreàlis</i> . M.	(<i>li.</i>) northern.	—————	1824.	———	H. 2.	
41	<i>élegans</i> . s.s.	(<i>pu.</i>) elegant.	S. Europe.	1828.	———	H. 2.	
42	<i>badénsis</i> . s.s.	(<i>pu.</i>) Baden.	Italy.	———	———	H. 2.	
43	<i>rugosa</i> . Roth.	(<i>pu.</i>) rugged-leaved.	Germany.	1824.	———	H. 2.	
44	<i>glabràta</i> . s.s.	(<i>pu.</i>) smooth.	Egypt.	1802.	———	H. 2.	
45	<i>Pulègium</i> . s.s.	(<i>li.</i>) Pennyroyal.	Britain.	8. 9.	H. 2.	Eng. bot. v. 15. t. 102.
46	<i>cervina</i> . s.s.	(<i>wh.</i>) Hyssop-leaved.	S. France.	1648.	6. 8.	H. 2.	Moris. s. 3. t. 7. f. 7.
COLEBRO'OKIA. S.S. COLEBRO'OKIA. Didynamia Gymnospermia.							
1	<i>oppositifolia</i> . D.P.	(<i>wh.</i>) opposite-leav'd.	Nepaul.	1816.	6. 9.	S. 2.	Sm. exot. bot. t. 115.
2	<i>ternifolia</i> . s.s.	(<i>wh.</i>) three-leaved.	E. Indies.	———	———	S. 2.	
PERILLA. W. PERILLA. Didynamia Gymnospermia. L.							
1	<i>ocymoides</i> . w.	(<i>wh.</i>) Basil-leaved.	India.	1770.	7. 8.	H. ⊙.	Arduin. spec. 2. t. 13.
2	<i>fruticosa</i> . D.P.	(<i>wh.</i>) frutescent.	Nepaul.	1818.	———	S. 2.	
ELSHO'LTZIA. S.S. ELSHO'LTZIA. Didynamia Gymnospermia. W.							
1	<i>cristata</i> . s.s.	(<i>li.</i>) crested.	Siberia.	1789.	5. 7.	H. ⊙.	Bot. mag. t. 2560.
2	<i>ocymoides</i> . s.s.	(<i>li.</i>) Basil-like.	E. Indies.	1823.	———	S. 2.	
APHANOCHILUS. B.R. APHANOCHILUS. Didynamia Gymnospermia.							
1	<i>blándus</i> .	(<i>wh.</i>) agreeable.	Nepaul.	1820.	10. 12.	G. 2.	DC. pl. rar. gen. t. 8.
	<i>Méntha blánda</i> . DC.						
2	<i>incisus</i> . B.R.	(<i>wh.</i>) cut-leaved.	—————	1818.	6. 10.	G. 2.	
	<i>Méntha blánda</i> . H.C. non DC.						
DYSOPHY'LLA. B.R. DYSOPHY'LLA. Didynamia Gymnospermia.							
1	<i>quadrifolia</i> . B.R.	(<i>li.</i>) four-leaved.	Nepaul.	1823.	6. 8.	G. 2.	
2	<i>stellata</i> . B.R.	(<i>li.</i>) starry-leaved.	—————	1816.	———	G. 2.	
3	<i>verticillata</i> . B.R.	(<i>li.</i>) whorl-leaved.	—————	1828.	———	G. 2.	
4	<i>pùmila</i> . B.R.	(<i>li.</i>) dwarf.	—————	———	———	G. 2.	Bot. mag. t. 2907.
	<i>Méntha verticillata</i> . B.M. <i>pùmila</i> . Graham.						
POGOSTEMON. S.S. POGOSTEMON. Didynamia Gymnospermia. S.S.							
	<i>plectranthoides</i> . s.s.	(<i>w.</i>) Plectanthrus-like.	1818.	6. 8.	S. 2.	Desf. m. mus. 2. t. 6.

Tribus II. SATUREINEÆ. *Benth. in Bot. reg.*

BYSTROP'OGON. S.S.		BYSTROP'OGON. Didymia Gymnospermia. S.S.				
1	origanifolius. s.s. (li.)	Marjoram-leav'd.	Teneriffe.	1815.	7. 8. G. h.	
2	plumosus. s.s. (li.)	woolly-flower'd.	Canaries.	1779.	6. 7. G. h.	
3	canariensis. s.s. (li.)	Canary.	————	1714.	6. 8. G. h.	Comm. hort. 2. t. 65.
4	punctatus. s.s. (li.)	cluster-flower'd.	Madeira.	1775.	7. 9. G. h.	
PYCNA'NTHEMUM. M. PYCNA'NTHEMUM.		Didymia Angiospermia. S.S.				
1	linifolium. s.s. (wh.)	Flax-leaved.	N. America.	1739.	7. 8. H. 4.	Herm. parad. t. 218.
2	lanceolatum. s.s. (wh.)	spear-leaved.	————	1812.	— H. 4.	
3	aristatum. s.s. (wh.)	awned.	————	1752.	8. H. 4.	Mich. amer. 2. t. 33.
4	verticillatum. s.s. (wh.)	whorl-leaved.	————	1816.	7. 8. H. 4.	
5	Monardella. s.s. (li.)	Monarda-like.	————	—	— H. 4.	
6	incanum. s.s. (bh.)	hoary.	————	1732.	7. 10. H. 4.	Dill. elt. t. 74. f. 85.
SATUR'EJA. S.S.		SAVORY. Didymia Gymnospermia. L.				
1	approximata. s.s. (li.)	bundle-leaved.	Sicily.	1825.	5. 7. F. h.	
2	spinosa. F.G. (wh.)	spiny.	Crete.	1827.	— G. h.	Flor. græc. t. 545.
3	viminea. s.s. (li.)	Pennyroyal tree.	Jamaica.	1783.	— S. h.	
4	montana. s.s. (li.)	winter.	S. Europe.	1562.	6. 7. H. h.	Flor. græc. t. 543.
5	rupëstris. s.s. (wh.)	rock.	Carniola.	1798.	— H. 4.	Jacq. ic. 3. t. 494.
6	obovata. s.s. (li.)	obovate-leaved.	Spain.	1824.	— H. h.	
7	tennifolia. s.s. (li.)	slender-leaved.	Italy.	1820.	— H. h.	
8	Juliàna. s.s. (li.)	linear-leaved.	————	1596.	5. 9. F. h.	Flor. græc. t. 540.
9	græca. s.s. (li.)	Grecian.	Greece.	1759.	6. 7. F. 4.	———— t. 542.
10	hirsuta. s.s. (li.)	hairy.	Sicily.	1824.	— F. 4.	
11	Teneriffæ. s.s. (pu.)	Teneriffe.	Teneriffe.	1815.	— F. 4.	
12	hortensis. s.s. (wh.)	summer.	Italy.	1652.	6. 8. H. 0.	Lam. ill. t. 504. f. 1.
13	capitata. w. (li.)	ciliated.	Levant.	1596.	6. 10. H. h.	Flor. græc. t. 544.
14	nervosa. s.s. (li.)	nerved.	Sicily.	1824.	— H. h.	
15	Thymbra. s.s. (li.)	whorl-flowered.	Candia.	1640.	5. 7. G. h.	Flor. græc. t. 541.
16	congesta. s.s. (li.)	close-flowered.	1825.	— G. h.	
TH'YMUS. S.S.		THYME. Didymia Gymnospermia. L.				
1	villosus. s.s. (li.)	hairy.	Portugal.	1759.	6. 7. F. h.	Flor. græc. t. 578.
2	cephalotus. s.s. (li.)	great headed.	————	—	7. 8. H. h.	Hof. et Lk. fl. lus. t. 13.
3	capitatus. L.en. (li.)	headed.	————	1823.	— H. h.	
4	odoratissimus. s.s. (li.)	very sweet.	Tauria.	—	— H. h.	
5	acicularis. s.s. (li.)	needle-shaped.	Hungary.	1806.	6. 8. H. h.	W. et K. hung. 2. t. 147.
6	hirsutus. s.s. (li.)	hairy.	————	1816.	— H. h.	
7	Zygis. s.s. (wh.)	Spanish.	Spain.	1771.	8. H. h.	Flor. græc. t. 574.
8	Marschallianus. s.s. (li.)	Marschall's.	Russia.	1815.	6. 8. H. h.	
9	glabrescens. L.en. (li.)	smooth.	S. Europe.	1823.	— H. 4.	Hof. et Lk. fl. lus. t. 15.
10	angustifolius. s.s. (li.)	narrow-leaved.	Europe.	— H. h.	
11	Serpyllum. s.s. (li.)	wild or mother of.	Britain.	— H. h.	Eng. bot. v. 22. t. 1514.
12	exserens. s.s. (li.)	exserted.	————	— H. h.	
13	citriodorus. L.en. (li.)	Lemon.	Europe.	— H. h.	
14	collinus. s.s. (li.)	hill.	Tauria.	1823.	— H. h.	
15	montanus. W.K. (li.)	mountain.	Hungary.	1800.	6. 7. H. h.	W. et K. hung. 1. t. 71.
16	nummularius. M.B. (li.)	moneywort.	Caucasus.	1818.	— H. h.	Bot. mag. t. 2666.
17	pannonicus. W.en. (li.)	Hungarian.	Hungary.	—	— H. h.	
18	lanuginosus. s.s. (li.)	woolly.	Europe.	6. 8. H. h.	
19	tomentosus. s.s. (li.)	tomentose.	Spain.	1816.	— H. h.	
20	albicans. s.s. (li.)	white-leaved.	Portugal.	—	— H. h.	
21	adscendens. L.en. (li.)	ascending.	S. Europe.	— H. h.	
22	lucidus. s.s. (li.)	shining-leaved.	1816.	— H. h.	
23	vulgaris. s.s. (li.)	common.	S. Europe.	1548.	5. 8. H. h.	
	<i>β</i> latifolius. (li.)	broad-leaved.	————	—	— H. h.	
24	Mastichina. s.s. (li.)	Mastick.	Spain.	1596.	7. 9. F. h.	Blackw. t. 131.
25	elongatus. L.en. (li.)	elongated.	1816.	— F. h.	
26	graveolens. F.G. (li.)	strong-scented.	Levant.	1823.	— F. h.	Flor. græc. t. 576.
27	Tragoriganum. s.s. (li.)	goat's.	Candia.	1640.	5. 6. F. h.	Alp. exot. t. 78.
28	filiformis. s.s. (li.)	filiform.	Minorca.	1770.	6. 7. G. h.	
29	fruticulosus. s.s. (li.)	frutescent.	Sicily.	1823.	— H. h.	
30	Teneriffæ. s.s. (li.)	Teneriffe.	Teneriffe.	1828.	— F. h.	
31	incanus. s.s. (wh.)	hoary.	Levant.	—	— F. 4.	Flor. græc. t. 577.
32	croaticus. P.s. (li.)	oval-leaved.	Hungary.	1802.	7. 8. H. h.	W. et K. hung. t. 156.
	<i>Piperella. W.K. non L.</i>					
33	ericæfolius. W.en. (li.)	Heath-leaved.	Spain.	1806.	6. 8. H. h.	

ORIGANUM. S.S.		MARJORAM.		Didynamia Gymnospermia. L.			
1	vulgare. s.s.	(ro.)	common.	Britain.	6. 10. H. 2.	Eng. bot. v. 16. t. 1143.
2	humile. s.s.	(wh.)	dwarf.	1827.	— H. 2.	
3	virens. s.s.	(ro.)	green.	Portugal.	1816.	— H. 2.	Hoff. et Lk. fl. p. 1. t. 9.
4	heracleoticum. s.s.	(li.)	winter, sweet.	S. Europe.	1640.	— H. 2.	Lobel. ic. 492.
5	creticum. s.s.	(li.)	Cretan.	1596.	— H. 2.	Schk. hand. 2. t. 164.
6	megastachyum. L.en.	(li.)	large-spiked.	1824.	— H. 2.	
7	macrostachyon. s.s.	(li.)	long-spiked.	Portugal.	1820.	— H. 2.	
8	hirtum. L.en.	(wh.)	hairy.	S. Europe.	— H. 2.	
9	oblongatum. L.en.	(wh.)	oblong-spiked.	1823.	— H. 2.	
10	smyrnæum. L.	(wh.)	Smyrna.	Smyrna.	1722.	6. 7. G. 2.	Flor. græc. t. 571.
11	Onites. s.s.	(wh.)	pot.	Sicily.	1759.	7. 11. H. 2. t. 572.
12	Marù. w.	(li.)	Lavender-scented.	Crete.	1822.	— F. 2.	Bot. mag. t. 2605.
13	Majoranoïdes. w.	(wh.)	shrubby sweet.	— F. 2.	
14	Majorana. s.s.	(wh.)	knotted.	Portugal.	1573.	6. 7. F. 2.	Moris. s. 11. t. 3. f. 1.
15	indicum. s.s.	(wh.)	Indian knotted.	E. Indies.	1820.	— S. 2.	
16	salvifolium. Roth.	(li.)	Sage-leaved.	— F. 2.	
17	pallidum. P.s.	(pa.)	pale.	Levant.	1821.	— G. 2.	
18	stoloniferum. F.	(li.)	creeping.	1828.	— H. 2.	
19	Tournefortii. s.s.	(ro.)	Tournefort's.	Amorgos.	1788.	8. 9. F. 2.	Flor. græc. t. 569.
20	sipyleum. s.s.	(ro.)	Mount Sipylus.	Levant.	1699.	6. 9. F. 2. t. 570.
21	Dictamnus. s.s.	(li.)	Dittany of Crete.	Candia.	1551.	— F. 2.	Bot. mag. t. 298.
22	ægyptiacum. s.s.	(li.)	Egyptian.	Egypt.	1731.	6. 8. F. 2.	Alp. ægypt. t. 95.
LOPHA'NTHUS. B.R.		LOPHA'NTHUS.		Didynamia Gymnospermia.			
1	chinensis. B.R.	(ye.)	Mint-leaved.	Siberia.	1752.	8. 9. H. 2.	Jacq. vind. 2. t. 182.
	<i>Hyssopus Lophanthus. s.s.</i>						
2	nepetoïdes. B.R.	(ye.)	square-stalked.	N. America.	1692.	8. 10. H. 2.	Jacq. vind. 1. t. 63.
3	scrophularifolius. B.R.	(re.)	Figwort-leaved.	1800.	7. 8. H. 2.	Herm. parad. t. 106.
4	anisatus. B.R.	(bl.)	Anise-like.	1820.	7. 9. H. 2.	Bot. reg. t. 1232.
5	urticifolius. B.R.	(pu.)	Nettle-leaved.	1827.	— H. 2.	
6	multifidus. B.R.	(wh.)	multifid.	Siberia.	1797.	7. 8. H. 2.	Gmel. sib. 3. t. 55.
	<i>Nepeta multifida. w.</i>						
HYSSOPUS. B.R.		HYSSOP.		Didynamia Gymnospermia.			
1	officinalis. s.s.	(bl.)	common.	S. Europe.	1548.	6. 9. H. 2.	Jacq. aust. 3. t. 254.
2	orientalis. w.	(bl.)	narrow-leaved.	Caucasus.	1816.	— H. 2.	Bot. mag. t. 2299.
	<i>angustifolius. M.B.</i>						
3	discolor. F.	(bl.)	two-coloured.	Siberia.	1818.	— H. 2.	
4	septemfidus. E.	seven-cleft.	Egypt.	1827. H. 2.	
5	septemcrenatus. E.	seven-notched.	1829. H. 2.	
WESTRINGIA. S.S.		WESTRINGIA.		Didynamia Gymnospermia. S.S.			
1	rosmariniformis. B.P.	(w.)	Rosemary like.	N. S. W.	1791.	5. 8. G. 2.	Andr. reposit. t. 214.
2	Dampieri. B.P.	(wh.)	Dampier's.	N. Holland.	1803.	5. 7. G. 2.	
3	angustifolia. B.P.	(wh.)	narrow-leaved.	V. Diem. Isl.	1823.	— G. 2.	
4	longifolia. B.P.	(wh.)	long-leaved.	N. S. W.	1826.	— G. 2.	

Tribus III. AJUGOIDEÆ. *Benth. in Bot. reg.*

LEUCOSCEPTRUM. S.S.		LEUCOSCEPTRUM.		Didynamia Gymnospermia.			
	cænum. s.s.	(wh.)	white-flowered.	Nepaul.	1825.	7. 9. F. 2.	
TEUCRIUM. S.S.		GERMANDER.		Didynamia Gymnospermia. L.			
1	fruticans. w.	(bl.)	narrow-ld. shrubby.	Spain.	1640.	6. 9. H. 2.	Flor. græc. t. 527.
2	latifolium. L.	(li.)	broad-ld. shrubby.	— H. 2.	Bot. mag. t. 245.
3	heterophyllum. s.s.	(li.)	various-leaved.	Madeira.	1759.	6. 7. G. 2.	
4	Laxmanni. s.s.	(ye. pu.)	Laxmann's.	Siberia.	1800.	6. 8. H. 2.	
5	alpêtre. F.G.	(wh.)	alpine.	Levant.	1821.	6. 9. G. 2.	Flor. græc. t. 538.
6	brevifolium. s.s.	(li.)	short-leaved.	Crete.	1824.	— H. 2. t. 528.
7	asiaticum. s.s.	(bh.)	Asiatic.	1777.	6. 10. G. 2.	Jacq. vind. 3. t. 41.
8	enbense. s.s.	(li.)	Cuba.	Cuba.	1733.	5. S. 2.	Jacq. obs. 2. t. 30.
9	Nissolianum. s.s.	(pu.)	Nissolle's.	Spain.	1752.	6. 7. F. 2.	Moris. s. t. 22. f. 19.
10	lævigatum. s.s.	(li.)	smooth.	BuenosAyres.	1829.	— G. 2.	
11	campanulatum. s.s.	(lh.)	bell-flowered.	Levant.	1728.	7. 8. H. 2.	
12	régium. s.s.	(pu.)	royal.	Spain.	1699.	5. 10. F. 2.	Pluk. alm. t. 65. f. 1.
13	multiflorum. s.s.	(pu.)	many-flowered.	1731.	7. 9. H. 2.	Bocc. mus. t. 117.
14	lucidum. s.s.	(re.)	shining.	S. Europe.	1730.	6. 9. H. 2.	Flor. græc. t. 532.
15	Chamædryis. s.s.	(pu.)	wall.	England.	5. 8. H. 2.	Eng. bot. v. 10. t. 680.
16	Scórdium. s.s.	(pu.)	water.	7. 8. H. w. 2. v. 12. t. 828.

17 scordioïdes. s.s.	(pu.) likened.	S. Europe.	1816.	7. 8.	H. 4.	
18 bracteatum. s.s.	(pu.) bracted.	Barbary.	1828.	—	G. 4.	Desf. atl. 2. t. 120.
19 spinosum. s.s.	(wh.) thorny.	Spain.	1640.	5. 6.	H. 7.	Flor. græc. t. 539.
20 Botrys. s.s.	(pu.) cut-leaved.	S. Europe.	1633.	7. 9.	H. ⊙.	Ger. emac. 525. f. 2.
21 trifidum. s.s.	(re.) trifid-leaved.	C. B. S.	1791.	6. 8.	G. 7.	
22 angustissimum. s.s.	(re.) narrow-leaved.	Spain.	1818.	—	H. 7.	Barrel. rar. t. 1080.
23 pumilum. s.s.	(re.) small.	—	1816.	7. 8.	F. 7.	— t. 1092.
24 Libanitis. s.s.	(ye. bh.) Spanish.	Spain.	1824.	6. 8.	H. 4.	Cavan. ic 2. t. 118.
25 thymifolium. s.s.	(pu.) Thyme-leaved.	—	—	6. 10.	F. 7.	
26 supinum. s.s.	(wh.) procumbent.	Austria.	1752.	—	H. 7.	Jacq. aust. 5. t. 417.
27 montanum. s.s.	(st.) dwarf mountain.	S. Europe.	1710.	7. 10.	F. 7.	Flor. græc. t. 534.
28 Polum. s.s.	(wh.) Poley.	—	1562.	7. 9.	F. 7.	— t. 535.
29 cuneifolium. F.G.	(wh.) wedge-leaved.	Levant.	1828.	6. 8.	F. 7.	— t. 537.
30 Pseudohyssopus. s.s.	(w.) Hyssop-leaved.	Italy.	1804.	6. 7.	H. 7.	Col. ecclir. 1. t. 67.
31 capitatum. s.s.	(ro.) round-headed.	Spain.	1731.	7. 8.	F. 7.	Flor. græc. t. 536.
32 lusitanicum. s.s.	(wh.) Portugal.	Portugal.	1816.	—	F. 7.	
33 pycnophyllum. s.s.	(wh.) clustered.	Spain.	—	—	H. 4.	Barrel. rar. t. 1096.
34 valentinum. s.s.	(wh.) Valencia.	—	1826.	—	F. 7.	— t. 1048.
35 gnaphalodes. s.s.	(re.) woolly-calyx'd.	—	—	7. 9.	F. 7.	— t. 1083.
36 aureum. s.s.	(ye.) golden Poley.	S. Europe.	1731.	6. 7.	F. 7.	Cavan. ic. 2. t. 117.
37 flavescens. P.S.	(ye.) yellow Poley.	—	7. 9.	F. 7.	Barrel. rar. t. 1073.
38 hircanicum. s.s.	(pu.) Betony-leaved.	Persia.	1763.	8. 10.	H. 4.	Bot. mag. t. 2013.
39 inflatum. s.s.	(pu.) thick-spiked.	Jamaica.	1778.	—	S. 4.	
40 orchioïdes. B.R.	(bh.) Orchis-flowered.	Chile.	1826.	—	F. 7.	Bot. reg. t. 1255.
<i>heterophylla.</i> Cavan. icon. 6. t. 577. non L'Herit.						
41 virginicum. s.s.	(pu.) Virginian.	N. America.	1768.	5. 6.	H. 4.	Schkuhr. handb. 160.
42 canadense. s.s.	(pu.) Canadian.	—	—	8. 9.	H. 4.	
43 Arduini. s.s.	(wh.) Arduini's.	Levant.	1827.	—	H. 4.	Flor. græc. t. 531.
44 abutiloïdes. s.s.	(ye.) Mulberry-leaved.	Madeira.	1777.	4. 5.	G. 7.	Jacq. schœn. 3. t. 358.
45 Scorodonia. s.s.	(st.) wood sage.	Britain.	7.	H. 4.	Eng. bot. v. 22. t. 1543.
46 betonicum. s.s.	(pu.) hoary.	Madeira.	1775.	5. 8.	G. 7.	Bot. mag. t. 1114.
47 flavum. s.s.	(st.) yellow-flowered.	S. Europe.	1640.	7. 9.	H. 7.	Flor. græc. t. 533.
48 massiliense. s.s.	(li.) sweet scented.	France.	1731.	6. 7.	H. 7.	Jacq. vind. 1. t. 91.
49 resupinatum. s.s.	(st.) resupinate.	Barbary.	1801.	7. 8.	H. ⊙.	Desf. atl. 2. t. 117.
50 Marum. s.s.	(pu.) Cat-thyme.	Spain.	1640.	7. 9.	F. 7.	Park. theat. 17. f. 2.
51 subspinosum. s.s.	(pu.) Minorca.	Minorca.	1816.	—	G. 7.	
52 quadratum. s.s.	(ro.) many-branched.	Levant.	1828.	—	F. 7.	Flor. græc. t. 530.
53 creticum. s.s.	(ro.) Cretan.	Crete.	1825.	—	G. 7.	— t. 529.
54 pyrenæicum. s.s.	(pu.) Pyrenean.	Pyrenees.	1731.	6. 8.	H. 4.	Bot. mag. t. 1279.
55 orientale. s.s.	(bl.) great-flowered.	Levant.	1752.	7. 8.	H. 4.	
AMETHYSTEA. R.S. AMETHYSTEA. Diandria Monogynia. L.						
cerulea. R.S.	(bl.) blue-flowered.	Siberia.	1759.	6. 7.	H. ⊙.	Bot. mag. t. 2448.
TRICHOSTEMA. S.S. TRICHOSTEMA. Didynamia Gymnospermia. L.						
1 dichotoma. w.	(bl.) Marjoram-leav'd.	N. America.	1759.	6. 7.	H. ⊙.	Lam. ill. t. 515.
2 linearis. s.s.	(bl.) linear-leaved.	—	—	—	H. ⊙.	
AJUGA. S.S. BUGLE. Didynamia Gymnospermia. L.						
1 Iva. s.s.	(ye.) musky.	S. Europe.	1759.	7. 8.	H. ⊙.	Flor. græc. t. 525.
2 reptans. s.s.	(bl.) common.	Britain.	5. 6.	H. 4.	Eng. bot. v. 7. t. 489.
α cerulea.	(bl.) blue-flowered.	—	—	H. 4.	
β rubra.	(pu.) red-flowered.	—	—	H. 4.	
γ alba.	(wh.) white-flowered.	—	—	H. 4.	
3 alpina. s.s.	(bl.) Alpine.	England.	5. 7.	H. 4.	Eng. bot. v. 7. t. 477.
4 genevensis. s.s.	(bl.) Geneva.	Switzerland.	1656.	5. 6.	H. 4.	Bull. herb. t. 361.
5 pyramidalis. s.s.	(li.) pyramidal.	Britain.	—	H. 4.	Eng. bot. v. 18. t. 1270.
6 oblongata. s.s.	(bl.) oblong-leaved.	Caucasus.	1829.	—	H. 4.	
7 orientalis. s.s.	(bl.) oriental.	Levant.	1732.	—	H. 4.	Swt. br. fl. gar. ser. 2.
8 Chamæpitys. s.s.	(ye.) ground pine.	England.	4. 7.	H. ⊙.	Eng. bot. v. 2. t. 77.
9 Chia. F.G.	(ye.) Grecian.	Levant.	1828.	—	H. ⊙.	Flor. græc. t. 524.
10 salicifolia. F.G.	(ye.) Willow-leaved.	—	—	—	H. ⊙.	— t. 526.
ANISOMELES. B.P. ANISOMELES. Didynamia Gymnospermia. S.S.						
1 ovata. s.s.	(vi. wh.) broad-leaved.	E. Indies.	1783.	7. 8.	S. ⊙.	Burm. zeyl. t. 71. f. 1.
2 malabárica. s.s.	(vi.) Malabar.	—	1817.	—	S. 7.	Bot. mag. t. 2071.

Tribus IV. MONARDEÆ. Benth. in Bot. reg.

MONARDA. R.S. MONARDA. Diandria Monogynia. L.						
1 fistulosa. R.S.	(pu.) fistulous.	N. America.	1656.	6. 8.	H. 4.	Mill. ic. t. 122. f. 2.
2 media. R.S.	(da. pu.) purple-bracted.	—	6. 9.	H. 4.	Swt. br. fl. gar. t. 98.

3	móllis. R.S.	(pa.pu.) soft.	N. America.	6. 7.	H. 2.	
4	oblongàta. R.S.	(pa.pu.) long-leaved.	————	1761.	7. 9.	H. 2.	
5	altíssima. R.S.	(li.) tallest.	————	1818.	—	H. 2.	
6	affinis. L.en.	(li.) affined.	————	—	—	H. 2.	
7	menthæfòlia. B.M.	(pu.) Mint-leaved.	————	1827.	—	H. 2.	Bot. mag. t. 295S.
8	rugòsa. R.S.	(wh.) white-flowered.	————	1761.	—	H. 2.	
9	purpùrea. R.S.	(pu.) purple-flowered.	————	1789.	6. 8.	H. 2.	Bot. mag. t. 145.
	<i>fistulòsa. var. crimson.</i>	B.M.					
10	Kalmiána. R.S.	(sc.) pubescent-flower'd.	————	1813.	—	H. 2.	Pursh. amer. 1. t. 1.
11	dídyma. R.S.	(sc.) Oswego Tea.	————	1752.	—	H. 2.	Bot. mag. t. 546.
12	Russeliána. N.	(wh.re.) Russell's.	————	1823.	—	H. 2.	Swt. br. fl. gar. t. 166.
13	clinopòdia. Ph.	(st.) wild basil-leav'd.	————	1771.	7.	H. 2.	
14	grácilis. R.S.	(st.) slender.	————	1824.	7. 8.	H. 2.	
15	punctàta. R.S.	(ye.re.) spotted.	————	1714.	6. 10.	F. 2.	Bot. reg. t. 87.
16	citriodòra. R.S.	(li.) Citron-scented.	New Spain.	1823.	—	F. 2.	
BLEPHYLIA. B.R.			BLEPHYLIA.	Diandria Monogynia.			
1	ciliàta. B.R.	(bl.) blue-flowered.	N. America.	1798.	7. 8.	H. 2.	Pluk. alm. t. 164. f. 3.
	<i>Monárda ciliàta.</i>	R.S.					
2	hirsùta. B.R.	(li.) hairy.	————	—	7. 9.	H. 2.	
ZIZIPHORA. S.S.			ZIZIPHORA.	Diandria Monogynia.	L.		
1	clinopodioides. R.S.	(li.) headed.	Siberia.	1799.	7. 8.	H. ⊙.	Rud. mem. p. 1810. t. 11.
	<i>Cunila capitata.</i>	L.					
2	acinoïdes. W.en.	(ro.) Thyme-leaved.	————	1786.	—	H. ⊙.	
3	mèdia. L.en.	(li.) middle.	1816.	—	H. 2.	
4	capitàta. R.S.	(ro.) oval-leaved.	Syria.	1752.	—	H. ⊙.	Flor. græc. 1. t. 13.
5	hispanica. R.S.	(li.) Spanish.	Spain.	1759.	6.	H. ⊙.	Lam. ill. t. 18. f. 1.
6	tenùior. R.S.	(li.) spear-leaved.	Levant.	1752.	6. 7.	H. ⊙.	———— t. 18. f. 2.
7	taurica. R.S.	(li.) Taurian.	Tauria.	1816.	7. 9.	H. ⊙.	M. B. cent. pl. rar. 2. t. 8.
8	serpyllàcea. R.S.	(li.) sweet-scented.	Caucasus.	1803.	7. 8.	H. 2.	Bot. mag. t. 906!
9	dasyántha. R.S.	(li.) hairy-flowered.	Siberia.	—	6. 8.	H. 2.	———— t. 1093.
	<i>Pouschkini.</i>	B.M.					
CUNILA. N.			CUNILA.	Diandria Monogynia.	L.		
	mariána. N.	(pu.) Mint-leaved.	N. America.	1759.	7. 9.	H. 2.	Swt. br. fl. gar. t. 213.
HEDEOMA. N.			HEDEOMA.	Diandria Monogynia.	P.S.		
1	pulegioides. N.	(wh.vi.) Pennyroyal-ld.	N. America.	1777.	6. 8.	H. ⊙.	
2	thymoides. P.S.	(bh.) Thyme-leaved.	France.	1699.	—	H. ⊙.	Moris. s. 11. t. 19. f. 6.
ROSMARINUS. R.S.			ROSEMARY.	Diandria Monogynia.	L.		
1	officinàlis. R.S.	(pa.bl.) common.	S. Europe.	1548.	1. 4.	H. 2.	Flor. græc. 1. t. 14.
	<i>a angustifolius.</i>	(pa.bl.) narrow-leaved.	————	—	—	H. 2.	
	<i>β latifolius.</i>	(pa.bl.) broad-leaved.	————	—	—	H. 2.	
	<i>γ argenteus.</i>	(pa.bl.) silver-striped.	————	—	—	H. 2.	
	<i>δ aureus.</i>	(pa.bl.) gold-striped.	————	—	—	H. 2.	
2	chilénsis. R.S.	(wh.) Chili.	Chili.	1795.	7.	G. 2.	
SYNA'NDRA. N.			SYNA'NDRA.	Didynamia Gymnospermia.			
	grandiflòra. N.	(st.) great-flowered.	N. America.	1827.	6. 7.	H. 2.	

Tribus V. NEPETEÆ. *Benth. in Bot. reg.*

LEONOTIS. S.S.			LION'S-EAR.	Didynamia Gymnospermia.	S.S.		
1	Leonùrus. s.s.	(or.) narrow-leaved.	C. B. S.	1712.	10. 12.	G. 2.	Bot. mag. t. 478.
	<i>Phlomis Leonùrus.</i>	w.					
2	ovàta. s.s.	(or.) dwarf shrubby.	————	1713.	6. 7.	G. 2.	Mill. ic. 2. t. 162. f. 1.
3	intermèdia. s.s.	(or.) intermediate.	S. Africa.	1823.	—	G. 2.	Bot. reg. t. 850.
4	nepetifòlia. s.s.	(or.) Catmint-leaved.	E. Indies.	1778.	9. 10.	S. ⊙.	———— t. 281.
LEUCAS. B.P.			LEUCAS.	Didynamia Gymnospermia.	S.S.		
1	chinénsis. s.s.	(wh.) Chinese.	China.	1822.	6. 8.	S. 2.	
2	zeylànica. s.s.	(wh.) Ceylon.	E. Indies.	1777.	6. 10.	S. ⊙.	Jacq. ic. 1. t. 111.
3	linifòlia. s.s.	(wh.) Flax-leaved.	————	1816.	—	S. ⊙.	
4	Pluknètii. s.s.	(wh.) Pluknet's.	————	1824.	—	S. ⊙.	
5	cephalòtes. s.s.	(wh.pu.) large-headed.	————	1811.	—	S. ⊙.	
6	nùtans. s.s.	(wh.) nodding.	————	1826.	—	S. ⊙.	
7	hírta. s.s.	(wh.) hairy.	————	1824.	—	S. ⊙.	
8	áspera. s.s.	(wh.) rough.	Persia.	1823.	—	S. ⊙.	
9	índica. s.s.	(bh.) Indian	E. Indies.	1789.	7. 8.	S. ⊙.	
10	urticafòlia. s.s.	(wh.) Nettle-leaved.	————	1810.	—	S. ⊙.	

11	<i>martinicénsis.</i> (<i>wh.</i>) West-Indian.	W. Indies.	1781.	7. 8.	S. ⊙.	Jacq. ic. 1. t. 110.
	<i>Phlomis martinicensis.</i> w.					
12	<i>biflora.</i> s.s. (<i>wh.</i>) two-flowered.	E. Indies.	1820.	—	S. ⊙.	Burm. zeyl. t. 63. f. 1.
	PHLOMIS. S.S. JERUSALEM-SAGE. <i>Didynamia Gymnospermia.</i> L.					
1	<i>fruticosa.</i> s.s. (<i>ye.</i>) shrubby.	Spain.	1596.	6. 7.	H. h.	Flor. græc. t. 563.
2	<i>ferruginea.</i> s.s. (<i>ye.</i>) ferruginous.	Naples.	—	H. h.	
3	<i>lanata.</i> s.s. (<i>ye.</i>) small shrubby.	S. Europe.	1596.	—	H. h.	
4	<i>crética.</i> s.s. (<i>ye.</i>) Cretan.	Crete.	1823.	—	G. h.	
5	<i>scariosa.</i> s.s. (<i>ye.</i>) scariose-bracted.	Italy.	—	—	F. h.	
6	<i>virens.</i> s.s. (<i>ye.</i>) green shrubby.	Levant.	—	F. h.	
7	<i>microphylla.</i> Sie. (<i>ye.</i>) small-leaved.	—	1827.	—	F. h.	
8	<i>purpurea.</i> s.s. (<i>pu.</i>) purple.	S. Europe.	1661.	6. 8.	F. h.	Smith spicil. 6. t. 3.
9	<i>italica.</i> s.s. (<i>pu.</i>) Italian.	Italy.	—	—	F. h.	
10	<i>Nissòlii.</i> s.s. (<i>ye.</i>) Nissole's.	Levant.	1757.	6. 7.	F. 4.	Mill. ic. 2. t. 204.
11	<i>armeniaca.</i> s.s. (<i>ye.</i>) Armenian.	Armenia.	1829.	—	F. h.	
12	<i>Lychnites.</i> s.s. (<i>ye.</i>) lamp-wick.	S. Europe.	1658.	6. 8.	G. h.	Bot. mag. t. 999.
13	<i>floccosa.</i> B.R. (<i>ye.</i>) woolly.	Egypt.	1828.	8. 11.	F. h.	Bot. reg. t. 1300.
14	<i>salviæfolia.</i> P.S. (<i>ye.re.</i>) Sage-leaved.	1822.	6. 9.	F. h.	Jacq. schœnb. 3. t. 359.
15	<i>agraria.</i> Led. (<i>pu.</i>) field.	Siberia.	1827.	—	H. 4.	
16	<i>Samia.</i> s.s. (<i>pu.</i>) Samian.	N. Africa.	1714.	6. 7.	H. 4.	Flor. græc. t. 564.
17	<i>Russelliana.</i> Lag. (<i>ye.</i>) Russell's.	Levant.	1821.	—	H. 4.	Russ. alep. 2. t. 16.
	<i>lunarifolia</i> β <i>Russelliana.</i> B.M. 2542.					
18	<i>Hérba-vénti.</i> s.s. (<i>pu.</i>) rough-leaved.	S. Europe.	1596.	7. 9.	H. 4.	
19	<i>pungens.</i> s.s. (<i>pu.</i>) pungent.	Levant.	1818.	6. 8.	H. 4.	Swt. br. fl. gar. t. 33.
20	<i>crinita.</i> s.s. (<i>or.</i>) white woolly.	Spain.	1829.	—	H. 4.	Cavan. icon. 3. t. 247.
21	<i>alpina.</i> s.s. (<i>pu.</i>) Alpine.	Siberia.	1802.	6. 9.	H. 4.	Pall. act. pet. 2. t. 13.
22	<i>tuberosa.</i> s.s. (<i>pu.</i>) tuberous-root'd.	—	1759.	6. 10.	H. 4.	Bot. mag. t. 1555.
23	<i>laciniata.</i> s.s. (<i>ye.</i>) jagged-leaved.	Levant.	1731.	7.	H. 4.	Swt. br. fl. gar. t. 24.
	BALLOTA. S.S. STINKING HOREHOUND. <i>Didynamia Gymnospermia.</i> L.					
1	<i>vulgàris.</i> s.s. (<i>pu.</i>) common.	Europe.	7. 9.	H. 4.	
2	<i>fœtida.</i> L.en. (<i>pu.</i>) strong-scented.	Britain.	—	H. 4.	Eng. bot. v. 1. t. 46.
	<i>a nigra.</i> (<i>pu.</i>) purple-flowered.	—	—	H. 4.	
	<i>æ alba.</i> (<i>wh.</i>) white-flowered.	—	—	H. 4.	
	BERING'ERIA. B.R. BERING'ERIA. <i>Didynamia Gymnospermia.</i>					
1	<i>cinèrea.</i> B.R. (<i>li.</i>) cinereous.	S. Europe.	1824.	6. 9.	H. 4.	
	<i>Marrubium cinereum.</i> s.s.					
2	<i>acetabulosum.</i> B.R. (<i>li.</i>) saucer-leaved.	Candia.	1676.	6. 8.	F. 4.	Barrel. icon. 129.
3	<i>pseudo-dictamnus.</i> B.R. (<i>li.</i>) shrubby white.	—	1596.	7. 8.	F. h.	Flor. græc. t. 562.
	<i>Marrubium pseudo-dictamnus.</i> F.G.					
4	<i>africànum.</i> B.R. (<i>li.</i>) African.	C. B. S.	1710.	7. 9.	G. 4.	Comm. hort. 2. t. 90.
5	<i>crispum.</i> B.R. (<i>li.</i>) curled-leaved.	S. Europe.	1714.	7. 8.	H. 4.	Herm. parad. t. 200.
6	<i>hispànicum.</i> B.R. (<i>li.</i>) Spanish.	Spain.	—	—	H. 4.	— t. 201.
7	<i>hirsutum.</i> B.R. (<i>li.</i>) hairy.	S. Europe.	6. 7.	H. 4.	
8	<i>orientàle.</i> B.R. (<i>li.</i>) oriental.	Levant.	1828.	—	H. 4.	
	MOLUCCELLA. S.S. MOLUCCA-BALM. <i>Didynamia Gymnospermia.</i> L.					
1	<i>tuberosa.</i> s.s. (<i>wh.</i>) tuberous-root'd.	Tartary.	1796.	7.	H. 4.	Pall. it. 3. app. t. T.
2	<i>lævis.</i> s.s. (<i>wh.re.</i>) smooth.	Syria.	1570.	7. 8.	H. ⊙.	Bot. mag. t. 1852.
	CHASM'ONIA. B.R. CHASM'ONIA. <i>Didynamia Gymnospermia.</i>					
	<i>incisa.</i> B.R. (<i>wh.re.</i>) spiny.	Levant.	1596.	7. 8.	H. ⊙.	Bot. reg. t. 1244.
	<i>Moluccella spinosa.</i> Flor. græc. t. 567.					
	LEONURUS. S.S. MOTHERWORT. <i>Didynamia Gymnospermia.</i> L.					
1	<i>Cardiaca.</i> s.s. (<i>li.wh.</i>) common.	Britain.	7. 8.	H. 4.	Eng. bot. v. 4. t. 286.
2	<i>villòsus.</i> s.s. (<i>li.wh.</i>) villous.	Tauria.	1824.	—	H. 4.	
3	<i>crispus.</i> s.s. (<i>li.</i>) curl-leaved.	Siberia.	1658.	—	H. 4.	Murr. c. gott. 8. t. 4.
4	<i>supinus.</i> s.s. (<i>wh.</i>) procumbent.	—	1816.	6. 8.	H. 4.	
5	<i>glaucescens.</i> Led. (<i>li.</i>) glaucous-leaved.	—	1827.	7. 9.	H. 4.	
6	<i>tatàricus.</i> s.s. (<i>li.</i>) Tartarian.	Tartary.	1756.	8. 10.	H. ♂.	Mill. ic. 1. t. 80.
7	<i>sibiricus.</i> s.s. (<i>ro.</i>) Siberian.	Siberia.	1759.	6. 8.	H. ♂.	Swt. br. fl. gar. t. 204.
8	<i>condensatus.</i> s.s. (<i>li.</i>) condensed.	—	1824.	—	H. 4.	
9	<i>heterophyllus.</i> B.F.G. (<i>ro.</i>) various-leav'd.	S. America.	—	—	H. ⊙.	Swt. br. fl. gar. t. 197.
10	<i>multifidus.</i> Desf. (<i>li.</i>) multifid.	—	—	H. ⊙.	
11	<i>neglectus.</i> Sch. (<i>li.</i>) neglected.	—	—	H. 4.	
12	<i>altaicus.</i> s.s. (<i>li.</i>) Altaic.	Altay.	1826.	—	H. 4.	
13	<i>lanatus.</i> s.s. (<i>st.</i>) woolly.	Siberia.	1752.	—	H. 4.	Gmel. sib. 3. t. 54.
	<i>Ballota lanata.</i> w.					
	GALEO'DOLON. S.S. DEAD-NETTLE. <i>Didynamia Angiospermia.</i> S.S.					
	<i>luteum.</i> E.B. (<i>ye.</i>) yellow.	Britain.	5. 6.	H. 4.	Eng. bot. v. 11. t. 787.
	GALEO'PSIS. S.S. HEMP-NETTLE. <i>Didynamia Gymnospermia.</i> L.					
1	<i>Ladanum.</i> E.B. (<i>ro.</i>) red.	Britain.	7. 9.	H. ⊙.	Eng. bot. v. 13. t. 884.

2	angustifolia. P.s. (ro.) narrow-leaved.	Europe.	1820.	7. 9.	H. ⊙.	
3	canescens. s.s. (li.) canescent.	Germany.	1827.	—	H. ⊙.	
4	pubescens. s.s. (wh.re.) pubescent.	—	1820.	—	H. ⊙.	
5	ochroleuca. s.s. (ye.) downy. <i>villosa. E.B.</i>	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 33. t. 235.
6	Tetrahit. E.B. (wh.pu.) common.	—	—	H. ⊙.	Eng. bot. v. 3. t. 207.
7	versicolor. E.B. (ye.vi.) various-colour'd. <i>cannabina. W.</i>	—	—	H. ⊙.	— v. 10. t. 607.
L'AMIUM. S.S.		ARCHANGEL.	Didynamia Gymnospermia. L.			
1	longiflorum. T.N. (pu.) long-flowered.	S. Europe.	4. 9.	H. 4.	Eng. bot. v. 36. t. 255.
	<i>maculatum. Eng. bot. non Flor. Græc.</i>					
2	rugosum. s.s. (pu.) rough.	Italy.	1766.	7. 8.	H. 4.	Flor. græc. t. 555.
3	maculatum. E.B. (pu.) spotted.	Britain.	4. 5.	H. 4.	— t. 556.
4	album. E.B. (wh.) white.	—	4. 9.	H. 4.	Eng. bot. v. 11. t. 768.
5	striatum. F.G. (wh.std.) striped-flower'd.	Levant.	1829.	—	H. 4.	Flor. græc. t. 557.
6	bifidum. s.s. (wh.) bifid-helmetted.	Naples.	1825.	—	H. 4.	Cyr. rar. fasc. 1. t. 7.
7	moschatum. s.s. (wh.) musk-scented.	Levant.	1739.	7. 9.	H. 4.	
8	molle. s.s. (wh.) Pellitory-leaved.	1683.	4. 5.	H. 4.	
9	flexuosum. T.N. (wh.) flexuose.	Naples.	1824.	4. 8.	H. 4.	Ten. flor. nap. ic.
10	garganicum. s.s. (pu.) woolly.	Italy.	1729.	7. 8.	H. 4.	Sm. exot. bot. 1. t. 48.
11	laevigatum. s.s. (pu.) smooth.	—	1711.	3. 10.	H. 4.	Pluk. alm. t. 198. f. 1.
12	purpureum. s.s. (pu.) purple. <i>β albidum. (wh.) white-flowered.</i>	Britain.	2. 8.	H. ⊙.	Eng. bot. v. 11. t. 769.
13	incisum. s.s. (li.) cut-leaved.	England.	5. 7.	H. ⊙.	Eng. bot. v. 27. t. 193.
14	amplexicaule. s.s. (pu.) Henbit.	Britain.	—	H. ⊙.	— v. 11. t. 770.
15	multifidum. s.s. (pu.) multifid-leaved.	Levant.	1752.	4. 5.	H. ⊙.	Comm. rar. t. 26.
ORVALA. DC.		ORVALA.	Didynamia Gymnospermia.			
1	lamioides. DC. (pu.bh.) balm-leaved. <i>Lamium Orrala. B.M.</i>	Italy.	1596.	4. 7.	H. 4.	Bot. mag. t. 172.
2	garganica. DC. (pu.) Garganian.	—	—	—	H. 4.	
PHYSOSTEGIA. B.R.		PHYSOSTEGIA.	Didynamia Angiospermia.			
1	virginiana. B.R. (cr.) Virginian.	N. America.	1683.	7. 9.	H. 4.	Bot. mag. t. 467.
2	speciosa. B.F.G. (ro.) beautiful. <i>Dracocepalum speciosum. B.F.G.</i>	—	1820.	—	H. 4.	Swt. br. fl. gar. t. 93.
3	denticulata. B.R. (ro.) toothed. <i>Dracocepalum denticulatum. B.M.</i>	—	1787.	8. 9.	H. 4.	Bot. mag. t. 214.
4	variegata. B.R. (re.wh.) variegated.	—	1812.	—	H. 4.	Vent. cels. t. 44.
SPHA'CELE. B.R.		SPHA'CELE.	Didynamia Gymnospermia.			
	Lindlei. B.R. (li.) Lindley's.	Valparaiso.	1825.	7. 9.	G. ½.	Bot. reg. t. 1226.
	<i>Stachys Salvia. B.R.</i>					
BETO'NICA. S.S.		BETONY.	Didynamia Gymnospermia. L.			
1	officinalis. s.s. (pu.) wood.	Britain.	7. 8.	H. 4.	Eng. bot. v. 16. t. 1142.
2	stricta. s.s. (pu.) Danish.	Denmark.	1592.	6. 7.	H. 4.	
3	incana. s.s. (pi.) hoary.	Italy.	1759.	—	H. 4.	Bot. mag. t. 2125.
4	orientalis. s.s. (pu.) oriental.	Levant.	1737.	—	H. 4.	Lam. ill. t. 507. f. 2.
5	alopecuros. s.s. (st.) Foxtail.	S. Europe.	1759.	7.	H. 4.	Jacq. aust. 1. t. 78.
6	hirsuta. s.s. (pu.) hairy.	Italy.	1710.	6. 7.	H. 4.	Mur. com. got. 2. t. 3.
7	grandiflora. s.s. (pu.) great-flowered.	Siberia.	1800.	—	H. 4.	Bot. mag. t. 700.
ST'ACHYS. S.S.		HEDGE-NETTLE.	Didynamia Gymnospermia. L.			
1	spinosa. s.s. (wh.) thorny.	Candia.	1640.	7.	F. ½.	Flor. græc. t. 559.
2	glutinosa. s.s. (wh.) clammy.	—	1729.	6. 7.	H. 4.	Moris. s. 11. t. 4. f. 17.
3	fruticulosa. s.s. (pu.) frutescent.	Caucasus.	1825.	—	H. ½.	
4	aethiopica. s.s. (li.) Ethiopian.	C. B. S.	1770.	4. 7.	G. 4.	Jacq. obs. 4. t. 77.
5	corsica. s.s. (li.) Corsican.	Corsica.	1825.	—	H. 4.	
6	angustifolia. s.s. (li.) narrow-leaved.	Tauria.	1823.	6. 7.	H. 4.	Swt. br. fl. gar. 2. t. 180.
7	rugosa. s.s. (st.) rough.	C. B. S.	1774.	7. 8.	G. ½.	Jacq. ic. 3. t. 493.
8	betonicaefolia. s.s. (ye.) Betony-leaved.	Crete.	1812.	6. 7.	H. 4.	
9	stenophylla. s.s. (ye.) linear-leaved.	S. Spain.	1819.	—	F. ½.	
10	orientalis. s.s. (st.) oriental.	Levant.	1768.	—	H. 4.	Flor. græc. t. 560.
11	maritima. s.s. (ye.) sea-side.	S. Europe.	1714.	7.	H. 4.	Jacq. vind. 1. t. 70.
12	annua. s.s. (wh.pu.) annual.	—	1713.	6. 8.	H. ⊙.	Jacq. aust. 4. t. 360.
13	hirta. s.s. (ye.pu.) procumbent.	Spain.	1725.	—	H. 4.	All. ped. 1. t. 2. f. 3.
14	arvensis. s.s. (pu.) corn.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 17. t. 1154.
15	arenaria. s.s. (pu.) sand.	Barbary.	1824.	6. 8.	H. 4.	Desf. atl. 2. t. 126.
16	diffusa. Schweig. (re.) diffuse. <i>arenaria. B.M. non Desf. rubra. Donn.</i>	S. Europe.	1804.	—	H. 4.	Bot. mag. t. 1915.
17	iberica. B.M. (pu.) Iberian.	Iberia.	1823.	—	H. 4.	
18	scordifolia. W.en. (pu.) wedge-leaved.	1816.	7. 8.	H. 4.	
19	aspera. M. (pu.) harsh-leaved.	N. America.	—	—	H. 4.	

20 hispida. s.s.	(pu.) hispid.	N. America.	1827.	7. 8.	H. 4.	
21 itálica. Mil.	(pu.) Italian.	Italy.	1747.	—	H. ♂.	
22 Balbísii. L.en.	(ye.) Balbis's.	—	1823.	—	H. 4.	
23 nepetæfòlia. s.s.	(pu.) Catmint-leaved.	Levant.	1805.	6. 8.	H. 4.	
24 arábica. s.s.	(re.) Arabian.	Arabia.	1820.	—	H. ⊙.	
25 ambígua. s.s.	(pu.) ambiguous.	Britain.	6. 7.	H. 4.	Eng. bot. v. 30. t. 2089.
26 sylvática. s.s.	(pu.) common.	—	7. 8.	H. 4.	— v. 6. t. 416.
27 circinàta. s.s.	(pu.) blunt-leaved.	Barbary.	1777.	5. 7.	H. 4.	L'Herit. s. nov. t. 26.
<i>canariénsis.</i> Jacq. ic. 1. t. 108.						
28 mollíssima. W.en.	(li.) soft-leaved.	Corfu.	1806.	7. 8.	H. 4.	W. hort. ber. t. 60.
29 pubéscens. T.s.	(st.) pubescent.	Italy.	1826.	—	H. 4.	
30 decúmbens. P.s.	(st.) decumbent.	S. Europe.	1816.	5. 7.	H. 4.	
31 coccínea. s.s.	(sc.) scarlet.	S. America.	1798.	6. 8.	F. 4.	Bot. mag. t. 666.
32 récta. s.s.	(ye.) upright.	S. Europe.	1683.	—	H. 4.	Jacq. aust. 4. t. 359.
33 heráclea. w.	(pu.) Phlomis-leaved.	Italy.	1816.	6. 7.	H. 4.	All. ped. t. 84. f. 1.
<i>phlomoídes.</i> W.en.						
34 oblíqua. P.s.	(st.) oblique-leaved.	Hungary.	—	—	H. 4.	W. et K. hung. t. 133.
35 palústris. s.s.	(pu.) Clown's all-heal.	Britain.	8.	H. 4.	Eng. bot. v. 24. t. 1675.
36 germánica. s.s.	(pu.) downy.	England.	7. 8.	H. 4.	— v. 12. t. 829.
37 intermédia. w.	(pu.) oblong-leaved.	Carolina.	1762.	6. 7.	H. 4.	
38 sibírica. L.en.	(pu.) Siberian.	Siberia.	1822.	6. 8.	H. 4.	Swt. br. fl. gar. t. 100.
39 polystàchya. s.s.	(pu.) many-spiked.	Naples.	1824.	—	H. 4.	
40 salviaefòlia. s.s.	(pu.) Sage-leaved.	—	—	—	H. 4.	
41 crética. s.s.	(pu.) Cretan.	Candia.	1640.	—	F. 4.	Flor. græc. t. 558.
42 dasyántha. Raf.	(pu.) woolly-flower'd.	Sicily.	1829.	—	H. 4.	
43 exaltàta. Ot.	(pu.) tall.	—	—	H. 4.	
44 alpina. s.s.	(pu.) Alpine.	Germany.	1597.	—	H. 4.	Lap. pyr. 1. t. 8.
45 lanàta. s.s.	(pu.) woolly.	Siberia.	1782.	6. 9.	H. 4.	Jacq. ic. 1. t. 107.
46 latifòlia. s.s.	(pu.) broad-leaved.	1775.	6. 7.	H. 4.	
47 biennis. Roth.	(pu.) biennial.	Germany.	1801.	6. 8.	H. ♂.	
48 lusitánica.	(pu.) Portugal.	Portugal.	1800.	—	H. 4.	
<i>Eriostèmon lusitánicum.</i> Lk.						
ZIETENIA. P.S.	ZIET'ENIA. Didynamia Gymnospermia. P.S.					
orientàlis. P.s.	(li.) Lavender-leaved.	Levant.	1816.	5. 7.	H. 4.	
<i>lavandulifòlia.</i> L.en. <i>Stachys lavandulifòlia.</i> w.						
CHAITURUS. B.R.	CHAIT'URUS. Didynamia Gymnospermia.					
marrubiástrum. Ehr.	(li.) small-flowered.	Austria.	1710.	6. 8.	H. ⊙.	Jacq. aust. 5. t. 405.
<i>Leonurus marrubiástrum.</i> w.						
CRANIO'TOME. B.R.	CRANIO'TOME. Didynamia Gymnospermia.					
versícolor. B.R.	(re.wh.) various-coloured.	Nepaul.	1823.	7. 8.	G. 4.	
<i>Ajuga furcàta.</i> L.enum. <i>Anisomèles nepalénsis.</i> s.s.						
NE'PETA. L.	CATMINT. Didynamia Gymnospermia. L.					
1 serpyllifòlia. s.s.	(li.) Thyme-leaved.	Tauria.	1826.	6. 8.	H. 4.	
2 parviflòra. s.s.	(li.) small-flowered.	—	1828.	—	H. 4.	
3 sibírica. s.s.	(bl.) Siberian.	Siberia.	1804.	7.	H. 4.	
4 grandiflòra. s.s.	(bl.) large-flowered.	Caucasus.	1806.	7. 8.	H. 4.	
5 melissæfòlia. s.s.	(bl.) Balm-leaved.	Candia.	1752.	—	H. 4.	
6 coloràta. W.en.	(vi.) coloured.	Caucasus.	1806.	—	H. 4.	
7 longiflòra. H.K.	(bl.) long-flowered.	Persia.	1802.	6. 8.	H. 4.	Venten. cels. t. 66.
8 Mussini. H.K.	(bl.) scollop-leav'd.	Siberia.	1804.	5. 8.	H. 4.	Bot. mag. t. 923.
<i>longiflòra.</i> B.M. non v.						
9 incàna. s.s.	(bl.) hoary.	Levant.	1723.	8.	H. 4.	
10 gravèolens. s.s.	(bl.) strong-smelling.	S. Europe.	1804.	7. 8.	H. 4.	All. ped. t. 2. f. 1.
11 amethy'stina. Poir.	(bl.) amethystine.	—	1820.	—	H. 4.	
12 Nepetèlla. s.s.	(li.) small.	—	1758.	—	H. 4.	
13 teucrifòlia. s.s.	(bl.) Teucrium-leav'd.	Armenia.	1816.	—	H. 4.	
14 lamiifòlia. s.s.	(bl.) Lamium-leaved.	—	1806.	—	H. 4.	
15 citriodòra. Lag.	(wh.) Citron-scented.	Spain.	1826.	—	H. 4.	
16 lophántha. F.	(bl.) crested.	Altay.	1821.	—	H. 4.	
17 angustifòlia. s.s.	(wh.) narrow-leaved.	Spain.	1798.	6. 7.	H. 4.	
18 Catària. s.s.	(wh.) common.	Britain.	7. 9.	H. 4.	Eng. bot. v. 2. t. 137.
19 ucrànica. s.s.	(vi.) Ukranian.	Ukraine.	1789.	7. 8.	H. 4.	
20 nùda. L.	(li.) naked.	S. Europe.	1710.	—	H. 4.	Flor. græc. t. 547.
21 pannònica. L.	(li.) close-flowered.	Hungary.	1683.	8. 10.	H. 4.	Jacq. aust. 2. t. 129.
22 violàcea. s.s.	(vi.) violet-coloured.	Spain.	1723.	7. 9.	H. 4.	Bocc. mus. t. 36.
23 cœrùlea. s.s.	(bl.) blue-flowered.	1777.	5. 6.	H. 4.	
24 latifòlia. s.s.	(pu.) broad-leaved.	Pyrenees.	1818.	7. 8.	H. 4.	
25 macrùra. s.s.	(li.) long-tailed.	Siberia.	—	—	H. 4.	
26 crispa. s.s.	(bl.) curl-leaved.	Levant.	1800.	—	H. 4.	

27	<i>diffusa</i> . s.s.	(<i>bl.</i>) spreading.	Siberia.	1820.	7. 8.	H. 4.	
28	<i>imbricata</i> . s.s.	(<i>pu.</i>) imbricated.	Spain.	1825.	—	H. 4.	
29	<i>teucroides</i> . s.s.	(<i>br.</i>) Teucrium-like.	Levant.	1819.	—	H. 4.	
30	<i>italica</i> . w.	(<i>wh.sp.</i>) Italian.	Italy.	1640.	6. 8.	H. 4.	Flor. græc. t. 548.
31	<i>marrubioides</i> . W.en.	(<i>pu.</i>) horehound-leav'd.	—	—	H. 4.	
32	<i>multibracteata</i> . s.s.	(<i>vi.</i>) many-bracted.	Barbary.	1823.	—	H. 4.	Desf. atl. 2. t. 123.
33	<i>lanata</i> . s.s.	(<i>vi.</i>) woolly.	S. Europe.	1774.	5. 6.	H. 4.	Jacq. obs. 3. t. 75.
34	<i>tuberosa</i> . s.s.	(<i>vi.</i>) tuberous-root'd.	Spain.	1683.	6. 8.	H. 4.	Barrel. ic. t. 602.
35	<i>reticulata</i> . s.s.	(<i>li.</i>) netted.	Morocco.	1801.	7. 8.	H. 4.	Desf. atl. 2. t. 121.
36	<i>Scordotis</i> . s.s.	(<i>wh.</i>) sessile-spiked.	Crete.	1823.	—	G. ½.	Alp. exot. t. 283.
37	<i>suavolens</i> . Rœm.	(<i>wh.</i>) sweet-scented.	1804.	—	H. 4.	
38	<i>botryoides</i> . w.	(<i>wh.</i>) annual.	—	1779.	6. 7.	H. ⊙.	Cavan. ic. 1. t. 49.
	<i>bipinnata</i> . Cav.						
	GLE'CHOMA. L.	GROUND-IVY.	Didynamia Gymnospermia. L.				
1	<i>hederacea</i> . E.B.	(<i>bl.</i>) common.	Britain.	3. 5.	H. 4.	Eng. bot. v. 12. t. 853.
2	<i>hirsuta</i> . P.S.	(<i>pu.</i>) hairy.	Hungary.	—	H. 4.	W. et K. hung. t. 119.
	HEMIG'ENIA. B.P.	HEMIG'ENIA.	Didynamia Gymnospermia.				
	<i>purpurea</i> . B.P.	(<i>pu.</i>) purple.	N. S. W.	1824.	4. 8.	G. ½.	
	SIDE'RITIS. S.S.	IRONWORT.	Didynamia Gymnospermia. L.				
1	<i>canariensis</i> . s.s.	(<i>ye.</i>) Canary.	Canaries.	1697.	5. 8.	G. ½.	Jacq. vind. 3. t. 30.
2	<i>candicans</i> . s.s.	(<i>ye.</i>) Mullein-leaved.	Madeira.	1714.	4. 7.	G. ½.	Comm. hort. 2. t. 99.
3	<i>cretica</i> . s.s.	(<i>wh.</i>) Cretan.	Crete.	1823.	—	G. ½.	
4	<i>montana</i> . s.s.	(<i>ye.</i>) mountain.	Austria.	1752.	7. 8.	H. ⊙.	Flor. græc. t. 551.
5	<i>elegans</i> . s.s.	(<i>wh.bl.</i>) dark-flowered.	1787.	7.	H. ⊙.	Murr. com. got. 1. t. 1.
6	<i>romana</i> . s.s.	(<i>wh.</i>) Roman.	Italy.	1759.	6. 8.	H. ⊙.	Flor. græc. t. 552.
7	<i>syriaca</i> . s.s.	(<i>ye.</i>) Syrian.	Levant.	1597.	6. 9.	G. 4.	— t. 550.
8	<i>taurica</i> . W.en.	(<i>ye.</i>) Taurian.	Tauria.	1818.	—	H. ½.	
9	<i>brutia</i> . T.S.	(<i>ye.</i>) woolly.	Naples.	1827.	—	F. ½.	
10	<i>perfoliata</i> . s.s.	(<i>ye.</i>) perfoliate.	Levant.	1731.	8. 11.	H. 4.	
11	<i>pullulans</i> . s.s.	(<i>wh.ye.</i>) brownish.	—	1828.	—	F. 4.	Vent. cels. 1. t. 98.
12	<i>leucantha</i> . s.s.	(<i>wh.</i>) white-flowered.	Spain.	—	—	F. ½.	Cavan. ic. 2. t. 304.
13	<i>incana</i> . s.s.	(<i>ye.</i>) Lavender-leav'd.	—	1752.	7. 8.	H. ½.	— 2. t. 186.
14	<i>angustifolia</i> . s.s.	(<i>ye.</i>) narrow-leaved.	—	1825.	—	H. ½.	
15	<i>spinosa</i> . s.s.	(<i>ye.</i>) spiny.	—	6. 9.	H. 4.	Cavan. ic. 3. t. 209.
16	<i>ilicifolia</i> . s.s.	(<i>ye.</i>) Holly-leaved.	Levant.	—	H. 4.	
17	<i>serrata</i> . s.s.	(<i>ye.</i>) saw-leaved.	Spain.	1818.	—	H. 4.	
18	<i>hyssopifolia</i> . s.s.	(<i>ye.</i>) Hyssop-leaved.	Pyrenees.	1597.	6. 11.	H. 4.	Schk. hand. 2. t. 158.
19	<i>fœtida</i> . L.en.	(<i>ye.</i>) strong-scented.	—	H. 4.	
20	<i>pyrenæica</i> . s.s.	(<i>ye.</i>) Pyrenean.	Pyrenees.	1816.	—	H. 4.	
21	<i>chamædryfolia</i> . s.s.	(<i>ye.</i>) Germander-ld.	Spain.	—	—	H. 4.	Cavan. ic. 4. t. 301.
22	<i>scordioides</i> . s.s.	(<i>ye.</i>) scollop-leaved.	France.	1597.	8. 11.	H. 4.	Barrel. ic. t. 343.
23	<i>hirsuta</i> . s.s.	(<i>ye.</i>) hairy.	S. Europe.	1731.	6. 7.	H. 4.	Cavan. ic. 4. t. 302.
24	<i>crispata</i> . s.s.	(<i>ye.</i>) curled-leaved.	Gibraltar.	1816.	6. 9.	F. 4.	
	MARR'UBIUM. S.S.	HOREHOUND.	Didynamia Gymnospermia. L.				
1	<i>Aly'ssum</i> . s.s.	(<i>pu.</i>) plaited-leaved.	Spain.	1597.	7. 8.	H. 4.	Ger. herb. 379. f. 1.
2	<i>astracanicum</i> . s.s.	(<i>bl.</i>) Astracan.	Levant.	1816.	—	H. 4.	Jacq. ic. 1. t. 109.
3	<i>peregrinum</i> . w.	(<i>wh.</i>) Sicilian.	Sicily.	1640.	7. 9.	H. 4.	Jacq. aust. 2. t. 160.
4	<i>candidissimum</i> . s.s.	(<i>wh.</i>) woolly white.	Levant.	1732.	—	H. 4.	Dill. elt. 274. f. 214.
5	<i>creticum</i> . w.	(<i>wh.</i>) Cretan.	—	1596.	—	H. 4.	
6	<i>affine</i> . L.en.	(<i>pu.</i>) related.	Siberia.	1816.	—	H. 4.	
7	<i>supinum</i> . s.s.	(<i>wh.</i>) procumbent.	S. Europe.	1714.	8. 10.	H. 4.	Bocc. mus. 2. t. 96.
8	<i>catariæfolium</i> . s.s.	(<i>wh.</i>) Catmint-leav'd.	Levant.	1823.	7. 9.	H. 4.	
9	<i>velutinum</i> . F.C.	(<i>ye.</i>) velvety.	—	1827.	—	F. 4.	Flor. græc. t. 561.
10	<i>vulgare</i> . s.s.	(<i>wh.</i>) common.	Britain.	6. 9.	H. 4.	Eng. bot. t. 6. f. 410.
	LAVA'NDULA. S.S.	LAVENDER.	Didynamia Gymnospermia. L.				
1	<i>Spica</i> . s.s.	(<i>bl.</i>) common.	S. Europe.	1568.	7. 9.	H. ½.	Schk. hand. 2. t. 157.
	<i>β alba.</i>	(<i>wh.</i>) white-flowered.	—	—	—	H. ½.	
2	<i>latifolia</i> . s.s.	(<i>bl.</i>) broad-leaved.	—	—	—	H. ½.	
3	<i>Stœchas</i> . s.s.	(<i>bl.</i>) French.	S. Europe.	1562.	5. 7.	G. ½.	Flor. græc. t. 549.
4	<i>viridis</i> . s.s.	(<i>bl.</i>) Madeira.	Madeira.	1777.	—	G. ½.	Hoff. et Lk. lus. 1. t. 4.
5	<i>dentata</i> . s.s.	(<i>bl.</i>) tooth-leaved.	Spain.	1597.	6. 9.	G. ½.	Bot. mag. t. 401.
6	<i>pinnata</i> . s.s.	(<i>bl.</i>) pinnated.	Madeira.	1777.	4. 8.	G. ½.	— t. 400.
7	<i>heterophylla</i> . s.s.	(<i>bl.</i>) various-leaved.	1816.	—	G. ½.	
8	<i>formosa</i> . L.en.	(<i>bl.</i>) handsome.	Canaries.	—	—	G. ½.	
9	<i>multifida</i> . s.s.	(<i>bl.</i>) cut-leaved.	—	—	—	G. ½.	
10	<i>abrotanoïdes</i> . s.s.	(<i>bl.</i>) Southernwood-ld.	—	1597.	7. 9.	G. ♂.	Lobel. ic. 432.
	DRACOC'EPHALUM.	DRAGON'S-HEAD.	Didynamia Gymnospermia. L.				
1	<i>Ruyschiæna</i> . s.s.	(<i>bl.</i>) Hyssop-leaved.	N. Europe.	1699.	6. 9.	H. 4.	Comm. rar. t. 27.
2	<i>austriacum</i> . s.s.	(<i>bl.</i>) Austrian.	Austria.	1597.	6. 7.	H. 4.	Flor. dan. t. 121.
							Jacq. ic. 1. t. 112.

3	origanoïdes. s.s.	(bl.)	Marjoram-like.	Siberia.	1827.	6. 7.	H. 4.	
4	botryoïdes. s.s.	(bl.)	woolly-leaved.	Caucasus.	1823.	—	H. 4.	
5	palmatum. s.s.	(bl.)	palmated.	Siberia.	1815.	6. 8.	H. 4.	
6	canariense. s.s.	(li.)	Balm of Gilead.	Canaries.	1697.	7. 9.	G. ½.	Comm. hort. 2. t. 41.
7	pinnatum. s.s.	(bl.)	wing-leaved.	Siberia.	1827.	—	H. ½.	
8	peregrinum. s.s.	(bl.)	prickly-leaved.	—	1759.	7. 8.	H. 4.	Bot. mag. t. 1084.
9	argunense. s.s.	(bl.)	Fischer's.	—	1822.	7. 9.	H. 4.	Swt. br. fl. gar. t. 47.
10	integrifolium. Led.	(bl.)	entire-leaved.	—	1827.	—	H. 4.	
11	grandiflorum. s.s.	(bl.)	great-flowered.	—	1759.	—	H. ⊙.	
12	altaiense. s.s.	(bl.)	Betony-leaved.	Georgia.	1787.	—	H. 4.	Swt. br. fl. gar. s. 2.
13	Moldávica. s.s.	(bl.)	Moldavian.	Moldavia.	1596.	7. 8.	H. ⊙.	Lam. ill. t. 513. f. 1.
14	canescens. s.s.	(bl.)	hoary-leaved.	Levant.	1711.	—	H. ⊙.	Swt. br. fl. gar. t. 38.
15	ibericum. s.s.	(bl.)	Iberian.	Iberia.	1827.	—	H. ⊙.	
16	peltatum. s.s.	(bl.)	Willow-leaved.	Levant.	1711.	—	H. ⊙.	Lam. ill. t. 513. f. 2.
17	thymiflorum. s.s.	(bl.)	small-flowered.	Siberia.	1752.	6. 9.	H. ⊙.	Gmel. sib. 3. t. 50.
18	nūtans. s.s.	(bl.)	nodding.	—	1731.	7. 8.	H. 4.	Bot. reg. t. 841.
19	chamædryoïdes. s.s.	(bl.)	Chamædryis-like.	—	1828.	—	H. 4.	
20	sibiricum. s.s.	(bl.)	Siberian.	Siberia.	1760.	6. 8.	H. 4.	Bot. mag. t. 2185.
HORMINUM. P.S.		HORMINUM.		Didynamia Gymnospermia. P.S.				
	pyrenæicum. s.s.	(bl.)	Pyrenean.	Pyrenees.	1820.	6. 7.	H. 4.	Swt. br. fl. gar. t. 252.
MELISSA. S.S.		BALM.		Didynamia Gymnospermia. L.				
1	officinàlis. w.	(bh.)	common.	S. Europe.	1573.	6. 10.	H. 4.	
2	hirsuta. H.H.	(bh.)	hairy.	—	—	H. 4.	
3	cordifolia. P.S.	(bh.)	heart-leaved.	—	—	H. 4.	
4	altissima. s.s.	(bh.)	tall.	—	1823.	—	H. 4.	Flor. græc. t. 579.
LEPECHINIA. S.S.		LEPECHINIA.		Didynamia Gymnospermia. W.				
	spicata. s.s.	(st.)	spiked.	Mexico.	1800.	7. 8.	H. 4.	Bot. reg. t. 1292.
THYMBRA. S.S.		THYMBRA.		Didynamia Gymnospermia. L.				
1	spicata. L.	(re.)	spiked-flower'd.	Levant.	1699.	6. 7.	G. ½.	Flor. græc. t. 546.
2	verticillata. L.	(re.)	whorl-flowered.	Spain.	1702.	—	G. ½.	
A'CYNOS. P.S.		A'CYNOS.		Didynamia Gymnospermia. P.S.				
1	vulgàris. P.S.	(vi.)	Basil-leaved.	Britain.	6. 8.	H. ⊙.	Eng. bot. v. 6. t. 411.
	<i>Thymus A'cinos. E.B.</i>							
2	gravæolens. L.en.	(vi.)	strong-scented.	Tauria.	1823.	—	H. ½.	
3	villòsus. P.S.	(vi.)	villous.	Germany.	1817.	—	H. ⊙.	
4	exiguus. F.G.	(pu.)	small.	Levant.	1828.	—	H. ⊙.	Flor. græc. t. 575.
5	alpinus. P.S.	(vi.)	Alpine.	Austria.	1731.	6. 9.	H. ♂.	Jacq. aust. 1. t. 97.
6	purpurascens. P.S.	(pu.)	purple.	Spain.	1820.	—	H. ♂.	
7	patavinus. P.S.	(pu.)	Marjoram-leav'd.	S. Europe.	1776.	6. 8.	H. ♂.	Jacq. obs. 4. t. 87.
8	rotundifolius. P.S.	(pu.)	round-leaved.	Spain.	1820.	—	H. ½.	
GARD'OQUIA. S.S.		GARD'OQUIA.		Didynamia Gymnospermia.				
1	discolor. K.S.	(pu.)	two-coloured.	Caracas.	1827.	4. 7.	S. ½.	
2	origanoïdes. s.s.	(pu.)	Marjoram-like.	Trinidad.	1824.	—	S. ½.	
CALAMINTHA. Ph.		CALAMINT.		Didynamia Gymnospermia.				
1	marifolia. P.S.	(wh.sp.)	Marum-leaved.	Spain.	1788.	6. 7.	H. 4.	Cavan. ic. 6. t. 576.
	<i>Nepeta marifolia. Cav. Thymus marifolius. W.en.</i>							
2	crética. P.S.	(pu.)	Cretan.	S. Europe.	1596.	—	F. ½.	Barrel. ic. 1166.
3	fruticosa. P.S.	(pu.)	shrubby.	Spain.	1752.	7. 9.	F. ½.	
4	alba. L.en.	(wh.)	white.	Hungary.	1818.	—	H. 4.	
5	Nepeta. P.S.	(li.)	lesser.	England.	7. 10.	H. 4.	Eng. bot. v. 20. t. 1414.
	<i>Melissa Nepeta. L. Thymus Nepeta. E.B.</i>							
6	vulgàris.	(li.)	common.	England.	7. 8.	H. 4.	Eng. bot. v. 24. t. 1676.
	<i>Melissa Calamintia. L. Thymus Calamintia. E.B.</i>							
7	grandiflora. P.S.	(ro.)	great-flowered.	Italy.	1596.	6. 9.	H. 4.	Bot. mag. t. 208.
	<i>Melissa grandiflora. B.M.</i>							
8	caroliniàna. N.	(li.)	Carolina.	Carolina.	1804.	6. 7.	F. ½.	Bot. mag. t. 997.
	<i>Thymus grandiflorus. B.M.</i>							
CLINOP'ODIUM. S.S.		WILD-BASIL.		Didynamia Gymnospermia. L.				
1	vulgàre. s.s.	(ro.)	common.	Britain.	6. 8.	H. 4.	Eng. bot. v. 20. t. 1401.
2	atropurpureum. H.H.	(pu.)	dark purple.	S. Europe.	1820.	—	H. 4.	
3	ægyptiacum. s.s.	(pu.)	Egyptian.	Egypt.	1759.	—	H. 4.	
MELITTIS. S.S.		BASTARD-BALM.		Didynamia Gymnospermia. L.				
1	Melissophyllum. s.s.	(pu.)	common.	England.	6. 8.	H. 4.	Eng. bot. v. 9. t. 577.
	β alpina.	(pu.wh.)	Alpine.	Switzerland.	—	H. 4.	
2	grandiflora. s.s.	(wh.vi.)	great-flowered.	England.	5.	H. 4.	Eng. bot. v. 9. t. 636.
MACBR'IDEA. E.C.		MACBR'IDEA.		Didynamia Gymnospermia.				
	pulchra. N.	(re.std.)	pretty.	Carolina.	1804.	7. 9.	G. ½.	
	<i>Thymbra caroliniàna. Walter.</i>							

PRUNE'LLA. S.S.		SELF-HEAL.	Didynamia Gymnospermia. L.		
1	vulgàris. s.s.	(bl.) common.	Britain.	7. 8. H. 4. Eng. bot. v. 14. t. 961.
	β álba.	(wh.) white-flowered.	————	— H. 4.
2	austràlis.	(bl.) New Holland.	N. S. W.	1826.	— F. 4.
	<i>vulgàris. B.P. nec aliorum.</i>				
3	pensylvànica. s.s.	(bl.) Pensylvanian.	N. America.	1801.	7. 9. H. ⊙. W. hort. ber. 1. t. 9.
4	grandiflòra. s.s.	(bl.) great-flowered.	Austria.	1596.	— H. 4. Bot. mag. t. 2014.
5	intermèdia. s.s.	(bl.) intermediate.	S. Europe.	1790.	— H. 4. ——— t. 337.
	<i>grandiflòra. B.M.</i>				
6	incisa. L.en.	(bl.) cut-leaved.	————	— H. 4.
7	laciniàta. L.	(ye.) yellow-flower'd.	Austria.	1713.	— H. ⊙. Lam. ill. t. 516. f. 2.
8	hastàta. s.s.	(bl.) halberd-leaved.	Portugal.	— H. 4.
9	longifòlia. P.s.	(bl.) long-leaved.	France.	— H. 4.
10	hyssopifòlia. s.s.	(pu.) hyssop-leaved.	S. Europe.	1731.	— H. 4. Moris. s. 11. t. 5. f. 7.
CLE'ONIA. S.S.		CLE'ONIA.	Didynamia Gymnospermia. L.		
	lusitànica. s.s.	(pa.bl.) sweet-scented.	Portugal.	1710.	6. 7. H. ⊙. Mill. ic. 1. t. 70.
SCUTELL'ARIA. S.S.		SKULLCAP.	Didynamia Gymnospermia. L.		
1	galericulàta. s.s.	(bl.) common.	Britain.	6. 9. H. 4. Eng. bot. v. 8. t. 523.
2	hastifòlia. s.s.	(pu.) hastate-leaved.	Germany.	1798.	6. 7. H. 4.
3	minor. s.s.	(ro.) lesser.	Britain.	7. 8. H. 4. Eng. bot. v. 8. t. 524.
4	pàrvula. s.s.	(bl.) slender.	N. America.	1823.	— H. 4. Hook. ex. flor. t. 106.
5	havanénsis. s.s.	(wh.bl.) Havannah.	Havannah.	1793.	5. 6. S. 4. Jacq. obs. 2. t. 29.
6	hùmilis. B.P.	(pu.) dwarf.	N. S. W.	1822.	6. 8. G. 4.
7	grandiflòra. s.s.	(re.ye.) large-flowered.	Siberia.	1804.	7. 8. H. 4. Bot. mag. t. 635.
8	lateriflòra. s.s.	(pu.) Virginian.	N. America.	1752.	6. 9. H. 4.
9	nervòsa. s.s.	(bl.) nerved-leaved.	————	1827.	— H. 4.
10	orientàlis. s.s.	(ye.) yellow-flower'd.	Levant.	1729.	7. 9. H. 4. Flor. græc. t. 580.
11	altàica. F.	(bl.wh.) Altay.	Siberia.	1816.	— H. 4. Swt. br. fl. gar. t. 45.
12	víscida. s.s.	(bl.wh.) viscid.	Iberia.	1820.	— H. 4.
13	variegàta. s.s.	(st.bl.) variegated.	————	—	— H. 4.
14	alpina. s.s.	(bl.) Alpine.	Hungary.	1752.	6. 10. H. 4. Swt. br. fl. gar. t. 90.
15	peregrina. s.s.	(d.pu.) Florentine.	Italy.	1783.	— H. 4. Flor. græc. t. 582.
16	altíssima. s.s.	(d.pu.) tall.	Levant.	1731.	7. 8. H. 4.
17	pállida. s.s.	(pa.) pale-flowered.	Tauria.	1824.	— H. 4.
18	Colúmnæ. s.s.	(d.pu.) heart-leaved.	Italy.	1806.	6. 8. H. 4. Swt. br. fl. gar. t. 52.
19	rubicúnda. s.s.	(re.) rubicund.	1815.	— H. 4.
20	nigréscens. s.s.	(d.pu.) dark.	Crete.	1826.	— F. 4.
21	álbida. s.s.	(wh.) hairy white.	Levant.	1771.	6. 7. H. 4. Flor. græc. t. 581.
22	lupulina. s.s.	(st.) Tartarian.	Tartary.	1739.	6. 9. H. 4. Schmidel ic. t. 73.
23	integrifòlia. s.s.	(bl.) entire-leaved.	N.America.	1731.	— H. 4. Pluk. alm. t. 441. f. 6.
24	hyssopifòlia. w.	(bl.) Hyssop-leaved.	————	—	— H. 4.
25	purpuráscens. s.s.	(pu.) purplish.	W. Indies.	1823.	— S. 4.
26	caroliniàna. s.s.	(pu.) Carolina.	Carolina.	1811.	— H. 4. Lam. ill. t. 515. f. 3.
27	macrántha. F.	(pu.) large-flowered.	Dahuria.	1827.	— H. 4.
28	pilòsa. s.s.	(d.pu.) pilose.	N. America.	—	— H. 4.
29	serrata. s.s.	(d.pu.) saw-leaved.	————	1800.	— H. 4. Andr. reposit. t. 494.
30	scordifòlia. F.	(pu.wh.) Scordium-leaved.	Siberia.	1823.	— H. 4.
31	vérna. Bess.	(wh.pu.) vernal.	—	5. 6. H. 4.
SA'LVIA. R.S.		SAGE.	Diandria Monogynia. L.		
1	pomifera. R.s.	(li.) Apple-bearing.	Candia.	1699.	7. 8. H. 4. Flor. græc. t. 15.
2	calycina. R.s.	(li.) broad-calyxed.	Greece.	1823.	— G. ½. ——— t. 16.
3	canariénsis. R.s.	(li.) Canary.	Canaries.	1697.	6. 9. G. ½. Trew. pl. rar. 2. t. 19.
4	aùrea. R.s.	(br.) golden.	C. B. S.	1731.	4. 11. G. ½. Bot. mag. t. 182.
5	dentàta. R.s.	(bl.) tooth-leaved.	————	1774.	12. 1. G. ½.
6	Régla. R.s.	(sc.) Regla.	Mexico.	1828.	9. 11. G. ½. Cavan. icon. 5. t. 455.
7	spléndens. s.s.	(sc.) splendid.	Brazil.	1823.	8. 3. S. ½. Bot. reg. t. 687.
8	bracteàta. s.s.	(li.) long-bracted.	Syria.	1788.	6. 8. G. ½. Bot. mag. t. 2320.
9	pilántha. L.en.	(bl.) hairy-flowered.	1823.	6. 9. G. ½.
10	incarnàta. R.s.	(fl.) flesh-coloured.	Levant.	1729.	— G. 4. Pluk. phyt. t. 194. f. 6.
11	interrúpta. R.s.	(wh.bl.) interrupted.	Barbary.	1825.	5. 6. H. ½. Swt. br. fl. gar. t. 169.
12	pinnàta. R.s.	(pu.) winged-leaved.	Levant.	1731.	7. H. ♂. Boer. lugd. 1. t. 167.
13	ringens. F.G.	(li.) ringent.	————	1827.	— F. 4. Flor. græc. t. 18.
14	rosæfòlia. R.s.	(pu.) Rose-leaved.	————	—	— G. ½. Smith ic. ined. 1. t. 5.
15	scabiosæfòlia. R.s.	(wh.li.) Scabious-leav'd.	Peru.	1826.	— G. 4. Jacq. f. ecl. t. 3.
16	Habliziàna. R.s.	(w.re.) Taurian.	Tauria.	1795.	8. H. ½. Bot. mag. t. 1429.
17	vulnerariæfòlia. R.s.	(w.bl.) Armenian.	Armenia.	1829.	6. 9. F. ½.
18	lanceolàta. R.s.	(bl.) lance-leaved.	S. America.	1818.	7. 9. H. ⊙. Jacq. f. ecl. t. 13.
19	hirsùta. R.s.	(bl.) hirsute.	Mexico.	1801.	5. 6. H. ⊙. Jacq. schœn. 3. t. 252.
20	leucántha. R.s.	(wh.) white-flowered.	————	1825.	7. 10. G. 4. Cavan. ic. 1. t. 24.

21	angustifolia. R.S. (bl.) narrow-leaved.	Mexico.	1806.	6. 7.	G. 2.	Cavan. ic. 4. t. 317.
	<i>réptans.</i> Jacq. schoen. t. 319.					
22	trichostemmoïdes. R.S. (bl.)	Missouri.	1827.	6. 9.	H. ⊙.	
23	azuræa. R.S. (bl.) azure-flowered.	Carolina.	1806.	8. 9.	F. 2.	Bot. mag. t. 1728.
24	bengalensis. F.I. (wh.) Bengal.	E. Indies.	1825.	6. 9.	S. 2.	
25	occidentalis. R.S. (wh.) West Indian.	W. Indies.	1820.	—	S. 2.	
26	pseudococcinea. (sc.) pale scarlet.	S. America.	1797.	6. 8.	S. 2.	Jacq. ic. 2. t. 209.
27	amæna. B.M. (bl.) fine blue.	W. Indies.	1793.	9. 12.	S. 2.	Bot. mag. t. 1294.
	<i>Boosiæna.</i> Jacq. f. ecl. 1. t. 47. <i>amæna.</i> B.R. 446.					
28	rosea. R.S. (ro.) rose-coloured.	E. Indies.	1816.	6. 9.	S. 2.	
29	tubifera. R.S. (sc.) long-tubed.	Mexico.	1824.	—	S. 2.	Cavan. ic. 1. t. 25.
30	papilionæcea. R.S. (bl.) butterfly-like.	New Spain.	1825.	7. 10.	S. 2.	— 4. t. 319.
31	mexicana. R.S. (bl.) Mexican.	Mexico.	1724.	5. 7.	G. 2.	— 1. t. 26.
32	chamædryoides. R.S. (re.) Germander-like.	—	1795.	6. 9.	G. 2.	Bot. mag. t. 808.
33	cæsia. R.S. (pa.bl.) grey.	S. America.	1813.	—	G. 2.	
34	involutrata. R.S. (pu.) large-bracted.	Mexico.	1825.	8. 11.	G. 2.	Bot. reg. t. 1205.
35	purpurea. R.S. (pu.) purple.	—	—	5. 7.	S. 2.	Cavan. ic. 2. t. 166.
36	hispanica. R.S. (bl.) Spanish.	Spain.	1739.	6. 8.	H. ⊙.	Bot. reg. t. 359.
37	præcox. S.S. (pu.) early-flowered.	N. Africa.	1826.	3. 6.	F. 2.	
38	scordioïdes. R.S. (bl.) glandular.	1824.	5. 8.	S. 2.	
39	papillosa. R.S. (wh.) papillose.	1827.	6. 8.	G. 2.	
40	serotina. R.S. (bl.) late-flowering.	Chio.	1803.	8. 10.	G. 2.	Jacq. ic. 1. t. 3.
41	dominica. R.S. (wh.) Dominican.	W. Indies.	1759.	7.	S. 2.	Swartz. obs. p. 18. t. 1. f. 1.
42	tenella. R.S. (bl.) slender.	Jamaica.	1821.	6. 9.	S. ⊙.	Swartz. icon. t. 2.
43	tiliæfolia. R.S. (bl.) Lime-leaved.	S. America.	1793.	6. 8.	S. 2.	Jacq. schoen. 3. t. 254.
44	polystachya. R.S. (bl.) many-spiked.	New Spain.	1822.	9. 12.	G. 2.	Cavan. ic. 1. t. 27.
45	lamiifolia. R.S. (bl.) Lamium-leaved.	S. America.	1826.	—	G. 2.	Jacq. schoen. 3. t. 318.
46	micrantha. R.S. (wh.) small-flowered.	—	1818.	6. 8.	S. 2.	
47	leonuroïdes. R.S. (sc.) shining-leaved.	Peru.	1783.	4. 10.	G. 2.	Lam. ill. t. 20. f. 3.
	<i>formosa.</i> B.M. 376.					
48	fulgens. R.S. (sc.) glossy.	Mexico.	1827.	1. 12.	G. 2.	Swt. br. fl. gar. s. 2.
49	coccinea. R.S. (sc.) scarlet-flowered.	S. America.	1774.	4. 10.	G. 2.	Mirb. an. m. 15. t. 15. f. 8.
50	pulchella. R.S. (sc.) pretty.	—	8. 12.	G. 2.	Coll. hort. rip. t. 16.
51	amethy'stina. R.S. (bl.) amethystine.	—	1824.	6. 9.	S. 2.	Smith ic. ined. 2. t. 27.
52	amarissima. R.S. (bl.) bitter.	Mexico.	1803.	7. 8.	G. 2.	Bot. reg. t. 347.
53	glutinosa. R.S. (st.) glutinous.	Europe.	1596.	6. 9.	H. 2.	Sabb. hort. rom. t. 3.
54	nubicola. B.F.G. (st.) Nepaul.	Nepaul.	1824.	8. 10.	H. 2.	Swt. br. fl. gar. t. 140.
55	ægyptiaca. R.S. (wh.) Egyptian.	Egypt.	1770.	6. 7.	H. ⊙.	Jacq. vind. 2. t. 108.
56	crética. R.S. (vi.) Cretan.	Crete.	1760.	6. 8.	F. 2.	Rivin. monop. t. 128.
57	paniculata. R.S. (pu.) paniced.	C. B. S.	1758.	—	G. 2.	Mill. ic. t. 225. f. 1.
58	africana. R.S. (bl.) African.	—	1731.	4. 6.	G. 2.	Comm. hort. 2. t. 91.
59	colorata. R.S. (bl.cr.) coloured-calyxed.	—	1758.	7. 8.	G. 2.	Mill. ic. t. 225. f. 2.
60	officinàlis. R.S. (bl.) garden.	S. Europe.	1597.	6. 7.	H. 2.	Lam. ill. t. 20. f. 1.
61	chromatica. Hg. (bl.) variegated.	—	—	—	H. 2.	
62	tenùior. Df. (bl.) narrow-leaved.	Spain.	—	—	H. 2.	
63	hispanòrum. Lg. (bl.) Spanish.	—	—	—	H. 2.	
64	lavandulæfolia. R.S. (bl.) Lavender-leaved.	—	—	—	H. 2.	
65	rosmarinifolia. Lg. (bl.) Rosemary-leaved.	—	—	—	H. 2.	
66	Spielmanni. R.S. (bl.) Spielman's.	Caucasus.	1813.	—	H. 2.	Jacq. f. ecl. 2. t. 15.
67	phlomoïdes. R.S. (pu.) Mullein-leaved.	Spain.	1805.	5. 6.	H. ♂.	Rœm. script. his. t. 1. f. 1.
68	urticifolia. R.S. (bl.) Nettle-leaved.	N. America.	1799.	6. 7.	H. 2.	Moris. his. 3. t. 13. f. 31.
69	élegans. R.S. (cr.) elegant.	Mexico.	1820.	7. 10.	G. 2.	H. et B. pl. am. 2. t. 144.
	<i>incarnata.</i> K.S. non W.					
70	lævigata. K.S. (pu.) smooth.	—	1826.	—	G. 2.	H. et B. pl. am. 2. t. 147.
71	bullata. W.en. (re.) blistered.	Spain.	1804.	7. 8.	H. 2.	Jacq. f. ecl. t. 38.
	<i>lusitànica.</i> J.E. <i>elongata.</i> Spr.					
72	rugosa. R.S. (wh.) wrinkle-leaved.	C. B. S.	1775.	—	H. 2.	
73	verticillata. R.S. (li.) whorled.	Germany.	1658.	6. 11.	H. 2.	Mirb. an. m. 15. t. 15. f. 10.
	<i>β parviflora.</i> (li.) small-flowered.	—	—	—	H. 2.	
74	indica. R.S. (bl.wh.) Indian.	India.	1731.	5. 7.	H. 2.	Bot. mag. t. 395.
75	Tenorii. R.S. (bl.) Tenore's.	Italy.	1820.	5. 8.	H. 2.	Swt. br. fl. gar. t. 26.
76	candidissima. R.S. (p.bl.) hoary-leaved.	Levant.	1804.	6. 7.	G. 2.	Flor. græc. t. 26.
	<i>crassifolia.</i> F.G. non Cav.					
77	verbascifolia. R.S. (wh.ye.) Verbascum-ld.	Iberia.	1825.	—	H. 2.	
78	odorata. R.S. (wh.) sweet-scented.	Bagdad.	1804.	7.	F. 2.	Jacq. f. ecl. t. 16.
79	compressa. R.S. (wh.) compressed.	Levant.	1816.	7. 8.	H. 2.	Venten. cels. t. 59.
80	mollis. R.S. (ro.) soft.	Siberia.	1596.	6. 10.	H. 2.	Jacq. f. ecl. t. 37.
81	grandiflora. R.S. (bl.) great-flowered.	S. Europe.	1616.	6. 9.	H. 2.	— t. 36.
82	crassifolia. R.S. (bl.) thick-leaved.	Barbary.	1804.	—	F. 2.	

83	<i>pratensis</i> . R.S.	(<i>bl.</i>) meadow.	England.	5. 11.	H. 4.	Eng. bot. v. 3. t. 153.
84	<i>variegata</i> . R.S.	(<i>bl.wh.</i>) variegated.	Hungary.	1814.	6. 8.	H. 4.	
85	<i>hæmatodes</i> . R.S.	(<i>bl.</i>) bloody-veined.	Italy.	1699.	7. 8.	H. 4.	Barrel. ic. t. 185.
86	<i>nepetifolia</i> . R.S.	(<i>bl.</i>) Catmint-leaved.	1823.	—	H. ⊙.	
87	<i>aspidophylla</i> . R.S.	(<i>bl.</i>) slender-leaved.	Peru.	1824.	7. 10.	H. ⊙.	
88	<i>lineatifolia</i> . Lg.	(<i>bl.</i>) line-leaved.	Mexico.	1823.	6. 9.	G. ½.	
89	<i>melissodora</i> . Lg.	(<i>bl.</i>) balm-scented.	New Spain.	1826.	—	G. ½.	
90	<i>agglutinans</i> . Lg.	(<i>sc.</i>) clammy-stalked.	1827.	—	G. ½.	
91	<i>viscosa</i> . R.S.	(<i>wh.cr.</i>) clammy.	Italy.	1773.	5. 6.	H. 4.	Jacq. ic. 1. t. 5.
92	<i>disermas</i> . R.S.	(<i>wh.</i>) long-spiked.	Syria.	—	7.	H. 4.	Barrel. ic. 187.
93	<i>nutans</i> . R.S.	(<i>bl.</i>) nodding.	Russia.	1780.	6. 8.	H. 4.	Bot. mag. t. 2436.
94	<i>betonicæfolia</i> . R.S.	(<i>bl.</i>) Betony-leaved.	1804.	6. 7.	H. 4.	
95	<i>péndula</i> . R.S.	(<i>bl.</i>) drooping.	—	6. 8.	H. 4.	
	<i>β grandiflora</i> . (<i>d.bl.</i>)	large-flowered.	—	—	H. 4.	
96	<i>amplexicaulis</i> . R.S.	(<i>li.</i>) stem-clasping.	Levant.	1813.	7. 9.	H. 4.	
97	<i>parviflora</i> . R.S.	(<i>st.</i>) small-flowered.	1816.	—	F. 4.	Lab. syr. dec. 4. t. 7.
98	<i>austriaca</i> . R.S.	(<i>st.</i>) Austrian.	Austria.	1776.	6. 7.	H. 4.	Jacq. aust. 2. t. 112.
99	<i>syriaca</i> . R.S.	(<i>wh.</i>) Syrian.	Levant.	1759.	7.	G. ½.	Arduin. spec. 1. t. 1.
100	<i>nubia</i> . R.S.	(<i>bl.</i>) Nubian.	Africa.	1784.	6. 7.	G. 4.	Murr. c. gott. 1778. t. 3.
101	<i>virgata</i> . R.S.	(<i>wh.ro.bl.</i>) long-branched.	Armenia.	1758.	7. 11.	H. 4.	Jacq. schoen. 1. t. 37.
102	<i>campéstris</i> . R.S.	(<i>bl.</i>) field.	Tauria.	1813.	6. 7.	H. 4.	
103	<i>sylvéstris</i> . R.S.	(<i>bl.</i>) wood.	Germany.	1759.	6. 10.	H. 4.	Jacq. aust. 3. t. 212.
104	<i>nemorosa</i> . R.S.	(<i>va.</i>) spear-leaved.	1728.	—	H. 4.	
105	<i>pátula</i> . R.S.	(<i>bh.</i>) spreading.	Portugal.	1805.	5. 7.	H. 4.	
106	<i>tingitana</i> . R.S.	(<i>st.</i>) Tangier.	Barbary.	1796.	7.	G. ½.	Rivin. monop. 1. t. 53.
107	<i>Sclærea</i> . R.S.	(<i>bh.</i>) common Clary.	Italy.	1562.	7. 9.	H. ♂.	Flor. græc. 1. t. 25.
108	<i>spinosa</i> . R.S.	(<i>wh.</i>) thorny-calyced.	Egypt.	1789.	6.	G. ♂.	Jacq. ic. 1. t. 7.
109	<i>Æthiòpis</i> . R.S.	(<i>wh.</i>) woolly.	Austria.	1570.	5. 6.	H. ♂.	Jacq. aust. 3. t. 211.
110	<i>argentea</i> . R.S.	(<i>wh.</i>) silvery.	Crete.	1759.	5. 7.	H. ♂.	Flor. græc. 1. t. 27.
111	<i>applanata</i> . R.S.	(<i>wh.</i>) short-spined.	1818.	6. 8.	H. ♂.	
112	<i>Horminum</i> . R.S.	(<i>pu.</i>) annual Clary.	S. Europe.	1596.	—	H. ⊙.	Flor. græc. 1. t. 20.
	<i>α violæcea</i> . (<i>bl.</i>)	purple-topped.	—	—	H. ⊙.	
	<i>β rubra</i> . (<i>re.</i>)	red-topped.	—	—	H. ⊙.	
113	<i>viridis</i> . R.S.	(<i>li.</i>) green topped.	Italy.	1759.	—	H. ⊙.	Flor. græc 1. t. 19.
114	<i>pyramidalis</i> . R.S.	(<i>li.</i>) pyramidal.	1825.	—	H. 4.	
115	<i>rubra</i> . s.s.	(<i>re.</i>) red-flowered.	Egypt.	1827.	6. 8.	H. 4.	
116	<i>Simsiana</i> . B.R.	(<i>bl.wh.</i>) Sims's.	Russia.	1820.	6. 7.	H. 4.	Bot. reg. t. 1003.
117	<i>verbenaca</i> . R.S.	(<i>bl.</i>) wild clary.	Britain.	6. 10.	H. 4.	Eng. bot. v. 3. t. 154.
118	<i>oblongata</i> . J.E.	(<i>bl.</i>) oblong-leaved.	Tauria.	1820.	—	H. 4.	Jacq. f. ecl. 1. t. 14.
119	<i>Sibthorpii</i> . F.G.	(<i>li.</i>) Sibthorp's.	Levant.	1829.	6. 9.	F. 4.	Flor. græc. t. 22.
120	<i>triloba</i> . R.S.	(<i>vi.</i>) three-lobed.	S. Europe.	1596.	6. 7.	H. ½.	— 1. t. 17.
121	<i>Clusii</i> . R.S.	(<i>wh.</i>) Clusius's.	Levant.	1827.	6. 9.	F. ½.	Jacq. schoen. 2. t. 195.
122	<i>gigantea</i> . R.S.	(<i>wh.</i>) giant.	1816.	6. 9.	H. ♂.	
123	<i>scorodoniaefolia</i> . R.S.	villous.	1824.	—	F. ½.	
124	<i>lyrata</i> . R.S.	(<i>pu.</i>) lyre-leaved.	N. America.	1728.	—	H. 4.	Moris. s. 11. t. 13. f. 27.
125	<i>abyssinica</i> . R.S.	(<i>pu.</i>) Abyssinian.	Abyssinia.	1775.	6. 7.	G. 4.	Jacq. ic. 1. t. 6.
126	<i>nilotica</i> . R.S.	(<i>bl.</i>) Nilotic.	Egypt.	1780.	6. 8.	H. ⊙.	Jacq. vind. 3. t. 92.
127	<i>Forskohlii</i> . R.S.	(<i>bl.</i>) Forskohl's.	Levant.	1800.	—	H. 4.	Bot. mag. t. 988.
128	<i>napifolia</i> . R.S.	(<i>li.</i>) Rape-leaved.	Italy.	1776.	6. 7.	H. 4.	Jacq. vind. 2. t. 262.
129	<i>aurita</i> . R.S.	(<i>li.</i>) ear-leaved.	C. B. S.	1795.	5. 6.	G. ½.	
130	<i>bicolor</i> . R.S.	(<i>bl.ye.</i>) two-coloured.	Barbary.	1793.	6. 7.	H. 4.	Bot. mag. t. 1774.
131	<i>Barrelieri</i> . R.S.	(<i>bl.</i>) Barrelier's.	S. Europe.	1821.	5. 8.	H. 4.	Barrel. ic. 186.
132	<i>laciniata</i> . R.S.	(<i>bl.wh.</i>) jagged-leaved.	1818.	—	H. 4.	
133	<i>runcinata</i> . R.S.	(<i>bl.</i>) runcinated.	C. B. S.	1795.	—	G. ½.	Jacq. schoen. 1. t. 8.
134	<i>scabra</i> . R.S.	(<i>pu.</i>) rough-leaved.	1774.	4. 9.	G. ½.	
135	<i>erosa</i> . R.S.	(<i>st.</i>) erose-leaved.	1823.	6. 9.	H. ⊙.	
136	<i>polymórpha</i> . R.S.	(<i>bl.</i>) variable.	Portugal.	1821.	—	H. 4.	Barrel. ic. 220.
137	<i>multifida</i> . F.G.	(<i>pa.bl.</i>) multifid.	S. Europe.	1823.	5. 6.	H. 4.	Flor. græc. 1. t. 23.
138	<i>clandestina</i> . R.S.	(<i>li.</i>) cut-leaved.	Italy.	1739.	4. 7.	H. ♂.	— 1. t. 24.
139	<i>ceratophylla</i> . R.S.	(<i>li.</i>) stag's-horn-leav'd.	Persia.	1699.	7. 8.	H. ♂.	Pluk. alm. t. 194. f. 5.
140	<i>ceratophylloides</i> . (<i>li.</i>)	branching.	Egypt.	1771.	6. 8.	H. ♂.	Arduin. spec. 2. t. 2.
141	<i>prismatica</i> . R.S.	(<i>bl.</i>) slender-spiked.	Mexico.	1822.	—	H. ⊙.	
COLLINS'ONIA. R.S. COLLINS'ONIA.			Diandria Monogynia. L.				
1	<i>canadensis</i> . R.S.	(<i>ye.</i>) Nettle-leaved.	N. America.	1735.	8. 10.	H. 4.	Linn. hort. cliff. t. 5.
2	<i>scabriuscula</i> . R.S.	(<i>re.ye.</i>) rough-stalked.	Florida.	1776.	7. 9.	H. 4.	
3	<i>ovalis</i> . R.S.	(<i>ye.</i>) oval-leaved.	Carolina.	1812.	8.	H. 4.	
4	<i>tuberosa</i> . M.	(<i>ye.</i>) tuberous.	1806.	—	H. 4.	
	<i>serotina</i> . R.S.	
5	<i>anisata</i> . R.S.	(<i>ye.</i>) Anise-scented.	10.	H. 4.	Bot. mag. t. 1213.

Tribus VI. PRASIEÆ. *Benth. in Bot. reg.*

PR'ASIUM. S.S.	PR'ASIUM.	Didynamia Gymnospermia. L.				
1 majus. s.s.	(wh.) great.	S. Europe.	1699.	6. 8.	G. ♀.	Flor. græc. t. 581.
2 minus. s.s.	(wh.) smaller.	—————	1752.	—	F. ♀.	
PHR'YMA. S.S.	PHR'YMA.	Didynamia Gymnospermia. L.				
leptostachya. s.s.	(wh.) slender-spiked.	N. America.	1802.	8. 9.	H. ♀.	Lam. ill. t. 516.

Tribus VII. OCYMOIDÆ. *Benth. in Bot. reg.*

MOSCHO'SMA. B.R.	MOSCHO'SMA.	Didynamia Gymnospermia.				
1 ocymoides. B.R.	(wh.) Basil-like.	—————	1823.	6. 8.	S. ⊙.	
	<i>Lumnitzera ocymoides.</i>	s.s. <i>O'cymum polycladum.</i>	Link.			
2 polystachya. B.R.	(wh.) many-spiked.	E. Indies.	1783.	7. 8.	S. ⊙.	Murr. c. gott. 3. t. 3.
O'CYMUM. W.	BASIL.	Didynamia Gymnospermia. L.				
1 thyrsiflorum. s.s.	(wh.) thyse-flowered.	E. Indies.	1806.	7. 8.	S. ♂.	Jacq. vind. 3. t. 72.
2 gratissimum. s.s.	(wh.) shrubby.	—————	1752.	—	S. ♀.	Jacq. ic. 3. t. 495.
3 Basilicum. w.	(wh.) common sweet.	India.	1548.	—	H. ⊙.	Blackw. t. 104.
4 pilosum. W.en.	(wh.) hairy.	—————	1816.	7. 9.	H. ⊙.	
5 micranthum. s.s.	(wh.) small-flowered.	—————	—	—	S. ⊙.	
6 viride. s.s.	(wh.) green.	E. Indies.	—	—	S. ♀.	
7 suave. s.s.	(wh.) sweet-scented.	—————	—	—	S. ♀.	
8 canum. B.M.	(wh.) hoary.	China.	1822.	—	H. ⊙.	Bot. mag. t. 2452.
9 sanctum. s.s.	(wh.) purple-stalked.	E. Indies.	1758.	—	S. ⊙.	Rheed. mal. 10. t. 92.
10 febrifugum. s.s.	(wh.) Feverwort.	Sierra Leon.	1821.	—	S. ⊙.	Bot. reg. t. 753.
11 album. s.s.	(wh.) large white-fl.	E. Indies.	1816.	—	S. ⊙.	
12 americanum. s.s.	(wh.) American.	S. America.	1789.	7. 8.	S. ⊙.	Jacq. vind. 3. t. 86.
13 caryophyllatum. H.B.	(w.) Clove-scented.	E. Indies.	1817.	—	S. ♀.	
14 tenuiflorum. w.	(li.) slender-spiked.	—————	1768.	—	S. ♂.	Rumph. amb. 5. t. 92. f. 2.
15 menthoides. s.s.	(wh.) Mint-leaved.	—————	1783.	—	S. ⊙.	
16 inodorum. Lam.	(wh.) scentless.	—————	1823.	—	S. ⊙.	
17 cristatum. H.B.	(wh.) crested.	—————	1812.	—	S. ⊙.	
18 grandiflorum. s.s.	(wh.) great-flowered.	Abyssinia.	1802.	9. 10.	G. ♀.	L'Herit. s. nov. t. 43.
19 minimum. s.s.	(wh.) bush.	Ceylon.	1573.	—	H. ⊙.	Schk. handb. 2. t. 166.
20 carnosum. s.s.	(wh.) thick-leaved.	Monte Video.	1828.	6. 8.	H. ⊙.	
ORTHOS'IPHON. B.R.	ORTHOS'IPHON.	Didynamia Gymnospermia.				
1 adscendens. B.R.	(wh.) ascending.	E. Indies.	1828.	6. 8.	S. ♀.	
	<i>O'cymum adscendens.</i>	w.				
2 asperum. B.R.	(wh.) rough.	—————	1827.	—	S. ♀.	
	<i>O'cymum asperum.</i>	Roth. <i>Plectranthus asper.</i>	s.s.			
COLEUS. B.R.	COLEUS.	Didynamia Gymnospermia.				
1 Forskohlæi. B.R.	(vi. wh.) Forskohl's.	Abyssinia.	1806.	10. 11.	S. ♀.	Bot. mag. t. 2036.
	<i>Plectranthus Forskohlæi.</i>	B.M. <i>barbatus.</i>	Andr. reposit. t. 594.			
2 comosus. B.R.	(bl.) tufted.	Nepaul.	1820.	6. 9.	G. ♀.	Bot. mag. t. 2318.
3 scutellarioides. B.R.	(bl. w.) Scullcap-like.	E. Indies.	1764.	7. 8.	S. ⊙.	————— t. 1416.
4 amboinicus. Lour.	(bl.) Amboyna.	—————	1826.	—	S. ♀.	Rumph. amb. 8. t. 72.
PLECTRA'NTHUS. S.S.	PLECTRA'NTHUS.	Didynamia Gymnospermia. S.S.				
1 fruticosus. s.s.	(bl.) shrubby.	C. B. S.	1774.	6. 9.	G. ♀.	L'Herit. stirp. 85. t. 41.
2 galeatus. s.s.	(bl.) helmetted.	Nepaul.	1820.	7. 8.	S. ⊙.	
3 graveolens. B.P.	(bl.) strong-scented.	N. S. W.	—	—	G. ♀.	
4 australis. E.P.	(bl.) New Holland.	—————	1823.	—	G. ⊙.	
5 incanus. s.s.	(bl.) hoary.	Nepaul.	—	—	G. ♀.	
6 monachorum. s.s.	(bh.) monk's basil.	E. Indies.	1796.	—	S. ⊙.	
	<i>O'cymum monachorum.</i>	w.				
7 mollis. s.s.	(li.) heart-leaved.	—————	1781.	9. 10.	S. ⊙.	
8 strobiliferus. H.B.	(bl.) thick-spiked.	—————	1804.	6. 9.	S. ⊙.	Rheed. mal. 10. t. 90.
9 secundus. H.B.	(bl.) side-flowering.	—————	1816.	—	S. ⊙.	
10 punctatus. s.s.	(wh. bl.) dotted.	Africa.	1775.	1. 5.	G. ♂.	L'Herit. stirp. 1. t. 41.
11 rotundifolius. s.s.	(bl.) round-leaved.	Mauritius.	1823.	6. 8.	S. ⊙.	
12 parviflorus. s.s.	(bl.) small-flowered.	S. America.	1805.	6. 9.	G. ♀.	W. hort. ber. 1. t. 65.
13 cordifolius. D.P.	(bl.) heart-leaved.	Nepaul.	1823.	—	G. ♀.	
14 rubicundus. D.P.	(pu.) rubicund.	—————	1826.	—	G. ♀.	
15 virgatus. D.P.	(bl.) slender.	—————	—	—	G. ♀.	
16 coloratus. D.P.	(bl.) coloured bracted.	—————	1823.	—	G. ♀.	

17	Coétsa. D.P.	(bl.) canescent.	Nepaul.	1823.	6. 9.	G. 2.	
18	ternifolius. D.P.	(bl.) three-leaved.	————	1825.	—	G. 2.	
19	ternatus. B.M.	(bl.) Omime-root.	Madagascar.	1820.	11.	S. 2.	Bot. mag. t. 2460.
GENIO'SPORUM. B.R. GENIO'SPORUM. Didynamia Gymnospermia.							
	prostratum. B.R.	(pa.bl.) prostrate.	E. Indies.	1812.	6. 9.	S. 0.	
<i>O'cymum prostratum. w.</i>							
ACROCE'PHALUS. B.R. ACROCE'PHALUS. Didynamia Gymnospermia.							
1	capitatus. B.R.	(wh.) headed.	China.	1806.	7. 9.	H. 0.	
<i>Lumnitza capitata. s.s. O'cymum capitellatum. w.</i>							
2	villosus. B.R.	(wh.) villous.	E. Indies.	1817.	7. 8.	S. 2.	
ANISOCH'ILUS. B.R. ANISOCH'ILUS. Didynamia Gymnospermia.							
	carnosus. B.R.	(li.) thick-leaved.	E. Indies.	1788.	6. 7.	S. 2.	Linn. amœn. ac. 10. t. 3.
<i>Lavandula carnosa. w. Plectranthus dubius. s.s.</i>							
PYCNOST'ACHYS. PYCNOST'ACHYS. Didynamia Gymnospermia.							
	cœrulea. H.E.F.	(bl.) blue-flowered.	Madagascar.	1825.	8. 10.	F. 0.	Hook. ex. flor. t. 202.
ÆOLLA'NTHUS. M.P. ÆOLLA'NTHUS. Didynamia Gymnospermia.							
	suavœolens. M.P.B.	(wh.) sweet-scented.	Brazil.	1829.	7. 10.	S. 0.	
HY'PTIS. S.S. HY'PTIS. Didynamia Gymnospermia. S.S.							
1	ebracteata. s.s.	(bl.) small-headed.	W. Indies.	1778.	10. 1.	S. 0.	Poit. an. mus. 7. t. 29. f. 2.
<i>Ballota suavœolens. Jacq. schœnb. 3. t. 42.</i>							
2	radiata. s.s.	(wh.) Carolina.	Carolina.	1690.	6. 7.	G. 2.	Poit. an. mus. 7. t. 27. f. 2.
3	capitata. s.s.	(wh.) Jamaica.	W. Indies.	1714.	—	S. 2.	Jacq. ic. 1. t. 114.
4	polyanthes. s.s.	(wh.) many-flowered.	S. America.	1819.	—	S. 0.	
5	brévipes. s.s.	(li.) short-peduncled.	W. Indies.	1822.	—	S. 0.	
6	recurvata. s.s.	(wh.) recurved.	Cayenne.	—	—	S. 2.	Poit. an. mus. t. 4. f. 3.
7	albida. s.s.	(bl.) white-leaved.	Mexico.	1825.	—	S. 2.	
8	pèrsica. P.S.	(st.) Persian.	Persia.	1800.	7.	G. 2.	Linn. trans. 6. t. 12.
<i>Brotèra pèrsica. L.T.</i>							
9	spicata. s.s.	(bl.) spiked.	S. America.	1819.	7. 9.	G. 0.	Poit. an. mus. t. 28. f. 2.
10	verticillata. s.s.	(wh.) whorled.	————	1821.	—	S. 0.	Jacq. icon. t. 113.
11	Plumieri. K.S.	(bl.) Plumier's.	————	1819.	—	S. 0.	Plum. ic. t. 163. f. 1.
12	stachyodes. s.s.	(wh.) whorl-spiked.	Brazil.	1820.	—	S. 0.	
13	pectinata. s.s.	(ye.) pectinated.	W. Indies.	1776.	12. 1.	S. 2.	Poit. an. mus. 7. t. 30.
PROSTANTH'ERA. B.P. PROSTANTH'ERA. Didynamia Gymnospermia, S.S.							
1	lasianthos. B.P.	(wh.) villous-flowered.	N. S. W.	1808.	6. 7.	G. 2.	Bot. reg. t. 143.
2	cœrulea. B.P.	(bl.) blue-flowered.	————	1824.	4. 7.	G. 2.	
3	prunelloides. B.P.	(pu.) Prunella-like.	————	1826.	—	G. 2.	
4	incisa. B.P.	(wh.) cut-leaved.	————	1825.	—	G. 2.	
5	linearis. B.P.	(wh.) linear-leaved.	————	1823.	—	G. 2.	
6	denticulata. B.P.	(wh.) tooth-leaved.	————	—	—	G. 2.	
7	marifolia. B.P.	(wh.) Marum-leaved.	————	1827.	4. 6.	G. 2.	
8	saxicola. B.P.	(wh.) rock.	————	1823.	—	G. 2.	
9	violacea. B.P.	(bl.) violet-coloured.	————	—	—	G. 2.	Bot. reg. t. 1072.

ORDO CLIV.

SELAGINEÆ. *Choisy mem. fam. Selag. 1823. p. 19.*

POLYC'ENIA. C.S. POLYC'ENIA. Didynamia Gymnospermia.							
	hebenstretioides. C.S.	(w.) spike-flowered.	C. B. S.	1816.	8. 10.	G. 0.	Chois. sel. t. 2. f. 1.
HEBENSTRE'ITIA. C.S. HEBENSTRE'ITIA. Didynamia Angiospermia.							
1	dentata. w.	(wh.) dwarf tooth-ld.	C. B. S.	1739.	5. 9.	G. 0.	Bot. mag. t. 483.
2	integrifolia. w.	(ye.) golden.	————	1792.	4. 6.	G. 2.	Andr. reposit. t. 252.
<i>aurea. Andr.</i>							
3	fruticosa. B.M.	(wh.) frutescent.	————	1816.	5. 11.	G. 2.	Bot. mag. t. 1970.
4	albiflora. L.en.	(wh.) white-flowered.	————	1815.	—	G. 2.	
5	chamædryfolia. L.en.	Chamædrys-leav'd.	————	1816.	—	G. 2.	
6	tenuifolia. H.H.	(wh.) slender-leaved.	————	1826.	—	G. 2.	
7	scabra. w.	(wh.) rough-leaved.	————	—	—	G. 2.	
8	cordata. w.	(wh.re.) heart-leaved.	————	1774.	7. 8.	G. 2.	
DISCHI'SMA. C.S. DISCHI'SMA. Didynamia Angiospermia.							
1	ciliatum. C.S.	(wh.) ciliated.	C. B. S.	1815.	5. 7.	G. 2.	
2	erinoïdes.	(wh.) Erinus-leaved.	————	1816.	5. 11.	G. 2.	
<i>Hebenstreitia erinoïdes. w.</i>							

3 hispídum. (wh.) long-spiked.	C. B. S.	1816.	5. 11.	G. ⊙.	Burm. afr. 109. t. 41. f. 1.
<i>Hebenstreítia hispída.</i> Lam.					
4 spicátum. c.s. (wh.) spiked.	————	1815.	5. 7.	G. ⊙.	
5 capitátum. c.s. (ye.) headed.	————	1822.	—	G. ⊙.	
AGATHE'LPIS. C.S. AGATHE'LPIS. Diandria Monogynia.					
1 angustifòlia. c.s. (wh.) narrow-leaved.	C. B. S.	1823.	5. 8.	G. h̄.	Burm. afr. t. 47. f. 3.
<i>Eránthemum angustifòlium.</i> L. <i>Selàgo angustifòlia.</i> w.					
2 parvifòlium. c.s. (wh.) small-leaved.	C. B. S.	1816.	—	G. h̄.	Lam. ill. t. 17. f. 2.
MICRODON. C.S. MI'CRDON. Didynamia Gymnospermia.					
1 lucídum. c.s. (wh.) glossy.	C. B. S.	1812.	6. 7.	G. h̄.	Venten. malm. t. 26.
2 ovátum. c.s. (wh.) oval-headed.	————	1774.	—	G. h̄.	Bot. mag. t. 186.
<i>Selàgo ovàta.</i> B.M.					
SEL'AGO. C.S. SEL'AGO. Didynamia Gymnospermia. L.					
1 micrántha. c.s. (ye.) small-flowered.	C. B. S.	1824.	5. 7.	G. h̄.	
2 divaricàta. c.s. (wh.) spreading.	————	1816.	—	G. h̄.	
3 fruticòsa. c.s. (wh.) frutescent.	————	1822.	6. 8.	G. h̄.	
4 minutíssima. c.s. (ye.) small.	————	1816.	—	G. h̄.	Chois. sel. t. 3.
5 corymbòsa. c.s. (wh.) fine-leaved.	————	1699.	7. 9.	G. h̄.	Comm. hort. 2. t. 40.
6 cinèrea. c.s. (vi.) cinereous.	————	1816.	—	G. h̄.	
7 hispída. c.s. (ye.) hispid.	————	1823.	6. 9.	G. h̄.	
8 adpréssa. c.s. (wh.) close-flowered.	————	1816.	—	G. h̄.	Chois. sel. t. 4.
9 canéscens. s.s. (wh.) canescent.	————	1812.	7. 11.	G. h̄.	
10 spínea. L.en. (wh.) reflex-leaved.	————	1816.	7. 8.	G. h̄.	
11 diffùsa. s.s. (wh.) diffuse.	————	1807.	—	G. h̄.	
12 spicàta. L.en. (wh.) spiked.	————	1816.	—	G. h̄.	
13 teretifòlia. L.en. (wh.) cylinder-leaved.	————	1819.	—	G. h̄.	
14 rapunculoídes. s.s. (vi.) Rampion-like.	————	1790.	7. 11.	G. h̄.	Burm. afr. t. 42. f. 1.
15 fulvomaculàta. L.en. (vi.) brown-spotted.	————	1816.	—	G. h̄.	
16 spùria. s.s. (vi.) linear-leaved.	————	1779.	7. 10.	G. h̄.	Burm. afr. t. 42. f. 3.
17 ramulòsa. L.en. (wh.) branching.	————	1815.	6. 9.	G. h̄.	
18 fasciculàta. s.s. (bl.) cluster-flowered.	————	1774.	—	G. h̄.	Bot. reg. t. 184.
19 heterophy'lla. s.s. (wh.) various-leaved.	————	1829.	—	G. h̄.	
20 polystàchya. s.s. (wh.) many-spiked.	————	1823.	6. 8.	G. h̄.	
21 bracteàta. s.s. (wh.) imbricate-bracted.	————	1816.	6. 9.	G. h̄.	
22 polygalóides. s.s. (vi.) milkwort-like.	————	1807.	7. 11.	G. h̄.	
23 rotundifòlia. s.s. (wh.) round-leaved.	————	1816.	7. 9.	G. h̄.	
24 pterophy'lla. Ot. winged-leaved.	————	1828.	G. h̄.	
25 ciliàta. c.s. (wh.) fringed.	————	1824.	—	G. h̄.	Chois. sel. t. 5.

ORDO CLV.

VERBENACEÆ. *Brown prodr.* 1. p. 510.

CLERODE'NDRUM. B.P. CLERODE'NDRUM. Didynamia Angiospermia. L.					
1 pubéscens. B.R. (wh.) downy-leaved.	W. Indies.	1824.	7. 9.	S. h̄.	Bot. reg. t. 1035.
2 ligustrinum. s.s. (wh.) Privet-leaved.	Mauritius.	1789.	8. 11.	S. h̄.	Jacq. col. sup. t. 5. f. 1.
3 inérme. s.s. (wh.) smooth.	E. Indies.	1692.	—	S. h̄.	— t. 4. f. 1.
4 angustifòlium. s.s. (wh.) narrow-leaved.	Jamaica.	1823.	—	S. h̄.	Lam. ill. t. 544. f. 2.
5 coromandelinum. s.s. (w.) Coromandel.	E. Indies.	1824.	—	S. h̄.	
6 emirnénse. B.M. (wh.) small-flowered.	Madagascar.	1823.	6. 12.	S. h̄. ∪.	Bot. mag. t. 2925.
<i>floribundum.</i> Bot. reg. t. 1035. non B.P.					
7 volúbile. s.s. (wh.) climbing.	Guinea.	1822.	8. 11.	S. h̄. ∪.	
8 buxifòlium. s.s. (wh.) Box-leaved.	1818.	7. 8.	S. h̄.	
<i>Volkamèria buxifòlia.</i> W.en.					
9 heterophy'llum. s.s. (w.) various-leaved.	Mauritius.	1805.	8. 9.	S. h̄.	Andr. reposit. t. 554.
<i>Volkamèria angustifòlia.</i> A.R.					
10 macrophy'llum. B.M. (st. bl.) large-leaved.	————	1822.	—	S. h̄.	Bot. mag. t. 2536.
11 serrátum. s.s. (wh.) saw-leaved.	E. Indies.	—	—	S. h̄.	Rheed. mal. 4. t. 29.
12 lívidum. B.R. (wh.) livid-bracted.	China.	1824.	9. 11.	S. h̄.	Bot. reg. t. 945.
13 cérnuum. Wal. (wh.) drooping.	E. Indies.	1822.	S. h̄.	
13 Siphonánthus. s.s. (wh.) whorled-leaved.	————	1796.	S. h̄.	Burm. ind. t. 43. f. 1.
<i>Siphonánthus índica et Orièda mìtis.</i> L.					
15 verticillátus. D.P. (wh.) four-leaved.	Nepaul.	1818.	S. h̄.	
16 hastátum. B.R. (wh.) halbert-leaved.	E. Indies.	1824.	7. 11.	S. h̄.	Bot. reg. t. 1307.

17	odoratum. D.P.	(re.) odoriferous.	Nepaul.	1820.	7. 8.	S. h.	
18	fœtidum. D.P.	(wh.) strong-scented.	—————	—————	—————	S. h.	
19	cordatum. D.P.	(wh.) heart-leaved.	—————	1826.	—————	S. h.	
20	nūtans. D.P.	(wh.) nodding.	—————	—————	S. h.	
21	scândens. s.s.	(wh.) scandent.	Guinea.	1822.	7. 9.	S. h.	
22	trichotomum. s.s.	(wh.) three-forked.	Japan.	1800.	—————	G. h.	Banks ic. Kæmp. t. 22
23	fortunatum. s.s.	(wh.) spear-leaved.	E. Indies.	1784.	7. 8.	S. h.	Osb. it. t. 11.
24	attenuatum. B.P.	(wh.) attenuated.	N. S. W.	1824.	5. 8.	G. h.	
25	squamatum. s.s.	(sc.) scarlet.	China.	1790.	6. 9.	S. h.	Jacq. ic. 3. t. 500.
26	tomentosum. s.s.	(wh.) downy.	N. S. W.	1794.	3. 5.	G. h.	Bot. mag. t. 1518.
27	infortunatum. s.s.	(wh.) long-flowered.	E. Indies.	S. h.	
28	phlomoïdes. s.s.	(wh.) Phlomis like.	—————	1820.	5. 7.	S. h.	Burm. ind. t. 45. f. 1.
29	fragrans. s.s.	(wh.) fragrant.	China.	1790.	12. 8.	S. h.	Venten. malm. t. 70.
	<i>β</i> <i>múltiplex</i> .	(wh.) double-flowered.	—————	—————	—————	S. h.	Bot. mag. t. 1834.
30	viscosum. s.s.	(wh.) clammy.	E. Indies.	1796.	5. 8.	S. h.	————— t. 1805.
31	dentatum. H.B.	(wh.) tooth-leaved.	—————	1826.	—————	S. h.	
32	neriifolium. H.B.	(wh.) Oleander-leaved.	—————	1824.	—————	S. h.	
33	paniculatum. s.s.	(sc.) paniced.	Java.	1809.	7. 10.	S. h.	Bot. reg. t. 406.
34	urticifolium. H.B.	(wh.) Nettle-leaved.	E. Indies.	1822.	—————	S. h.	
35	violaceum. L.en.	(vi.) violet-coloured.	—————	S. h.	
36	japónicum.	(wh.) Japan.	Japan.	1823.	S. h.	
	<i>Volkameria japónica</i> . Th.						
37	costatum. B.P.	(wh.) ribbed-leaved.	N. S. W.	1823.	5. 8.	G. h.	
VOLKAMERIA. S.S.		VOLKAMERIA.	Didynamia Angiospermia.	L.			
	<i>aculeata</i> . s.s.	(wh.) prickly.	W. Indies.	1739.	8. 10.	S. h.	Brown jam. t. 20. f. 2
ÆGI'PHILA. R.S.		ÆGI'PHILA.	Tetrandria Monogynia.	L.			
1	<i>martinicensis</i> . R.S.	(st.) Martinico.	W. Indies.	1780.	11. 1.	S. h.	Lodd. bot. cab. t. 132.
2	<i>arborescens</i> . R.S.	(st.) arborescent.	Trinidad.	1820.	S. h.	Aub. gui. 1. t. 24.
3	<i>lævis</i> . R.S.	(ye.) smooth.	Guiana.	1824.	6. 7.	S. h.	————— 1. t. 25.
4	<i>elata</i> . R.S.	(ye.) tall.	W. Indies.	1823.	7. 11.	S. h.	Bot. reg. t. 946.
5	<i>fœtida</i> . R.S.	(ye.) fetid.	—————	1800.	6. 7.	S. h.	
6	<i>trífida</i> . R.S.	(wh.) trifid-flowered.	Jamaica.	1826.	—————	S. h.	
7	<i>diffusa</i> . R.S.	(st.) diffuse.	W. Indies.	1804.	7. 8.	S. h.	Andr. reposit. t. 578. f. 1.
8	<i>obovata</i> . R.S.	(st.) oval-leaved.	—————	—————	—————	S. h.	————— t. 578. f. 2.
CALLICA'RPA. R.S.		CALLICA'RPA.	Tetrandria Monogynia.	L.			
1	<i>americana</i> . R.S.	(re.) American.	Carolina.	1724.	6. 7.	G. h.	Catesb. car. 2. t. 47.
2	<i>cana</i> . R.S.	(li.) hoary.	E. Indies.	1799.	—————	S. h.	
3	<i>lanata</i> . R.S.	(pu.) woolly	—————	1788.	—————	S. h.	Gært. fruct. 1. t. 94.
4	<i>incana</i> . F.I.	(ro.) white-leaved.	—————	1816.	6. 10.	S. h.	
5	<i>macrophylla</i> . R.S.	(ro.) large-leaved.	—————	1808.	—————	S. h.	
6	<i>lanceolaria</i> . F.I.	(pu.) lance-leaved.	—————	1816.	—————	S. h.	
7	<i>ferruginea</i> . R.S.	(li.) rusty.	Jamaica.	1794.	6. 7.	S. h.	
8	<i>reticulata</i> . R.S.	(wh.) netted-leaved.	—————	1822.	—————	S. h.	
9	<i>longifolia</i> . R.S.	(wh.) long-leaved.	China.	—————	—————	S. h.	Hook. ex. flor. t. 133.
10	<i>rubella</i> . B.R.	(re.) red-flowered.	—————	—————	—————	S. h.	Bot. reg. t. 883.
11	<i>purpurea</i> . F.I.	(pu.) purple-flowered.	—————	—————	7. 9.	S. h.	
12	<i>arborea</i> . F.I.	(p.pu.) tree.	Nepaul.	—————	S. h.	
VITEX. S.S.		CHASTE-TREE.	Didynamia Angiospermia.	L.			
1	<i>ovata</i> . s.s.	(bl.) oval-leaved.	China.	1796.	7. 8.	S. h.	
2	<i>triflora</i> . s.s.	(vi.) three-flowered.	Cayenne.	1823.	—————	S. h.	
3	<i>latifolia</i> . s.s.	(bl.) broad-leaved.	E. Indies.	1820.	—————	S. h.	Rheed. mal. 5. t. 2
4	<i>altissima</i> . s.s.	(vi.) tall.	Ceylon.	1802.	S. h.	
5	<i>alata</i> . s.s.	(vi.) winged.	E. Indies.	1818.	6. 8.	S. h.	
6	<i>gigantea</i> . K.S.	(vi.) giant.	Guayaquil.	1826.	S. h.	
7	<i>bicolor</i> . s.s.	(bl.wh.) two-coloured.	E. Indies.	1810.	6. 8.	S. h.	
8	<i>trifolia</i> . s.s.	(vi.) three-leaved.	—————	1759.	—————	S. h.	Bot. mag. t. 2187.
9	<i>Negundo</i> . s.s.	(bl.) Ash-leaved.	—————	—————	S. h.	Rheed. mal. 2. t. 11.
10	<i>umbrösa</i> . s.s.	(vi.) bushy.	W. Indies.	1824.	S. h.	
11	<i>Agnus-cástus</i> . w.	(wh.) common.	Sicily.	1570.	9.	H. h.	
	<i>β</i> <i>latifolia</i> .	(wh.) broad-leaved.	—————	—————	—————	H. h.	
12	<i>incisa</i> . s.s.	(bl.) cut-leaved.	China.	1758.	7. 9.	G. h.	Bot. mag. t. 364.
	<i>Negundo</i> . B.M.						
13	<i>arborea</i> . H.B.	(bl.) tree.	E. Indies.	1820.	S. h.	
14	<i>bignonioides</i> . K.S.	(bl.) trumpet-flowered.	Caracas.	1826.	S. h.	
15	<i>saligna</i> . H.B.	(bl.) Willow-leaved.	E. Indies.	1823.	S. h.	
16	<i>Doniana</i> .	(vi.) Den's.	Sierra Leon.	1824.	S. h.	
	<i>umbrösa</i> . H.T. non Sw.						
17	<i>heterophylla</i> . H.B.	(bl.) various-leaved.	E. Indies.	1820.	S. h.	
18	<i>capitata</i> . P.S.	(bl.) headed-flowered.	Trinidad.	1822.	6. 8.	S. h.	Vahl. ecl. 2. t. 18.

WALLROTHIA. S.S.	WALLROTHIA.	Didymia Angiospermia. S.S.			
Leucóxylon. s.s. (pu.)	white-wooded.	Ceylon.	1793.	S. h.
<i>Vitex Leucóxylon.</i> L.					
CHLOANTHES. B.P.	CHLOANTHES.	Didymia Angiospermia. S.S.			
1 stœchadis. B.P. (st.)	white-leaved.	N. S. W.	1822.	6. 8.	G. h.
2 glandulosa. B.P. (st.)	glandular-leaved.	—	1824.	—	G. h.
PREMNA. S.S.	PREMNA.	Didymia Angiospermia. S.S.			
1 integrifolia. s.s. (wh.)	entire-leaved.	E. Indies.	1822.	S. h.
2 tomentosa. s.s. (uh.)	woolly.	—	1825.	S. h.
3 reticulata. s.s. (wh.)	netted-leaved.	Jamaica.	1826.	S. h.
4 spinosa. H.B. (wh.)	spiny.	—	1822.	S. h.
5 esculenta. H.B. (wh.)	esculent.	—	1824.	S. h.
6 latifolia. H.B. (wh.)	broad-leaved.	E. Indies.	1827.	S. h.
7 serratifolia. s.s. (wh.)	saw-leaved.	—	—	S. h.
HOLMSKIOLDIA.	HOLMSKIOLDIA.	Didymia Angiospermia. S.S.			
1 sanguinea. s.s. (sc.)	scarlet.	E. Indies.	1796.	10. 4.	S. h.
<i>Hastingia coccinea.</i> Sm. ex. bot. t. 80.					
2 scandens. (pi.)	climbing.	—	1824.	—	S. h. ~.
<i>Hastingia scandens.</i> H.B.					
PETRÆA. S.S.	PETRÆA.	Didymia Angiospermia. L.			
1 volubilis. s.s. (pu.)	climbing.	Vera Cruz.	1733.	7. 8.	S. h. ~.
2 rugosa. K.S. (pu.)	rough-leaved.	Caracas.	1824.	S. h.
3 erecta. L.C. (pu.)	upright.	S. America.	—	S. h.
HOSTA. Jacq.	HOSTA.	Diandria Monogynia.			
1 cœrulea. Jacq. (bl.)	blue-flowered.	S. America.	1733.	6. 9.	S. h.
<i>Cornutia punctata.</i> B.M. 2611.					
2 latifolia. K.S. (vi.)	broad-leaved.	Mexico.	1824.	—	S. h.
CORNUTIA. P.S.	CORNUTIA.	Diandria Monogynia. S.S.			
pyramidata. P.S. (bl.)	pyramidal.	W. Indies.	1733.	S. h.
GMEIINA. S.S.	GMEIINA.	Didymia Angiospermia. L.			
1 arborea. s.s. (br. ye.)	tree.	E. Indies.	1812.	S. h.
2 villosa. s.s. (ye.)	villous.	—	1818.	S. h.
3 asiatica. s.s. (ye.)	oval-leaved.	—	1792.	S. h.
4 parviflora. P.S. (ye.)	small-flowered.	—	1817.	S. h.
<i>parrifolia.</i> s.s.					
5 sinuata. L.en. (ye.)	sinuated.	—	1824.	S. h.
CITHAREXYLUM. W.	FIDDLE-WOOD.	Didymia Angiospermia. L.			
1 caudatum. s.s. (wh.)	upright.	Jamaica.	1763.	S. h.
<i>erectum.</i> Jacq.					
2 villosum. s.s. (wh.)	hairy-leaved.	W. Indies.	1784.	S. h.
3 subserratum. s.s. (wh.)	subserrate.	Hispaniola.	1819.	S. h.
4 quadrangulare. s.s. (w.)	square-stalked.	Jamaica.	1759.	6. 8.	S. h.
5 cinereum. s.s. (wh.)	ash-coloured.	W. Indies.	1739.	—	S. h.
6 molle. s.s. (wh.)	soft-leaved.	1822.	—	S. h.
7 pentandrum. s.s. (pu.)	pentandrous.	Portorico.	1815.	—	S. h.
DURANTA. S.S.	DURANTA.	Didymia Angiospermia. L.			
1 Plumieri. B.R. (bl.)	smooth.	S. America.	1733.	6. 10.	S. h.
2 Ellisia. B.M. (bl.)	prickly.	W. Indies.	1739.	8.	S. h.
3 inermis. Mill. (bl.)	unarmed.	S. America.	—	S. h.
4 xalapensis. K.S. (bl.)	Mexican.	Mexico.	1822.	S. h.
5 Mutisii. K.S. (bl.)	Mutis's.	S. America.	—	6. 8.	S. h.
AMASONIA. S.S.	AMASONIA.	Didymia Angiospermia. S.S.			
punicea. s.s. (ye.)	puniceous.	Trinidad.	1823.	S. h.
LANTANA. S.S.	LANTANA.	Didymia Angiospermia. L.			
1 aculeata. s.s. (or.)	changeable-color'd.	W. Indies.	1692.	4. 11.	S. h.
2 purpurea. s.s. (pu.)	purple-flowered.	S. America.	1822.	—	S. h.
3 scabrada. s.s. (or.)	rough.	W. Indies.	1774.	7. 10.	S. h.
4 mista. w. (st. li.)	Nettle-leaved.	—	1732.	8. 10.	S. h.
5 melissæfolia. s.s. (ye.)	Balm-leaved.	—	—	7. 9.	S. h.
6 nivea. s.s. (wh.)	snowy white.	E. Indies.	1810.	—	S. h.
7 stricta. s.s. (ro.)	narrow-leaved.	Jamaica.	1733.	—	S. h.
8 Rádula. w. (pu.)	Rasp-leaved.	W. Indies.	1803.	—	S. h.
9 salviaefolia. s.s. (re.)	Sage-leaved.	C. B. S.	1823.	—	G. h.
10 recta. s.s. (bh.)	upright.	Jamaica.	1758.	6. 8.	S. h.
11 involucreta. s.s. (li.)	round-leaved.	W. Indies.	1690.	5. 7.	S. h.
12 odorata. s.s. (wh.)	sweet-scented.	—	1758.	5. 11.	S. h.
13 Camara. s.s. (ye.)	various-coloured.	—	1691.	4. 9.	S. h.
14 trifolia. s.s. (ro.)	three-leaved.	—	1733.	6. 9.	S. h.
15 annua. s.s. (ro.)	annual.	S. America.	—	7. 8.	S. h.

Rumph. amb. 3. t. 133.

Bot. reg. t. 692.

Bot. mag. t. 628.

Bot. reg. t. 1204.

Lam. ill. t. 541.

Roxb. corom. 3. t. 246.

Lam. ill. t. 542.

Roxb. corom. I. t. 32.

Jacq. ic. 3. t. 501.

Jacq. ic. 1. t. 118.

Jacq. vind. 1. t. 22.

Jacq. amer. t. 118.

Vent. cels. t. 47.

Bot. reg. t. 244.

Bot. mag. t. 1759.

Bot. mag. t. 96.

Lodd. bot. cab. t. 68.

Dill. elt. t. 57. f. 66.

Bot. mag. t. 1946.

Sloan. jam. 2. t. 195. f. 4.

Jacq. schœnb. 3. t. 265.

— 3. t. 360.

Pluk. alm. t. 114. f. 5.

Plum. ic. 71. f. 2.

Dill. elt. t. 56. f. 65.

Bot. mag. t. 1449.

— t. 1022.

VERBENACEÆ.

16	fucata. s.s.	(ro.) painted.	Brazil.	1822.	7. 8.	S. h.	Bot. reg. t. 798.
17	lavandulæea. s.s.	(wh.) Lavender-like.	-----	-----	S. h.	
18	crœcea. L.en.	(or.) saffron-coloured.	Jamaica.	-----	-----	S. h.	Jacq. schoen. t. 473.
19	violæea. Desf.	(vi.) violet-coloured.	S. America.	1824.	S. h.	
20	brasiliënsis. L.en.	(wh.) Brazilian.	Brazil.	-----	7. 8.	S. h.	
21	álba. L.en.	(wh.) white-flowered.	S. America.	-----	S. h.	
22	hírta. Gr.	(wh.) hairy white.	-----	1825.	8. 11.	S. h.	
23	hórrida. K.s.	(ye.) horrid.	Mexico.	-----	7. 8.	S. h.	
24	Sellôi. L.O.	(ro.) Sello's.	Monte Video.	1829.	12. 4.	S. h.	Bot. mag. t. 2981.
SPIELMA'NNIA. S.S.		SPIELMA'NNIA. Didynamia Angiospermia. S.S.					
	africàna. s.s.	(wh.) African.	C. B. S.	1710.	2. 11.	G. h.	Bot. mag. t. 1899.
TECTONA. W.		TEAK-WOOD. Pentandria Monogynia. L.					
	grándis. w.	(wh.) great.	E. Indies.	1777.	S. h.	Roxb. corom. 1. t. 6.
STRE'PTIUM. S.S.		STRE'PTIUM. Didynamia Angiospermia. S.S.					
	ásperum. s.s.	(wh.) rough.	E. Indies.	1799.	7. 8.	S. 4.	Roxb. corom. 2. t. 146.
		<i>Tórtula áspera</i> w. <i>Priva leptostàchya.</i> P.S.					
PR'IVA. S.S.		PR'IVA. Didynamia Angiospermia. S.S.					
	1 lappulæea. P.s.	(pu.) bristly-fruited.	S. America.	1822.	6. 8.	S. 4.	Jacq. obs. 1. t. 24.
	<i>echinàta.</i> K.s.						
	2 mexicàna. P.s.	(li.) Mexican.	Mexico.	1726.	8. 9.	S. 4.	Dill. elth. t. 302. f. 389.
	<i>hispida.</i> K.s. <i>Verbena mexicàna.</i> L.						
TAM'ONEA. S.S.		TAM'ONEA. Diandria Monogynia.					
	1 verbenæea. s.s.	(bl.) thorny-fruited.	W. Indies.	1733.	8.	S. ⊙.	Banks. vel. Hous. t. 2.
	<i>curassárica.</i> P.s. <i>Ghènia spinòsa.</i> w.						
	2 spicàta. K.s.	(bl.) spiked.	Trinidad.	1824.	8. 10.	S. ⊙.	Aubl. guian. t. 268.
STACHYTA'RPHETA. BASTARD Vervain.		Diandria Monogynia. S.S.					
	1 angustifòlia. R.s.	(vi.) narrow-leaved.	S. America.	6. 9.	S. ⊙.	Jacq. obs. 4. t. 86.
	2 elàtior. R.s.	(vi.) tall.	Brazil.	1821.	8. 11.	S. ⊙.	
	3 índica. R.s.	(vi.) Indian.	Ceylon.	1732.	8. 9.	S. ⊙.	
	4 urticifòlia. B.M.	(bl.) Nettle-leaved.	S. America.	5. 9.	S. ♂.	Bot. mag. t. 1848.
	5 jamaicënsis. R.s.	(bl.) Jamaica.	W. Indies.	1714.	6. 9.	S. ♂.	----- t. 1860.
	6 hírta. K.s.	(vi.) hairy-leaved.	New Granada.	1821.	5. 10.	S. h.	
	7 cayennënsis. s.s.	(bl.) Cayenne.	Cayenne.	1819.	-----	S. h.	
	8 umbròsa. K.s.	(tl.) shade.	Cumana.	1829.	-----	S. h.	
	9 prismática. R.s.	(bl.) Germander-leav'd.	W. Indies.	1699.	5. 6.	S. ♂.	Jacq. ic. 2. t. 208.
	10 orùbica. R.s.	(vi.) Orubian.	S. America.	-----	6. 8.	G. ♂.	Ehr. pict. t. 5. f. 1.
	11 mutábilis. R.s.	(ro.) changeable-flower'd.	-----	1801.	3. 9.	S. h.	Bot. mag. t. 976.
		<i>Verbena mutábilis.</i> w. <i>Cymburus mutábilis.</i> Par. lond. t. 49.					
	12 crassifòlia. R.s.	(vi.) thick-leaved.	Brazil.	1826.	6. 9.	S. h.	
	13 Zuccágni. R.s.	(ro.vi.) Zuccagni's.	1824.	-----	S. h.	
	14 hirsutíssima. L.en.	(bl.) hairy.	Brazil.	1821.	-----	S. 4.	
ZAP'ANIA. J.		ZAP'ANIA. Didynamia Angiospermia. P.S.					
	1 stœchadifòlia. P.s.	(wh.) oval-spiked.	W. Indies.	1732.	8. 9.	S. 4.	Brown jam. t. 3. f. 1.
	2 nodiflòra. B.P.	(pi.) knot-flowered.	America.	1664.	7. 8.	G. 4.	Flor. græc. t. 553.
		<i>Verbena nodiflòra.</i> L. <i>Lippia nodiflòra.</i> s.s.					
ALO'YSIA. P.S.		ALO'YSIA. Didynamia Angiospermia. P.S.					
	citrodòra. P.s.	(li.) Lemon-scented.	Chile.	1784.	5. 9.	G. h.	Bot. mag. t. 367.
		<i>Verlèna triphy'lla.</i> B.M. <i>Lippia citrodòra.</i> K.s.					
VERB'ENA. S.S.		VERVAIN. Didynamia Angiospermia. S.S.					
	1 angustifòlia. s.s.	(bl.) narrow-leaved.	N. America.	1802.	6. 8.	H. 4.	
	<i>rugòsa.</i> w.						
	2 paniculàta. s.s.	(pu.) panicled.	-----	1800.	7. 8.	H. 4.	Bot. reg. t. 1102.
	3 bonariënsis. s.s.	(bl.) cluster-flower'd.	Buenos Ayres.	1732.	7. 10.	H. ♂.	Dill. elt. t. 300. f. 387.
	4 caroliniàna. s.s.	(pi.) Carolina.	N. America.	-----	6. 9.	H. 4.	----- t. 301. f. 388.
	5 urticæfòlia. s.s.	(wh.) Nettle-leaved.	-----	1683.	7. 9.	H. 4.	Rob. ic. 26.
	6 strícta. s.s.	(bl.) upright.	-----	1802.	7. 8.	H. 4.	Bot. mag. t. 1976.
	7 lasiostàchys. s.s.	(bl.) woolly-spiked.	California.	1823.	-----	H. 4.	
	8 bracteòsa. s.s.	(bl.) long-bracted.	N. America.	1812.	7.	H. 4.	Bot. mag. t. 2910.
	9 Aublétia. s.s.	(ro.) rose.	-----	1774.	6. 8.	F. ♂.	----- t. 308.
	10 Lambérti. B.M.	(ro.) Lambert's.	Pern.	1816.	-----	F. 4.	----- t. 2200.
	11 chamædryfòlia. P.s.	(sc.) scarlet-flower'd.	Buenos Ayres.	1827.	4. 10.	F. 4.	Swt. br. fl. gar. ser. 2. t. 9.
		<i>Melindres.</i> Bot. reg. t. 1184. <i>Erinus peruriànus.</i> L.					
	12 barbàta. Gr.	(li.) bearded.	Mexico.	-----	9. 12.	G. h.	
	13 hastàta. s.s.	(pu.) halberd-leaved.	Canada.	1710.	-----	H. 4.	Herm. parad. t. 212.
	14 scábra. s.s.	(vi.) rough.	Mexico.	1822.	-----	H. 4.	
	15 alàta. B.F.G.	(pu.) winged-stalked.	Monte Video.	1827.	7. 10.	F. 4.	Swt. br. fl. gar. ser. 2. t. 11.
	16 officinális. E.B.	(li.) common.	Britain.	6. 9.	H. 4.	Eng. bot. v. 11. t. 769.
	17 soròria. D.P.	(li.) sister.	Nepaul.	1823.	8. 10.	H. 4.	Swt. br. fl. gar. t. 202.
	18 spària. s.s.	(li.) jagged-leaved.	N. America.	1731.	7. 8.	H. ♂.	

19	erinoïdes. s.s. (ro.) Erinus-like.	Peru.	1820.	7. 8.	H. ☉.	Flor. peruv. 1. t. 33. f. c.
	<i>multifida</i> . R.P.					
20	pulchélla. B.F.G. (li.) pretty.	BuenosAyres.	1827.	4. 10.	F. 4.	Swt. br. fl. gar. s. 2. t. 295.
21	canéscens. s.s. (vi.) canescent.	Mexico.	1820.	7. 8.	H. 4.	H. et B. 2. t. 136.
22	supína. s.s. (li.) trailing.	Spain.	1640.	6. 7.	H. ☉.	Flor. græc. t. 554.
	<i>β hirsûta</i> . E. (li.) hairy.	Egypt.	1829.	—	H. ☉.	
23	prostrâta. H.K. prostrate.	N. America.	1794.	—	H. 4.	
	L'IPPIA. J. L'IPPIA. Didynamia Angiospermia. S.S.					
	purpûrea. s.s. (pu.) purple.	Mexico.	1823.	6. 8.	G. 2.	Jacq. f. eclog. t. 85.
	XENOP'OMA. S.S. XENOP'OMA. Didynamia Angiospermia.					
	obovâtum. s.s. (wh.) obovate-leaved.	China.	1816.	5. 8.	G. 2.	Coll. hort. rip. t. 25.

ORDO CLVI.

MYOPORINÆ. *Brown prodr. p. 514.*

	MYOP'ORUM. B.P. MYOP'ORUM. Didynamia Angiospermia. S.S.					
1	ellipticum. B.P. (wh.) smooth-leaved.	N. S. W.	1789.	1. 3.	G. 2.	Andr. reposit. t. 283.
	<i>Pogonia glâbra</i> . A.R.					
2	acuminâtum. B.P. (wh.) acuminate.	—	1812.	G. 2.	
3	montânium. B.P. (wh.) mountain.	—	1822.	2. 6.	G. 2.	
4	parvifôlium. B.P. (wh.) small-leaved.	N. Holland.	1803.	3. 9.	G. 2.	Bot. mag. t. 1691.
5	débile. B.P. (bl.) procumbent.	N. S. W.	1793.	5. 8.	G. 2.	— — — t. 1830.
6	diffûsum. B.P. (bl.) diffuse.	N. Holland.	8. 2.	G. 2.	
7	tuberculâtum. B.P. (wh.) tubercled.	—	1803.	5. 8.	G. 2.	
8	viscòsum. B.P. (wh.) viscid.	—	—	—	G. 2.	
9	crassifôlium. s.s. (wh.) thick-leaved.	N. Zealand.	1822.	—	G. 2.	
10	oppositifôlium. s.s. (wh.) opposite-leaved.	N. Holland.	1803.	1. 12.	G. 2.	
	STENOCH'ILUS. B.P. STENOCH'ILUS. Didynamia Angiospermia. S.S.					
1	glâber. B.P. (sc.) smooth-leaved.	N. Holland.	1803.	1. 12.	G. 2.	Bot. mag. t. 1942.
2	maculâtus. B.R. (cr.sp.) spotted-flowered.	—	1820.	4. 8.	G. 2.	Bot. reg. t. 647.
3	viscòsus. B.M. (ye.) clammy.	—	1825.	—	G. 2.	Bot. mag. t. 2930.
	BO'NTIA. S.S. BO'NTIA. Didynamia Angiospermia. L.					
	daphnoïdes. s.s. (st.) Barbadoes.	W. Indies.	1690.	6.	S. 2.	Dill. elth. t. 49. f. 57.
	AVICE'NNIA. B.P. AVICE'NNIA. Didynamia Angiospermia. L.					
	tomentòsa. B.P. (wh.) downy-leaved.	India.	1793.	S. 2.	Palisot. d'Owar. t. 47.

ORDO CLVII.

ACANTHACEÆ. *Brown prodr. 1. p. 472.*

	ACA'NTHUS. S.S. BEARS-BREECH. Didynamia Angiospermia. L.					
1	môllis. w. (wh.) soft-leaved.	Italy.	1548.	7. 9.	H. 4.	Lam. ill. t. 550.
2	niger. L.en. (wh.) shining-leaved.	Portugal.	1759.	—	H. 4.	
3	spinòsus. B.M. (wh.) prickly-leaved.	S. Europe.	1629.	—	H. 4.	Bot. mag. t. 1808.
4	spinosissimus. P.S. (wh.) white-spined.	—	—	—	H. 4.	
5	carduifôlius. s.s. (wh.) Cape.	C. B. S.	1816.	—	G. 4.	
6	ilicifôlius. s.s. (wh.) Holly-leaved.	E. Indies.	1759.	S. 2.	Rheed. mal. 2. t. 48.
	BLEPH'ARIS. J. BLEPH'ARIS. Didynamia Angiospermia. P.S.					
1	capénsis. s.s. (wh.) simple-spined.	C. B. S.	1816.	5. 9.	G. 2.	
2	farcâta. s.s. (wh.) fork-spined.	—	—	6. 8.	G. 2.	
3	procumbens. s.s. (wh.) procumbent.	—	1825.	—	G. 2.	
	THUNBE'RGIA. S.S. THUNBE'RGIA. Didynamia Angiospermia. S.S.					
1	grandiflôra. s.s. (bl.) large-flowered.	E. Indies.	1822.	3. 8.	S. 2. ∪.	Bot. reg. t. 495.
2	frâgrans. s.s. (wh.) white Indian.	—	1796.	5. 9.	S. 2. ∪.	Bot. mag. t. 1881.
3	cordâta. C.R. (wh.) heart-leaved.	Brazil.	1829.	3. 8.	S. 2. ∪.	Coll. h. rip. t. 21.
4	capénsis. s.s. (wh.) Cape.	C. B. S.	1816.	—	G. 2. ∪.	
5	alâtâ. B.M. (or.) winged.	Zanzebar.	1825.	1. 12.	S. 2. ∪.	Bot. mag. t. 2591.
6	angulâta. H.E.F. (pu.) angular-stalked.	Mauritius.	1824.	5. 8.	S. 2. ∪.	Hook. ex. flor. t. 166.
7	coccinea. D.P. (sc.) scarlet-flowered.	Nepaul.	—	6. 2.	S. 2. ∪.	— — — t. 195.

BARLERIA. S.S.	BARLERIA. Didynamia Angiospermia. L.						
1 buxi-folia. s.s.	(bl.) Box-leaved.	E. Indies.	1763.	6. 7.	S. h.	Rheed. mal. 2. t. 47.	
2 Prionitis. s.s.	(ye.) thorny.	—————	1759.	7. 8.	S. h.	————— 9. t. 41.	
3 spicata. H.B.	(pu.) spiked-flowered.	—————	1822.	4. 8.	S. h.		
4 longifolia. s.s.	(vi.) long-leaved.	—————	1781.	7. 9.	S. h.	Pluk alm. t. 133. f. 4.	
5 cristata. s.s.	(bl.) crested.	—————	1796.	4. 9.	S. h.	Bot. mag. t. 1615.	
6 alba. B.C.	(wh.) white-flowered.	—————	1818.	————	S. h.	Lodd. bot. cab. t. 360.	
7 ciliata. H.B.	(pu.) fringed.	—————	1822.	4. 10.	S. h.		
8 tomentosa. s.s.	(bl.) woolly.	—————	1825.	————	S. h.		
9 flava. s.s.	(ye.) yellow-flowered.	Arabia.	1816.	————	S. h.	Jacq. f. ecl. t. 46.	
<i>mitis.</i> B.R. 191.	<i>Justicia flava.</i> w. <i>Eranthemum flavum.</i> W.en.						
10 longiflora. s.s.	(vi.) long-flowered.	E. Indies.	1816.	6. 9.	S. h.	Vahl symb. 1. t. 16.	
11 purpurea. B.C.	(pu.) purple.	—————	1817.	————	S. h.	Lodd. bot. cab. t. 344.	
12 dichotoma. H.B.	(pu.) forked.	—————	1822.	————	S. h.		
13 cœrulea. H.B.	(bl.) blue-flowered.	—————	————	————	S. h.		
HYGROPHILA. B.P.	HYGROPHILA. Didynamia Angiospermia. S.S.						
<i>rincens.</i> s.s.	(li.) gaping-flowered.	E. Indies.	1807.	7. 8.	S. h.		
GEISSOMERIA. B.R.	GEISSOMERIA. Didynamia Angiospermia.						
1 longiflora. B.R.	(sc.) long-flowered.	Brazil.	1825.	8. 10.	S. h.	Bot. reg. t. 1045.	
2 fulgida.	(sc.) bright-flowered.	W. Indies.	1804.	7. 8.	S. h.	Andr. reposit. t. 527.	
<i>Ruellia fulgida.</i> A.R.							
RUELLIA. S.S.	RUELLIA. Didynamia Angiospermia. L.						
1 ocymoides. s.s.	(bl.) Basil-like.	Mexico.	1815.	7. 8.	S. h.	Cavan. ic. 5. t. 456.	
2 ciliata. s.s.	(li.) fringed.	E. Indies.	1806.	————	S. h.		
3 australis. s.s.	(re.) New Holland.	N. S. W.	1820.	6. 9.	G. h.	Cavan. ic. 6. t. 586. f. 1.	
4 fœtida. s.s.	(vi.) strong-scented.	Mexico.	1824.	————	G. h.		
5 biflora. s.s.	(bl.) two-flowered.	Carolina.	1765.	7.	G. u.		
6 violacea. s.s.	(bl.) violet-flowered.	Guiana.	1822.	6. 9.	S. u.	Aub. gui. 2. t. 271.	
7 salicifolia. s.s.	(vi.) Willow-leaved.	E. Indies.	————	————	S. h.		
8 ovata. s.s.	(bl.) oval-leaved.	Mexico.	1800.	7. 8.	S. u.	Cavan. ic. 3. t. 254.	
9 patula. s.s.	(vi.) spreading.	E. Indies.	1774.	————	S. h.	Jacq. ic. 1. t. 119.	
10 Sabiniâna. B.R.	(vi.) Sabine's.	—————	1827.	4. 8.	S. h.	Bot. reg. t. 1238.	
11 brasila. Mart.	(vi.) Brazil.	Brazil.	1828.	8. 9.	S. h.		
12 anisophylla. H.E.F.	(bl.) unequal-leaved.	E. Indies.	1823.	9. 4.	S. h.	Hook. ex. flor. 191.	
<i>persicifolia.</i> Bot. reg. t. 955.							
13 formosa. s.s.	(sc.) splendid.	Brazil.	1808.	6. 9.	S. h.	Bot. mag. t. 1400.	
14 macrophylla. s.s.	(re.) large-leaved.	S. America.	1820.	————	S. h.	Vahl symb. 2. t. 39.	
15 tuberosa. s.s.	(vi.) tuberous-root'd.	Jamaica.	1752.	7. 8.	S. u.	Sloan. jam. 1. t. 95. f. 1.	
16 strœpens. s.s.	(pa.bl.) whorl-flowered.	N. America.	1726.	————	G. u.	Schk. hand. 2. t. 177.	
17 lactea. s.s.	(li.) white.	Mexico.	1796.	6. 8.	G. u.	Cavan. ic. 3. t. 255.	
18 clandestina. s.s.	(bl.) three-flowered.	Barbadoes.	1728.	7. 8.	S. u.	Dill. elth. t. 248. f. 320.	
19 paniculata. s.s.	(li.) paniced.	W. Indies.	1768.	8. 10.	S. u.	Bot. reg. t. 585.	
20 obovata. H.B.	(pu.) obovate-leaved.	E. Indies.	1820.	7. 11.	S. u.		
21 undulata. s.s.	(vi.) wave-leaved.	—————	1817.	————	S. u.		
22 hirta. s.s.	(vi.) hairy.	—————	————	————	S. u.	Vahl symb. 3. t. 67.	
23 pubescens. P.S.	(bl.) pubescent.	C. B. S.	1816.	5. 7.	G. h.		
24 tetragona. s.s.	(bl.) four-sided.	Brazil.	1818.	6. 9.	S. u.		
25 longifolia. s.s.	(pu.) long-leaved.	E. Indies.	1821.	————	S. h.		
26 cernua. H.B.	(vi.) cernuous.	—————	————	————	S. h.		
27 semitetrandra. Jac. . .	semitetrandrons.	—————	1829.	S. h.		
BLECHUM. B.P.	BLECHUM. Didynamia Angiospermia. S.S.						
1 Browni. s.s.	(li.) dense-spiked.	W. Indies.	1780.	6.	S. u.	Sloan. jam. 1. t. 109. f. 1.	
2 laxiflorum. s.s.	(wh.) loose-flowered.	—————	1822.	6. 8.	S. u.		
3 angustifolium. s.s.	(bl.) narrow-leaved.	—————	1826.	7. 10.	S. u.		
APHELANDRA. B.P.	APHELANDRA. Didynamia Angiospermia. S.S.						
cristata. s.s.	(sc.) dense-spiked.	W. Indies.	1733.	6. 9.	S. h.	Bot. mag. t. 1576.	
<i>Ruellia cristata.</i> A.R. 506.	<i>Justicia pulcherrima.</i> L.						
CROSSANDRA. P.S.	CROSSANDRA. Didynamia Angiospermia.						
undulata. P.L.	(sc.) wave-leaved.	E. Indies.	1800.	6. 1.	S. h.	Bot. reg. t. 69.	
<i>Ruellia infundibuliformis.</i> A.R. 542.	<i>Harrachia speciosa.</i> Jacq. ecl. t. 21.						
PHAYLOPSIS. W.	PHAYLOPSIS. Didynamia Angiospermia. W.						
1 longifolia. B.M.	(wh.) long-leaved.	Sierra Leon.	1822.	3. 5.	S. h.	Bot. mag. t. 2433.	
2 imbricata.	(wh.) imbricated.	Mauritius.	————	————	S. h.		
<i>Ætheilema imbricatum.</i> s.s.							
3 parviflora. W.	(wh.) small-flowered.	E. Indies.	1825.	4. 8.	S. u.		
LEPIDAGATHIS. W.	LEPIDAGATHIS. Didynamia Angiospermia. W.						
cristata. W.	(pu.) crested.	E. Indies.	1817.	5. 8.	S. u.		
ELYTRARIA. R.S.	ELYTRARIA. Diandria Monogynia. S.S.						
1 crenata. R.S.	(wh.) notched-leav'd.	E. Indies.	1819.	11. 2.	S. u.	Roxb. corom. 2. t. 150.	
<i>Justicia acutis.</i> F.I.							

2	lyràta. R.S.	(wh.)	lyrate-leaved.	E. Indies.	1825.	11. 2.	S. 2.	
3	virgàta. R.S.	(wh.)	twiggy.	Carolina.	1813.	7. 8.	H. 2.	Mich. amer. 1. t. 1.
4	ramòsa. R.S.	(bl.)	branching.	Mexico.	1825.	—	G. 2.	
5	cauléscens. R.S.	(wh.)	caulescent.	Manilla.	1828.	—	G. 2.	
JUSTÍCIA. R.S. JUSTÍCIA. Diandria Monogynia. L.								
1	bicalyculàta. R.S.	(li.)	Malabar.	E. Indies.	1785.	8. 10.	S. 0.	Cavan. ic. 1. t. 71.
2	hispida. R.S.	(wh.)	hispid.	Sierra Leon.	1824.	4. 8.	S. h.	
3	Ecbòlium. R.S.	(pa.bl.)	long-spiked.	E. Indies.	1759.	3. 8.	S. h.	Bot. mag. t. 1847.
4	ventricòsa. B.M.	(sp.)	hop-flowered.	China.	1825.	4. 6.	S. h.	— t. 2766.
5	calycotrìcha. s.s.	(ye.)	yellow-flower'd.	Brazil.	—	1. 3.	S. h.	— t. 2816.
<i>flavìcoma.</i> Bot. reg. t. 1027.								
6	thyrsiflòra. F.I.	(or.)	thyrses-flower'd.	E. Indies.	1812.	5. 9.	S. h.	
7	vitellina. F.I.	(pi.ye.)	reflex-leaved.	—	1818.	—	S. h.	
8	álba. F.I.	(wh.)	white-flowered.	—	1816.	4. 8.	S. h.	
9	coccínea. R.S.	(sc.)	scarlet.	S. America.	1770.	12. 4.	S. h.	Bot. mag. t. 432.
10	polyspérma. F.I.	(bl.)	many-seeded.	E. Indies.	1821.	8. 10.	S. 0.	
11	echiòides. R.S.	(wh.pu.)	Echium-like.	—	1812.	6. 9.	S. 0.	Rheed. mal. 9. t. 46.
12	quadrífida. R.S.	(sc.)	twiggy.	Mexico.	1795.	3. 9.	S. h.	Sal. par. lond. t. 50.
<i>tirgulàris.</i> P.L.								
13	pùmila. R.S.	(sc.)	dwarf.	S. America.	1820.	—	S. h.	
14	nigrìcans. R.S.	(wh.re.)	black-striped.	China.	1819.	6. 9.	G. h.	
15	nítida. R.S.	(wh.sp.)	glossy.	W. Indies.	1790.	3. 9.	S. h.	Andr. reposit. t. 570.
16	bracteolàta. R.S.	(pu.)	bracteolate.	Caracas.	1824.	6. 8.	S. h.	Jacq. ic. t. 205.
17	pícta. R.S.	(cr.)	painted.	E. Indies.	1780.	7. 8.	S. h.	Rheed. mal. 6. t. 60.
<i>a álba.</i> (cr.) white-marked.								
<i>β lùrido-sanguínea.</i> (pu) purple-leaved.								
18	paniculàta. R.S.	(ro.)	panicled.	—	1811.	—	S. 0.	Bot. reg. t. 1227.
19	salicìna. R.S.	(re.)	Willow-like.	Peru.	1819.	—	S. h.	Bot. mag. t. 1870.
20	secúnda. R.S.	(pu.)	side-flowering.	W. Indies.	1793.	5. 9.	S. h.	Jacq. f. eclog. t. 34.
21	geniculàta. B.M.	(sc.)	jointed-stalked.	—	1822.	7. 10.	S. h.	Bot. mag. t. 2060.
22	nodòsa. B.M.	(cr.pu.)	swoln-jointed.	Brazil.	1826.	8. 10.	S. h.	— t. 2487.
23	oblongàta. L.O.	(pi.)	oblong-leaved.	Java.	—	9. 10.	S. h.	— t. 2914.
24	ciliàris. R.S.	(wh.)	ciliated.	Cumana.	1780.	7. 8.	S. 0.	Jacq. vind. 2. t. 104.
25	lúcida. R.S.	(sc.)	shining-leaved.	W. Indies.	1795.	—	S. h.	Bot. mag. t. 1014.
26	salviæflòra. R.S.	(sc.)	Sage-flowered.	Mexico.	1823.	—	S. h.	
27	Gandarússa. R.S.	(vi.)	Willow-leaved.	E. Indies.	1800.	6. 7.	S. h.	Bot. reg. t. 635.
28	carthaginénsis. R.S.	(sc.)	Carthaginian.	Carthage.	1792.	—	S. h.	— t. 797.
29	pedunculòsa. R.S.	(pu.)	long-peduncled.	N. America.	1759.	7. 8.	H. 2.	Bot. mag. t. 2367.
<i>americàna.</i> w.								
30	quadrangulàris. B.M.	(pu.)	square-stalked.	Mauritius.	—	1. 3.	S. h.	Bot. mag. t. 2845.
31	procúbens. R.S.	(ro.)	procumbent.	E. Indies.	1798.	7. 8.	S. 2.	Pluk. alm. t. 56. f. 3.
32	quinguangulàris. F.I.	(ro.)	five-angled.	—	1820.	—	S. 2.	
33	comàta. R.S.	(li.)	Balsam-herb.	Jamaica.	1795.	—	S. 2.	Sloan. jam. 1. t. 103. f. 2.
34	eustachiàna. R.S.	(pu.)	Eustachian.	St. Eustachia.	1799.	8. 9.	S. h.	Jacq. amer. pict. t. 5.
35	Keriana. (sc.or.)	Ker's.	China.	1815.	6. 9.	S. h.	Bot. reg. t. 309.	
<i>eustachiàna.</i> B.R. Bot. mag. t. 2076. non Jacq.								
36	nasùta. R.S.	(wh.)	white-flowering.	E. Indies.	1790.	2. 10.	S. h.	Bot. mag. t. 325.
37	lanceolària. F.I.	(ro.)	lance-leaved.	—	1818.	8. 12.	S. h.	
38	speciòsa. F.I.	(pu.)	beautiful.	—	1823.	1. 12.	S. 2.	Bot. mag. t. 2722.
39	Roxburghiana. R.S.	(pi.)	Roxburgh's.	—	1815.	6. 9.	S. h.	Kumph. amb. 6. t. 22. f. 1.
<i>tinctòria.</i> F.I. non Lour. báphica. s.s.								
40	pectoràlis. R.S.	(pu.)	Garden Balsam.	W. Indies.	1787.	5. 6.	S. 2.	Bot. reg. t. 796.
41	periplocæfòlia. R.S.	(pu.)	Periploca-leav'd.	S. America.	1799.	6. 8.	S. h.	Jacq. coll. s. t. 7. f. 2.
42	furcàta. R.S.	(vi.)	forked.	Peru.	1795.	4. 8.	S. h.	Bot. mag. t. 430.
<i>peruviaàna.</i> B.M. Cavan. ic. 1. t. 28.								
43	lithospermifòlia. (vi.)	Gromwell-leav'd.	—	1796.	—	—	S. h.	Jacq. schoen. 1. t. 4.
44	caracasàna. R.S.	(vi.)	Caracas.	Caracas.	1818.	—	S. h.	Jacq. ic. 2. t. 206.
45	leucántha. R.S.	(wh.)	dirty white.	Brazil.	1824.	—	S. h.	
46	Adhátoda. R.S.	(wh.pu.)	Malabar-nut.	Ceylon.	1699.	5. 7.	G. h.	Bot. mag. t. 861.
47	decussàta. F.I.	(li.)	cross-leaved.	E. Indies.	1824.	2. 4.	S. h.	
48	Betónica. R.S.	(wh.)	Betony-leaved.	—	1739.	—	S. h.	Rheed. mal. 2. t. 21.
49	ramosíssima. F.I.	(wh.)	branching.	—	1812.	8. 12.	S. h.	
50	plumbaginifòlia. R.S.	(re.)	Plumbago-leav'd.	—	1819.	6. 9.	S. h.	Jacq. f. ecl. t. 12.
51	fermòsa. R.S.	(pu.)	handsome.	—	—	—	S. h.	
52	maculàta. B.C.	(pu.)	spotted-leaved.	W. Indies.	1823.	—	S. h.	Lodd. bot. cab. t. 626.
53	divaricàta. R.S.	(wh.)	divaricate.	C. B. S.	1822.	3. 6.	G. h.	
54	pátula. R.S.	(wh.)	spreading-branch'd.	—	1824.	—	G. h.	
55	hyssopifòlia. R.S.	(st.)	Hyssop-leaved.	Canaries.	1690.	3. 8.	G. h.	Mill. ic. 9. t. 13.
56	orchiòides. R.S.	(bh.)	Broom-leaved.	C. B. S.	1774.	8	G. h.	Vent. malm. t. 51.

57	tranquebariënsis. R.S.	(bh.) Tranquebar.	E. Indies.	1818.	4. 8.	S. 2.	
58	glåbra. F.I.	(ro.ye.) smooth.	————	1824.	6. 9.	S. 2.	
59	vestita. R.S.	(vi.) clothed.	————	1827.	—	S. 2.	
DICLIPTERA. J. DICLIPTERA. Diandria Monogynia. R.S.							
1	spinosa. E.C.	(ye.) spiny.	Madagascar.	1827.	4. 6.	S. 2.	Lodd. bot. cab. t. 124.
2	chinënsis. R.S.	(ro.) Chinese.	China.	1816.	8. 12.	S. 2.	Burm. ind. t. 4. f. 1. ?
3	bivålvis. R.S.	(ro.) two-valved.	E. Indies.	1820.	S. 2.	
4	multiflora. R.S.	(vi.) many-flowered.	Quito.	1821.	6. 9.	S. 2.	Flor. peruv. 1. t. 14. f. 6.
5	retusa. R.S.	(pu.) retuse.	Santa Cruz.	1816.	7. 9.	S. 2.	Lodd. bot. cab. t. 721.
6	congësta. K.S.	(pu.) crowded-flowered.	Mexico.	1825.	—	S. 2.	
7	resupinata. R.S.	(vi.) resupinate.	N. Spain.	1805.	5. 8.	S. 2.	Cavan. ic. 3. t. 203.
	<i>Justicia sexangulàris. Cav. non L.</i>						
8	pectinata. R.S.	(bl.) pectinated.	E. Indies.	1801.	7. 9.	S. 2.	Roxb. corom. 2. t. 153.
	<i>Justicia parviflora. w.</i>						
9	rèpens. R.S.	(li.) creeping.	————	1822.	—	S. 2.	Roxb. corom. 2. t. 152.
10	brasiliënsis. R.S.	(pu.) Brazilian.	Brazil.	1824.	—	S. 2.	
11	scorpioides. R.S.	(pu.) Scorpion-grass-ld.	Vera Cruz.	—	S. 2.	Reliqu. Houst. t. 1.
12	sexangulàris. R.S.	(re.) chickweed-ld.	S. America.	1733.	7.	S. 2.	Pluk. alm. t. 279. f. 6.
13	assurgens. R.S.	(sc.) assurgent.	W. Indies.	1827.	—	S. 2.	
NELSONIA. B.P. NELSONIA. Diandria Monogynia.							
	lamiifolia. F.I.	(pu.) Lamium-leaved.	E. Indies.	1824.	6. 8.	S. 2.	
HYPOESTES. R.S. HYPOESTES. Diandria Monogynia. R.S.							
1	purpurea. R.S.	(pu.) purple-flower'd.	China.	1822.	6. 8.	S. 2.	
	<i>Justicia purpurea. L.</i>						
2	verticillàris. R.S.	(bh.) whorl-flowered.	C. B. S.	1823.	4. 6.	G. 2.	
3	sèrpens. R.S.	(li.) creeping-stalked.	Mauritius.	1823.	6. 8.	S. 2.	
4	involuta. R.S.	(wh.) involucred.	E. Indies.	1811.	7. 8.	S. 2.	
ERANTHEMUM. R.S. ERANTHEMUM. Diandria Monogynia. R.S.							
1	variabile. B.P.	(pu.) variable.	N. S. W.	1820.	6. 9.	G. 2.	
2	montanum. F.I.	(bl.) mountain.	E. Indies.	1825.	7. 2.	S. 2.	
3	pulchellum. F.I.	(bl.) nervose.	————	1796.	1. 10.	S. 2.	Andr. reposit. t. 88.
	<i>Justicia nervosa. B.M. 1358.</i>						
4	racemosum. F.I.	(bh.) racemed.	————	1826.	7. 2.	S. 2.	
5	barlerioides. F.I.	(pa.bl.) Barleria-like.	————	1824.	—	S. 2.	
6	strictum. F.I.	(bl.) upright.	————	1822.	—	S. 2.	Bot. reg. t. 867.
7	crenulatum. B.R.	(li.) crenulate.	————	1824.	10. 2.	S. 2.	— t. 879.
8	bicolor. s.s.	(wh.pu.) two-coloured.	Philippines.	1802.	5. 8.	S. 2.	Bot. mag. t. 1423.
	<i>Justicia bicolor. B.M.</i>						
9	spinosum. R.S.	(wh.) thorny.	W. Indies.	1733.	7. 8.	S. 2.	Jacq. amer. 2. t. 2. f. 1.
10	acanthophorum. R.S.	(li.) spiny.	China.	1822.	—	S. 2.	
11	ambiguum. R.S. bunch-leaved.	1823.	S. 2.	
	<i>parviflorum. L. enum. nec aliorum.</i>						

ORDO CLVIII.

OROBANCHEÆ. *Ventenat.*

LATHRÆA. S.S.		TOOTHWORT. Didynamia Angiospermia. L.					
	squamaria. s.s.	(pu.) scaly.	Britain.	4.	H. 2.	Eng. bot. v. 1. t. 50.
OROBANCHE. S.S.		BROOM-RAPE. Didynamia Angiospermia. L.					
1	màjor. E.B.	(br.pu.) greater.	Britain.	6. 7.	H. 2.	Eng. bot. v. 6. t. 421.
2	elàtior. E.B.	(br.) taller.	————	7. 8.	H. 2.	— v. 8. t. 568.
3	mìnor. E.B.	(pa.pu.) smaller.	————	—	H. 2.	— v. 6. t. 422.
4	rùbra. E.B.	(pu.re.) red.	Ireland.	8.	H. 2.	— v. 25. t. 1786.
5	cærùlea. E.B.	(bl.) blue.	Britain.	7.	H. 2.	— v. 6. t. 423.
6	ramosa. E.B.	(pu.bl.) branching.	————	8. 9.	H. 2.	— v. 3. t. 184.

ORDO CLIX.

LENTIBULARIÆ. *Brown prodr. 1. p. 429.*

PINGUICULA. L.		BUTTERWORT. Diandria Monogynia. L.					
1	vulgàris. s.s.	(vi.) common.	Britain.	5.	H.w. 2.	Eng. bot. v. 1. t. 70.
2	alpina. s.s.	(wh.st.) Alpine.	Europe.	1794.	4.	H.w. 2.	Flor. dan. t. 453.

3 grandiflora. s.s.	(bl.) great-flowered.	Ireland.	5. 6.	H.w. 4.	Eng. bot. v. 31. t. 2181.
4 lusitânica. s.s.	(fl.) pale.	Britain.	6. 7.	H.w. 4.	———— v. 3. t. 115.
5 lutea. B.R.	(ye.) yellow.	Carolina.	1816.	—	H.w. 4.	Bot. reg. t. 126.
6 edéntula. H.E.F.	(ye.) toothless.	N. America.	1821.	4. 5.	H.w. 4.	Hook. ex. flor. t. 16.
UTRICULARIA. L. HOODED MILFOIL. Diandria Monogynia. L.						
1 vulgàris. E.B.	(ye.) common.	Britain.	7.	H. 4.	Eng. bot. v. 4. t. 253.
2 intermèdia. E.B.	(ye.) intermediate.	Ireland.	—	H. 4.	———— v. 35. t. 2489.
3 minor. E.B.	(st.) lesser.	Britain.	—	H. 4.	———— v. 4. t. 254.

ORDO CLX.

PRIMULACEÆ. *Brown prodr. p. 427.*

CYCLAMEN. L.	CYCLAMEN.	Pentandria Monogynia. L.				
1 còum. R.S.	(re.) green, round-ld.	S. Europe.	1596.	1. 4.	H. 4.	Bot. mag. t. 4.
2 vérum. B.F.G.	(re.) spring.	— — —	1814.	2. 5.	H. 4.	Swt. br. fl. gar. t. 9.
3 europæum. R.S.	(li.) round-leaved.	Europe.	1596.	7. 8.	H. 4.	———— t. 176.
4 pérsicum. R.S.	(wh.) Persian.	Cyprus.	1731.	2. 4.	G. 4.	Bot. mag. t. 44.
<i>a inodòrum.</i>	(wh.pu.) scentless.	— — —	—	—	G. 4.	
<i>β odoràium.</i>	(wh.pu.) sweet-scented.	— — —	—	—	G. 4.	
<i>γ albiflorum.</i>	(wh.) pure white.	— — —	—	—	G. 4.	
<i>δ laciniàtum.</i>	(wh.pu.) jagged.	— — —	—	—	G. 4.	Bot. reg. t. 1095.
5 hederæfòlium. E.B.	(li.) Ivy-leaved.	Britain.	6. 8.	H. 4.	Eng. bot. v. 8. t. 548.
<i>a purpuràscens.</i>	(li.) purplish-flower'd.	— — —	—	H. 4.	
<i>β àlbidum.</i>	(wh.) white-flowered.	— — —	—	H. 4.	
6 neapolitànum. T.N.	(re.) Neapolitan.	Naples.	1826.	—	H. 4.	Clus. hist. 1. p. 265. ic.
7 repàndum. F.G.	(re.) angular-leaved.	Greece.	3. 4.	F. 4.	Swt. br. fl. gar. t. 117.
8 latifòlium. F.G.	(li.) broad-leaved.	— — —	1823.	4. 5.	F. 4.	Flor. græc. t. 185.
DODECATHEON. L.	AMERICAN COWSLIP.	Pentandria Monogynia. L.				
Mèadia. R.S.	(li.) Mead's.	Virginia.	1744.	4. 6.	H. 4.	Bot. mag. t. 12.
<i>β albiflora.</i>	(wh.) white-flowered.	— — —	1820.	—	H. 4.	
SOLDANE'LLA. R.S.	SOLDANE'LLA.	Pentandria Monogynia. L.				
1 montàna. R.S.	(bl.) mountain.	Bohemia.	1816.	4.	H. 4.	Swt. br. fl. gar. t. 11.
2 alpina. R.S.	(bl.) Alpine.	Switzerland.	1656.	—	H. 4.	Bot. mag. t. 49.
3 púsilla. B.F.G.	(vi.) lesser.	S. Europe.	1824.	—	H. 4.	Swt. br. fl. gar. s.2. t.48.
4 mínima. R.S.	(bl.) least.	Carp. mount.	1820.	—	H. 4.	———— s.2. t.53.
CORTUSA. L.	BEARS-EAR SANICLE.	Pentandria Monogynia. L.				
Mathioli. R.S.	(li.) short calyxed.	Austria.	1596.	4. 6.	H. 4.	Bot. mag. t. 987.
PRIMULA. L.	PRIMROSE.	Pentandria Monogynia. L.				
1 prænitens. B.R.	(pi.) glossy.	China.	1820.	1. 12.	F. 4.	Bot. reg. t. 539.
<i>sinénsis.</i>	Lind. col. non Lour.	— — —	—	—	F. 4.	Bot. mag. t. 2564.
<i>a ròsea.</i>	(ro.) rose-coloured.	— — —	—	—	F. 4.	Swt. br. fl. gar. t. 196.
<i>β albiflora.</i>	(wh.) white-flowered.	— — —	—	—	F. 4.	Lindl. coll. bot. t. 7.
<i>γ dentiflora.</i>	(ro.) jagged-flowered.	— — —	—	—	F. 4.	Bot. mag. t. 399.
2 cortusoides. R.S.	(re.) Cortusa-leaved.	Siberia.	1794.	5. 7.	H. 4.	Andr. reposit. t. 451.
3 dentiflora. A.R.	(re.) tooth-flowered.	— — —	—	H. 4.	Ten. fl. neap. 1. t. 13.
4 suavèolens. R.S.	(ye.) sweet-scented.	Naples.	1826.	—	H. 4.	
<i>Colúmnæ.</i>	T.N.	— — —	—	—	H. 4.	Swt. br. fl. gar. s. 2.
5 inflàta. R.S.	(ye.) bellied-calyxed.	Hungary.	1824.	—	H. 4.	
6 brevist'yla. R.S.	(st.) short-styled.	France.	—	H. 4.	
<i>β versicolor.</i>	(va.) various-coloured.	— — —	—	H. 4.	
7 vèris. R.S.	(ye.) Cowslip.	Britain.	5. 6.	H. 4.	Eng. bot. v. 1. t. 5.
<i>β rùbra.</i>	(re.) red cowslip.	— — —	—	H. 4.	Eng. bot. v. 1. t. 4.
8 acaùlis. R.S.	(st.) common.	Britain.	3. 5.	H. 4.	
<i>vulgàris.</i>	E.B.	— — —	—	H. 4.	
<i>β àlbo-plèna.</i>	(wh.) double white.	—	H. 4.	
<i>γ sulphùreo-plèna.</i>	(st.) double-sulphur.	—	H. 4.	
<i>δ cùpreo-plèna.</i>	(co.) double-copper.	—	H. 4.	
<i>ε salmòneo-plèna.</i>	(pa.) double-salmon.	—	H. 4.	Bot. mag. t. 229.
<i>ζ lilacino-plèna.</i>	(li.) double-lilac.	—	H. 4.	
<i>η rùbro-plèna.</i>	(re.) double Scotch.	—	H. 4.	
<i>θ purpùreo-plèna.</i>	(d.pu.) double dark purple.	—	H. 4.	

9	elàtior. R.S.	(st.) Oxlip.	Britain.	3. 5.	H. 2.	Eng. bot. v. 8. t. 513.
	β polyántha.	(va.) Polyanthus.	—	H. 2.	
	γ Fletchèri.	(re.ye.) Fletcher's defiance.	—	H. 2.	Swt. flor. guid. t. 49.
	δ Burnardiàna.	(re.ye.) Burnard's Formosa	—	H. 2.	————— t. 97.
	ε Shadiàna.	(pu.ye.) Shad's telegraph.....	—	H. 2.	————— t. 125.
	ζ calycántha.	(va.) coloured-calyxed.....	—	H. 2.	
10	Perreiniàna. R.S.	(pu.) Perrein's.	Spain.	—	H. 2.	Flugg. an. mus. 12. t. 37.
	Fluggeàna.	Lehm. mon. prim. p. 36. t. 2.					
11	Pallàsii. R.S.	(st.) Pallas's.	Altay.	1820.	—	H. 2.	Bot. reg. t. 896.
12	Aurícula. R.S.	(va.) Auricula.	Switzerland.	1596.	4. 5.	H. 2.	Jacq. aust. 5. t. 415.
	β lùtea.	(ye.) yellow-flowered.	—	H. 2.	
	γ calycántha.	(ye.) yellow-calyxed.	—	H. 2.	
	δ integérrima.	(va.) entire-leaved.	—	H. 2.	Trattin. tabul. t. 431.
	ε horténsis.	(va.) garden.	—	H. 2.	————— t. 432.
	ζ venústa.	(pu.) Howe's Venus.	—	H. 2.	Swt. flor. guid. t. 81.
	η Redmàni.	(bl.) Redman's metropolitan.	—	H. 2.	————— t. 69.
	θ melanoc'ycla.	(bk.wh.) Wild's black and clear.....	—	H. 2.	————— t. 63.
	ι albifolia.	(pu.st.) Taylor's glory.	—	H. 2.	————— t. 3.
	κ Hedgeàna.	(pu.st.) Hedge's Britannia.....	—	H. 2.	————— t. 22.
	λ dilécta.	(pu.wh.) Wood's delight.	—	H. 2.	————— t. 131.
	μ Warrisiàna.	(re.gr.) Warris's union.	—	H. 2.	————— t. 131.
	ν Moveàna.	(pu.gr.) More's Navarino.....	—	H. 2.	————— t. 58.
	ο Quiragiàna.	(pu.gr.) Burnard's Gen. Quiraga.	—	H. 2.	————— t. 129.
	π Hilliàna.	(pu.gr.) Page's Lord Hill.	—	H. 2.	————— t. 118.
	ρ violàcea.	(vi.gr.) Moore's Violet.	—	H. 2.	————— t. 105.
	σ Oldenbúrghii.	(re.gr.) Page's Dutchess of Oldenburgh	—	H. 2.	————— t. 2.
	τ Alexándri.	(re.gr.) Stretch's Alexander.	—	H. 2.	————— t. 10.
	υ undulàta.	(re.gr.) Page's champion.	—	H. 2.	————— t. 15.
	φ Grimesii.	(re.gr.) Grimes's privateer.....	—	H. 2.	————— t. 29.
	χ Lawrieàna.	(re.gr.) Lawrie's Hertfordshire hero.	—	H. 2.	————— t. 94.
	ψ indepéndens.	(bk.gr.) Booth's freedom.	—	H. 2.	————— t. 91.
	ω obscúra.	(pu.gr.) Cockup's Eclipse.....	—	H. 2.	————— t. 45.
	αα Pollitiàna.	(re.gr.) Pollit's highland boy.	—	H. 2.	————— t. 52.
	ββ Smíthii.	(re.gr.) Smith's Waterloo.	—	H. 2.	————— t. 76.
	γγ gloriòsa.	(re.gr.) Lawrie's glory of Cheshunt.	—	H. 2.	————— t. 79.
13	Palinùri. R.S.	(ye.) unequal-bracted.	Naples.	1816.	—	H. 2.	Swt. br. fl. gar. t. 8.
14	Balbísii. R.S.	(ye.) Balbis's.	Italy.	1826.	—	H. 2.	Moret. fl. vicent. p. 7. ic.
15	marginàta. B.M.	(ro.) silver-edged.	Switzerland.	1777.	3. 4.	H. 2.	Bot. mag. t. 191.
	crenàta. R.S.						
16	longiflòra. R.S.	(li.) long-flowered.	1818.	4. 6.	H. 2.	Jacq. aust. 5. t. 46.
17	longifolia. B.M.	(li.) long-leaved.	Levant.	1790.	4. 5.	H. 2.	Bot. mag. t. 392.
	auriculàta. R.S.						
18	farinòsa. R.S.	(re.) Bird's-eye.	Britain.	4. 7.	H. 2.	Eng. bot. v. 1. t. 6.
19	scótica. S.S.	(pu.) Scotch bird's-eye.	Scotland.	7.	H. 2.	Hook. fl. lond. t. 133.
20	stricta. R.S.	(li.) Horneman's.	N. Europe.	1822.	6. 7.	H. 2.	Flor. dan. t. 1385.
	Hornemanniàna. S.S.						
21	davùrica. R.S.	(ro.) Siberian bird's-eye.	Davuria.	1806.	5. 6.	H. 2.	Bot. mag. t. 1219.
	intermèdia. B.M.						
22	pusilla. S.S.	(li.) American bird's-eye.	N. America.	1819.	—	H. 2.	Hook. ex. flor. t. 68.
23	altàica. R.S.	(li.) pale-flowered.	Altay.	1826.	3. 5.	H. 2.	Lehm. prim. t. 5.
21	fimmàrchica. R.S.	(vi.) Norwegian.	Norway.	1798.	—	H. 2.	Flor. dan. t. 188.
25	nivàlis. R.S.	(pu.) snowy mountain.	Davuria.	1790.	4. 5.	H. 2.	Pall. it. 3. app. t. 9. f. 2.
26	viscòsa. R.S.	(pu.) clammy.	Piedmont.	1792.	4.	H. 2.	Trattin. tabul. t. 434.
27	glutinòsa. R.S.	(vi.) glutinous.	S. Europe.	1820.	3. 6.	H. 2.	Jacq. aust. t. 26.
28	carniòlica. R.S.	(vi.) elliptic-leaved.	Carniola.	1826.	—	H. 2.	————— 5. t. 4.
29	glaucéscens. S.S.	(pu.) glaucous.	Switzerland.	—	—	H. 2.	Swt. br. fl. gar. t. 254.
30	integrifolia. R.S.	(pu.) entire-leaved.	Pyrenees.	—	6. 7.	H. 2.	Bot. mag. t. 942.
31	Simsii.	(st.) Sims's.	Switzerland.	4. 6.	H. 2.	————— t. 1161.
	villòsa β fiòre álbo. B.M.						
32	nivea. F.	(wh.) snowy white.	Siberia.	—	H. 2.	
	nivàlis. Hort. nec aliorum.						
33	helvética. B.C.	(pu.) Swiss.	Switzerland.	1790.	—	H. 2.	Lodd. bot. cab. t. 348.
34	pubéscens. R.S.	(pu.) pubescent.	Pyrenees.	1768.	—	H. 2.	Trattin. tabul. t. 427.
	villòsa. B.M. 14. non Jacq.						
35	villòsa. R.S.	(pu.) villous.	S. Europe.	—	—	H. 2.	Jacq. aust. 5. t. 27.
36	ciliàta. R.S.	(pu.) ciliated.	Switzerland.	—	H. 2.	Swt. br. fl. gar. s. 2.
	decòra. Bot. mag. t. 1922.						
37	mínima. R.S.	(pu.) smallest.	1819.	4. 5.	H. 2.	Bot. reg. t. 581.

38 involucrâta. L.O. (ye.) involucred.	Egypt.	1826.	3. 4. F. 4.	Bot. mag. t. 2842.
<i>verticillâta</i> . B.M. non Vahl. nec Forsk.				
ANDROS'ACE. L.	ANDROS'ACE.	Pentandria Monogynia.	L.	
1 máxima. R.S. (wh.) oval-leaved.	Austria.	1597.	3. 6. H. ⊙.	Jacq. aust. 4. t. 331.
2 elongâta. R.S. (wh.) cluster-flowered.	— — —	1776.	4. 5. H. ⊙.	— — — 4. t. 330.
3 nâna. R.S. (wh.) dwarf.	S. Europe.	1825.	— H. ⊙.	
4 septentrionâlis. R.S. (wh.) tooth-leaved.	Russia.	1755.	— H. ⊙.	Bot. mag. t. 2021.
5 alismoïdes. H.H. (wh.) Alisma-like.	Siberia.	1827.	— H. ⊙.	
6 coronopifôlia. A.R. (wh.) Buckshorn-ld.	— — —	1806.	6. 9. H. ♂.	Andr. reposit. t. 647.
<i>lactiflôra</i> . R.S.				
7 filifórmis. R.S. (wh.) filiform.	— — —	1823.	— H. ⊙.	Gmel. sib. 4. t. 44. f. 4.
8 villôsa. R.S. (bh.) villous.	Pyrenees.	1790.	6. 7. H. 4.	Bot. mag. t. 743.
9 chamæjâsme. R.S. (bh.) grass-leaved.	Austria.	1768.	6. 8. H. 4.	Lodd. bot. cab. t. 232.
10 brevifôlia. R.S. (wh.) short-leaved.	Siberia.	1827.	— H. ♂.	Vill. delph. 2. t. 15.
11 macrocâipa. Led. (wh.) large-capsuled.	— — —	—	— H. ⊙.	
12 láctea. R.S. (wh.) white-flowered.	— — —	1752.	— H. 4.	Bot. mag. t. 868.
13 cárnea. R.S. (ro.) awl-leaved.	Switzerland.	1768.	7. 8. H. 4.	Lodd. bot. cab. t. 40.
14 obtusifôlia. R.S. (bh.) blunt-leaved.	— — —	1820.	— H. 4.	All. ped. 1. t. 46. f. 1.
15 albâna. R.S. (bh.) capitate.	Caucasus.	1827.	— H. 4.	Linn. trans. 11. t. 33.
16 acâulis. Ot. (wh.) stalkless.	Siberia.	1825.	— H. ♂.	
AR'ETIA. W.	AR'ETIA.	Pentandria Monogynia.	L.	
1 helvética. w. (st.) imbricated.	Switzerland.	1775.	5. 6. H. 4.	Schk. hand. 1. t. 32.
2 argénteâ. (st.) silvery.	— — —	1826.	— H. 4.	Lap. pyr. ic. ined. t. 67.
<i>Androsâce argénteâ</i> . R.S.				
3 alpina. w. (pi.) linear-leaved.	— — —	1775.	— H. 4.	Jacq. aust. 5. app. t. 18.
4 pubéscens. L.C. (pi.) pubescent.	— — —	1820.	— H. 4.	Lodd. bot. cab. t. 1273.
5 Vitaliâna. w. (ye.) grass-leaved.	Pyrenees.	1787.	— H. 4.	— — — t. 166.
<i>Primula sedifôlia</i> . P.L. 107. <i>Androsâce Vitaliâna</i> . R.S.				
TRIENT'ALIS. W.	WINTER-GREEN.	Heptandria Monogynia.	L.	
1 europ'æa. w. (wh.) oval-leaved.	Britain.	5. 6. H. 4.	Eng. bot. v. 1. t. 15.
2 americâna. Ph. (wh.) spear-leaved.	N. America.	1816.	7. 8. H. 4.	Bart. flor. amer. 2. t. 48.
C'ORIS. L.	C'ORIS.	Pentandria Monogynia.	L.	
<i>monspeliénsis</i> . L. (vi.) Montpellier.	S. Europe.	1640.	6. 7. G. ♂.	Bot. reg. t. 536.
HOTTONIA. L.	WATER-VIOLET.	Pentandria Monogynia.	L.	
<i>palústris</i> . E.B. (pi.) marsh.	England.	7. 8. H. w. 4.	Eng. bot. v. 6. t. 364.
LYSIMA'CHIA. L.	LOOSE-STRIPE.	Pentandria Monogynia.	L.	
1 vulgâris. R.S. (ye.) common.	Britain.	7. 9. H. 4.	Eng. bot. v. 11. t. 761.
2 Ephémèrum. R.S. (wh.) Willow-leaved.	Spain.	1730.	— H. 4.	Bot. mag. t. 2346.
3 atropurpùrea. R.S. (d. pu.) dark purple.	Levant.	— H. ⊙.	Flor. græc. t. 187.
4 dùbia. R.S. (li.) pale purple.	— — —	1759.	— H. ♂.	— — — t. 188.
5 stricta. R.S. (ye.) upright.	N. America.	1781.	7. 8. H. 4.	Bot. mag. t. 104.
<i>bulbifera</i> . B.M. <i>racemôsa</i> . M.				
6 capitâta. R.S. (ye.) headed.	— — —	1813.	5. 7. H. 4.	
7 thyriflôra. R.S. (ye.) tufted.	England.	— H. 4.	Eng. bot. v. 3. t. 176.
8 quadrifôlia. R.S. (ye.) four-leaved.	N. America.	1798.	7. 8. H. 4.	Lam. ill. 1. t. 101. f. 2.
<i>hirsûta</i> . M.				
9 longifôlia. R.S. (ye.) long-leaved.	— — —	—	— H. 4.	Bot. mag. t. 660.
<i>quadriflôra</i> . B.M.				
10 lanceolâta. R.S. (ye.) spear-leaved.	— — —	1826.	— H. 4.	
11 verticillâta. R.S. (ye.) whorl-leaved.	Hungary.	1818.	6. 8. H. 4.	Swt. br. fl. gar. t. 21.
12 ciliâta. R.S. (ye.) ciliated.	N. America.	1732.	— H. 4.	Wachend. hort. t. 12.
13 punctâta. R.S. (ye.) punctated.	S. Europe.	1658.	7. 8. H. 4.	Jacq. aust. 4. t. 366.
14 angustifôlia. R.S. (ye.) narrow-leaved.	N. America.	1803.	7. 9. H. 4.	
15 hy'brida. R.S. (ye.) hybrid.	— — —	1806.	— H. 4.	
16 nemòrum. R.S. (ye.) wood.	Britain.	5. 7. H. 4.	Eng. bot. v. 8. t. 527.
17 anagalloïdes. F.G. (ye.) Pimpernell-fl'd.	Crete.	1789.	— F. 4.	Flor. græc. t. 198.
18 maculâta. B.P. (ye.) spotted.	N. S. W.	1822.	— G. 4.	
19 Nummulâria. R.S. (ye.) Moneywort.	Britain.	6. 7. H. 4.	Eng. bot. v. 8. t. 528.
LUBI'NIA. S.S.	LUBI'NIA.	Pentandria Monogynia.	S.S.	
<i>atropurpùrea</i> . s.s. (pu.) dark-purple.	C. B. S.	1823.	7. 9. H. 4.	Swt. br. fl. gar. s. 2. t. 34.
ASTEROL'INON. Lk. ASTEROL'INON.	Pentandria Monogynia.	L.en.		
<i>stellâtum</i> . L.en. (bh.) starry.	Italy.	1658.	6. H. ⊙.	Flor. græc. t. 189.
<i>Lysimâchia Linum-stellâtum</i> . F.G.				
ANAGA'LLIS. L.	PIMPERNELL.	Pentandria Monogynia.	L.	
1 arvénsis. E.B. (sc.) red-flowered.	Britain.	6. 9. H. ⊙.	Eng. bot. v. 8. t. 529.
<i>phæniceâ</i> . R.S.				
2 cárnea. Schl. (fl.) flesh-coloured.	Switzerland.	—	— H. ⊙.	Swt. br. fl. gar. t. 132.
3 índica. B.F.G. (bl.) Indian.	E. Indies.	1824.	— H. ⊙.	Eng. bot. v. 26. t. 1823.
4 cœrùlea. R.S. (bl.) blue-flowered.	Britain.	— H. ⊙.	

5	<i>collina</i> . R.S.	(<i>sc.</i>) large-flowered.	Morocco.	1803.	5. 7.	G. ♂.	Bot. mag. t. 831.
	<i>fruticosa</i> . B.M.	<i>grandiflora</i> . A.R.	367.				
6	<i>latifolia</i> . R.S.	(<i>bl.</i>) broad-leaved.	Spain.	1759.	—	G. ♂.	Bot. mag. t. 2389.
7	Monelli. R.S.	(<i>bl.</i>) blue Italian.	Italy.	1618.	5. 9.	G. ♀.	— t. 319.
8	<i>linifolia</i> . R.S.	(<i>bl.</i>) Flax-leaved.	Portugal.	1796.	6. 7.	G. ♀.	Moris. s. 5. t. 26. f. 3.
9	<i>tenella</i> . R.S.	(<i>ro.</i>) bog.	Britain.	7. 8.	H. ♀.	Eng. bot. v. 8. t. 530.
CENTUNCULUS. L.		BASTARD PIMPERNELL.		Tetrandria Monogynia.		L.	
	<i>minimus</i> . E.B.	(<i>fl.</i>) least.	Britain.	6. 7.	H. ⊙.	Eng. bot. v. 8. t. 531.
? SAMOLUS. B.P.		BROOK-WEED.		Pentandria Monogynia.		L.	
1	Valerandi. E.B.	(<i>wh.</i>) common.	Britain.	6. 8.	H. ♀.	Eng. bot. v. 10. t. 703.
2	<i>littoralis</i> . B.P.	(<i>wh.</i>) sea-side.	N. S. W.	1806.	7. 9.	G. ♀.	Lab. n. holl. 1. t. 54.
3	<i>campanuloïdes</i> . S.S.	(<i>w.</i>) Campanula like.	C. B. S.	1816.	—	G. ♀.	
	<i>Campánula porosa</i> . W.						

ORDO CLXI.

GLOBULARIÆ. *Lam. et DC. fl. fr. ed. 3. v. 3. p. 427.*

GLOBULARIA. L.		GLOBULARIA.		Tetrandria Monogynia.		L.	
1	<i>longifolia</i> . W.	(<i>bl.</i>) Willow-leaved.	Madeira.	1775.	7. 8.	G. ♀.	Bot. reg. t. 685.
	<i>salicina</i> . R.S.						
2	<i>Alypum</i> . R.S.	(<i>pa.bl.</i>) three-toothed.	S. Europe.	1640.	8. 9.	G. ♀.	Garid. aix. t. 42.
	<i>β integrifolia</i> . (pa.bl.)	<i>entire-leaved.</i>	—	—	G. ♀.	Rœm. et Ust. b. m. 7. t. 5.
3	<i>linifolia</i> . R.S.	(<i>bl.</i>) Flax-leaved.	Spain.	1818.	5. 6.	H. ♀.	
4	<i>vulgàris</i> . R.S.	(<i>bl.</i>) common.	Europe.	1610.	—	H. ♀.	Swt. br. fl. gar. t. 20.
5	<i>spinosa</i> . R.S.	(<i>ll.</i>) prickly-leaved.	Spain.	—	—	F. ♀.	
6	<i>cordifolia</i> . R.S.	(<i>bl.</i>) wedge-leaved.	Germany.	1633.	6. 7.	H. ♀.	Swt. br. fl. gar. t. 34.
7	<i>nana</i> . R.S.	(<i>li.</i>) dwarf.	S. France.	1818.	—	H. ♀.	DC. ic. pl. gal. rar. 1 t. 3.
8	<i>nudicaulis</i> . R.S.	(<i>bl.</i>) naked-stalked.	Germany.	1629.	—	H. ♀.	Jacq. aust. 3. t. 230.
9	<i>bellidifolia</i> . R.S.	(<i>bl.</i>) Daisy-leaved.	Italy.	1821.	—	H. ♀.	
10	<i>incanescens</i> . R.S.	(<i>pu.</i>) hoary.	—	1828.	—	H. ♀.	Viv. frag. it. 1. t. 3.

**** SUBCLASSIS IV. MONOCHILAMYDEÆ.

ORDO CLXII.

PLUMBAGINEÆ. *Brown prodr. 1. p. 425.*

STATICE. T.		THRIFT.		Pentandria Pentagynia.		L.	
1	<i>vulgàris</i> .	(<i>pa. li.</i>) common.	Europe.	6. 8.	H. ♀.	Schk. handb. t. 87.
	<i>Armèria vulgàris</i> . R.S.						
2	<i>arenària</i> . P.S.	(<i>li.</i>) sand.	France.	5. 8.	H. ♀.	
3	<i>alpina</i> .	(<i>vi.</i>) flattish-stalked.	Carinthia.	—	H. ♀.	
4	<i>littoralis</i> .	(<i>vi.</i>) ciliate-leaved.	Portugal.	—	H. ♀.	
	<i>Armèria littoralis</i> . R.S.						
5	<i>maritima</i> . Mill.	(<i>ro.</i>) sea-side.	Britain.	5. 7.	H. ♀.	Eng. bot. v. 4. t. 226.
	<i>Armèria</i> . E.B.	<i>Armèria maritima</i> . R.S.					
6	<i>humilis</i> . P.S.	(<i>li.</i>) dwarf.	Portugal.	—	H. ♀.	
7	<i>juniperifolia</i> . W.	(<i>li.</i>) Juniper-leaved.	Spain.	1818.	—	H. ♀.	Quer. hisp. 6. t. 15. f. 1.
8	<i>pinifolia</i> . Brot.	(<i>li.</i>) Pine-leaved.	Portugal.	—	H. ♀.	
9	<i>pungens</i> . Brot.	(<i>li.</i>) pungent-leav'd.	—	—	H. ♀.	
10	<i>alliacea</i> . W.	(<i>wh.</i>) Garlic-leaved.	Spain.	1798.	5. 6.	H. ♀.	Flor. græc. t. 29.
11	<i>scorzonerifolia</i> .	(<i>li.</i>) spear-leaved.	S. Europe.	1816.	—	H. ♀.	
	<i>Armèria scorzonerifolia</i> . S.S.						

12	lusitânica. P.S.	(sc.) large-leaved.	S. Europe.	1814.	5. 6.	F. 4.	
13	latifolia.	(li.) broad-leaved.	Portugal.	1740.	5. 7.	H. 4.	Jacq. vind. 1. t. 42.
	<i>cephalotes.</i> H.K.	<i>Armèria latifolia.</i> R.S.					
14	plantagínea.	(li.) Plantain-leav'd.	S. Europe.	1816.	5. 6.	H. 4.	
15	denticulàta. Brot.	(fl.) tooth-leaved.	Italy.	—	—	H. 4.	
16	dianthoides. B.F.G.	(li.) Pink-like.	S. Europe.	1824.	5. 7.	H. 4.	Swt. br. fl. gar. ser. 2.
	<i>Armèria dianthoides.</i> S.S.						
17	hirta.	(li.) hairy.	Gibraltar.	1818.	—	H. 4.	
	<i>Armèria hirta.</i> R.S.						
18	fasciculàta. P.S.	(li.) bundle-leaved.	Portugal.	4. 8.	H. 4.	Venten. cels. t. 38.
TAXANTHEMA. B.P. SEA LAVENDER. Pentandria Pentagynia.							
1	graminifolia. R.S.	(sc.) Grass-leaved.	Siberia.	1780.	6. 7.	H. 4.	
2	Limonium. R.S.	(bl.) common.	England.	5. 8.	H. 4.	Eng. bot. v. 2. t. 102.
	<i>Státice Limonium.</i> E.B.						
3	elàta. S.S.	(bl.) tall.	Siberia.	1824.	—	H. 4.	
4	Gmelini. R.S.	(bl.) Gmelin's.	—	1796.	6. 8.	H. 4.	Gmel. sib. 2. t. 90.
5	caroliniàna. R.S.	(bl.) Carolina.	N. America.	1824.	—	H. 4.	
6	scopària. R.S.	(bl.) Broom.	Siberia.	1796.	—	H. 4.	
7	latifolia. R.S.	(bl.) broad-leaved.	—	1791.	5. 7.	H. 4.	Hoff. c. gott. 1796. t. 1.
8	purpuràta. R.S.	(pu.) purple.	C. B. S.	1800.	6. 7.	G. 4.	
9	bellidifolia. R.S.	(bl.) Daisy-leaved.	Greece.	1823.	—	G. 4.	Flor. græc. t. 295.
10	globulariæfolia. R.S.	(li.) Globularia-leav'd.	S. Europe.	—	—	F. 4.	— t. 296.
11	oleæfolia. R.S.	(vi.) Olive-leaved.	Italy.	1688.	5. 8.	H. 4.	Lobel. ic. p. 295. f. 2.
12	Willdenowiàna. R.S.	(vi.) Willdenow's.	S. France.	1804.	6. 8.	H. 4.	Willd. h. ber. t. 63.
	<i>Státice spathulàta.</i> w. non Desf.						
13	auriculæfolia. R.S.	(bl.) Auricula-leav'd.	Barbary.	1781.	7. 8.	F. 4.	
14	incàna. B.F.G.	(re.) hoary.	Levant.	1823.	—	H. 4.	Swt. br. fl. gar. t. 272.
	<i>a sanguinea.</i>	(cr.) crimson-flowered.	—	—	—	H. 4.	— t. 272. f. 1.
	<i>β rosea.</i>	(ro.) rose-coloured.	—	—	—	H. 4.	— t. 272. f. 2.
	<i>γ álba.</i>	(wh.) white-flowered.	—	—	—	H. 4.	
15	spathulàta. R.S.	(bl.) spatula-leaved.	Barbary.	1804.	6. 8.	F. 4.	Bot. mag. t. 1617.
16	cordàta. R.S.	(bl.) retuse-leaved.	S. Europe.	1752.	5. 7.	F. 4.	Barrel. ic. 805.
17	emarginàta. R.S.	(bl.) emarginate.	Gibraltar.	—	F. 4.	
18	càspia. R.S.	(pa. bl.) Caspian.	Siberia.	7. 8.	H. 4.	Gmel. sib. 2. t. 89. f. 2.
19	scàbra. R.S.	(bl.) rough-branch'd.	C. B. S.	1788.	5. 7.	G. 4.	
20	tetragòna. R.S.	(bl.) square-stalked.	—	1816.	—	G. 4.	
21	reticulàta. R.S.	(bl.) matted.	England.	7. 8.	H. 4.	Eng. bot. v. 5. t. 328.
	<i>Státice reticulàta.</i> E.B.						
22	dichótoma. R.S.	(bl.) forked.	Spain.	1818.	—	H. 4.	Cavan. ic. 1. t. 50.
23	virgàta. R.S.	(bl.) twiggy.	—	—	H. 4.	
24	vimínea. R.S.	(bl.) slender.	1823.	—	H. 4.	
25	echioides. F.G.	(li.) rough-leaved.	S. Europe.	1752.	—	F. 4.	Flor. græc. t. 299.
26	ròrida. F.G.	(pa. bl.) frosted.	Levant.	—	—	F. 4.	— t. 298.
	<i>echioides.</i> Prodr. fl. græc. non L.						
27	palmàris. F.G.	(ro.) rosy-coloured.	—	1826.	—	F. 4.	Flor. græc. t. 297.
28	speciòsa. B.F.G.	(re.) Plantain-leaved.	Russia.	1776.	—	H. 4.	Swt. br. fl. gar. t. 105.
	<i>Státice speciòsa.</i> Bot. mag. 656.						
29	conspícua. R.S.	(re.) conspicuous.	—	1804.	—	H. 4.	Bot. mag. t. 1629.
	<i>Státice conspícua.</i> B.M.						
30	tatàrica. B.F.G.	(re.) Tartarian.	—	1731.	6. 7.	H. 4.	Swt. br. fl. gar. t. 37.
31	aceròsa. M.B.	(re.) needle-leaved.	M. Ararat.	1829.	—	F. 4.	Buxb. cent. 2. p. 18. t. 10.
32	flexuòsa. R.S.	(ro.) zigzag.	Siberia.	1791.	7. 8.	H. 4.	Gmel. sib. 2. t. 89. f. 1 ?
33	minùta. R.S.	(li.) small.	S. Europe.	1658.	6. 7.	H. 4.	Bocc. sic. t. 13. f. 3.
34	pectinàta. R.S.	(bl.) triangular-stalk'd.	Canaries.	1780.	9. 10.	F. 4.	
35	cinèrea. R.S.	(wh.) ash-coloured.	C. B. S.	1822.	—	G. 4.	
36	macrophylla. S.S.	(bl. w.) large-leaved.	Canaries.	1816.	7. 9.	F. 4.	
37	suffruticòsa. R.S.	(li.) narrow-leaved.	Siberia.	1779.	5. 9.	H. 4.	Gmel. sib. 2. t. 88. f. 2. 3.
38	monopètala. R.S.	(pu.) Sicilian shrubby.	Sicily.	1731.	7. 8.	F. 4.	Bocc. sic. t. 16. 17.
39	cylindrifolia. R.S.	(vi.) round-leaved.	N. Africa.	1738.	—	G. 4.	
40	ferulàcea. R.S.	(ye.) Fennel-like.	Siberia.	1796.	5.	H. 4.	Moris. s. 15. t. 1. f. 23.
41	sinnàta. R.S.	(bl. ye.) scollop-leaved.	Levant.	1629.	5. 9.	F. 4.	Bot. mag. t. 71.
42	Thouini. R.S.	(bl. ye.) Thouin's.	Africa.	1738.	6. 10.	F. 4.	Mart. cent. t. 84.
43	alàta. R.S.	(ye.) winged.	1806.	—	F. 4.	
44	spicàta. R.S.	(wh.) spiked.	Caucasus.	1828.	8. 10.	H. 4.	Gmel. sib. 2. t. 91. f. 2.
45	ægyptiaca. R.S.	(wh.) Egyptian.	Egypt.	1816.	6. 10.	F. 4.	Bot. mag. t. 2363.
46	mucronàta. R.S.	(li.) curled.	Barbary.	1784.	—	F. 4.	L'Herit. stirp. t. 13.
PLUMBAGO. L. LEADWORT. Pentandria Monogynia. L.							
1	europæa. R.S.	(vi.) European.	S. Europe.	1596.	9. 10.	H. 4.	Bot. mag. t. 2139.
2	lathifolia. R.S.	(wh.) Dock-leaved.	Iberia.	1824.	—	H. 4.	

3	capénsis. R.S.	(bl.) blue-flowered.	C. B. S.	1818.	9. 3.	S. h.	Bot. reg. t. 417.
4	trístis. H.K.	(br.) dark-flowered.	————	1792.	5. 6.	G. h.	
5	zeylánica. R.S.	(wh.) Ceylon.	E. Indies.	1731.	4. 9.	S. h.	Rheed. mal. 10. t. 8.
6	occidentális.	(wh.) West Indian.	W. Indies.	1817.	—	S. h.	
	zeylánica β . R.S.	scándens. Hort.					
7	mexicana. K.S.	(vi.) Mexican.	Mexico.	1829.	4. 8.	S. γ .	
8	rosea. R.S.	(ro.) rose-coloured.	E. Indies.	1777.	3. 7.	S. h.	Bot. mag. t. 230.
9	scándens. R.S.	(wh.) climbing.	W. Indies.	1699.	7. 8.	S. h.	Jacq. amer. pict. t. 13.
10	rhomboídea. B.M.	(bl.) rhomboid-leaved.	————	1828.	8. 10.	S. \odot .	Bot. mag. t. 2917.
11	micrántha. F.	(pu.) small-flowered.	Persia.	1829.	6. 8.	H. \odot .	

ORDO CLXIII.

PLANTAGINEÆ. *Juss. gen. 89.*

GLAUX. L

marítima. R.S.

BLACK SALTWORT. Pentandria Monogynia. L.

(li.) sea-side.

Britain.

....

5. 6. H. γ .

Eng. bot. v. 1. t. 13.

PLANTAGO. L.

PLANTAIN. Tetrandria Monogynia. L.

1 mājor. R.S.

(gr.) greater.

Britain.

....

5. 7. H. γ .

Eng. bot. v. 22. t. 1558.

 β rosea.

(gr.) rose-bracted.

————

....

— H. γ .

2 asiática. R.S.

(li.) broad-leaved.

Siberia.

1787.

7. H. γ .

Gmel. sib. 4. t. 37.?

3 Cornuti. R.S.

(wh.) Cornuti's.

S. Europe.

1801.

7. 8. H. γ .

Corn. canad. p. 163. ic.

Gouani. s.s.

4 Brútia. R.S.

(wh.) Calabrian.

Calabria.

1824.

— H. γ .

5 gentianoídes. s.s.

(wh.) Gentian-like.

Greece.

1826.

5. 8. H. γ .

6 exaltàta. R.S.

(wh.) tallest.

.....

1824.

7. 8. H. γ .

7 cordàta. R.S.

(wh.) heart-leaved.

N. America.

1818.

— H. γ .

Jacq. f. ecl. t. 72.

8 máxima. R.S.

(li.) hollow-leaved.

Siberia.

1763.

— H. γ .

Jacq. ic. 1. t. 26.

9 crássa. s.s.

(wh.) succulent.

S. Europe.

1793.

6. 7. H. γ .

Jacq. col. sup. 34. t. 16.

crísipa. Jacq.

10 mèdia. R.S.

(li.) hoary.

Britain.

....

5. 7. H. γ .

Eng. bot. v. 22. t. 1558.

11 camtschática. s.s.

(wh.) Kamtschatkan.

Kamtschatka.

1819

— H. γ .

12 lanceolàta. R.S.

(br.) Rib-grass.

Britain.

....

— H. γ .

Eng. bot. v. 8. t. 507.

13 sibírica. R.S.

(wh.) Siberian.

Siberia.

1823.

— H. γ .

14 erióphora. R.S.

(wh.) woolly-leaved.

Portugal.

1825.

— H. γ .

15 montàna. R.S.

(wh.) mountain.

S. Europe.

1823.

— H. γ .

16 capénsis. R.S.

(wh.) Cape.

C. B. S.

1788.

5. 8. G. γ .

17 altíssima. R.S.

(wh.) tall.

Italy.

1774.

6. 7. H. γ .

Jacq. obs. 4. t. 83.

18 Schóttii. R.S.

(br.) Schott's.

Dalmatia.

1829.

— H. γ .

19 Lagòpus. R.S.

(br.) round-headed.

Spain.

1683.

— H. γ .

Flor. græc. t. 144.

20 eriostàchya. R.S.

(wh.) woolly-spiked.

Naples.

1825.

7. 8. H. \odot .

21 sphærocéphala. R.S.

(w.) round-headed.

Austria.

1774.

6. 7. H. γ .

Jacq. vind. 2. t. 125.

alpina. Jacq. non L.

22 lusitánica. R.S.

(st.) Portugal.

Portugal.

1781.

7. 8. H. γ .

Barrel. ic. t. 745.

23 pseùdo-lusitánica. R.S.

five-nerved.

————

1819.

— H. γ .

24 virgínica. R.S.

(gr.) Virginian.

N. America.

1688.

6. 9. H. \odot .

Moris. s. 8. t. 15. f. 8.

25 depréssa. R.S.

(br.) depressed.

————

1818.

— H. γ .

26 sparsiflòra. R.S.

(bh.) scattered-flowered.

————

—

— H. \odot .

27 saxátilis. R.S.

(wh.) rock.

Iberia.

1820.

6. 8. H. γ .

28 hungàrica. R.S.

(br.) Hungarian.

Hungary.

1824.

— H. γ .

W. et K. hung. 3. t. 203.

29 serícea. R.S.

(wh.) silky.

————

1820.

— H. γ .

———— t. 151.

argénteá. DC.

30 álbicans. R.S.

(br.) woolly.

S. Europe.

1776.

6. 9. H. γ .

Flor. græc. t. 145.

31 mexicana. s.s.

(wh.) Mexican.

Mexico.

1820.

6. 7. H. γ .

32 patagònica. R.S.

(wh.) Patagonian.

Patagonia.

1793.

6. 9. H. \odot .

Jacq. ic. 2. t. 306.

33 victoriális. R.S.

(wh.) Victoria.

S. Europe.

1824.

— H. γ .

34 holoseríceá. R.S.

(wh.) hairy-scaped.

Switzerland.

—

— H. γ .

35 microcéphala. R.S.

(wh.) small-headed.

.....

....

— H. \odot .

36 Bellàrdi. R.S.

(br.) Bellardi's.

S. Europe.

1797.

— H. \odot .

Flor. græc. t. 146.

37 crética. R.S.

(st.) Cretan.

Candia.

1711.

6. 7. H. \odot .

———— t. 147.

38 granínea. R.S.

(wh.) grass-leaved.

France.

1804.

— H. γ .

Dod. pempt. 108. ic.

39 marítima. R.S.

(gr.) sea-side.

Britain.

....

7. H. γ .

Eng. bot. v. 3. t. 175.

40 sálsa. R.S.

(wh.) saltwort.

Tauria.

1819.

— H. γ .

41 crassifolia. R.S.

(br.) thick-leaved.

Egypt.

1824.

— H. γ .

42 hirsùta. R.S.

(wh.) hairy.

C. B. S.

1801.

6. 7. G. δ .

Jacq. schœn. 3. t. 258.

43 tumida. L.eu.	(wh.)	tumid-capsuled.	Chile.	1819.	6. 7.	H. ⊙.	
44 alpina. R.S.	(li.)	Alpine.	S. Europe.	1774.	—	H. 4.	
45 tenuiflora. R.S.	(br.)	slender-flowered.	Hungary.	1819.	—	H. ⊙.	W. et K. hung. 1. t. 39.
46 bidentata. R.S.	(wh.)	white margined.	Switzerland.	1824.	—	H. 4.	
47 serpentina. R.S.	(wh.)	serpentine.	S. France.	1826.	—	H. 4.	
48 recurvata. R.S.	(wh.)	recurved-leaved.	S. Europe.	1799.	—	H. ♂.	Murr. c. gott. 1780. t. 6.
49 Wulfeni. R.S.	(wh.)	Wulfen's.	Carinthia.	1802.	—	H. 4.	
50 subulata. R.S.	(wh.)	awl-leaved.	S. Europe.	1596.	7.	H. 4.	Lobel. ic. 429.
51 Holosteum. R.S.	(wh.)	Scopoli's.	Carniola.	1825.	7. 8.	H. 4.	Jacq. coll. 1. t. 10.
52 elongata. R.S.	(wh.)	long-spiked.	Louisiana.	1821.	—	H. 4.	
53 humifusa. Ber.	(wh.)	trailing.	1825.	—	H. 4.	
54 canescens. Schr.	(wh.)	canescent.	1826.	7. 9.	H. ⊙.	
55 micrantha. Led.	(gr.)	small-flowered.	Siberia.	1829.	6. 8.	H. 4.	
56 Coronopus. R.S.	(gr.)	star of the earth.	Britain.	4. 9.	H. ⊙.	Eng. bot. v. 13. t. 892.
57 Jacquin. R.S.	(wh.)	Jacquin's.	S. Europe.	1801.	7. 8.	H. 4.	Jacq. ic. 1. t. 27.
<i>Cornuti. Jacq.</i>							
58 Serraria. R.S.	(wh.)	saw-leaved.	Barbary.	1640.	6. 7.	H. 4.	Moris. s. 8. t. 16. f. 19.
59 macrorhiza. R.S.	(br.)	large-rooted.	Morocco.	1798.	7. 8.	H. 4.	Bocc. sic. t. 15. f. 2.
60 Lœflingii. R.S.	(br.)	narrow-leaved.	Spain.	—	H. ⊙.	Jacq. vind. 2. t. 126.
61 amplexicaulis. R.S.	(br.)	stem-clasping.	—	1797.	6. 7.	H. ⊙.	Cavan. ic. 2. t. 125.
62 villosa. R.S.	(gr.)	villous.	Germany.	1804.	—	H. ⊙.	
63 vaginata. R.S.	(li.)	sheathed.	Canaries.	1816.	—	G. ♀.	Venten. cels. t. 29.
64 Cynops. R.S.	(gr.)	shrubby.	S. Europe.	1596.	5. 8.	H. ♀.	Jacq. fragm. t. 182.
65 afra. R.S.	(wh.)	Barbary.	Barbary.	1640.	6.	F. ♀.	Moris. s. 8. t. 17. f. 4.
66 divaricata. R.S.	(wh.)	spreading.	1824.	—	H. 4.	
67 squarrosa. R.S.	(wh.)	leafy-spiked.	Egypt.	1787.	8. 9.	H. ⊙.	Jacq. ic. 1. t. 28.
68 Psyllium. R.S.	(bh.)	Fleawort.	S. Europe.	1562.	7. 8.	H. ⊙.	Flor. græc. t. 149.
69 arenaria. R.S.	(wh.)	sand.	Hungary.	1804.	5. 8.	H. ⊙.	W. et K. hung. 1. t. 51.
70 stricta. R.S.	(bh.)	upright.	Morocco.	—	7. 8.	H. ⊙.	Moris. s. 3. 8. t. 17. f. 2.
71 sicula. R.S.	(wh.)	Sicilian.	Sicily.	1820.	7. 10.	H. ⊙.	
72 parviflora. R.S.	(br.)	small-flowered.	Barbary.	1826.	—	H. ⊙.	
73 Ispaghul. R.S.	(wh.)	East Indian.	E. Indies.	1819.	7. 8.	S. ⊙.	
74 indica. R.S.	(wh.)	Indian.	India.	1780.	—	H. ⊙.	
75 pumila. R.S.	(wh.)	dwarf.	S. Europe.	1799.	—	H. ⊙.	Murr. c. gott. 1778. t. 5.
76 nitida. R.S.	(bl.)	glossy.	1822.	7. 10.	H. ⊙.	
77 brasiliensis. B.M.	(wh.)	Brazilian.	Brazil.	—	—	S. 4.	Bot. mag. t. 2616.
LITTORE'LLA. L.		SHORE-WEED.	Monœcia Tetrandria. L.				
lacustris. E.B.	(gr.)	Plantain-leaved.	Britain.	6. 9.	H. 4.	Eng. bot. v. 7. t. 468.

ORDO CLXIV.

NYCTAGINEÆ. *Juss. gen. 90.*

OXYBA'PHUS. R.S.		UMBRELLA-WORT.	Triandria Monogynia R.S.				
1 viscosus. R.S.	(pu.)	viscid.	Peru.	1793.	5. 9.	H. 4.	Bot. mag. t. 434.
2 glabrifolius. R.S.	(pu.)	smooth-leaved.	New Spain.	1811.	7. 8.	H. 4.	Cavan. ic. 4. t. 379.
3 ovatus. R.S.	(re.)	oval-leaved.	Peru.	1820.	—	H. 4.	Flor. peruv 1. t. 75. f. b.
4 Cervantesii. Lag.	(pu.)	Cervantes'.	Mexico.	1822.	7. 10.	H. 4.	Swt. br. fl. gar. t. 84.
5 expansus. R.S.	(pu.)	expanded.	Lima.	—	—	H. 4.	Flor. peruv. 1. t. 75. f. a.
6 aggregatus. R.S.	(re.)	aggregate.	New Spain.	1811.	—	H. 4.	Cavan. ic. 5. t. 437.
7 nyctaginea. N.	(re.)	heart-leaved.	Missouri.	1823.	7. 9.	H. 4.	
<i>Allionia nyctaginea. M. Calymenia nyctaginea. N.</i>							
8 albida. N.	(li.)	white-leaved.	Carolina.	1824.	—	H. ⊙.	
9 pilosa. N.	(re.)	pilose.	Missouri.	1812.	—	H. ⊙.	
<i>Calymenia pilosa. N. Allionia ovata. Ph.</i>							
10 hirsuta. N.	(re.)	hairy.	Louisiana.	—	—	H. 4.	
11 angustifolia.	(li.)	narrow-leaved.	—	—	—	H. 4.	
<i>Allionia linearis. Ph. Calymenia angustifolia. N.</i>							
12 decumbens. N.	(li.)	decumbent.	Missouri.	1818.	—	H. 4.	
MIRABILIS. R.S.		MARVEL OF PERU.	Pentandria Monogynia. L.				
1 dichotoma. R.S.	(re. wh.)	forked.	Mexico.	1640.	7. 8.	G. 4.	Plenck ic. off. t. 139.
α rubra.	(re.)	red-flowered.	—	—	—	F. 4.	
β alba.	(wh.)	white-flowered.	—	—	—	F. 4.	

NYCTAGINEÆ.

2	Jalápa. R.S.	(<i>va.</i>) common.	India.	1596.	6. 9.	H. 2.	Bot. mag. t. 371.
	<i>a álba.</i>	(<i>wh.</i>) white-flowered.	————	————	————	H. 2.	
	<i>β flàva.</i>	(<i>ye.</i>) yellow-flowered.	————	————	————	H. 2.	
	<i>γ rùbra.</i>	(<i>re.</i>) red-flowered.	————	————	————	H. 2.	
	<i>δ rùbro-flàva.</i>	(<i>re.ye.</i>) red and yellow.	————	————	————	H. 2.	
	<i>ε rùbro-álba.</i>	(<i>re.wh.</i>) red and white.	————	————	————	H. 2.	
3	hy'brida. R.S.	(<i>re.</i>) hybrid.	Hybrid.	1818.	6. 9.	H. 2.	
4	longiflòra. R.S.	(<i>wh.</i>) long-flowered.	Mexico.	1759.	————	H. 2.	Sm. exot. bot. 1. t. 23.
5	suavèolens. K.S.	(<i>wh.</i>) sweet-scented.	————	1824.	————	H. 2.	
ABR'ONIA. R.S.		ABR'ONIA. Pentandria Monogynia.		R.S.			
1	umbellàta. R.S.	(<i>bh.</i>) flesh-coloured.	California.	1823.	6. 8.	H. 2.	Hook. ex. flor. t. 191.
2	mellífera. B.M.	(<i>wh.</i>) honey-scented.	————	1827.	5. 9.	H. 2.	Bot. mag. t. 2879.
ALL'ONIA. K.S.		ALL'ONIA. Tetrandria Monogynia.		L.			
1	violàcea. K.S.	(<i>vi.</i>) violet-coloured.	Cumana.	1820.	7. 9.	H. ⊙.	
2	incarnàta. K.S.	(<i>bh.</i>) flesh-coloured.	————	————	————	H. ⊙.	L'Herit. stirp. t. 31.
BOERHA'AVIA. L.		HOGWEED. Mono-Di-Tetrandria Monogynia.					
1	erécta. R.S.	(<i>wh.</i>) upright.	W. Indies.	1733.	7. 9.	S. 2.	Jacq. vind. 1. t. 5. 6.
2	procúbens. F.I.	(<i>w.re.</i>) procumbent.	E. Indies.	————	S. 2.	Rheed. mal. 7. t. 56.
3	diffùsa. R.S.	(<i>sc.</i>) spreading.	W. Indies.	1690.	8. 9.	S. 2.	
4	adscéndens. R.S.	(<i>re.</i>) ascending.	Guinea.	1824.	6. 9.	S. 2.	
5	hirsùta. R.S.	(<i>sc.</i>) scarlet-trailing.	Jamaica.	1733.	5. 8.	S. 2.	Jacq. vind. 1. t. 7.
6	plumbagínea. R.S.	(<i>ro.</i>) Plumbago-leaved.	Spain.	1822.	————	S. 2.	Cavan. ic. 2. t. 112.
7	díscolor. K.S.	(<i>bh.</i>) two-coloured.	Guayaquil.	1825.	————	S. 2.	
8	viscòsa. K.S.	(<i>sc.</i>) viscous.	————	————	————	S. 2.	
9	scándens. R.S.	(<i>gr.</i>) climbing.	Jamaica.	1691.	4. 9.	S. 2.	Jacq. vind. 1. t. 4.
10	excélsa. R.S.	(<i>pu.</i>) lofty.	S. America.	1820.	————	S. 2.	
PIS'ONIA. L.		PIS'ONIA. Heptandria Monogynia.		L.			
1	grándis. B.P.	(<i>wh.</i>) superb.	N. Holland.	1805.	G. 2.	
2	hirtélla. K.S.	(<i>wh.</i>) hairy.	Mexico.	1825.	G. 2.	
3	fràgrans. s.s.	(<i>gr.</i>) fragrant.	————	S. 2.	
4	macrophy'lla. L.en.	(<i>w.</i>) long-leaved.	1820.	S. 2.	
5	obovàta. L.en.	(<i>gr.</i>) obovate-leaved.	S. America.	————	S. 2.	
6	nígricans. s.s.	(<i>wh.</i>) black.	W. Indies.	1806.	5. 7.	S. 2.	
7	obtusàta. s.s.	(<i>gr.</i>) blunt-leaved.	————	1822.	S. 2.	
8	mexicàna. L.en.	(<i>ro.</i>) Mexican.	Mexico.	1825.	6. 8.	H. 2.	
		<i>Boerhaavia arboréscens. P s.</i>					
9	nítida. W.en.	(<i>li.</i>) glossy.	Madagascar.	1824.	S. 2.	
10	aculeàta. s.s.	(<i>ye.</i>) prickly.	Jamaica.	1739.	3. 4.	S. 2.	Lam. ill. t. 861.
BOLD'OA. S.S.		BOLD'OA. Triandria Monogynia.		S.S.			
	lanceolàta. s.s.	(<i>re.</i>) lance-leaved.	Mexico.	1821.	5. 7.	G. 2.	H. et B. pl. æq. 1. t. 41.
	<i>Salpiánthus arenàrius. K.S.</i>		————	————	————	————	

ORDO CLXV.

AMARANTHACEÆ. *Brown prodr. p. 413.*

AMARA'NTHUS. L.		AMARANTH. Monœcia Tri-Pentandria. L.					
1	tenuifòlius. w	(<i>gr.</i>) fine-leaved.	E. Indies.	1801.	7. 9.	H. ⊙.	
2	angustifòlius. w.	(<i>gr.</i>) narrow-leaved.	Levant.	1723.	————	H. ⊙.	
3	pállidus. s.s.	(<i>pa.</i>) pale.	Tauria.	1823.	————	H. ⊙.	
4	persicarióides. s.s.	(<i>re.</i>) Persicaria-like.	Nepaul.	1818.	9. 11.	H. ⊙.	
5	Acroglóchin. s.s.	(<i>gr.</i>) spiny-bracted.	————	1820.	————	H. ⊙.	
6	álbus. w.	(<i>wh.</i>) white.	N. America.	1778.	7. 9.	H. ⊙.	W. amar. 9. t. 1. f. 2.
7	græcizans. w.	(<i>gr.</i>) Pellitory-leaved.	————	1759.	————	H. ⊙.	———— 8. t. 4. f. 7.
8	poly'gamus. w.	(<i>gr.</i>) hermaphrodite.	E. Indies.	1780.	————	H. ⊙.	Rumph. amb. 5. t. 82.
9	Blitum. E.B.	(<i>gr.</i>) wild.	England.	6. 8.	H. ⊙.	Eng. bot. v. 31. t. 2212.
10	víridis. w.	(<i>gr.</i>) green.	Brazil.	1768.	8. 9.	H. ⊙.	W. amar. 18. t. 8. f. 16.
11	campéstris. w.	(<i>gr.</i>) field.	E. Indies.	1818.	————	H. ⊙.	
12	polygonoídes. w.	(<i>gr.</i>) spotted-leaved.	Jamaica.	1778.	7. 8.	H. ⊙.	W. amar. 11. t. 6. f. 12.
13	melanchólicus. w.	(<i>pu.</i>) melancholy.	E. Indies.	1731.	6. 9.	H. ⊙.	———— 15. t. 9. f. 15.
14	trícolor. w.	(<i>st.</i>) three-coloured.	————	1548.	————	G. ⊙.	Knor. thes. 2. t. A. 3. 5.
15	bícolor. w.	(<i>st.</i>) two-coloured.	————	1802.	7. 9.	H. ⊙.	
16	lineàtus. B.P.	(<i>gr.</i>) line-leaved.	N. Holland.	1828.	————	H. ⊙.	
17	gangéticus. w.	(<i>gr.</i>) oval-spiked.	E. Indies.	1778.	————	H. ⊙.	W. amar. 16. t. 6. f. 11.
18	mangostànus. w.	(<i>gr.</i>) rhomb-leaved.	————	1801.	————	H. ⊙.	———— 13. t. 12.

19	polystachyus. w.	(gr.) many-spiked.	E. Indies.	1816.	7. 9.	H. ⊙.	
20	tristis. w.	(pu.) round-headed.	China.	1759.	6. 8.	H. ⊙.	W. amar. 21. t. 5. f. 10.
21	inamœnus. w.	(gr.) inelegant.	—————	1816.	—	H. ⊙.	
22	incómptus. W.en.	(gr.) slovenly.	—————	—	—	H. ⊙.	
23	lividus. w.	(br.) livid.	N. America.	1759.	7. 9.	H. ⊙.	W. amar. 20. t. 1. f. 1.
24	oleráceus. w.	(li.) eatable.	E. Indies.	1764.	7. 8.	H. ⊙.	————— 17. t. 5. f. 9.
25	lanceæfólius. H.B.	(gr.) lance-leaved.	—————	1816.	8. 10.	H. ⊙.	
26	atropurpúreus. H.B.	(pu.) dark-purple.	—————	1821.	—	H. ⊙.	
27	grácilis. s.s.	(gr.) oval-leaved.	Guinea.	1806.	7. 8.	H. ⊙.	Jacq. ic. 2. t. 344.
	<i>Chenopodium caudatum.</i> Jacq.						
28	prostrátus. w.	(gr.) trailing.	France.	1739.	7. 9.	H. ⊙.	
29	scándens. w.	(gr.) climbing.	S. America.	1796.	7. 8.	S. ⊙.	
30	defléxus. w.	(gr.) bending.	—————	1805.	—	H. ⊙.	W. amar. 10. t. 10. f. 20.
31	fasciátus. H.B.	(gr.) fasciate.	E. Indies.	1820.	8. 10.	H. ⊙.	
32	bullátus. s.s.	(gr.) blistered.	—————	—	7. 9.	H. ⊙.	
33	Arardhânus.	(gr.) Indian.	E. Indies.	1825.	—	G. ⊙.	
34	Berchthóldi. H.	(pi.gr.) Berchthold's.	S. Europe.	1826.	—	H. ⊙.	
35	bahiénsis. Lk.	(gr.) Bahia.	Bahia.	1823.	—	H. ⊙.	
36	purpuráscens. Ot.	(pu.) purplish.	—————	1828.	—	H. ⊙.	
37	littorális. Ot.	(gr.) sea-side.	—————	1823.	—	H. ⊙.	
38	rigidus. s.	(gr.) rigid.	—————	—	—	H. ⊙.	
39	tortuósus. H.H.	(gr.) twisted.	—————	—	—	H. ⊙.	
40	laxifólius. Ot.	(gr.) loose-leaved.	—————	—	—	H. ⊙.	
41	glomerátus. Ot.	(gr.) glomerate.	—————	1829.	—	H. ⊙.	
42	spicátus. p.s.	(gr.) spiked.	France.	—	H. ⊙.	
43	pùmilus. s.s.	(gr.) dwarf.	N. America.	—	6. 9.	H. ⊙.	
44	curvifólius. s.s.	(gr.) curved-leaved.	Caucasus.	1827.	—	H. ⊙.	
45	hy'bridus. w.	(re.) clustered.	—————	1656.	—	H. ⊙.	W. amar. 26. t. 9. f. 17.
46	hécicus. w.	(pi.) oval-spiked.	—————	1796.	8. 9.	H. ⊙.	————— 25. t. 7. f. 13.
47	l'ætus. w.	(re.) blunt-leaved.	Italy.	1799.	7. 9.	H. ⊙.	————— 28. t. 8. f. 15.
48	stríctus. w.	(gr.) upright.	—————	1793.	—	H. ⊙.	————— 27. t. 3. f. 5.
49	paniculátus. w.	(re.) paniced.	N. America.	1798.	—	H. ⊙.	————— 32. t. 2. f. 1.
50	celosioídes. K.s.	(wh.) Spinach-like.	S. America.	1824.	9. 11.	H. ⊙.	
51	caracasânus. K.s.	(wh.) Caracas.	Caracas.	1821.	—	H. ⊙.	
52	retrofléxus. w.	(gr.) hairy.	N. America.	1759.	7. 9.	H. ⊙.	W. amar. 33. t. 11. f. 21.
53	flávus. w.	(st.) pale yellow.	India.	—	—	H. ⊙.	————— 35. t. 3. f. 6.
54	chlorostâchys. w.	(ye.) nodding.	—————	1796.	—	H. ⊙.	————— 34. t. 10. f. 19.
55	parisiénsis. s.s.	(gr.) Paris.	France.	1819.	—	H. ⊙.	
56	hypochondriacus. w.	(re.) Prince's feather.	Virginia.	1684.	—	H. ⊙.	
57	sanguíneus. w.	(re.) spreading.	Bahama Isl.	1775.	—	H. ⊙.	W. amar. 31. t. 2. f. 3.
58	cruéntus. w.	(cr.) various-leaved.	China.	1728.	6. 8.	H. ⊙.	
59	speciósus. D.P.	(sc.) showy.	Nepaul.	1819.	9. 11.	H. ⊙.	Bot. mag. t. 2227.
60	caudátus. w.	(re.) Love lies bleeding.	E. Indies.	1596.	8. 9.	H. ⊙.	
	β máximus.	(re.) tree.	—————	—	—	H. ⊙.	
61	spinósus. w.	(gr.) prickly.	W. Indies.	1683.	7. 9.	H. ⊙.	W. amar. 38. t. 4. f. 8.
62	frumentáceus. H.B.	(gr.) cultivated.	E. Indies.	1819.	—	H. ⊙.	
	LECANOCA'RPUS. N.E. LECANOCA'RPUS. Monœcia Pentandria.						
	nepalénsis. N.E.	(gr.) Nepaul.	Nepaul.	1816.	8. 10.	H. ⊙.	Nees ab Ess. ic. sel. t. 2.
	<i>Amaranthus cauliflorus.</i> Lk.						
	CELOSIA. R.S. COCKS-COMB. Pentandria Monogynia. L.						
1	argénteá. R.S.	(bh.) silvery-spiked.	China.	1714.	6. 9.	S. ⊙.	Mart. cent. t. 7.
	β lineáris.	(bh.) narrow-leaved.	E. Indies.	—	—	S. ⊙.	Rheed. mal. 10. t. 39.
2	pyramidáis. R.S.	(wh.) pyramidal.	—————	—	—	S. ⊙.	Burm. ind. 65. t. 25. f. 1.
3	margaritácea. R.S.	(wh.re.) pearl-flowered.	India.	—	S. ⊙.	Rheed. mal. 10. t. 38.
4	crístata. R.S.	(re.) common.	Asia.	1570.	—	S. ⊙.	Rumph. amb. 5. t. 81.
	α elátá.	(re.) tall red.	—————	—	—	S. ⊙.	Knor. del. 1. t. H. 5. 6.
	β compácta.	(re.) dwarf red.	—————	—	—	S. ⊙.	
	γ flavéscens.	(st.) yellow.	—————	—	—	S. ⊙.	
5	comósa. R.S.	(re.) tufted.	E. Indies.	1802.	—	S. ⊙.	
6	coccínea. R.S.	(sc.) scarlet.	China.	1597.	—	S. ⊙.	
7	castrénsis. R.S.	(re.) branched.	E. Indies.	1739.	—	S. ⊙.	Barrel. rar. t. 1195.
8	cérnua. A.R.	(sc.) drooping.	—————	1809.	7. 8.	S. ⊙.	Andr. reposit. t. 635.
9	Monsóniæ. R.S.	(bh.) downy.	—————	1778.	7. 9.	S. ⊙.	Pluk. alm. 11. t. 334. f. 4.
	<i>Achyranthes Monsóniæ. s.s. Illécebrum Monsóniæ. L.</i>						
10	nodiflóra. R.S.	(wh.) knotted.	E. Indies.	1780.	—	S. ⊙.	Jacq. vind. 1. t. 98.
	LESTIBUD'ESIA. R.S. LESTIBUD'ESIA. Pentandria Monogynia. R.S.						
1	virgátá. R.S.	(gr.) wave-leaved.	W. Indies.	1815.	8. 10.	S. h.	Jacq. ic. 2. t. 339.
	<i>Celósia virgátá.</i> Jacq.						

2	paniculata. R.S.	(st.) panicle.	Jamaica.	1733.	6. 9.	S. ♂.	Sloan. hist. 1. t. 91. f. 2.
3	trigyna. R.S.	(wh.) oval-leaved.	Senegal.	1777.	8. 10.	S. ♂.	Jacq. vind. 3. t. 15.
DEERINGIA. R.S.		DEERINGIA.	Pentandria Trigynia.				
1	indica. s.s.	(wh.) Berry-bearing.	E. Indies.	1804.	—	S. ♂.	
2	celosioides. B.P.	(wh.) Cockscomb-like.	N. Holland.	1822.	—	S. ♀.	
CHAMISS'OA. K.S.		CHAMISS'OA.	Pentandria Monogynia. R.S.				
	altissima. K.S.	(st.) tall.	S. America.	1819.	5. 6.	S. ♀.	H. et B. n. gen. 2. t. 125.
CLADOSTACHYS. D.P.		CLADOSTACHYS.	Pentandria Monogynia.				
1	frutescens. D.P.	(gr.) frutescent.	E. Indies.	1777.	8. 11.	S. ♀.	Rumph. amb. 5. t. 53.
	<i>Achyranthes muricata. L. Chamissoa muricata. s.s.</i>						
2	alternifolia. (pu.)	alternate-leav'd.	E. Indies.	1789.	7. 8.	S. ⊙.	Pluk. alm. t. 260. f. 1.
	<i>Achyranthes alternifolia. w. Desmochæta alternifolia. DC.</i>						
ACHYRANTHES. R.S.		ACHYRANTHES.	Pentandria Monogynia. L.				
1	argentea. R.S.	(ro.) upright.	Sicily.	1713.	5. 10.	H. ♀.	Flor. græc. t. 244.
2	aspera. R.S.	(gr.) rough.	India.	1751.	—	S. ♀.	Mill. ic. t. 11. f. 2.
3	obtusifolia. Lam.	(gr.) blunt-leaved.	—	—	—	S. ♀.	
4	crispa. R.S.	(gr.) curl-leaved.	—	—	—	S. ♀.	
5	virgata. R.S.	(gr.) slender.	Portorico.	1823.	—	S. ♀.	
6	fruticosa. R.S.	(wh.) shrubby.	E. Indies.	1816.	—	S. ♀.	
7	nivea. R.S.	(wh.) white.	Canaries.	1780.	5. 7.	G. ♀.	
8	pubescens. R.S.	(wh.) pubescent.	—	—	—	S. ♀.	
9	brachiata. R.S.	(wh.) armed.	E. Indies.	1829.	8. 10.	S. ⊙.	Pluk. alm. 2. t. 334. f. 5.
10	globulifera. F.	(wh.) globe-headed.	—	—	—	S. ⊙.	
DESMOCHÆTA. R.S.		DESMOCHÆTA.	Pentandria Monogynia. R.S.				
1	atropurpurea. DC.	(pu.) dark-purple.	E. Indies.	1759.	8. 10.	S. ♀.	Rheed. mal. 10. t. 59.
	<i>Achyranthes lappacea. L. Pupalia lappacea. J.</i>						
2	flavescens. DC.	(st.) yellowish.	E. Indies.	—	—	S. ♀.	DC. h. mons. ined. t. 79.
3	pátula. R.S.	(wh.) spreading.	—	—	—	S. ♀.	
4	prostrata. DC.	(pu.) prostrate.	—	—	—	S. ♀.	Rumph. amb. 6. t. 11.
5	sanguinolenta. Lk.	(gr.) bloody-leaved.	—	—	—	S. ♀.	— t. 27. f. 2.
ALTERNANTHERA. R.S.		ALTERNANTHERA.	Pentandria Monogynia. R.S.				
1	sessilis. R.S.	(wh.) sessile-flowered.	E. Indies.	1778.	7. 10.	S. ♂.	Rheed. mal. 10. t. 11.
2	ficoïdes. R.S.	(wh.) creeping-stalk'd.	S. America.	1819.	—	S. ♀.	Jacq. amer. pict. t. 90.
	<i>Gomphrena ficoïdea. Jacq.</i>						
3	spinosa. R.S.	(st.) spiny.	—	—	—	S. ♀.	
	<i>axillaris. DC. Achyranthes spinosa. Horn.</i>						
4	denticulata. B.P.	(wh.) tooth-leaved.	N. S. W.	1822.	—	G. ♀.	
5	tenella. DC.	(wh.) slender.	E. Indies.	1828.	7. 9.	H. ⊙.	
6	Achyrantha. R.S.	(br.) creeping.	Buenos Ayres.	1732.	6. 8.	S. ♀.	Mart. pl. bras. 2. t. 152.
BUCHO'LZIA. M.P.		BUCHO'LZIA.	Pentandria Monogynia.				
1	polygonoïdes. M.P.	(w.) Persicaria-leaved.	S. America.	1731.	—	G. ♀.	Herm. parad. t. 17.
	<i>Illecebrum polygonoïdes. w. Alternanthera polygonoïdes. R.S.</i>						
2	frutescens. M.P.	(wh.) frutescent.	Peru.	1822.	—	S. ♀.	L'Herit. stirp. 1. t. 37.
ÆR'UA. J.		ÆR'UA.	Pentandria Monogynia. R.S.				
1	lanata. R.S.	(wh.) woolly.	E. Indies.	1691.	4. 8.	S. ♂.	Mill. ic. 1. t. 11. f. 1.
	<i>Illecebrum lanatum. L.</i>						
2	javanica. R.S.	(wh.) spear-leaved.	—	—	—	S. ♀.	Burm. ind. t. 65. f. 2.
PHILOXERUS. B.P.		PHILOXERUS.	Pentandria Monogynia. R.S.				
1	vermicularis. R.S.	(wh.) creeping.	S. America.	—	—	S. ♀.	Herm. parad. t. 15.
2	aggregatus. R.S.	(wh.) clustered.	Cumana.	1819.	—	S. ♀.	
MOGIPHANES. M.P.		MOGIPHANES.	Pentandria Monogynia.				
1	brasiliensis. M.P.	(wh.) upright.	Brazil.	1790.	7. 10.	S. ♀.	Mart. pl. bras. 2. t. 133.
	<i>Gomphrena brasiliensis. Jacq. ic. 2. t. 346. Philoxerus brasiliensis. B.P.</i>						
2	straminea. M.P.	(st.) straw-coloured.	Brazil.	1790.	7. 10.	S. ♀.	Mart. pl. bras. 2. t. 135.
GOMPHRENA. R.S.		GLOBE AMARANTH.	Pentandria Monogynia. L.				
1	globosa. R.S.	(re.) annual.	India.	1714.	5. 10.	S. ⊙.	Bot. mag. t. 2815.
	<i>β alba. (wh.) white-flowered.</i>						
2	decumbens. R.S.	(pu. wh.) decumbent.	Mexico.	—	—	S. ⊙.	Jacq. schoen. t. 452.
3	perennis. R.S.	(st.) perennial.	S. America.	1732.	7. 10.	S. ♀.	Bot. mag. t. 2614.
4	arborescens. R.S.	(st.) tree.	—	—	—	S. ♀.	
5	villosa. s.s.	(st.) villous.	Monte Video.	1826.	6. 8.	S. ♀.	
6	nigricans. M.P.	(bk.) dark-flowered.	Brazil.	1827.	—	S. ♀.	Mart. pl. bras. 2. t. 113.
7	callosa. s.	callous.	S. America.	1829.	—	S. ♀.	
8	carnea. Jac.	(f.) flesh-coloured.	—	—	—	S. ♀.	
OPLOTHECA. N.		OPLOTHECA.	Pentandria Monogynia.				
1	lacteata. M.P.	(wh.) milk-coloured.	S. America.	1818.	7. 10.	S. ♀.	DC. h. mons. ined. t. 53.
2	interrupta. N.	(wh.) trailing.	W. Indies.	1733.	—	S. ♂.	Jacq. icon. 1. t. 51.
	<i>Gomphrena interrupta. R.S.</i>						
3	floridana. N.	(wh.) Florida.	Florida.	1823.	8. 10.	F. ♀.	Bot. mag. t. 2603.

BRAND'ESIA. M.P.		BRAND'ESIA.	Pentandria Monogynia.		
1	pubérula. M.P. (<i>wh.</i>) pubescent.	Brazil.	1825.	6. 9.	S. ♀.
	<i>Achyranthes capituliflora.</i> Colla hort. rip. t. 18.				
2	villòsa. M.P. (<i>wh.</i>) villous.	Brazil.	1826.	—	S. ⊙.
3	pórrigens. M.P. (<i>re.</i>) crimson-flowered.	Peru.	1802.	4. 8.	G. ♀.
	<i>Achyranthes pórrigens.</i> B.M.				
PFA'FFIA. M.P.		PFA'FFIA.	Pentandria Monogynia.		
	gnaphaloídes. M.P. (<i>w.</i>) Cudweed-like.	Brazil.	1822.	6. 8.	S. ♀.
	<i>Celòsia gnaphaloídes.</i> L.				
IRE'INE. S.S.		IRE'INE.	Diœcia Pentandria. L.		
1	celosioídes. s.s. (<i>wh.</i>) Florida.	America.	1733.	7. 8.	F. ♀.
2	diffùsa. s.s. (<i>wh.</i>) spreading.	S. America.	1812.	7. 9.	S. ♀.
3	elongàta. s.s. (<i>wh.</i>) long-stalked.	—	1822.	—	S. ♀.
R'OSEA. M.P.		R'OSEA.	Polygamia Monoœcia.		
	elàtior. M.P. (<i>st.</i>) tall.	S. America.	1820.	8. 10.	S. ⊙.
	<i>Iresine elàtior.</i> W.				

ORDO CLXVI.

PHYTOLACEÆ. *Brown.*

PHYTOLA'CCA. W.		PHYTOLA'CCA.	Decandria Decagynia. L.		
1	octàndra. w. (<i>wh.</i>) white-flowered.	Mexico.	1732.	7. 11.	G. ♀.
2	abyssínica. w. (<i>wh.</i>) African.	Africa.	1775.	5. 6.	S. ♀.
3	heptàndra. s.s. (<i>wh.</i>) 7-anthered.	1819.	7. 10.	G. ♀.
4	bogoténsis. K.S. (<i>wh.</i>) variable anther'd.	S. America.	1823.	—	G. ♀.
5	decàndra. w. (<i>bh.</i>) Virginian poke.	Virginia.	1615.	8. 9.	H. ♀.
6	dodecàndra. w. (<i>bh.</i>) recurved-leaved.	5. 6.	S. ♀.
7	mexicàna. (<i>wh.</i>) Mexican.	Mexico.	1824.	7. 10.	G. ♀.
	<i>icosàndra.</i> B.M. non w.				
8	icosàndra. w. (<i>wh.</i>) red-stemmed.	E. Indies.	1758.	7. 11.	S. ♀.
9	dioica. w. (<i>wh.</i>) tree.	S. America.	1768.	S. ♀.
RIVINA. R.S.		RIVINA.	Tetrandria Monogynia. L.		
1	hùmilis. R.S. (<i>wh.</i>) downy.	W. Indies.	1699.	1. 10.	S. ♀.
2	l'ævis. R.S. (<i>bh.</i>) smooth.	—	1733.	2. 9.	S. ♀.
3	latifòlia. R.S. (<i>pu.</i>) broad-leaved.	Madagascar.	1826.	7. 9.	S. ⊙.
4	brasiliénsis. R.S. (<i>gr.</i>) wave-leaved.	Brazil.	1790.	6. 7.	S. ♀.
5	purpuràscens. R.S. (<i>pu.</i>) purple.	W. Indies.	1815.	5. 8.	S. ♀.
6	lanceolàta. L.en. (<i>wh.</i>) spear-leaved.	Brazil.	—	—	S. ♀.
7	octàndra. R.S. (<i>wh.</i>) climbing.	W. Indies.	1752.	5. 6.	S. ♀. ∪.
MICR'OTEA. K.S.		MICR'OTEA.	Pentandria Digynia. R.S.		
	débilis. K.S. (<i>wh.</i>) slender.	S. America.	1824.	7. 9.	S. ⊙.
ANCISTROCA'RPUS. K.S.		ANCISTROCA'RPUS.	Octandria Tetragynia.		
	maypurénsis. K.S. (<i>wh.</i>) branching.	S. America.	1822.	5. 6.	H. ⊙.
PETIV'ERIA. W.		PETIV'ERIA.	Heptandria Monogynia. L.		
1	alliàcea. w. (<i>wh.</i>) Garlic-scented.	Jamaica.	1759.	6. 7.	S. ♀.
2	octàndra. w. (<i>wh.</i>) dwarf.	W. Indies.	1737.	—	S. ♀.
GIS'EKIA. W.		GIS'EKIA.	Pentandria Pentagynia. L.		
	pharnacioídes. w. (<i>wh.</i>) trailing.	E. Indies.	1783.	6.	S. ⊙.

ORDO CLXVII.

CHENOPODEÆ. *Brown prodr. p. 405.*

BASE'LLA. R.S.		MALABAR-NIGHTSHADE.	Pentandria Trigynia. L.		
1	rubra. R.S. (<i>re.</i>) red-flowered.	E. Indies.	1731.	7. 9.	S. ♂. ∪.
2	álba. R.S. (<i>wh.</i>) white-flowered.	—	1688.	7. 11.	S. ♂. ∪.
3	lúcida. R.S. (<i>wh.</i>) shining.	—	1802.	—	S. ⊙. ∪.
4	cordifòlia. R.S. (<i>re.</i>) heart-leaved.	—	—	—	S. ⊙. ∪.
5	tuberòsa. R.S. (<i>st.</i>) tubercous-rooted.	S. America.	1824.	—	S. ♀. ∪.

6 marginàta. R.S.	(wh.) red-margined.	S. America.	1824.	7. 11.	S. 4. ~.	
7 japónica. R.S.	(bh.) dwarf.	China.	1814.	—	G. ⊙.	Burm. ind. t. 39. f. 4.
HABLITZIA. M.B.	HABLITZIA.	Pentandria Monogynia.				
tamnoïdes. M.B.	(wh.) Tamus-like.	Caucasus.	1828.	7. 10.	H. 4. ~.	
ANRED'ERA. J.	ANRED'ERA.	Pentandria Trigynia.				
spicàta. K.S.	(bh.) spiked.	Cuba.	1749.	7. 9.	S. 4. ~.	Sloan. hist. 1. t. 90. f. 1.
Basèlla resicària. Lam. ill. t. 215. f. 1.		Polygonum scandens. w.				
ANABA'SIS. L.	ANABA'SIS.	Pentandria Digynia. L.				
1 aphy'lla. R.S.	(gr.) leafless.	Levant.	1823.	5. 7.	F. h.	Buxb. cent. 1. t. 18.
2 flòrida. M.B.	(wh.) flowering.	Persia.	1829.	7. 11.	H. ⊙.	M.B. cent. pl. ros. 1. t. 17.
3 cretàcea. R.S.	(gr.) long-rooted.	Siberia.	1828.	6. 8.	H. 4.	Pall. it. 1. ap. n. 109. t. 1.
4 spinosíssima. R.S.	(gr.) spiny-branched.	Iberia.	1829.	—	H. h.	Delil. eg. n. 305. t. 21. f. 2.
5 tamariscifòlia. R.S.	(gr.) Tamarisk-leaved.	Spain.	1752.	6. 7.	F. h.	Cavan. ic. 3. t. 283.
6 foliòsa. s.s.	(gr.) leafy.	Volga.	1828.	7. 10.	H. ⊙.	Pall. ill. 2. t. 23.
Salsòla clavifòlia. M.B. baccífera. Pall.						
SALS'OLA. R.S.	SALTWORT.	Pentandria Digynia. L.				
1 Kàli. R.S.	(fl.) prickly.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 9. t. 634.
2 Tràgus. R.S.	(ro.) smooth.	S. Europe.	1816.	—	H. ⊙.	Pall. ill. 2. t. 29. f. 2.
3 tamariscina. R.S.	(br.) Tamarisk-like.	Tauria.	1828.	7. 9.	H. ⊙.	
4 cràssa. R.S.	(re.wh.) thick-leaved.	Caucasus.	1823.	8. 10.	H. ⊙.	Buxb. cent. 1. t. 14. f. 3.
5 rosàcea. R.S.	(pu.) rose-coloured.	Asia.	1759.	7. 8.	H. ⊙.	Schk. hand. 1. t. 57.
6 oppositifòlia. R.S.	(ro.) opposite-leaved.	Sicily.	1829.	H. h.	
7 brachiàta. R.S.	(pu.) armed.	Tauria.	1828.	7. 10.	H. ⊙.	Pall. ill. 2. t. 22.
8 glaùca. R.S.	(ro.) glaucous.	Armenia.	1829.	H. h.	— 2. t. 19.
9 vermiculàta. R.S.	(gr.) suffruticose.	Siberia.	1759.	7. 8.	H. h.	Gmel. sib. 3. t. 18. f. 3.
10 microphy'lla. R.S.	(re.) small-leaved.	Spain.	—	—	H. ⊙.	Cavan. ic. 3. t. 287.
11 spíssa. R.S.	(ro.) dwarf.	Caucasus.	1829.	7. 10.	H. ⊙.	Pall. ill. 2. t. 15.
12 verrucòsa. R.S.	(gr.) warted.	—	1822.	7. 8.	H. h.	— 2. t. 16.
13 ericoïdes. R.S.	(br.) Heath-like.	—	1829.	H. h.	— 2. t. 14.
14 laniflòra. R.S.	(re.) woolly-flowered.	Siberia.	1797.	6. 8.	H. ⊙.	— 2. t. 21.
15 sativa. R.S.	(pi.) cultivated.	Spain.	1783.	7. 8.	H. 4.	Cavan. ic. 3. t. 291.
16 obtusifòlia. Led.	(br.) blunt-leaved.	Siberia.	1827.	H. ⊙.	
17 marginàta. F.	(gr.) thick margined.	Armenia.	1829.	H. h. ?	
18 Sòda. R.S.	(wh.) long fleshy-leav'd.	S. Europe.	1683.	7. 8.	H. ⊙.	Jacq. vind. 1. t. 68.
K'OCHIA. R.S.	K'OCHIA.	Pentandria Digynia. R.S.				
1 arenària. R.S.	(wh.) sand.	Hungary.	1819.	7. 9.	H. ⊙.	W. et K. hung. 1. t. 3.
2 dasyántha. R.S.	(wh.) woolly-flowered.	Caucasus.	1829.	—	H. ⊙.	Gmel. jun. it. 1. t. 137.
3 prostràta. R.S.	(gr.) trailing.	S. Europe.	1780.	6. 8.	F. h.	Jacq. aust. 3. t. 294.
Salsòla prostràta. Jacq.						
4 trig'yna. L. en.	(gr.) slender-leaved.	Spain.	1804.	7. 8.	H. ⊙.	Cavan. ic. 3. t. 289.
Salsòla altíssima. Cav. Chenopodium trig'ynum. R.S.						
5 hyssopifòlia. R.S.	(gr.re.) Hyssop-leaved.	Siberia.	1801.	6. 8.	H. ⊙.	Pall. it. 1. ap. t. H. f. 1.
6 sedoïdes. R.S.	(gr.) Stonecrop-like.	Tauria.	1823.	—	H. 4.	— 3. t. M. f. 8.
7 eriòphora. R.S.	(gr.) woolly.	Spain.	1816.	—	H. ⊙.	Trattin. arch. t. 124.
8 scopària. R.S.	(gr.) Summer Cypress.	Greece.	1629.	6. 9.	H. 4.	Buxb. cent. 1. t. 16.
Chenopodium Scopària. w.						
CHEN'OLEA. L.	CHEN'OLEA.	Pentandria Monogynia. L.				
diffùsa. w.	(wh.) silky.	C. B. S.	1758.	8. 9.	G. h.	
Salsòla sericea. H.K. Kòchia sericea. R.S. Chenopodium sericeum. s.s.						
ENCHYL'ÆNA. B.P.	ENCHYL'ÆNA.	Pentandria Di-Trigynia.				
tomentòsa. B.P.	(wh.) woolly.	N. Holland.	1824.	6. 8.	G. h.	
RHAG'ODIA. B.P.	RHAG'ODIA.	Polygamia Monœcia.				
1 Billardièri. B.P.	(gr.) narrow-leaved.	N. S. W.	1822.	6. 7.	G. h.	Lab. nov. hol. 1. t. 96.
2 hastàta. B.P.	(gr.) halberd-leaved.	—	1803.	—	G. h.	Loud. enc. pl. f. 14270.
3 nùtans. B.P.	(gr.) nodding-branch'd.	V. Diem. Isl.	1824.	7. 9.	G. 4.	
ACROGLO'CHIN. Schr. ACROGLO'CHIN.		Pentandria Digynia.				
chenopodioides. F.	(gr.) Goose-foot-like.	Siberia.	1823.	5. 9.	H. ⊙.	
CHENOP'ODIUM. R.S. GOOSE-FOOT.		Pentandria Digynia. L.				
1 Bònus-Henricus. (gr.) English Mercury.		Britain.	5. 8.	H. 4.	Eng. bot. v. 15. t. 1033.
2 úrbicum. E.B.	(gr.) upright.	—	8.	H. ⊙.	— v. 10. t. 717.
3 Atrípleis. R.S.	(cr.) purple.	China.	1780.	8. 9.	H. ⊙.	Jacq. vind. 3. t. 80.
4 punctulàtum. R.S.	(re.) white-spotted.	1820.	—	H. ⊙.	Scop. del. ins. 1. t. 11.
5 gigànteum. D.P.	(gr.) gigantic.	Nepaul.	—	9. 11.	H. ⊙.	
6 rùbrum. R.S.	(fl.) red.	Britain.	8. 9.	H. ⊙.	Eng. bot. v. 24. t. 1721.
7 chrysomelanospèrnum. R.S. black-seeded.		Galicia.	1825.	—	H. ⊙.	
8 carthagenénse. R.S. (gr.re.) Carthage.		Carthage.	1824.	6. 8.	H. ⊙.	
9 rhombifòlium. R.S. (gr.) angular-leaved.		N. America.	1807.	7. 9.	H. ⊙.	
10 guineénse. w.	(gr.) Guinea.	Guinea.	1790.	8. 9.	H. ⊙.	Jacq. ic. 2. t. 345.
11 muràle. E.B.	(gr.) nettle-leaved.	Britain.	—	H. ⊙.	Eng. bot. v. 24. t. 1722.

12	Quinòda. R.S.	(gr.) green Quinoa.	Chile.	1822.	7. 9.	H.⊙.	Feuil. peruv. t. 10.
	<i>β rubrum.</i>	(re.) red Quinoa.	—————	—————	—————	H.⊙.	Feuil. per. ed. germ. t. 10.
13	serotinum. R.S.	(gr.) late-flowering.	S. Europe.	8. 9.	H.⊙.	
14	ficifolium. E.B.	(gr.) Fig-leaved.	England.	—————	H.⊙.	Eng. bot. v. 24. t. 1724.
15	album. E.B.	(gr.) white.	Britain.	6. 9.	H.⊙.	————— v. 24. t. 1723.
	<i>β subrotundum.</i>	(gr.) round-leaved.	—————	—————	H.⊙.	Petiv. h. brit. t. 8. f. 4.
	<i>γ viride. w.</i>	(gr.) green.	—————	—————	H.⊙.	
	<i>δ integrifolium.</i>	(gr.) entire-leaved.	—————	—————	H.⊙.	
	<i>ε crassifolium.</i>	(gr.) thick-leaved.	—————	—————	H.⊙.	
16	opulifolium. R.S.	(gr.) Guelder-rose-ld.	S. Europe.	—————	H.⊙.	Bast. j. bot. 1814. t. 3.
17	hybridum. E.B.	(gr.) Maple-leaved.	Britain.	8. 9.	H.⊙.	Eng. bot. v. 27. t. 1919.
18	blitoides. R.S.	(gr.) Blitum-like.	France.	1827.	—————	H.⊙.	
19	Bòtrys. R.S.	(gr.) cut-leaved.	S. Europe.	1548.	6. 9.	H.⊙.	Flor. græc. t. 253.
20	fœtidum. W.en.	(gr.) strong-scented.	1823.	6. 8.	H.⊙.	
21	multifidum. R.S.	(gr.) multifid.	Buenos Ayres.	1732.	6. 10.	G. 4.	Dill. elt. t. 66. f. 77.
22	botryoides. E.B.	(re.) many-clustered.	Britain.	6. 8.	H.⊙.	Eng. bot. v. 32. t. 2247.
23	ambrosioides. R.S.	(gr.) Mexican.	Mexico.	1640.	6. 10.	H.⊙.	Moris. s. 5. t. 35. f. 8.
24	suffruticosum. R.S.	(gr.) suffrutescent.	—————	1819.	—————	G. ½.	
25	anthelminticum. w.	(gr.) American.	America.	1732.	7. 8.	G. ½.	Dill. elt. t. 66. f. 76.
26	gravæolens. R.S.	(gr.) strong-scented.	Mexico.	1819.	8. 11.	H.⊙.	
27	incisum. R.S.	(gr.) jagged.	1826.	—————	H.⊙.	
28	glaucum. R.S.	(gr.) Oak-leaved.	England.	7. 8.	H.⊙.	Eng. bot. v. 21. t. 1454.
29	crassifolium. R.S.	(cr.) fleshy-leaved.	1820.	—————	H.⊙.	
30	humifusum. R.S.	(pu.) trailing.	1824.	—————	H.⊙.	
31	sèpium. R.S.	(re.) hedge.	Bohemia.	1822.	—————	H.⊙.	
32	radiatum. R.S.	(gr.) rayed.	N. America.	1803.	6. 8.	H.⊙.	W. hort. ber. 1. t. 28.
	<i>Kòchia dentata. w. Salsòla platyphy'lla. m.</i>						
33	olidum. E.B.	(gr.) stinking.	Britain.	7. 8.	H.⊙.	Eng. bot. v. 15. t. 1034.
	<i>fœtidum. R.S. Vulvária. w.</i>						
34	polyspermum. R.S.	(gr.) Allseed.	—————	—————	H.⊙.	Eng. bot. v. 21. t. 1480.
35	acutifolium. E.B.	(gr.) acute-leaved.	—————	—————	H.⊙.	————— v. 21. t. 1481.
36	marginatum. R.S.	(gr.) bony-edged.	1824.	—————	H.⊙.	
37	caudatum. R.S.	(gr.) long-tailed.	Guinea.	1806.	—————	G.⊙.	Jacq. ic. 2. t. 341.
38	laterale. R.S.	(gr.) oblong-leaved.	1781.	8. 9.	S.⊙.	
39	strictum. R.S.	(gr.) upright.	E. Indies.	—————	9. 11.	H.⊙.	Gmel. sib. 3. t. 15. f. 1.
40	aristatum. R.S.	(gr.) bearded.	Siberia.	1771.	6. 9.	H.⊙.	
41	lanceolatum. R.S.	(gr.) spear-leaved.	Pensylvania.	1809.	7.	H.⊙.	
42	fruticosum. R.S.	(gr.) shrubby.	England.	8. 9.	H. ½.	Eng. bot. v. 9. t. 635.
	<i>Salsòla fruticosa. E.B.</i>						
43	parvifolium. R.S.	(gr.) small-leaved.	Caucasus.	1829.	H. ½.	Pall. ill. 3. t. 44.
44	altissimum. R.S.	(wh.) Grass-leaved.	Russia.	1775.	7. 8.	H.⊙.	Schrad. d. hal. t. 1. f. 3
	<i>Salsòla altissima. w. Suaèda altissima.</i>		Pall. ill. t. 42.				
45	trigynum. R.S.	(gr.) trigynous.	Spain.	—————	—————	H.⊙.	Cavan. icon. 3. t. 289.
46	hirsutum. R.S.	(gr.) hairy.	Denmark.	1791.	—————	H.⊙.	Flor. dan. t. 187.
	<i>Salsòla hirsuta. F.D.</i>						
47	salsum. R.S.	(gr.) Saltwort.	Astracan.	1782.	8. 9.	H.⊙.	Jacq. vind. 3. t. 83.
48	spicatum. R.S.	(gr.) spiked.	Spain.	1816.	8. 10.	H.⊙.	Cavan. ic. 3. t. 290.
49	setigerum. R.S.	(gr.) setiferous.	—————	—————	—————	H.⊙.	DC. h. mons. ined. t. 87.
50	maritimum. R.S.	(gr.) sea blite.	Britain.	8.	H.⊙.	Eng. bot. v. 9. t. 633.
	ATRIPLEX. R.S.	ORACHE. Polygamia Monœcia. L.					
1	Hálimus. R.S.	(wh.) tall shrubby.	Spain.	1640.	7. 8.	H. ½.	Park. theat. 724. f. 2.
2	portulacoides. R.S.	(gr.) dwarf shrubby.	Britain.	—————	H. ½.	Eng. bot. v. 4. t. 261.
3	verruciferum. R.S.	(gr.) warted-fruited.	Caucasus.	1827.	—————	H. ½.	
4	álbicans. R.S.	(bh.) white.	C. B. S.	1774.	6. 7.	G. ½.	
5	glaucum. w.	(gr.) glaucous.	S. Europe.	1732.	7. 8.	F. ½.	Dill. elt. t. 40. f. 46.
6	linifolium. R.S.	(gr.) Flax-leaved.	S. America.	1819.	—————	G. ½.	
7	polygamum. R.S.	(gr.) polygamous.	New Spain.	1826.	—————	F. ½.	
8	coriaceum. R.S.	(gr.) leathery.	Egypt.	1828.	6. 9.	F. ½.	
9	roseum. R.S.	(gr.) rose-like.	S. Europe.	1739.	6. 7.	H.⊙.	Schk. hand. 3. t. 350.
10	foliosum. R.S.	(gr.) leafy.	Portugal.	1824.	—————	H.⊙.	
11	sibiricum. R.S.	(wh.) Siberian.	Siberia.	1783.	7. 8.	H.⊙.	Schk. hand. 3. t. 350.
12	tatáricum. R.S.	(gr.) Tartarian.	Tartary.	1778.	—————	H.⊙.	— 3. p. 539. t. 349.
13	bengalense. R.S.	(gr.) Bengal.	E. Indies.	—————	H.⊙.	
14	hortense. R.S.	(gr.) garden.	Tartary.	1548.	—————	H.⊙.	Blackw. t. 99 et 552.
	<i>β intermedium.</i>	(re.) intermediate.	—————	—————	—————	H.⊙.	
	<i>γ rubrum.</i>	(re.) red garden.	—————	—————	—————	H.⊙.	
15	nitens. R.S.	(gr.) glossy.	Hungary.	1746.	—————	H.⊙.	Schkuhr hand. t. 348.
16	acuminatum. R.S.	(gr.) acuminate.	—————	1820.	—————	H.⊙.	W. et K. hung. t. 103.
17	vénetum. R.S.	(gr.) Venetian.	Venice.	—————	—————	H.⊙.	

18	incanum. R.S.	(gr.) hoary-leaved.	Spain.	1818.	7. 8.	H. ⊙.	
19	album. R.S.	(gr.) white-leaved.	Italy.	1826.	—	H. ⊙.	
20	incisum. M.B.	(gr.) cut-leaved.	Tauria.	1829.	—	H. ⊙.	
21	laciniatum. R.S.	(gr.) frosted sea.	Britain.	—	H. ⊙.	Eng. bot. v. 3. t. 165.
22	Besserianum. R.S.	(gr.) Besser's.	Hungary.	1825.	—	H. ⊙.	
23	hastatum. R.S.	(gr.) halberd-leaved.	Europe.	—	H. ⊙.	Flor. dan. t. 1286.
24	prostratum. DC.	(gr.) prostrate.	—	—	H. ⊙.	
25	obtusum. R.S.	(gr.) blunt-leaved.	Siberia.	1825.	—	H. ⊙.	
26	microspermum. R.S.	(w.) small-seeded.	Hungary.	1800.	—	H. ⊙.	W. et K. hung. t. 23.
27	oblongifolium. R.S.	(gr.) oblong-leaved.	—	—	—	H. ⊙.	t. 227.
28	patum. R.S.	(gr.) spreading.	Britain.	6. 9.	H. ⊙.	Eng. bot. v. 13. t. 986.
29	angustifolium. R.S.	(gr.) narrow-leaved.	—	6. 8.	H. ⊙.	— v. 25. t. 177.
30	erectum. R.S.	(gr.) upright.	England.	8.	H. ⊙.	— v. 31. 2223.
31	littorale. E.B.	(gr.) grass-leaved.	Britain.	8. 9.	H. ⊙.	— v. 10. t. 704.
32	pedunculatum. R.S.	(gr.) pedunculated.	England.	7. 9.	H. ⊙.	— v. 4. t. 232.
33	oppositifolium. R.S.	(gr.) opposite-leaved.	France.	1827.	—	H. ⊙.	
34	verticillatum. R.S.	(gr.) whorl-leaved.	Spain.	1822.	—	H. ⊙.	Cavan. H. R. M. t. 21.
35	sulcatum. R.S.	(gr.) sulcate.	—	—	H. ⊙.	
B'ETA. R.S.		BEET. Pentandria Digynia. L.					
1	vulgaris. R.S.	(gr.) common.	S. Europe.	1548.	—	H. ♂.	Schk. hand. 1. t. 56.
	a viridis.	(gr.) green.	—	—	—	H. ♂.	Plenck off. t. 169.
	β rubra.	(gr.) red.	—	—	—	H. ♂.	
	γ lutea.	(gr.) yellow.	—	—	—	H. ♂.	Kern. abbild. t. 235.
	δ macrorhiza.	(gr.) mungold-wortzel.	—	—	H. ♂.	
2	Cicla. R.S.	(gr.) white.	Portugal.	1570.	—	H. ♂.	Plenck off. t. 170.
3	crispa. R.S.	(gr.) curled-leaved.	—	H. ♂.	
4	trigyna. R.S.	(wh.) Hungarian.	Hungary.	1796.	7. 8.	H. ♀.	W. et K. hung. l. t. 5.
5	maritima. E.B.	(gr.) sea-side.	Britain.	6. 8.	H. ♀.	Eng. bot. v. 4. t. 255.
6	macrorhiza. R.S.	(gr.) large-rooted.	Caucasus.	1827.	—	H. ♀.	
7	foliosa. E.	(gr.) leafy.	Egypt.	1826.	7. 9.	H. ⊙.	
8	pátula. R.S.	(gr.) spreading.	Madeira.	1778.	8. 9.	G. ♂.	
SPINACIA. W.		SPINAGE. Dioecia Pentandria. L.					
	oleracea. W.	(gr.) common.	1568.	3. 10.	H. ⊙.	Schk. hand. 3. t. 324.
	a spinosa. W.	(gr.) prickly.	—	—	H. ⊙.	
	β inermis.	(gr.) round.	—	—	H. ⊙.	
ACNIDA. W.		VIRGINIAN HEMP. Dioecia Pentandria. L.					
1	cannabina. W.	(gr.) common.	N. America.	1640.	6. 7.	H. ⊙.	
2	ruscocarpa. W.	(gr.) rugged-capsuled.	Virginia.	1824.	—	H. ⊙.	Mich. fl. amer. 2. t. 31.
B'OSEA. R.S.		GOLDEN-ROD. Pentandria Digynia. L.					
	yervamora. R.S.	(br.) tree.	Canaries.	1728.	6. 9.	G. ♀.	Jacq. f. eclog. t. 25.
CORISPERMUM. L.		TICK-SEED. Monandria Digynia. L.					
1	hyssopifolium. R.S.	(wh.) Hyssop-leaved.	Europe.	1739.	7.	H. ⊙.	Flor. græc. 1. t. 1.
2	nítidum. R.S.	(wh.) glossy.	Hungary.	1827.	8. 9.	H. ⊙.	
3	Redowskii. R.S.	(wh.) Redowski's.	Caucasus.	1828.	—	H. ⊙.	
4	spicatum. R.S.	(wh.) spiked.	—	—	H. ⊙.	
5	canescens. R.S.	(wh.) canescent.	Hungary.	1822.	7. 9.	H. ⊙.	
6	intermedium. R.S.	(wh.) intermediate.	Prussia.	—	—	H. ⊙.	
7	ténue. L.en.	(wh.) slender.	1823.	—	H. ⊙.	
8	squarrosum. R.S.	(wh.) rough-spiked.	Russia.	1759.	8. 9.	H. ⊙.	Pall. ros. 2. t. 99.
9	Marschallii. R.S.	(wh.) Marschall's.	Caucasus.	1829.	—	H. ⊙.	
10	latifolium. Lk.	(wh.) broad-leaved.	—	1826.	—	H. ⊙.	
11	sabulosum. Led.	(wh.) gravel.	Siberia.	1827.	—	H. ⊙.	
BLITUM. R.S.		STRAWBERRY-BLITE. Monandria Digynia. L.					
1	capitatum. R.S.	(re.) berry-headed.	Austria.	1633.	5. 8.	H. ⊙.	Poif. et T. fl. p. 1. t. 2.
2	virgatum. R.S.	(re.) slender.	S. Europe.	1680.	5. 9.	H. ⊙.	Bot. mag. t. 276.
3	petiolare. L.en.	(re.) petiolate.	1818.	—	H. ⊙.	
4	chenopodioides. R.S.	(gr.) Goosefoot-like.	1826.	—	H. ⊙.	
5	maritimum. N.	(gr.) sea-side.	N. America.	1823.	—	H. ⊙.	
CERATOCARPUS. L.		CERATOCARPUS. Monœcia Monandria. L.					
	arenarius. L.	(gr.) sand.	Tartary.	1757.	6. 7.	H. ⊙.	Buxb.in. act. pet. 1. t. 1.
SALICORNIA. L.		GLASSWORT. Monandria Monogynia. L.					
1	herbacea. S.S.	(gr.) marsh.	Britain.	8. 9.	H. ⊙.	Eng. bot. v. 6. t. 415.
2	procumbens. E.B.	(gr.) procumbent.	England.	—	H. ⊙.	— v. 35. t. 247.
3	radicans. E.B.	(gr.) rooting.	Britain.	9.	H. ♀.	— v. 24. t. 169.
4	pygmaea. R.S.	(gr.) small.	Caucasus.	1827.	—	H. ⊙.	
5	perennans. R.S.	(gr.) perennial.	Siberia.	1823.	8. 9.	H. ♀.	Pall. it. 1. ap. T. D. 1.
6	fruticosa. E.B.	(gr.) shrubby.	Britain.	—	H. ♀.	Eng. bot. v. 35. t. 247.
7	arabica. R.S.	(gr.) Arabian.	Arabia.	1758.	—	G. ♀.	Moris. s. 2. t. 33. f. 1.
8	foliosa. R.S.	(gr.) leafy.	Siberia.	1827.	—	H. ♀.	

HALOCN'EMUM. M.B. HALOCN'EMUM. Monandria Digynia.						
caspicum. R.S.	(gr.) Caspian.	Caucasus.	1827.	7. 8.	H. h.	Pall. it. 1. ap. t. A. f. 2.
POLYCN'EMUM. R.S. POLYCN'EMUM. Triandria Monogynia. L.						
1 arvense. R.S.	(wh.) trailing.	S. Europe.	1640.	7.	H. ⊙.	Jacq. aust. 4. t. 365.
2 recurvum. R.S.	(wh.) recurved-leaved.	Switzerland.	1824.	7. 8.	H. ⊙.	
3 salsum. R.S.	(gr.) saltwort.	Tartary.	1828.	—	H. ⊙.	Pall. ill. t. 50.
4 sibiricum. R.S.	(wh.) Siberia.	Siberia.	1829.	—	H. ⊙.	— — t. 51.
5 oppositifolium. R.S.	(wh.) opposite-leaved.	Tartary.	1820.	—	H. ⊙.	Pall. it. ap. T. E. f. 2.
6 crassifolium. R.S.	(wh.) thick-leaved.	Astracan.	1828.	—	H. ⊙.	Pall. ill. t. 55.
7 sclerospermum. R.S.	(w.) hard-seeded.	—	1821.	—	H. ⊙.	— — t. 56.
8 pubescens. Led.	(wh.) pubescent.	Siberia.	1827.	—	H. ⊙.	
CAMPHORO'SMA. L. CAMPHORO'SMA. Tetrandria Monogynia. L.						
1 monspeliacum. w.	(wh.) hairy.	S. Europe.	1640.	8. 9.	G. h.	Schk. hand. 1. t. 26.
	perenne. Pall. ill. pl. imp. cogn. t. 57.					
2 ovatum. R.S.	(wh.) Hungarian.	Hungary.	1823.	—	H. ⊙.	W. et K. hung. 1. t. 63.
GAL'ENIA. W. GAL'ENIA. Octandria Digynia. L.						
1 africana. w.	(pa.) African.	C. B. S.	1752.	6. 8.	G. h.	Lam. ill. t. 314.
AX'YRIS. W. AX'YRIS. Monœcia Triandria. L.						
1 amaranthoides. w.	(gr.) simple-spiked.	Siberia.	1758.	6. 7.	H. ⊙.	Gmel. sib. t. 2. f. 2.
2 hybrida. w.	(gr.) bastard.	—	1780.	6. 8.	H. ⊙.	— — t. 4. f. 1.
3 prostrata. w.	(gr.) trailing.	—	1798.	7. 8.	H. ⊙.	— — t. 4. f. 2.
DI'OTIS. W. DI'OTIS. Monœcia Tetrandria. L.						
1 ceratoides. w.	(wh.) shrubby.	Siberia.	1780.	8.	H. h.	Jacq. ic. 1. t. 189.
	Ar'ysis ceratoides. Jacq. Ceratospermum papposum. P.S.					

ORDO CLXVIII.

BEGONIACEÆ. Ventenat. et Don prodr. p. 223.

BEG'ONIA. L. BEG'ONIA. Monœcia Polyandria. L.						
1 nitida. s.s.	(bh.) shining-leaved.	Jamaica.	1777.	5. 12.	S. h.	Sal. par. lond. t. 72.
2 dichotoma. s.s.	(wh.) forked.	Caracas.	1800.	7. 8.	S. h.	Jacq. ic. 3. t. 619.
3 reniformis. s.s.	(wh.) kidney-leaved.	Brazil.	1823.	—	S. h.	Linn. trans. 1. t. 14. f. 1. 2.
4 spathulata. s.s.	(wh.) spatula-leaved.	W. Indies.	1813.	8. 10.	S. h.	Lodd. bot. cab. t. 17.
5 odorata. s.s.	(wh.) sweet-scented.	S. America.	1823.	6. 8.	S. h.	
6 sanguinea. s.s.	(pi.) bloody.	Brazil.	1828.	6. 10.	S. 4.	
7 Selloii. L.O.	(wh.) Sello's.	—	—	—	S. h.	
8 undulata. B.M.	(wh.) wave-leaved.	—	1825.	8. 12.	S. h.	Bot. mag. t. 2723.
9 semperflorans. B.C.	(w.) ever-blowing.	Mexico.	1829.	1. 12.	S. h.	Lodd. bot. cab. t. 1439.
10 Hookeri.	(pi.) Hooker's.	1827.	—	S. h.	Bot. mag. t. 2920.
	semperflorans. B.M. non. B.C.					
11 disticha. s.s.	(wh.) distichous.	S. America.	1820.	6. 8.	S. h.	
12 macrophylla. s.s.	(bh.) large-leaved.	Jamaica.	1793.	5. 9.	S. h.	
13 hirtella. s.s.	(wh.) fringed.	W. Indies.	1818.	—	S. h.	
14 Evansiana. A.R.	(pi.) Evans's.	China.	1804.	—	S. 4.	Bot. mag. t. 1473.
	discolor. H.K. published 1813. Evansiana. A.R. published 1811. B.M. 1812.					
15 picta. Sm.	(pi.) painted.	Nepaul.	1823.	5. 9.	S. 4.	Sm. exot. bot. t. 101.
16 palmata. D.P.	(pi.) palmated.	—	1825.	—	S. 4.	
17 vitifolia. L.O. Vine-leaved.	Brazil.	1829.	S. h.	
18 platanifolia. L.O. Plane-leaved.	—	—	S. h.	
19 diversifolia. B.M.	(pi.) various-leaved.	Mexico.	1827.	9. 12.	S. h.	Bot. mag. t. 2966.
20 villosa. B.R.	(wh.) villous.	Brazil.	—	8. 10.	S. h.	Bot. reg. t. 1252.
21 pauciflora. B.R.	(bh.) few-flowered.	W. Indies.	1816.	5. 9.	S. h.	— — t. 471.
22 patula. H.S.S.	(bh.) spreading.	Brazil.	1811.	—	S. h.	
23 bulbifera. L.O.	(pi.) bulb-bearing.	—	1829.	9. 11.	S. 4.	
24 monoptera. L.O.	(pi.) one-winged.	—	—	—	S. 4.	
25 tuberosa. s.s.	(pi.) tuberos.	Amboyna.	1810.	7. 9.	S. 4.	Rumph. am. 5. t. 169. f. 2.
26 acutifolia. s.s.	(wh.) acute-leaved.	W. Indies.	1822.	—	S. h.	Sloan. jam. t. 127. f. 1. 2.
27 acuminata. s.s.	(wh.) pointed-leaved.	Jamaica.	1790.	5. 12.	S. h.	Bot. reg. t. 364.
28 lucida. H.R.	(wh.) polished.	Trinidad.	1820.	—	S. ⊙.	
29 argyrostigma. B.R.	(pi.) silver-spotted.	Brazil.	1819.	7. 9.	S. h.	Bot. reg. t. 666.
	maculata. s.s.					
30 dipetala. B.M.	(pi.) two-petaled.	E. Indies.	1826.	4. 8.	S. h.	Bot. mag. t. 2849.
31 papillosa. B.M.	(pi.) papillose.	S. America.	1823.	—	S. h.	— — t. 2846.

32	insignis. B.M.	(pi.) handsome.	Brazil.	1828.	1. 12.	S. h.	Bot. mag. t. 2900.
33	incarnata. L.O.	(pi.) flesh-coloured.	————	1829.	————	S. h.	
34	Martiana. L.O.	(pi.) Martius's.	————	————	————	S. h.	
35	suaveolens. B.C.	(wh.) fragrant.	W. Indies.	1816.	5. 9.	S. h.	Lodd. bot. cab. t. 60.
36	humilis. H.E.F.	(wh.) dwarf.	————	1788.	10.	S. ♂.	Hook. ex. flor. t. 17.
37	hirsuta. s.s.	(wh.) shaggy-leaved.	————	1789.	5. 6.	S. ♂.	Aub. gui. 2. t. 348.
38	ulmifolia. s.s.	(bh.) Elm-leaved.	S. America.	1820.	6. 1.	S. h.	Hook. ex. flor. t. 57.
39	scandens. s.s.	(gr.) climbing.	Jamaica.	1824.	7. 9.	S. h. ~.	Aub. gui. 2. t. 349.

ORDO CLXIX.

POLYGONEÆ. *Brown prodr. p. 419.*

COCCOLOBA. L.		SEASIDE-GRAPE. Octandria Trigynia. L.					
1	uvifera. s.s.	(wh.) round-leaved.	W. Indies.	1690.	S. h.	Jacq. amer. t. 73.
2	pubescens. s.s.	(wh.) downy.	————	————	S. h.	Pluk. phyt. 222. f. 8.
3	excoriata. s.s.	(wh.) oval-leaved.	————	1733.	S. h.	Plum. ic. t. 146. f. 1.
4	nivea. s.s.	(st.) snowy.	Jamaica.	1826.	S. h.	
5	punctata. s.s.	(wh.) spear-leaved.	W. Indies.	1733.	S. h.	Jacq. amer. 114. t. 77.
6	laurifolia. W.en.	(wh.) Laurel-leaved.	S. America.	1816.	8. 9.	S. h.	
7	diversifolia. s.s.	(wh.) different-leaved.	Hispaniola.	————	————	S. h.	Hook. ex. flor. t. 102.
8	obtusifolia. s.s.	(wh.) blunt-leaved.	S. America.	1823.	S. h.	Jacq. amer. t. 74.
9	microstachya. s.s.	(wh.) small-spiked.	W. Indies.	————	S. h.	
10	barbadensis. s.s.	(wh.) Barbadoes.	Barbadoes.	1790.	S. h.	Jacq. obs. 1. t. 8.
11	latifolia. s.s.	(wh.) broad-leaved.	S. America.	1812.	S. h.	Lam. ill. t. 316. f. 4.
12	acuminata. K.s.	(wh.) sharp-pointed.	————	1824.	S. h.	
13	longifolia. L.en.	(wh.) long-leaved.	————	1818.	S. h.	
14	tenuifolia. s.s.	(wh.) small-leaved.	Jamaica.	1824.	S. h.	Brown. jam. 210. f. 3.
BRUNNICHIA. S.S.		BRUNNICHIA. Decandria Trigynia. W.					
	cirrhosa. s.s.	(gr.) Carolina.	Carolina.	1787.	G. h. ~.	Gært s. 1. t. 48. f. 2.
POLYGONUM. L.		PERSICARIA. Tetr-Octandria Di-Trigynia.					
1	Bistorta. w.	(pi.) Snake-weed.	Britain.	5. 9.	H. 4.	Eng. bot. v. 8. t. 502.
2	bistortoides. Ph.	(bh.) Snakeweed-like.	N. America.	1828.	6. 7.	H. 4.	
3	viviparum. E.B.	(gr.) alpine bistort.	Britain.	5. 9.	H. 4.	Eng. bot. v. 10. t. 603.
4	petiolatum. D.P.	(pi.) petiolate.	Nepaul.	1823.	————	H. 4.	
5	macrophyllum. D.P.	(pu.) large-leaved.	————	1822.	————	H. 4.	
6	affine. D.P.	(ro.) related.	————	1823.	————	H. 4.	
7	mite. P.S.	(li.) tasteless.	N. America.	1818.	6. 9.	H. ⊙.	
8	hydropiperoides. Ph.	(w.) acrid.	————	1824.	————	H. ⊙.	
9	tenuiflorum. s.s.	(li.) slender-flowered.	Sicily.	1826.	————	H. 4.	
10	scandens. w.	(pi.) climbing.	N. America.	1749.	7. 9.	H. 4. ~.	Pluk. alm. t. 177. f. 7.
11	Fagopyrum. w.	(pi.) Buck-wheat.	England.	7. 8.	H. ⊙.	Eng. bot. v. 15. t. 1044.
12	emarginatum. w.	(pi.) Indian buck-wheat.	Nepaul.	1796.	————	H. ⊙.	Bot. reg. t. 1065.
13	tataricum. w.	(gr.) Tartarian.	Siberia.	1759.	————	H. ⊙.	Gmel. sib. 3. t. 13. f. 1.
14	Convulvulus. w.	(bh.) common climbing.	Britain.	5. 9.	H. ⊙. ~.	Eng. bot. v. 14. t. 941.
15	dumetorum. w.	(li.) bush.	S. Europe.	1803.	————	H. ⊙.	Flor. dan. t. 759.
16	adpressum. B.P.	(pi.) polygamous.	N. S. W.	1822.	————	G. h. ~.	Lab. n. hol. 1. t. 127.
17	sagittatum. w.	(wh.) arrow-leaved.	N. America.	1759.	7. 8.	H. ⊙.	Bart. fl. amer. t. 104.
18	chinense. w.	(pi.) Chinese.	China.	1795.	————	H. ⊙.	Burm. ind. t. 30. f. 3.
19	patens. D.P.	(pi.) spreading.	Nepaul.	1823.	————	H. 4.	
20	elegans. s.s.	(wh.) elegant.	Naples.	1824.	————	H. h.	
21	alpinum. w.	(wh.) Alpine.	Italy.	1816.	————	H. 4.	Bocc. mus. 2. t. 27.
22	undulatum. w.	(wh.) wave-leaved.	Siberia.	1789.	6. 7.	H. 4.	Gmel. sib. 3. t. 10.
23	divaricatum. w.	(wh.) divaricated.	————	1759.	7. 8.	H. 4.	———— 3. t. 11. f. 1.
24	salignum. w.	(wh.) Willow-like.	————	1816.	5. 8.	H. 4.	
25	acidulum. w.	(wh.) narrow-leaved.	————	————	6. 7.	H. 4.	
26	cymosum. s.s.	(wh.) cyme-flowered.	Naples.	1827.	7. 9.	H. 4.	
27	aviculare. E.B.	(ro.) Knot-grass.	Britain.	4. 10.	H. ⊙.	Eng. bot. v. 18. t. 1232.
28	Dryandri. s.s.	(bh.) Dryander's.	E. Indies.	1796.	4. 8.	S. 4.	
	elegans. H.K. nec aliorum.						
29	arenarium. w.K.	(pu.) sand.	Hungary.	1807.	5. 8.	H. ⊙.	W. et K. hung. t. 67.
30	ramosum. L.en.	(wh.) branching.	Siberia.	1822.	6. 8.	H. 4.	
31	littorale. L.en.	(wh.) sea-side.	S. Europe.	1816.	5. 8.	H. h.	
32	Bellardi. P.S.	(wh.) Bellardi's.	————	1822.	————	H. 4.	All. ped. t. 90. f. 2.
33	patulum. M.B.	(wh.) spreading-branch'd.	Tauria.	————	————	H. 4.	

31	<i>maritimum</i> . W.	(wh.) sea-shore.	S. Europe.	1816.	6. 8.	H. $\frac{1}{2}$.	Flor. græc. t. 363.
35	<i>acetosum</i> . M.B.	(li.) Sorrel-leaved.	Astracan.	1823.	—	H. $\frac{1}{2}$.	
36	<i>erectum</i> . W.	(wh.) upright.	N. America.	1792.	7. 8.	H. $\frac{1}{2}$.	
37	<i>linifolium</i> . B.A.	(bh.) Flax-leaved.	—	1824.	6. 8.	H. \odot .	Bart. fl. amer. 3. t. 95. f. 2.
38	<i>herniarioides</i> . s.s.	(wh.) Egyptian.	Egypt.	1822.	—	F. $\frac{1}{2}$.	
39	<i>pensylvanicum</i> . W.	(ro.) Pennsylvanian.	N. America.	1819.	7. 8.	H. \odot .	
40	<i>orientale</i> . W.	(re.) common.	E. Indies.	1707.	7. 10.	H. \odot .	Bot. mag. t. 213.
	<i>3 album</i> .	(wh.) white-flowered.	—	—	H. \odot .	
41	<i>barbatum</i> . s.s.	(re.) bearded.	China.	1822.	6. 9.	F. $\frac{1}{2}$.	Rheed. mal. 12. t. 77.
42	<i>tinctorium</i> . W.	(re.) dyer's.	—	1776.	7. 8.	G. $\frac{1}{2}$.	
43	<i>decipiens</i> . B.P.	(ro.) decipient.	N. S. W.	1822.	—	G. $\frac{1}{2}$.	
44	<i>plebeium</i> . B.P.	(bh.) linear-leaved.	—	—	—	G. $\frac{1}{2}$.	
45	<i>Persicaria</i> .	(li.) spotted.	Britain.	—	H. \odot .	Eng. bot. v. 11. t. 756.
46	<i>laphatifolium</i> . s.s.	(gr.) Dock-leaved.	—	7. 10.	H. \odot .	— v. 20. t. 1382.
47	<i>incanum</i> . W.en.	(li.) hoary.	Germany.	1804.	—	H. \odot .	Schrank. bav. 1. t. 3.
48	<i>persicarioides</i> . K.S.	(w.) Mexican.	Mexico.	1825.	—	H. $\frac{1}{2}$.	
49	<i>Hydropiper</i> . E.B.	(gr.) Water pepper.	Britain.	7. 9.	H. \odot .	Eng. bot. v. 14. t. 980.
50	<i>glabrum</i> . W.	(gr.) smooth.	E. Indies.	1822.	—	S. $\frac{1}{2}$.	
51	<i>minus</i> . E.B.	(li.) slender.	England.	—	H. \odot .	Eng. bot. v. 15. t. 1043.
52	<i>repens</i> .	(wh.) rooting-branched.	Fulham.	8. 10.	H. \odot .	
53	<i>tortuosum</i> . D.P.	(wh.) twisting.	Nepaul.	1824.	7. 10.	F. $\frac{1}{2}$.	
54	<i>equisetiforme</i> . s.s.	(wh.) Equisetum-like.	Britain.	—	H. \odot .	Flor. græc. t. 364.
55	<i>oxyspermum</i> . Led.	(w.) sharp-seeded.	Siberia.	1827.	—	H. $\frac{1}{2}$.	
56	<i>arifolium</i> . W.	(bh.) Arum-leaved.	N. America.	1816.	5. 10.	H. \odot .	Bart. fl. amer. t. 100.
57	<i>ocreatum</i> . W.	(bh.) spear-leaved.	Siberia.	1780.	6. 9.	H. $\frac{1}{2}$.	Gmel. sib. 3. t. 8.
58	<i>virginianum</i> . W.	(pa.) Virginian.	N. America.	1640.	8. 9.	H. $\frac{1}{2}$.	Park. theat. 857. f. 6.
59	<i>amphibium</i> . W.	(ro.) amphibious.	Britain.	6. 8.	H. w. $\frac{1}{2}$.	Eng. bot. v. 7. t. 436.
60	<i>gracile</i> . B.P.	(pi.) slender-stalked.	N. S. W.	1822.	—	G. $\frac{1}{2}$.	
61	<i>acetosæfolium</i> . P.S.	(re.) Brazilian.	Brazil.	—	—	S. $\frac{1}{2}$.	Venten. cels. t. 88.
TRAGOPYRUM. M.B. TRAGOPYRUM.			Octandria Trigynia.				
1	<i>lanceolatum</i> . M.B.	(pi.) spear-leaved.	Siberia.	1770.	7. 8.	H. $\frac{1}{2}$.	Bot. reg. t. 255.
	<i>Polygonum frutescens</i> . B.R.						
2	<i>buxifolium</i> . M.B.	(pi.) Box-leaved.	Caucasus.	1800.	—	H. $\frac{1}{2}$.	Bot. mag. t. 1065.
	<i>Polygonum crispulum</i> . B.M.						
ATRAPHAXIS. L. ATRAPHAXIS.			Hexandria Digynia. L.				
1	<i>spinosa</i> . s.s.	(gr.) prickly.	Levant.	1732.	8.	G. $\frac{1}{2}$.	L'Herit. stirp. 1. t. 14.
2	<i>undulata</i> . s.s.	(gr.) waved-leaved.	C. B. S.	—	6. 7.	G. $\frac{1}{2}$.	Dill. elt. t. 32. f. 36.
XYRIA. Sm.			MOUNTAIN SORREL. Hexandria Digynia. Sm.				
	<i>reniformis</i> . Sm.	(gr.) kidney-leaved.	Britain.	6. 7.	H. $\frac{1}{2}$.	Eng. bot. v. 13. t. 910.
	<i>Rumex digynus</i> . E.B.						
RUMEX. L.			Dock. Hexandria Trigynia. L.				
1	<i>Hydrolapathum</i> . s.s.	(gr.) great water.	Britain.	7. 8.	H. w. $\frac{1}{2}$.	Eng. bot. v. 30. t. 2104.
	<i>aquaticus</i> . E.B.						
2	<i>Britannica</i> . s.s.	(gr.) Virginian.	N. America.	6. 7.	H. $\frac{1}{2}$.	
3	<i>maximus</i> . s.s.	(gr.) great.	Europe.	—	H. $\frac{1}{2}$.	
4	<i>acutus</i> . E.B.	(gr.) sharp.	Britain.	—	H. $\frac{1}{2}$.	Eng. bot. v. 11. t. 724.
5	<i>Nemolapathum</i> . W.	(gr.) flat-valved.	Europe.	1816.	—	H. $\frac{1}{2}$.	
6	<i>nemorosus</i> . W.en.	(gr.) wood.	—	—	—	H. $\frac{1}{2}$.	
7	<i>sanguineus</i> . E.B.	(gr.) bloody-veined.	England.	6. 7.	H. $\frac{1}{2}$.	Eng. bot. v. 22. t. 1533.
8	<i>condylodes</i> . M.B.	(gr.) spreading.	Caucasus.	1823.	—	H. $\frac{1}{2}$.	
9	<i>crispus</i> . E.B.	(gr.) curled.	Britain.	—	H. $\frac{1}{2}$.	Eng. bot. v. 28. t. 1998.
10	<i>Patientia</i> . W.	(gr.) Patience.	Italy.	1573.	—	H. $\frac{1}{2}$.	
11	<i>confertus</i> . W.en.	(gr.) close-leaved.	—	1816.	—	H. $\frac{1}{2}$.	
12	<i>brasiliensis</i> . L.en.	(gr.) Brazilian.	Brazil.	1823.	—	G. $\frac{1}{2}$.	
13	<i>verticillatus</i> . s.s.	(gr.) whorled.	N. America.	1818.	—	H. $\frac{1}{2}$.	
14	<i>spatulatus</i> . P.S.	(gr.) spatulate-leav'd.	C. B. S.	1824.	8. 2.	G. $\frac{1}{2}$.	
15	<i>purpureus</i> . P.S.	(gr.) purple-veined.	Europe.	6. 7.	H. $\frac{1}{2}$.	
16	<i>linearis</i> . s.s.	(gr.) linear-leaved.	C. B. S.	1824.	8. 12.	G. $\frac{1}{2}$.	
17	<i>salicifolius</i> . s.s.	(gr.) Willow-leaved.	California.	1821.	7. 10.	F. $\frac{1}{2}$.	
18	<i>laevigatus</i> . s.s.	(gr.) smooth.	1828.	—	H. $\frac{1}{2}$.	
19	<i>sylvestris</i> . s.s.	(gr.) wood.	Germany.	1826.	6. 8.	H. $\frac{1}{2}$.	
20	<i>obtusifolius</i> . E.B.	(gr.) broad-leaved.	Britain.	—	H. $\frac{1}{2}$.	Eng. bot. v. 28. t. 1999.
21	<i>nepalensis</i> . s.s.	(gr.) Nepalese.	Nepaul.	1823.	—	H. $\frac{1}{2}$.	
22	<i>palustris</i> . E.B.	(ye.) yellow marsh.	England.	7. 8.	H. $\frac{1}{2}$.	Eng. bot. v. 27. t. 1932.
23	<i>maritimus</i> . E.B.	(ye.) sea-side.	Britain.	—	H. $\frac{1}{2}$.	— v. 11. t. 725.
24	<i>divaricatus</i> . W.	(gr.) divaricate.	Italy.	1793.	—	H. $\frac{1}{2}$.	Till. pis. t. 37. f. 2.
25	<i>strictus</i> . L.en.	(gr.) upright.	1824.	—	H. $\frac{1}{2}$.	
26	<i>persicarioides</i> . W.	(gr.) Persicaria-like.	N. America.	1773.	6. 7.	H. $\frac{1}{2}$.	
27	<i>dentatus</i> . W.	(gr.) dentated.	Egypt.	1732.	7. 8.	H. \odot .	Dill. elt. t. 158. f. 191.

28	<i>ægyptiacus</i> . w.	(gr.) Egyptian.	Egypt.	1734.	6. 7.	H. ⊙.	Till. pis. t. 37. f. 1.
29	<i>ucrànicus</i> . s.s.	(gr.) Ukraine.	Ukraine.	1820.	—	H. ⊙.	
30	<i>crispátulus</i> . M.	(gr.) curled-leaved.	N. America.	—	—	H. ⊙.	
31	<i>cristátus</i> . DC.	(gr.) crested.	—	—	H. 4.	
32	<i>púlcher</i> . E.B.	(gr.) fiddle.	Britain.	6. 8.	H. 4.	Eng. bot. v. 22. t. 17.
33	<i>aquáticus</i> . s.s.	(gr.) water.	Europe.	1818.	—	H. w. 4.	
34	<i>scutátus</i> . w.	(gr.) French sorrel.	France.	1596.	6. 7.	H. 4.	Jacq. ic. 1. t. 67.
35	<i>hastifólius</i> . M.B.	(gr.) hastate-leaved.	Caucasus.	1816.	—	H. 4.	
36	<i>vesicàrius</i> . w.	(gr.) bladder.	Africa.	1656.	7. 8.	H. ⊙.	Moris. s. 5. t. 28. f. 1.
37	<i>tingitànus</i> . w.	(gr.) Tangier.	Barbary.	1680.	6. 8.	H. 4.	Zanon. hist. 9. t. 6.
38	<i>longifólius</i> . K.S.	(gr.) long-leaved.	S. America.	1827.	7. 10.	F. 4.	
39	<i>sarcorhizus</i> . L.en.	(gr.) fleshy-rooted.	C. B. S.	1824.	8. 12.	G. 4.	
40	<i>Burchéllii</i> . s.s.	(gr.) Burchell's.	—	1816.	8. 10.	G. 4.	
41	<i>Lunària</i> . w.	(gr.) tree.	Canaries.	1698.	6. 7.	G. 4.	Pluk. alm. t. 252. f. 1.
42	<i>orientàlis</i> . Bern.	(gr.) oriental.	Levant.	1821.	7. 9.	H. 4.	
43	<i>conspèrsus</i> . Ot.	(gr.) scattered.	1824.	—	H. 4.	
44	<i>domésticus</i> . s.s.	(gr.) various-leaved.	Sweden.	1823.	—	H. 4.	
45	<i>roseus</i> . w.	(gr.) rose.	Egypt.	1737.	7. 8.	H. ⊙.	
46	<i>lácerus</i> . s.s.	(gr.) torn-leaved.	—	1825.	—	H. ⊙.	
47	<i>bucephalóphorus</i> .	(gr.) Basil-leaved.	Italy.	1683.	6.	H. ⊙.	Cavan. ic. 1. t. 41. f. 1.
48	<i>fimbriátus</i> . s.s.	(gr.) fringe-valved.	C. B. S.	1816.	7. 9.	G. 4.	
49	<i>Bròwnii</i> . s.s.	(gr.) Brown's fringed.	N. S. W.	1824.	—	G. 4.	
50	<i>Acetòsa</i> . E.B.	(gr.) common Sorrel.	Britain.	6. 8.	H. 4.	Eng. bot. v. 2. t. 12.
51	<i>Acetosélla</i> . E.B.	(st.) sheep's sorrel.	—	5. 7.	H. 4.	— v. 24. t. 16.
52	<i>abyssínicus</i> . Jacq.	(gr.) Abyssinian.	Abyssinia.	1823.	—	G. 4.	Jacq. vind. 3. t. 9.
53	<i>tuberòsus</i> . w.	(gr.) tuberous-rooted.	S. Europe.	1752.	6. 8.	H. 4.	
54	<i>arifólius</i> . s.s.	(gr.) Arum-leaved.	Africa.	1775.	12. 4.	G. 4.	
55	<i>triangulàris</i> . DC.	(gr.) triangular-leaved.	S. Europe.	1824.	—	F. 4.	
56	<i>amplexicaùlis</i> . s.s.	(gr.) stem-clasping.	Pyrenees.	1816.	6. 8.	H. 4.	
57	<i>luxùrians</i> . s.s.	(gr.) luxuriant.	S. Europe.	—	H. 4.	
58	<i>alpinus</i> . w.	(gr.) Alpine.	France.	1597.	6. 7.	H. 4.	Zorn. ic. 261.
59	<i>frutèscens</i> . s.s.	(gr.) frutescent.	Tristan d'Ac.	1816.	6. 9.	G. 4.	
60	<i>gigànteus</i> . H.K.	(gr.) tall.	Sandwich Isl.	1796.	6. 8.	G. 4.	
	EMEX. S.S.		'EMEX. Hexandria Trigynia. S.S.				
	<i>spinòsus</i> . s.s.	(gr.) spiny-seeded.	Candia.	1656.	6. 7.	H. ⊙.	
	<i>Rùmex spinòsus</i> . w.						
	PODOPTERUS. K.S.		PODOPTERUS. Hexandria Trigynia. S.S.				
	<i>mexicànus</i> . K.S.	(wh.) Mexican.	Mexico.	1825.	G. 4.	H. et B. pl. am. 2. t. 17.
	TRIPL'ARIS. K.S.		TRIPL'ARIS. Diœcia Enneandria. L.				
	<i>americàna</i> . K.S. (ro. pu.)	American.	S. America.	1823.	5. 8.	S. 4.	Jacq. amer. 13. t. 173.
	RH'EUM. L.		RHUBARB. Enneandria Trigynia. L.				
1	<i>Rhapónticum</i> . w.	(wh.) common.	Asia.	1573.	5. 6.	H. 4.	Sabb. hort. 1. t. 34.
2	<i>undulátum</i> . w.	(wh.) wave-leaved.	China.	1734.	—	H. 4.	L. amœn. acad. 2. t. 4.
3	<i>crispum</i> . And.	(wh.) curl-leaved.	1820.	—	H. 4.	
4	<i>compáctum</i> . w.	(wh.) thick-leaved.	Tartary.	1758.	—	H. 4.	Mill. ic. 2. t. 213.
5	<i>tatàricum</i> . w.	(wh.) Tartarian.	—	1793.	—	H. 4.	
6	<i>hy'bridum</i> . w.	(wh.) bastard.	Asia.	1778.	—	H. 4.	Murr. c. gott. t. 1.
7	<i>austríacum</i> . And.	(wh.) Austrian.	Austria.	1819.	—	H. 4.	
8	<i>sibíricum</i> . And.	(wh.) Siberian.	Siberia.	—	—	H. 4.	
9	<i>fenestrátum</i> . F.	(wh.) windowed.	1760.	—	H. 4.	
10	<i>rotundifólium</i> . And.	(w.) round-leaved.	—	H. 4.	
11	<i>nútans</i> . F.	(wh.) nodding.	Asia.	1824.	—	H. 4.	Ann. mus. 1. t. 4.
12	<i>Ribes</i> . w.	(wh.) warted-leaved.	Levant.	1724.	—	H. 4.	Linn. fasc. 7. t. 4.
13	<i>palmátum</i> . w.	(wh.) palmated.	China.	1763.	4. 5.	H. 4.	Swt. br. fl. gar. t. 20.
14	<i>austràle</i> . D.P. (d. pu.)	Nepaul.	Nepaul.	1826.	—	H. 4.	
	ERIO'GONUM. M.		ERIO'GONUM. Enneandria Trigynia. N.				
1	<i>tomentòsum</i> . M.	(wh.) woolly.	Carolina.	1811.	5. 6.	H. 4.	Mich. amer. v. 1. t. 1.
2	<i>flàvum</i> n.	(ye.) ilky.	Missouri.	—	7.	H. 4.	
	<i>seríceu</i> . m. Ph.						
3	<i>pauciflórum</i> . Ph.	(wh.) few-flowered.	Louisiana.	1812.	—	H. 4.	
4	<i>longifólium</i> . N.	(wh.) long-leaved.	Arkansa.	1824.	—	H. 4.	
	CALLI'GONUM. W.		CALLI'GONUM. Dodecandria Tetragynia. L.				
1	<i>Pallàsia</i> . w.	(wh. gr.) Caspian.	Caspian shores.	1780.	8.	H. 4.	Pall. ros. 2. t. 77. 78.
2	<i>Pandèri</i> . w.	(gr. wh.) Fischer's.	—	1824.	7. 9.	H. 4.	
3	<i>comòsum</i> . P.S. (gr. wh.)	tufted.	Persia.	1829.	H. 4.	
	KŒNI'GIA. W.		KŒNI'GIA. Triandria Trigynia. L.				
	<i>islàndica</i> . w.	(gr.) Iceland.	Iceland.	1773.	4.	H. ⊙.	Lam. ill. gen. t. 51.

ORDO CLXX.

LAURINÆ. *Brown prodr. p. 401.*

LAURUS. W.		LA'URUS. Enneandria Monogynia. L.					
1	<i>acida. w.</i> (gr.ye.)	Sweet Bay.	S. Europe.	1561.	4. 5.	H. h.	Flor. græc. t. 365.
	<i>undulata.</i> (gr.ye.)	wave-leaved.	—————	—————	—————	H. h.	
7	<i>salicifolia.</i> (gr.ye.)	Willow-leaved.	—————	—————	—————	H. h.	
	<i>variegata.</i> (gr.ye.)	variegated.	—————	—————	—————	H. h.	
2	<i>coriacea. s.s.</i> (gr.ye.)	leathery-leaved.	Jamaica.	1822.	S. h.	
3	<i>salicifolia. s.s.</i> (gr.)	Willow-leaved.	W. Indies.	—————	S. h.	
4	<i>Catesb'ii. p.s.</i> (wh.)	Catesby's.	Florida.	1811.	4. 6.	F. h.	Catesb. car. 1. t. 28.
5	<i>carolinensis. m.</i> (gr.ye.)	Carolina.	N. America.	1806.	—————	F. h.	————— 1. t. 63.
	<i>glabra.</i> (gr.ye.)	smooth-leaved.	—————	—————	—————	F. h.	
	<i>pubescens.</i> (gr.ye.)	downy.	—————	—————	—————	F. h.	
7	<i>obtusa.</i> (gr.ye.)	blunt-leaved.	—————	—————	—————	F. h.	
8	<i>Bourbonia. w.</i> (gr.ye.)	Bourbon.	S. America.	1739.	—————	F. h.	Plum. gen. 4.
9	<i>thyrsiflora. s.s.</i> (gr.ye.)	bunch-flowered.	Madagascar.	1824.	S. h.	
6	<i>indica. w.</i> (gr.ye.)	royal bay.	Madeira.	1665.	10. 3.	G. h.	Pluk. alm. t. 304. f. 1.
9	<i>fatens. w.</i> (gr.ye.)	Madeira or Til.	—————	1760.	—————	G. h.	
10	<i>canariensis. W.en.(st.)</i>	Canary.	Canaries.	1815.	—————	G. h.	
11	<i>aggregata. B.M.</i> (wh.)	clustered.	China.	1812.	—————	S. h.	Bot. mag. t. 2497.
12	<i>Chloroxylon. w.</i> (gr.ye.)	Cogwood-tree.	Jamaica.	1778.	S. h.	Brown. jam. t. 7. f. 1.
13	<i>pendula. w.</i> (gr.ye.)	pendulous.	—————	1822.	S. h.	
14	<i>glauca. w.</i> (gr.ye.)	glaucous.	Japan.	1806.	G. h.	
15	<i>reticulata. w.</i> (gr.ye.)	veined-leaved.	N. America.	1765.	4. 5.	G. h.	
16	<i>Benzoïn. w.</i> (gr.ye.)	Benjamin-tree.	—————	1683.	—————	H. h.	Comm. hort. 1. t. 97.
17	<i>Diospyrus. p.s.</i> (gr.ye.)	twiggy.	—————	1810.	—————	H. h.	Bot. mag. t. 1470.
18	<i>reticulata. m.</i> (gr.ye.)	flexuose.	—————	1759.	—————	H. h.	————— t. 1471.
19	<i>Sassafras. w.</i> (gr.ye.)	Sassafras-tree.	—————	1633.	5. 6.	H. h.	Catesb. car. 1. t. 55.
20	<i>albida. n.</i> (gr.ye.)	white Sassafras.	—————	—————	H. h.	
PERSEA. G.		ALLIGATOR-PEAR. Enneandria Monogynia. S.S.					
	<i>gratissima. G.</i> (st.)	common.	W. Indies.	1739.	4. 6.	S. h.	Bot. reg. t. 1258.
	<i>Laurus Persea. w.</i>						
CINNAMOMUM. B.P. CINNAMON.		Enneandria Monogynia.					
1	<i>Cassia. s.s.</i> (gr.)	pubescent.	E. Indies.	1768.	5. 9.	S. h.	Andr. reposit. t. 596.
	<i>Laurus Cinnamomum. A.R.</i>	<i>Persea Cassia. s.s.</i>					
2	<i>verum.</i> (gr.)	true.	Ceylon.	1763.	6. 9.	S. h.	Bot. mag. t. 1636.
	<i>Laurus Cassia. B.M.</i>	<i>Persea Cinnamomum. s.s.</i>					
3	<i>dulcis. s.s.</i> (gr.wh.)	sweet.	E. Indies.	1824.	S. h.	
4	<i>nitidum. H.E.F.</i> (gr.)	glossy-leaved.	Sumatra.	—————	6. 9.	S. h.	Hook. ex. flor. t. 176.
5	<i>Bejolghota.</i> (gr.)	square-branch'd.	E. Indies.	1805.	S. h.	
	<i>Laurus Bejolghota. L.T.</i>	<i>Laurus malabathrica. H.B?</i>					
6	<i>Culitaban.</i> (gr.)	three-flowered.	Moluccas.	S. h.	Rumph. amb. 2. t. 14.
	<i>Laurus Culitaban. H.B.</i>						
7	<i>gracile. Hort.</i> (gr.)	slender.	E. Indies.	1805.	S. h.	
8	<i>Camphora.</i> (wh.)	Camphire-tree.	Japan.	1727.	3. 6.	G. h.	Bot. mag. t. 2658.
	<i>Laurus Camphora. B.M.</i>	<i>Persea Camphora. s.s.</i>					
OCOTEA. K.S.		Oc'OTEA. Dodecandria Monogynia.					
	<i>psychetrioïdes. K.S.</i> (gr.)	spear-leaved.	Mexico.	1828.	G. h.	
CRYPTOC'ARYA. B.P. CRYPTOC'ARYA.		Dodecandria Monogynia.					
1	<i>glaucescens. B.P.</i> (gr.)	glaucous-leaved.	N. S. W.	1820.	G. h.	
2	<i>obovata. B.P.</i> (gr.)	obovate-leaved.	—————	1823.	G. h.	
TETRANTH'ERA. B.P. TETRANTH'ERA.		Diœcia Enneandria.					
1	<i>aurifolia. B.R.</i> (gr.wh.)	Laurel-leaved.	Japan.	1823.	1. 5.	G. h.	Bot. reg. t. 893.
2	<i>petala. B.P.</i> (gr.wh.)	petalless.	E. Indies.	—————	—————	G. h.	Roxb. corom. 2. t. 147.
3	<i>dealbata. B.P.</i> (gr.)	white-leaved.	N. S. W.	1824.	G. h.	
4	<i>involverata. Rox.</i> (gr.)	involucered.	E. Indies.	1820.	1. 5.	G. h.	
CASS'YTHA. L.		CASS'YTHA. Dodecandria Monogynia.					
1	<i>filiformis. L.</i> (wh.)	slender.	C. B. S.	5. 8.	G. 2. ~.	Rumph. amb. 5. t. 184. f. 4
2	<i>glabella. B.P.</i> (wh.)	smooth.	N. S. W.	1822.	—————	G. 2. ~.	
3	<i>paniculata. B.P.</i> (wh.)	panicled.	—————	1824.	—————	G. 2. ~.	

LAURINIS AFFINE.

GYROCA'RPUS. B.P. GYROCA'RPUS. Polygamia Monœcia.					
1	americānus. w. (ye.) American.	W. Indies.	1816.	S. h. Jacq. amer. t. 178. f. 8.
2	asiāticus. w. (ye.) Asiatic.	E. Indies.	1812.	S. h. Roxb. corom. 1. t. 1.
	<i>Jacquini.</i> R.C.				
HERNA'NDIA. L. JACK IN A BOX. Monœcia Triandria. L.					
1	sonōra. w. (wh.) peltate-leaved.	W. Indies.	1693.	S. h. Rumph. amb. 2. t. 85.
2	guianēnsis. w. (wh.) Guiana.	Guiana.	1823.	S. h. Aub. gui. 2. t. 309.
3	ovigera. w. (wh.) oval-leaved.	E. Indies.	1820.	S. h. Rumph. amb. 3. t. 122.

ORDO CLXXI.

MYRISTICÆÆ. *Brown prodr. p. 399.*

MYRI'STICA. W. NUTMEG. Diœcia Monadelphica. L.					
1	moschāta. w. (ye.) true.	E. Indies.	1795.	S. h. Hook. ex. flor. t. 155-158.
	<i>officinālis.</i> H.E.F. <i>aromātica.</i> Lam.				
2	sebifera. s.s. (ye.) woolly-fruited.	S. America.	1829.	S. h.
3	fātua. s.s. (ye.) tasteless.	Surinam.	1812.	S. h. Pluk. alm. t. 250. f. 6.

ORDO CLXXII.

PROTEACEÆ. *Brown Linn. trans. 10. p. 46.*

A'ULAX. P.L. A'ULAX. Diœcia Tetrandria. H.K.					
1	pinifolia. L.T. (ye.) Pine-leaved.	C. B. S.	1780.	7. 9.	G. h. Andr. reposit. t. 76.
	<i>Prôtea pinifolia.</i> A.R.				
2	umbellāta. L.T. (ye.) umbelled.	—————	1774.	6. 8.	G. h. Andr. reposit. t. 248.
LEUCADE'NDRON. L.T. LEUCADE'NDRON. Diœcia Tetrandria. H.K.					
1	argēteum. L.T. (st.) Silver-tree.	C. B. S.	1693.	6. 8.	G. h. Bot. reg. t. 979.
	<i>Prôtea argētea.</i> W.				
2	plumōsum. L.T. (ye.) feathered.	—————	1774.	—	G. h. Thunb. diss. 40. t. 4.
	<i>Prôtea parviflora.</i> Th.				
3	retūsum. L.T. (ye.) retuse-leaved.	—————	1825.	—	G. h.
4	spathulātum. L.T. (ye.) spathulate.	—————	1812.	6. 8.	G. h.
5	angustātum. L.T. (ye.) narrow-leaved.	—————	1824.	—	G. h.
6	imbricatūm. L.T. (ye.) imbricated.	—————	1790.	—	G. h.
7	buxifolium. L.T. (ye.) Box-leaved.	—————	1812.	—	G. h. Wend. h. herr. t. 111.
8	Levisānus. L.T. (ye.) short-leaved.	—————	1774.	4. 6.	G. h. ————— t. 1.
9	linifolium. L.T. (ye.) Flax-leaved.	—————	1809.	—	G. h. Jacq. schœn. 1. t. 26.
10	stellātum. (ye.) starry.	—————	—	5. 6.	G. h. Bot. mag. t. 881.
	<i>Prôtea stellaris.</i> B.M. <i>squarrōsa.</i> K.P.				
11	fusciflorum. L.T. (br.) brown-flowered.	—————	1812.	—	G. h. Jacq. schœnb. 1. t. 27.
12	tōrtum. L.T. (ye.) twisted-leaved.	—————	1790.	3. 5.	G. h. Bot. reg. t. 826.
13	cinereum. L.T. (ye.) gray-leaved.	—————	1774.	7. 8.	G. h. Bot. reg. t. 402.
14	corymbōsum. L.T. (ye.) corymbed.	—————	1790.	4. 7.	G. h.
15	decorum. L.T. (ye.) decorous.	—————	—	5. 8.	G. h. Boerh. lug. 2. p. 197. ed.
16	squarrōsum. L.T. (ye.) squarrose.	—————	1812.	—	G. h.
	<i>Prôtea strobilina.</i> L.				
17	cōncolor. L.T. (ye.) one-coloured.	—————	1774.	3. 6.	G. h. Andr. reposit. t. 307.
	<i>Prôtea globosa.</i> B.M. 878. <i>strobilina.</i> Schrad. s. han. 1. t. 1.				
18	grandiflorum. L.T. (ye.) great-flowered.	C. B. S.	1789.	4. 6.	G. h. Sal. par. lond. t. 105.
19	ovāle. L.T. (ye.) oval-leaved.	—————	1818.	—	G. h.
20	venōsum. L.T. (ye.) veined-leaved.	—————	1815.	—	G. h.
21	decurrens. L.T. (ye.) decurrent.	—————	1812.	6. 8.	G. h.
22	glābrum. L.T. (ye.) smooth.	—————	—	3. 6.	G. h.

23	strictum. L.T. (ye.) upright.	C. B. S.	1795.	4. 6.	G. h.	Sal. par. lond. t. 75.
	<i>Euryspermum salicifolium</i> . P.L. <i>Pròtea conifera</i> . Andr. rep. t. 541.					
24	virgatum. L.T. (ye.) slender.	C. B. S.	—	G. h.	
25	ascendens. L.T. (ye.) ascending.	—	1774.	6. 8.	G. h.	Pluk. mant. t. 229. f. 6.
26	concinnum. L.T. (ye.) neat.	—	1800.	—	G. h.	
27	salignum. L.T. (ye.) Willow-leaved.	—	1774.	4. 6.	G. h.	Boer. lugd. 2. p. 204. ic.
28	uliginosum. L.T. (ye.) swamp.	—	1795.	—	G. h.	Breyn. cent. 21. t. 9.
29	floridum. L.T. (ye.) florid.	—	—	—	G. h.	Pluk. phyt. t. 229. f. 4.
	<i>Pròtea saligna</i> mas. et fem. Andr. rep. t. 572?					
30	platyspermum. L.T. (ye.) flat-seeded.	—	1818.	—	G. h.	
31	comosum. L.T. (ye.) tufted.	—	1812.	5. 8.	G. h.	
32	æmulum. L.T. (ye.) related.	—	1789.	6. 9.	G. h.	
	<i>Pròtea incurva</i> . Andr. rep. t. 429.					
33	abietinum. L.T. (ye.) Pine-leaved.	—	—	7. 9.	G. h.	Andr. reposit. t. 461.
	<i>Pròtea teretifolia</i> . Andr. rep. t. 461.					
34	scabrum. L.T. (ye.) rough.	—	1812.	4. 6.	G. h.	
35	sericeum. L.T. (ye.) silky-leaved.	—	1818.	—	G. h.	
36	Globularia. L.T. (ye.) globe-headed.	—	1810.	—	G. h.	Lam. ill. 1. t. 53.
37	pubescens. L.T. (ye.) pubescent.	—	1822.	—	G. h.	
38	ericifolium. L.T. (ye.) Heath-leaved.	—	—	—	G. h.	
39	inflexum. L.en. (ye.) inflexed.	—	1812.	—	G. h.	
40	caudatum. L.en. (ye.) tailed.	—	—	—	G. h.	
41	marginatum. L.en. (ye.) villous-margined.	—	1818.	—	G. h.	
42	crassifolium. L.T. (ye.) thick-leaved.	—	1816.	—	G. h.	
43	cartilagineum. L.T. (ye.) bony-margined.	—	—	—	G. h.	
	PETROPHILA. L.T. PETROPHILA. Tetrandria Monogynia. R.S.					
1	teretifolia. L.T. (wh.) round-leaved.	N. Holland.	1824.	G. h.	
2	filifolia. L.T. (wh.) thread-leaved.	—	—	G. h.	
3	acicularis. L.T. (wh.) needle-leaved.	—	—	G. h.	
4	pulchella. L.T. (wh.) Fennel-leaved.	N. S. W.	1790.	7. 8.	G. h.	Bot. mag. t. 796.
5	pedunculata. L.T. (st.) peduncled.	—	1824.	4. 8.	G. h.	
6	diversifolia. L.T. (wh.) various-leaved.	N. Holland.	1803.	4. 6.	G. h.	
7	trifida. L.T. (wh.) trifid-leaved.	—	1824.	G. h.	
	ISOPOGON. L.T. ISOPOGON. Tetrandria Monogynia. R.S.					
1	teretifolius. L.T. (wh.) round-leaved.	N. Holland	1824.	4. 8.	G. h.	
2	anethifolius. L.T. (wh.) Dill-leaved.	N. S. W.	1796.	3. 6.	G. h.	Cavan. ic. 6. t. 549.
3	formosus. L.T. (li.) handsome.	N. Holland.	1805.	—	G. h.	Bot. reg. t. 1288.
4	anemonifolius. L.T. (st.) Anemone-leav'd.	N. S. W.	1791.	7. 9.	G. h.	Bot. mag. t. 697.
5	divaricatus. A.R. (ye.) spreading.	—	—	—	G. h.	Andr. rep. t. 465.
6	trilobus. L.T. (wh.) three-lobed.	N. Holland.	1803.	5. 6.	G. h.	
7	longifolius. L.T. (ye.) long-leaved.	—	1820.	—	G. h.	Bot. reg. t. 900.
8	propinquus. M.C. (ye.) related.	—	1824.	G. h.	
9	attenuatus. L.T. (wh.) attenuated.	—	—	5. 6.	G. h.	
10	polycéphalus. L.T. (wh.) many-headed.	—	—	G. h.	
11	axillaris. L.T. axillary.	—	—	G. h.	
	PROTEA. L.T. PROTEA. Tetrandria Monogynia. L.					
1	cynaroides. L.T. (re.) Artichoke-fl'd.	C. B. S.	1774.	11. 3.	G. h.	Bot. mag. t. 770.
2	latifolia. L.T. (sc.) ray-flowered.	—	1806.	7. 9.	G. h.	— t. 1717.
3	coccinea. (sc.) scarlet-flower'd.	—	—	—	G. h.	Andr. reposit. t. 646.
4	tiridiflora. (gr.) green-flowered.	—	—	—	G. h.	— t. 646.
5	compacta. L.T. (pu.) compact.	—	1810.	—	G. h.	
6	longiflora. L.T. (st.) long-flowered.	—	1795.	1. 4.	G. h.	Sm. exot. bot. 2. t. 81.
	<i>Schroëlea</i> . Sm. <i>lacticolor</i> . Par. lond. t. 27.					
7	coccinea. L.T. (sc.) scarlet-flowered.	—	1810.	5. 6.	G. h.	
8	speciosa. L.T. (wh.br.) splendid.	—	1786.	3. 6.	G. h.	Knight's prot. c. ic.
9	obtusa. (pa. pi.) obtuse.	—	—	—	G. h.	Andr. reposit. t. 110.
	<i>speciosa</i> . B.M. 1183. <i>Erodéndrum obtusum</i> . K.P.					
10	macrophylla. L.T. (wh.) large-leaved.	—	1810.	—	G. h.	
11	formosa. L.T. (sc.) handsome.	—	1789.	5. 6.	G. h.	Bot. mag. t. 1713.
	<i>coronata</i> . A.R. 469. <i>Erodéndrum formosum</i> . Par. lond. t. 76.					
12	melaleuca. L.T. (bk.) black-fringed.	—	1786.	3. 7.	G. h.	Andr. reposit. t. 103.
13	Lepidocarpon. L.T. (bk.) crested.	—	1806.	—	G. h.	Wein. phyt. 4. t. 895.
14	neriifolia. L.T. (pu.) Oleander-leaved.	—	—	2. 4.	G. h.	Bot. reg. t. 208.
15	pulchella. L.T. (pu.) wave-leaved.	—	1795.	3. 8.	G. h.	— t. 20.
16	ciliata. (pu.bk.) fringe-leaved.	—	—	—	G. h.	Andr. reposit. t. 270.
17	glabra. (pu.bk.) smooth-leaved.	—	—	—	G. h.	— t. 277.
18	speciosa. (pu.bk.) specious.	—	—	—	G. h.	— t. 442.
19	patens. L.T. (st.bk.) spreading.	—	1789.	3. 6.	G. h.	— t. 543.
20	magnifica. A.R. (pu.bk.) magnificent.	—	—	—	G. h.	— t. 438.

16	<i>incómpta</i> . L.T. (<i>wh.</i>) villous-branched.	C. B. S.	1807.	5. 7.	G. h.	
17	<i>longifòlia</i> . L.T. (<i>st.bk.</i>) long-leaved.	————	1798.	3. 8.	G. h.	Bot. reg. t. 47.
18	<i>umbonàlis</i> . (<i>st.pu.</i>) embossed.	————	————	————	G. h.	Andr. reposit. t. 141.
	<i>longifòlia</i> . var. <i>cono turbinato</i> . A.R. <i>Erodéndrum umbonàle</i> . K.P.					
19	<i>ligulæfòlia</i> . (<i>st.pu.</i>) strap-leaved.	————	1798.	3. 8.	G. h.	Andr. reposit. t. 141.
	<i>longifòlia ferruginòso-purpùrea</i> . A.R. <i>Erodéndrum ligulæfòlium</i> . K.P.					
20	<i>mellifera</i> . L.T. (<i>ro.wh.</i>) honey-bearing.	————	1774.	12. 5.	G. h.	Bot. mag. t. 345.
	<i>β álba</i> . (<i>wh.</i>) white-flowered.	————	————	————	G. h.	Andr. reposit. ic.
21	<i>grandiflòra</i> . L.T. (<i>ro.w.</i>) great-flowered.	————	1787.	5. 6.	G. h.	Bot. mag. t. 2447.
	<i>β marginàta</i> . (<i>ro.wh.</i>) red margined.	————	————	————	G. h.	Bot. reg. t. 569.
22	<i>Scòlymus</i> . L.T. (<i>ro.wh.</i>) small-flowered.	————	1780.	————	G. h.	Bot. mag. t. 608.
23	<i>mucronifòlia</i> . L.T. (<i>wh.ro.</i>) dagger-leaved.	————	1803.	7. 12.	G. h.	Andr. rep. t. 500.
24	<i>nàna</i> . L.T. (<i>cr.</i>) dwarf.	————	1787.	4. 7.	G. h.	Sm. exot. bot. 1. t. 1.
	<i>rosàcea</i> . Sm. <i>acuífòlia</i> . Par. lond. t. 2.					
25	<i>péndula</i> . L.T. (<i>wh.gr.</i>) pendulous.	————	1806.	3. 6.	G. h.	
26	<i>ténax</i> . L.T. (<i>st.</i>) tough.	————	1801.	2. 5.	G. h.	Sal. par. lond. t. 70.
27	<i>canaliculàta</i> . L.T. (<i>pi.</i>) channel-leaved.	————	1800.	12. 2.	G. h.	Andr. reposit. t. 45.
28	<i>acuminàta</i> . B.M. (<i>cr.</i>) sharp-pointed.	————	1809.	3. 6.	G. h.	Bot. mag. t. 1694.
29	<i>acaùlis</i> . L.T. (<i>st.br.</i>) short-stalked.	————	1802.	5. 9.	G. h.	Wein. phyt. 4. t. 500.
30	<i>glaucophýlla</i> . P.L. (<i>st.br.</i>) glaucous-leaved.	————	————	7. 9.	G. h.	Sal. par. lond. t. 11.
31	<i>elongàta</i> . L.T. (<i>st.br.</i>) elongated.	————	1810.	————	G. h.	
32	<i>angustàta</i> . L.T. (<i>st.</i>) narrow-leaved.	————	1809.	————	G. h.	
33	<i>revolùta</i> . L.T. (<i>wh.</i>) revolute-leaved.	————	1818.	————	G. h.	
34	<i>tenuifòlia</i> . L.T. (<i>wh.br.</i>) slender-leaved.	————	1816.	————	G. h.	
35	<i>l'ævis</i> . L.T. (<i>ro.gr.</i>) smooth-leaved.	————	1806.	5. 7.	G. h.	Bot. mag. t. 2430.
	<i>longifòlia</i> . Par. lond. t. 37.					
36	<i>scábra</i> . L.T. (<i>wh.br.</i>) rough-leaved.	————	1809.	————	G. h.	
37	<i>répens</i> . L.T. (<i>re.wh.</i>) creeping.	————	1800.	6. 8.	G. h.	Wein. phyt. 4. t. 500.
38	<i>lòrea</i> . L.T. (<i>wh.</i>) thong-leaved.	————	1812.	————	G. h.	
39	<i>turbiniflòra</i> . L.T. (<i>ro.</i>) turfy.	————	1803.	4. 5.	G. h.	Sal. par. lond. t. 103.
40	<i>Scolopéndrium</i> . L.T. (<i>wh.br.</i>) Hart's-tongue.	————	1802.	————	G. h.	
41	<i>cordàta</i> . L.T. (<i>cr.</i>) heart-leaved.	————	1790.	3. 5.	G. h.	Andr. reposit. t. 20.
42	<i>amplexicaùlis</i> . L.T. (<i>re.</i>) stem-clasping.	————	1802.	1. 3.	G. h.	Sal. par. lond. t. 67.
43	<i>hùmilis</i> . L.T. (<i>pu.</i>) low-flowering.	————	————	6. 8.	G. h.	Andr. reposit. t. 522.
44	<i>aceròsa</i> . L.T. (<i>cr.</i>) Pine-leaved.	————	1803.	3. 5.	G. h.	Bot. reg. t. 351.
LEUCOSPE'RMUM. L.T. LEUCOSPE'RMUM. Tetrandria Monogynia. R.S.						
1	<i>lineàre</i> . L.T. (<i>ye.</i>) linear-leaved.	C. B. S.	1774.	8. 9.	G. h.	Thunb. dis. n. 35. t. 1.
2	<i>attenuàtum</i> . L.T. (<i>ye.</i>) attenuated.	————	1810.	————	G. h.	
3	<i>Tóttum</i> . L.T. (<i>ye.</i>) smooth-bracted.	————	1774.	6. 8.	G. h.	
4	<i>mèdium</i> . L.T. (<i>ye.</i>) oval-leaved.	————	1794.	————	G. h.	Andr. reposit. t. 177.
	<i>Pròtea formòsa</i> . A.R. ?					
5	<i>ellipticum</i> . L.T. (<i>ye.</i>) elliptic.	————	1803.	5. 8.	G. h.	
6	<i>Conocárpum</i> . L.T. (<i>go.</i>) many-toothed.	————	1774.	————	G. h.	Boer. lugd. 2. p. 194.
7	<i>grandiflòrum</i> . L.T. (<i>go.</i>) great-flowered.	————	1800.	5. 7.	G. h.	Sal. par. lond. t. 115.
	<i>Leucadéndron grandiflòrum</i> . P.L.					
8	<i>pùberum</i> . L.T. (<i>ye.</i>) downy-leaved.	————	1774.	5. 8.	G. h.	
9	<i>buxifòlium</i> . L.T. (<i>ye.</i>) Box-leaved.	————	1822.	————	G. h.	
10	<i>pátulum</i> . L.T. (<i>ye.</i>) spreading.	————	1816.	————	G. h.	
11	<i>spathulàtum</i> . L.T. (<i>ye.</i>) spathulate.	————	1810.	————	G. h.	
12	<i>tomentòsum</i> . K.P. (<i>ye.</i>) cottony.	————	1789.	8. 9.	G. h.	
13	<i>párule</i> . K.P. (<i>ye.</i>) matched.	————	1790.	————	G. h.	
14	<i>cándicans</i> . (<i>or.</i>) Rose-scented.	————	————	————	G. h.	Andr. reposit. t. 200.
	<i>Pròtea cándicans</i> . A.R.					
15	<i>Hypophýllum</i> . L.T. (<i>ye.</i>) trifid-leaved.	————	1787.	————	G. h.	Pluk. mant. t. 440. f. 1.
16	<i>crinitum</i> . L.T. (<i>ye.li.</i>) villous-bracted.	————	1824.	G. h.	
17	<i>oleæfòlium</i> . L.T. (<i>ye.</i>) Olive-leaved.	————	1822.	4. 6.	G. h.	
18	<i>diffusum</i> . L.T. (<i>ye.</i>) diffuse.	————	1823.	————	G. h.	
MIMETES. L.T. MIMETES. Tetrandria Monogynia. R.S.						
1	<i>hírta</i> . L.T. (<i>ye.cr.</i>) hairy.	C. B. S.	1774.	6. 8.	G. h.	Wein. phyt. 4. t. 500.
2	<i>capitulàta</i> . L.T. (<i>re.</i>) small-headed.	————	1322.	————	G. h.	
3	<i>pauciflòra</i> . L.T. (<i>re.</i>) few-flowered.	————	1816.	————	G. h.	
4	<i>palústris</i> . K.P. (<i>re.</i>) marsh.	————	1802.	————	G. h.	Boer. lugd. 2. p. 194.
5	<i>cucullàta</i> . L.T. (<i>re.</i>) three-toothed.	————	1789.	G. h.	Pluk. alm. t. 304. f. 1.
	<i>Pròtea cucullàta</i> . W.					
6	<i>Hartògii</i> . L.T. (<i>re.</i>) woolly-leaved.	————	1810.	G. h.	Wein. phyt. 4. t. 500.
7	<i>divaricàta</i> . L.T. (<i>wh.</i>) divaricate.	————	1795.	6. 9.	G. h.	
8	<i>vacciniifòlia</i> . (<i>re.wh.</i>) Vaccinium-leaved.	————	1800.	————	G. h.	
	<i>Diastélla vacciniifòlia</i> . K.P.					
9	<i>purpùrea</i> . L.T. (<i>pu.</i>) Heath-leaved.	————	1789.	11. 12.	G. h.	

SERRURIA. L.T.		SERRURIA. Tetrandria Monogynia. R.S.					
1	acocarpa. L.T.	(li.) sharp-fruited.	C. B. S.	1822.	4. 6.	G. h.	
2	obovata. L.T.	(li.) sandy-hill.	————	1821.	————	G. h.	
3	Aitonii. L.T.	(li.) Aiton's.	————	1823.	————	G. h.	
4	diffusa. L.T.	(li.) diffuse.	————	1810.	6. 8.	G. h.	
5	abrotanifolia. K.P.	(li.) Southernwood-leaved.	—	1803.	————	G. h.	Andr. reposit. t. 522.
	<i>Protea abrotanifolia hirta. A.R.</i>						
6	millefolia. K.P.	(li.) thousand-leaved.	————	————	————	G. h.	Andr. reposit. t. 337.
7	artemisiafolia. K.P.	(li.) Wormwood-leaved.	————	1789.	————	G. h.	———— t. 264.
8	pinnata. L.T.	(li.) slender.	————	1803.	————	G. h.	———— t. 512.
9	arenaria. L.T.	(li.) sand.	————	————	————	G. h.	
10	cyanooides. L.T.	(li.) trifid-leaved.	————	————	————	G. h.	Pluk. mant. t. 345. f. 6.
11	seriosa. L.T.	(li.) scaly-bracted.	————	1816.	5. 7.	G. h.	
12	pedunculata. L.T.	(li.) woolly-headed.	————	1789.	5. 8.	G. h.	Andr. reposit. t. 264.
	<i>Protea glomerata. A.R.</i>						
13	scoparia. L.T.	(li.) Broom.	————	1809.	————	G. h.	
14	Niveni. L.T.	(li.) Niven's.	————	1800.	————	G. h.	Andr. reposit. t. 349.
	<i>Protea decumbens. A.R. non Th.</i>						
15	villosa. L.T.	(li.) villous.	————	1810.	4. 7.	G. h.	
16	franiculacea L.T.	(li.) Fennel-leaved.	————	1816.	————	G. h.	
17	ciliata. L.T.	(li.) ciliated.	————	1803.	————	G. h.	
18	congesta. L.T.	(li.) crowded.	————	1816.	————	G. h.	
19	squarrosa. L.T.	(li.) squarrose.	————	1810.	————	G. h.	
20	phylicondes. L.T.	(li.) Phylica-flowered.	————	1788.	————	G. h.	Andr. reposit. t. 507. f. 4.
	<i>Protea abrotanifolia. A.R.</i>						
21	anula. L.T.	(li.) grey-branched.	————	1803.	————	G. h.	
22	parilis. K.P.	(li.) matched.	————	————	————	G. h.	Andr. reposit. t. 507.
23	odorata.	(li.) sweet-scented.	————	————	————	G. h.	———— t. 545.
	<i>Protea abrotanifolia odorata. A.R.</i>						
24	emarginata.	(li.) emarginate.	————	1800.	————	G. h.	Andr. reposit. t. 536.
	<i>arenaria. K.P. non Br. abrotanifolia minor. A.R.</i>						
25	decumbens. L.T.	(li.) decumbent.	————	1816.	————	G. h.	Thunb. diss. J. t. 1.
26	flagellaris. L.T.	(li.) procumbent.	————	————	————	G. h.	
27	glomerata. L.T.	(li.) many-headed.	————	1789.	————	G. h.	Burm. afr. t. 99. f. 2.
28	decipiens. L.T.	(li.) decipient.	————	1806.	————	G. h.	
29	Roxburghii. L.T.	(li.) Roxburgh's.	————	————	————	G. h.	
30	Burmanni. L.T.	(li.) Burmann's.	————	1786.	————	G. h.	Burm. afr. t. 99. f. 1.
	<i>Protea Serraria. L.</i>						
31	trternata. L.T.	(wh.) silvery-flowered.	————	1802.	————	G. h.	Andr. reposit. t. 447.
	<i>Protea argentiflora. A.R.</i>						
32	elongata. L.T.	(li.) long-peduncled.	————	1800.	————	G. h.	
33	crithmifolia. L.T.	(li.) Samphire-leaved.	————	1816.	————	G. h.	
NIVENIA. L.T.		NIVENIA. Tetrandria Monogynia. R.S.					
1	Sceptrum. L.T.	(pu.) sceptre-like.	C. B. S.	1790.	5. 6.	G. h.	Sparm. a. st. 1777. t. 1.
2	spathulata. L.T.	(pu.) maiden hair-leaved.	————	————	7. 8.	G. h.	Thunb. dis. n. 58. t. 5.
3	parvifolia. L.T.	(pu.) small-leaved.	————	1810.	————	G. h.	Thunb. t. 5. quoad fig.
4	spicata. L.T.	(pu.) spiked.	————	1786.	6. 8.	G. h.	
5	crithmifolia. L.T.	(pu.) Samphire-leaved.	————	1797.	————	G. h.	Andr. reposit. t. 243.
	<i>Protea Lagopus. A.R. non Thunb.</i>						
6	media. L.T.	(bh.) middle.	————	1803.	————	G. h.	Andr. reposit. t. 234?
	<i>Protea spicata. A.R.?</i>						
7	Lagopus. L.T.	(pu.) Hare's-foot.	————	1810.	————	G. h.	
SOROCEPHALUS. L.T.		SOROCEPHALUS. Tetrandria Monogynia. R.S.					
1	imberbis. L.T.	(pu.) smooth.	C. B. S.	1806.	6. 8.	G. h.	
2	spatilloides. L.T.	(pu.) club-bearing.	————	1803.	————	G. h.	
3	tennifolia. L.T.	(pu.) slender-leaved.	————	1802.	————	G. h.	
4	lanatus. L.T.	(pu.) woolly.	————	1790.	6. 9.	G. h.	Thunb. dis. n. 30. t. 3.
5	imbricatus. L.T.	(ro.) imbricated.	————	1794.	4. 7.	G. h.	Andr. reposit. t. 517.
6	diversifolius. L.T.	(pu.) various-leaved.	————	1807.	————	G. h.	
SPATA'LLA. L.T.		SPATA'LLA. Tetrandria Monogynia. R.S.					
1	pedunculata. L.T.	(pu.) long-peduncled.	C. B. S.	1822.	4. 8.	G. h.	
2	nivea. L.T.	(li.) snowy-bearded.	————	1806.	4. 8.	G. h.	
3	ramulosa. L.T.	(pu.) branching.	————	1812.	————	G. h.	
4	bracteata. L.T.	(pu.) bracteate.	————	————	5. 9.	G. h.	
5	prolifera. L.T.	(pu.) proliferous.	————	1800.	6. 8.	G. h.	Thunb. dis. n. 27. t. 4.
6	pyramidalis. L.T.	(pu.) pyramidal.	————	1821.	————	G. h.	
7	incurva. L.T.	(pu.) incurved-leaved.	————	1789.	5. 6.	G. h.	Thunb. dis. n. 22. t. 3.
8	caudata. L.T.	(pu.) tailed.	————	1812.	————	G. h.	———— sec. ic. t. 2.
9	Thunbergii. L.T.	(pu.) Thunberg's.	————	1806.	————	G. h.	

ADENA'NTHOS. L.T.		ADENA'NTHOS. Tetrandria Monogynia.			
1	obovata. L.T. (li.)	obovate-leaved.	N. Holland. 1824.	G. h. Labil. n. hol. 1. t. 37.
2	cuneata. L.T. (li.)	wedge-leaved.	-----	G. h. ----- v. 1. t. 38.
3	sericea. L.T. (li.)	silky-leaved.	-----	G. h. ----- v. 1. t. 38.
CONOSPE'RMUM. L.T.		CONOSPE'RMUM. Triandria Monogynia.			
1	ellipticum. L.T. (wh.)	elliptic-leaved.	N. S. W. 1822.	5. 7.	G. h.
2	taxifolium. L.T. (st.)	Yew-leaved.	-----	1823.	4. 6. G. h. Bot. mag. t. 2724.
3	ericifolium. L.T. (bh.)	Heath-leaved.	-----	1820.	----- G. h. ----- t. 2850.
4	longifolium. L.T. (wh.)	long-leaved.	-----	1824. G. h. Sm. exot. bot. 2. t. 51.
5	acinacifolium. Gr. (wh.)	scymeter-leaved.	-----	1824.	4. 6. G. h.
6	tenuifolium. L.T. (wh.)	slender-leaved.	-----	-----	G. h.
AGAST'ACHYS. L.T.		AGAST'ACHYS. Tetrandria Monogynia. R.S.			
	odorata. L.T. (ye.)	sweet-scented.	V. Diem. Isl. 1824.	4. 7.	G. h.
PERSO'ONIA. L.T.		PERSO'ONIA. Tetrandria Monogynia. R.S.			
1	teretifolia. L.T. (ye.)	round-leaved.	N. Holland. 1824.	5. 6.	G. h.
2	pinifolia. L.T. (ye.)	Pine-leaved.	N. S. W. 1818.	5. 7.	G. h. Linn. trans. 10. t. 16. f. 1.
3	juniperina. L.T. (ye.)	Juniper-leaved.	V. Diem. Isl. 1823.	-----	G. h. Lab. n. holl. 1. t. 46.
4	hirsuta. L.T. (ye.)	hairy.	N. S. W. 1800.	-----	G. h. Lodd. bot. cab. t. 327.
5	mollis. L.T. (ye.)	soft.	-----	1818.	----- G. h.
6	linearis. L.T. (ye.)	linear-leaved.	-----	1794.	7. 8. G. h. Bot. mag. t. 760.
7	pallida. Gr. (st.)	pale.	N. S. W. 1824.	9. 10.	G. h.
8	lucida. L.T. (ye.)	shining.	-----	-----	6. 8. G. h.
9	flexifolia. L.T. (ye.)	bending-leaved.	-----	1822.	----- G. h. Lodd. bot. cab. 922.
10	chamæpitys. F.T. (ye.)	ground-pine.	N. S. W. 1824.	-----	G. h.
11	scabra. L.T. (st.)	rough.	N. Holland. -----	-----	G. h.
12	nutans. L.T. (ye.)	nodding.	N. S. W. 1821.	-----	G. h.
13	pruinosa. M.C. (ye.)	frosted.	N. Holland. 1824.	-----	G. h.
14	lanceolata. L.T. (st.)	spear-leaved.	-----	1791.	6. 7. G. h. Andr. reposit. t. 74.
	<i>β</i> latifolia. B.P. (st.)	broad-leaved.	-----	-----	G. h. ----- t. 280.
15	salicina. L.T. (st.)	Willow-leaved.	-----	1795.	6. 7. G. h. Cavan. ic. 4. t. 389.
16	ferruginea. L.T. (ye.)	ferruginous.	-----	1818.	----- G. h. Sm. exot. bot. 2. t. 83.
BRAB'EJUM. L.T.		AFRICAN ALMOND. Polygamia Monœcia. L.			
	stellatifolium. L.T.	common.	C. B. S. 1731.	3. 4.	G. h. Hou. n. h. par. 2. t. 6. f. 37.
GREVILLEA. L.T.		GREVILLEA. Tetrandria Monogynia. R.S.			
1	punica. L.T. (sc.)	scarlet-flowered.	N. S. W. 1822.	4. 9.	G. h. Bot. reg. t. 1319.
2	dubia. L.T. (ro.)	doubtful.	-----	-----	G. h.
3	sericea. L.T. (ro.)	silky.	-----	1790.	----- G. h. Bot. mag. t. 862.
4	linearis. L.T. (li.)	linear-leaved.	-----	-----	G. h. Andr. reposit. t. 272.
	<i>α</i> incarnata. B.M. (pi.)	flesh-coloured.	-----	-----	G. h. Bot. mag. t. 2661.
	<i>β</i> alba. B.C. (bh.)	white-flowered.	-----	-----	G. h. Lodd. bot. cab. t. 858.
5	stricta. L.T. (li.)	upright.	-----	1822.	----- G. h.
6	riparia. L.T. (li.)	river-side.	-----	1791.	4. 5. G. h. Swt. flor. aust. t. 30.
7	rosmarinifolia. F.T. (li.)	Rosemary-leaved.	-----	1824.	----- G. h.
8	parviflora. L.T. (st.)	small-flowered.	-----	1824.	----- G. h.
9	juniperina. L.T. (gr. st.)	Juniper-like.	-----	1821.	----- G. h. Lodd. bot. cab. t. 1204.
10	concinna. L.T. (st. ro.)	pretty.	N. Holland. 1824.	3. 8.	G. h. Swt. flor. aust. t. 7.
11	arenaria. L.T. (li.)	sand.	N. S. W. 1803.	4. 9.	G. h.
12	montana. L.T. (gr.)	mountain.	-----	-----	G. h.
13	acuminata. L.T. (gr.)	acute-leaved.	-----	1805.	----- G. h. Swt. flor. aust. t. 55.
14	cinerea. L.T. (gr.)	grey.	-----	1821.	----- G. h. Lodd. bot. cab. t. 657.
15	mucronulata. L.T. (gr.)	mucronulate.	-----	1809.	----- G. h. Swt. flor. aust. t. 38.
16	Baueri. L.T. (bh.)	Bauer's.	-----	1823.	4. 8. G. h. Hook. ex. flor. t. 216.
	<i>pubescens</i> . Hooker, et				Lodd. bot. cab. t. 1229.
17	sulphurea. F.T. (st.)	sulphur-coloured.	-----	1823.	----- G. h.
18	sphacelata. L.T. (br.)	sphacelate.	-----	1825.	----- G. h.
19	phylicoides. L.T. (br.)	Phylla-like.	-----	-----	G. h.
20	collina. K.P. (br.)	hill.	-----	1812.	----- G. h.
21	buxifolia. L.T. (pu.)	Box-leaved.	-----	1790.	2. 9. G. h. Bot. reg. t. 443.
22	podalyriæfolia. C.C. (pu.)	Podalyria-leaved.	N. Holland. 1821.	5. 8.	I. h.
23	podocarpifolia.	Podocarpus-leav'd.	-----	1823. I. h.
24	berberifolia. C.C.	Berberry-leaved.	-----	-----	I. h.
25	acanthifolia. F.T. (gr.)	Acanthus-leaved.	-----	-----	I. h. Bot. mag. t. 2907.
26	Gaudichaudii. B. (ye.)	Gaudichaud's.	-----	1823. I. h.
27	trifurcata. C.C.	three-forked.	-----	-----	I. h.
28	aspleniifolia. L.T. (st.)	Spleenwort-leaved.	N. S. W. 1806.	I. h.
29	Flindersii. M.C.	Flinders's.	N. Holland. 1823.	I. h.
HAKA. L.T.		HAKA. Tetrandria Monogynia. R.S.			
1	pugioniformis. L.T. (wh.)	dagger-fruited.	N. S. W. 1796.	5. 6.	G. h. Lodd. bot. cab. t. 353.
2	parilis. K.P. (wh.)	matched.	V. Diem. Isl. -----	-----	G. h.

3	epiglóttis. L.T.	(wh.) curved-fruited.	V. Diem. Isl.	1822.	5. 6.	G. h.	Lab. nov. hol. 1. t. 40.
4	nodosa. L.T.	(wh.) knot-podded.	N. Holland.	1824.	—	G. h.	
5	flexilis. L.T.	(wh.) bending.	—	—	—	G. h.	
6	obliqua. L.T.	(wh.) oblique-flowered.	N. Holland.	1803.	6. 9.	G. h.	
7	subulata. ψ.	(wh.) awl-leaved.	—	1824.	—	G. h.	
8	petrophiloides. ψ.	(wh.) Petrophila-like.	—	1825.	—	G. h.	
9	lissosperma. L.T.	(wh.) smooth-seeded.	V. Diem. Isl.	1824.	—	G. h.	
10	gibbosa. L.T.	(st.) gibbous-fruited.	N. S. W.	1790.	5. 6.	G. h.	Cavan. ic. 6. t. 534.
11	acicularis. L.T.	(wh.) needle-leaved.	—	—	—	G. h.	Venten. malm. t. 111.
<i>Cónchium aciculare. V.</i>							
12	snaveolens. L.T.	(wh.) sweet-scented.	N. Holland.	1803.	11. 1.	G. h.	
13	Lamberti. N.L.F.	(wh.) Lambert's.	—	1823.	—	G. h.	
14	microcarpa. L.T.	(wh.) small-fruited.	V. Diem. Isl.	1818.	4. 8.	G. h.	Bot. reg. t. 475.
15	trifurcata. L.T.	(wh.) trifurcate.	N. Holland.	1824.	—	G. h.	
16	echinata. ψ.	(wh.) bristly-podded.	—	1825.	—	G. h.	
17	angustifolia. ψ.	(wh.) narrow-leaved.	—	1824.	—	G. h.	
18	linearis. L.T.	(wh.) linear-leaved.	—	—	—	G. h.	Swt. flor. aust. t. 43.
19	florida. L.T.	(wh.) many-flowered.	—	1803.	5. 6.	G. h.	Bot. mag. t. 2579.
20	ilicifolia. L.T.	(wh.) Holly-leaved.	—	—	7. 9.	G. h.	
21	nitida. L.T.	(wh.) glossy.	—	—	6. 8.	G. h.	Bot. mag. t. 2246.
22	amplexicaulis. L.T.	(wh.) smooth-stalked.	—	—	G. h.	
23	prostrata. L.T.	(wh.) pubescent.	—	—	G. h.	
24	ceratophylla. L.T.	(wh.) horn-leaved.	—	—	G. h.	
25	acanthophylla. L.en.	(w.) Acanthus-leaved.	—	—	G. h.	
26	undulata. L.T.	(wh.) wave-leaved.	—	—	6. 8.	G. h.	
27	repanda. ψ.	(wh.) repand.	—	1824.	—	G. h.	
28	propinqua. F.T.	(wh.) related.	—	1823.	—	G. h.	
29	oleifolia. L.T.	(wh.) Olive-leaved.	—	1794.	6. 7.	G. h.	
30	saligna. L.T.	(wh.) Willow-leaved.	—	1791.	3. 7.	G. h.	Swt. flor. aust. t. 27.
31	marginata. L.T.	(wh.) marginate.	—	1824.	4. 7.	G. h.	
32	ruscifolia. L.T.	(st.) Ruscus-leaved.	—	—	—	G. h.	Lab. nov. holl. 1. t. 39.
33	cinerea. L.T.	(wh.) hoary-leaved.	—	1803.	6. 7.	G. h.	
34	canescens. L.en.	(wh.) canescent.	N. S. W.	1800.	6. 8.	G. h.	
35	dactyloides. L.T.	(wh.) nerved-leaved.	—	1790.	—	G. h.	Cavan. ic. 6. t. 535.
36	elliptica. L.T.	(wh.) oval-leaved.	N. Holland.	1794.	—	G. h.	
37	ferruginea. s.F.A.	(wh.) rusty-stemmed.	—	1824.	4. 8.	G. h.	Swt. flor. aust. t. 45.
38	encullata. ψ.	(wh.) hollow-leaved.	—	—	—	G. h.	
39	clavata. L.T.	(wh.) clavate.	—	1824.	—	G. h.	Lab. nov. holl. 1. t. 41.
EMBOTHRIMUM. <i>EMBOTHRIMUM.</i> Tetrandria Monogynia.							
	strobilinum. Lab.	(st.) cone-flowered.	N. Holland.	1824.	3. 6.	G. h.	Lab. nov. holl. 2. t. 265.
LAMBERTIA. <i>LAMBERTIA.</i> Tetrandria Monogynia. R.S.							
1	uniflora. L.T.	(re.) single-flowered.	N. Holland.	1824.	G. h.	Bauer ic. ined.
2	inermis. L.T.	(or.) unarmed.	—	—	G. h.	— ic. ined.
3	formosa. L.T.	(ro.) handsome.	N. S. W.	1788.	6. 8.	G. h.	Bot. reg. t. 528.
4	echinata. L.T.	(ro.) lobe-leaved.	N. Holland.	1824.	G. h.	Bauer ic. ined.
XYLOMELUM. <i>WOODEN-PEAR-TREE.</i> Tetrandria Monogynia. R.S.							
	pyriforme. L.T.	(wh.) prickly-leaved.	N. S. W.	1789.	6. 8.	G. h.	Cavan. ic. 6. t. 536.
RHOP'ALA. <i>RHOP'ALA.</i> Tetrandria Monogynia. R.S.							
1	montana. L.T.	(st.) mountain.	Guiana.	1823.	4. 6.	S. h.	Aub. gui. 1. t. 32.
2	nitida. L.T.	(st.) glossy.	—	1826.	S. h.	Rudge pl. gui. 1. t. 39.
3	dentata. L.T.	(st.) tooth-leaved.	—	1802.	5. 8.	S. h.	
4	sessilifolia. L.T.	(st.) sessile-leaved.	—	1803.	—	S. h.	Rudg. gui. 1. t. 31.
TELOPEA. <i>WARATAH.</i> Tetrandria Monogynia. R.S.							
	speciosissima. L.T.	(cr.) splendid.	N. S. W.	1789.	5. 7.	G. h.	Bot. mag. t. 1128.
<i>Embotrium speciosissimum. B.M.</i>							
LOMATIA. <i>LOMATIA.</i> Tetrandria Monogynia. R.S.							
1	silafolia. L.T.	(wh.) cut-leaved.	N. S. W.	1792.	6. 8.	G. h.	Bot. mag. t. 1272.
2	tinctoria. L.T.	(st.) various-leaved.	V. Diem. Isl.	1822.	—	G. h.	Lab. n. holl. 1. t. 42-43.
3	polymorpha. L.T.	(st.) variable.	—	1823.	—	G. h.	
4	ilicifolia. L.T.	(st.) Holly-leaved.	N. Holland.	1824.	—	G. h.	
5	longifolia. L.T.	(wh.) long-leaved.	N. S. W.	1816.	5. 8.	G. h.	Bot. reg. t. 412.
6	dentata. L.T.	(st.) tooth-leaved.	Chile.	1824.	—	G. h.	Flor. peruv. 1. t. 94. a.
STENOCA'RPUS. <i>STENOCA'RPUS.</i> Tetrandria Monogynia. R.S.							
	salignus. L.T.	(wh.) sweet-scented.	N. S. W.	1815.	6. 9.	G. h.	Bot. reg. t. 441.
BOTRYC'ERAS. <i>BOTRYC'ERAS.</i> Tetrandria Monogynia. R.S.							
	laurinum. W.	(gr.) Laurel-like.	N. Holland.	1820.	6. 9.	G. h.	W.m.b. 1811. t. 10. f. 10.
BA'NKSIA. <i>BA'NKSIA.</i> Tetrandria Monogynia. R.S.							
1	pulchella. L.T.	(st.) small-flowered.	N. Holland.	1803.	2. 8.	G. h.	
2	sphaerocarpa. L.T.	(st.) round-fruited.	—	1803.	G. h.	

3	nūtans. L.T.	(st.)	nodding-flowered.	N. Holland.	1803.	4. 6.	G. h.		
4	ericifòlia. L.T.	(st.)	Heath-leaved.	N. S. W.	1788.	1. 12.	G. h.	Bot. mag. t. 735.	
5	spinulòsa. L.T.	(st.)	spiny-leaved.	—————	—————	12. 5.	G. h.	Andr. reposit. t. 457.	
6	collina. L.T.	(st.)	hill.	—————	1800.	G. h.		
7	occidentàlis. L.T.	(st.)	west-coast.	N. Holland.	1803.	4. 8.	G. h.		
8	littoralis. L.T.	(ye.)	sea-side.	—————	—————	4. 7.	G. h.		
9	marginàta. L.T.	(gr.)	various-leaved.	N. S. W.	1804.	5. 8.	G. h.	Bot. mag. t. 1947.	
10	austràlis. L.T.	(gr.)	southern.	V. Diem. Isl.	1816.	—	G. h.	Bot. reg. t. 787.	
	<i>marcéscens</i> . Hooker bot. mag. 2803. <i>nec aliorum</i> .								
11	insulàris. L.T.	(gr.)	Island.	—————	1823.	G. h.		
12	Cunninghámii. s.s.	(st.)	Cunningham's.	N. Holland.	1822.	—	G. h.		
13	integrifòlia. L.T.	(st.)	entire-leaved.	N. S. W.	1788.	5. 8.	G. h.	Bot. mag. t. 2770.	
14	compár. L.T.	(st.)	related.	N. Holland.	1823.	G. h.		
15	verticillàta. L.T.	(st.)	whorl-leaved.	—————	1794.	7. 11.	G. h.	Hook. ex. flor. t. 95.	
16	coccínea. L.T.	(sc.)	scarlet-flowered.	—————	1803.	G. h.	Bauer. n. holl. ic.	
17	paludòsa. L.T.	(st.)	marsh.	N. S. W.	1805.	1. 4.	G. h.	Bot. reg. t. 697.	
18	intermèdia. ψ .	(st.)	intermediate.	N. Holland.	1824.	G. h.		
19	oblongifòlia. L.T.	(st.)	oblong-leaved.	N. S. W.	1788.	5. 8.	G. h.	Lodd. bot. cab. t. 24.	
20	latifòlia. L.T.	(st.)	broad-leaved.	—————	1802.	—	G. h.	Cavan. ic. 6. t. 543.	
21	marcéscens. L.T.	(st.)	short-leaved.	N. Holland.	1794.	1. 12.	G. h.	Swt. flor. aust. t. 14.	
	<i>præmòrsa</i> . Andr. rep. t. 258. <i>aspleniifòlia</i> . K.P.								
22	attenuàta. L.T.	(st.)	attenuated, smooth-fl.	—————	1794.	1. 10.	G. h.		
23	serràta. L.T.	(st.)	saw-leaved.	N. S. W.	1788.	7. 9.	G. h.	Andr. reposit. t. 82.	
	<i>undulàta</i> . Bot. reg. t. 1316.								
24	'æmula. L.T.	(st.)	deeply-sawed.	—————	—————	1. 6.	G. h.	Bot. reg. t. 688.	
25	dentàta. L.T.	(st.)	tooth-leaved.	N. Holland.	1822.	S. h.		
26	quercifòlia. L.T.	(st.)	Oak-leaved.	—————	1805.	G. h.		
27	dryandroídes. s.f.a.	(br.)	Dryandra-like.	—————	1824.	3. 6.	G. h.	Swt. flor. aust. t. 56.	
28	speciòsa. L.T.	(wh.)	long-leaved.	—————	1805.	5. 8.	G. h.		
29	grándis. L.T.	(st.)	great-flowered.	—————	1794.	G. h.		
30	prostràta. ψ .	(st.)	prostrate.	—————	1824.	G. h.		
31	rèpens. L.T.	(st.)	creeping.	—————	1803.	G. h.	Lab. voy. 1. t. 23.	
32	ilicifòlia. L.T.	(st.)	Holly-leaved.	—————	1824.	G. h.		
	DRYA'NDRA. L.T.		DRYA'NDRA.	Tetrandria Monogynia.	R.S.				
1	floribúnda. L.T.	(ye.)	many-flowered.	N. Holland.	1803.	1. 12.	G. h.	Bot. mag. t. 1561.	
2	cuneàta. L.T.	(st.)	wedge-leaved.	—————	—————	11. 2.	G. h.		
	<i>a brevifòlia.</i>	(st.)	short-leaved.	—————	—————	—	G. h.		
	<i>β longifòlia.</i>	(st.)	long-leaved.	—————	—————	—	G. h.		
3	armàta. L.T.	(ye.)	acute-leaved.	—————	—————	1. 12.	G. h.		
4	falcàta. L.T.	(ye.)	falcate-leaved.	—————	1824.	G. h.		
5	formòsa. L.T.	(or.)	Apricot-scented.	—————	1803.	1. 12.	G. h.	Swt. flor. aust. t. 51.	
6	mucronulàta. L.T.	(ye.)	pointed-leaved.	—————	1824.	G. h.		
7	plumòsa. L.T.	(ye.)	feathered.	—————	1803.	1. 8.	G. h.		
8	obtùsa. L.T.	(ye.)	blunt-leaved.	—————	—————	G. h.		
9	nívea. L.T.	(ye.)	white-leaved.	—————	—————	7. 9.	G. h.	Lab. voy. 1. t. 24.	
10	longifòlia. L.T.	(ye.)	long-leaved.	—————	1805.	1. 12.	G. h.	Swt. flor. aust. t. 3.	
11	Baxtèri. ψ .	(ye.)	Baxter's.	—————	1824.	G. h.		
12	tenuifòlia. L.T.	(ye.)	slender-leaved.	—————	1803.	3. 5.	G. h.		
13	nervòsa. s.f.a.	(ye.)	nerved-leaved.	—————	1824.	3. 12.	G. h.	Swt. flor. aust. t. 22.	
14	pteridifòlia. L.T.	(ye.)	Pteris-leaved.	—————	—————	—	G. h.		

ORDO CLXXIII.

THYMELÆÆ. *Brown prodr. p. 358.*

DIRCA. W.			LEATHER-WOOD.	Octandria Monogynia.	L.			
palústris. w.	(ye.)	marsh.	Virginia.	1750.	3. 4.	H. h.	Bot. reg. t. 292.	
LAGE'TTA. J.			LACE-BARK.	Octandria Monogynia.	S.S.			
linteària. J.	(wh.)	Jamaica.	Jamaica.	1793.	12. 1.	S. h.	Lam. ill. t. 289.	
DA'PHNE. W.			DA'PHNE.	Octandria Monogynia.	L.			
1 Mezèreum. w.	(re.wh.)	Mezereon.	England.	2. 4.	H. h.	Eng. bot. v. 20. t. 132.	
<i>a álbum.</i>	(wh.)	white-flowered.	—————	—	H. h.		
<i>β rùbrum.</i>	(re.)	red-flowered.	—————	—	H. h.		
<i>γ autumnàle.</i>	(re.)	autumnal-flowered.	—————	8. 12.	H. h.		

2	Laureola. w.	(gr.) spurge-laurel.	Britain.	1. 3.	H. $\frac{1}{2}$.	Eng. bot. v. 2. t. 119.
3	pontica. w.	(gr.ye.) Pontic.	Pontus.	1759.	4. 5.	H. $\frac{1}{2}$.	Bot. mag. t. 1282.
4	tinifolia. w.	(st.) Bonace-bark.	Jamaica.	1733.	5. 7.	S. $\frac{1}{2}$.	
5	Gnidium. w.	(wh.) Flax-leaved.	Spain.	1597.	6. 8.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 150.
6	odora. w.	(bh.) sweet-scented.	China.	1771.	12. 3.	G. $\frac{1}{2}$.	Bot. mag. t. 1587.
7	hybrida. B.F.G.	(ro.) Dauphin.	Hybrid.	1826.	1. 6.	F. $\frac{1}{2}$.	Swt. br. fl. gar. t. 200.
8	alpina. w.	(wh.) Alpine.	Italy.	1759.	5. 7.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 66.
9	altaica. w.	(wh.) Altaic.	Siberia.	1796.	4. 5.	H. $\frac{1}{2}$.	Bot. mag. t. 1875.
10	Cneorum. w.	(ro.) trailing.	Austria.	1752.	4. 9.	H. $\frac{1}{2}$.	———— t. 313.
11	striata. s.s.	(pi.) streaked.	Hungary.	—	H. $\frac{1}{2}$.	
12	collina. s.s.	(re.) hairy.	Italy.	1752.	1. 6.	H. $\frac{1}{2}$.	Bot. mag. t. 428.
13	sericea. s.s.	(li.) silky-leaved.	Levant.	1818.	—	H. $\frac{1}{2}$.	
14	oleoides. s.s.	(li.) Olive-leaved.	Crete.	1815.	1. 12.	H. $\frac{1}{2}$.	Bot. mag. t. 1917.
15	napolitana. B.C.	(re.) Neapolitan.	Italy.	1823.	1. 6.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 719.
	collina β neapolitana. B.R.	822.					
16	Thymelæa. w.	(st.) smooth-leaved.	Spain.	1815.	2. 4.	H. $\frac{1}{2}$.	Pluk. alm. t. 229. f. 2.
17	Tarton-raira. w.	(st.) silvery-leaved.	France.	1640.	5. 7.	H. $\frac{1}{2}$.	———— t. 318. f. 6.
GNIDIA. L. GNIDIA. Octandria Monogynia. L.							
1	pinifolia. w.	(wh.) Pine-leaved.	C. B. S.	1768.	5. 6.	G. $\frac{1}{2}$.	Bot. reg. t. 19.
2	radiata. B.C.	(wh.) radiate.	————	1818.	—	G. $\frac{1}{2}$.	Lodd. bot. cab. t. 29.
3	imberbis. H.K.	(st.) smooth-scaled.	————	1792.	8. 4.	G. $\frac{1}{2}$.	Bot. mag. t. 1463.
4	simplex. H.K.	(ye.) Flax-leaved.	————	1786.	5. 6.	G. $\frac{1}{2}$.	———— t. 812.
5	juniperifolia. w.	(wh.) Juniper-leaved.	————	1822.	—	G. $\frac{1}{2}$.	
6	capitata. w.	(wh.) purple-twigged.	————	1788.	6. 7.	G. $\frac{1}{2}$.	
7	imbricata. w.	(st.) imbricated.	————	1822.	4. 8.	G. $\frac{1}{2}$.	Bot. reg. t. 757.
	denudata. B.R.						
8	oppositifolia. H.K.	(ye.) opposite-leaved.	————	1783.	5. 7.	G. $\frac{1}{2}$.	Bot. reg. t. 2.
9	tomentosa. s.s.	(st.) tomentose.	————	1822.	—	G. $\frac{1}{2}$.	
10	sericea. w.	(ye.) silky.	————	1786.	—	G. $\frac{1}{2}$.	Andr. reposit. t. 225.
	oppositifolia. A.R. nec aliorum.						
LACHNÆA. W. LACHNÆA. Octandria Monogynia. L.							
1	buxifolia. Lam.	(wh.) green box-leaved.	C. B. S.	1800.	5. 7.	G. $\frac{1}{2}$.	Bot. mag. t. 1657.
2	glauca. H.K.	(wh.) glaucous.	————	—	—	G. $\frac{1}{2}$.	———— t. 1658.
3	purpurea. w.	(pu.) purple-flowered.	————	—	—	G. $\frac{1}{2}$.	———— t. 1594.
4	ericephala. w.	(wh.) woolly-headed.	————	1793.	6. 7.	G. $\frac{1}{2}$.	———— t. 1295.
5	conglomerata. w.	(wh.) clustered.	————	1773.	—	G. $\frac{1}{2}$.	
PASSERINA. W. SPARROW-WORT. Octandria Monogynia. L.							
1	uniflora. w.	(wh.) one-flowered.	C. B. S.	1759.	4. 7.	G. $\frac{1}{2}$.	Wend. obs. t. 2. f. 18.
2	laxa. w.	(wh.) loose.	————	1804.	6. 7.	G. $\frac{1}{2}$.	Lodd. bot. cab. t. 755.
3	tenniflora. w.	(st.) slender-flowered.	————	1812.	—	G. $\frac{1}{2}$.	
4	filiformis. w.	(st.) filiform.	————	1752.	6. 8.	G. $\frac{1}{2}$.	Wend. obs. t. 2. f. 15.
5	capitata. w.	(wh.) headed.	————	1789.	6. 10.	G. $\frac{1}{2}$.	———— t. 2. f. 17.
6	hirsuta. w.	(st.) hairy.	S. Europe.	1759.	—	G. $\frac{1}{2}$.	Bot. mag. t. 1949.
7	striata. Lam.	(wh.) striate.	C. B. S.	1822.	—	G. $\frac{1}{2}$.	
8	ericoides. w.	(st.) Heath-like.	————	—	—	G. $\frac{1}{2}$.	
9	ciliata. w.	(wh.) fringed.	————	1819.	—	G. $\frac{1}{2}$.	Seb. mus. 2. t. 12. f. 9.
10	grandiflora. w.	(wh.) great-flowered.	————	1789.	5. 6.	G. $\frac{1}{2}$.	Bot. mag. t. 292.
11	spicata. w.	(wh.) spiked.	————	1787.	5. 7.	G. $\frac{1}{2}$.	Lodd. bot. cab. t. 311.
12	anthylloides. w.	(st.) Anthyllus-like.	————	1816.	—	G. $\frac{1}{2}$.	
STELLERA. W. STELLERA. Octandria Monogynia. L.							
1	Passerina. w.	(ye.) Flax-leaved.	S. Europe.	1759.	7. 8.	H. \odot .	Jacq. ic. 1. t. 68.
	Passerina annua. s.s.						
2	altaica. P.S.	(wh.) Altay.	Altay.	1824.	—	H. \odot .	
3	dichotoma. F.	(wh.) forked.	Dahuria.	—	—	H. \odot .	
D' AIS. L. D' AIS. Decandria Monogynia. L.							
	cotinifolia. w.	(pi.) Cotinus-leaved.	C. B. S.	1776.	6. 7.	G. $\frac{1}{2}$.	Bot. mag. t. 147.
STRUTHIOLA. L. STRUTHIOLA. Tetrandria Monogynia. L.							
1	virgata. H.K.	(re.) twiggy.	C. B. S.	1779.	4. 8.	G. $\frac{1}{2}$.	Andr. reposit. t. 139.
2	ciliata. A.R.	(st.) ciliated.	————	—	—	G. $\frac{1}{2}$.	———— t. 149.
3	lateriflora. R.S.	(wh.) side-flowering.	————	1816.	—	G. $\frac{1}{2}$.	
4	pubescens. R.S.	(re.) downy.	————	1790.	—	G. $\frac{1}{2}$.	Bot. mag. t. 1212.
5	longiflora. R.S.	(wh.) long-flowered.	————	1824.	—	G. $\frac{1}{2}$.	Lam. ill. t. 78.
6	glabra. R.S.	(wh.) upright smooth.	————	1798.	4. 9.	G. $\frac{1}{2}$.	Wendl. obs. t. 2. f. 10.
	erecta. w. stricta. Donn.						
7	juniperina R.S.	(wh.) drooping.	————	1758.	—	G. $\frac{1}{2}$.	Bot. mag. t. 222.
	erecta. B.M. nec aliorum.						
8	angustifolia. R.S.	(st.) narrow-leaved.	————	1816.	—	G. $\frac{1}{2}$.	
9	incana. B.C.	(ye.) hoary.	————	1802.	7. 8.	G. $\frac{1}{2}$.	Lodd. bot. cab. t. 11.
10	imbricata. R.S.	(ye.) tiled-leaved.	————	1794.	4. 8.	G. $\frac{1}{2}$.	Andr. reposit. t. 113.

11 ovàta. R.S.	(wh.) oval-leaved.	C. B. S.	1792.	2. 6.	G. h.	Andr. reposit. t. 119.
12 tomentosa. R.S.	(wh.) downy-leaved.	————	1799.	8. 9.	G. h.	———— t. 334.
PIMEL'EA. B.P.	PIMEL'EA. Diandria Monogynia.	R.S.				
1 linifolia. B.P.	(wh.) flax-leaved.	N. S. W.	1793.	2. 8.	G. h.	Bot. mag. t. 891.
2 paludosa. B.P.	(wh.) marsh.	————	1826.	—	G. h.	
3 glauca. B.P.	(wh.) glaucous-leaved.	————	1822.	—	G. h.	Linn. trans. 10. t. 13. f. 1.
4 ligustrina. B.P.	(wh.) Privet-like.	————	1823.	—	G. h.	Lab. nov. holl. 1. t. 3.
5 decussata. B.P.	(re.) cross-leaved.	————	—	4. 8.	G. h.	Swt. flor. aust. t. 8.
<i>ferruginea.</i> Lab.						
6 rosea. B.P.	(ro.) rose-coloured.	N. Holland.	1800.	3. 9.	G. h.	Bot. mag. t. 1458.
7 linoïdes. F.T.	(wh.) flax-like.	N. S. W.	1824.	—	G. h.	
8 filamentosa. L.T.	(wh.) filamentose.	N. Holland.	1826.	—	G. h.	Linn. trans 10. t. 14. f. 1.
9 pauciflora. B.P.	(ye.) few-flowered.	V. Diem. Isl.	1812.	—	G. h.	Lodd. bot. cab. t. 179.
10 humilis. B.P.	(wh.) dwarf.	————	1825.	6. 9.	G. h.	Bot. reg. t. 1268.
11 clavata. B.P.	(ye.) clubbed.	N. Holland.	1826.	3. 6.	G. h.	
12 incana. B.P.	(st.) hoary.	V. Diem. Isl.	—	4. 8.	G. h.	
13 drupacea. B.P.	(wh.) drupe-bearing.	————	1820.	—	G. h.	Swt. flor. aust. t. 52.
14 spicata. B.P.	(wh.) spiked.	N. S. W.	1824.	—	G. h.	Linn. trans. 10. t. 14. f. 2.
? TR'OPHIS. W.	RAMOON-TREE. Diœcia Tetrandria.	W.				
1 americana. w.	(gr.) American.	W. Indies.	1789.	4. 5.	S. h.	Brown. jam. t. 37. f. 1.
2 aspera. w.	(gr.) rough-leaved.	E. Indies.	1802.	—	S. h.	
3 spinosa. s.s.	(gr.) spiny.	————	1826.	S. h.	

ORDO CLXXIV.

OSYRIDEÆ. *Brown.*

OS'YRIS. W.	POET'S CASSIA. Diœcia Triandria.	L.				
álba. w.	(wh.) white.	S. Europe.	1739.	G. h.	Lam. il. t. 802.
EXOCA'RPOS. B.P.	EXOCA'RPOS. Pentandria Monogynia.					
1 cupressifórmis. B.P.	(wh.) Cypress-like.	N. Holland.	1820.	G. h.	Labill. voy. 1. t. 14.
2 humifusa. B.P.	(gr.) low-procumbent.	V. Diem. Isl.	1822.	G. h.	
3 stricta. B.P.	(gr.) upright.	N. S. W.	—	G. h.	

ORDO CLXXV.

SANTALACEÆ. *Brown prodr. p. 350.*

SA'NTALUM. B.P.	SANDAL-WOOD. Tetrandria Monogynia.	W.				
1 álbum. F.I.	(ye. pu.) white.	E. Indies.	1804.	S. h.	Rumph. amb. 2. t. 11.
2 myrtifolium. F.I.	(li.) Myrtle-leaved.	————	1819.	G. h.	Roxb. corom. 1. t. 2.
3 obtusifolium. B.P. blunt-leaved.	N. S. W.	1823.	G. h.	
FUS'ANUS. B.P.	FUS'ANUS. Tetrandria Monogynia.					
compréssus. H.K.	(gr.) flat-stalked.	C. B. S.	1776.	G. h.	Berg. cap. 38. t. 1. f. 1.
LEPTOM'ERIA. B.P.	LEPTOM'ERIA. Pentandria Monogynia.	R.S.				
1 ácida. B.P.	(wh.) acid.	N. S. W.	1823.	G. h.	
2 Billardiéri. B.P.	(wh.) Labillardiere's.	————	—	G. h.	Lab. nov. hol. 1. t. 98.
<i>Thesium drupaceum.</i> Lab.						
TH'ESIUM. R.S.	TH'ESIUM. Pentandria Monogynia.	L.				
1 linophyllum. B.S.	(gr.) common.	England.	6. 7.	H. 4.	Eng. bot. v. 4. t. 247.
2 intermédium. R.S.	(wh.) intermediate.	Germany.	1818.	—	H. 4.	Sebkühr band. t. 51.
3 montanum. R.S.	(wh.) mountain.	Europe.	—	H. 4.	Hayn. sc. j. t. 119.
4 alpinum. R.S.	(wh.) Alpine.	————	1814.	—	H. 4.	Jacq. aust. 5. t. 416.
5 ramosum. R.S.	(wh.) branching.	————	1824.	—	H. 4.	Hayn. sc. j. p. 30. t. 7.
6 ebracteatum. R.S.	(gr.) blunt-leaved.	Germany.	—	—	H. 4.	— l. c. t. 7.
7 ? amplexicaule. R.S.	(gr.) stem-clasping.	C. B. S.	1787.	—	G. h.	
COMA'NDRA. N.	COMA'NDRA. Pentandria Monogynia.	N.				
umbellata. N.	(wh.) umbelled.	N. America.	1782.	6.	H. 4.	Pluk. mant. t. 342. f. 1.
<i>Thesium umbellatum.</i> W.						

HAMILTONIA. W.	OIL-NUT. Polygamia Diœcia. W.					
oleifera. w. (gr.ye.)	Olive-bearing. N. America. 1800.	G. h.		Pursh. amer. 1. t. 13.	
<i>Pyrularia pùbera.</i> M.						
NYSSA. R.S.	TUPELO. Polygamia Diœcia. L.					
1 villòsa. R.S. (gr.)	hairy-leaved. N. America. 1806.	5.	H. h.		Mich. arb. 2. t. 21.	
2 aquática. R.S. (gr.)	water. ———— 1739.	4. 5.	H. h.		——— 2. t. 22.	
<i>biflòra.</i> W.						
3 cándicans. R.S. (gr.)	Ogechee-lime. ———— 1812.	H. h.		Mich. arb. 2. t. 20.	
4 capitata. H.K. (gr.)	headed. Carolina. 1806.	H. h.			
5 tomentòsa. R.S. (gr.)	tomentose. ———— 1812.	H. h.		Mich. arb. 2. t. 19.	
6 denticulata. R.S. (gr.)	toothed. N. America. 1795.	5. 6.	H. h.		Catesb. car. 1. t. 60.	

ORDO CLXXVI.

ELÆAGNEÆ. *Don prodr. p. 67.*

HIPPO'PHAE. L.	SEA-BUCKTHORN. Diœcia Tetrandria. L.					
1 rhamnoides. w. (st.)	common. England.	4. 5.	H. h.		Eng. bot. t. 425.	
2 salicifolia. D.P. (st.)	Willow-leaved. Nepaul. 1819.	H. h.			
SHEPHERDIA. N.	SHEPHERDIA. Diœcia Octandria. N.					
1 argentea. N. (st.)	silvery. Missouri. 1818.	H. h.			
<i>Hippophae argentea.</i> Ph.						
2 canadensis. N. (st.)	Canadian. ———— 1759.	4. 5.	H. h.			
<i>Hippophae canadensis.</i> w.						
ELÆAGNUS. L.	OLEASTER. Tetrandria Monogynia. L.					
1 angustifolia. R.S. (wh.)	narrow-leaved. S. Europe. 1633.	7.	H. h.		Bot. reg. t. 1156.	
2 songaricus. F. (st.)	Fischer's. Siberia. 1821.	—	H. h.			
3 orientalis. R.S. (wh.)	oriental. Levant. 1748.	7. 8.	G. h.		Pall. ros. 1. t. 5.	
4 spinosa. R.S. (wh.)	spiny. Egypt. 1826.	—	F. h.			
5 argentea. Ph. (wh.)	silvery. N. America. 1813.	—	H. h.		Wats. dend. brit. t. 16.	
6 arborea. F.I. (wh.)	tree. Nepaul. 1819.	H. h.			
7 conferta. F.I. (st.)	close-flowered. ————	H. h.			
8 latifolia. R.S. (wh.)	broad-leaved. E. Indies. 1712.	7. 8.	S. h.		Burm. zeyl. t. 39. f. 2.	
9 triflora. F.I. (wh.)	three-flowered. Nepaul. 1825.	H. h.		——— t. 39. f. 1.	
10 umbellata. D.P. (wh.)	umbelled. ———— 1829.	H. h.		Thunb. jap. t. 14.	

ORDO CLXXVII.

ASARINÆ. *Kunth synops. 1. p. 442.*

ASARUM. L.	ASARABACCA. Dodecandria Monogynia. L.					
1 europæum. s.s. (pu.)	common. England.	5.	H. 4.		Eng. bot. v. 16. t. 1083.	
2 canadense. s.s. (pu.)	Canadian. Canada. 1713.	4. 7.	H. 4.		Swt. br. fl. gar. t. 95.	
3 virginicum. w. (pu.)	Virginian. Virginia. 1759.	4. 5.	H. 4.		——— t. 18.	
4 arifolium. s.s. (pu.)	Arm-leaved. Carolina. 1818.	5. 6.	H. 4.		Hook. ex flor. t. 40.	
ARISTOLOCHIA. W.	BIRTHWORT. Gynandria Hexandria. L.					
1 bilobata. w. (pu.)	two-lobed. W. Indies. 1822.	6. 8.	S. h. ∪.		Plum. amer. t. 106.	
2 trilobata. w. (pu.)	three-lobed. S. America. 1775.	6. 7.	S. h. ∪.			
3 ringens. w. (br.)	gaping. ———— 1820.	—	S. h. ∪.		Vahl. symb. 2. t. 47.	
4 labiosa. B.R. (br.)	lipped. ————	5. 9.	S. h. ∪.		Bot. reg. t. 689.	
5 pentandra. w. (pu.)	pentandrous. Cuba. 1828.	S. h. ∪.		Jacq. ic. pict. t. 224.	
6 panduriformis. w. (pu.)	fiddle-leaved. Caracas. 1823.	S. h. ∪.			
7 maxima. w. (pu.)	great. New Spain. 1759.	7.	S. h. ∪.		Jacq. amer. t. 146.	
8 Siph. w. (br.)	broad-leaved. N. America. 1763.	6. 7.	H. h. ∪.		Bot. mag. t. 534.	
9 tomentosa. B.M. (ye.)	downy. ———— 1799.	—	H. h. ∪.		——— t. 1369.	
10 odoratissima. w. (pu.)	sweet-scented. Jamaica. 1737.	7.	S. h. ∪.		Sloan. jam. 1. t. 104. f. 1.	
11 barbata. w. (pu.)	bearded. Caracas. 1796.	6. 8.	S. h. ∪.		Jacq. ic. 3. t. 603.	
12 bilabiata. w. (pu.)	two-lipped. Cuba. 1829.	S. h. ∪.			
13 indica. w. (pu.)	Indian. E. Indies. 1780.	6. 7.	S. h. ∪.		Rheed. mal. 8. t. 25.	
14 acuminata. w. (pu.)	taper-pointed. Mauritius. 1820.	S. h. ∪.			

15	fœtida. κ.s.	(pu.) fetid.	Mexico.	1822.	6. 8.	S. h. ∪.	H. et B. 2. t. 114.
16	hastata. κ.s.	(pu.) halberd-leaved.	Havannah.	—	S. h. ∪.	— 2. t. 116.
17	bœtica. w.	(pu.) Spanish.	Spain.	1596.	5. 6.	H. h. ∪.	Moris. s. 12. t. 17. f. 6.
18	glauca. w.	(ye.) glaucous.	Barbary.	1785.	6. 8.	G. h. ∪.	Bot. mag. t. 1115.
19	sempervirens. w.	(pu.) evergreen.	Candia.	1727.	5. 6.	G. h. ∪.	— t. 1116.
20	longa. w.	(pu.) long-rooted.	S. Europe.	1548.	6. 10.	H. ʒ.	Mill. ic. t. 51. f. 2.
21	microphylla. W.en.	(pu.) small-leaved.	1826.	—	G. ʒ.	—
22	Serpentaria. w.	(pu.) Snake-root.	N. America.	1632.	6. 7.	H. ʒ.	Jacq. schoen. 3. t. 385.
23	sagittata. Muhl.	(pu.) arrow-leaved.	—	1819.	—	H. ʒ.	—
24	bracteata. w.	(pu.) bracteate.	E. Indies.	1793.	7.	S. ʒ.	—
25	Pistolochia. w.	(pu.) small.	S. Europe.	1597.	6. 7.	H. ʒ.	—
26	rotunda. w.	(pu.) round-rooted.	—	1596.	3. 10.	G. ʒ.	—
27	pallida. w.	(pa.) pale-flowered.	Italy.	1640.	5. 8.	H. ʒ.	Moris. s. 12. t. 18. f. 2.
28	hirta. w.	(pu.) hairy.	Chio.	1759.	5. 6.	G. ʒ.	Tourn. it. 1. t. 147.
29	Clematitidis. w.	(ye.) common.	England.	5. 8.	H. ʒ.	Eng. bot. v. 6. t. 308.
30	arborescens. w.	(pu.ye.) tree.	America.	1737.	6. 7.	G. h.	—

ORDO CLXXVIII.

CYTINÆ. Brogniart.

NEPENTHES. L. PITCHER-PLANT. Diœcia Monadelphia. L.

1	distillatoria. w.	(gr.) cylindrical.	Ceylon.	1789.	4. 5.	S.w. ʒ.	Burm. zeyl. 42. t. 17.
2	Phyllamphora. w.	(gr.) ventricose.	China.	1822.	6. 8.	S.w. ʒ.	Bot. mag. t. 2629.

ORDO CLXXIX.

STACKHOUSEÆ. Brown.

STACKHO'USIA. Lab. STACKHO'USIA. Pentandria Trigynia.

1	linariifolia. F.T.	(st.) Linaria-leaved.	N. S. W.	1823.	3. 6.	G. h.	—
2	spathulata. s.s.	(wh.) spathulate-leaved.	—	1825.	4. 6.	G. h.	—

ORDO CLXXX.

EUPHORBIACEÆ. Juss. gen. 384.

MERCURIALIS. W. MERCURY. Diœcia Enneandria. L.

1	perennis. w.	(gr.) perennial.	Britain.	4. 5.	H. ʒ.	Eng. bot. v. 26. t. 182.
2	ambigua. w.	(gr.) doubtful.	Spain.	1806.	7. 8.	H. ⊙.	Linn. f. dec. 1. t. 8.
3	annua. w.	(gr.) annual.	Britain.	7. 9.	H. ⊙.	Eng. bot. v. 8. t. 558.
4	elliptica. w.	(gr.) oval-leaved.	Portugal.	1802.	5. 7.	G. h.	Venten. cels. t. 12.
5	tomentosa. w.	(gr.) woolly.	Spain.	1640.	7. 9.	H. h.	—

PEDILA'NTHUS. Neck. SLIPPER-SPURGE. Dodecandria Trigynia. L.en.

1	tithymaloïdes. B.R.	(sc.) Myrtle-leaved.	S. America.	1699.	6. 7.	D.S. h.	Bot. reg. t. 837.
	myrtifolius. L.en.	<i>Crepidaria myrtifolia</i> . H.s.s.	—	—	—	—	—
2	carinatus.	(sc.) keel-leaved.	W. Indies.	1809.	—	D.S. h.	Bot. mag. t. 2514.
	<i>Euphorbia carinata</i> . B.M.	<i>Crepidaria carinata</i> . H.s.s.	—	—	—	—	—
3	subcarinatus. H.R.	(sc.) small-keeled.	W. Indies.	1819.	—	D.S. h.	—
4	canaliculatus.	(sc.) channelled-leaved.	—	—	—	D.S. h.	Lodd. bot. cab. t. 727.
	<i>Euphorbia canaliculata</i> . B.C.	—	—	—	—	—	—
5	padifolius. H.s.	(sc.) Padus-leaved.	—	1699.	—	D.S. h.	Dill. eit. t. 288. f. 372.
6	cordellatus.	(sc.) small-heart-leaved.	—	1795.	—	D.S. h.	—
	<i>Crepidaria cordellata</i> . H.s.	—	—	—	—	—	—

EUPHORBIA. W. SPURGE. Dodecandria Trigynia. L.					
1	uncinata. DC. (<i>gr.ye.</i>) twin-spined.	C. B. S.	1795.	6. 8.	D.G. h ₂ . DC. plant. gras. t. 151.
	<i>Scolopendria</i> . H.S. <i>procumbens</i> . Meerb. ic. rar. t. 55. <i>ex</i> H.P.				
2	squarrosa. H.P. (<i>gr.ye.</i>) squarrose.	C. B. S.	1825.	—	D.G. h ₂ .
3	trigona. H.S. (<i>gr.ye.</i>) upright 3-sided.	E. Indies.	1768.	7. 8.	D.S. h ₂ .
4	antiquorum. H.S. (<i>gr.ye.</i>) spreading 3-sided.	—	1688.	—	D.S. h ₂ . Comm. hort. 1. t. 12.
5	lactea. H.S. (<i>gr.ye.</i>) marbled.	—	1804.	—	D.S. h ₂ .
6	grandidens. H.P. (<i>gr.ye.</i>) large-toothed.	C. B. S.	1820.	—	D.G. h ₂ .
7	canariensis. W. (<i>br.re.</i>) Canary.	Canaries.	1697.	3. 4.	D.G. h ₂ . DC. plant. gras. t. 140.
8	caulescens. H.P. (<i>st.</i>) blue-stemmed.	C. B. S.	1825.	—	D.G. h ₂ .
9	tetragona. H.P. (<i>gr.ye.</i>) four-sided.	—	—	—	D.G. h ₂ .
10	heptagona. W. (<i>br.re.</i>) seven-angled.	—	1731.	7. 11.	D.G. h ₂ . Bradl. suc. 2. t. 13.
	<i>a nigra</i> . H.S. (<i>br.re.</i>) black-spined.	—	—	—	D.G. h ₂ .
	<i>β rubra</i> . H.S. (<i>br.re.</i>) red-spined.	—	—	—	D.G. h ₂ .
11	pentagona. H.P. (<i>gr.ye.</i>) five-sided.	—	1825.	—	D.G. h ₂ .
12	enneagona. H.S. (<i>gr.ye.</i>) nine-angled.	—	1790.	7. 10.	D.G. h ₂ .
13	mammillaris. W. (<i>gr.ye.</i>) warty-angled.	—	1759.	7. 8.	D.G. h ₂ . Comm. præl. t. 9.
14	cerciformis. W. (<i>gr.ye.</i>) naked.	—	1731.	6. 7.	D.G. h ₂ . Burm. afr. t. 9. f. 3.
15	officinarum. W. (<i>ye.</i>) officinal.	Africa.	1597.	—	D.G. h ₂ . DC. plant. gras. t. 77.
16	odontophylla. W. en. (<i>gr.</i>) white-spined.	C. B. S.	1824.	—	D.G. h ₂ .
17	stellaspina. H.P. (<i>gr.ye.</i>) starry-spined.	—	—	—	D.G. h ₂ .
18	polygona. H.S. (<i>gr.ye.</i>) many-angled.	—	1790.	7. 9.	D.G. h ₂ . Lodd. bot. cab. t. 1334.
19	nereifolia. W. (<i>re.</i>) Oleander-leaved.	India.	1690.	6. 7.	D.S. h ₂ . DC. plant. gras. t. 46.
20	Hy'strix. W. (<i>st.</i>) Porcupine.	C. B. S.	1695.	—	D.G. h ₂ . Jacq. schœn. 2. t. 207.
	<i>loricata</i> . P.S. <i>Treisia Hy'strix</i> . H.S.				
21	varians. H.S. (<i>gr.ye.</i>) variable-stem'd.	E. Indies.	1800.	6. 9.	D.S. h ₂ .
22	grandifolia. H.S. (<i>gr.ye.</i>) great-leaved.	Sierra Leon.	1798.	—	D.S. h ₂ .
23	erosa. W. en. (<i>gr.ye.</i>) erose.	1818.	D.S. h ₂ .
24	tribuloides. S.S. (<i>wh.</i>) Caltrops-like.	Canaries.	1816.	6. 9.	D.G. h ₂ .
25	Millii. Desm. (<i>sc.</i>) splendid.	Madagascar.	1823.	—	D.S. h ₂ . Bot. mag. t. 2902.
	<i>splendens</i> . B.M. ann. 1829. <i>Millii</i> . Desm. ann. 1826.				
26	cucumerina. W. (<i>gr.</i>) Cucumber-like.	C. B. S.	5. 9.	D.G. h ₂ . Vail. it. t. 5.
27	meliformis. W. (<i>ye.</i>) Melon-like.	—	1774.	—	D.G. h ₂ . Andr. reposit. t. 617.
28	clava. W. (<i>gr.</i>) club.	—	—	3. 12.	D.G. h ₂ . Jacq. ic. 1. t. 85.
	<i>Treisia tuberculata</i> . H.S.S.				
29	Haworthii. (<i>gr.</i>) Haworth's.	—	—	—	D.G. h ₂ .
	<i>Treisia clara</i> . H.S. <i>excl. syn.</i> W.				
30	lupulrifolia. W. (<i>gr.</i>) cone-shaped.	—	1791.	6. 7.	D.G. h ₂ . Jacq. schœn. 1. t. 106.
31	Caput medusæ. W. (<i>gr.</i>) great Medusa's head.	Africa.	1731.	8.	D.G. h ₂ . Lodd. bot. cab. t. 1315.
	<i>Medusea major</i> . H.S.				
	<i>β humilis</i> . (<i>gr.</i>) <i>dicarfer</i> .	—	1768.	—	D.G. h ₂ . Burm. afr. t. 8.
32	tessellata. H.S. (<i>gr.</i>) chequer'd-M'-head.	1788.	—	D.G. h ₂ .
33	fructus-pini. H.S. (<i>gr.</i>) small M'-head.	C. B. S.	1731.	—	D.G. h ₂ . DC. plant. gras. t. 150.
	<i>β geminata</i> . (<i>gr.</i>) twin-branched.	—	—	—	D.G. h ₂ . Burm. afr. 18. t. 9. f. 1.
34	procumbens. H.S. (<i>gr.</i>) least M'-head.	—	1768.	—	D.G. h ₂ . ——— t. 10. f. 1.
35	pátula. Mill. (<i>br.gr.</i>) spreading.	—	—	—	D.G. h ₂ .
	<i>Dactylánthes pátula</i> . H.S.				
36	anacantha. W. (<i>br.gr.</i>) scaly.	—	1727.	9. 10.	D.G. h ₂ . Bot. mag. t. 2520.
37	globosa. B.M. (<i>br.gr.</i>) roundish-jointed.	—	1822.	6. 11.	D.G. h ₂ . ——— t. 2624.
	<i>Dactylánthes globosa</i> . H.P.				
38	tuberculata. W. (<i>wh.</i>) tuberculate.	—	1805.	6. 8.	D.G. h ₂ . Jacq. schœn. 2. t. 208.
39	hamata. H.S. (<i>br.gr.</i>) hooked.	—	1795.	—	D.G. h ₂ . Burm. afr. t. 6. f. 3.
40	Commelini. DC. (<i>br.gr.</i>) Commelin's.	Africa.	—	D.S. h ₂ .
41	Ornithopus. W. en. (<i>w.</i>) Bird's-foot.	—	1816.	—	G. h ₂ . Jacq. fragm. t. 120.
42	clandestina. S.S. (<i>gr.</i>) clandestine.	—	1824.	—	D.G. h ₂ .
43	lophogona. W. (<i>gr.</i>) curl-winged.	Madagascar.	—	—	D.S. h ₂ . DC. plant. gras. ic.
44	pendula. L. en. (<i>gr.</i>) pendulous.	1808.	—	D.S. h ₂ .
	<i>Tithymalus pendulus</i> . H.				
45	Tirucalli. W. (<i>wh.</i>) Indian tree.	India.	1690.	D.S. h ₂ . Rheed. mal. 2. t. 34.
46	mauritanica. W. (<i>ye.</i>) Barbary.	Africa.	1732.	6. 8.	D.G. h ₂ . Dill. elt. t. 289. f. 373.
47	Lamarckii. H.S. L. (<i>gr.</i>) Lamarck's.	—	1808.	—	D.G. h ₂ .
	<i>mauritanica</i> . Lam. <i>nec aliorum. virgata</i> . P.S. <i>non</i> W. K.				
48	aphylla. W. en. (<i>gr.</i>) leafless.	Teneriffe.	1815.	—	D.G. h ₂ .
49	atropurpurea. W. en. (<i>pu.</i>) dark purple.	—	—	—	D.G. h ₂ .
50	piscatòria. W. (<i>gr.ye.</i>) smooth spear-ld.	Canaries.	1777.	—	D.G. h ₂ .
51	balsamifera. W. (<i>gr.ye.</i>) balsam.	—	1779.	—	D.G. h ₂ .
52	laurifolia. P.S. (<i>gr.ye.</i>) Laurel-leaved.	Peru.	1820.	—	D.G. h ₂ .
53	bracteata. S.S. (<i>gr.</i>) bracteated.	1809.	—	D.S. h ₂ . Jacq. schœnb. t. 276.
54	deadroides. W. (<i>ye.</i>) tree-like.	Italy.	1768.	—	H. h ₂ . Barrel. ic. 910.

55	<i>læta</i> . w.	(<i>st.</i>) Mezereon-leaved.	S. Europe.	1758.	6. 8.	D.G. h.	Jacq. ic. 1. t. 87.
56	<i>punicea</i> . w.	(<i>cr.</i>) scarlet-flowered.	Jamaica.	1778.	1. 9.	D.S. h.	Bot. reg. t. 190.
57	<i>heterophylla</i> . w.	(<i>sc.</i>) various-leaved.	W. Indies.	1690.	4. 9.	D.S. h.	Plum. ic. t. 231. f. 3.
58	<i>cyathophora</i> . w.	(<i>ye. pi.</i>) coloured.	S. America.	1806.	7. 8.	D.S. h.	Jacq. ic. 3. t. 480.
59	<i>repanda</i> . (<i>gr. ye.</i>) waved.	E. Indies.	1808.	8.	D.S. h.		
	<i>Tithymalus repandus</i> . H.S.						
60	<i>biglandulosa</i> . H.S.	(<i>gr.</i>) twin-glanded.	Isl. Bourbon.	—	9.	D.S. h.	
61	<i>geniculata</i> . P.S.	(<i>st.</i>) jointed.	Cuba.	1823.	7. 10.	S. ⊙.	Jacq. schœn. 3. t. 27.
	<i>prunifolia</i> . H.K. <i>Tithymalus prunifolius</i> . H.S.						
62	<i>nudiflora</i> . s.s.	(<i>st.</i>) naked-flowered.	Jamaica.	1800.	8.	D.S. h.	Jacq. ic. 3. t. 470.
63	<i>verticillata</i> . s.s.	(<i>gr.</i>) whorled.	W. Indies.	1826.	—	D.S. h.	
64	<i>cotinifolia</i> . w.	(<i>wh.</i>) Cotinus-leaved.	S. America.	1690.	7. 8.	D.S. h.	Hook. ex. flor. t. 59.
65	<i>petiolaris</i> . H.K.	(<i>ye.</i>) long-stalked.	W. Indies.	1800.	5. 6.	D.S. h.	Bot. mag. t. 883.
66	<i>mellifera</i> . w.	(<i>pu. gr.</i>) honey-bearing.	Madeira.	1784.	4. 5.	G. h.	— t. 1305.
67	<i>glabrata</i> . s.s.	(<i>gr. ye.</i>) smooth-leaved.	W. Indies.	1824.	—	D.S. h.	
68	<i>toxicaria</i> . L.en.	(<i>gr.</i>) poisonous.	1825.	—	D.S. h.	
69	<i>picta</i> . w.	(<i>gr.</i>) painted.	S. America.	1789.	5. 7.	S. 4.	Jacq. ic. 3. t. 477.
70	<i>silenifolia</i> . (<i>gr. ye.</i>) Silene-leaved.	C. B. S.	1821.	—	G. 4.		
	<i>Tithymalus silenifolius</i> . H.R.						
71	<i>crispa</i> . H.R.	(<i>gr. ye.</i>) curl-leaved.	—	—	—	G. 4.	
72	<i>tuberosa</i> . w.	(<i>gr. ye.</i>) tuberous.	Ethiopia.	1800.	10. 12.	G. h.	Burm. afr. 9. t. 4.
73	<i>affinis</i> . DC.	(<i>gr. ye.</i>) affined.	1823.	6. 8.	G. h.	
74	<i>linarifolia</i> . w.	(<i>ye.</i>) toad-flax-leaved.	1794.	—	S. h.	Jacq. ic. 1. t. 86.
75	<i>linifolia</i> . w.	(<i>ye.</i>) Flax-leaved.	W. Indies.	—	—	S. h.	
76	<i>ocymoidea</i> . w.	(<i>ye.</i>) Basil-leaved.	S. America.	1733.	—	S. ⊙.	
77	<i>dentata</i> . M.	(<i>ye.</i>) dentated.	N. America.	1806.	6. 7.	H. ⊙.	
78	<i>hypericifolia</i> . w.	(<i>wh.</i>) Hypericum-leaved.	America.	1727.	6. 9.	H. ⊙.	Hook. ex. flor. t. 35.
79	<i>Humboldtii</i> . W.en.	(<i>gr.</i>) Humboldt's.	S. America.	1809.	7. 10.	S. ♂.	
80	<i>prostrata</i> . w.	(<i>pu.</i>) trailing-red.	W. Indies.	1758.	—	S. ⊙.	
81	<i>rosea</i> . w.	(<i>ro.</i>) rosy.	E. Indies.	1808.	8.	S. ⊙.	
82	<i>maculata</i> . w.	(<i>ye.</i>) spotted.	S. America.	1660.	7.	H. ⊙.	Jacq. vind. 2. t. 156.
83	<i>humifusa</i> . W.en.	(<i>ye.</i>) trailing.	1824.	6. 8.	H. ⊙.	
84	<i>pilulifera</i> . w.	(<i>gr.</i>) globular.	E. Indies.	1800.	—	S. 4.	Jacq. ic. 3. t. 478.
85	<i>hyssopifolia</i> . w.	(<i>gr.</i>) Hyssop-leaved.	W. Indies.	1787.	8. 9.	S. ⊙.	
86	<i>scordifolia</i> . s.s.	(<i>wh.</i>) Scordium-leaved.	S. America.	1826.	6. 8.	S. h.	Jacq. icon. t. 476.
87	<i>tannensis</i> . s.s.	(<i>gr.</i>) Tanna.	N. Hebrides.	—	—	G. h.	
88	<i>thymifolia</i> . w.	(<i>wh.</i>) Thyme-leaved.	India.	1699.	7. 8.	S. ⊙.	Pluk. alm. t. 113. f. 2.
89	<i>parviflora</i> . w.	(<i>wh.</i>) small-flowered.	E. Indies.	1818.	—	S. ⊙.	Burm. zeyl. t. 105. f. 2.
90	<i>variegata</i> . B.M.	(<i>wh.</i>) variegated.	Louisiana.	1811.	6. 8.	H. ⊙.	Bot. mag. t. 1747.
91	<i>canescens</i> . w.	(<i>wh. re.</i>) canescent.	Spain.	1818.	7. 8.	H. ⊙.	Cavan. ic. 1. t. 63.
92	<i>Chamæsyce</i> . w.	(<i>wh.</i>) scollop-leaved.	S. Europe.	1752.	—	H. ⊙.	Meris. s. 10. t. 2. f. 18.
93	<i>Péplis</i> . w.	(<i>ye.</i>) purple.	Devonshire.	—	H. ⊙.	Eng. bot. v. 28. t. 2. f. 2.
94	<i>polygonifolia</i> . w.	(<i>st.</i>) knotgrass-leaved.	N. America.	1704.	6. 7.	H. ⊙.	Jacq. col. sup. t. 13. f. 3.
95	<i>Ipecacuânha</i> . w.	(<i>gr.</i>) Ipecacuanha.	—	1812.	—	H. 4.	Bot. mag. t. 1494.
96	<i>Péplus</i> . w.	(<i>gr.</i>) petty.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 14. t. 93.
97	<i>peploides</i> . DC.	(<i>gr.</i>) least.	S. Europe.	1800.	7. 9.	H. ⊙.	
	<i>Esula minima</i> . H.S.						
98	<i>falcata</i> . w.	(<i>ye.</i>) sickle-leaved.	—	1699.	6. 8.	H. ⊙.	Jacq. aust. 2. t. 121.
99	<i>acuminata</i> . M.B.	(<i>gr.</i>) acuminate.	Iberia.	1823.	—	H. ⊙.	
100	<i>exigua</i> . w.	(<i>gr.</i>) dwarf.	Britain.	7.	H. ⊙.	Eng. bot. v. 19. t. 135.
101	<i>diffusa</i> . w.	(<i>gr. ye.</i>) diffuse.	Austria.	1798.	7. 8.	H. ⊙.	Jacq. ic. 1. t. 88.
102	<i>undulata</i> . M.B.	(<i>wh.</i>) undulate.	Caucasus.	1820.	—	H. 4.	
103	<i>micrantha</i> . w.	(<i>gr.</i>) small-flowered.	Persia.	1803.	7. 9.	H. ⊙.	
104	<i>Lagascana</i> . s.s.	(<i>gr.</i>) Lagasca's.	Spain.	1827.	7. 10.	H. ⊙.	
105	<i>Láthyris</i> . w.	(<i>gr.</i>) Caper.	England.	5. 10.	H. ♂.	Eng. bot. v. 32. t. 225.
106	<i>terraccina</i> . w.	(<i>ye.</i>) retuse-leaved.	S. Europe.	1818.	7. 10.	H. ⊙.	
107	<i>valentina</i> . P.S.	(<i>ye.</i>) Spanish.	Spain.	1804.	7. 8.	H. ⊙.	
108	<i>Apios</i> . w.	(<i>ye.</i>) pear-rooted.	Candia.	1596.	6. 7.	H. 4.	
109	<i>genistoïdes</i> . w.	(<i>ye.</i>) Genista-like.	C. B. S.	1808.	7. 8.	G. h.	
110	<i>condensata</i> . s.s.	(<i>ye.</i>) tufted.	Iberia.	1828.	6. 8.	H. 4.	
111	<i>spinosa</i> . w.	(<i>ye.</i>) prickly.	Levant.	1710.	6. 7.	F. h.	Wats. dend. brit. t. 45.
112	<i>fruticosa</i> . L.en.	(<i>ye.</i>) shrubby.	Sicily.	1825.	—	F. h.	Biv. pl. sic. cent. 1. 35.
113	<i>epithymoïdes</i> . w.	(<i>ye.</i>) broad-leaved.	Austria.	1805.	5. 6.	H. 4.	Andr. reposit. t. 616.
114	<i>villosa</i> . w.K.	(<i>sn.</i>) villous.	Hungary.	1818.	6. 9.	H. 4.	W. et K. hung. t. 92.
115	<i>tenuifolia</i> . s.s.	(<i>ye.</i>) slender-leaved.	S. Europe.	1827.	—	H. ⊙.	
116	<i>echinocarpa</i> . s.s.	(<i>ye.</i>) prickly-podded.	Crete.	1828.	—	H. ♂.	
117	<i>condylocarpa</i> . M.B.	(<i>ye.</i>) warted-fruited.	Caucasus.	1824.	—	H. 4.	
118	<i>obtusata</i> . Ph.	(<i>ye.</i>) blunt-bracted.	N. America.	1826.	—	H. 4.	
119	<i>mercuriana</i> . Ph.	(<i>ye.</i>) Mercury-like.	—	1824.	—	H. 4.	

120 marginàta. Ph.	(wh.) white-margined.	N. America.	1816.	6. 9.	H. ⊙.	
121 dulcis. w.	(pu.) sweet.	S. Europe.	1759.	5. 6.	H. 4.	Jacq. aust. 3. t. 213.
122 ambigua. w.K.	(ye.) ambiguous.	Hungary.	1824.	—	H. 4.	W. et K. hung. t. 135.
123 carniolica. w.	(ye.) Carniolian.	Carniola.	1795.	8.	H. 4.	Scop. carn. t. 21.
124 angulàta. w.	(ye.) angular-stalked.	Austria.	1819.	7. 8.	H. 4.	Jacq. ic. t. 481.
125 nummulariæfòlia.	(ye.) moneywort-leaved.	1800.	7.	G. ½.	
126 erythrina. L.en.	(gr.) purple-margined.	C. B. S.	1816.	6. 8.	G. 2.	
127 neapolitana. T.N.	(wh.) Neapolitan.	Naples.	1825.	7. 8.	H. 4.	Ten. fl. neap. t. 42.
128 Pithyusa. w.	(gr.) Juniper-leaved.	S. Europe.	1741.	6. 7.	F. ½.	Bocc. sic. t. 5.
129 portlandica. w.	(ye.) Portland.	Britain.	5. 9.	H. 4.	Eng. bot. v. 7. t. 441.
130 saxatilis. w.	(ye.) rock.	Austria.	1816.	6. 8.	H. 4.	Jacq. aust. t. 345.
131 glareosa. M.B.	(ye.) stony.	Caucasus.	1819.	—	H. 4.	
132 Paralias. w.	(ye.) sea.	England.	7. 9.	H. 4.	Eng. bot. v. 3. t. 195.
<i>suffruticosa.</i>	(ye.) shrubby sea.	—	F. ½.	
133 juncæa. w.	(ye.) rushy.	Madeira.	1779.	7. 8.	G. 4.	Jacq. schœn. 1. t. 107.
134 congèsta. W.en.	(ye.) fiddle-leaved.	Spain.	1817.	—	H. 4.	
135 alèppica. w.	(ye.) Aleppo.	Crete.	1739.	—	F. 4.	Alp. exot. t. 64.
136 taurinènsis. W.en.	(ye.) Italian.	Italy.	1818.	—	H. 4.	All. ped. 2. t. 83. f. 2.
137 segetalis. w.	(ye.) corn.	S. Europe.	1699.	—	H. ⊙.	Jacq. aust. 5. t. 450.
138 graciis. s.s.	(ye.) slender.	Ukraine.	1826.	—	H. 4.	
139 cæspitosa. T.N.	(ye.) tufted.	Naples.	—	—	H. 4.	
140 pinea. s.s.	(ye.) Pine-leaved.	—	—	—	H. 4.	
<i>linifolia.</i> T.N. non w.						
141 biumbellàta. DC.	(ye.) double-umbel'd.	Barbary.	1780.	8.	H. ⊙.	Poir. it. ed. germ. t. 1.
142 angustifolia.	(ye.) narrow-leaved.	—	7. 8.	H. 4.	
<i>Esula angustifolia.</i> H.S.						
143 multicorymbosa.	(ye.) many-flowered.	1805.	—	H. 4.	
144 provincialis. w.	(ye.) linear-leaved.	S. Europe.	1800.	8. 11.	H. ⊙.	
145 juncoides. H.S.	(ye.) Rush-like.	—	—	7. 8.	H. ⊙.	
146 helioscopia. w.	(ye.) Wartwort.	Britain.	—	H. ⊙.	Eng. bot. v. 13. t. 883.
147 stellulata. Sn.	(ye.) starry.	Europe.	1823.	—	H. ⊙.	
148 bialata. L.en.	(ye.) two-winged.	1819.	—	H. ⊙.	
149 serrata. w.	(ye.) narrow notch-ld.	S. Europe.	1710.	7.	G. 4.	Jacq. ic. 3. t. 483.
150 uralensis. F.	(ye.) Fischer's.	Tauria.	1824.	—	H. 4.	
151 crètica. w.	(ye.) Cretan hoary.	Levant.	1768.	—	H. 4.	
152 rigens.	(ye.) stiff.	1795.	7. 8.	H. ½.	
<i>Galarhæus rigidus.</i> H.S.						
153 verrucosa. w.	(ye.) warted.	France.	1807.	6.	H. 4.	Moris. s. 10. t. 3. f. 3.
154 corollata. w.	(wh.) great-flowered.	N. America.	1803.	7. 9.	H. 4.	Lodd. bot. cab. t. 390.
155 spathulæfòlia. H.S.	(gr.) spatula-leaved.	1800.	8.	G. ½.	
156 corallioides. w.	(ye.) Coral-stalked.	S. Europe.	1752.	6. 9.	H. 4.	
157 mollis. Gm.	(ye.) soft.	—	1823.	—	H. 4.	
158 androsæmifolia. H.S.	(ye.) Tutsan-leav'd.	Hungary.	1804.	7. 9.	H. 4.	
159 pilosa. w.	(ye.) hairy.	Siberia.	1758.	5. 8.	H. 4.	Gmel. sib. 2. t. 93.
160 orientalis. w.	(st.) oriental.	Levant.	1739.	6. 7.	H. 4.	
161 fragifera. L.en.	(ye.) Strawberry-like.	Italy.	1825.	—	H. 4.	
162 virgata. w.K.	(ye.) twiggy.	Hungary.	1807.	7.	H. 4.	W. et K. hung. t. 162.
163 platyphylla. H.S.	(ye.) annual warted.	England.	7. 8.	H. ⊙.	Jacq. aust. t. 376.
164 stricta. E.B.	(ye.) upright warted.	—	—	H. ⊙.	Eng. bot. v. 5. t. 333.
165 literata. w.	(st.) blotch-leaved.	1790.	8.	H. ⊙.	Jacq. ic. 3. t. 482.
166 crispata. L.en.	(ye.) crisp-leaved.	1819.	7. 9.	H. 4.	
167 pubescens. s.s.	(ye.) pubescent.	Barbary.	1827.	—	H. 4.	Jacq. f. ecl. t. 66.
168 lutescens. Led.	(ye.) yellowish.	Siberia.	—	—	H. 4.	
169 Ehrenbergii.	(ye.) Ehrenberg's.	Egypt.	1826.	6. 9.	H. ⊙.	
<i>heterophylla.</i> Ehr. non w.						
170 trigonocarpa. F.	(ye.) three-sided podded.	Russia.	1821.	—	H. ⊙.	
171 retusa. C.I.	(gr.) notch-leaved.	S. Europe.	—	—	H. ⊙.	Cavan. ic. t. 34. f. 3.
172 Esula. w.	(gr.) leafy-branched.	Britain.	5. 7.	H. 4.	Eng. bot. v. 20. t. 1399.
173 Gerardiana. w.	(ye.) Gerard's.	Germany.	1801.	7.	H. 4.	Jacq. aust. t. 436.
174 Cyparissias. w.	(ye.) Cypress.	England.	5. 9.	H. 4.	Eng. bot. v. 12. t. 840.
175 nicæensis. w.	(ye.) sharp-leaved.	Spain.	1809.	—	F. 4.	Jacq. ic. 3. t. 485.
176 myrsinites. w.	(ye.) glaucous.	S. Europe.	1570.	4. 6.	H. 4.	
177 rigida. M.B.	(ye.) rigid.	Tauria.	1819.	6. 8.	H. 4.	Bot. reg. t. 274.
178 imbricata. w.	(ye.) imbricated.	Portugal.	1804.	8. 9.	F. ½.	
179 glaucescens. W.en.	(ye.) glaucescent.	1819.	—	H. 4.	
180 agraria. M.B.	(ye.) field.	Tauria.	—	6. 8.	H. 4.	
181 palustris. w.	(ye.) marsh.	Sweden.	1570.	5. 8.	H. 4.	Flor. dan. t. 866.
182 pallida. w.	(ye.) pale.	Hungary.	1818.	6. 8.	H. 4.	
183 lucida. w.K.	(ye.) glossy.	—	1820.	—	H. 4.	W. et K. hung. t. 55.

184	<i>pròcera</i> . M.B. (<i>ye.</i>) tall.	Terek.	1824.	6. 8.	H. 2.	
185	<i>ceratocárpa</i> . T.N. (<i>ye.</i>) horn-capsuled.	Naples.	—	—	H. 2.	Ten. fl. neap. t. 13.
186	<i>emarginàta</i> . w. (<i>ye.</i>) freckled.	Italy.	1758.	7. 8.	H. 2.	
187	<i>hibérna</i> . E.B. (<i>ye.</i>) Irish.	Ireland.	5. 6.	H. 2.	Eng. bot. v. 19. t. 137.
188	<i>salicifòlia</i> . w. (<i>ye.</i>) Willow-leaved.	Hungary.	1804.	—	H. 2.	Lodd. bot. cab. t. 97.
189	<i>sylvática</i> . w. (<i>pi.</i>) wood.	S. Europe.	1768.	7. 9.	F. 2.	Jacq. aust. t. 375.
190	<i>amygdaloídes</i> . w. (<i>st.</i>) Almond-leaved.	England.	3. 6.	H. 2.	Eng. bot. v. 4. t. 270.
191	<i>Charácias</i> . w. (<i>ye. pu.</i>) upright red.	—	—	H. 2.	— v. 7. t. 412.
192	<i>véneta</i> . L.en. (<i>ye.</i>) venomous.	Europe.	1824.	—	F. 2.	
193	<i>Bonplándii</i> . (<i>wh.</i>) Bonpland's.	N. Spain.	1823.	4. 6.	S. 2.	
	<i>marginàta</i> . K.S. non Nutt.					
CÍCCA . L.		CÍCCA . Monœcia Tetrandria. L.				
	<i>disticha</i> . w. (<i>gr.</i>) long-leaved.	E. Indies.	1796.	4. 6.	S. 2.	Jacq. schœn. 2. t. 14.
BU'XUS . W.		BOX-TREE . Monœcia Tetrandria. L.				
1	<i>chinénsis</i> . L.en. (<i>ye.</i>) China.	China.	1812.	4. 8.	H. 2.	
2	<i>baleàrica</i> . w. (<i>ye.</i>) Minorca.	Minorca.	1780.	7.	H. 2.	
3	<i>sempervirens</i> . w. (<i>ye.</i>) common.	England.	4.	H. 2.	Eng. bot. v. 19. t. 137.
	<i>a arboréscens</i> . Mill. (<i>ye.</i>) tree.	—	—	H. 2.	
	† <i>argénteà</i> . (<i>ye.</i>) silvery-leaved.	—	H. 2.	
	‡ <i>àurea</i> . (<i>ye.</i>) golden-leaved.	—	H. 2.	
	<i>marginàta</i> . (<i>ye.</i>) margined.	—	H. 2.	
	β <i>angustifòlia</i> . Mill. (<i>ye.</i>) narrow-leaved.	—	H. 2.	
	† <i>variegàta</i> . (<i>ye.</i>) variegated.	—	H. 2.	
	γ <i>myrtifòlia</i> . Mill. (<i>ye.</i>) myrtle-leaved.	—	H. 2.	
	δ <i>suffruticòsa</i> . (<i>ye.</i>) dwarf.	—	H. 2.	
SARCOCO'CCA . B.R.		SARCOCO'CCA . Monœcia Tetrandria.				
	<i>coriàcea</i> . (<i>wh.</i>) leathery.	Nepaul.	1820.	4. 6.	G. 2.	Bot. reg. t. 358.
	<i>prunifòrmis</i> . B.R.	<i>Pachysàndra coriacea</i> . Hook. ex. flor. t. 148.				
PACHYSA'NDRA . M.		PACHYSA'NDRA . Monœcia Tetrandria. W.				
1	<i>procúmbens</i> . M. (<i>wh.</i>) procumbent.	N. America.	1800.	3. 4.	H. 2.	Bot. reg. t. 33.
ACID'OTON . W.		ACID'OTON . Monœcia Polyandria.				
	<i>ùrens</i> . w. (<i>gr.</i>) stinging.	Jamaica.	1793.	4. 6.	S. 2.	Sloan. jam. 1. t. 53. f. 1.
PLUKEN'ETIA . W.		PLUKEN'ETIA . Monœcia Monadelphia. L.				
1	<i>volùbilis</i> . w. (<i>gr.</i>) twining.	W. Indies.	1739.	7. 8.	S. 2. ∪.	Plum. ic. t. 226.
2	<i>corniculàta</i> . s.s. (<i>gr.</i>) horned.	E. Indies.	1827.	—	S. 2. ∪.	Rumph. amb. 1. t. 70. f. 1.
DALECHA'MPIA . W.		DALECHA'MPIA . Monœcia Monadelphia.				
1	<i>scándens</i> . w. (<i>gr.</i>) climbing.	W. Indies.	1739.	6. 7.	S. 2. ∪.	Jacq. amer. 252. t. 13.
2	<i>brasiliénsis</i> . w. (<i>gr.</i>) Brazilian.	Brazil.	1820.	—	S. 2. ∪.	
3	<i>fimbriàta</i> . K.S. (<i>gr.</i>) fringed.	Mexico.	1829.	—	S. 2. ∪.	
ACA'LYPHA . W.		ACA'LYPHA . Monœcia Monadelphia. W.				
1	<i>diversifòlia</i> . w. (<i>gr.</i>) various-leaved.	Caracas.	1824.	6. 8.	S. 2.	
2	<i>hernandifòlia</i> . s.s. (<i>gr.</i>) Hennandia-leaved.	Jamaica.	1825.	S. 2.	
3	<i>virgínica</i> . w. (<i>gr.</i>) Virginian.	N. America.	1759.	7. 8.	H. ⊙.	Schk. hand. 3. t. 311.
4	<i>caroliniàna</i> . w. (<i>gr.</i>) Carolina.	—	1811.	—	H. ⊙.	Lam. ill. t. 780. f. 2.
5	<i>ciliàta</i> . w. (<i>gr.</i>) ciliated.	E. Indies.	1799.	—	S. ⊙.	Vahl symb. 1. t. 20.
6	<i>réptans</i> . w. (<i>gr.</i>) creeping.	Jamaica.	1822.	—	S. 2.	Sloan. hist. 1. t. 82. f. 1.
7	<i>índica</i> . w. (<i>gr.</i>) Indian.	E. Indies.	1759.	7. 9.	S. ⊙.	Rheed. mal. 10. t. 1.
8	<i>hispida</i> . w. (<i>gr.</i>) hispid.	—	1820.	—	S. ⊙.	
9	<i>euspidàta</i> . w. (<i>gr.</i>) cuspidate.	Caracas.	—	S. 2.	Jacq. schœn. 2. t. 24.
10	<i>rùbra</i> . W.en. (<i>re.</i>) red.	S. America.	1823.	6. 9.	S. ⊙.	
11	<i>brachystàchya</i> . W.en. (<i>gr.</i>) short-spiked.	China.	1816.	7. 8.	H. ⊙.	
12	<i>pauciflòra</i> . W.en. (<i>gr.</i>) few-flowered.	—	—	—	H. ⊙.	
13	<i>alopecuroídea</i> . w. (<i>gr.</i>) Fox-tail.	Venezuela.	1804.	7. 9.	H. ⊙.	Jacq. ic. 3. t. 629.
14	<i>anemióides</i> . K.S. (<i>gr.</i>) Anemia-like.	Mexico.	1829.	S. 2.	
15	<i>purpuráscens</i> . K.S. (<i>pu.</i>) purple-bracted.	—	1827.	S. 2.	
16	<i>ellíptica</i> . s.s. (<i>gr.</i>) elliptic-leaved.	Jamaica.	1825.	S. 2.	
17	<i>lævigàta</i> . w. (<i>gr.</i>) smooth.	—	1819.	—	S. 2.	
18	<i>virgàta</i> . w. (<i>gr.</i>) twiggy.	—	1822.	—	S. 2.	Brown. jam. t. 35. f. 2.
19	<i>macrostàchya</i> . w. (<i>gr.</i>) long-spiked.	Caracas.	1824.	—	S. 2.	Jacq. schœn. 2. t. 24.
20	<i>polystàchya</i> . w. (<i>gr.</i>) many-spiked.	—	—	S. 2.	— 2. t. 24.
21	<i>scabròsa</i> . w. (<i>gr.</i>) rough.	Jamaica.	1822.	—	S. 2.	
22	<i>integrifòlia</i> . s.s. (<i>gr.</i>) entire-leaved.	Madagascar.	1823.	S. 2.	
OMALA'NTHUS . J.		OMALA'NTHUS . Monœcia Monadelphia.				
	<i>populifòlius</i> . B.M. (<i>wh.</i>) Poplar-leaved.	N. Holland.	1824.	6. 8.	G. 2.	Bot. mag. t. 2780.
CAPER'ONIA . Hilar.		CAPER'ONIA . Monœcia Monadelphia.				
1	<i>castaneafòlia</i> . s.s. (<i>gr.</i>) Chestnut-leaved.	S. America.	1828.	7. 8.	S. ⊙.	
2	<i>palústris</i> . s.s. (<i>gr.</i>) marsh.	Vera Cruz.	1731.	—	S. ⊙.	Mart. dec. 4. t. 88.
	<i>Cròton palústris</i> . w.					

CROTON. W.		CROTON. Monœcia Monadelphia. L.					
1	variegatus. W. (gr.)	variegated.	E. Indies.	1804.	6. 9.	S. h.	Rheed mal. 6. t. 61.
	α latifolius. H.B. (gr.)	broad-leaved.	————	————	————	S. h.	
	β crispus. H.B. (gr.)	curl-leaved.	————	————	S. h.	Rumph. amb. 4. t. 26. f. 2.
	γ mediûs. H.B. (gr.)	narrow-leaved.	————	1820.	————	S. h.	———— 4. t. 25.
2	pictus. B.C. (gr.)	painted-leaved.	————	————	————	S. h.	Lodd. bot. cab. t. 870.
3	linearis. s.s. (gr.)	Willow-leaved.	W. Indies.	1733.	7.	S. h.	Jacq. amer. t. 162. f. 4.
4	Cascarilla. s.s. (gr.)	Cascarilla.	S. America.	1778.	7. 8.	S. h.	Catesb. car. 2. t. 46.
5	maritimus. s.s. (gr.wh.)	sea-side.	Carolina.	1786.	————	G. h.	
6	gracilis. K.S. (gr.)	slender.	Mexico.	1824.	7. 8.	S. h.	
7	glabellus. s.s. (gr.wh.)	Laurel-leaved.	Jamaica.	1778.	5. 8.	S. h.	Sloan. jam. 2. t. 174. f. 2.
8	hirtus. s.s. (gr.wh.)	hairy.	Trinidad.	1821.	————	S. ⊙.	L'Herit. stirp. 17. t. 9.
9	argenteus. s.s. (gr.)	silvery-leaved.	S. America.	1733.	7. 8.	S. ⊙.	
10	Tiglium. w. (wh.)	purging.	E. Indies.	1796.	8. 9.	S. h.	Rheed. mal. 2. t. 33.
11	glandulosus. s.s. (gr.)	glandular.	W. Indies.	1818.	————	S. ⊙.	Jacq. ic. 1. t. 194.
12	subluteus. s.s. (gr.ye.)	yellowish.	Trinidad.	1822.	————	S. h.	Aubl. guian. 2. t. 339.
13	populifolius. s.s. (gr.wh.)	Poplar-leaved.	Jamaica.	1824.	————	S. h.	
14	tiliaefolius. P.S. (gr.wh.)	Lime-tree-leaved.	St. Vincent.	1825.	————	S. h.	Plum. mss. 4. t. 123.
15	Elutèria. s.s. (gr.wh.)	sea-side Balsam.	Jamaica.	1748.	————	S. h.	Sloan. hist. 2. t. 174. f. 2.
16	lucidus. s.s. (gr.wh.)	shining.	————	1822.	7. 9.	S. h.	
17	micans. s.s. (gr.ye.)	glittering.	————	1815.	————	S. h.	Pluk. alm. t. 220. f. 5.
18	pungens. s.s. (gr.ye.)	pungent.	Caracas.	1791.	————	S. h.	Jacq. ic. 3. t. 622.
19	penicillatus. s.s. (gr.)	pencilled.	Cuba.	1799.	7. 8.	S. h.	Venten. choix. t. 12.
20	flavens. s.s. (ye.gr.)	pale yellow.	W. Indies.	1822.	————	S. h.	
21	macrophyllus. s.s. (wh.)	large-leaved.	Jamaica.	————	————	S. h.	
22	aromaticus. s.s. (wh.)	aromatic.	Ceylon.	1793.	————	S. h.	Rumph. amb. 3. t. 126.
23	humilis. s.s. (wh.gr.)	humble.	Jamaica.	1799.	————	S. h.	
24	farinosus. s.s. (wh.)	mealy.	Madagascar.	1826.	S. h.	
25	Astroites. w. (gr.wh.)	woolly-leaved.	W. Indies.	1782.	7. 8.	S. h.	
26	lobatus. s.s. (wh.)	various-leaved.	Vera Cruz.	1730.	————	S. ⊙.	Mart. dec. 5. t. 46.
27	gossypifolius. s.s. (wh.)	Cotton-leaved.	Trinidad.	1823.	————	S. h.	Vahl. symb. t. 49.
28	tomentosus. L.en.	tomentose.	————	S. h.	
CROZOPHORA. J.		CROZOPHORA. Monœcia Pentandria.					
1	plicata. J. (wh.gr.)	plaited.	E. Indies.	1824.	6. 8.	G. ⊙.	Burm. ind. t. 62. f. 1.
2	tinctoria. J. (wh.gr.)	officinal.	S. Europe.	1570.	7. 8.	H. ⊙.	Niss. act. par. 1712. t. 17.
	<i>Crœton tinctorium. w.</i>						
3	verbascifolia. J. (wh.gr.)	Mullein-leaved.	Greece.	1826.	————	H. ⊙.	
ROTTLEA. W.		ROTTLEA. Diœcia Icosandria. W.					
1	brasiliensis. s.s. (gr.)	Brazilian.	Brazil.	1820.	S. h.	
2	tinctoria. s.s. (gr.)	dyer's.	E. Indies.	1810.	S. h.	Roxb. corom. 2. t. 168.
GELONIUM. W.		GELONIUM. Diœcia Icosandria. W.					
1	bifarium. w. (gr.)	oval-leaved.	E. Indies.	1793.	6. 8.	S. h.	
2	lanceolatum. H.B. (gr.)	spear-leaved.	————	1825.	————	S. h.	
TREWIA. W.		TREWIA. Diœcia Polyandria. W.					
	nadiflora. w. (gr.)	naked-flowered.	E. Indies.	1796.	S. h.	Rheed. mal. 1. t. 42.
HYÆNANCHE. H.K.		HYÆNA-POISON. Diœcia Dodecandria.					
	globosa. H.K. (gr.wh.)	Cape.	C. B. S.	1783.	4. 9.	G. h.	Lamb. cinch. 52. t. 10.
EUCLEA. W.		EUCLEA. Diœcia Dodecandria. W.					
1	racemosa. w. (wh.)	round-leaved.	C. B. S.	1722.	11. 12.	G. h.	Jacq. fragm. 3. t. 1. f. 5.
2	undulata. w. (wh.)	wave-leaved.	————	1794.	6. 10.	G. h.	
JATROPHA. W.		PHYSIC-NUT. Monœcia Monadelphia. L.					
1	gossypifolia. w. (sc.)	Cotton-leaved.	W. Indies.	1690.	5. 8.	S. h.	Bot. reg. t. 746.
2	panduræfolia. w. (sc.)	fiddle-leaved.	Cuba.	1800.	————	S. h.	Bot. mag. t. 604.
3	integerrima. w. (sc.)	spicy.	————	1809.	————	S. h.	———— t. 1464.
4	Carcas. w. (gr.)	angular-leaved.	S. America.	1731.	S. h.	Jacq. vind. 3. t. 63.
5	multifida. w. (sc.)	multifid.	————	1696.	6. 8.	S. h.	Sal. par. lond. t. 91.
6	coccinea. L.en. (sc.)	scarlet.	1822.	————	S. h.	
CNIDOSCULUS. P.B.		CNIDOSCULUS. Monœcia Monadelphia.					
1	urens. P.B. (wh.)	stinging.	Brazil.	1690.	5. 7.	S. h.	Jacq. vind. 1. t. 21.
	<i>Jatropha urens. Jacq.</i>						
2	stimulosus. Ph. (wh.)	stimulous.	N. America.	1812.	————	F. 4.	Pluk. alm. t. 220. f. 3.
	<i>Jatropha stimulosa. Ph.</i>						
3	napæifolia. w. (wh.)	Napæa-leaved.	Antilles.	1823.	7. 8.	S. h.	
4	fragrans. K.S. (wh.)	fragrant.	Cuba.	1822.	6. 8.	S. h.	
5	herbacea. w. (wh.)	annual.	Vera Cruz.	1759.	7. 8.	S. ⊙.	Reliq. houst. 6. t. 15.
6	Marcgrævii. P.B. (wh.)	Marcgrave's.	Brazil.	1823.	————	S. h.	Pohl. flor. bras. 1. t. 50.
7	vitifolius. P.B. (wh.)	Vine-leaved.	————	————	————	S. h.	———— 1. t. 52.
MA'NIHOT. P.B.		MA'NIHOT. Monœcia Decandria.					
1	fœtida. P.B. (bl.br.)	strong-scented.	Mexico.	1824.	7. 8.	S. h.	

2	Jánipha. P.B. (br.gr.) Læfing's.	S. America.	1824.	7. 8.	S. h.	Jacq. amer. t. 162. f. 1.
	<i>Játropa carthaginensis.</i> Jacq. <i>Jánipha</i> w. <i>Jánipha Læfingii.</i> K.s.					
3	gráçilis. P.P. (br.gr.) slender.	Brazil.	1822.	7. 8.	S. h.	Pohl. pl. bras. 1. t. 16.
4	anómala. P.B. (br.) anomalous.	————	————	————	S. h.	———— 1. t. 21.
5	pruinòsa. P.B. (bl.br.) frosted.	————	1824.	————	S. h.	———— 1. t. 22.
6	digitifórmis. P.B. (bl.br.) finger-formed.	————	1826.	————	S. h.	———— 1. t. 23.
7	digitàta. finger-leaved.	N. S. W.	1810.	G. h.	
	<i>Cròton digitatum.</i> F.					
8	diversifòlia. different-leaved.	N. Holland.	1822.	G. h.	
9	tenuifòlia. P.B. (bl.br.) slender-leaved.	Brazil.	————	6. 8.	S. h.	Pohl. pl. bras. 1. t. 23.
10	æsculifòlia. K.s. (bl.br.) Æsculus-leaved.	S. America.	1825.	5. 8.	S. h.	H. et B. 2. t. 109.
11	cannabina. (bl.br.) Cassava.	————	1739.	7. 8.	S. h.	Sloan. jam. 1. t. 85.
	<i>Játropa Mánihot.</i> w. <i>Jánipha Mánihot.</i> K.s.					
12	caricæfòlia. P.B. (bl.br.) Papaw-leaved.	Brazil.	1822.	————	S. h.	Pohl. pl. bras. 1. t. 23.
13	Dalechampiæfórmis. P.B. (br.) Dalechampia-like.	————	1818.	————	S. h.	———— 1. t. 26.
14	sinuàta. P.B. (br.) sinuate-leaved.	————	1821.	————	S. h.	———— 1. t. 41.
ALEUR'ITES. W.		ALEUR'ITES. Monœcia Monadelphia. L.				
1	trilòba. w. (wh.) three-lobed.	Society Isles.	1793.	S. h.	
2	Ambinux. P.S. (wh.) Molucca.	Ceylon.	1803.	S. h.	
	<i>Cròton moluccanum.</i> w.					
RI'CINUS. W.		PALMA-CHRISTI. Monœcia Monadelphia. L.				
1	commùnis. w. (re.st.) Castor-oil plant.	E. Indies.	1548.	7. 8.	H. ⊙.	Lam. ill. t. 792.
2	Kráppa. L.O. (wh.fl.) Krappa.	1827.	8. 11.	H. ⊙.	
3	leucocárpus. L.O. (wh.bh.) white-capsuled.	————	————	F. ⊙.	
4	macrophy'llus. L.O. (w.r.) large-leaved.	————	————	F. ⊙.	
5	paniculátus. L.O. (re.wh.) paniced.	1824.	8. 10.	F. ⊙.	
6	rùtilans. L.O. (re.wh.) red-stalked.	1827.	————	F. ⊙.	
7	undulátus. L.O. (re.wh.) wave-leaved.	————	————	F. ⊙.	
8	víridis. w. (bh.wh.) green.	E. Indies.	1802.	8.	H. ⊙.	W. hort. ber. 1. t. 42.
9	africànus. w. (re.wh.) African.	Africa.	7. 8.	G. h.	
10	lívidus. w. (re.wh.) livid-leaved.	C. B. S.	1795.	————	G. h.	Jacq. ic. 1. t. 196.
11	inérmis. w. (re.st.) smooth-capsuled.	India.	1758.	————	S. ♂.	———— 1. t. 195.
12	armátus. A.R. (re.wh.) rough-capsuled.	Malta.	1807.	————	S. ♂.	Andr. reposit. t. 430.
MA'PPA. J.		MA'PPA. Monœcia Monadelphia.				
1	moluccàna. s.s. (wh.) Molucca.	Moluccas.	1828.	S. h.	
2	Tanària. s.s. (wh.) scollop-leaved.	E. Indies.	1810.	7. 9.	S. h.	Rumph. amb. 3. t. 121.
	<i>Rícinus Tanàrius.</i> w.					
OMPH'ALEA. W.		OMPH'ALEA. Monœcia Monadelphia. L.				
	triándra. w. (wh.) long-leaved.	Jamaica.	1763.	6. 7.	S. h.	Lodd. bot. cab. t. 518.
HIPPO'MANE. W.		MANCHINEEL-TREE. Monœcia Monadelphia. L.				
1	Mancinèlla. w. (gr.) common.	W. Indies.	1690.	S. h.	Catesb. car. 2. t. 95.
2	spinòsa. s.s. (gr.) spiny.	————	1820.	S. h.	Plum. ic. 171. f. 1.
	<i>Sàpium ilicifolium.</i> w.					
S'APIUM. W.		S'APIUM. Monœcia Monadelphia. L.				
1	aucupàrium. s.s.	single-spiked. W. Indies.	1692.	S. h.	Jacq. amer. t. 158.
2	Hippómáne. s.s. (gr.) two-glanded.	————	1821.	S. h.	
3	índicum. w. (gr.) Indian.	E. Indies.	1817.	S. h.	
SIPH'ONIA. W.		ELASTIC-GUM-TREE. Monœcia Monadelphia. W.				
	Cahùchu. w. (gr.) common.	S. America.	1823.	S. h.	Lam. ill. t. 790.
	<i>elástica.</i> P.S.					
AGYN'EJA. W.		AGYN'EJA. Monœcia Monadelphia. W.				
1	impùbes. w. (gr.) smooth.	China.	1820.	7. 9.	H. ⊙.	
2	pùbera. w. (gr.) woolly.	————	1823.	S. h.	
STILL'NGIA. W.		STILL'NGIA. Monœcia Monadelphia. W.				
1	sylvática. w. (ye.) wood.	Carolina.	1787.	7. 8.	G. 4.	
2	ligustrina. w. (st.) Privet-leaved.	N. America.	1812.	————	G. h.	
3	sebífera. w. (st.) Tallow-tree.	China.	1703.	9.	S. h.	Pluk. amal. t. 390. f. 2.
HURA. W.		SANDBOX-TREE. Monœcia Monadelphia. W.				
1	strèpens. W.en. (gr.) unequal-toothed.	S. America.	7. 9.	S. h.	
2	crépítans. W.en. (gr.) equal-toothed.	————	1733.	————	S. h.	Lam. ill. t. 793.
BRADL'EJA. W.		BRADL'EJA. Monœcia Monadelphia. W.				
1	sinica. w. (wh.) Chinese.	China.	1816.	7. 9.	S. h.	Gært. sem. 2. t. 109. f. 1.
2	nítida. H.B. (wh.) glossy.	E. Indies.	1820.	————	S. h.	
3	multilocularis. s.s. (wh.) multilocular.	————	————	————	S. h.	
PHYLLA'NTHUS. W.		PHYLLA'NTHUS. Monœcia Monadelphia. W.				
1	obovátus. w. (wh.) annual.	N. America.	1803.	7. 8.	H. ⊙.	
2	maderaspaténsis. w. (gr.) Madras.	E. Indies.	1783.	————	S. h.	
3	gráçilis. H.B. (gr.) slender.	————	1820.	————	S. 4.	
4	longifólius. w. (gr.) long-leaved.	Isl. Bourbon.	1822.	————	S. h.	Lam. ill. t. 156. f. 1.

5 lanceolatus. w.	(gr.) spear-leaved.	Isl. Bourbon.	1822.	6. 8.	S. h.	
6 nutans. w.	(bh.st.) nodding.	Jamaica.	—	—	S. h.	Jacq. schœn. 2. t. 193.
7 grandifolius. w.	(gr.) great-leaved.	Portorico.	1771.	—	S. h.	
8 virösus. w.	(gr.) venomous.	E. Indies.	1802.	—	S. h.	
9 turbinatus. B.M.	(gr.) shining-leaved.	China.	7. 9.	S. h.	Bot. mag. t. 1862.
10 Conami. w.	(gr.) Brazilian.	Brazil.	1791.	—	S. h.	Aub. gui. 2. t. 354.
11 obcordatus. H.B.	(gr.) obcordate.	E. Indies.	1818.	—	S. 4.	
12 retusus. H.B.	(gr.) retuse-leaved.	—	1822.	—	S. 4.	
13 reticulatus. B.C.	(bh.) netted.	—	1818.	8. 9.	S. h.	Lodd. bot. cab. t. 577.
14 lucens. w.	(gr.) thick-veined.	China.	1822.	7. 9.	S. h.	
15 cantoniensis. L.en.	(gr.) Canton.	—	1819.	7. 8.	H. ☉.	
16 enneatus. W.en.	(gr.) wedge-leaved.	—	—	—	H. ☉.	
17 Niruri. w.	(gr.) Indian.	E. Indies.	1692.	6. 9.	S. ☉.	Rheed. mal. 10. t. 15.
18 Urinaria. w.	(gr.) stinging.	—	1819.	—	S. ☉.	Rumph. amb. 6. t. 17. f. 2.
19 microphyllus. K.s.	(gr.) small-leaved.	S. America.	1824.	—	S. h.	
20 polyphyllus. w.	(gr.) many-leaved.	E. Indies.	1805.	7. 9.	S. h.	
21 mimosoides. w.	(gr.) Mimosa-like.	W. Indies.	1820.	—	S. h.	Lodd. bot. cab. t. 721.
22 rhamnoides. w.	(gr.) Rhamnus-like.	E. Indies.	—	—	S. h.	
23 strictus. H.B.	(gr.) upright.	—	1823.	—	S. h.	
24 fraxinifolius. B.C.	(gr.) Ash-leaved.	1818.	—	S. h.	Lodd. bot. cab. t. 731.
25 juglandifolius. W.en.	(gr.) Walnut-leaved.	New Spain.	—	6. 9.	S. h.	
26 scandens. Roxb.	(gr.) climbing.	E. Indies.	1803.	—	S. h.	
EMBLICA. L.T. EMBLICA. Monœcia Syngenesia. L.T.						
1 officinalis. L.T.	(st.) officinal.	E. Indies.	1768.	6. 9.	S. h.	Lodd. bot. cab. t. 548.
2 racemosa. s.s.	(st.) racemed.	—	1793.	7. 8.	S. h.	
<i>Phyllanthus racemosus. w.</i>						
KIRGAN'ELIA. J. KIRGAN'ELIA. Monœcia Monadelphica.						
elegans. J.	(gr.) elegant.	Mauritius.	1820.	6. 9.	S. h.	
<i>Phyllanthus Kirganèlia. w.</i>						
XYLOPHY'LLA. W. XYLOPHY'LLA. Monœcia Monadelphica. W.						
1 longifolia. w.	(re.) long-leaved.	E. Indies.	1816.	1. 12.	S. h.	Rumph. amb. 7. t. 12.
<i>Phyllanthus ceramica. P.s.</i>						
2 latifolia. w.	(wh.) Seaside Laurel.	S. America.	1783.	8. 10.	S. h.	Bot. mag. t. 1021.
3 speciosa.	(wh.) handsome.	Jamaica.	1818.	—	S. h.	Jacq. ic. 3. t. 616.
<i>arbuscula. w. Phyllanthus speciosus. Jacq.</i>						
4 angustifolia. w.	(wh.) narrow-leaved.	—	1789.	7. 8.	S. h.	
5 linearis. P.s.	(re.) linear-leaved.	—	1822.	—	S. h.	
6 elongata. B.C.	(re.) elongated.	—	—	—	S. h.	Lodd. bot. cab. t. 1091
7 montana. w.	(or.) mountain.	—	1820.	11. 4.	S. h.	Bot. mag. t. 2652.
8 falcata. w.	(re.) falcate-leaved.	Bahama Isl.	1699.	7. 9.	S. h.	Bot. reg. t. 373.
9 ramiflora. w.	(wh.) oval-leaved.	Siberia.	1785.	7. 8.	H. h.	Pall. it. 3. t. E. f. 2.
10 obovata. W.en.	(wh.) obovate-leaved.	—	—	S. h.	
ANDRA'CHNE. W. BASTARD ORPINE. Monœcia Gynandria. L.						
telephioides. w.	(wh.) annual.	Italy.	1732.	7. 8.	H. ☉.	Lam. ill. t. 797.
BRID'ELIA. W. BRID'ELIA. Polygamia Monœcia. W.						
1 scandens. w.	(wh.) climbing.	E. Indies.	1804.	7. 9.	S. h. ☽.	Roxb. corom. 2. t. 173.
2 montana. s.s.	(st.) mountain.	—	1825.	—	S. h.	— v. 2. t. 171.
3 fruticosa. P.s.	(st.) frutescent.	—	1827.	—	S. h.	— v. 2. t. 172.
CLU'YTIA. W. CLU'YTIA. Diœcia Gynandria. L.						
1 collina. w.	(st.) hill.	E. Indies.	1807.	S. h.	Roxb. corom. 2. t. 169.
2 patula. w.	(st.) spreading.	—	1812.	S. h.	— 2. t. 170.
3 pulchella. w.	(st.) broad-leaved.	C. B. S.	1739.	1. 6.	G. h.	Bot. mag. t. 1945.
4 heterophylla. w.	(st.) various-leaved.	—	1816.	2. 4.	G. h.	
5 tomentosa. w.	(st.) tomentose.	—	1812.	4. 6.	G. h.	
6 pubescens. w.	(st.) pubescent.	—	1817.	—	G. h.	
7 polifolia. w.	(wh.) Poley-leaved.	—	1790.	—	G. h.	Jacq. schœn. 2. t. 50.
8 ericoïdes. w.	(wh.) Heath-leaved.	—	—	—	G. h.	Bot. reg. t. 779.
9 daphnoïdes. w.	(wh.) Daphne-like.	—	1731.	5. 6.	G. h.	W. hort. ber. t. 52.
10 polygonoides.	(wh.) Polygonum-like.	—	1790.	12. 3.	G. h.	— t. 51.
11 alaternoides. w.	(wh.) narrow-leaved.	—	1692.	—	G. h.	Bot. mag. t. 1321.
EXCÆC'ARIA. W. EXCÆC'ARIA. Diœcia Monadelphica. L.						
1 lucida. s.s.	(wh.) shining-leaved.	Jamaica.	1824.	4. 6.	S. h.	
2 glandulosa. s.s.	(wh.) glandular.	—	—	—	S. h.	
3 Agallocha. s.s.	(gr. ye.) Indian.	E. Indies.	1823.	S. h.	Sloan. hist. 2. t. 158. f. 2.
4 serrata. H.K.	(wh.) saw-leaved.	Chile.	1796.	11. 2.	G. h.	Rumph. amb. 2. t. 79. 80.
AD'ELIA. W. AD'ELIA. Diœcia Monadelphica. L.						
1 Bernardia. w.	(gr. wh.) villous-leaved.	Jamaica.	1768.	7. 8.	S. h.	
2 Ricinella. w.	(gr. wh.) smooth-leaved.	—	—	6. 8.	S. h.	
3 Acidoton. w.	(gr. wh.) Box-leaved.	—	—	6. 7.	S. h.	

LOUREIRA. W.	LOUREIRA.	Diœcia Monadelphia.	W.				
1 cuneifolia. w. (bh.) wedge-leaved.	Mexico.	1824.	6. 8.	G. h.		Cavan. ic. 5. t. 429.	
<i>Mozinnu spathulata.</i>	Ort. dec. 8. t. 13.						
2 glandulosa. w. (bh.) glandulous.	—————	1799.	—	G. h.		Cavan. ic. 5. t. 430.	
B'ORYA. W.	B'ORYA.	Diœcia Diandria.	W.				
1 porulosa. w. (gr.wh.) Florida.	Florida.	1806.	7. 8.	H. h.			
2 ligustrina. w. (gr.wh.) Privet-leaved.	N. America.	1812.	—	H. h.			
3 prinoïdes. W.en. (gr.wh.) Prinos-like.	—————	1816.	—	H. h.			
4 nitida. W.en. (gr.wh.) glossy-leaved.	—————	—	—	H. h.			
5 retusa. W.en. (gr.wh.) retuse-leaved.	—————	1812.	—	H. h.			
6 acuminata. w. (gr.wh.) pointed.	—————	—	—	H. h.		Mich. amer. 2. t. 3.	
<i>Adelia acuminata.</i>	M.						
SECURINEGA. J.	SECURINEGA.	Monœcia Pentandria.					
nitida. P.s. (wh.) Otaheite Myrtle.	Otaheite.	1793.	3. 8.	S. h.		Lindl. collect. t. 9.	
TR'AGIA. W.	TR'AGIA.	Monœcia Triandria.	W.				
1 volubilis. w. (gr.) twining.	W. Indies.	1739.	6. 7.	S. h.		Trew. pl. rar. 2. t. 1.	
2 involucrata. w. (gr.) involucred.	E. Indies.	1759.	—	S. ⊙.		Jacq. ic. 1. t. 190.	
3 mercurialis. w. (gr.) Mercury-like.	—————	1818.	—	S. ⊙.		Rheed. mal. 10. t. 3.	
4 urticæfolia. s.s. (gr.) nettle-leaved.	N. America.	1812.	—	H. ⊙.			
5 hirsuta. D.L. (gr.) hairy.	Trinidad.	1820.	—	S. ⊙.			
6 urens. w. (gr.) stinging.	Virginia.	1699.	8.	H. ⊙.		Pluk. alm. t. 107. f. 1.	
7 cannabina. w. (gr.) Hemp-leaved.	—————	1699.	6. 7.	S. 4.		Burm. ind. t. 63. f. 1.	
MICROSTACHYS. J.	MICROSTACHYS.	Monœcia Triandria.					
1 corniculata. (gr.) two-horned.	Trinidad.	1820.	6. 7.	S. ⊙.			
<i>Tragia corniculata.</i>	Vahl. <i>Cnemidostachys Vahlii.</i>	s.s.					
2 Chamælea. J. (gr.) lance-leaved.	E. Indies.	1793.	—	S. ⊙.		Rheed. mal. 2. t. 34.	

ORDO CLXXXI.

EMPETREÆ. *D. Don on the affinities of the Empetrea. p. 3.*

EMPETRUM. D.D.	EMPETRUM.	Diœcia Triandria.	L.				
nigrum. w. (gr.) black-berried.	Britain.	4. 5.	H. h.		Eng. bot. v. 8. t. 526.	
COR'EMA. D.D.	COR'EMA.	Diœcia Triandria.					
album. D.D. (gr.) white-berried.	Portugal.	1774.	4. 6.	H. h.			
<i>Empetrum album.</i>	w.						
CERATIOLOLA. M.	CERATIOLOLA.	Monœcia Diandria.	N.				
ericoides. M. (st.) Heath-like.	N. America.	1810.	4. 6.	H. h.		Pursh. fl. amer. 1. t. 1.	

ORDO CLXXXII.

ANTIDESMEÆ.

ANTIDESMA. W.	ANTIDESMA.	Diœcia Pentandria.	L.				
1 alexiteria. w. (gr.) Laurel-leaved.	E. Indies.	1793.	5. 6.	S. h.		Rheed. mal. 5. t. 11.	
2 pubescens. w. (gr.) pubescent.	—————	1818.	—	S. h.		Roxb. corom. 2. t. 17.	
3 paniculata. w. (gr.) paniced.	—————	1800.	—	S. h.			
STIL'AGO. W.	STIL'AGO.	Diœcia Triandria.	W.				
1 Bunius. w. (gr.) Laurel-leaved.	E. Indies.	1757.	8. 10.	S. h.		Rheed. mal. 4. t. 56.	
2 diandra. w. (gr.) diandrous.	—————	1800.	—	S. h.		Roxb. corom. 2. t. 16.	

ORDO CLXXXIII.

URTICEÆ. *Juss. gen. 400.*

FICUS. L.	FIG-TREE.	Polygamia Diœcia.	W.				
1 religiosa. R.s. (gr.) Poplar-leaved.	E. Indies.	1731.	S. h.		Rheed. mal. 1. t. 27.	
2 superstiosa. L.en. (gr.) superstitious.	—————	S. h.			

1	<i>nymphæifolia</i> . R.S. (<i>gr.</i>)	Water-lily-leaved.	E. Indies.	1759.	S. h.	
2	<i>cordata</i> . R.S. (<i>gr.</i>)	heart-leaved.	C. B. S.	1802.	4. 6.	S. h.	Thunb. fic. p. 8. c. ic.
3	<i>oblongata</i> . L.en. (<i>gr.</i>)	oblong-leaved.	—————	1816.	...	S. h.	
4	<i>crassinervia</i> . R.S. (<i>gr.</i>)	thick-nerved.	S. America.	—————	S. h.	
5	<i>rubrinervia</i> . L.en. (<i>gr.</i>)	red-nerved.	Brazil.	1824.	S. h.	
6	<i>rubiginosa</i> . R.S. (<i>gr.</i>)	ferrugineous.	N. S. W.	1789.	3. 6.	G. h.	Venten. malm. t. 114.
	<i>australis</i> . W.						
9	<i>costata</i> . R.S. (<i>gr.</i>)	rib-leaved.	E. Indies.	1763.	S. h.	
10	<i>laevigata</i> . R.S. (<i>gr.</i>)	smooth.	W. Indies.	1822.	S. h.	
11	<i>lentiginosa</i> . R.S. (<i>gr.</i>)	veined-leaved.	—————	1826.	S. h.	
12	<i>citrifolia</i> . R.S. (<i>gr.</i>)	Citron-leaved.	—————	1824.	S. h.	
13	<i>coronata</i> . R.S. (<i>gr.re.</i>)	red-crowned.	N. S. W.	1807.	3. 6.	G. h.	Colla hort. rip. t. 8.
14	<i>lucida</i> . R.S. (<i>gr.</i>)	shining-leaved.	E. Indies.	1772.	4. 6.	S. h.	
15	<i>scandens</i> . R.S. (<i>gr.</i>)	climbing.	S. America.	1816.	—	S. h.	
16	<i>stipulata</i> . R.S. (<i>gr.</i>)	trailing.	China.	1771.	—	G. h.	
17	<i>pedunculata</i> . R.S. (<i>gr.</i>)	Willow-leaved.	S. America.	1776.	5. 7.	S. h.	Pluk. alm. t. 178. f. 4.
18	<i>venosa</i> . R.S. (<i>gr.</i>)	vein-leaved.	E. Indies.	1763.	6. 8.	S. h.	Rheed. mal. 3. t. 64.
19	<i>leucotoma</i> . R.S. (<i>gr.</i>)	white-spotted.	—————	—	S. h.	W. hort. ber. 1. t. 36.
	<i>renosa</i> . W. non H.K.						
20	<i>lactoria</i> . R.S. (<i>gr.</i>)	Otaheite.	Society Isl.	1783.	5. 6.	S. h.	
21	<i>septica</i> . R.S. (<i>gr.</i>)	rough.	E. Indies.	1826.	S. h.	Rumph. amb. 3. t. 96.
22	<i>benamina</i> . R.S. (<i>gr.</i>)	oval-leaved.	—————	1757.	S. h.	Rheed. mal. 1. t. 26.
23	<i>padifolia</i> . K.S. (<i>gr.</i>)	Padus-leaved.	Mexico.	1826.	S. h.	
24	<i>complicata</i> . K.S. (<i>gr.</i>)	complicated.	—————	—	S. h.	
25	<i>glabrata</i> . K.S. (<i>gr.</i>)	smooth.	Teneriffe.	1816.	G. h.	
26	<i>benghalensis</i> . R.S. (<i>gr.</i>)	Bengal.	E. Indies.	1690.	4. 5.	S. h.	Rheed. mal. 1. t. 28.
27	<i>microcarpa</i> . R.S. (<i>gr.</i>)	small-fruited.	Guinea.	1823.	—	S. h.	
28	<i>americana</i> . R.S. (<i>gr.</i>)	American.	Jamaica.	1822.	S. h.	Plum. spec. t. 132. f. 2.
29	<i>racemosa</i> . R.S. (<i>gr.</i>)	clustered.	E. Indies.	1759.	4. 6.	S. h.	Rheed. mal. 1. t. 25.
30	<i>pertusa</i> . R.S. (<i>gr.</i>)	Laurel-leaved.	S. America.	1780.	—	S. h.	
31	<i>terebrata</i> . R.S. (<i>gr.</i>)	obovate-leaved.	Mauritius.	1822.	S. h.	Bory it t. 17.
32	<i>pumila</i> . R.S. (<i>gr.</i>)	dwarf.	China.	1759.	4. 6.	G. h.	Kæmp. amœn. t. 804.
33	<i>comosa</i> . R.S. (<i>gr.</i>)	tufted.	E. Indies.	1825.	S. h.	Roxb. corom. 2. t. 125.
34	<i>glomerata</i> . R.S. (<i>gr.</i>)	crowded.	—————	1818.	S. h.	————— 2. t. 123.
35	<i>Hookeri</i> . (<i>gr.</i>)	Hooker's.	W. Indies.	1816.	1. 4.	S. h.	Hook. ex. flor. t. 111.
	<i>nitida</i> . H.E.F. nec aliorum.						
36	<i>nitida</i> . R.S. (<i>gr.</i>)	glossy-leaved.	E. Indies.	1786.	3. 6.	S. h.	Rheed. mal. 3. t. 55.
37	<i>ciliolosa</i> . R.S. (<i>gr.</i>)	fringe stipuled.	1816.	—	S. h.	
38	<i>rubra</i> . R.S. (<i>re.</i>)	vermilion-fruited.	E. Indies.	1826.	S. h.	Rumph amb. 3. t. 85?
39	<i>cotinifolia</i> . K.S. (<i>gr.</i>)	Cotinus-leaved.	Mexico.	1824.	3. 6.	S. h.	
40	<i>obtusifolia</i> . K.S. (<i>gr.</i>)	blunt-leaved.	—————	—	S. h.	
41	<i>coriacea</i> . R.S. (<i>gr.</i>)	leathery-leaved.	E. Indies.	1772.	S. h.	
42	<i>populnea</i> . R.S. (<i>gr.</i>)	Poplar-leaved.	—————	S. h.	
43	<i>macrophylla</i> . R.S. (<i>gr.</i>)	large-leaved.	N. Holland.	1816.	4. 6.	G. h.	
44	<i>elastica</i> . H.B. (<i>gr.</i>)	Indian rubber.	E. Indies.	1815.	G. h.	
45	<i>Brassii</i> . H.T. (<i>gr.</i>)	Brass's.	Sierra Leon.	1822.	S. h.	
46	<i>lesiophylla</i> . L.en. (<i>gr.</i>)	downy-leaved.	1816.	S. h.	
47	<i>glaucophylla</i> . R.S. (<i>gr.</i>)	glaucous-leaved.	S. America.	1824.	S. h.	
48	<i>insipida</i> . R.S. (<i>gr.</i>)	insipid.	Caracas.	1829.	S. h.	
49	<i>retusa</i> . R.S. (<i>gr.</i>)	retuse-leaved.	E. Indies.	1793.	4. 6.	S. h.	
50	<i>laurifolia</i> . R.S. (<i>gr.</i>)	Laurel-leaved.	W. Indies.	1759.	—	S. h.	Sloan. jam. 2. t. 223.
	<i>martinicensis</i> . W.						
51	<i>calyculata</i> . R.S. (<i>gr.</i>)	calyculate.	Vera Cruz.	1760.	4. 6.	S. h.	
52	<i>brasiliensis</i> . L.en. (<i>gr.</i>)	Brazilian.	Brazil.	1820.	S. h.	
53	<i>cuneata</i> . R.S. (<i>gr.</i>)	wedge-leaved.	—————	1826.	S. h.	
54	<i>indica</i> . R.S. (<i>gr.</i>)	Banyan-tree.	E. Indies.	1759.	S. h.	Rheed. mal. 3. t. 63.
55	<i>salicifolia</i> . R.S. (<i>gr.</i>)	Willow-leaved.	Arabia.	1818.	S. h.	
56	<i>aurantiaca</i> . Lod. (<i>or.</i>)	orange-coloured.	—	S. h.	
57	<i>pendula</i> . L.en. (<i>gr.</i>)	pendulous.	1824.	5. 7.	S. h.	
58	<i>myrtifolia</i> . L.en. (<i>gr.</i>)	Myrtle-leaved.	—	S. h.	
59	<i>pubescens</i> . R.S. (<i>gr.</i>)	pubescent.	E. Indies.	—	S. h.	
60	<i>nervosa</i> . R.S. (<i>gr.</i>)	strong-nerved.	—————	1826.	S. h.	
61	<i>elliptica</i> . K.S. (<i>gr.</i>)	elliptic-leaved.	S. America.	1824.	S. h.	
62	<i>acuminata</i> . L.C. (<i>gr.</i>)	acuminate.	—	S. h.	
63	<i>longifolia</i> . L.C. (<i>gr.</i>)	long-leaved.	—	S. h.	
64	<i>candata</i> . L.C. (<i>gr.</i>)	tailed.	—	S. h.	
65	<i>damosa</i> . L.C. (<i>gr.</i>)	bushy.	—	S. h.	
66	<i>viscifolia</i> . L.C. (<i>gr.</i>)	Viscum-leaved	—	S. h.	
67	<i>lanceolata</i> . H.B. (<i>gr.</i>)	spear-leaved.	E. Indies.	1820.	S. h.	

68	obtusàta. L.en.	(gr.) obtuse-toothed.	1820.	S. h.	
69	múntia. L.en.	(gr.) rough-leaved.	N. Holland.	1818.	G. h.	
70	ulmifòlia. R.s.	(gr.) Elm-leaved.	Philippine.	1825.	S. h.	
71	capénsis. R.s.	(gr.) Cape.	C. B. S.	1816.	G. h.	
72	exasperàta. R.s.	(gr.) very rough.	Guinea.	1822.	S. h.	Willden. fic. t. 2.
	<i>scàbra. w. non</i>	Forst.					
73	hispida. R.s.	(gr.) opposite-leaved.	E. Indies.	1802.	S. h.	Roxb. corom. 2. t. 12.
	<i>oppositifòlia. Rox. scàbra. Jacq. schœn. 3. t. 315.</i>						
74	Lichtensteini. L.en.	(gr.) Lichtenstein's.	C. B. S.	1824.	G. h.	
75	aquática. w.	(gr.) water.	E. Indies.	1758.	4. 6.	S. h.	
76	heterophy'lla. R.s.	(gr.) various-leaved.	————	1816.	S. h.	Rheed. mal. 3. t. 62.
77	repens. R.s.	(gr.) creeping-stemmed.	————	1805.	S. h.	
78	virgàta. H.B.	(gr.) twiggy.	————	1817.	G. h.	
79	Carica. R.s.	(gr.) common.	S. Europe.	1548.	6. 7.	H. h.	Trew-Ehret. t. 73. 74.
	BRO'SIMUM. W.	BREAD-NUT.	Polygamia Diœcia. W.				
1	Alicástrum. w.	(gr.) Jamaica.	Jamaica.	1776.	S. h.	Sw. fl. ind. oc. 1. t. 1. 11.
2	spùrium. w.	(gr.) Milkwood.	————	1789.	S. h.	
3	Galactodéndron. D.D.	(gr.) Cow-tree.	Caracas.	1829.	S. h.	
	<i>Galactodéndron ùtile. K.s. Palo de Vacca. Humboldt.</i>						
	ARTOCA'RPUS. W.	BREAD-FRUIT.	Monœcia Monandria. W.				
1	incisa. w.	(gr.) true.	S. Sea Isles.	1793.	S. h.	Rumph. amb. 1. t. 31.
	<i>a nucifera.</i>	(gr.) nut-bearing.	————	————	S. h.	
	<i>β apyrèna.</i>	(gr.) seedless.	————	————	S. h.	Rumph. amb. 1. t. 32.
2	integrifòlia. w.	(gr.) Jaca-tree.	E. Indies.	1778.	6.	S. h.	Rheed. mal. 3. t. 26-27.
	<i>β heterophy'lla. Lam. various-leaved.</i>		————	————	————	S. h.	Rumph. amb. 1. t. 32.
	MACL'URA. N.	MACL'URA.	Diœcia Tetrandria. N.				
1	aurantiaca. N.	(gr.) Osage Apple.	Missouri.	1824.	H. h.	Lamb. pin. v. 2. ap. t. 12.
2	tinctòria. D.D.	(gr.) Fustick-wood.	W. Indies.	1739.	S. h.	Plum. ic. t. 204.
	<i>Mòrus tinctòria. w. Broussonètia tinctòria. K.s.</i>						
	BROUSSON'ETIA. W.	PAPER MULBERRY.	Diœcia Tetrandria. W.				
	<i>papyrifera. w. (gr. br.) common.</i>		Japan.	1751.	4. 7.	H. h.	Andr. reposit. t. 48.
	MORUS. W.	MULBERRY.	Monœcia Tetrandria. L.				
1	álba. w.	(gr.) white.	China.	1596.	6.	H. h.	Schk. hand. 3. t. 230.
2	tatàrica. w.	(gr.) Tartarian.	Tartary.	1784.	————	H. h.	Pall. ros. 2. t. 52.
3	itálica. w.	(gr.) Italian.	Italy.	————	H. h.	
4	constantinopolitana. (gr.)	Constantinople.	Constantinople.	————	H. h.	
5	nigra. w.	(gr.) common.	Italy.	1548.	————	H. 5.	Wats. dend. brit. t. 133.
6	rùbra. w.	(gr.) red.	N. America.	1629.	6. 7.	H. 5.	
7	scàbra. W.en.	(gr.) rough.	————	1812.	————	H. h.	
8	pensylvànica. L.C.	(gr.) Pensylvanian.	————	————	————	H. h.	
9	pùmila. L.C.	(gr.) dwarf.	————	————	H. h.	
10	índica. w.	(gr.) Indian.	E. Indies.	1820.	S. h.	Rheed. mal. 1. t. 49.
11	sinénsis. L.C.	(gr.) Chinese.	China.	————	G. h.	
12	mauritiàna. w.	(gr.) Mauritius.	Mauritius.	————	S. h.	Jacq. ic. 3. t. 617.
	CONOCE'PHALUS. B.J.	CONOCE'PHALUS.	Monœcia Tetrandria.				
	<i>naucleiflorus. B.R. (ye.) Nauclea-flower'd.</i>		E. Indies.	1816.	10. 4.	S. h.	Bot. reg. t. 1203.
	BØHM'ERIA. W.	BØHM'ERIA.	Monœcia Tetrandria. W.				
1	caudàta. w.	(gr.) tailed.	W. Indies.	1822.	4. 8.	S. h.	
2	cylíndrica. w.	(gr.) cylindrical.	Virginia.	1759.	6. 8.	H. 4.	Sloan. jam. 1. t. 82. f. 12.
3	macrophy'lla. D.P.	(gr.) large-leaved.	Nepaul.	1820.	————	G. h.	
4	rotundifòlia. D.P.	(gr.) round-leaved.	————	1819.	————	G. 4.	
5	platyphy'lla. D.P.	(gr.) rough-leaved.	————	1818.	6. 10.	G. h.	
6	spicàta. s.s.	(gr.) spiked.	Japan.	1824.	————	H. 4.	Hout. syst. 10. t. 72. f. 3.
7	ramiflòra. w.	(gr.) branch-flowering.	W. Indies.	1822.	————	S. h.	Lam. ill. t. 763.
	<i>Catùrus ramiflorus. L. Prœcris ramiflorus. Lam.</i>						
8	elongàta. L.en.	(gr.) elongated.	Brazil.	————	7. 9.	H. 0.	
9	lateriflòra. w.	(gr.) side-flowering.	N. America.	1816.	6. 8.	H. 4.	
10	rubescens. w.	(gr.) tree.	Canaries.	1779.	2. 5.	G. h.	Jacq. frag. n. 30. t. 5. f. 1.
	<i>Urtica arborea. L'Her. stirp. t. 20.</i>						
11	salicifòlia. D.P.	(gr.) Willow-leaved.	Nepaul.	1826.	7. 10.	G. h.	
12	frondosa. D.P.	(gr.) frondose.	————	1818.	————	G. h.	
13	ternifòlia. D.P.	(gr.) three-leaved.	————	1827.	————	G. h.	
14	frutescens. w.	(gr.) frutescent.	————	1819.	————	G. h.	
	URTICA. W.	NETTLE.	Monœcia Tetrandria. L.				
1	pilulifera. w.	(gr.) Roman.	England.	6. 8.	H. 0.	Eng. bot. v. 3. t. 148.
2	baleàrica. w.	(gr.) Balearic.	Balearic Isl.	1731.	6. 7.	H. 0.	Blackw. t. 321. f. 1.
3	Dodártii. w.	(gr.) Dodart's.	S. Europe.	1683.	7. 8.	H. 0.	
4	pùmila. w.	(gr.) dwarf.	N. America.	1817.	————	H. 0.	
5	crassifòlia. w.	(gr.) thick-leaved.	S. America.	1822.	————	S. h.	

6 grandifolia. w.	(gr.) great-leaved.	Jamaica.	1793.	7. 8.	S. h.	Sloan. jam. 1. t. 83. f. 2.
7 reticulata. w.	(gr.) net-leaved.	—————	—————	6. 8.	S. h.	
8 involucrata. B.M.	(gr.) imbossed.	W. Indies.	1809.	10. 11.	S. 2.	Bot. mag. t. 2481.
9 diffusa. w.	(gr.) spreading.	—————	—————	8. 10.	S. h.	
10 rufa. w.	(gr.) rusty.	Jamaica.	1793.	6. 9.	S. h.	
11 scabrilla. L.en.	(gr.) rough.	E. Indies.	1815.	10. 12.	G. h.	
12 scripta. D.P.	(gr.) black-lined.	Nepaul.	1823.	6. 8.	H. 2.	
13 rupestris. s.s.	(gr.) rock.	Sicily.	1828.	————	H. h.	
14 convexa. H.H.	(gr.) convex-leaved.	1824.	6. 9.	H. 0.	
15 urens. w.	(gr.) small.	Britain.	6. 10.	H. 0.	Eng. bot. v. 18. t. 1236.
16 dioica. w.	(gr.) common.	—————	7. 9.	H. 2.	————— v. 25. t. 1750.
17 chamædryoides. Ph.	(gr.) Germander-like.	Georgia.	1813.	————	H. 0.	
18 membranacea. w.	(gr.) membranaceous.	S. Europe.	1818.	————	H. 2.	
19 angustifolia. F.	(gr.) narrow-leaved.	Russia.	1824.	————	H. 2.	
20 ardens. L.en.	(gr.) burning.	Nepaul.	1819.	8. 11.	H. 0.	
21 cannabina. w.	(gr.) Hemp-leaved.	Siberia.	1749.	7. 9.	H. 2.	Amm. ruth. 249. t. 25.
22 rugosa. w.	(gr.) rough-leaved.	Jamaica.	1793.	5. 7.	S. 2.	
23 gracilis. w.	(gr.) slender-stalked.	Hudson's Bay.	1782.	6. 8.	H. 2.	
24 Parietaria. w.	(gr.) Pellitory-leaved.	Jamaica.	1793.	7. 9.	S. h.	Sloan. j. 1. t. 93. f. 1.
25 ciliata. w.	(gr.) ciliated.	—————	1815.	————	S. h.	
26 radicans. s.s.	(gr.) rooting.	—————	1809.	————	H. h.	
27 nummularifolia. w.	(gr.) moneywort-leaved.	—————	1822.	————	S. h.	Sloan. hist. 1. t. 131. f. 4.
28 depressa. w.	(gr.) depressed.	—————	—————	————	S. 2.	
29 microphylla. w.	(gr.) small-leaved.	W. Indies.	1793.	4. 5.	S. 2.	Sloan. j. 1. t. 93. f. 2.
30 trianthemoides. P.s.	(gr.) branching.	—————	1824.	————	S. 2.	
31 serrulata. s.s.	(gr.) saw-leaved.	Jamaica.	—————	————	S. 2.	
32 lucida. s.s.	(gr.) glossy-leaved.	—————	1808.	————	S. h.	
33 recurva. H.H.	(gr.) recurved.	1826.	6. 9.	H. 0.	
34 macrostachya. L.O.	(gr.) long-spiked.	S. America.	1824.	S. h.	
35 pulchella. L.en.	(gr.) neat.	E. Indies.	1816.	S. h.	
36 æstivans. w.	(gr.) Surinam.	Surinam.	1803.	6. 7.	S. 2.	Jacq. schœn. 3. t. 388.
37 capitata. w.	(gr.) headed.	N. America.	1820.	————	H. 2.	
38 canadensis. w.	(gr.) Canadian.	Canada.	1656.	8. 10.	H. 2.	Pluk. alm. t. 239. f. 2.
39 nivea. w.	(gr.) white-leaved.	China.	1739.	8. 9.	H. 2.	Jacq. vind. 2. t. 166.
40 caracasana. w.	(gr.) Caracas.	Caracas.	1820.	S. h.	Jacq. schœn. 3. t. 386.
41 caravellana. L.en.	(gr.) pointed-leaved.	S. America.	—————	8. 10.	H. 0.	
42 baccifera. w.	(gr.) berry-bearing.	—————	1793.	7. 8.	S. h.	Andr. reposit. t. 454.
43 elongata. w.	(gr.) elongated.	Philippines.	1823.	————	S. h.	
44 capitellata. s.s.	(gr.) small-headed.	Java.	1816.	4. 8.	S. h.	
45 ferocissima.	(gr.) ferocious.	Nepaul.	1805.	8. 10.	H. 0.	
korrida. L.en. non K.S.						
46 pentandra. H.B.	(gr.) pentandrous.	E. Indies.	—————	————	S. 2.	
47 arborescens. L.en.	(gr.) arborescent.	Manila.	1822.	S. h.	
48 diversifolia. L.en.	(gr.) different-leaved.	E. Indies.	1820.	S. h.	
49 heterophylla. D.P.	(gr.) various-leaved.	Nepaul.	1823.	6. 8.	H. 2.	
FORSKÖHLEA. L.	FORSKÖHLEA.	Monœcia Monandria.	J.			
1 fruticosa. w.	(gr.) frutescent.	Teneriffe.	1816.	6. 8.	G. h.	
2 tenacissima. w.	(gr.) clammy.	Egypt.	1767.	7. 8.	H. 0.	Jacq. vind. 1. t. 48.
3 candida. w.	(gr.) rough.	C. B. S.	1774.	6. 7.	G. 2.	
4 viridis. E.	(gr.) green.	Arabia.	1828.	————	G. 0.	
5 angustifolia. w.	(gr.) narrow-leaved.	Teneriffe.	1779.	7. 8.	H. 0.	Murr. c. gott. p. 24. t. 2.
PARIETARIA. W.	PELLITORY.	Polygamia Monœcia.	L.			
1 indica. w.	(gr.) Indian.	E. Indies.	1790.	4. 5.	S. 2.	
2 officinalis. w.	(gr.) common.	Britain.	6. 9.	H. 2.	Eng. bot. v. 13. t. 879.
3 judaica. w.	(gr.) Basil-leaved.	Germany.	1728.	————	H. 2.	Schkuh. hand. 3. t. 34.
4 pensylvanica. w.	(gr.) Pennsylvanian.	N. America.	1816.	————	H. 0.	
5 urticaefolia. w.	(gr.) Nettle-leaved.	Isl. Bourbon.	1700.	————	S. 0.	
6 lusitânica. w.	(gr.) chickweed-leaved.	Spain.	1710.	7. 8.	H. 0.	Bocc. sic. t. 24. f. 13.
7 eretica. w.	(gr.) Cretan.	Crete.	1818.	————	H. 0.	
8 prostrata. L.en.	(gr.) prostrate.	1823.	————	H. 2.	
9 polygonoides. w.	(gr.) Polygonum-leav'd.	Armenia.	1728.	————	H. 0.	Mart. cent. pl. rar. t. 8.
PILEA. L.col.	PILEA.	Monœcia Tetrandria.				
1 muscosa. L.col.	(gr.) mossy.	W. Indies.	1793.	4. 5.	S. 2.	Lindl. col. t. 4.
CANNABIS. W.	HEMP.	Diœcia Tetrandria.	L.			
1 sativa. w.	(gr.) common.	India.	6. 7.	H. 0.	Schk. hand. 3. t. 325.
FUMULUS. W.	HOP.	Diœcia Tetrandria.	L.			
1 Lupulus. w.	(gr.) common.	Britain.	6. 8.	H. 2.	Eng. bot. v. 6. t. 427.
THELYGONUM. W.	DOG'S-CABEAGE.	Monœcia Polyandria.	L.			
1 Cynocrámbe. w.	(gr.) common.	S. Europe.	1710.	7.	H. 0.	Schk. hand. 3. t. 299.

GN'ETUM. W.	GN'ETUM.	Monœcia Monadelphia. L.					
Gnèmon. w.	(gr.) Indian.	India.	1815.	S. h.	Rumph. amb. 1. t. 71.	
CECR'OPIA. W.	SNAKE-WOOD.	Diœcia Diandria. L.					
1 peltàta. w.	(gr.) peltated.	Jamaica.	1778.	S. h.	Lam. ill. t. 800.	
2 palmàta. w.	(gr.) palmated.	Brazil.	1823.	S. h.		
3 cóncolor. w.	(gr.) self-coloured.	—————	—————	S. h.		
GUNN'ERA. W.	GUNN'ERA.	Gynandria Diandria. L.					
perpénsa. w.	(gr.) marsh-marygold-ld.	C. B. S.	1688.	4. 6.	G. 4.	Bot. mag. t. 2376.	
DORST'ENIA. W.	DORST'ENIA.	Monœcia Diandria.					
1 cordifòlia. w.	(gr.) heart-leaved.	W. Indies.	1822.	5. 8.	S. 2.	Swart. obs. t. 7. f. 2.	
2 brasiliénsis. w.	(gr.) Brazilian.	S. America.	1792.	3. 4.	S. 2.		
3 Houstòni. w.	(gr.) Houstoun's.	—————	1747.	6. 7.	S. 2.	Bot. mag. t. 2017.	
4 arifòlia. w.	(gr.) Arum-leaved.	Brazil.	1823.	—	S. 2.	Lodd. bot. cab. t. 99.	
5 Contrayérva. w.	(gr.) Contrajerva-root.	S. America.	1748.	5. 8.	S. 2.	Jacq. ic. 3. t. 614.	
6 Drakèna. w.	(gr.) round-rooted.	Vera Cruz.	1729.	—	S. 2.	Lodd. bot. cab. t. 66.	
7 tubicìna. B.M.	(gr.) tubed.	Trinidad.	1824.	7. 9.	S. 2.	Bot. mag. t. 2804.	
8 ceratosánthes. B.C.	(gr. pu.) horned.	S. America.	—	4. 6.	S. 2.	Lodd. bot. cab. t. 124.	
MERTE'NSIA. K.S.	MERTE'NSIA.	Polygamia Monœcia. R.S.					
1 lævigàta. K.S.	(ye.) Mexican.	Mexico.	1825.	S. h.	H. et B. n. gen. 2. t. 102.	
2 ignúnea. R.S.	(ye.) Jamaica.	Jamaica.	1791.	4. 6.	S. h.		
	<i>Rhámnus ignúneus.</i> 1.	<i>Zizyphus ignúnea.</i> P.S.					
3 rhamnóides R.S.	(ye.) Rhamnus-like.	—————	1791.	4. 6.	S. h.	Cavan. ic. 3. t. 294.	
CÉLTIS. K.S.	NETTLE-TREE.	Polygamia Monœcia. L.					
1 micrántha. w.	(gr.) smooth.	Jamaica.	1739.	8. 9.	S. h.	Plum. ic. t. 206. f. 1.	
2 orientàlis. w.	(gr.) oriental.	E. Indies.	1820.	—	S. h.	Rheed. mal. 4. t. 40.	
3 pùmila. Ph.	(gr.) dwarf.	N. America.	1812.	5.	H. 5.		
4 crassifòlia. w.	(gr.) heart-leaved.	—————	—————	5. 6.	H. 5.	Duham. arb. 2. t. 9.	
	<i>cordifòlia.</i> Duh.						
5 occidentàlis. w.	(gr.) American.	—————	1656.	4. 5.	H. 5.	Wats. dend. brit. t. 15.	
	β cordàta. R.S.	(gr.) heart-leaved.	—————	—	H. 5.		
	γ scabriúscula. R.S.	(gr.) rough-leaved.	—————	—	H. 5.		
6 Willdenowiàna. R.S.	(gr.) Willdenow's.	China.	H. 5.		
7 sinénsis. R.S.	(gr.) Chinese.	—————	H. 5.		
8 lævigàta. R.S.	(gr.) smooth.	Louisiana.	1812.	4. 5.	H. 5.		
9 Tournefórtii. w.	(gr.) Tournefort's.	Levant.	1738.	H. 5.	Tourn. it. 2. t. 41.	
10 austràlis. w.	(gr.) European.	S. Europe.	1796.	5.	H. 5.	Wats. dend. brit. t. 16.	
PLAN'ERA. M.	PLAN'ERA.	Tetrandria Digynia. S.S.					
1 Richárdi. M.	(br. gr.) Richard's.	N. America.	1766.	4. 5.	H. 5.		
	<i>U'lmus nemoràlis.</i> H.K.						
2 carpinifòlia. w.D.	(gr.) Hornbeam-leaved.	Siberia.	—	—	H. 5.	Wats. dend. brit. t. 10.	
3 parvifòlia.	(gr.) small-leaved.	Caucasus.	—	H. 5.	Jacq. schœnb. t. 262.	
	<i>U'lmus parvifòlia.</i> Jacq.						
4 Gmelini. M.	(br. gr.) Gmelin's.	N. America.	1816.	—	H. 5.		
	<i>aquática.</i> N.						
U'LMUS. R.S.	ELM-TREE.	Pentandria Digynia. L.					
1 campéstris. E.B.	(pu.) common English.	Britain.	4. 5.	H. 5.	Eng. bot. v. 27. t. 186.	
2 suberòsa. E.B.	(pu.) cork-barked.	—————	3. 4.	H. 5.	— v. 31. t. 210.	
3 glábra. E.B.	(pu.) smooth.	—————	—	H. 5.	— v. 32. t. 224.	
4 màjor. E.B.	(br.) declining-branch'd.	—————	—	H. 5.	— v. 36. t. 254.	
5 montàna. E.B.	(gr.) Wych.	—————	4. 5.	H. 5.	— v. 27. t. 188.	
6 effùsa. w.	(gr.) spreading-flowered.	—————	—	H. 5.	Schk. hand. t. 57.	
7 álba. w.	(br.) white.	Hungary.	1816.	—	H. 5.		
8 crísipa. w.	(br.) curl-leaved.	N. America.	—	H. 5.		
9 americàna. w.	(gr.) large-leaved.	—————	1752.	—	H. 5.		
10 pendùla. W.en.	(gr.) pendulous.	—————	—	H. 5.		
11 fulva. M.	(br.) slippery.	—————	—	H. 5.	Mich. arb. 3. t. 6.	
12 scabra. Mill.	(br.) rough.	—	H. 5.		
13 pumila. w.	(br.) dwarf.	Siberia.	1771.	—	H. h.	Pall. ros. 1. t. 48.	
14 microphy'lla. P.S.	(br.) jagged-leaved.	—————	—	H. h.	Pall. r. 1. t. 48. f. A.B.C.	
15 alàta. M.	(br.) winged.	N. America.	1816.	—	H. 5.	Mich. arb. 3. t. 5.	
16 chinénsis. P.S. Chinese.	China.	G. h.		

ORDO CLXXXIV.

JUGLANDEÆ. *DC. theor. ed. 1. p. 215.*

JUGLANS. N.		WALNUT-TREE. Monœcia Polyandria. L.				
1	<i>regia. w.</i>	(gr.) common.	Persia.	1562.	4. 5.	H.5. Lam. ill. t. 781.
3	<i>maxima. P.S.</i>	(gr.) double-fruited.	————	————	————	H.5.
γ	<i>serotina. P.S.</i>	(gr.) late-fruited.	————	————	————	H.5.
2	<i>nigra. w.</i>	(gr.) black.	N. America.	1629.	————	H.5. Wats. dend. brit. t.158.
3	<i>cinerea. w.</i>	(gr.) shell bark.	————	1656.	————	H.5. ————— v. 1. t.192.
	<i>cithartica. Mich. arb.</i>	1. t. 2.				
4	<i>fraxinifolia. s.s.</i>	(gr.) Ash-leaved.	————	————	————	H.5.
5	<i>pterocarpa. s.s.</i>	(gr.) winged-fruited.	Caucasus.	1828.	H.5.
	<i>Rhus obscurum. M.B.</i>					
CARYA. N.		HICKORY NUT. Monœcia Tetr-Hexandria.				
1	<i>divariformis. N.</i>	(gr.) Pecan nut.	N. America.	4. 5.	H.5. Mich. arb. 1. t.3.
2	<i>angustifolia. H.K.</i>	(gr.) narrow-leaved.	————	1766.	————	H.5.
3	<i>oleata. N.</i>	(gr.) shell-bark.	————	1804.	————	H.5. Mich. arb. 1. t. 8.
4	<i>alba. N.</i>	(gr.) shag-bark.	————	1730.	————	H.5. ————— 1. t. 7.
	<i>Juglans compressa. w.</i>					
5	<i>tomentosa. N.</i>	(gr.) mocker nut.	————	1629.	————	H.5. Mich. arb. 1. t. 6.
	<i>Juglans alba. w. non M.</i>					
3	<i>maxima. N.</i>	(gr.) large-fruited.	————	1824.	————	H.5.
6	<i>pubescens. L.en.</i>	(gr.) pubescent.	————	————	H.5.
7	<i>microcarpa. N.</i>	(gr.) small-fruited.	————	1824.	————	H.5.
8	<i>amara. N.</i>	(gr.) bitter nut.	————	1800.	5.	H.5.
9	<i>porcina. N.</i>	(gr.) Pig nut.	————	1812.	4. 5.	H.5. Mich. arb. 1. t. 9.f. 3-4.
	<i>Juglans obcordata. w.</i>					
10	<i>glabra. w.</i>	(gr.) smooth-leaved.	————	1799.	H.5. Mich. arb. 1. t. 9. f. 1-2.
	<i>Juglans porcina β ficiformis. M.</i>					
11	<i>aquatica. N.</i>	(gr.) water.	Carolina.	1826.	H.5. Mich. arb. 1. t. 5.
12	<i>integrifolia. s.s.</i>	(gr.) entire-leaved.	Louisiana.	————	H.5.
	<i>Hicorius integrifolius. Rafin.</i>					

ORDO CLXXXV.

CUPULIFERÆ. *Kth. synops. 1. p. 353.*

QUERCUS. W.		OAK. Monœcia Polyandria. L.				
1	<i>Phellos. w.</i>	(y.gr.) Willow-leaved.	N. America.	1723.	5. 6.	H.5. Mich. arb. 1. t. 12.
3	<i>humilis. Ph.</i>	(y.gr.) dwarf.	————	1812.	————	H. ½. Catesb. car. 1. t. 22.
2	<i>maritima. w.</i>	(y.gr.) sea.	————	1811.	————	H. ½. Mich. querc. t. 13. f. 1.
3	<i>sericea. w.</i>	(y.gr.) running.	————	1724.	————	H. ½. Mich. arb. 2. t. 15.
4	<i>virens. w.</i>	(y.gr.) live.	————	1739.	5.	H.5. ————— 2. t. 11.
5	<i>cinerea. w.</i>	(y.gr.) ash-coloured.	————	1789.	5. 6.	H.5. ————— 2. t. 14.
6	<i>imbricaria. w.</i>	(y.gr.) tile-cupped.	————	1786.	————	H.5. ————— 2. t. 13.
7	<i>laurifolia. w.</i>	(y.gr.) Laurel-leaved.	————	————	5.	H.5. Mich. querc. t. 17.
3	<i>obtusa. Ph.</i>	(y.gr.) blunt-leaved.	————	————	————	H.5. ————— t. 18.
8	<i>lutea. w.</i>	(y.gr.) yellow-leaved.	Mexico.	1825.	H.5.
9	<i>glauca. w.</i>	(y.gr.) glaucous.	Japan.	1822.	H.5. Banks ic. Kæmp. t. 17.
10	<i>gramuntia. w.</i>	(y.gr.) Holly-leaved.	S. France.	1730.	6.	H. ½.
11	<i>Balota. w.</i>	(y.gr.) Barbary.	Barbary.	1818.	————	H. ½.
12	<i>rotundifolia. w.</i>	(y.gr.) round-leaved.	Spain.	————	————	H. ½.
13	<i>Tex. w.</i>	(y.gr.) evergreen.	S. France.	1581.	5. 6.	H. ½. Wats. dend. brit. t. 90.
α	<i>integrifolia. H.K.</i>	(y.gr.) entire-leaved.	————	————	————	H. ½.
5	<i>serrata. H.K.</i>	(y.gr.) saw-leaved.	————	————	————	H. ½.
γ	<i>oblonga. H.K.</i>	(y.gr.) long-leaved.	————	————	————	H. ½. Duham. arb. 1. t. 123.
β	<i>fagifolia. L.C.</i>	(y.gr.) Beech-leaved.	————	————	————	H. ½. ————— 1. t. 124.
δ	<i>crispa. L.C.</i>	(y.gr.) curl-leaved.	————	————	H. ½.
ε	<i>variifolia.</i>	(y.gr.) different-leaved.	S. Europe.	————	H. ½.
4	<i>heterophylla. Lam. non Ph.</i>					

15	crenàta. Lam. (y.gr.) crenated.	S. Europe.	5. 6.	H. ½.	
16	lusitànica. Lam. (y.gr.) Portugal.	Portugal.	1824.	—	H. ½.	Cavan. icon. 2. t. 12.
17	calycina. Poir. (y.gr.) calycine.	S. Europe.	—	H. ½.	
18	expànsa. Poir. (y.gr.) spreading.	—	—	H. ½.	
19	Lezermiàna. Poir. (y.gr.) glossy-leaved.	—	—	H. ½.	
20	castellàna. Bosc. (y.gr.) subdeciduous.	—	—	H. ½.	
21	Sùber. w. (y.gr.) Cork-tree.	S. France.	1699.	6.	H. ½.	Wats. dend. brit. t. 19.
22	coccífera. w. (y.gr.) Kermes.	—	1683.	5.	H. ½.	— t. 19.
23	prasina. Bosc. (y.gr.) glaucous-leaved.	Spain.	1824.	—	H. ½.	
24	hùmilis. P.s. (y.gr.) low.	S. Europe.	—	H. ½.	Lobel. ic. 2. p. 157.
25	infectòria. w. (y.gr.) Levant.	Levant.	1812.	H. ½.	
26	Turnèri. W.en. (y.gr.) Turner's.	—	—	H. 5.	
27	Prinus. w. (y.gr.) Chestnut-leaved.	N. America.	1730.	5. 6.	H. 5.	Mich. arb. 2. t. 7.
28	bícolor. w. (y.gr.) two-coloured.	—	1811.	5.	H. 5.	
29	montàna. w. (y.gr.) rock Chestnut.	—	1800.	—	H. 5.	Mich. arb. 2. t. 8.
30	Micháuxii. N. (y.gr.) swamp white.	—	1812.	H. 5.	— 2. t. 6.
	<i>Prinos discolor.</i> M.					
31	Castànea. w. (y.gr.) yellow Chestnut.	—	1816.	5.	H. 5.	Mich. arb. 2. t. 9.
32	prinoídes. w. (y.gr.) dwarf Chestnut.	—	—	—	H. ½.	— 2. t. 10.
	<i>Chinquapin.</i> Ph.					
33	agrifòlia. w. (y.gr.) spiny-leaved.	—	1827.	H. 5.	Pluk. phyt. t. 196. f. 1.
34	heterophýlla. Ph. (y.gr.) various-leaved.	—	—	H. 5.	Mich. arb. 2. t. 16.
35	aquática. Ph. (y.gr.) water.	—	1723.	—	H. 5.	— 2. t. 17.
36	hemisphærica. w. (y.gr.) hemispherical.	—	1816.	—	H. 5.	Mich. querc. t. 20. f. 1.
37	nàna. w. (y.gr.) dwarf.	—	1738.	—	H. ½.	Abb. ins. 2. t. 59.
38	trilòba. w. (y.gr.) three-lobed.	—	1800.	—	H. 5.	Mich. querc. t. 26.
39	nìgra. w. (y.gr.) black.	—	1739.	—	H. ½.	Mich. arb. 2. t. 18.
40	tinctòria. w. (y.gr.) dyer's.	—	1800.	—	H. 5.	Mich. querc. t. 24.
41	díscolor. w. (y.gr.) two-coloured.	—	1763.	—	H. 5.	— t. 25.
42	lanuginòsa. D.P. (y.gr.) Nepaul.	Nepaul.	1818.	G. 5.	
43	Phullàta. D.P. (y.gr.) slender-pointed.	—	1824.	G. 5.	
44	coccinea. w. (y.gr.) scarlet.	N. America.	1691.	5.	H. 5.	Mich. arb. 2. t. 23.
45	ambigua. M. (y.gr.) gray.	—	1800.	—	H. 5.	— 2. t. 24.
46	rùbra. w. (y.gr.) champion.	—	1739.	—	H. 5.	— 2. t. 26.
47	Catesb'æi. w. (y.gr.) barren scrub.	—	1820.	—	H. ½.	— 2. t. 29.
48	falcàta. M. (y.gr.) downy-leaved.	—	1763.	—	H. 5.	— 2. t. 21.
	<i>elongàta.</i> w.					
49	palústris. w. (y.gr.) marsh.	—	1800.	—	H. 5.	Mich. arb. 2. t. 25.
50	Banistèri. M. (y.gr.) Banister's.	—	—	—	H. ½.	— 2. t. 19.
	<i>ilicifolia.</i> w.					
51	stellàta. w. (y.gr.) starred.	—	—	—	H. 5.	Mich. arb. 2. t. 4.
	<i>obtusilòba.</i> M.					
52	macrocàrpa. w. (y.gr.) overcup white.	—	1800.	—	H. 5.	Mich. arb. 2. t. 3.
53	pseudo-sùber. w. (y.gr.) cork-like.	Spain.	1818.	—	H. ½.	Sant. itin. 156. t. 4.
54	Ægilops. w. (y.gr.) Velanida.	S. Europe.	1731.	H. 5.	Mill. dict. n. 7. t. 20.
55	álba. w. (y.gr.) white.	N. America.	1724.	5.	H. 5.	Mich. arb. 2. t. 1.
56	repànda. L.en. (y.gr.) repand.	—	—	H. 5.	Mich. querc. t. 5. f. 2.
57	E'sculus. w. (y.gr.) Italian.	S. Europe.	1739.	—	H. 5.	
58	Ròbar. w. (y.gr.) sessile-fruited.	Britain.	4. 5.	H. 5.	Eng. bot. v. 26. t. 18.
	<i>sessiliflora.</i> E.B.					
59	pedunculàta. w. (y.gr.) common.	—	—	H. 5.	Eng. bot. v. 19. t. 15.
	<i>Ròbur.</i> E.B. non w.					
60	pubescens. w. (y.gr.) Durmast.	England.	—	H. 5.	Second. d. chen. t. 1.
61	fastigiàta. Lam. (y.gr.) Cypress.	Pyrenees.	1822.	H. 5.	
62	conglomeràta. P.s. (y.gr.) clustered.	Europe.	4. 5.	H. 5.	
63	olivæfórmis. M. (y.gr.) mossy-cup.	N. America.	1811.	5.	H. 5.	Mich. arb. 2. t. 2.
64	lyràta. w. (y.gr.) lyre-leaved.	—	1786.	—	H. 5.	— 2. t. 5.
65	fagínea. P.s. (y.gr.) Beech-like.	S. Europe.	1824.	H. 5.	
66	haliphlèos. P.s. (y.gr.) hispid-cupped.	France.	4. 5.	H. 5.	
67	Tauzin. P.s. (y.gr.) soft jagged-leav'd.	S. Europe.	—	H. 5.	
	<i>β laciniàta.</i> Desv. (y.gr.) cut-leaved.					
	<i>γ digitàta.</i> Desv. (y.gr.) fingered.					
68	Cérris. w. (y.gr.) Turkey.	Turkey.	1735.	—	H. 5.	Wats. dend. brit. t. 19.
	<i>α frondòsa.</i> H.K. (y.gr.) common.					
	<i>β bullàta.</i> H.K. (y.gr.) rough-leaved.					
	<i>γ sinuàta.</i> H.K. (y.gr.) narrow-leaved.					
	<i>? δ dentàta.</i> w.D. (y.gr.) Fulham.					
69	Lucombeàna. (y.gr.) Lucombe's.	Levant.	6.	H. 5.	Wats. dend. brit. t. 19.
	<i>exoniénsis.</i> L.C.					

70	austrica. W.en. (y.gr.) Austrian.	Austria.	4. 5.	H.5.	Clus. hist. 1. p. 20. c. ic.
71	mexicana. K.s. (y.gr.) Mexican.	Mexico.	1824.	G. h.	H. et B. pl. æq. 2. t. 82.
72	spicata. K.s. (y.gr.) spiked.	—————	—————	G. h.	————— 2. t. 89.
73	Bonplandiana. (y.gr.) Bonpland's.	—————	—————	G. h.	————— 2. t. 93.
	<i>ambigua. K.s. non M.</i>					
FAGUS. W. BEECH. Monœcia Polyandria. L.						
1	americana. (y.gr.) white.	N. America.	5.	H.5.	Mich. arb. 2. t. 8.
	<i>sylatica β americana. N.</i>					
2	sylvatica. w. (y.gr.) common.	Britain.	4. 5.	H.5.	Eng. bot. v. 26. t. 1846.
	<i>β purpurea. H.K. (pu.) dark purple.</i>	Germany.	—	H.5.	
3	ferruginea. w. (y.gr.) ferruginous.	N. America.	1796.	5. 6.	H.5.	Mich. arb. 2. t. 9.
4	comptoniæfolia. Df. (y.gr.) Fern-leaved.	—	H. h.	
	<i>sylatica γ aspleniifolia. H.S.L.</i>					
CASTANEA. G. CHESTNUT. Monœcia Polyandria. W.						
1	americana. P.s. (y.gr.) American.	N. America.	5. 6.	H.5.	Mich. arb. 2. t. 6.
	<i>vesca β americana. N.</i>					
2	vesca. w. (y.gr.) common.	England.	—	H.5.	Eng. bot. v. 13. t. 886.
	<i>β variegata. (y.gr.) striped-leaved.</i>	—————	—	H.5.	
	<i>γ aspleniifolia. (y.gr.) fern-leaved.</i>	—	H. h.	
3	pumila. w. (y.gr.) dwarf.	N. America.	1699.	7.	H. h.	Mich. arb. 2. t. 7.
CORYLUS. W. NUT-TREE. Monœcia Polyandria. L.						
1	Avellana. w. (y.re.) common Hazel.	Britain.	2. 4.	H.5.	Eng. bot. v. 11. t. 723.
	<i>β alba. H.K. (y.re.) white Filbert.</i>	—	H.5.	
	<i>γ rubra. H.K. (y.re.) red Filbert.</i>	—	H.5.	
	<i>δ ovata. Lam. (y.re.) oval-fruited.</i>	—	H.5.	
	<i>ε barcelonensis. L.C. (y.re.) Barcelona.</i>	Spain.	—	H.5.	
	<i>ζ grandis. H.K. (y.re.) Cob-nut.</i>	—	H.5.	
	<i>η glomerata. H.K. (y.re.) clustered.</i>	—	H.5.	
2	tubulosa. w. (y.re.) Lambert's.	S. Europe.	1759.	3. 4.	H.5.	Lam. ill. t. 780.
3	heterophylla. F. (y.re.) various-leaved.	Danube.	1829.	H. h.	
4	americana. w. (st.re.) Cuckold.	N. America.	1798.	3. 4.	H.5.	Wang. amer. t. 29. f. 63.
5	humilis. w. (st.re.) dwarf cuckold.	—————	—	H. h.	
6	rostrata. w. (st.re.) common cuckold.	—————	1745.	—	H.5.	Willd. arb. t. 1. f. 2.
7	Colurna. w. (st.re.) Constantinople.	Constantinople.	1665.	—	H.5.	Wats. dend. brit. t. 99.

ORDO CLXXXVI.

BETULINEÆ. *Kth. synops. 1. p. 363.*

OSTRYA. W. HOP-HORNBEAM. Monœcia Polyandria. W.						
1	vulgaris. w. (gr.) common.	Italy.	1724.	5.	H.5.	Wats. dend. brit. t. 143.
2	virginica. w. (gr.) American.	N. America.	1692.	5. 6.	H.5.	Abb. ins. 2. t. 75.
CARPINUS. W. HORNBEAM. Monœcia Polyandria. L.						
1	Betulus. w. (gr.) common.	Britain.	3. 5.	H.5.	Eng. bot. v. 29. t. 2032.
	<i>β variegata. (gr.) striped-leaved.</i>	—————	—	H.5.	
	<i>γ incisa. H.K. (gr.) cut-leaved.</i>	—	H.5.	
	<i>δ quercifolia. Desf. (gr.) Oak-leaved.</i>	—	H.5.	
2	americana. w. (gr.) American.	N. America.	1812.	—	H.5.	Wats. dend. brit. t. 157.
3	orientalis. w. (gr.) eastern.	Levant.	1739.	5. 6.	H.5.	————— t. 98.
BETULA. W. BIRCH. Monœcia Polyandria. L.						
1	alba. w. (gr.) common.	Britain.	4. 6.	H.5.	Eng. bot. v. 31. t. 2198.
	<i>β verrucosa. Ehr. (gr.) warted.</i>	—————	—	H.5.	
	<i>γ pendula. Roth. (gr.) weeping.</i>	—————	—	H.5.	
	<i>δ dalecarlica. L. (gr.) palmate-leaved.</i>	—	H.5.	
	<i>ε macrocarpa. (gr.) large-fruited.</i>	—	H.5.	
2	pontica. Df. (gr.) eastern.	Asia.	—	H.5.	Wats. dend. brit. t. 94.
3	pubescens. P.s. (gr.) pubescent.	Europe.	4. 6.	H.5.	
4	populifolia. w. (gr.) Poplar-leaved.	N. America.	1750.	7.	H.5.	Wats. dend. brit. t. 151.
	<i>excelsa. w. (gr.) tall.</i>	—————	1767.	5.	H.5.	————— t. 95.
	<i>δ davurica. w. (gr.) Daurian.</i>	Dauria.	1786.	7.	H.5.	Pall. ros. 1. t. 39.
	<i>ε nigra. w. (gr.) black.</i>	N. America.	1736.	7. 8.	H.5.	Wats. dend. brit. t. 153.
	<i>ζ latea. M. (gr.) yellow.</i>	—————	1816.	5. 6.	H.5.	
	<i>η lanulosa. M. (gr.) woolly.</i>	—————	1812.	—	H.5.	Willd. arb. t. 2. f. 1.
	<i>radra. Mich. arb. 2. t. 3.</i>					

10	papyràcea. w.	(gr.) paper.	N. America.	1750.	5. 6.	H. 5.	Wats. deml. brit. t. 111.
11	lénta. w.	(gr.) soft.	—————	1759.	7.	H. 5.	————— t. 111.
12	carpinifòlia. W. eu.	(gr.) Hornbeam-leaved.	—————	1825.	—————	H. 5.	
13	carpáthica. Kit.	(gr.) Carpathian.	Carpathian mt.	1825.	—————	H. 5.	
14	ovàta. w.	(gr.) oval-leaved.	Europe.	6. 7.	H. h.	Wats. dend. brit. t. 98.
	<i>viridis</i> . Vill.	<i>A'lnus viridis</i> . DC.					
15	fruticòsa. w.	(gr.) shrubby.	Siberia.	1816.	—————	H. h.	Wats. dend. brit. t. 111.
16	glandulòsa. M.	(gr.) glandular.	N. America.	—————	5.	H. h.	
17	pùmila. w.	(gr.) hairy dwarf.	—————	1762.	4. 5.	H. h.	Wats. dend. brit. t. 98.
18	nàna. w.	(gr.) smooth dwarf.	Scotland.	5.	H. h.	Eng. bot. v. 33. t. 230.
	β <i>macrophy'lla</i> . Sch.	(gr.) large-leaved.	Switzerland.	1823.	—————	H. h.	
19	trístis. L. en.	(gr.) dark.	Kamtschatka.	1824.	H. h.	
	A'LNUS. W.	ALDER. Monœcia Tetrandria. W.					
1	glutinòsa. w.	(gr.) common.	Britain.	3. 4.	H. 5.	Eng. bot. v. 21. t. 158.
	β <i>emarginàta</i> .	(gr.) emarginate.	—————	—————	H. 5.	
	γ <i>incìsa</i> . w.	(gr.) cut-leaved.	—————	—————	H. 5.	
	δ <i>laciniàta</i> . w.	(gr.) jagged-leaved.	—————	—————	H. 5.	
	ϵ <i>quercifòlia</i> .	(gr.) Oak-leaved.	—————	—————	H. 5.	
2	incàna. w.	(gr.) hoary-leaved.	Europe.	1780.	6.	H. 5.	
	β <i>angulàta</i> . H. K.	(gr.) angular-leaved.	—————	—————	—————	H. 5.	
	γ <i>pinnàta</i> .	(gr.) pinnated.	—————	—————	H. 5.	
3	oblongàta. w.	(gr.) oblong-leaved.	S. Europe.	1730.	7.	H. 5.	
	β <i>ellíptica</i> .	(gr.) elliptic-leaved.	—————	—————	—————	H. 5.	
4	undulàta. w.	(gr.) undulate.	N. America.	1782.	5. 6.	H. h.	
	<i>críspa</i> . Ph.	<i>Bétula críspa</i> . H. K.					
5	glauca. s. s.	(gr.) glaucous.	—————	1812.	3. 4.	H. 5.	
6	serrulàta. w.	(gr.) notch-leaved.	—————	1769.	3.	H. h.	Abb. ins. 2. t. 92.
7	rugòsa. s. s.	(gr.) rugged-leaved.	—————	—————	H. h.	
8	sibírica. F.	(gr.) Siberian.	Siberia.	1820.	H. h.	Ten. flor. nap. t. 99.
9	cordifolia. T. P.	(gr.) heart-leaved.	Naples.	—————	3. 4.	H. h.	
10	macrophy'lla. Df.	(gr.) large-leaved.	—————	H. h.	
11	rùbra. Df.	(gr.) red.	—————	H. h.	
12	pùmila. L. C.	(gr.) dwarf.	—————	H. h.	
13	oxyacanthifòlia. L. C.	(gr.) Hawthorn-leaved.	1812.	H. h.	
14	subrotúnda. Df.	(gr.) roundish-leaved.	1822.	H. h.	

ORDO CLXXXVII.

SALICEÆ. *Kth. synops. 1. p. 364.*

SA'LIX. W.	WILLOW. Diœcia 1-2-3-5-andra-Monadelphæ.						
1	pr'æcox. s. s.	(g. ye.) early.	Europe.	2. 3.	H. 5.	Salic. woburn. t. 26.
2	pomeránica. W. en.	(g. ye.) Pomeranian.	Pomerania.	1816.	3. 5.	H. 5.	Eng. bot. v. 27. t. 150.
3	cinèrea. E. B.	(g. ye.) gray.	Britain.	5.	H. 5.	
4	angustàta. Ph.	(g. ye.) narrow-leaved.	Pensylvania.	1811.	3. 4.	H. 5.	Salic. woburn. t. 45.
5	Wulfeniàna. s. s.	(br. st.) Wulfen's.	Scotland.	—————	4. 5.	H. 5.	
6	silesiaca. s. s.	(g. ye.) Silesian.	Silesia.	1820.	—————	H. 5.	Hoffm. salic 1. t. 17. 12.
7	Ammanniàna. s. s.	(g. ye.) Amman's.	Carinthia.	—————	—————	H. 5.	
8	acutifòlia. s. s.	(g. ye.) acute-leaved.	Caucasus.	1824.	2. 3.	H. 5.	Salic. woburn. t. 35.
9	hastàta. w.	(g. ye.) halberd-leaved.	Lapland.	1780.	5.	H. 5.	Eng. bot. v. 23. t. 150.
10	malifòlia. E. B.	(g. ye.) Apple-leaved.	England.	4.	H. 5.	Flor. dan. t. 1238.
11	serrulàta. w.	(g. ye.) saw-leaved.	Lapland.	1820.	5.	H. 5.	
	<i>hastàta</i> . F. D.						
12	Pontederàna. w.	(g. ye.) Pontederà's.	Germany.	1818.	—————	H. 5.	Salic. woburn. t. 43.
13	phylicifòlia. E. B.	(g. ye.) Tea-leaved.	Scotland.	—————	H. h.	Eng. bot. v. 28. t. 150.
14	Andersoniàna. E. B.	(g. ye.) Anderson's.	—————	—————	H. h.	————— v. 33. t. 250.
15	tenuifòlia. E. B.	(g. ye.) slender-leaved.	Britain.	5. 6.	H. h.	————— v. 31. t. 216.
16	corúscans. w.	(g. ye.) glittering.	Switzerland.	1824.	—————	H. 5.	Jacq. aust. t. 408.
	<i>Arbúscula</i> . Jacq. non E. B.						
17	frágilis. E. B.	(g. ye.) crack.	Britain.	4. 5.	H. 5.	Eng. bot. v. 26. t. 150.
18	Russeliàna. E. B.	(g. ye.) Bedford.	England.	—————	H. 5.	————— v. 26. t. 150.
19	Treviràni. L. en.	(g. ye.) Treviranus's.	Germany.	1825.	—————	H. 5.	
20	hippophæfòlia. L. en.	(g. ye.) Sea-buckthorn-ld.	—————	1823.	—————	H. 5.	
21	viréseens. s. w.	(g. ye.) greenish.	Switzerland.	—————	—————	H. 5.	Salic. woburn. t. 7.

22	triandra. E.B. (<i>g.ye.</i>) long-leaved.	Britain.	5. 8.	H.5.	Eng. bot. v. 20. t. 1435.
23	amygdalina. E.B. (<i>g.ye.</i>) Almond-leaved.	—————	4. 5.	H.5.	————— v. 27. t. 1936.
24	Hoppeana. w. (<i>g.ye.</i>) Hoppe's.	Switzerland.	1817.	—	H.5.	
25	ambigua. Ph. (<i>gr.ye.</i>) ambiguous.	N. America.	1813.	3. 4.	H.5.	
26	decipiens. E.B. (<i>gr.ye.</i>) varnished.	England.	5.	H.5.	Eng. bot. v. 27. t. 1937.
27	vitellina. E.B. (<i>gr.ye.</i>) yellow twigged.	—————	3. 5.	H.5.	————— v. 20. t. 1389.
28	alba. E.B. (<i>gr.ye.</i>) common white.	Britain.	4. 5.	H.5.	————— v. 34. t. 2430.
29	caerulea. E.B. (<i>gr.ye.</i>) blue-leaved.	England.	5. 8.	H.5.	————— v. 34. t. 2431.
30	pedicellaris. s.s. (<i>gr.ye.</i>) pedicellated.	N. America.	1811.	4. 5.	H.5.	
	<i>pensylvanica.</i> Salic. Woburn. t. 95. ?					
31	babylonica. w. (<i>g.st.</i>) weeping.	Levant.	1692.	5. 6.	H.5.	Salic. woburn. t. 22.
32	annularis. s.w. (<i>g.st.</i>) annular-leaved.	1823.	—	H.5.	————— t. 21.
33	myricoides. s.s. (<i>g.ye.</i>) Myrica-like.	N. America.	1811.	4.	H.5.	Ann. bot. 2. t. 5. f. 2.
34	lucida. s.s. (<i>g.ye.</i>) shining.	—————	—————	5.	H.5.	————— 2. t. 5. f. 7.
35	rigida. s.s. (<i>g.ye.</i>) rigid.	—————	—————	4. 5.	H.5.	————— 2. t. 5. f. 4.
36	cordata. s.s. (<i>gr.ye.</i>) heart-leaved.	—————	—————	—	H. h.	————— 2. t. 5. f. 8.
37	nigra. s.s. (<i>g.ye.</i>) black.	—————	—————	5.	H.5.	————— 2. t. 5. f. 5.
38	riparia. w. (<i>g.ye.</i>) rivulet.	Europe.	1820.	—	H.5.	
39	incana. DC. (<i>g.ye.</i>) hoary.	—————	—————	4.	H.5.	Salic. woburn. t. 90.
40	incanescens. Sch. (<i>g.ye.</i>) incanescens.	Switzerland.	1823.	3. 4.	H.5.	————— t. 120.
41	lanata. E.F. (<i>gr.ye.</i>) woolly.	Scotland.	—————	—	H. h.	————— t. 71.
42	pentandra. E.B. (<i>gr.ye.</i>) Bay-leaved.	Britain.	5. 6.	H. h.	Eng. bot. v. 26. t. 1805.
43	Meyeriàna. s.s. (<i>g.st.</i>) Meyer's.	Germany.	1823.	4. 5.	H. h.	Salic. woburn. t. 33.
44	Forbesii. (<i>g.st.</i>) Forbes's.	Switzerland.	—————	—	H.5.	————— t. 32.
	<i>lucida. s.w. nec aliorum.</i>					
45	tetrasperma. w. (<i>g.ye.</i>) four-seeded.	E. Indies.	1796.	—	S. h.	Roxb. corom. 1. t. 97.
46	gariépina. B.T. (<i>g.ye.</i>) Cape.	C. B. S.	1816.	—	G. h.	
47	Humboldtiana. w. (<i>bl.</i>) Humboldt's.	Peru.	1821.	G. h.	H. et B. 2. t. 99, 100.
48	Bonplandiana. K.s. (<i>br.</i>) Bonpland's.	Mexico.	—————	G. h.	————— 2. t. 101, 102.
49	Houstoniana. Ph. (<i>gr.ye.</i>) Houstoun's.	America.	1812.	4. 5.	H. h.	Salic. woburn. t. 11.
50	Lyoni. s.w. (<i>g.ye.</i>) Lyon's.	Switzerland.	1816.	—	H. h.	————— t. 10.
51	finmarchica. s.s. (<i>g.ye.</i>) Finmark.	Sweden.	1821.	—	H. h.	Flor. dan. t. 1051.
52	Villarsiana. w. (<i>g.ye.</i>) Villars's.	S. France.	1818.	5. 6.	H. h.	Salic. woburn. t. 17.
53	myrtilloides. s.s. (<i>br.ye.</i>) Myrtle-leaved.	Sweden.	1772.	4. 8.	H. h.	————— t. 66.
54	retusa. w. (<i>g.ye.</i>) blunt-leaved.	Italy.	1763.	—	H. h.	————— f. 139.
55	serpyllifolia. w. (<i>g.ye.</i>) Thyme-leaved.	Switzerland.	1818.	—	H. h.	————— t. 65.
56	Kitaibeliàna. w. (<i>g.ye.</i>) Kitaibel's.	Carpathian m.	1816.	—	H. h.	————— t. 64.
57	'Uva-ursi. s.s. (<i>g.ye.</i>) Bearberry-like.	Labrador.	1811.	4. 5.	H. h.	————— f. 151.
58	berberifolia. w. (<i>g.ye.</i>) Barberry-leaved.	Davuria.	1824.	—	H. h.	Pall. ros. 2. t. 82.
59	herbacea. E.B. (<i>g.ye.</i>) least.	Britain.	6.	H. h.	Eng. bot. v. 27. t. 1907.
60	monandra. Ard. (<i>g.ye.</i>) monandrous.	Europe.	3. 4.	H. h.	Salic. woburn. t. 4.
61	purpurea. E.B. (<i>g.ye.</i>) bitter purple.	England.	3.	H. h.	Eng. bot. v. 20. t. 1388.
62	Hélix. E.B. (<i>g.ye.</i>) Rose.	Britain.	3. 4.	H. h.	————— v. 19. t. 1343.
63	Lambertiàna. E.B. (<i>g.ye.</i>) Boyton.	England.	—	H. h.	————— v. 19. t. 1359.
64	rùbra. E.B. (<i>g.ye.</i>) red-stemmed.	—————	4. 5.	H. h.	————— v. 16. t. 1145.
65	Forbiàna. E.B. (<i>g.ye.</i>) basket osier.	—————	4.	H. h.	————— v. 19. t. 1344.
66	viminàlis. E.B. (<i>g.ye.</i>) common osier.	Britain.	4. 5.	H. h.	————— v. 27. t. 1898.
67	mollissima. s.s. (<i>g.ye.</i>) softest.	Germany.	3. 4.	H. h.	
68	Smithiàna. s.s. (<i>g.ye.</i>) Smith's.	England.	—	H. h.	Salic. woburn. t. 134.
	<i>mollissima.</i> Eng. bot. v. 21. t. 1509. <i>nec aliorum.</i>					
69	acuminata. E.B. (<i>g.ye.</i>) acuminate.	Britain.	4.	H.5.	Eng. bot. v. 20. t. 1434.
70	holosericea. w. (<i>g.ye.</i>) holosericeous.	Germany.	1822.	—	H.5.	
71	aurita. w. (<i>g.ye.</i>) eared.	Britain.	4. 5.	H.5.	Hoff. sal. 1. t. 22. f. 1.
72	uliginosa. W.en. (<i>g.ye.</i>) marsh.	—————	4. 6.	H.5.	Eng. bot. v. 21. t. 1487.
	<i>aurita. E.B. non w.</i>					
73	paludosa. L.en. (<i>g.ye.</i>) fen.	Germany.	—	H.5.	
74	aquatica. E.B. (<i>g.ye.</i>) water.	Britain.	4.	H.5.	Eng. bot. v. 20. t. 1437.
75	spatulata. W.en. (<i>g.ye.</i>) spatulate.	Germany.	—	H.5.	
76	caprea. E.B. (<i>g.ye.</i>) great round-leaved.	Britain.	4. 5.	H.5.	Eng. bot. v. 21. t. 1488.
77	sphacelata. E.B. (<i>g.ye.</i>) withered-pointed.	Scotland.	—	H. h.	————— v. 33. t. 2333.
78	laurina. w. (<i>g.ye.</i>) Laurel-leaved.	England.	—	H. h.	————— v. 26. t. 1806.
	<i>bicolor. E.B. non Ehr.</i>					
79	bicolor. w. (<i>g.ye.</i>) two-coloured.	Germany.	1818.	—	H. h.	
80	Forsteriana. E.B. (<i>g.ye.</i>) Forster's.	Scotland.	—	H.5.	Eng. bot. v. 33. t. 1403.
81	nigricans. E.B. (<i>g.ye.</i>) dark broad-leaved.	England.	4.	H.5.	————— v. 17. t. 1213.
82	violacea. s.s. (<i>g.ye.</i>) violet.	Russia.	3. 4.	H.5.	Andr. reposit. t. 581.
83	conformis. s.w. (<i>g.ye.</i>) uniform-leaved.	2. 3.	H.5.	Salic. woburn. t. 24.
84	Weigeliàna. s.s. (<i>g.ye.</i>) long-styled.	Silesia.	1820.	—	H.5.	————— t. 51.
85	cotinifolia. E.B. (<i>g.ye.</i>) Quince-leaved.	Britain.	4.	H.5.	Eng. bot. v. 20. t. 1403.

86	conífera. s.s.	(g.ye.) cone-bearing.	N. America.	1800.	5.	H.5.	Wang. amer. t. 31. f. 72
87	prinoídes. s.s.	(g.ye.) Prinos-like.	————	1811.	3. 4.	H.5.	Salic. woburn. t. 40.
88	fuscàta. s.s.	(g.ye.) brown-stemmed.	————	————	————	H.5.	
89	recurvàta. s.s.	(g.ye.) recurve-flowered.	————	————	4.	H. h.	
90	trístis. s.s.	(g.ye.) linear-leaved.	————	1765.	3. 4.	H. h.	Salic. woburn. f. 150.
91	Muhlenbergiàna. (re.ye.)	Muhlenberg's.	————	1811.	4.	H. h.	Ann. bot. 2. t. 5. f. 9.
92	grìsea. W.en.	(br.ye.) brown.	————	1816.	————	H. h.	
93	lanceolàta. E.B.	(g.ye.) sharp-leaved.	England.	4. 5.	H. h.	Eng. bot. v. 20. t. 140.
94	stipulàris. E.B.	(g.ye.) auricled.	Britain.	3.	H. h.	———— v. 17. t. 12.
95	undulàta. s.s.	(g.ye.) wave-leaved.	Germany.	1819.	4. 5.	H. h.	Salic. woburn. t. 13.
96	virgàta. s.w.	(g.ye.) twiggy.	5. 6.	H. h.	———— t. 12.
97	Hoffmanniàna. (g.ye.)	Hoffman's.	Switzerland.	5.	H. h.	———— t. 16.
98	montàna. w.	(g.ye.) mountain.	————	5. 6.	H.5.	———— t. 19.
99	monspeliénsis. s.w.	(g.ye.) Montpelier.	Montpelier.	4. 5.	H. h.	———— t. 30.
100	pátens. s.w.	(g.ye.) spreading.	5. 8.	H. h.	———— t. 39.
101	Willdenowiàna. s.w.	(g.ye.) Willdenow's.	4. 8.	H. h.	———— t. 41.
102	crìspa. s.w.	(g.st.) curled.	3.	H. h.	———— t. 42.
103	nìtens. s.w.	(g.ye.) glossy.	Scotland.	4. 5.	H. h.	———— t. 44.
104	Borreriàna. s.w.	(g.st.) Borrer's.	————	4.	H. h.	———— t. 45.
105	Davalliàna. s.w.	(br.st.) Davall's.	————	————	H. h.	———— t. 47.
106	petiolàris. E.B.	(br.st.) dark long-leaved.	N. America.	4.	H. h.	Eng. bot. v. 16. t. 117.
107	pátula. s.s.	(g.ye.) spreading.	Italy.	1818.	————	H. h.	
108	oleifòlia. E.B.	(g.ye.) Olive-leaved.	Britain.	3.	H.5.	Eng. bot. v. 20. t. 140.
109	cándida. s.s.	(r.st.) hoary.	N. America.	1811.	2. 3.	H. h.	Salic. woburn. t. 91.
110	dìscolor. s.s.	(g.ye.) brown-branched.	————	————	4.	H. h.	Ann. bot. 2. t. 5. f. 1.
111	arenària. E.B.	(g.ye.) sand.	Scotland.	5.	H. h.	Eng. bot. v. 26. t. 190.
112	rèpens. E.B.	(br.ye.) creeping.	Britain.	5.	H. h.	———— v. 3. t. 183.
113	incubàcea. w.	(bh.ye.) trailing.	————	1775.	————	H. h.	Salic. woburn. t. 79.
114	rosmarinifòlia. E.B.	(g.ye.) Rosemary-leaved.	————	4. 5.	H. h.	Eng. bot. v. 19. t. 135.
115	Arbúscula. E.B.	(g.ye.) little tree.	Scotland.	4.	H. h.	———— v. 19. t. 136.
116	fúsca. E.B.	(g.st.) brown.	Britain.	5.	H. h.	———— v. 28. t. 190.
117	parvifòlia. E.B.	(g.ye.) small-leaved.	England.	4. 5.	H. h.	———— v. 28. t. 191.
118	adscéndens. E.B.	(g.ye.) ascending.	————	5.	H. h.	———— v. 28. t. 192.
119	prostràta. E.B.	(g.ye.) prostrate.	Britain.	5.	H. h.	———— v. 28. t. 193.
120	canéscens. W.en.	(g.ye.) canescent.	Germany.	1815.	4. 5.	H. h.	
121	leucophýlla. W.en.	(g.ye.) white-leaved.	————	————	————	H. h.	
122	elæagnoídes. L.en.	(g.ye.) Elæagnus-like.	Switzerland.	1823.	4. 8.	H. h.	Salic. woburn. t. 69.
123	argénteà. E.B.	(g.ye.) silky sand.	Britain.	5.	H. h.	Eng. bot. v. 19. t. 134.
124	procúbens. s.w.	(g.ye.) procumbent.	Scotland.	————	H. h.	Salic. woburn. t. 61.
125	ramifúsca. s.w.	(g.ye.) brown branched.	Britain.	4. 7.	H. h.	———— t. 53.
126	floribúnda. s.w.	(g.ye.) many flowered.	————	————	H. h.	———— t. 54.
127	versifòlia. s.s.	(g.ye.) various-leaved.	N. Europe.	1824.	5.	H. h.	
128	prunifòlia. E.B.	(g.ye.) Plum-leaved.	Scotland.	4. 5.	H. h.	Eng. bot. v. 19. t. 133.
129	Dicksoniàna. E.B.	(g.ye.) Dickson's.	————	5.	H. h.	———— v. 20. t. 134.
130	hùmilis. W.en.	(g.ye.) humble.	1824.	————	H. h.	
131	formòsa. w.	(g.ye.) handsome.	Switzerland.	1820.	————	H. h.	
132	myrsinìtes. E.B.	(g.ye.) Whortle-leaved.	Scotland.	4. 6.	H. h.	Eng. bot. v. 19. t. 132.
133	venulòsa. E.B.	(g.ye.) veiny-leaved.	————	4. 5.	H. h.	———— v. 19. t. 132.
134	vacciniifòlia. E.B.	(g.ye.) Bilberry-leaved.	————	————	H. h.	———— v. 33. t. 244.
135	carinàta. E.B.	(g.ye.) folded-leaved.	————	————	H. h.	———— v. 19. t. 133.
136	arbutifòlia. w.	(g.ye.) Arbutus-leaved.	Switzerland.	1818.	————	H. h.	
137	rupéstris. E.B.	(g.ye.) rock.	Scotland.	4.	H. h.	Eng. bot. v. 33. t. 242.
138	lappònum. w.	(g.ye.) Lapland.	Lapland.	————	H. h.	Salic. woburn. t. 73.
139	helvética. Vil.	(g.ye.) Swiss.	Switzerland.	1824.	4. 8.	H. h.	
140	leucophýlla. w.	(g.ye.) white-leaved.	————	————	————	H. h.	
141	lívìda. s.s.	(g.ye.) livid.	Lapland.	————	4.	H. h.	
142	polàris. s.s.	(g.ye.) polar.	————	————	4. 7.	H. h.	Salic. woburn. t. 63.
143	longifòlia. s.s.	(g.ye.) long-leaved.	N. America.	1819.	4. 5.	H. h.	Ann. bot. 2. t. 5. f. 6.
144	glàuca. E.B.	(g.ye.) glaucous.	Scotland.	5.	H. h.	Eng. bot. v. 26. t. 151.
145	seríceà. w.	(wh.ye.) silky.	Alps Europe.	1816.	————	H. h.	Salic. woburn. t. 74.
146	Stuartiàna. E.B.	(w.ye.) Stuart's.	Scotland.	7. 8.	H. h.	Eng. bot. v. 36. t. 256.
147	reticulàta. E.B.	(re.) wrinkled.	Britain.	6. 7.	H. h.	———— v. 27. t. 190.
148	hírta. E.B.	(g.ye.) hairy-branched.	England.	4. 5.	H.5.	———— v. 20. t. 140.
149	Croweàna. E.B.	(g.ye.) Crowe's.	————	————	H. h.	———— v. 16. t. 114.
150	fagifòlia. w.	(g.ye.) Beech-leaved.	Hungary.	1819.	————	H. h.	
151	cordifòlia. Ph.	(g.ye.) heart-shaped.	N. America.	1811.	————	H. h.	Salic. woburn. f. 143.
152	planifòlia. Ph.	(g.ye.) flat-leaved.	Labrador.	————	————	H. h.	
153	falcàta. Ph.	(g.ye.) sickle-leaved.	N. America.	————	————	H. h.	Salic. woburn. f. 146.
154	tetrápila. L.en.	(g.ye.) elegant.	Scotland.	1824.	4.	H. h.	———— t. 49.

155 obtusa. L.en. (g.ye.) blunt-leaved.	Switzerland.	1820.	4.	H. h.	
156 eriantha. L.en. (g.ye.) woolly-flowered.	—————	—————	—————	H. h.	
157 casia. Vill. (g.ye.) casious.	N. Europe.	—————	4. 5.	H. h.	Vill. delph. 3. t. 50. f. 11.
158 ulmifolia. W.en. (g.ye.) Elm-leaved.	Switzerland.	—————	4.	H. h.	
159 foliosa. w. (g.ye.) leafy.	Lapland.	1818.	—————	H. h.	
160 obtusifolia. w. (g.ye.) obtuse-leaved.	—————	—————	—————	H. h.	
161 atrovirens. s.w. (g.ye.) dark-green.	Switzerland.	1824.	—————	H. h.	Salic. woburn. t. 108.
162 australis. s.w. (g.ye.) southern.	—————	—————	5.	H. h.	————— t. 103.
163 carpinifolia. s.w. (g.ye.) Hornbeam-leaved.	Germany.	—————	3. 4.	H. h.	
164 cydoniifolia. Sch. (g.ye.) Cydonia-leaved.	Switzerland.	—————	—————	H. h.	
165 subalpina. s.w. (g.ye.) subalpine.	—————	—————	4. 5.	H. h.	Salic. woburn. t. 93.
166 proteafolia. s.w. (g.ye.) Protea-leaved.	—————	1820.	—————	H. h.	————— t. 75.
167 strepida. s.w. (g.ye.) creaking.	—————	—————	3. 4.	H. h.	————— t. 100.
168 pyrenæica. s.s. (g.ye.) Pyrenean.	Pyrenees.	1823.	4.	H. h.	
169 Jacquiniæna. w. (g.ye.) Jacquin's.	Austria.	1818.	—————	H. h.	Jacq. aust. t. 409.
<i>fusca. Jacquin. nec aliorum.</i>					
170 Schraderianum. w. (g.ye.) Schrader's.	Germany.	1820.	—————	H. h.	
171 finmarchica. w. (g.ye.) Swedish.	Sweden.	1825.	4. 5.	H. h.	
172 serrulata. w. (g.ye.) serrulate.	Lapland.	1822.	—————	H. h.	
173 versicolor. s.w. (g.ye.) various-coloured.	Switzerland.	—————	5.	H. h.	Salic. woburn. t. 77.
174 Doniana. E.F. (br.ye.) Mr. Don's.	Scotland.	4. 5.	H. h.	————— t. 88.
175 linearis. s.w. (br.st.) linear-leaved.	Switzerland.	1820.	—————	H. h.	————— t. 89.
176 villosa. s.w. (g.ye.) villous.	—————	H. h.	————— t. 92.
177 reflexa. s.w. (g.ye.) reflexed.	3.	H. h.	————— t. 94.
178 petræa. s.w. (g.ye.) rock-side.	Britain.	4.	H. h.	————— t. 97.
179 grisonensis. s.w. (g.ye.) Grisons.	Grisons.	1820.	3. 4.	H. h.	————— t. 99.
180 sordida. s.w. (g.st.) sordid.	Switzerland.	—————	4.	H. h.	————— t. 101.
181 glabrata. Sch. (g.ye.) smooth.	—————	1823.	4. 5.	H. h.	
182 decumbens. s.w. (g.ye.) decumbent.	—————	—————	5.	H. h.	Salic. woburn. t. 88.
183 heterophylla. Deb. (g.ye.) different-leaved.	—————	—————	H. h.	
184 murina. Sch. (g.ye.) wall.	Switzerland.	1824.	3. 4.	H. h.	
185 nervosa. Sch. (g.ye.) nerved.	—————	—————	—————	H. h.	
186 pannosa. s.w. (g.ye.) cloth-leaved.	—————	—————	4. 5.	H. h.	Salic. woburn. t. 123.
187 pallens. Sch. (g.st.) pallid.	—————	—————	—————	H. h.	
188 pallida. s.w. (g.ye.) pale.	—————	—————	5.	H. h.	Salic. woburn. t. 96.
189 alaternoïdes. s.w. (ye.) Alaternus-like.	—————	1823.	4. 5.	H. h.	————— t. 76.
190 albescens. Sch. (g.st.) whitish.	—————	—————	—————	H. h.	
191 rivularis. s.w. (g.ye.) rivulet.	—————	1824.	5.	H. h.	Salic. woburn. t. 102.
192 rotundata. s.w. (g.ye.) rounded-leaved.	—————	—————	4. 5.	H. h.	————— t. 104.
193 dura. s.w. (g.ye.) hardy.	—————	—————	—————	H. 5.	————— t. 105.
194 firma. s.w. (g.ye.) firm.	—————	—————	3. 4.	H. h.	————— t. 106.
195 Ansoniana. s.w. (g.ye.) Anson's.	—————	—————	—————	H. h.	————— t. 107.
196 coriacea. s.w. (g.ye.) leathery.	—————	1822.	3.	H. h.	————— t. 112.
197 crassifolia. s.w. (g.ye.) thick-leaved.	4. 5.	H. h.	————— t. 115.
198 vandensis. s.w. (g.ye.) Vaudois.	Switzerland.	1824.	3. 4.	H. h.	————— t. 117.
199 latifolia. s.w. (g.ye.) broad-leaved.	—————	—————	3.	H. h.	————— t. 118.
200 ferruginea. s.w. (br.st.) ferruginous.	Britain.	4.	H. h.	————— t. 128.
201 geminata. s.w. (g.ye.) twin-flowered.	—————	3.	H. h.	————— t. 129.
202 macrostipulacea. s.w. (g.y.) large-stipul'd.	Switzerland.	1822.	4. 5.	H. 5.	————— t. 130.
203 Micheliæna. s.w. (g.ye.) Michel's.	—————	—————	4.	H. 5.	————— t. 135.
204 atropurpurea. s.w. (g.ye.) dark-purple.	—————	1824.	—————	H. h.	
205 damascena. s.w. (g.ye.) Damask.	—————	—————	3. 4.	H. h.	
206 mutabilis. s.w. (g.ye.) changeable.	—————	—————	—————	H. h.	
207 cerasifolia. Sch. (g.ye.) Cherry-leaved.	—————	—————	4.	H. h.	
208 cinnamomea. Sch. (g.ye.) Cinnamon-scented.	—————	—————	4. 5.	H. h.	
209 clethrafolia. Sch. (g.ye.) Clethra-leaved.	—————	—————	—————	H. h.	
210 grisophylla. s.w. (g.ye.) gray-leaved.	—————	—————	4.	H. h.	Salic. woburn. t. 119.
211 lacustris. s.w. (g.ye.) lake.	—————	—————	3.	H. h.	————— t. 116.
212 mespilifolia. Sch. (g.ye.) Mespilus-leaved.	—————	—————	4. 5.	H. h.	
213 obtuseserrata. Sch. (g.ye.) bluntly-sawed.	—————	—————	—————	H. h.	
214 pyrifolia. Sch. (g.ye.) Pear-leaved.	—————	—————	—————	H. h.	
215 Schleicheriana. s.w. (g.ye.) Schleicher's.	—————	—————	—————	H. h.	Salic. woburn. t. 98.
216 velutina. W.en. (g.ye.) velvety.	1826.	3. 4.	H. h.	
217 Starkeana. w. (g.ye.) Starke's.	Silesia.	1820.	4. 5.	H. h.	
POPULUS. L.	POPLAR. Diœcia Octandria. L.				
1 alba. E.B.	(fl.) Abele-tree.	Britain.	3. 4.	H. 5. Eng. bot. v. 23. t. 1618.
2 canescens. E.B.	(fl.) gray.	England.	—————	H. 5. ————— v. 23. t. 1619.
3 nivea. w.	(fl.) snowy.	Europe.	—————	H. 5.
4 trepida. w.	(fl.) trembling.	N. America.	1812.	—————	H. 5. Mich. arb. 3. t. 8. f. 1.

5	trémula. w.	(fl.)	Aspen.	Britain.	3. 4.	H.5.	Eng. bot. v. 27. t. 1009
6	lævigàta. w.	(fl.)	smooth.	N. America.	1769.	—	H.5.	Mich. arb. 3. t. 11.
7	tremuloídes. M.	(fl.)	trembling-like.	—	1811.	—	H.5.	Duham. arb. 2. t. 53.
8	gr'æca. w.	(fl.)	Athenian.	Archipelago.	1779.	—	H.5.	— 184. t. 54.
9	nìgra. w.	(fl.)	black.	Britain.	—	H.5.	Eng. bot. v. 27. t. 1910
10	acladésca. Lind.	(re.)	black Italian.	N. America.	5.	H.5.	
11	hudsònica. M. betulifòlia. Ph.	(fl.)	American black.	—	—	H.5.	Mich. arb. 3. t. 10. f. 1
12	dilatàta. w.	(sc.)	Lombardy.	Italy.	1758.	—	H.5.	
13	vimínea. Df.	(fl.)	slender-twigged.	N. America.	1824.	4. 5.	H.5.	
14	monilífera. w.	(fl.)	Canadian.	Canada.	1772.	3. 5.	H.5.	Wats. dend. brit. t. 102
15	angulàta. w.	(fl.)	Carolina.	Carolina.	1738.	3.	H.5.	Mich. arb. 3. t. 12.
16	grandidentàta. M. β péndula. N.	(fl.)	large-toothed. weeping.	N. America.	1812. 1820.	4. —	H.5. H.5.	
17	balsamífera. w.	(gr.)	Tacamahac.	—	1692.	—	H.5.	Mich. arb. 3. t. 13. f. 1.
18	cándicans. w.	(gr.)	heart-leaved.	—	1772.	3.	H.5.	Catesb. car. 1. t. 34.
19	heterophy'lla. w.	(gr.)	various-leaved.	—	1765.	4. 5.	H.5.	Mich. arb. 3. t. 9.
20	laurifòlia. Led.	(fl.)	Laurel-leaved.	Altay.	1827.	H.5.	

ORDO CLXXXVIII.

PLATANEÆ.

PLATANUS. W.		PLANE-TREE.		Monœcia Polyandria. L.				
1	orientàlis. w.	(gr.)	oriental.	Levant.	1548.	4. 5.	H.5.	Wats. dend. brit. t. 101.
2	cuneàta. w.	(gr.)	wave-leaved.	—	1739.	—	H.5.	
3	acerifòlia. w.	(gr.)	Maple-leaved.	—	1724.	H.5.	
4	occidentàlis. w.	(gr.)	American.	N. America.	1640.	—	H.5.	Wats. dend. brit. t. 102.
5	mexicàna.	(gr.)	Mexican.	Mexico.	1826.	F.5.	
LIQUIDA'MBAR. W.		SWEET-GUM-TREE.		Monœcia Polyandria. L.				
1	Styraciflùà. w.	(gr.wh.)	Maple-leaved.	N. America.	1683.	3. 4.	H.5.	Catesb. car. 2. t. 65.
2	imbérbe. w.	(gr.wh.)	oriental.	Levant.	1759.	H.5.	

ORDO CLXXXIX.

MYRICEÆ. *Kth. synops. 1. p. 361.*

COMPTONIA. W.		COMPT'ONIA.		Monœcia Triandria. W.				
	aspleniifòlia. w.	(br.)	Fern-leaved.	N. America.	1714.	3. 5.	H. h.	Wats. dend. brit. t. 106
MYR'ICA. W.		CANDLEBERRY-MYRTLE.		Diœcia Tetrandria. L.				
1	Gàle. w.	(br.)	Sweet Gale.	Britain.	5.	H. h.	Eng. bot. v. 8. t. 502.
2	cerífera. w.	(br.)	common.	N. America.	1699.	5. 6.	H. h.	Catesb. car. 1. t. 60.
3	carolinénsis. Ph.	(br.)	broad-leaved.	—	1730.	5.	H. h.	— 1. t. 13.
4	pensylvànica. Ph.	(br.)	Pensylvanian.	—	—	H. h.	Duham. arb. ed. n. 2. t. 55.
5	Fáya. w.	(br.)	Azorian.	Azores.	1777.	6. 7.	F. h.	— 2. t. 56.
6	mexicàna. W.en.	(br.)	Mexican.	Mexico.	1821.	6. 8.	G. h.	
7	esculénta. D.P.	(br.)	eatable.	Nepaul.	—	G. h.	Jacq. ic. 3. t. 625.
8	segregàta. w.	(br.)	netted-leaved.	S. America.	—	G. h.	Pluk. alm. t. 48. f. 6.
9	æthiòpica. w.	(br.)	African.	C. B. S.	1795.	6. 7.	G. h.	Burm. afr. t. 98. f. 1.
10	serràta. w.	(br.)	saw-leaved.	—	1793.	8.	G. h.	Jacq. frag. 2. t. 1. f. 4.
11	laciniàta. W.en.	(br.)	smooth Oak-ld.	—	1752.	6. 7.	G. h.	
12	quercifòlia. W.en.	(br.)	hairy Oak-leav'd.	—	—	—	G. h.	
13	cordifòlia. w.	(br.)	heart-leaved.	—	1759.	5. 7.	G. h.	Pluk. alm. t. 319. f. 7.
14	integrifòlia. H.B.	(br.)	entire-leaved.	E. Indies.	1824.	S. h.	
NAGE'IA. W.		NAGE'IA.		Diœcia Tetrandria.				
1	japónica. w.	(gr.)	Japan.	Japan.	1812.	2. 4.	G. h.	
	<i>Báxus dioíca.</i> Hort.		<i>Myrica Nàgi.</i> Thunb.					
2	Putranjiva. H.B.	(gr.)	grey-barked.	E. Indies.	1822.	—	S. h.	
CASUAR'INA. W.		SHRUBBY HORSETAIL.		Monœcia Monandria. W.				
1	equisetifòlia. w.	(br.re.)	Horse-tail-leav'd.	S. Sea Island.	1793.	S. h.	Rumph. amb. 3. t. 57.
2	nodiflòra. w.	(br.re.)	knotted-flower'd.	—	1818.	S. h.	

3 glauca. s.s. (br.re.) glaucous.	N. S. W.	1818.	11. 4.	G. h.	
4 paludosa. s.s. (br.re.) marsh.	————	1822.	—	G. h.	
5 stricta. w. (br.re.) upright.	————	1775.	11. 2.	G. h.	Andr. reposit. t. 346.
6 dist'yla. w. (br.re.) two-styled.	————	1812.	—	G. h.	Vent. dec. pl. nov. t.62.
7 quadrivalvis. P.s. (br.re.) four-valved.	N. Holland.	—	—	G. h.	Lab. nov. hol. 2. t. 218.
8 torulosa. w. (br.re.) cork-barked.	N. S. W.	1772.	4. 6.	G. h.	
9 muricata. L.en. (br.re.) muricate.	E. Indies.	1816.	S. h.	
10 tenuissima. s.s. (br.re.) slender.	N. S. W.	1824.	4. 6.	G. h.	
11 nana. s.s. (br.re.) dwarf.	————	—	—	G. h.	

ORDO CXC.

HAMAMELIDEÆ. *Brown.*

HAMAMELIS. W.	WITCH-HAZEL.	Tetrandria Digynia.	L.		
1 virginica. w. (ye.) Virginian.	N. America.	1736.	11. 5.	H. h.	Lodd. bot. cab. t. 598.
2 macrophylla. Ph. (ye.) large-leaved.	————	1812.	—	H. h.	
FOTHERGILLA. W.	FOTHERGILLA.	Polyandria Digynia.	L.		
1 alnifolia. w. (wh.) obtuse-leaved.	N. America.	1765.	4. 6.	H. h.	Bot. mag. t. 1341.
2 major. B.M. (wh.) large-leaved.	————	—	5. 6.	H. h.	———— t. 1342.
3 Gardèni. Jacq. (wh.) acute-leaved.	————	—	—	H. h.	Jacq. ic. 1. t. 100.
4 serotina. B.M. (wh.) green-leaved.	————	—	—	H. h.	

ORDO CXCI.

CONIFERÆ. *Juss. gen. 411.*

SUBORDO I. TAXINÆ. *Richard.*

SALISBURIA. R.	MAIDENHAIR-TREE.	Monœcia Polyandria.	H.K.		
adiantifolia. L.T. (g.st.)	Japan.	Japan.	1754.	4. 5.	H.5. Wats. dend. brit. t. 168.
Gingko biloba. L.					
PHYLLOCLADUS. R.	PHYLLOCLADUS.	Monœcia Monadelphina.			
rhomboidalis. R. (ye.) Fern-leaved.	V. Diem. Isl.	1825.	G. h.	Rich. conif. pl. 3.
Podocarpus aspleniifolia.	Labill. nov. holl. 2. t. 221.				
PODOCARPUS. L'H.	PODOCARPUS.	Monœcia Monadelphina.			
1 Chinus. R. (ye.) sharp-leaved.	C. B. S.	1774.	7.	G. h.	Rich. conif. pl. 1. f. 1.
2 elongatus. R. (ye.) Chinese.	China.	—	5. 7.	H. h.	———— pl. 1. f. 2.
Taxus chinensis. H.B.					
3 coriaceus. R. (ye.) leathery-leaved.	————	1824.	—	G. h.	Rich. conif. pl. 1. f. 3.
4 verticillatus. (ye.) whorl-leaved.	Japan.	1812.	G. h.	
5 macrophyllus. L.en. (ye.) large-leaved.	China.	1804.	7. 8.	G. h.	Kæmpf. ic. t. 24.
6 nereifolius. L.P. (ye.) Wax-Dammar.	P. Wales Isl.	1809.	S. h.	Rumph. amb. 3. t. 26.
TAXUS. W.	YEW-TREE.	Diœcia Monadelphina.	L.		
1 baccata. w. (ye.) common.	Britain.	2. 4.	H.5.	Eng. bot. v. 11. t. 746.
2 hibernica. (ye.) Irish.	Ireland.	—	H. h.	
3 canadensis. w. (ye.) Canadian.	Canada.	1818.	—	H.5.	
4 nucifera. w. (ye.) Acorn-bearing.	China.	1764.	G. h.	Kæmpf. amœn. t. 815.
DACRYDIUM. L.P.	DACRYDIUM.	Monœcia Monadelphina.			
cupressinum. L.P. (ye.) N. Zealand spruce.	N. Zealand.	1825.	G. h.	Lamb. pin. v. 1. t. 41.
Thalamia cupressina. s.s.					

SUBORDO II. CUPRESSINÆ. *Richard.*

CALLITRIS. R.	CALLITRIS.	Monœcia Monadelphina.			
1 quadrivalvis. R. (ye.) jointed.	Barbary.	1815.	2. 5.	F. h.	Rich. conif. pl. 8. f. 1.
Thuja articulata. Vahl. symb. 2. t. 48.					
2 arenosa. (ye.) sand.	N. Holland.	1824.	F. h.	
3 pyramidalis. (ye.) pyramidal.	————	—	F. h.	

4	austràlis.	(ye.) southern.	N. S. W.	4. 5.	F. h.	
	<i>Cupréssus austràlis.</i>	P. S.					
5	oblónga. R.	(ye.) oblong-scaled.	————	1822.	—	G. h.	Rich. conif. pl. 13. t. 2
6	rhombóidea. R.	(ye.) rhomboid-scal'd.	N. Holland.	—	—	G. h.	———— pl. 13. t. 1
TH'UJA. W.			ARBOR-VITÆ.	Monœcia Monadelphia.	L.		
1	occidentàlis. w.	(ye.) American.	N. America.	1596.	5.	H. h.	Wats. dend. brit. t. 143
2	pyramidàlis. T. P.	(ye.) pyramidal.	1824.	—	H. h.	
3	orientàlis. w.	(ye.) Chinese.	China.	1752.	2. 3.	H. h.	Wats. dend. brit. t. 143
4	plicàta. L. P.	(ye.) Nee's.	Nootka sound.	1796.	—	H. h.	Lamb. pin. v. 2. p. 19.
5	cupressóides. w.	(ye.) African.	C. B. S.	1799.	G. h.	
6	dolabràta. w.	(ye.) ovate-leaved.	China.	1822.	—	H. h.	Lamb. pin. app. t. 1.
7	sphæroídea. s. s.	(ye.) White Cedar.	N. America.	1736.	4. 5.	H. h.	Wats. dend. brit. t. 143
	<i>Cupréssus thyóides.</i>	w.					
8	péndula. L. P.	(ye.) weeping.	Tartary.	1810.	2. 5.	H. h.	Lamb. pin. v. 2. t. 31.
CUPRE'SSUS. W.			CYPRESS.	Monœcia Monadelphia.	L.		
1	sempervirens. w.	(ye.) common.	Candia.	1548.	5.	H. h.	Pall. ros. 2. t. 53.
	<i>a stricta.</i>	(ye.) upright.	————	—	—	H. h.	
	<i>β horizontàlis.</i>	(ye.) horizontal.	————	—	—	H. h.	
2	torulòsa. D. P.	(ye.) twisting.	Nepaul.	1826.	H. h.	
3	lusitànica. w.	(ye.) Cedar of Goa.	Goa.	1683.	4. 5.	F. h.	Lamb. pin. 95. t. 40
4	péndula. Th.	(ye.) pendulous.	Japan.	1818.	F. h.	———— t. 50.
5	baccifórmis. W. en.	(ye.) berry-like.	—	4. 5.	H. h.	
6	juniperóides. w.	(ye.) African.	C. B. S.	1756.	—	G. h.	
TAX'ODIUM. Rich.			TAX'ODIUM.	Monœcia Monadelphia.			
	dístichum. Rich.	(ye.) deciduous.	America.	1640.	5.	H. 5.	Mich. arb. 3. t. 1.
	<i>Cupréssus disticha.</i>	w. Schubertia.	Mirb.				
	<i>a pátens.</i>	H. K. (ye.) spreading.	————	—	—	H. 5.	
	<i>β nútans.</i>	H. K. (ye.) long-leaved.	————	—	—	H. 5.	
JUNI'PERUS. W.			JUNIPER.	Diœcia Monadelphia.	L.		
1	thurífera. w.	(ye.) Spanish.	S. Europe.	1752.	5. 6.	H. h.	
2	barbadénsis. w.	(ye.) Barbadoes.	Barbadoes.	1811.	—	G. h.	Pluk. alm. t. 197. f. 4
3	bermudiàna. w.	(ye.) Bermudas Cedar.	Bermudas.	1683.	—	F. h.	Hern. lugd. t. 347.
4	chinénsis. w.	(ye.) Chinese.	China.	1804.	—	H. h.	
5	excélsa. w.	(ye.) tall.	Siberia.	1806.	—	H. h.	
6	Hermánni. s. s.	(ye.) Hermann's.	—	H. h.	
7	Sabìna. w.	(ye.) Savin.	S. Europe.	1548.	—	H. h.	
	<i>β variegàta.</i>	(ye.) variegated.	————	—	—	H. h.	
8	tamariscifòlia.	(ye.) Tamarisk-leav'd.	————	—	—	H. h.	
9	prostràta. P. S.	(ye.) prostrate.	N. America.	—	H. h.	
10	daùrica. A. R.	(ye.) Daurian.	Dauria.	1791.	6. 8.	H. h.	Andr. reposit. t. 534
11	virginiàna. w.	(ye.) red Cedar.	N. America.	1664.	5. 6.	H. h.	Mich. arb. 3. t. 5.
12	glàuca. W. en.	(ye.) glaucous.	China.	1814.	—	H. h.	
13	squamàta. D. P.	(ye.) scaly-branched.	Nepaul.	1824.	H. h.	
14	recúrva. D. P.	(ye.) recurve-branch'd.	————	1822.	5. 6.	H. h.	
15	commùnis. w.	(ye.) common.	Britain.	—	H. h.	Eng. bot. v. 16. t. 1100
16	suècica. Mill.	(ye.) Swedish.	N. Europe.	—	H. h.	Pall. ros. 2. t. 54. f. 3.
17	nàna. w.	(ye.) dwarf.	Siberia.	1815.	—	H. h.	
	<i>sibírica.</i>	Burgsd. commùnis γ. H. K.					
18	hemisphærica. s. s.	(ye.) hemispherical.	Sicily.	1828.	H. h.	
19	oblónga. M. B.	(ye.) oblong.	Armenia.	1829.	H. h.	
20	Oxycédrus. w.	(ye.) brown-berried.	Spain.	1739.	—	H. h.	Duham. arb. 2. t. 123
21	phœnícea. w.	(ye.) Phœnician.	S. Europe.	1683.	—	H. h.	Pall. ros. 2. t. 57.
22	ly'cia. w.	(ye.) Lycian.	————	1693.	—	H. h.	———— 2. t. 56.
23	capénsis. Lam.	(ye.) Cape.	C. B. S.	1816.	G. h.	
24	drupàcea. Lab.	(ye.) drupaceous.	—	H. h.	Lab. pl. syr. 2. t. 8.
EPH'EDRA.			EPH'EDRA.	Diœcia Monadelphia.	L.		
1	distàchya. w.	(st.) great.	France.	1570.	6. 7.	H. h.	Schk. hand. 3. t. 339.
2	monostàchya. w.	(st.) small.	Siberia.	1772.	9. 11.	H. h.	Wats. dend. brit. t. 142
3	altíssima. w.	(st.) tall.	Barbary.	1823.	H. h.	Desf. atl. 2. t. 253.

SUBORDO III. ABIETINÆ. Richard.

DA'MMARA. L. P.			DAMMAR PINE.	Monœcia Monadelphia.	L. en.		
1	austràlis. L. P.	(ye.) Cowrie-tree.	N. Zealand.	1823.	G. h.	Lamb. pin. 2. p. 14. t. 6
2	orientàlis. L. P.	(ye.) Amboyna pitch-tree.	Amboyna.	1804.	S. h.	———— v. 1. t. 38. - v. 2. p. 16.
	<i>loranthifòlia.</i>	L. en. Pinus Dámmara. w. A'gathis loranthifòlia.	Sal.				
ARAUC'ARIA. J.			ARAUC'ARIA.	Diœcia Monadelphia.	W.		
1	imbricàta. w.	(ye.) Chile Pine.	Chile.	1796.	H. 5.	Lamb. pin. 2. p. 9. t. 4. B.

2	brasiliàna. L.P.	(ye.) Brazil Pine.	Brazil.	1816.	G.5.	Lamb. pin. 2. p.12. t. 5.
3	excèlsa. H.K.	(ye.) Norfolk Island.	Norfolk Isl.	1793.	G.5.	————— 1. t. 39. 40.
	<i>Dombeya excèlsa.</i> L.P.						
4	Cunninghámii.	(ye.) Cunningham's.	N. Holland.	1827.	G.5.	
	BELIS. L.T.	B'ELIS.	Monœcia Monadelphia.				
	lanceolàta.	(ye.) spear-leaved.	China.	1804.	12. 1.	G. $\frac{1}{2}$.	Lamb. pin. 1. t. 34.
	<i>jaculifolia.</i> L.T.	<i>Pinus lanceolàta.</i> L.P.	<i>Cunninghámia lanceolàta.</i>				Bot. mag. t. 2743.
	PINUS. W.	PINE or FIR.	Monœcia Monadelphia.				W.
	PINUS.	PINE-TREE.					
1	sylvéstris. w.	(ye.) Scotch.	Scotland.	5.	H.5.	Lamb. pin. 1. t. 1.
2	Larício. P.S.	(ye.) Corsican.	Corsica.	1814.	4. 5.	H.5.	————— v. 2. p. 28. t. 9.
3	uncinàta. DC.	(ye.) hooked.	Pyrenees.	1820.	—	H.5.	
4	Pumilio. w.	(ye.) upright-coned.	Carniola.	1779.	—	H.5.	Lamb. pin. p. 5. t. 2.
5	Múghus. w.	(ye.) nodding-coned.	Austria.	—	H.5.	Jacq. ic. 1. t. 193.
6	púngens. M.	(ye.) prickly-coned.	N. America.	1804.	H.5.	Mich. arb. 1. t. 5.
7	Banksiàna. Ph.	(ye.) Hudson's Bay.	Hudson's bay.	1785.	5. 6.	H.5.	Lamb. pin. p. 7. t. 3.
8	Pallasiàna. L.P.	(ye.) Pallas's.	Crimea.	1804.	—	H.5.	————— v. 2. p. 1. t. 1.
9	Pináster. w.	(ye.) cluster.	S. Europe.	1596.	4. 5.	H.5.	————— v. 1. p. 9. t. 4. 5.
10	Pinea. w.	(ye.) stone.	—	1548.	5.	H.5.	————— v.1.p.11.t.6.7.8.
11	marítima. w.	(ye.) maritime.	—	1759.	5. 6.	H.5.	————— v. 2. p. 30. t. 10.
12	halépensis. w.	(ye.) Aleppo.	Levant.	1683.	5.	H.5.	————— v. 1. p. 15. t. 11.
13	inops. Ph.	(ye.) Jersey.	N. America.	1739.	—	H.5.	————— v. 1. p. 18. t. 13.
14	resinosa. Ph.	(ye.) pitch.	—	1756.	—	H.5.	————— v. 1. p. 20. t. 14.
15	variábilis. Ph.	(ye.) 2 and 3-leaved.	—	1739.	5. 6.	H.5.	————— v. 1. p. 22. t. 15.
16	canariensis. DC.	(ye.) Canary.	Canaries.	1815.	3. 4.	G.5.	DC. pl. rar. gen. t. 1-2.
17	Tæda. Ph.	(ye.) frankincense.	N. America.	1713.	5. 6.	H. $\frac{1}{2}$.	Lam.p.v.1.p.23.t.16.17.
18	lútea. Walt.	(ye.) yellow.	—	H.5.	
19	serotina. Ph.	(ye.) Fox-tail.	—	1713.	5. 6.	H.5.	Mich. arb. 1. t. 7.
20	rigida. Ph.	(ye.) three-leaved.	—	1759.	—	H.5.	Lamb. pin. p. 25. t. 18. 19.
21	ponderosa. D.	(ye.) ponderous.	—	1827.	H.5.	
22	palústris. Ph.	(ye.) swamp.	—	1730.	H.5.	Lamb. p. 27. t. 20.
23	longifolia. w.	(ye.) long-leaved.	E. Indies.	1801.	S.5.	————— p. 29. t. 21.
24	Gerárdi. Wal.	(ye.) Gerard's.	Nepaul.	1824.	H.5.	
25	occidentális. w.	(ye.) West Indian.	W. Indies.	1820.	S. $\frac{1}{2}$.	Plum. sp. 17. t. 161.
26	adúnca. Bosc.	(ye.) crooked.	1822.	H.5.	
27	romàna. H. Bel.	(ye.) Roman.	Italy.	—	H.5.	
28	sibírica. Dut.	(ye.) Siberian.	Siberia.	—	H.5.	
	STR'OBUS.	WEYMOUTH PINE.					
29	Cémbra. w.	(ye.) Siberian stone.	Siberia.	1746.	5.	H.5.	Lamb. pin. p. 34. t. 23. 24.
30	pygm'æa. F.	(ye.) pigmy.	—	1816.	H. $\frac{1}{2}$.	
31	Stròbus. w.	(ye.) Weymouth.	N. America.	1705.	4.	H.5.	Lamb. pin. p. 31. t. 22.
32	Lambertiàna. L.P.	(ye.) Lambert's.	California.	1827.	H.5.	————— pin. c. icon.
33	excèlsa. D.P.	(ye.) Bhotan.	Nepaul.	1822.	H.5.	————— v. 2. p. 5. t. 3.
	C'EDRUS.	CEDAR.					
34	Cèdrus. w.	(ye.) Cedar of Lebanon.	Levant.	1683.	5.	H.5.	Lamb. pin. v. 1. p. 59. t. 37
35	Deodàra. L.P.	(ye.) Indian Cedar.	Nepaul.	1822.	H.5.	————— v. 2. p. 8. t. 4.
	L'ARIX.	LARCH.					
36	péndula. w.	(ye.re.) black Larch.	N. America.	1739.	5.	H.5.	Lamb. pin. v. 1. p. 56. t. 36
37	microcárpa. w.	(ye.re.) red Larch.	—	1760.	—	H.5.	————— p. 58. t. 37.
38	Làrix. w.	(ye.re.) common Larch.	Germany.	1629.	3. 4.	H.5.	————— p. 53. t. 35.
39	dahùrica. F.	(ye.re.) Dahurian.	Dahuria.	1827.	H.5.	
40	intermèdia. F.	(ye.re.) intermediate.	Altay.	1828.	H.5.	
	PE'UCE.	SILVER FIR.					
41	canadénsis. w.	(ye.) hemlock Spruce.	N. America.	1736.	5.	H.5.	Lamb. pin. p. 50. t. 32.
42	dumosa. D.P.	(ye.) bushy.	Nepaul.	1820.	H.5.	
43	taxifolia. Ph.	(ye.) Yew-leaved.	Columbia.	1822.	H.5.	Lamb. pin. v. 1. p. 51. t. 33
44	spectábilis. D.P.	(ye.) purple-coned.	Nepaul.	1825.	H.5.	————— v. 2. p. 3. t. 2.
45	Picea. w.	(ye.) Silver-Fir.	Germany.	1603.	5.	H.5.	————— 1. p. 36. t. 40.
46	Píchta. F.	(ye.) Fischer's.	Altay.	1824.	H. $\frac{1}{2}$.	
47	Douglásii. D.	(ye.) Douglas's.	N. America.	1827.	H.5.	
48	Balsamea. w.	(ye.) Balm of Gilead.	—	1696.	5.	H.5.	Lamb. pin. v. 1. p. 48. t. 31
49	Frasèri. Ph.	(ye.) double Balsam.	Pensylvania.	1811.	H.5.	
	ABIES.	SPRUCE FIR.					
50	nígra. Ph.	(ye.) black Spruce.	N. America.	1700.	5.	H.5.	Lamb. pin. v. 1. p. 41. t. 27
51	rùbra. Ph.	(ye.) red Spruce.	—	1755.	—	H.5.	————— v. 1. p. 43. t. 28.
52	Clanbrassiliàna. L.en.	(ye.) dwarf.	—	1810.	H. $\frac{1}{2}$.	
53	álba. Ph.	(ye.) white Spruce.	—	1700.	5. 6.	H.5.	Lamb. pin. v. 1. p. 39. t. 26
54	'Abies. w.	(ye.) Norway Spruce.	N. Europe.	1548.	4.	H.5.	————— v. 1. p. 37. t. 25.
55	orientális. w.	(ye.) oriental.	Levant.	1824.	H.5.	————— v. 1. p. 45. t. 29.

CLASSIS II.

MONOCOTYLEDONEÆ seu ENDOGENÆ. DC.

* SUBCLASSIS 1. PHANEROGANEÆ. DC.

ORDO CXCII.

CYCADEÆ. *Brown prodr.* 346.

Z'AMIA. W.		Z'AMIA. Diœcia Polyandria. W.				
1 púngens. w.	(br.)	needle.	C. B. S.	1775.	6. 8.	G. ½. Till. pis. 129. t. 45.
2 cycadifolia. w.	(br.)	Cycas-leaved.	————	————	————	G. ½. Jacq. frag. 1. t. 25. 26.
3 tridentata. w.	(br.)	three-toothed.	————	1820.	————	G. ½.
4 angustifolia. Jac.	(br.)	narrow-leaved.	Bahama Isl.	————	S. ½. Jacq. ic. 3. t. 636.
5 tenuis. w.	(br.)	slender-leaved.	————	1823.	————	S. ½.
6 media. w.	(br.)	intermediate.	W. Indies.	————	S. ½. Bot. mag. t. 1838.
7 debilis. w.	(br.)	weak.	————	1777.	————	S. ½. Comm. hort. 1. t. 58.
8 integrifolia. w.	(br.)	dwarf.	————	1768.	————	S. ½. Bot. mag. t. 1851.
9 pygmæa. B.M.	(g.br.)	least.	————	5.	S. ¼. ——— t. 1741.
10 furfuræa. w.	(br.)	chaffy.	————	1691.	7. 8.	S. ½. Trew. ehret. t. 61.
11 spiralis. B.P.	(br.)	spiral.	N. S. W.	1796.	————	G. ¼.
12 longifolia. w.	(br.)	long-leaved.	C. B. S.	1820.	6. 7.	G. ½. Jacq. frag. 1. t. 29.
13 lanuginosa. w.	(br.)	woolly.	————	————	G. ½. ——— 1. t. 30. 31.
14 Cycadis. w.	(br.)	Cycas-like.	————	1775.	5. 6.	G. ½. Thunb. act. ups. 2. t. 1.
15 horrida. w.	(br.)	glaucous spiny.	————	1800.	6. 8.	G. ½. Jacq. frag. t. 27. 28.
16 latifolia. L.C.	(br.)	broad-leaved.	————	G. ½.
17 prunifera. J.C.	(br.)	Plum-like.	————	S. ½.
18 pumila. L.C.	(ye.)	small.	1812.	————	S. ¼. Bot. mag. t. 2006.
19 repanda. L.C.	(br.)	repand.	————	S. ½.
C'YCAS. W.		C'YCAS. Diœcia Polyandria. W.				
1 circinalis. w.	(br.)	broad-leaved.	E. Indies.	1700.	5. 6.	S. ½. Bot. mag. t. 2826. 28.
2 glauca. L.en.	(br.)	glaucous-leaved.	————	1814.	S. ½.
3 revoluta. w.	(br.)	narrow-leaved.	China.	1737.	7. 8.	S. ½. Linn. trans. 6. t. 29.
4 squamosa. L.C.	(br.)	scaly.	S. ½.

ORDO CXCIII.

HYDROCHARIDEÆ. *Brown prodr.* 344.

VALLISN'ERIA. L.		VALLISN'ERIA. Diœcia Diandria. L.				
spiralis. L.	(wh.)	spiral.	S. Europe.	1818.	G.w. ¼. Mich.n.g. 12. t. 10. f. 1. 2.
HYDRO'CHARIS. L.		FROG-BIT. Diœcia Enneandria. L.				
Morsus-ranæ. L.	(wh.)	common.	Britain.	6. 7.	H.w. ¼. Eng. bot. v. 12. t. 88.
DAMAS'ONIUM. W.		DAMAS'ONIUM. Hexandria Polygynia. W.				
1 indicum. w.	(wh.)	Indian.	E. Indies.	1800.	7. 9.	S.w. ¼. Bot. mag. t. 1201.
2 ovalifolium. B.P.	(wh.)	oval-leaved.	N. S. W.	1820.	————	G.w. ¼.
STRATIOTES. W.		WATER-SOLDIER. Diœcia Dodecandria. L.				
aloides. w.	(wh.)	Aloe-like.	England.	6. 7.	H.w. ¼. Eng. bot. v. 6. t. 373.

ORDO CXCIV.

ALISMACEÆ. *Kth. synops.* 1. p. 261.

SAGITTARIA. W.		ARROW-HEAD.	Monœcia Polyandria. L.			
1	sagittifolia. w.	(wh.) common.	England.	6. 8.	H.w. 4. Eng. bot. v. 2. t. 84.
2	latifolia. Ph.	(wh.) broad-leaved.	N. America.	1816.	—	H.w. 4.
	3 flore pleno.	(wh.) double-flowered.	—	—	—	H.w. 4.
3	sinensis. B.M.	(wh.) Chinese.	China.	1812.	9. 11.	G.w. 4. Bot. mag. t. 1731.
4	obtusifolia. s.s.	(wh.) blunt-leaved.	—	1804.	7. 8.	G.w. 4. Rheed. mal. 11. t. 45.
5	Doniana.	(wh.) Don's.	Nepaul.	1820.	—	G.w. 4.
	hastata. D.P. non Ph.					
6	hastata. Ph.	(wh.) hastate-leaved.	N. America.	1816.	—	H.w. 4.
7	obtusa. Ph.	(wh.) obtuse-leaved.	—	1822.	6. 9.	H.w. 4.
8	heterophylla. Ph.	(wh.) various-leaved.	—	—	6. 8.	H.w. 4.
9	lanceifolia. w.	(wh.) lance-leaved.	W. Indies.	1787.	6. 7.	G.w. 4. Bot. mag. t. 1792.
10	angustifolia. B.R.	(wh.) narrow-leaved.	—	1827.	4. 8.	S.w. 4. Bot. reg. t. 1141.
11	falcata. Ph.	(wh.) falcate-leaved.	Carolina.	1811.	6. 7.	H.w. 4.
12	rigida. B.M.	(wh.) brittle-leaved.	N. America.	1806.	—	H.w. 4. Bot. mag. t. 1632.
13	graminea. Ph.	(wh.) grass-leaved.	Carolina.	1812.	7. 8.	H.w. 4.
14	natans. M.	(wh.) floating.	—	—	—	H.w. 4.
ACTINOCARPUS. B.P.		ACTINOCARPUS.	Hexandria Hex-Octagynia.			
1	minor. B.P.	(wh.) small.	N. S. W.	5. 8.	G.w. 4.
2	Damasonium.	(wh.) common.	England.	6. 8.	H.w. 4. Eng. bot. t. 1615.
	<i>Alisma Damasonium.</i>	E.B. <i>Damasonium stellatum.</i>	P.S.			
ALISMA. B.P.		WATER-PLANTAIN.	Hexandria Polygynia. L.			
1	Plantago. w.	(wh.) greater.	Britain.	6. 7.	H.w. 4. Eng. bot. t. 837.
2	lanceolata. With.	(wh.) spear-leaved.	—	H.w. 4.
3	trivialis. Ph.	(wh.) blunt-leaved.	N. America.	1816.	—	H.w. 4.
4	parnassifolia. w.	(wh.) Parnassus-leav'd.	Italy.	1824.	—	H.w. 4.
5	natans. E.B.	(wh.) floating.	Wales.	7. 8.	H.w. 4. Eng. bot. t. 775.
6	ranunculoïdes. E.B.	(w.) lesser.	Britain.	8.	H.w. 4. ——— t. 326.
7	repens. E.F.	(wh.) creeping.	Wales.	9. 10.	H.w. 4. Cavan. ic. 1. t. 55.

ORDO CXCV.

BUTOMEÆ. *Kth. synops.* 1. p. 260.

BUTOMUS. L.		FLOWERING RUSH.	Emneandria Hexagynia. L.			
1	umbellatus. L.	(ro.) umbelled.	Britain.	6. 7.	H.w. 4. Eng. bot. v. 10. t. 651.
2	latifolius. D.P.	(wh.) broad-leaved.	Nepaul.	1823.	—	H.w. 4.
LIMNOCHARIS. K.S.		LIMNOCHARIS.	Polyandria Polygynia. B.M.			
	Plumieri. K.S.	(ye.) Plumier's.	S. America.	1822.	6. 10.	S. ♂. Bot. mag. t. 2525.
	<i>emarginata.</i>	H. et B. pl. æq. 1. t. 34.	<i>Alisma flava.</i>	L.		

ORDO CXCVI.

JUNCAGINEÆ. *Kth. synops.* 1. p. 258.

SCHEUCHZERIA. L.		SCHEUCHZERIA.	Hexandria Trigynia. L.			
	palustris. E.B. (br.gr.)	marsh.	England.	5. 6.	H.w. 4. Eng. bot. v. 26. t. 1801.
TRIGLOCHIN. L.		ARROW-GRASS.	Hexandria Trigynia. L.			
1	elatum. N.	(gr.) long-spiked.	N. America.	1820.	5. 8.	H.w. 4.
2	maritimum. E.B.	(gr.) sea-side.	Britain.	—	H.w. 4. Eng. bot. v. 4. t. 255.
3	palustre. E.B.	(gr.) marsh.	—	7. 8.	H.w. 4. ——— v. 6. t. 366.
4	decipiens. B.P.	(gr.) New Holland.	N. S. W.	1820.	—	G. 4.
5	Barrelieri. s.s.	(gr.) Barrelier's.	Italy.	1825.	—	H. 4.
6	bulbosum. B.M. (pu.ye.)	bulbous-rooted.	C. B. S.	1806.	10.	G. 4. Bot. mag. t. 1445.

ORDO CXCVII.

FLUVIALES. *Kth. synopsis. l. p. 131.*

POTAMOGETON. L. POND-WEED. Tetrandria Tetragynia. L.					
1	nátans. E.B. (br.) broad-leaved.	Britain.	7. 8.	H.w. 2. Eng. bot. v. 26. t. 182
2	heterophyllum. E.B. (br.) various-leaved.	—————	7. 9.	H.w. 2. ——— v. 18. t. 182
3	perfoliatum. E.B. (br.) perfoliate.	—————	7. 8.	H.w. 2. ——— v. 3. t. 182
4	dénsum. E.B. (br.) close-leaved.	—————	5. 7.	H.w. 2. ——— v. 6. t. 397
5	fluitans. E.B. (br.) long-leaved.	—————	7. 9.	H.w. 2. ——— v. 18. t. 182
6	lúcens. E.B. (br.) shining.	—————	6. 8.	H.w. 2. ——— v. 6. t. 375
7	lanceolatum. E.B. (br.) spear-leaved.	England.	7. 8.	H.w. 2. ——— v. 28. t. 182
8	crispum. E.B. (br.) curled.	Britain.	6. 7.	H.w. 2. ——— v. 15. t. 182
9	compréssum. E.B. (br.) flat-stalked.	—————	—	H.w. 2. ——— v. 6. t. 413
10	cuspidatum. E.F. (br.) sharp-pointed.	—————	7.	H.w. 2. Loes. pruss. t. 66
11	gramineum. E.B. (br.) Grass-leaved.	—————	7. 8.	H.w. 2. Eng. bot. v. 32. t. 222
12	pusillum. E.B. (br.) small.	—————	—	H.w. 2. ——— v. 3. t. 213
13	pectinatum. E.B. (br.) Fennel-leaved.	—————	6. 7.	H.w. 2. ——— v. 5. t. 323
RU'PPIA. L. RU'PPIA. Tetrandria Tetragynia. L.					
	marítima. E.B. (br.) sea.	Britain.	8. 9.	H.w. 2. Eng. bot. v. 2. t. 182
APONOGETON. L. APONOGETON. Hex-Dodecandria Tri-Tetragynia.					
1	monostachyon. w. (wh.) simple-spiked.	E. Indies.	1803.	8. 10.	S.w. 2. Andr. reposit. t. 406
2	distachyon. w. (wh.) broad-leaved.	C. B. S.	1788.	5. 7.	G.w.b. Bot. mag. t. 1293
3	angustifolium. w. (wh.) narrow-leaved.	—————	—	4. 9.	G.w.b. ——— t. 1268
N'AJAS. L. N'AJAS. Monœcia Tetrandria. L.					
	monosperma. w. (gr.) single-seeded.	Europe.	1816.	7. 9.	H.w. 2. Mich. N. gen. 11. t. 8. 12
ZANNICHELLIA. L. WATER-WEED. Monœcia Monandria. L.					
	palustris. E.B. (gr.) horned.	Britain.	7. 8.	H.w. 2. Eng. bot. v. 26. t. 182
ZOSTERA. W. SEA MATWEED. Monandria Monogynia. L.					
	marina. w. (gr.) common.	Britain.	8. 9.	H.w. 2. Eng. bot. v. 7. t. 467
LEMNA. L. DUCK-WEED. Monœcia Diandria.					
1	trisulca. E.B. (wh.) Ivy-leaved.	Britain.	5. 6.	H.w. 2. Eng. bot. v. 13. t. 926
2	minor. E.B. (wh.) lesser.	—————	6. 7.	H.w. 2. ——— v. 16. t. 182
3	gibba. E.B. (wh.) thick-leaved.	—————	—	H.w. 2. ——— v. 18. t. 182
4	polyrrhiza. E.B. (wh.) greater.	—————	7. 8.	H.w. 2. ——— v. 35. t. 246

ORDO CXCVIII.

PANDANEÆ. *Brown prodr. 340.*

PANDANUS. L. SCREW-PINE. Dioecia Monandria. L.					
1	lævis. Lour. (wh.) entire-leaved.	China.	1823.	S. h. Roxb. corom. 1. t. 94-6
2	odoratissimus. w. (wh.) green-spined.	—————	1771.	S. h. ———
3	utilis. W. en. (wh.) red-spined.	—————	S. h. Jacq. fragm. t. 14. f. 2
4	humilis. w. (wh.) dwarf.	Mauritius.	S. h. ———
5	latifolius. L.C. (wh.) broad-leaved.	E. Indies.	1820.	S. h. ———
6	fœtidus. H.B. (wh.) strong scented.	—————	1822.	S. h. ———
7	marginatus. H.B. (wh.) red-margined.	Mauritius.	1823.	S. h. ———
8	furcatus. H.B. (wh.) forked.	E. Indies.	—	S. h. Rheed. mal. 2. t. 8
9	pedunculatus. B.P. (wh.) peduncled.	N. Holland.	1825.	S. h. ———
10	spiralis. B.P. (wh.) spiral.	—————	1805.	S. h. ———
11	candelabrum. P.B. (wh.) chandelier.	Guinea.	1822.	S. h. Beauv. fl. owar. 1. t. 21
12	séssilis. Boj. (wh.) sessile-fruited.	Pembu.	1825.	S. h. ———
13	élegans. s.s. (wh.) elegant.	Isle France.	1826.	S. h. ———
14	muriatus. s.s. (wh.) oblong-leaved.	Madagascar.	—	S. h. ———
15	édulis. s.s. (wh.) eatable.	—————	1825.	S. h. ———
16	amaryllifolius. H.B. (wh.) Amaryllis-leav'd.	E. Indies.	1820.	S. h. ———
17	inérmis. H.B. (wh.) spineless.	—————	—	S. h. ———
18	álbus. L.C. (wh.) white-spined.	—————	1823.	S. h. ———
19	reflexus. L.C. (wh.) reflexed-leaved.	—————	1820.	S. h. ———
20	longifolius. L.C. (wh.) long-leaved.	—————	1823.	S. h. ———
21	turbinatus. L.C. (wh.) top-shaped.	—————	—	S. h. ———
PHYTELEPHAS. R.P. PHYTELEPHAS. Dioecia Polyandria. P.S.					
	macrocarpa. R.P. (wh.) large-fruited.	Peru.	1822.	S. h. ———

ORDO CXCIX.

TYPHINÆ. *Kth. synopsis. 1. p. 132.*

TYPHA. L.	CAT'S-TAIL.	Monœcia Triandria. L.				
1 latifolia. E.B.	(br.) great.	Britain.	7.	H.w. 4.	Eng. bot. v. 21. t. 1455.
2 media. DC.	(br.) dwarf.	England.	—	H.w. 4.	— v. 21. t. 1457.
minor. E.B.						
3 angustifolia. E.B.	(br.) lesser.	Britain.	—	H.w. 4.	Eng. bot. v. 21. t. 1456.
4 minima. W.	(br.) least.	Europe.	1819.	—	H.w. 4.	
5 denatica. E.	(br.) Egyptian.	Egypt.	1825.	—	H.w. 4.	
SPARGANIUM. L.	BUR-REED.	Monœcia Triandria. L.				
1 ramosum. E.B.	(wh.) branched.	Britain.	7. 8.	H.w. 4.	Eng. bot. v. 11. t. 744.
2 simplex. E.B.	(wh.) unbranched.	—	—	H.w. 4.	— v. 11. t. 745.
3 americanum. N.	(wh.) American.	N. America.	1823.	—	H.w. 4.	
4 natans. E.B.	(wh.) floating.	England.	7.	H.w. 4.	Eng. bot. v. 4. t. 273.

ORDO CC.

AROIDEÆ. *Juss. gen. 23.*

Sect. I. *ORONTIACEÆ.* Brown prodr. 1. p. 337.

POTHOS. L.	P'OTHOS.	Tetrandria Monogynia. L.				
1 scandens. R.S.	(gr.) climbing.	E. Indies.	1818.	4. 6.	S. ½. ∪.	Rheed. mal. 7. t. 40.
2 officinalis. F.I.	(st.) officinal.	— — —	1820.	4. 7.	S. ½. ∪.	
3 Peepia. F.I.	(st.) Peeplee.	— — —	—	—	S. ½. ∪.	
4 gigantea. F.I.	(pu. ye.) gigantic.	— — —	1824.	S. ½. ∪.	
5 pertusa. F.I.	(gr.) perforated.	— — —	—	S. ½. ∪.	Rheed. mal. 12. t. 20. 21.
6 lanceolata. R.S.	(ri.) lance-leaved.	Barbadoes.	1790.	4. 7.	S. ¼.	Plum. amer. 47. t. 62.
7 acutis. R.S.	(gr.) stemless.	W. Indies.	—	—	S. ¼.	Lodd. bot. cab. t. 483.
8 gracilis. R.S.	(gr.) slender.	Trinidad.	1826.	—	S. ¼.	Rudg. pl. gui. 1. t. 32.
9 violacea. R.S.	(g. wh.) blue-fruited.	Jamaica.	1793.	4. 6.	S. ¼.	Hook. exot. flor. t. 55.
10 cannaefolia. R.S.	(wh.) sweet-scented.	W. Indies.	1785.	4. 5.	S. ¼.	Bot. mag. t. 603.
11 crassinervia. R.S.	(gr.) thick-nerved.	S. America.	1796.	4. 6.	S. ¼.	Jacq. ic. 3. t. 609.
12 cordata. R.S.	(gr.) heart-leaved.	— — —	1770.	4.	S. ¼.	Plum. ic. 26. t. 38.
13 sagittata. B.M.	(g. br.) arrow-leaved.	W. Indies.	1800.	8.	S. ¼.	Bot mag. t. 1584.
14 macrophylla. R.S.	(gr.) large-leaved.	— — —	1794.	5. 6.	S. ¼.	Jacq. ic. 3. t. 610.
15 obtusifolia. R.S.	(g. br.) blunt-leaved.	Barbadoes.	1790.	—	S. ¼.	
16 coriacea. H.E.F.	(g. br.) leathery.	Brazil.	1824.	6.	S. ¼.	Hook. ex. flor. t. 210.
17 Harrisii. H.E.F.	(g. br.) Harris's.	— — —	—	—	S. ¼.	— — — t. 211.
18 candata. F.I.	(gr.) tailed.	E. Indies.	1824.	S. ½. ∪.	
19 pinnata. W.	(gr.) wing-leaved.	— — —	1820.	S. ½. ∪.	Rumph. am. 5. t. 183. f. 2.
20 decursiva. F.I.	(gr.) pinnatifid-leaved.	— — —	1824.	S. ½. ∪.	
21 pinnatifida. F.I.	(gr.) pinnatifid.	— — —	1825.	S. ½. ∪.	
22 heterophylla. F.I.	(pu.) various-leaved.	— — —	1822.	S. ½. ∪.	
23 Lasia. F.I.	(re.) prickly.	— — —	1819.	S. ¼.	
24 digitata. R.S.	(pu.) fingered.	Caracas.	1823.	S. ½.	Jacq. ic. 3. t. 611.
25 palmata. R.S.	(g. pu.) palmated.	S. America.	1803.	6. 7.	S. ¼.	Plum. amer. t. 64. 65.
26 pentaphylla. R.S.	(bl.) five-leaved.	Cayenne.	—	10. 11.	S. ½.	Bot. mag. t. 1375.
27 rubrinervia. L. en.	(pu.) red-nerved.	S. America.	1820.	S. ¼.	
28 microphylla. B.M.	(br.) small-leaved.	Brazil.	—	8. 10.	S. ¼.	Bot. mag. t. 2953.
SYMPLOCARPUS. N.	SCUNKWEED.	Tetrandria Monogynia. N.				
fœtidus. N.	(d. pu.) fetid.	N. America.	1735.	3. 5.	H. ¼.	Swt. br. fl. gar. t. 57.
Pothos fœtida	B.M. 836. <i>Dracontium fœtidum.</i> W.					
DRACONTIUM. W.	DRAGON.	Heptandria Monogynia. L.				
1 polyphyllum. W.	(d. pu.) purple-stalked.	India.	1759.	3. 6.	S. ¼.	Bot. reg. t. 700.
2 spinosum. W.	(d. pu.) prickly.	Ceylon.	—	4. 5.	S. ¼.	
GYMNOSTACHYS. B.P.	GYMNOSTACHYS.	Tetrandria Monogynia.				
anceps. B.P.	(gr.) flat-stemmed.	N. S. W.	1820.	6. 8.	G. ¼.	
HOUTTUYNIA. J.	HOUTTUYNIA.	Polyandria Polygynia. P.S.				
cordata. P.S.	(wh.) heart-leaved.	China.	1820.	6. 8.	G. ¼.	Bot. mag. t. 2731.

CARLUDO'VICA. R.P. CARLUDO'VICA. Monœcia Polyandria. P.S.						
1	<i>palmata. R.S. (br.) palmate.</i>	S. America.	1818.	S. 7.	
	<i>Sálmia palmata. R.S. Ludòvia palmata. P.S.</i>					
2	<i>latifolia. R.P. (br.) broad-leaved.</i>	Peru.	1819.	4. 6.	S. 7.	Bot. mag. t. 2950. et 2951.
3	<i>angustifolia. R.P. (br.) narrow-leaved.</i>	—————	—————	—————	S. 7.	
4	<i>palmæfolia. R.S. (br.) Palm-leaved.</i>	St. Domingo.	1826.	S. 4.	Plum. ic. t. 39.
	<i>Sálmia palmæfolia. W.</i>					
5	<i>jamaicensis. L.C. (br.) Jamaica.</i>	Jamaica.	1823.	S. 7.	
CYCLA'NTHUS. S.S. CYCLA'NTHUS. Monœcia Monadelphia.						
1	<i>Plumieri. s.s. (gr.) Plumier's.</i>	W. Indies.	1820.	S. 4.	
2	<i>bipartitus. s.s. (gr.) cleft-leaved.</i>	Trinidad.	—————	S. 4.	
A'CORUS. L. SWEET-FLAG. Hexandria Monogynia. L.						
1	<i>Cálamus. s.s. (gr.) common.</i>	Britain.	6. 7.	H.w. 4.	Eng. bot. v. 5. t. 356.
2	<i>terrestris. s.s. (gr.) Chinese.</i>	China.	1822.	—————	H.w. 4.	
3	<i>gramineus. s.s. (gr.) grass-leaved.</i>	—————	1786.	2.	H.w. 4.	Smith spic. 15. t. 17.
ORO'NTIUM. L. ORO'NTIUM. Hexandria Monogynia. L.						
	<i>aquaticum. s.s. (st.) aquatic.</i>	N. America.	1775.	6.	H.w. 4.	Hook. ex. flor. t. 19.
RO'HDEA. S.S. RO'HDEA. Hexandria Monogynia. S.S.						
	<i>japónica. s.s. (ye.) Japan.</i>	Japan.	1783.	1. 4.	H. 4.	Bot. mag. t. 898.
	<i>Oróntium japónicum. B.M.</i>					
TUPI'STRA. B.M. TUPI'STRA. Hexandria Monogynia. S.S.						
1	<i>squálida. B.M. (br.) brown-flowered.</i>	E. Indies.	1810.	4. 6.	S. 4.	Bot. reg. t. 704.
2	<i>nūtans. B.R. (br.) nodding-flowered.</i>	—————	1818.	11. 12.	S. 4.	————— t. 1223.
ASPIDI'STRA. B.R. ASPIDI'STRA. Octandria Monogynia. S.S.						
	<i>lùrida. B.R. (br. pu.) brown-flowered.</i>	China.	1820.	2. 4.	S. 4.	Bot. reg. t. 628.
	<i>punctata. B.R. 977.</i>					

Sect. II. *AROIDÆ VERÆ.* Brown prodr. 335.

CA'LLA. K.S. CA'LLA. Heptandria Monogynia. L.						
1	<i>palústris. w. (wh.) marsh.</i>	N. Europe.	1768.	7. 8.	H.w. 4.	Bot. mag. t. 1831.
2	<i>pertusa. K.S. (st.) perforated.</i>	W. Indies.	1752.	4. 6.	S. 4.	Jacq. schœn. 2. t. 154.
	<i>Dracóntium pertusum. Jacq.</i>					
3	<i>aromática. B.M. (wh.) aromatic.</i>	E. Indies.	1817.	—————	S. 4.	Bot. mag. t. 2279.
4	<i>occulta. B.C. (wh.) hidden-spiked.</i>	China.	—————	5. 7.	G. 4.	Lodd. bot. cab. t. 12.
RICHA'RDIA. Kth. RICHA'RDIA. Heptandria Monogynia.						
	<i>æthiòpica. Kth. (wh.) Ethiopian.</i>	C. B. S.	1731.	1. 5.	G. 4.	Bot. mag. t. 832.
	<i>Cálla æthiòpica. B.M.</i>					
'ARUM. W. 'ARUM. Monœcia Polyandria. L.						
1	<i>crinitum. w. (d. pu.) hairy-sheathed.</i>	Minorca.	1777.	3. 4.	F. 4.	Bot. reg. t. 831.
2	<i>Dracúnculus. w. (pu.) common Dragon.</i>	S. Europe.	1548.	6. 7.	H. 4.	Moris. s. 13. t. 5. f. 16.
3	<i>Dracóntium. w. (gr.) green Dragon.</i>	N. America.	1759.	6.	H. 4.	Bot. reg. t. 668.
4	<i>bulbíferum. B.M. (st. br.) bulb-bearing.</i>	E. Indies.	1813.	3. 6.	S. 4.	Bot. mag. t. 2508.
5	<i>venòsum. w. (ye. pu.) purple-flowered.</i>	1774.	3.	S. 4.	Bot. reg. t. 1017.
6	<i>campanulatum. H.B. (pu.) bell-flowered.</i>	E. Indies.	1816.	4. 6.	S. 4.	
7	<i>triphyllum. w. (std.) three-leaved.</i>	N. America.	1664.	5. 6.	H. 4.	Lodd. bot. cab. t. 500.
	<i>β Zebrinum. B.M. (std.) striped.</i>	—————	—————	—————	H. 4.	Bot. mag. t. 959.
8	<i>pedatum. W. en. (bl. ye.) pedate-leaved.</i>	S. America.	1815.	—————	S. 4.	Pl. sel. hort. ber. t. 5.
9	<i>polyphyllum. L. en. (pu.) many-leaved.</i>	1818.	—————	S. 4.	
10	<i>ringens. w. (pu.) gaping.</i>	Japan.	1822.	—————	G. 4.	Pluk. alm. t. 77. f. 5.
11	<i>atròrubens. w. (d. re.) purple-stalked.</i>	N. America.	1758.	6. 7.	H. 4.	Rumph. amb. 5. t. 100.
12	<i>ternatum. w. (pu.) Japan.</i>	Japan.	1774.	5. 7.	F. 4.	Bot. reg. t. 450.
13	<i>Colocàsia. w. (br.) Egyptian.</i>	Levant.	1551.	6. 8.	G. 4.	Herm. parad. t. 73.
14	<i>orixense. B.P. (re.) Orixian.</i>	E. Indies.	1802.	8. 10.	S. 4.	
15	<i>macrorhizon. w. (wh.) long-rooted.</i>	—————	1803.	S. 4.	
16	<i>pictum. w. (d. pu.) white-veined.</i>	S. Europe.	1820.	5. 6.	H. 4.	Rheed. mal. 11. t. 20.
17	<i>divaricatum. w. (gr.) divaricated.</i>	E. Indies.	1759.	6. 7.	S. 4.	Bot. mag. t. 339.
18	<i>trilobatum. w. (pu.) three-lobed.</i>	Ceylon.	1714.	5. 6.	S. 4.	————— t. 2324.
	<i>β auriculatum. B.M. (pu.) eared.</i>	—————	—————	S. 4.	Eng. bot. v. 19. t. 125.
19	<i>maculatum. w. (gr.) common.</i>	Britain.	5. 7.	H. 4.	
20	<i>orientale. M.B. (br.) oriental.</i>	Caucasus.	1818.	—————	H. 4.	Bot. mag. t. 2432.
21	<i>italicum. w. (gr.) Italian.</i>	Italy.	1683.	5. 6.	H. 4.	Lodd. bot. cab. t. 201.
22	<i>viviparum. L.C. (gr.) viviparous.</i>	1817.	—————	S. 4.	Rheed. mal. 11. t. 17.
23	<i>minutum. w. (re.) small.</i>	E. Indies.	1812.	5. 7.	S. 4.	Bocc. mus. 2. t. 50.
24	<i>proboscideum. w. (w. pu.) proboscis.</i>	Apennines.	1825.	—————	H. 4.	Jacq. schœn. 2. t. 130.
25	<i>Arisarum. w. (gr.) Friar's Cowl.</i>	S. Europe.	1596.	4. 6.	F. 4.	Bot. reg. t. 512.
26	<i>tenuifolium. w. (d. pu.) grass-leaved.</i>	—————	1570.	—————	H. 4.	

27 spirale. w. (pu.) spiral.	E. Indies.	1816.	4. 6.	S. 4.	Bot. mag. t. 2220.
28 gramineum. s.s. (pu.) grass-leaved.	S. Europe.	1824.	—	H. 4.	Lodd. bot. cab. t. 396.
29 flagelliforme. B.C. (pu.) whip-cord.	E. Indies.	—	—	S. 4.	Jacq. amer. t. 152.
30 sagittifolium. L.en. .. arrow-leaved.	—	S. 4.	—
31 hederaceum. w. (pu.) Ivy-leaved.	W. Indies.	1793.	5. 6.	S. 4.	—
32 obtusilobum. L.en. (pu.) blunt-lobed.	1816.	—	S. 4.	—
33 indicum. Lour. (pu.) Indian.	China.	—	S. 4.	—
34 ramosum. L.en. (pu.) branching.	—	S. 4.	—
35 lingulatum. w. (ye.) tongue-leaved.	W. Indies.	1793.	—	S. 4.	Plum. ic. 26. t. 37.
36 integrifolium. L.en. (gr.) entire-leaved.	1820.	S. 4.	—
CALADIUM. V. CALADIUM. Monœcia Polyandria. W.					
1 helleborifolium. w. (wh.) Hellebore-leaved.	Caracas.	1796.	6. 7.	S. 4.	Jacq. ic. 3. t. 613.
2 pinnatifidum. w. (pu.) pinnatifid.	—	1817.	—	S. 4.	Jacq. schoen. 2. t. 187.
3 bicolor. w. (wh.) two-coloured.	Brazil.	1773.	—	S. 4.	Bot. mag. t. 2543.
4 nymphæifolium. w. (sn.) Water-lily-leaved.	E. Indies.	1800.	S. 4.	Rheed. mal. 11. t. 22.
5 esculentum. w. (g.pu.) esculent.	America.	1739.	6. 8.	S. 4.	Sloan. jam. 1. t. 106. f. 1.
6 odorum. B.R. (gr.) odoriferous.	E. Indies.	1818.	5. 7.	S. 4.	Bot. reg. t. 641.
7 viviparum. H.P. (wh.) viviparous.	—	1816.	—	S. 4.	Lodd. bot. cab. t. 281.
8 sagittifolium. w. (wh.) arrow-leaved.	W. Indies.	1710.	—	S. 4.	Jacq. vind. 2. t. 157.
9 virginicum. H.E.F. (st.) Virginian.	N. America.	1759.	6. 7.	H. 4.	Hook. ex. flor. t. 182.
<i>Arum virginicum. w.</i>					
10 sequinum. w. (gr.) Dumb Cane.	America.	—	5.	S. 4.	Hook. ex. flor. t. 1.
11 maculatum. B.C. (gr.) spotted.	Trinidad.	1820.	4. 12.	S. 4.	Lodd. bot. cab. t. 608.
<i>sequinum β maculatum. Bot. mag. t. 2606.</i>					
12 scandens. s.s. (wh.) climbing.	Guinea.	1822.	S. 4.	Beauv. fl. owar. t. 3.
13 cucullatum. P.S. (gr.) hooded.	China.	1816.	S. 4.	—
14 xanthorrhizum. w. (st.) yellow-rooted.	—	4. 8.	S. 4.	Jacq. schoen. 2. t. 188.
15 grandifolium. w. (wh.) large-leaved.	Caracas.	1803.	3. 7.	S. 4.	Bot. mag. t. 2643.
16 arborescens. w. (wh.) tree.	W. Indies.	1759.	6. 7.	S. 4.	Plum. amer. 44. t. 60.
17 lacinum. w. (gr.) torn-leaved.	Caracas.	1822.	S. 4.	—
18 tripartitum. w. (wh.) ternate-leaved.	—	1816.	S. 4.	Jacq. schoen. 2. t. 190.
19 auritum. (wh.) ear-leaved.	S. America.	1739.	6. 8.	S. 4.	— 2. t. 191.
20 pedatum. H.E.F. (ye.) pedate-leaved.	Brazil.	1824.	—	S. 4.	Hook. ex. flor. t. 206.
21 aculeatum. s.s. (wh.) prickly.	Surinam.	1822.	S. 4.	—
AMBROSINIA. W. AMBROSINIA. Monœcia Monandria. W.					
1 Bassii. w. (gr.pu.) flat oval-leaved.	S. Europe.	1823.	6. 8.	H. 4.	Lam. ill. t. 737.
2 ciliaris. s.s. (gr.pu.) fringed-spated.	E. Indies.	1824.	S. 4.	—

Sect. III. TACCACEÆ.

TACCA. W. TA'CCA. Hexandria Monogynia. L.					
1 pinnatifida. w. (pu.) Salep.	E. Indies.	1793.	6. 8.	S. 4.	Lodd. bot. cab. t. 692.
2 aspera. H.B. (pu.) rough-stemmed.	—	1820.	S. 4.	—
3 lavis. H.B. (pu.) smooth.	—	—	S. 4.	—
4 integrifolia. B.M. (pu.) entire-leaved.	—	1810.	5. 7.	S. 4.	Bot. mag. t. 1488.

ORDO CCI.

PIPERACEÆ. *Kth. synops. 1. p. 103.*

SAURURUS. W. LIZARD'S-TAIL. Heptandria Tetragynia. L.					
1 cernuus. w. (wh.) drooping.	Virginia.	1759.	9.	H.w. 4.	Lam. ill. t. 1.
2 lucidus. s.s. (wh.) shining.	N. America.	1791.	8. 10.	H.w. 4.	Jacq. ecl. t. 18.
3 chinensis. Hort. (wh.) Chinese.	China.	1819.	—	H.w. 4.	—
PIPER. R.P. PEPPER. Diandria Trigynia. L.					
1 coriaceum. R.S. (gr.) coriaceous.	E. Indies.	1815.	7. 8.	S. 4.	Lodd. bot. cab. t. 128.
2 nitidum. R.S. (wh.) glossy.	Jamaica.	1793.	5. 6.	S. 4.	—
3 peltatum. R.S. (gr.) peltated.	W. Indies.	1748.	S. 4.	Plum. amer. t. 74.
4 umbellatum. R.S. (gr.) umbelled.	—	—	5. 7.	S. 4.	Flor. peruv. 1. t. 59. f. a.
5 macrophyllum. R.S. (gr.) broad-leaved.	—	1800.	S. 4.	Sloan. hist. 1. t. 88. f. 1.
6 geniculatum. R.S. (gr.) jointed.	—	1826.	S. 4.	—
7 aduncum. R.S. (gr.) hooked.	Jamaica.	1748.	5.	S. 4.	Jacq. ic. 2. t. 210.

8	<i>hirsutum</i> . R.S.	(br.) hairy-leaved.	Jamaica.	1793.	7.	S. h.	
9	<i>hispidum</i> . R.S.	(gr.) hispid.	S. America.	—	—	S. h.	
10	<i>tuberculatum</i> . R.S.	(gr.) tuberculate.	—	1816.	S. h.	Jacq. ic. 2. t. 211.
11	<i>ovatum</i> . R.S.	(gr.) oval-leaved.	Trinidad.	1824.	S. h.	
12	<i>Amalago</i> . R.S.	(gr.) rough-leaved.	Jamaica.	1759.	S. h.	Sloan. hist. 1. t. 87.
13	<i>Bètle</i> . R.S.	(gr.) Betle.	E. Indies.	1804.	S. h.	Rheed. mal. 7. t. 15.
14	<i>nigrum</i> . R.S.	(gr.) black.	—	1790.	S. h.	— 7. t. 12.
15	<i>trioicum</i> . F.I.	(gr.) glaucous-leaved.	—	1818.	S. h.	
16	<i>reticulatum</i> . R.S.	(gr.) netted.	W. Indies.	1748.	8.	S. h.	Plum. amer. t. 75.
17	<i>decumanum</i> . R.S.	(gr.) great.	Carthagen.	1768.	S. h.	Jacq. ic. 2. t. 215.
18	<i>Siribòà</i> . R.S.	(gr.) Siribòà.	E. Indies.	—	S. h.	Rumph. am. 5. t. 117.
19	<i>longum</i> . R.S.	(gr.) long.	—	1788.	S. h.	Rheed. mal. 7. t. 14.
20	<i>glabrum</i> . H.S.S.	(gr.) smooth.	Campeachy.	1768.	S. h.	
21	<i>laurifolium</i> . H.S.S.	(gr.) Laurel-leaved.	Jamaica.	—	S. h.	
22	<i>racemosum</i> . H.S.S.	(gr.) racemed.	Campeachy.	—	S. h.	
	<i>Staphyle</i> . R.S.						
23	<i>acutifolium</i> . R.S.	(gr.) acute-leaved.	Peru.	1823.	S. h.	Flor. per. 1. t. 64. f.
24	<i>colubrinum</i> . L.en.	(gr.) spotted-stalked.	Brazil.	1820.	S. h.	
25	<i>plantagineum</i> . R.S.	(gr.) Plantain-leaved.	W. Indies.	—	S. h.	Jacq. ic. 1. t. 8.
	<i>medium</i> . Jacq.						
26	<i>marginatum</i> . L.en.	(gr.) purple-edged.	S. America.	1811.	S. h.	Jacq. ic. 2. t. 215.
27	<i>unguiculatum</i> . R.S.	(gr.) claw-pointed.	Peru.	1822.	S. h.	Flor. per. 1. t. 57. f.
	<i>glaucescens</i> . Jacq. ecl. 1. t. 76.						
28	<i>humile</i> . Mill.	(gr.) humble.	Jamaica.	1768.	S. h.	
29	<i>tomentosum</i> . H.S.S.	(gr.) oval-leaved downy.	Vera Cruz.	—	S. h.	
30	<i>sidæfolium</i> . L.en.	(gr.) Sida-leaved.	S. America.	1821.	5. 7.	S. h.	Lk. et Ot. ic. sel. 1. t. 2.
	PEPEROMIA. R.P.	PEPEROMIA.	Diandria Trigynia.				
1	<i>brachyphylla</i> . (gr.) short-leaved.	1818.	S. h.		
	<i>Piper brachyphyllum</i> . R.S.						
2	<i>amplexicaulis</i> . R.S.	(gr.) stem-clasping.	W. Indies.	1793.	6. 9.	S. 4.	
3	<i>magnoliæfolia</i> . R.S.	(gr.) Magnolia-leaved.	—	—	1. 3.	S. 4.	Jacq. ic. 2. t. 213.
4	<i>obtusifolia</i> . R.S.	(gr.) blunt-leaved.	S. America.	1739.	4. 7.	S. 4.	Trew elret. 54. t. 9.
5	<i>clusiæfolia</i> . B.M.	(gr.) Clusia-leaved.	—	1739.	4. 7.	S. h.	Bot. mag. t. 2943.
6	<i>cuneifolia</i> . R.S.	(gr.) wedge-leaved.	Caracas.	1809.	—	S. 4.	Jacq. ic. 2. t. 214.
7	<i>alata</i> . R.P.	(gr.) winged.	S. America.	1812.	S. h.	Flor. per. 1. t. 48. f.
8	<i>acuminata</i> . R.S.	(gr.) acuminate.	W. Indies.	—	4. 9.	S. 4.	Bot. mag. t. 1882.
9	<i>maculosa</i> . R.S.	(gr.) spot-stalked.	St. Domingo.	1790.	9.	S. h.	Hook. ex. flor. t. 92.
10	<i>pellucida</i> . K.S.	(gr.) pellucid.	S. America.	1748.	4. 9.	S. 4.	Plum. amer. t. 72.
11	<i>concinna</i> . K.R.	(gr.) small heart-leaved.	Jamaica.	1821.	—	S. h.	
12	<i>rotundifolia</i> . K.S.	(gr.) round-leaved.	S. America.	1823.	S. 4.	Plum. amer. t. 69.
13	<i>hispidula</i> . R.S.	(gr.) annual hispid.	Jamaica.	1818.	8. 10.	S. 4.	Swartz icon. t. 4.
14	<i>nummularifolia</i> . K.S.	(gr.) money-wort-leaved.	—	—	4. 9.	S. 4.	
15	<i>pubescens</i> . R.S.	(gr.) pubescent.	—	—	S. 4.	
16	<i>subrotunda</i> . H.S.S.	(gr.) small Clusia-leav'd.	1811.	—	S. 4.	
17	<i>repens</i> . K.S.	(gr.) creeping.	S. America.	1823.	—	S. 4.	
18	<i>serpens</i> . R.S.	(gr.) trailing.	Jamaica.	—	—	S. 4.	
19	<i>incana</i> . H.E.F.	(gr.) great downy.	Brazil.	1814.	2. 6.	S. h.	Hook. ex. flor. t. 61.
20	<i>amplexifolia</i> . L.en.	(gr.) clasping-leaved.	Jamaica.	1822.	—	S. h.	
21	<i>talinifolia</i> . K.S.	(gr.) Talinum-leaved.	S. America.	—	4. 8.	S. h.	H. et B. n. gen. 1. t. 1.
22	<i>pulchella</i> . R.S.	(gr.) small-leaved.	Jamaica.	1778.	7. 10.	S. 4.	Lodd. bot. cab. t. 50.
23	<i>pereskiaefolia</i> . K.S.	(gr.) Pereskia-leaved.	S. America.	1820.	5. 6.	S. 4.	Hook. ex. flor. t. 61.
24	<i>blanda</i> . K.S.	(gr.) villous.	Caracas.	1802.	5. 11.	S. 4.	— t. 21.
25	<i>verticillata</i> . R.S.	(gr.) whorl-leaved.	Jamaica.	1816.	6. 10.	S. 4.	
26	<i>polystachia</i> . H.E.F.	(gr.) many-spiked.	W. Indies.	1775.	6. 7.	S. 4.	Hook. ex. flor. t. 24.
27	<i>quadrifolia</i> . H.E.F.	(gr.) four-leaved.	Santa Cruz.	1818.	5. 10.	S. 4.	— t. 22.
28	<i>Haworthii</i> . (gr.) Haworth's.	India.	1809.	9. 10.	S. 4.		
	<i>Piper pubescens</i> . H.S. non Vahl.						
29	<i>inæqualifolia</i> . R.P.	(gr.) unequal-leaved.	Peru.	1800.	8. 10.	S. 4.	Flor. peruv. 1. t. 46.
30	<i>stellata</i> . R.S.	(gr.) starry.	Jamaica.	1802.	5. 7.	S. 4.	Jacq. vind. 2. t. 217.
31	<i>rubicaule</i> . L.en.	(gr.) red-stalked.	W. Indies.	1815.	—	S. 4.	Nees. hort. ber. t. 5.
32	<i>rubella</i> . H.E.F.	(gr.) red-leaved.	Jamaica.	1820.	—	S. 4.	Hook. ex. flor. t. 50.
33	<i>trifolia</i> . R.S.	(gr.) three-leaved.	S. America.	1802.	6. 8.	S. 4.	Plum. amer. t. 68.
34	<i>distachya</i> . R.S.	(gr.) two-rowed.	W. Indies.	1793.	—	S. 4.	— t. 67.
35	<i>dicolor</i> . R.S.	(gr.) two-coloured.	Jamaica.	1821.	7. 8.	S. h.	Lodd. bot. cab. t. 51.
36	<i>capensis</i> . R.S.	(gr.) Cape.	C. B. S.	1816.	—	G. h.	
37	<i>tricarinata</i> . H.S.S.	(gr.) triple-keeled.	1817.	—	S. h.	

ORDO CCII.

ORCHIDEÆ. *Juss. gen. 64.*

ORCHIS. B.P.	O'RHIS.	Gynandria Monandria.	H.K.				
1 Mòrio. w.	(<i>pu.</i>) meadow.	Britain.	4. 6.	H.b. 4.	Eng. bot. v. 29. t. 2059.	
2 longicòrnu. w.	(<i>pu.</i>) flat-spurred.	Barbary.	1815.	—	H.b. 4.	Swt. br. fl. gar. t. 249.	
3 pàllens. w.	(<i>st.</i>) pale.	Switzerland.	1825.	5. 6.	H.b. 4.	Jacq. aust. t. 45.	
4 máscula. w.	(<i>pu.</i>) early purple.	Britain.	4. 5.	H.b. 4.	Eng. bot. v. 9. t. 631.	
5 palústris. w.	(<i>li.</i>) marsh.	Europe.	1824.	—	H.b. 4.	Jacq. ic. t. 181.	
6 pauciflòra. T.N.	(<i>ye.</i>) few-flowered.	Italy.	1825.	6. 7.	H.b. 4.	Ten. fl. nap. t. 88.	
7 Nicodèmi. T.N.	(<i>pu.</i>) Nicodemus's.	—	—	—	H.b. 4.	— t. 90.	
8 Cyrilli. T.N.	(<i>ye.</i>) Cyrillo's.	Naples.	—	—	H.b. 4.	— t. 87.	
9 parviflòra. T.N.	(<i>pu.</i>) small-flowered.	Italy.	—	—	H.b. 4.	—	
10 ustalàta. w.	(<i>pu.</i>) dwarf.	England	5. 6.	H.b. 4.	Eng. bot. v. 1. t. 18.	
11 militàris. w.	(<i>pu.</i>) military.	Switzerland.	1825.	4. 6.	H.b. 4.	Swt. br. fl. gar. t. 163.	
12 Rivini. B.F.G.	(<i>li.pu.</i>) Rivinus's.	—	—	5. 6.	H.b. 4.	— t. 162.	
13 Smìthii. B.F.G.	(<i>ro.pa.</i>) Smith's.	England.	—	H.b. 4.	Eng. bot. v. 27. t. 1873.	
<i>militàris. E.B. non w.</i>							
14 fúscà. w.	(<i>br.re.</i>) brown.	—	—	H.b. 4.	Jacq. aust. 4. t. 307.	
15 Sìmia. P.S.	(<i>pa.bh.</i>) Ape.	—	—	H.b. 4.	—	
16 undulatifòlia. B.B.	(<i>li.</i>) wave-leaved.	Italy.	1818.	—	H.b. 4.	Bot. reg. t. 375.	
17 tephrosánthos. w.	(<i>pa.</i>) ash-coloured.	England.	—	H.b. 4.	Vaill. bot. t. 31. f. 25-26.	
18 acuminàta. w.	(<i>li.wh.</i>) pointed-flower'd.	S. Europe.	1815.	4. 6.	H.b. 4.	Bot. mag. t. 1932.	
19 variegàta. w.	(<i>li.wh.</i>) variegated.	Switzerland.	1825.	—	H.b. 4.	Hall. helv. t. 30.	
20 globòsa. w.	(<i>pu.</i>) round-spiked.	—	1792.	6. 7.	H.b. 4.	Jacq. aust. 3. t. 265.	
21 coriòphora. w.	(<i>pu.</i>) strong-scented.	S. Europe.	1825.	5. 6.	H.b. 4.	Swt. br. fl. gar. t. 219.	
22 hircìna. w.	(<i>gr.pu.</i>) Lizard.	England.	6. 7.	H.b. 4.	Eng. bot. v. 1. t. 34.	
<i>Saty'rium hircinum. F.B.</i>							
23 Robertiàna. P.S.	(<i>pu.</i>) long-bracted.	S. Europe.	1818.	5. 6.	H.b. 4.	Ten. fl. nap. t. 91.	
24 longibracteàta. s.s.	(<i>pu.</i>) long-bracted.	—	—	—	H.b. 4.	Bot. reg. t. 357.	
25 quadripunctàta. T.N.	(<i>pu.</i>) four-spotted.	Italy.	1828.	—	H.b. 4.	Ten. flor. nap. t. 89.	
26 saccàta. T.N.	(<i>pu.</i>) saccate.	Sicily.	—	—	H.b. 4.	—	
27 papilionàcea. w.	(<i>pu.</i>) papilionaceous.	S. Europe.	1788.	6. 7.	H.b. 4.	Bot. reg. t. 1155.	
28 pseudosambucìna. T.N.	(<i>pu.</i>) Elder-smelling.	Italy.	1828.	—	H.b. 4.	Ten. flor. nap. t. 86.	
29 <i>lutescens. T.N.</i>	(<i>ye.</i>) pale yellow.	—	—	—	H.b. 4.	— t. 86. f. b.	
30 sulphùrea. B.M.	(<i>st.</i>) pale-yellow.	S. Europe.	1823.	5. 6.	H.b. 4.	Bot. mag. t. 2569.	
31 sambucìna. w.	(<i>ye.</i>) Elder-scented.	Europe.	1825.	4. 5.	H.b. 4.	Swt. br. fl. gar. t. 299.	
32 Schleichèri. B.F.G.	(<i>re.</i>) Schleicher's.	Switzerland.	—	—	H.b. 4.	— t. 199.	
<i>sambucina β rubra. Sch. non Jacq.</i>							
33 latifòlia. w.	(<i>pu.</i>) broad-leaved.	Britain.	5. 6.	H.b. 4.	Eng. bot. v. 33. t. 2308.	
34 maculàta. w.	(<i>li.pu.</i>) spotted-palmate.	—	6. 7.	H.b. 4.	— v. 9. t. 632.	
35 spectàbilis. w.	(<i>wh.pu.</i>) showy American.	N. America.	1801.	—	H.b. 4.	Swt. br. fl. gar. t. 65.	
ANACA'MPTIS. R.O.	ANACA'MPTIS.	Gynandria Monandria.					
36 pyramidàlis. R.O.	(<i>cr.</i>) pyramidal.	Britain.	6. 7.	H.b. 4.	Eng. bot. v. 2. t. 110.	
<i>Orchis pyramidàlis. E.B.</i>							
GYMNAD'ENIA. H.K.	GYMNAD'ENIA.	Gynandria Monandria.	H.K.				
1 conòpsea. H.K.	(<i>ro.</i>) fragrant.	Britain.	6. 7.	H.b. 4.	Eng. bot. v. 1. t. 10.	
<i>Orchis conòpsea. E.B.</i>							
2 odoratíssima. R.O.	(<i>li.</i>) sweet-scented.	Switzerland.	1824.	—	H.b. 4.	Jacq. aust. 3. t. 264.	
3 viridis. R.O.	(<i>gr.</i>) Frog.	Britain.	—	H.b. 4.	Eng. bot. v. 2. t. 94.	
<i>Saty'rium viride. E.B.</i>	<i>Orchis viridis. H.K.</i>						
4 àlbida. R.O.	(<i>wh.</i>) small white.	—	—	H.b. 4.	Eng. bot. v. 8. t. 505.	
A'CERAS. H.K.	A'CERAS.	Gynandria Monandria.	H.K.				
anthropòphora. H.K.	(<i>gr.</i>) green-man.	England.	6.	H.b. 4.	Swt. br. fl. gar. t. 168.	
HERMI'NIUM. H.K.	HERMI'NIUM.	Gynandria Monandria.	H.K.				
Menòrchis. H.K.	(<i>st.</i>) musk.	England.	6. 7.	H.b. 4.	Eng. bot. v. 1. t. 71.	
<i>Ophrys Menòrchis. E.B.</i>							
CHAMO'RCHIS. R.O.	CHAMO'RCHIS.	Gynandria Monandria.					
alpina. R.O.	(<i>wh.</i>) Alpine.	Switzerland.	1825.	6. 7.	H.b. 4.	Jacq. vind. 1. t. 9.	
<i>Chamærèpes alpina. s.s.</i>	<i>Ophrys alpina. Jacq.</i>						
NIGRITE'LLA. R.O.	NIGRITE'LLA.	Gynandria Monandria.					
angustifolia. R.O.	(<i>d.pu.</i>) dark-flowered.	N. Europe.	1759.	6. 7.	H.b. 4.	Flor. dan. t. 998.	
<i>Saty'rium nigrum. L.</i>	<i>Orchis nigra. Sw. Habenària nigra. H.K.</i>						
PLANTH'ERA. R.O.	PLANTH'ERA.	Gynandria Monandria.					
bifòlia. R.O.	(<i>wh.</i>) Butterfly.	Britain.	5. 6.	H.b. 4.	Eng. bot. v. 1. t. 22.	
<i>Orchis bifòlia. E.B.</i>	<i>Habenària bifòlia. H.K.</i>						

HABEN'ARIA. H.K.		HABEN'ARIA. Gynandria Monandria. H.K.			
1	leptocèras. B.M. (<i>gr. ye.</i>) slender-spurred.	S. America.	1825.	10.	S. b. 2. Bot. mag. t. 2726.
2	macroceras. w. (<i>g. wh.</i>) long-horned.	Jamaica.	1828.	9. 10.	S. b. 2. ——— t. 2947.
3	bracteata. H.K. (<i>gr.</i>) long-bracted.	N. America.	1805.	5. 6.	H. b. 2. Swt. br. fl. gar. t. 62.
4	hyberborea. H.K. (<i>gr.</i>) northern.	N. Europe.	—	6. 7.	H. b. 2. Retz. obs. 4. t. 3.
5	herbiola. H.K. (<i>gr.</i>) American.	N. America.	1789.	—	H. b. 2.
6	dilatata. H.E.F. (<i>wh.</i>) dilated.	—	1822.	7. 8.	H. b. 2. Hook. ex. flor. t. 6.
7	orbiculata. H.E.F. (<i>st.</i>) round-leaved.	—	1823.	—	H. b. 2. ——— t. 11.
8	tridentata. H.E.F. (<i>wh.</i>) three-toothed.	—	1819.	5. 6.	H. b. 2. ——— t. 81.
9	ciliaris. H.K. (<i>ye.</i>) yellow-fringed.	—	1796.	6. 7.	H. b. 2. Bot. mag. t. 1068.
10	blephariglottis. s.s. (<i>w.</i>) white fringed.	—	1822.	—	H. b. 2. Hook. ex. flor. t. 5.
11	crisata. H.K. (<i>ye.</i>) yellow crested.	—	1806.	9.	H. b. 2.
12	psycodes. s.s. (<i>ye.</i>) yellow jagged.	—	1823.	6. 8.	H. b. 2.
	<i>Orchis psycodes. w.</i>				
13	lâcera. B.C. (<i>st.</i>) torn-flowered.	—	1818.	7.	H. b. 2. Lodd. bot. cab. t. 2.
14	fimbriata. H.K. (<i>pu.</i>) purple-fringed.	—	1777.	—	H. b. 2. Bot. reg. t. 405.
BARTHOL'INA. H.K.		BARTHOL'INA. Gynandria Monandria. H.K.			
	pectinata. H.K. (<i>wh.</i>) pectinated.	C. B. S.	1787.	10.	G. b. 2. Jour. Sc. v. 4. t. 5.
	<i>Orchis Burmanniana. Sw. pectinata. w.</i>				
BON'ATEA. W.		BON'ATEA. Gynandria Monandria.			
	speciosa. w. (<i>gr. wh.</i>) handsome.	C. B. S.	1820.	7. 9.	G. b. 2. Lodd. bot. cab. t. 2.
SER'APIAS. H.K.		SER'APIAS. Gynandria Monandria. H.K.			
1	Lingua. w. (<i>re.</i>) tongue-lipped.	S. Europe.	1786.	5. 6.	F. b. 2. Hook. ex. flor. t. 1.
2	longipetala. (<i>st.</i>) long-flowered.	Italy.	1825.	—	H. b. 2. Bot. reg. t. 1189.
	<i>Helleborine longipetala. Ten. fl. nap. t. 98.</i>				
3	cordigera. w. (<i>pu.</i>) heart-lipped.	S. Europe.	1806.	7. 8.	F. b. 2. Andr. reposit. t. 4.
OPHRYS. H.K.		OPHRYS. Gynandria Monandria. H.K.			
1	apifera. w. (<i>bk.</i>) Bee.	England.	6. 7.	H. b. 2. Eng. bot. v. 6. t. 3.
2	tenthredinifera. w. (<i>re. y.</i>) Saw-fly.	S. Europe.	1815.	4. 5.	H. b. 2. Bot. reg. t. 205.
	<i>β minor. B.R. (br. ye.) lesser.</i>	—	1826.	—	H. b. 2. ——— t. 1093.
3	grandiflora. T.N. (<i>re. y. br.</i>) large-flowered.	Italy.	1828.	—	H. b. 2. Ten. flor. nap. t. 2.
4	hiulca. s.s. (<i>br. ye.</i>) Roman.	Rome.	1826.	—	H. b. 2.
5	arachnites. w. (<i>bh. br.</i>) black Spider.	Switzerland.	1805.	—	H. b. 2. Bot. mag. t. 2516.
6	aranifera. w. (<i>d. br.</i>) common Spider.	England.	—	H. b. 2. Eng. bot. v. 1. t. 6.
	<i>limbata. B.R. (da.) dark-limbed.</i>	S. Europe.	1826.	—	H. b. 2. Bot. reg. t. 1197.
7	arachnoïdes. A.R. (<i>br. bh.</i>) Spider-like.	Italy.	1805.	—	H. b. 2. Andr. reposit. t. 4.
8	ciliata. T.N. (<i>br. ach.</i>) fringe-flowered.	—	1826.	—	H. b. 2. Ten. flor. nap. t. 2.
9	Spéculum. B.R. (<i>br. bl.</i>) looking-glass.	S. Europe.	1818.	—	H. b. 2. Bot. reg. t. 370.
10	lutea. H.E.F. (<i>ye.</i>) yellow.	—	1821.	—	H. b. 2. Swt. br. fl. gar. t. 2.
11	exaltata. T.N. (<i>bh. br.</i>) tall.	Italy.	1826.	—	H. b. 2. Ten. flor. nap. t. 2.
12	muscifera. E.B. (<i>pu. bl.</i>) Fly.	England.	5. 6.	H. b. 2. Eng. bot. v. 1. t. 6.
	<i>myodes. w.</i>				
13	fusca. B.R. (<i>br. ye.</i>) dull purple.	S. Europe.	1826.	3. 4.	H. b. 2. Bot. reg. t. 1071.
14	atrata. B.R. (<i>gr. pu.</i>) dark-flowered.	Rome.	—	—	H. b. 2. ——— t. 1087.
SATY'RIUM. H.K.		SATY'RIUM. Gynandria Monandria. H.K.			
1	cucullatum. H.K. (<i>g. ye.</i>) cucullate.	C. B. S.	1787.	6. 9.	F. b. 2. Bot. reg. t. 416.
2	parviflorum. Sw. (<i>g. bh.</i>) small-flowered.	—	1787.	5. 6.	F. b. 2. Jacq. schenb. 2. t. 1.
3	membranaceum. w. (<i>g. y.</i>) membranaceous.	—	1822.	—	F. b. 2.
4	coriifolium. w. (<i>ye. or.</i>) leather-leaved.	—	1819.	5. 6.	F. b. 2. Swt. br. fl. gar. t. 2.
5	foliosum. s.s. (<i>pu.</i>) leafy.	—	1828.	7. 8.	F. b. 2.
6	carneum. H.K. (<i>bh.</i>) great-flowered.	—	—	7. 9.	F. b. 2. Bot. mag. t. 1512.
PTERYG'ODIUM. W.		PTERYG'ODIUM. Gynandria Monandria. H.K.			
1	alatum. s.s. (<i>ye.</i>) winged.	C. B. S.	1821.	6. 8.	F. b. 2.
2	catholicum. s.s. (<i>ye.</i>) large-flowered.	—	1826.	—	F. b. 2.
3	volucris. s.s. (<i>ye.</i>) arrow-lipped.	—	1797.	6. 7.	F. b. 2.
D'ISA. W.		D'ISA. Gynandria Monandria. H.K.			
1	grandiflora. w. (<i>sc.</i>) large-flowered.	C. B. S.	1823.	7. 8.	F. b. 2. Bot. reg. t. 926.
2	cornuta. w. (<i>bh.</i>) horned.	—	1805.	6. 7.	F. b. 2.
3	longicornis. w. (<i>bl.</i>) long-spurred.	—	1824.	5. 7.	F. b. 2.
4	Draconis. w. (<i>wh. pu.</i>) Dragon.	—	1823.	—	F. b. 2.
5	ferruginea. w. (<i>br.</i>) ferruginous.	—	1816.	6. 7.	F. b. 2.
6	chrysostachya. w. (<i>ye.</i>) golden-spiked.	—	1826.	—	F. b. 2.
7	bracteata. w. (<i>gr.</i>) small-flowered.	—	1818.	—	F. b. 2. Bot. reg. t. 321.
8	flexuosa. w. (<i>st.</i>) flexuose.	—	1822.	—	F. b. 2.
9	prasinata. B.R. (<i>gr. pu.</i>) green-flowered.	—	1815.	—	F. b. 2. Bot. reg. t. 299.
10	spathulata. w. (<i>li.</i>) spathulate.	—	1805.	—	F. b. 2. Journ. sc. v. 4. t. 5.
11	physodes. w. (<i>pu.</i>) nodding.	—	1824.	—	F. b. 2.
12	graminifolia. s.s. (<i>bl.</i>) Grass-leaved.	—	1822.	—	F. b. 2.
13	maculata. w. (<i>bl.</i>) spotted-stalked.	—	1816.	7. 8.	F. b. 2. Journ. sc. v. 6. t. 1.

- 3 pedunculata. B.P. (*ye.*) peduncled. N. S. W. 1822. 2. 4. F.b. 2.
- 4 sulphurea. B.P. (*st.*) sulphur-coloured. ——— 1826. ——— F.b. 2.
- 5 elongata. B.P. (*pu.*) elongated. ——— ——— F.b. 2.
- THELYMITRA. B.P. THELYMITRA. Gynandria Monandria. B.P.**
- 1 ixioides. B.P. (*bl.sp.*) spotted blue. N. S. W. 1810. 4. 6. F.b. 2. Sm. ex. bot. 1. t. 20.
- 2 media. B.P. (*bl.*) middle. ——— 1820. ——— F.b. 2.
- 3 pauciflora. B.P. (*bl.*) few-flowered. ——— 1826. ——— F.b. 2.
- 4 angustifolia. B.P. (*bl.*) narrow-leaved. ——— ——— 5. 6. F.b. 2.
- 5 carnea. B.P. (*fl.*) flesh-coloured. ——— 1823. ——— F.b. 2.
- 6 venosa. B.P. (*wh.*) veined. ——— 1826. 3. 5. F.b. 2.
- LISTERA. H.K. LISTERA. Gynandria Monandria. H.K.**
- 1 ovata. H.K. (*gr.*) Tway-blade. Britain. 5. 6. H. 2. Eng. bot. v. 22. t. 154.
- Ophrys ovata. E.B. Epipactis ovata. w.*
- 2 cordata. H.K. (*br.gr.*) heart-leaved. Britain. 6. 7. H. 2. Eng. bot. v. 5. t. 395.
- 3 convallarioides. N. (*br.gr.*) small green. N. America. 1826. 5. 6. H. 2. Bart. fl. amer. t. 39. 1.
- 4 Nidus avis. (*br.*) Bird's-nest. Britain. 5. H. 2. Eng. bot. v. 1. t. 48.
- Ophrys Nidus avis. E.B. Epipactis Nidus avis. E.F. Neottia Nidus avis. R.O.*
- EPIPACTIS. H.K. EPIPACTIS. Gynandria Monandria. H.K.**
- 1 latifolia. w. (*pu.*) broad-leaved. Britain. 7. 8. H. 2. Eng. bot. v. 4. t. 200.
- Serapias latifolia. E.B.*
- 2 palustris. w. (*pu.wh.*) marsh. ——— ——— H. 2. Eng. bot. v. 4. t. 272.
- 3 pallens. w. (*wh.*) white. ——— 6. H. 2. ——— v. 4. t. 271.
- Serapias grandiflora. E.B.*
- 4 ensifolia. w. (*wh.*) narrow-leaved. ——— ——— H. 2. Eng. bot. v. 7. t. 494.
- 5 rubra. w. (*pu.wh.*) purple. ——— 6. 7. H. 2. ——— v. 7. t. 457.
- ARETHUSA. H.K. ARETHUSA. Gynandria Monandria. H.K.**
- 1 bulbosa. H.K. (*pu.*) bulbous. N. America. 5. 6. H.b. 2. Bot. mag. t. 2204.
- 2? plicata. A.R. (*pu.*) plaited. E. Indies. 1806. 6. 8. S.b. 2. Andr. reposit. t. 321.
- POGONIA. H.K. POGONIA. Gynandria Monandria. H.K.**
- 1 divaricata. H.K. (*pi.*) Lily-leaved. N. America. 1787. 6. 7. H. 2. Catesb. car. 1. t. 56.
- 2 ophioglossoides. B.R. (*pi.*) Adder's-tongue. ——— 1816. ——— H. 2. Bot. reg. t. 148.
- 3 pendula. B.R. (*pi.*) drooping. ——— 1824. ——— H. 2. ——— t. 906.
- Arethusa pendula. w. parviflora. M. Triphora pendula. N.*
- MICROTIS. B.P. MICROTIS. Gynandria Monandria. B.P.**
- parviflora. B.P. (*gr.*) small-flowered. N. S. W. 1826. 4. 6. F.b. 2.
- ACIANTHUS. B.P. ACIANTHUS. Gynandria Monandria. B.P.**
- 1 fornicatus. B.P. (*br.*) enclosed. N. S. W. 1822. 4. 6. F.b. 2.
- 2 exsertus. B.P. (*br.*) exserted. ——— ——— F.b. 2.
- 3 caudatus. B.P. (*br.*) long-awned. ——— 1826. ——— F.b. 2.
- CYRTOSTYLIS. B.P. CYRTOSTYLIS. Gynandria Monandria. B.P.**
- reniformis. B.P. (*br.*) kidney-leaved. N. S. W. 1824. 4. 5. F. 2.
- CHILOGLOTTIS. B.P. CHILOGLOTTIS. Gynandria Monandria. B.P.**
- diphylla. B.P. (*br.*) two-leaved. N. S. W. 1826. 4. 6. F.b. 2.
- PRESCOTIA. H.E.F. PRESCOTIA. Gynandria Monandria.**
- plantaginifolia. H.E.F. (*gr.*) Plantain-ld. Rio Janeiro. 1822. 9. 4. S. 2. Hook. ex. flor. t. 117.
- LIPARIS. Rich. LIPARIS. Gynandria Monandria. H.K.**
- 1 foliosa. B.R. (*y.gr.*) leafy. Mauritius. 1823. 9. S. 2. Bot. reg. t. 882.
- 2 bituberculata. B.R. (*gr.br.*) two-warted. Nepaul. 1822. 2. 3. S. 2. Hook. ex. flor. t. 116.
- 3 Loesèlii. B.R. (*ye.*) Loesel's. Britain. 7. H.b. 2. Eng. bot. v. 1. t. 47.
- Malaxis Loesèlii. E.B.*
- 4 longifolia. B.A. (*gr.*) long-leaved. N. America. 1827. ——— H.b. 2. Bart. flor. amer. t. 73.
- 5 Correana. N. (*ye.gr.*) two-leaved. ——— 1823. 5. 6. H.b. 2.
- 6 liliifolia. B.R. (*pa.bl.*) Lily-leaved. ——— 1758. 6. 7. H.b. 2. Bot. mag. t. 2004.
- Malaxis liliifolia. B.M. Ophrys liliifolia. A.R. 65.*
- 7 reflexa. B.R. (*gr.*) reflexed. N. Holland. 1820. ——— G.b. 2.
- 8 elata. B.R. (*br.pu.*) tall. Brazil. ——— S. 2. Bot. reg. t. 1175.
- ERIOCHILUS. B.P. ERIOCHILUS. Gynandria Monandria. B.P.**
- autumnalis. B.P. (*bh.*) autumnal. N. S. W. 1823. 9. 10. G.b. 2. Lab. n. holl. 2. t. 211. 12.
- Epipactis cucullata. Lab.*
- CALADENIA. B.P. CALADENIA. Gynandria Monandria. H.K.**
- 1 alba. B.P. (*wh.*) white. N. S. W. 1810. 7. 8. G.b. 2.
- 2 carnea. B.P. (*fl.*) flesh-coloured. ——— 1826. 6. 7. G.b. 2.
- 3 cœrulea. B.P. (*bl.*) blue-flowered. ——— ——— G.b. 2.
- 4 alata. B.P. (*li.*) winged. ——— 1823. 6. 8. G.b. 2.
- 5 testacea. B.P. fringe-flowered. ——— 1826. G.b. 2.
- LYPERANTHUS. B.P. LYPERANTHUS. Gynandria Monandria. B.P.**
- 1 suaveolens. B.P. (*d.br.*) sweet-scented. N. S. W. 1822. 5. 7. F.b. 2.
- 2 ellipticus. B.P. (*d.br.*) elliptic-leaved. ——— 1826. ——— F.b. 2.
- 3 nigricans. B.P. (*bk.*) heart-leaved. ——— ——— F.b. 2.

GLOSS'ODIA. B.P.	GLOSS'ODIA.	Gynandria Monandria. B.P.				
1 major. B.P.	(bl.) larger.	N. S. W.	1810.	6. 8.	F.b. 2.	
2 minor. B.P.	(bl.) lesser.	————	1826.	——	F.b. 2.	
PTERO'STYLIS. B.P.	PTERO'STYLIS.	Gynandria Monandria. B.P.				
1 concinna. B.P.	(st.) neat.	N. S. W.	1826.	4. 6.	F.b. 2.	
2 ophioglòssa. B.P.	(st.) adder's-tongue.	————	——	——	F.b. 2.	
3 curta. B.P.	(st.) short-lipped.	————	1822.	4. 6.	F.b. 2.	
4 acuminata. B.P.	(st.) taper-pointed.	————	1826.	——	F.b. 2.	
5 cucullata. B.P.	(st.) hooded.	V. Diem. Isl.	1823.	5. 7.	F.b. 2.	
6 nutans. B.P.	(st.) nodding.	N. S. W.	1826.	——	F.b. 2.	
7 obtusa. B.P.	(st.) blunt-lipped.	————	1810.	7. 8.	F.b. 2.	
8 reflexa. B.P.	(st.) reflexed.	————	1826.	4. 6.	F.b. 2.	
9 grandiflora. B.P.	(st.) large-flowered.	————	——	——	F.b. 2.	
10 longifolia. B.P.	(st.) long-leaved.	————	1823.	6. 8.	F.b. 2.	
11 gibbosa. B.P.	(st.) gibbous.	————	1826.	5. 6.	F.b. 2.	
CORYSA'NTHES. B.P.	CORYSA'NTHES.	Gynandria Monandria. B.P.				
1 fimbriata. B.P.	(br.) fringed.	N. S. W.	1822.	5. 7.	F.b. 2.	
2 unguiculata. B.P.	(br.) pendulous-flowered.	——	——	——	F.b. 2.	
3 bicalcarata. B.P.	(br.) two-spurred.	——	——	F.b. 2.	Sal. par. lond. t. 83. ?
<i>Corybas aconitiflorus. P.L. ?</i>						
CALEYA. H.K.	C'ALEYA.	Gynandria Monandria. H.K.				
1 major. H.K.	(br.gr.) smooth-lipped.	N. S. W.	1810.	6. 7.	F.b. 2.	
2 minor.	(br.gr.) tubercle-lipped.	————	1822.	——	F.b. 2.	
<i>Calcina minor. B.P.</i>						
CALOP'OGON. H.K.	CALOP'OGON.	Gynandria Monandria. H.K.				
pulchellus. H.K.	tuberous-rooted.	N. America.	1771.	7. 8.	H.b. 2.	Swt. br. fl. gar. t. 115.
<i>Limodorum tuberosum. B.M. 116. Cymbidium pulchellum. w.</i>						
BL'ETIA. H.K.	BL'ETIA.	Gynandria Monandria. H.K.				
1 Tankervilleæ. H.K.	(wh.pu.) Ly Tankerville's.	China.	1778.	3. 4.	S. 2.	Bot. mag. t. 1924.
<i>Limodorum Tankervilleæ. w.</i>						
2 pallida. B.C.	(li.) pale-flowered.	China.	1820.	4. 8.	S. 2.	Lodd. bot. cab. t. 629.
3 florida. H.K.	(pu.) purple.	W. Indies.	1786.	7. 8.	S. 2.	Redoute. lil. t. 83.
<i>Limodorum purpureum. R.L.</i>						
4 guineensis. G.D.	(pu.) Guinea.	Guinea.	1822.	S. 2.	
5 verecunda. H.K.	(pu.) tall.	W. Indies.	1733.	1. 5.	S. 2.	Bot. mag. t. 930.
<i>Limodorum altum. B.M. Cymbidium verecundum. w.</i>						
6 hyacinthina. H.K.	(pu.) hyacinthine.	China.	1802.	3. 9.	G. 2.	Bot. mag. t. 1492.
<i>Cymbidium hyacinthinum. B.M.</i>						
7 capitata. H.K.	(pu.) capitate.	W. Indies.	1795.	5. 7.	S. 2.	
8 Woodfordii. B.M.	(ye.or.) Woodford's.	Trinidad.	1820.	4. 8.	S. 2.	Bot. mag. t. 2719.
GEOD'ORUM. H.K.	GEOD'ORUM.	Gynandria Monandria. H.K.				
1 purpureum. H.K.	(pu.) purple.	E. Indies.	1800.	6. 8.	S. 2.	Roxb. cor. 1. t. 40.
<i>Limodorum nutans. R.C.</i>						
2 citrinum. H.K.	(st.) Lemon-coloured.	E. Indies.	——	10. 12.	S. 2.	Andr. reposit. t. 626.
3 dilatatum. H.K.	(pi.) shovel-lipped.	——	——	5. 8.	S. 2.	Bot. reg. t. 675.
<i>Limodorum recurvum. R.C. 1. t. 39.</i>						
CALY'PSO. H.K.	CALY'PSO.	Gynandria Monandria. H.K.				
americana. H.K.	(pu.) American.	N. America.	1805.	5. 6.	H.b. 2.	Sal. par. lond. t. 89.
<i>borealis. H.E.F. t. 12.</i>						
MALAXIS. Rich.	MALAXIS.	Gynandria Monandria. H.K.				
paludosa. E.B.	(ye.) marsh.	England.	7.	H.b. 2.	Eng. bot. v. 1. t. 47.
MICRO'STYLIS. N.	MICRO'STYLIS.	Gynandria Monandria. N.				
ophioglossoides. N.	(gr.) Adder's-tongue.	N. America.	1820.	4. 5.	H.b. 2.	Lodd. bot. cab. t. 1146.
3 mexicana. B.R.	(gr.) Mexican.	Mexico.	1828.	——	H. 2.	Bot. reg. t. 1290.
CORALLORRHIZA. H.K.	CORALLORRHIZA.	Gynandria Monandria. H.K.				
1 innata. H.K.	(st.) spurless.	Scotland.	6. 7.	H. 2.	Eng. bot. v. 22. t. 1547.
2 multiflora. H.E.F.	(st.) many-flowered.	N. America.	1824.	5. 6.	H. 2.	Hook. ex. flor. t. 174.
3 odontorrhiza. N.	(w.pu.) tooth-rooted.	——	——	6. 7.	H. 2.	
STELIS. H.K.	ST'ELIS.	Gynandria Monandria. H.K.				
1 ophioglossoides. H.K.	(st.) Adder's-tongue.	W. Indies.	1791.	5. 6.	S. 2.	Bot. reg. t. 935.
2 micrantha. H.K.	(st.) small-flowered.	Jamaica.	1805.	11. 12.	S. 2.	Hook. ex. flor. t. 158.
RODRIGUEZIA. R.P.	RODRIGUEZIA.	Gynandria Monandria. B.R.				
secunda. K.S.	(re.) side-flowering.	S. America.	1819.	6. 12.	S. 2.	Bot. reg. t. 930.
GOMEZA. B.M.	GOM'EZA.	Gynandria Monandria. B.M.				
recurva. B.M.	(ye.) recurved.	Brazil.	1814.	5. 6.	S. 2.	Bot. mag. t. 1748.
NOTYLIA. B.R.	NOTY'LIA.	Gynandria Monandria.				
punctata. B.R.	(wh.) dotted.	Trinidad.	1823.	7. 8.	S. 2.	Bot. reg. t. 759.
<i>Pleurothallis punctata. B.R. Gomeza tenuiflora. Lod. bot. cab. t. 806.</i>						

CIRRHÆA. B.R.	CIRRHÆA.	Gynandria Monandria.					
depèndens. B.R. (<i>ye.gr.</i>) pendent.		China.	1824.	6. 8.	S. 4.		Lodd. bot. cab. t. 96.
<i>Cymbidium depèndens.</i> B.C.							
CYMBIDIUM. H.K.	CYMBIDIUM.	Gynandria Monandria. H.K.					
1 aloifolium. H.K. (<i>d.pu.</i>) Aloe-leaved.		China.	1789.	5. 6.	S. 4.		Bot. mag. t. 387.
2 sinense. H.K. (<i>d.pu.</i>) Chinese.		—————	1793.	9. 10.	S. 4.		————— t. 888.
3 lancifolium. H.E.F. (<i>y.re.</i>) lance-leaved.		E. Indies.	1823.	5. 8.	S. 4.		Hook. ex. flor. t. 31.
4 ensifolium. H.K. (<i>st.br.</i>) sword-leaved.		China.	1780.	6. 10.	S. 4.		Bot. mag. t. 1751.
5 xiphifolium. B.R. (<i>gr.</i>) Xiphium-leaved		—————	1814.	5. 8.	S. 4.		Bot. reg. t. 529.
6 iridioïdes. D.P. (<i>wh.</i>) Iris-leaved.		Nepaul.	1828.	—————	S. 4.		
7 suave. B.P. (<i>gr.br.</i>) sweet-scented.		N. S. W.	1826.	—————	G. 4.		
8 tripterum. w. (<i>wh.</i>) triangular-fruited.		Jamaica.	1790.	6. 7.	S. 4.		Sm. ic. pict. t. 14.
ANISOPE'TALUM. H.E.F.	ANISOPE'TALUM.	Gynandria Monandria.					
Careyanum. H.E.F. (<i>br.pu.</i>) Carey's.		Nepaul.	1823.	8. 10.	G. 4.		Hook. ex. flor. t. 14.
BRA'SSIA. H.K.	BRA'SSIA.	Gynandria Monandria. H.K.					
1 maculata. H.K. (<i>w.st.pu.</i>) spotted.		Jamaica.	1806.	6. 7.	S. 4.		Bot. mag. t. 1691.
2 candata. B.R. (<i>g.y.re.</i>) long-tailed.		W. Indies.	1823.	—————	S. 4.		Bot. reg. t. 832.
ANGUL'OA. K.S.	ANGUL'OA.	Gynandria Monandria.					
grandiflora. K.S. (<i>ye.pu.</i>) large-flowered.		S. America.	1823.	6. 8.	S. 4.		H. et B. pl. aq. 1. t. 27.
CATAS'ETUM. K.S.	CATAS'ETUM.	Gynandria Monandria. B.M.					
1 tridentatum. H.E.F. (<i>ye.</i>) three-toothed.		Trinidad.	1823.	8. 12.	S. 4.		Bot. mag. t. 2559.
2 Claveringi. B.R. (<i>y.pu.</i>) Clavering's.		Brazil.	—————	—————	S. 4.		Bot. reg. t. 840.
3 floribundum. H.E.F. (<i>y.pu.</i>) many-flowered.		—————	—————	—————	S. 4.		Hook. ex. flor. t. 151.
4 semiapertum. H.E.F. (<i>gr.</i>) greenish-flowered.		—————	1825.	5.	S. 4.		————— t. 213.
5 Hookeri. L.col. (<i>y.pu.</i>) Hooker's.		—————	1816.	—————	S. 4.		Lindl. coll. t. 40.
6 cristatum. B.R. (<i>g.wh.</i>) crested.		—————	1823.	—————	S. 4.		Bot. reg. t. 966.
CYRTOPO'DIUM. B.R.	CYRTOPO'DIUM.	Gynandria Monandria. H.K.					
1 Andersoni. H.K. (<i>ye.</i>) Anderson's.		W. Indies.	1804.	4. 8.	S. 4.		Bot. mag. t. 1800.
2 glutinosum. Mey. (<i>ye.</i>) gummy.		S. America.	1825.	S. 4.		
3 Woodfordii. B.M. (<i>pu.</i>) Woodford's.		—————	1814.	10.	S. 4.		Bot. mag. t. 1814.
LISSOCH'ILUS. B.R.	LISSOCH'ILUS.	Gynandria Monandria. B.R.					
speciosus. B.R. (<i>ye.</i>) showy.		C. B. S.	1818.	5. 6.	S. 4.		Bot. reg. t. 573.
ONCIDIUM. H.K.	ONCIDIUM.	Gynandria Monandria. H.K.					
1 altissimum. w. (<i>ye.</i>) sharp-petaled.		W. Indies.	1793.	8. 9.	S. 4.		Jacq. amer. t. 141.
2 carthagenense. w. (<i>g.br.</i>) spread-eagle.		—————	1791.	5. 6.	S. 4.		Bot. mag. t. 777.
<i>Epidendrum undulatum.</i> B.M.							
3 luridum. B.R. (<i>g.br.</i>) lurid.		Trinidad.	1818.	2. 6.	S. 4.		Bot. reg. t. 727.
4 variegatum. w. (<i>wh.pu.</i>) variegated.		Jamaica.	1825.	7. 8.	S. 4.		Sloan. hist. 1. t. 148. f. 2.
5 divaricatum. B.R. (<i>br.y.re.</i>) spreading.		Brazil.	1826.	9. 11.	S. 4.		Bot. reg. t. 1050.
6 pubes. B.R. (<i>br.re.</i>) pubescent.		—————	1824.	3. 6.	S. 4.		————— t. 1007.
7 ornithorhynchum. K.S. (<i>ye.</i>) long-beaked.		Mexico.	1826.	8. 10.	S. 4.		H. et B. n. gen. 1. t. 80.
8 Papilio. B.R. (<i>y.or.pu.</i>) Butterfly.		Trinidad.	1823.	4. 6.	S. 4.		Bot. reg. t. 910.
9 flexuosum. B.M. (<i>ye.</i>) Zigzag.		Brazil.	1818.	6. 7.	S. 4.		Bot. mag. t. 2203.
10 barbatum. L.col. (<i>ye.</i>) bearded.		S. America.	—————	4. 5.	S. 4.		Lindl. coll. t. 27.
11 pumilum. B.R. (<i>ye.</i>) dwarf.		Brazil.	1824.	6. 7.	S. 4.		Bot. reg. t. 920.
12 bifolium. H.K. (<i>ye.</i>) two-leaved.		S. America.	1811.	7. 8.	S. 4.		Bot. mag. t. 1491.
13 pulchellum. B.M. (<i>bh.or.</i>) elegant.		Demerara.	1825.	6. 7.	S. 4.		————— t. 2773.
14 triquetrum. H.K. (<i>ye.</i>) triangular-leaved.		Jamaica.	1793.	7. 8.	S. 4.		
15 tetrapetalum. w. (<i>pu.ye.</i>) four-petaled.		—————	1824.	—————	S. 4.		Jacq. amer. t. 142.
16 Cebollèta. w. (<i>br.</i>) awl-leaved.		Carthagera.	—————	—————	S. 4.		————— t. 131. f. 2.
MACRAD'ENIA. B.R.	MACRAD'ENIA.	Gynandria Monandria. B.R.					
lutescens. B.R. (<i>ye.</i>) yellowish.		Trinidad.	1821.	12. 2.	S. 4.		Bot. reg. t. 612.
CÆLO'GYNE. B.R.	CÆLO'GYNE.	Gynandria Monandria.					
1 fimbriata. B.R. (<i>st.</i>) fringed.		China.	1824.	9.	S. 4.		Bot. reg. t. 868.
2 nitida. L.O. (<i>ye.</i>) shining-leaved.		E. Indies.	1822.	S. 4.		
3 punctulata. L.O. (<i>ye.</i>) dot-flowered.		—————	—————	S. 4.		
MEGACLI'NIUM. B.R.	MEGACLI'NIUM.	Gynandria Monandria. B.R.					
falcatum. B.R. (<i>ye.re.</i>) falcate.		Sierra Leone.	1824.	6. 9.	S. 4.		Bot. reg. t. 989.
TRIZE'UXIS. L.col.	TRIZE'UXIS.	Gynandria Monandria.					
falcata. L.col. (<i>gr.</i>) falcate.		Trinidad.	1820.	2. 6.	S. 4.		Lindl. coll. t. 2.
PLEUROTHA'LLIS. H.K.	PLEUROTHA'LLIS.	Gynandria Monandria. H.K.					
1 ruscifolia. H.K. (<i>st.</i>) Ruscus-leaved.		W. Indies.	1791.	5. 6.	S. 4.		Hook. ex. flor. t. 127.
2 racemiflora. H.E.F. (<i>st.</i>) racemed.		—————	1822.	7. 8.	S. 4.		————— t. 125.
3 prolifera. B.R. (<i>ro.</i>) proliferous.		Brazil.	1825.	1. 12.	S. 4.		Bot. reg. t. 1298.
4 foliosa. B.M. (<i>st.ye.</i>) leafy.		—————	—————	2. 6.	S. 4.		Bot. mag. t. 2746.
ORNITHOCE'PHALUS. BIRD'S-HEAD.	ORNITHOCE'PHALUS.	Gynandria Monandria.					
gladius. H.E.F. (<i>gr.</i>) sword-leaved.		Trinidad.	1822.	5. 8.	S. 4.		Hook. ex. flor. t. 127.
OCTOM'ERIA. H.K.	OCTOM'ERIA.	Gynandria Monandria. H.K.					
1 graminifolia. H.K. (<i>st.</i>) Grass-leaved.		W. Indies.	1793.	4. 7.	S. 4.		Bot. mag. t. 2764.

2 serratifolia. B.M. (st.br.)	saw-leaved.	Brazil.	1826.	10. 12.	S. 4.	Bot. mag. t. 2823.
3 spicata. D.P. (wh.)	spiked.	Nepaul.	1823.	5. 8.	S. 4.	
TRIBRACHIA. B.R.	TRIBRACHIA.	Gynandria Monandria.				
pendula. B.R. (gr.)	pendulous-spiked.	Sierra Leon.	1822.	6. 11.	S. 4.	Bot. reg. t. 963.
SOPHRONITIS. B.R.	SOPHRONITIS.	Gynandria Monandria.				
cernua. B.R. (ro.)	cernuous.	Brazil.	1826.	11. 12.	S. 4.	Bot. reg. t. 1129.
GONGORA. R.P.	GONGORA.	Gynandria Monandria.				
1 atropurpurea. H.E.F. (d.pu.)	dark-flowered.	Trinidad.	1824.	6. 7.	S. 4.	Hook. ex. flor. t. 178.
2 speciosa. B.M. (ye.or.)	beautiful.	Brazil.	1826.	4. 6.	S. 4.	Bot. mag. t. 2755.
3 viridipurpurea. B.M. (g.pu.)	green & purple.	—	1827.	6. 8.	S. 4.	— t. 2978.
HETEROTAXIS. B.R.	HETEROTAXIS.	Gynandria Monandria.				
crassifolia. B.R. (ye.)	thick-leaved.	Jamaica.	1823.	6. 8.	S. 4.	Bot. reg. t. 1028.
DIPODIUM. B.P.	DIPODIUM.	Gynandria Monandria. B.P.				
punctatum. B.P. (pu.)	spotted.	N. S. W.	1822.	6. 8.	G. 4.	Sm. exot. bot. 1. t. 12.
	<i>Dendrobium punctatum.</i>	Sm.				
CAMARIDIUM. B.R.	CAMARIDIUM.	Gynandria Monandria. B.R.				
ochroleucum. B.R. (st.)	pale-flowered.	Trinidad.	1823.	7. 10.	S. 4.	Bot. reg. t. 844.
	<i>Dendrobium? album.</i>	H.E.F. t. 142.				
ERIA. B.R.	ERIA.	Gynandria Monandria. B.R.				
1 stellata. B.R. (st.)	starry.	Nepaul.	1818.	5. 6.	S. 4.	Bot. reg. t. 904.
2 pubescens. B.R. (ye.)	pubescent.	E. Indies.	1820.	3. 4.	S. 4.	Hook. ex. flor. t. 124.
	<i>Dendrobium pubescens.</i>	H.E.F.				
3 rosea. B.R. (bh.)	rose-coloured.	China.	1824.	10.	S. 4.	Bot. reg. t. 978.
XYLOBIUM. B.R.	XYLOBIUM.	Gynandria Monandria.				
1 squalens. B.R. (ye.br.)	squalid.	Brazil.	1822.	7. 8.	S. 4.	Bot. reg. t. 732.
	<i>Dendrobium squalens.</i>	B.R. <i>Maxillaria squalens.</i>				Bot. mag. t. 2955.
2 racemosum. (ye.or.)	racemed.	Brazil.	1825.	6. 8.	S. 4.	Bot. mag. t. 2789.
	<i>Maxillaria racemosa.</i>	B.M.				
MAXILLARIA. R.P.	MAXILLARIA.	Gynandria Monandria. B.R.				
1 pallidiflora. B.M. (st.)	pale-flowered.	St. Vincent's.	1826.	8. 11.	S. 4.	Bot. mag. t. 2806.
2 ciliata. B.R. (gr.)	fringe-lipped.	S. America.	1827.	5. 8.	S. 4.	Bot. reg. t. 1206.
3 Barringtonia. B.R. (gr.)	Barrington's.	W. Indies.	1790.	6. 8.	S. 4.	Sm. ic. pict. t. 25.
	<i>Dendrobium Barringtonia.</i>	Hook. ex. flor. t. 119.				
4 Harrisonia. B.R. (st.pu.)	Mrs. Harrison's.	Brazil.	1820.	4. 8.	S. 4.	Bot. mag. t. 2927.
5 Parkeri. B.M. (wh.pu.)	Parker's.	W. Indies.	1826.	—	S. 4.	— t. 2729.
6 parvula. H.E.F. (st.pu.)	small.	Brazil.	1824.	3. 5.	S. 4.	Hook. ex. flor. t. 217.
7 aromatica. H.E.F. (ye.)	aromatic.	—	1825.	5.	S. 4.	— t. 219.
SARCOCHILUS. B.P.	SARCOCHILUS.	Gynandria Monandria. B.P.				
falcatus. B.P. (pu.)	falcate.	N. S. W.	1821.	5. 8.	G. 4.	
DENDROBIUM. H.K.	DENDROBIUM.	Gynandria Monandria. H.K.				
1 speciosum. B.P. (bh.re.)	showy.	N. S. W.	1801.	6. 8.	G. 4.	Sm. exot. bot. 1. t. 10.
2 amalum. B.P. (wh.)	rival.	—	1822.	4. 2.	G. 4.	Bot. mag. t. 2906.
3 rigidum. B.P.	rigid.	N. Holland.	1824.	—	S. 4.	
4 linguiforme. B.P. (w.st.)	tongue-leaved.	N. S. W.	1810.	4. 8.	G. 4.	Sm. exot. bot. 1. t. 11.
5 teretifolium. B.P. (pu.)	filiform-leaved.	—	1823.	—	G. 4.	
6 longicornu. B.R. (bh.)	long-spurred.	E. Indies.	1828.	4. 6.	S. 4.	Bot. reg. t. 1315.
7 secundum. B.R. (ro.)	secund.	Sumatra.	—	—	S. 4.	— t. 1291.
8 cucullatum. B.R. (bh.)	cucullate.	E. Indies.	1815.	3. 5.	S. 4.	Bot. reg. t. 548.
9 Pierardi. H.E.F. (bh.)	Pierard's.	—	—	12. 6.	S. 4.	Hook. ex. flor. t. 9.
10 Calceolaria. H.E.F. (re.y.)	hollow-lipped.	—	1820.	—	S. 4.	— t. 184.
11 fimbriatum. H.E.F. (ye.)	fringed.	—	1818.	4. 6.	S. 4.	— t. 71.
12 chrysanthum. B.R. (ye.)	yellow-flower'd.	Nepaul.	1828.	2. 4.	S. 4.	Bot. reg. t. 1299.
13 crumenatum. W. (pu.)	pouched.	Java.	1822.	4. 6.	S. 4.	Rumph. amb. 6. t. 47. f. 2.
14 moniliforme. W. (pu.)	glassy.	China.	1822.	6. 12.	S. 4.	Bot. reg. t. 1314.
15 anceps. B.R. (st.)	two-edged.	E. Indies.	1826.	2. 9.	S. 4.	— t. 1239.
ORNITHIDIUM. H.K.	ORNITHIDIUM.	Gynandria Monandria. H.K.				
1 coccineum. H.K. (sc.)	scarlet-flower'd.	W. Indies.	1790.	1. 12.	S. 4.	Hook. ex. flor. t. 38.
	<i>Cymbidium coccineum.</i>	Bot. mag. t. 1437.				
2 reflexum. Gr. (sc.)	reflexed.	W. Indies.	1825.	9. 12.	S. 4.	
ISOCHILUS. H.K.	ISOCHILUS.	Gynandria Monandria. H.K.				
1 linearis. H.K. (re.)	linear-leaved.	W. Indies.	1791.	5. 7.	S. 4.	Bot. reg. t. 745.
	<i>Epidendrum lineare.</i>	Jacq. amer. t. 131. f. 1. <i>Cymbidium lineare.</i>				
2 graminoides. H.E.F. (st.)	grass-like.	W. Indies.	1823.	—	S. 4.	Hook. ex. flor. t. 196.
3 prolifer. H.K. (wh.)	proliferous.	—	1793.	6. 11.	S. 4.	Bot. reg. t. 825.
PHOLIDOTA. B.R.	PHOLIDOTA.	Gynandria Monandria.				
imbricata. B.R. (br.wh.)	imbricated.	Nepaul.	1824.	2. 8.	S. 4.	Bot. reg. t. 1213.
POLYSTACHIA. H.E.F.	POLYSTACHIA.	Gynandria Monandria.				
1 luteola. H.E.F. (y.gr.)	smooth.	W. Indies.	1818.	7. 8.	S. 4.	Hook. ex. flor. t. 103.
	<i>Dendrobium polystachyum.</i>	w.				

- 2 pubérula. B.R. (*y.gr.*) downy. Sierra Leone. 1821. 8. S. 2. Bot. reg. t. 851.
- BRASSAVOLA. H.K. BRASSAVOLA. Gynandria Monandria. H.K.
- 1 cucullàta. H.K. (*wh.*) single-flowered. W. Indies. 1793. 6. 7. S. 2. Bot. mag. t. 543.
- 2 tuberculàta. B.M. (*wh.st.*) tuberculated. Brazil. 1826. 6. 9. S. 2. ——— t. 2878.
- 3 nodòsa. Ly. (*wh.*) many-flowered. W. Indies. 1824. 10. S. 2.
- BROUGHTONIA. H.K. BROUGHTONIA. Gynandria Monandria. H.K.
- 1 sanguínea. H.K. (*cr.*) blood-coloured. Jamaica. 1793. 6. 7. S. 2. Lodd. bot. cab. t. 700.
- 2 nítida. W.H. (*re.*) glossy. E. Indies. 1824. — S. 2.
- ZYGOPETALON. B.M. ZYGOPETALON. Gynandria Monandria.
- 1 Mackàii. B.M. (*gr.bl.*) Mackay's. Brazil. 1825. 2. 5. S. 2. Bot. mag. t. 2748.
- 2 rostràtum. B.M. (*wh.pu.*) beaked. Demarara. — 9. 11. S. 2. ——— t. 2819.
- CA'TTLEYA. L.col. CA'TTLEYA. Gynandria Monandria. H.E.F.
- 1 labiàta. L.col. (*vi.*) great-lipped. S. America. 1818. 4. 10. S. 2. Lindl. coll. t. 33.
- 2 Loddigèsii. H.E.F. (*vi.*) Loddiges'. ——— 1810. — S. 2. Hook. ex. flor. t. 180.
- Epidéndrum violàceum.* Lodd. bot. cab. t. 337.
- 3 Fórbesii. B.R. (*ye.*) yellow. Brazil. 1823. 9. S. 2. Bot. reg. t. 953.
- 4 críspa. B.R. (*wh.pu.*) curled-lipped. Trinidad. 1820. — S. 2. ——— t. 1172.
- 5 intermèdia. B.M. (*ro.*) intermediate. Brazil. 1824. 3. 5. S. 2. Bot. mag. t. 2851.
- CERATOCHEILUS. B.C. CERATOCHEILUS. Gynandria Monandria.
- 1 grandiflòrus. B.C. (*wh.*) large-flowered. Trinidad. 1827. 3. 8. S. 2. Lodd. bot. cab. t. 1414.
- 2 insígnis. (*st.pu.*) splendid. S. America. 1818. 9. 4. S. 2. Bot. mag. t. 2948-2949.
- Stanhòpea insígnis.* B.M.
- EPIDÉNDARUM. H.K. EPIDÉNDARUM. Gynandria Monandria. H.K.
- 1 cochleàtum. W. (*d.pu.*) shell-flowered. W. Indies. 1786. 1. 12. S. 2. Bot. mag. t. 572.
- 2 fràgrans. W. (*st.*) sweet-scented. ——— 1778. 10. S. 2. ——— t. 1669.
- 3 secúndum. W. (*re.*) pale-flowered. ——— 1793. 6. 7. S. 2. Jacq. amer. t. 137.
- 4 polybúlbon. W. (*wh.*) many-bulbed. ——— 1822. — S. 2. Hook. ex. flor. t. 112.
- 5 verrucòsum. W. (*st.*) warted. ——— 1824. — S. 2. Lodd. bot. cab. t. 1064.
- 6 nútans. W. (*gr.*) nodding. ——— 1794. — S. 2. Hook. ex. flor. t. 50.
- 7 umbellàtum. W. (*st.*) umbelled. Jamaica. 1793. — S. 2. Bot. reg. t. 80.
- 8 diffùsum. W. (*gr.*) diffuse. W. Indies. 1818. 4. 5. S. 2. Lodd. bot. cab. t. 843.
- 9 ancéps. B.C. (*gr.*) two-edged. ——— 1820. 8. 10. S. 2. ——— t. 887.
- 10 noctúrnum. W. (*gr.*) night-smelling. ——— — 4. 6. S. 2. ——— t. 713.
- 11 pallidiflòrum. B.M. (*st.*) pale-flowered. ——— 1828. 5. 6. S. 2. Bot. mag. t. 2980.
- 12 fuscàtum. W. (*br.*) brown. ——— 1790. 6. 7. S. 2. Bot. reg. t. 67.
- 13 elongàtum. W. (*re.*) long-stalked. Caracas. 1798. 5. 8. S. 2. Bot. mag. t. 611.
- 14 ellipticum. H.E.F. (*re.*) elliptic-leaved. Brazil. 1824. 3. 8. S. 2. Hook. ex. flor. t. 207.
- 15 conópseum. H.K. (*st.*) Florida. Florida. 1775. 8. S. 2.
- 16 monophýllum. H.E.F. (*gr.*) one-leaved. W. Indies. 1822. 7. S. 2. Hook. ex. flor. t. 100.
- 17 ciliàre. B.R. (*wh.*) fringed. ——— 1790. 6. 10. S. 2. Bot. reg. t. 784.
- 18 cuspidàtum. B.R. (*wh.*) pointed. ——— 1808. — S. 2. ——— t. 783.
- ENC'YCLIA. B.M. ENC'YCLIA. Gynandria Monandria.
- viridiflòra. B.M. (*gr.*) green-flowered. Brazil. 1826. 2. 6. S. 2. Bot. mag. t. 2831.
- FERNAND'ESIA. R.P. FERNAND'ESIA. Gynandria Monandria.
- élegans. B.C. (*st.pu.*) elegant. Trinidad. 1822. 4. 10. S. 2. Lodd. bot. cab. t. 1212.
- Lockhàrtia élegans.* Bot. mag. t. 2715.
- CRYPTARRH'ENA. B.R. CRYPTARRH'ENA. Gynandria Monandria. B.R.
- lunàta. B.R. (*ye.*) crescent-lipped. W. Indies. 1815. 5. 8. S. 2. Bot. reg. t. 153.
- EUL'OPHIA. B.R. EUL'OPHIA. Gynandria Monandria. B.R.
- 1 vírens. B.R. (*gr.*) green. E. Indies. 1823. 6. 8. S. 2. Roxb. corom. 1. t. 38.
- Limodòrum vírens.* R.C.
- 2 guineénsis. B.R. (*pi.*) Guinea. Sierra Leone. 1822. 11. 2. S. 2. Bot. reg. t. 686.
- 3 grácilis. B.R. (*gr.*) slender. ——— — 6. 9. S. 2. ——— t. 742.
- 4 streptopétala. B.R. (*ye.*) twisted-petaled. C. B. S. ——— 12. 6. S. 2. ——— t. 1002.
- 5 ensàta. B.R. (*st.*) sword-leaved. ——— 1826. 7. 8. S. 2. ——— t. 1147.
- 6 trístis. B.R. (*da.*) dark-flowered. ——— 1825. 5. 6. G. 2.
- 7 longicórnis. B.R. (*ye.*) long-spurred. ——— — 6. 8. G. 2.
- 8 barbàta. B.R. (*ye.*) bearded. ——— 1822. — G. 2.
- CALA'NTHE. B.R. CALA'NTHE. Gynandria Monandria. B.R.
- 1 veratrifòlia. B.R. (*wh.*) Veratrum-leav'd. E. Indies. 1819. 1. 9. S. 2. Bot. reg. t. 720.
- 2 sylvéstris. Ly. (*wh.*) loose-spiked. Madagascar. 1823. 6. 7. S. 2.
- ANGR'ÆCUM. L.col. ANGR'ÆCUM. Gynandria Monandria. B.R.
- 1 maculàtum. B.R. (*fl.*) spotted. S. America. 1819. 10. 12. S. 2. Bot. reg. t. 618.
- 2 falcàtum. L.col. (*wh.*) falcate. China. 1815. — S. 2. ——— t. 283.
- Limodòrum falcàtum.* B.R.
- 3 lùridum. Ly. (*br.*) lurid. Sierra Leone. 1822. 7. S. 2.
- IONO'PSIS. K.S. IONO'PSIS. Gynandria Monandria.
- ntricularioides. L.col. (*w.*) pale-flowered. Trinidad. 1822. 6. 9. S. 2. Hook. ex. flor. t. 113.
- Iántha pállida.* H.E.F.

AERA'NTHESES. B.R.		AERA'NTHESES. Gynandria Monandria. B.R.			
1 grandiflora. B.R. (st.)	large-flowered.	Madagascar.	1823.	7. 8. S. 2.	Bot. reg. t. 817.
2 sesquipedalis. Ly. (wh.)	long-flowered.	—————	————— S. 2.	
AERIDES. H.K.		AIR-PLANT. Gynandria Monandria. H.K.			
1 odoratum. H.K. (pi.)	fragrant.	China.	1800. S. 2.	
2 arachnites. W. (br. pu.)	common.	Japan.	1793. S. 2.	Kæmpf. jap. t. 869. f. 1.
3 guttatum. W.H. (sp.)	spotted-flowered.	E. Indies.	1824.	— S. 2.	
4 costatum. W.H.	ribbed.	—————	—————	— S. 2.	
SARCA'NTHUS. L.col.		SARC'ANTHUS. Gynandria Monandria. B.R.			
1 paniculatus. L.col. (ye.)	panicled.	China.	1812.	5. 8. S. 2.	Bot. reg. t. 220.
2 succisus. B.R. (ye. br.)	bitten.	—————	1824.	— S. 2.	————— t. 1014.
3 rostratus. B.R. (y. or. li.)	rostrate.	—————	1819.	6. 12. S. 2.	————— t. 981.
4 teretifolius. B.R. (pu. ye.)	round-leaved.	—————	—————	— S. 2.	————— t. 676.
<i>Vanda teretifolia</i> . B.R.					
TRICHORHIZA. Ly.		TRICHORHIZA. Gynandria Monandria.			
teretifolia. L.C. (br. pu.)	round-leaved.	E. Indies.	1819.	10. S. 2.	Hook. ex. flor. t. 72.
<i>Vanda? trichorhiza</i> . H.E.F.					
VANDA. B.R.		VA'NDA. Gynandria Monandria. B.R.			
1 cruenta. L.C. (cr.)	red-flowered.	China.	1819. S. 2.	
2 multiflora. L.col. (ye.)	many-flowered.	—————	1800.	6. 10. S. 2.	Lindl. coll. t. 38.
3 Roxburghii. B.R. (w. pu.)	Roxburgh's.	E. Indies.	1816.	10. 12. S. 2.	Bot. reg. t. 506.
4 tessellata. L.C. (pu. ye.)	tessellate.	—————	————— S. 2.	Roxb. cor. 1. t. 42.
<i>Cymbidium tessellatum</i> . R.C.					
RENANTH'ERA. B.R.		RENANTH'ERA. Gynandria Monandria.			
coccinea. B.R. (sc.)	scarlet-flowered.	China.	1816.	8. 4. S. 2.	Bot. reg. t. 1131.
VANILLA. W.		VANI'LLA. Gynandria Monandria. H.K.			
1 aromatica. H.K. (wh.)	aromatic.	S. America.	1739.	6. 8. S. 2.	Plum. ic. 183. t. 188.
2 planifolia. H.K. (wh.)	flat-leaved.	W. Indies.	1800.	4. 6. S. 2.	Andr. reposit. t. 538.
CYPRIPEDIUM. W.		LADIES'-SLIPPER. Gynandria Diandria. H.K.			
1 Calcæolus. W. (ye.)	common.	England.	5. 7. H. 2.	Eng. bot. v. 1. t. 1.
2 parviflorum. W. (ye.)	small-flowered.	N. America.	1759.	— H. 2.	Swt. br. fl. gar. t. 80.
3 pubescens. W. (ye.)	yellow-downy.	—————	1790.	— H. 2.	————— t. 71.
4 guttatum. W. (ye.)	spotted.	Siberia.	1829.	4. 5. H. 2.	Amman. ruth. p. 133. t. 22
5 macranthos. W. (d. pu.)	great-flowered.	—————	—————	— H. 2.	Bot. mag. t. 2938.
6 ventricosum. W. (d. pu.)	bellied.	—————	—————	— H. 2.	Swt. br. fl. gar. s. 2. t. 1.
7 spectabile. W. (pu. wh.)	showy.	N. America.	1731.	6. 7. H. 2.	Lodd. bot. cab. t. 697.
album. Bot. mag. t. 216.					
a incarnatum. B.F.G. (w. pu.)	flesh-coloured.	—————	—————	— H. 2.	Swt. br. fl. gar. t. 240. B.
β album. B.F.G. (wh.)	white-flowered.	—————	1827.	— H. 2.	————— t. 240. A.
8 humile. W. (pu. wh.)	two-leaved.	—————	1786.	5. 6. H. 2.	Bot. mag. t. 192.
9 arietinum. W. (re.)	ram's-head.	—————	1808.	— H. 2.	Swt. br. fl. gar. t. 213.
10 venustum. B.R. (pu. gr.)	handsome.	Nepaul.	1816.	7. 10. S. 2.	Bot. reg. t. 788.
11 insigne. L.col. (gr. pu.)	noble.	—————	1819.	— S. 2.	Lindl. coll. t. 32.

ORDO CCIII.

SCITAMINEÆ. *Brown prodr. 1. p. 305.*

GLO'BBA. L.		GLO'BBA. Monandria Monogynia. L.			
1 marantina. W. (ye.)	marantine.	E. Indies.	1800.	7. 8. S. 2.	Exot. bot. 2. t. 103.
2 bulbifera. F.I. (ye.)	bulb-bearing.	—————	1818.	— S. 2.	
3 orixensis. F.I. (or.)	Orixian.	—————	1819.	— S. 2.	
4 versicolor. Ex. B. (y. vi.)	various-colour'd.	—————	1820.	— S. 2.	Sm. exot. bot. 2. t. 117.
<i>Hura</i> . F.I.					
5 pendula. F.I. (ye.)	pendulous-flower'd.	—————	1822.	6. 8. S. 2.	
6 Careyana. F.I. (ye.)	Carey's.	—————	1821.	— S. 2.	Rosc. scit. t. 110.
7 sessiliflora. B.M. (ye.)	sessile-flower'd.	—————	1807.	— S. 2.	Bot. mag. t. 1428.
MANTI'SIA. B.M.		MANTI'SIA. Monandria Monogynia. B.M.			
1 saltatoria. B.M. (bl. ye.)	Opera-girl's.	E. Indies.	1808.	6. S. 2.	Bot. mag. t. 1320.
<i>Glóbbasubulata</i> . F.I. <i>purpurea</i> . A.R. 615. <i>saltatoria</i> . R. scit. t. 111.					
2 spathulata. R.S. (bl. ye.)	spathulate.	E. Indies.	1822.	6. 8. S. 2.	
<i>Glóbbaspathulata</i> . F.I.					
CURCUMA. W.		TURMERIC. Monandria Monogynia. L.			
1 aromatica. P.L. (ye. pi.)	aromatic.	E. Indies.	1797.	4. 8. S. 2.	Sal. par. lond. t. 96.
<i>Zerumbet</i> . F.I. Rheed. mal. v. 11. t. 7.					

2	Zedoària. B.M. (<i>ye.pi.</i>) silky-leaved.	E. Indies.	1797.	4. 8.	S. 2.	Bot. mag. t. 1546.	
3	zanthorrhiza. F.I. (<i>re.cr.</i>) yellow-rooted.	Amboyna.	1819.	4. 5.	S. 2.	Rosc. scitam. t. 103.	
4	latifolia. R.Sc. (<i>ye.pi.</i>) broad-leaved.	E. Indies.	—	—	S. 2.	— t. 104.	
5	elàta. F.I. (<i>ye.pu.</i>) tall.	—	—	—	S. 2.	—	
6	c'æsia. F.I. (<i>ye.re.</i>) clouded-leaved.	—	—	5. 6.	S. 2.	—	
7	æruginosa. F.I. (<i>ye.re.</i>) verdigrease.	—	1807.	4. 8.	S. 2.	Rosc. scitam. t. 106.	
8	ferruginea. F.I. (<i>ye.re.</i>) rusty.	—	1819.	—	S. 2.	— t. 105.	
9	rubescens. F.I. (<i>re.ye.</i>) red.	—	—	4. 6.	S. 2.	— t. 107.	
10	comosa. F.I. (<i>ye.pi.</i>) close-flowered.	—	—	—	S. 2.	—	
11	leucorrhiza. F.I. (<i>y.ro.</i>) white-rooted.	—	—	—	S. 2.	Rosc. scitam. t. 102.	
12	angustifolia. F.I. (<i>y.pu.</i>) narrow-leaved.	—	1822.	—	S. 2.	—	
13	lónga. F.I. (<i>st.bh.</i>) long-rooted	—	1759.	6. 8.	S. 2.	Bot. reg. t. 886.	
14	Amàda. F.I. (<i>st.li.</i>) Mango-ginger.	—	1819.	—	S. 2.	Rosc. scitam. t. 99.	
15	viridiflora. F.I. (<i>gr.st.</i>) green-flowered.	—	1820.	—	S. 2.	—	
16	montàna. F.I. (<i>ye.ro.</i>) mountain.	—	1823.	4. 6.	S. 2.	Roxb. corom. 2. t. 151.	
17	reclinàta. F.I. (<i>pi.</i>) reclining.	—	1824.	—	S. 2.	—	
18	petiolàta. F.I. (<i>ye.pu.</i>) petiolate.	—	1822.	—	S. 2.	Rosc. scitam. t. 100.	
19	rubicaulis. L.T. (<i>re.ye.</i>) red-stalked.	—	1818.	—	S. 2.	—	
20	amaríssima. R.Sc. (<i>re.ye.</i>) bitter.	—	1822.	—	S. 2.	Rosc. scitam. t. 101.	
KÆMPF'ERIA. L. KÆMPF'ERIA.		Monandria Monogynia. L.					
1	Galánga. w. (<i>pu.wh.</i>) officinal.	E. Indies.	1724.	6. 9.	S. 2.	Bot. mag. t. 850.	
2	rotúnda. w. (<i>pu.bh.</i>) round-rooted.	—	1768.	7. 8.	S. 2.	— t. 920.	
3	latifolia. s.s. (<i>wh.</i>) broad-leaved.	—	1803.	4. 7.	S. 2.	—	
4	Roscoeàna. B.R. (<i>wh.</i>) Roscoe's.	Ava.	1828.	—	S. 2.	Bot. reg. t. 1212.	
5	angustifolia. F.I. (<i>pu.w.</i>) narrow-leaved.	E. Indies.	1797.	—	S. 2.	Rosc. scitam. t. 94.	
6	panduràta. F.I. (<i>ro.</i>) fiddle-lipped.	—	1812.	—	S. 2.	Bot. reg. t. 173.	
7	ovalifolia. F.I. (<i>pu.wh.</i>) oval-leaved.	—	1819.	—	S. 2.	Rosc. scitam. t. 95.	
8	marginàta. R.S. (<i>pu.</i>) red-margined.	—	1820.	—	S. 2.	— t. 93.	
ROSC'OEIA. L.T. ROSC'OEIA.		Monandria Monogynia.					
1	purpùrea. L.T. (<i>pu.</i>) purple-flower'd.	Nepaul.	1819.	7. 8.	S. 2.	Rosc. scitam. t. 64.	
2	grácilis. L.T. (<i>pu.</i>) slender.	—	1820.	—	S. 2.	—	
3	elàtior. L.T. (<i>pu.</i>) tall.	—	—	—	S. 2.	—	
4	spicàta. L.T. (<i>pu.</i>) spiked.	—	1821.	—	S. 2.	—	
5	capitàta. L.T. (<i>pu.</i>) headed.	—	1819.	—	S. 2.	—	
ZI'NGIBER. L.T. GINGER.		Monandria Monogynia. H.K.					
1	officinàle. F.I. (<i>pu.st.</i>) narrow-leaved.	E. Indies.	1605.	6. 8.	S. 2.	Rosc. scitam. t. 83.	
2	Zerúmbet. F.I. (<i>st.</i>) broad-leaved.	—	1690.	9. 11.	S. 2.	Sm. exot. bot. 2. t. 112.	
3	Cassumùnar. B.M. (<i>wh.</i>) downy-leaved.	—	1796.	8.	S. 2.	Bot. mag. t. 1426.	
	<i>purpùreum. L.T. Amòmum Cliffórdia.</i>	And. repos. t. 555.	—	—	—	—	
4	ròseum. F.I. (<i>ro.st.</i>) rose-coloured.	E. Indies.	1822.	6. 8.	S. 2.	Roxb. corom. 2. t. 122.	
5	ligulàtum. F.I. (<i>pi.ye.</i>) ligulate.	—	—	—	S. 2.	—	
6	rùbens. F.I. (<i>re.</i>) red-flowered.	—	1820.	5. 11.	S. 2.	Rosc. scitam. t. 88.	
7	squarròsum. F.I. (<i>wh.</i>) squarrose.	—	—	—	S. 2.	— t. 89.	
8	panduràtum. F.I. (<i>st.re.</i>) fiddle-leaved.	—	1819.	5. 8.	S. 2.	—	
9	Miòga. L.T. (<i>pi.</i>) Japanese.	Japan.	1796.	—	S. 2.	Kæmpf. ic. Banks. t. 1.	
10	chrysánthum. R.Sc. (<i>ye.</i>) yellow-flower'd.	Nepaul.	1821.	—	S. 2.	Rosc. scitam. t. 86.	
11	capitatum. F.I. (<i>ye.</i>) headed.	E. Indies.	1820.	6. 9.	S. 2.	— t. 90.	
12	elatum. F.I. (<i>ye.</i>) tall.	—	—	—	S. 2.	— t. 91.	
AM'OMUM. F.I. AM'OMUM.		Monandria Monogynia. L.					
1	Afzèlii. L.T. (<i>pi.</i>) sweet-scented.	Sierra Leone.	1795.	5. 6.	S. 2.	Ann. bot. 1. t. 13.	
2	grandiflorum. R.S. (<i>pi.w.</i>) large-flower'd.	—	—	6. 7.	S. 2.	Sm. exot. bot. t. 3.	
3	sylvèstre. R.S. (<i>ye.</i>) wood.	Jamaica.	1804.	5. 7.	S. 2.	Sloan. hist. 1. t. 105. f. 2.	
4	Cardamòmum. F.I. (<i>ye.</i>) bastard Cardamon.	E. Indies.	1820.	4. 6.	S. 2.	Rumph. amb. 5. t. 65. f. 1.	
5	angustifolium. F.I. (<i>re.y.</i>) narrow-leaved.	Madagascar.	—	—	S. 2.	Sonnerat. it. 2. f. 137.	
6	aculeatum. F.I. (<i>or.cr.</i>) bristly-capsuled.	E. Indies.	1823.	6. 8.	S. 2.	—	
7	máximum. F.I. (<i>re.ye.</i>) great.	—	—	—	S. 2.	Bot. reg. t. 920.	
8	dealbàtum. F.I. (<i>wh.</i>) insipid-seeded.	—	1819.	—	S. 2.	—	
9	subulatum. F.I. (<i>ye.</i>) subulate-bracted.	—	—	5. 7.	S. 2.	—	
10	aromaticum. F.I. (<i>st.</i>) aromatic.	—	1823.	—	S. 2.	—	
11	seríceum. F.I. (<i>wh.pi.</i>) silky-leaved.	—	1819.	6. 8.	S. 2.	—	
12	grána-paradisi. w. (<i>re.</i>) Grains of Paradise.	Madagascar.	—	2. 4.	S. 2.	Blackw. t. 385.	
CO'STUS. F.I. CO'STUS.		Monandria Monogynia. L.					
1	speciosus. F.I. (<i>wh.</i>) large-flowered.	E. Indies.	1794.	8. 9.	S. 2.	Jacq. ic. 1. t. 1.	
2	nepalensis. R.Sc. (<i>wh.</i>) Nepaul.	Nepaul.	1818.	—	S. 2.	Rosc. scitam. t. 80.	
	<i>speciosus</i> β. Bot. reg. 665.	—	—	—	—	—	
3	cylíndricus. R.S. (<i>wh.re.</i>) cylindrical-spiked.	Brazil.	1822.	5. 9.	S. 2.	Rosc. scitam. t. 78.	
	<i>Pisonis.</i> Bot. reg. t. 899.	—	—	—	—	—	
4	áfer. B.R. (<i>wh.</i>) African.	Sierra Leone.	—	—	S. 2.	Bot. reg. t. 683.	
5	díscolor. R.Sc. (<i>wh.</i>) two-coloured.	Maranham.	1823.	—	S. 2.	Rosc. scitam. t. 81.	

6	maculatus. R.Sc. (wh.) spotted-stalked.	Sierra Leone.	1822.	5. 9.	S. 2.	Rosc. scitam. t. 82.
7	lanatus. L.C. (wh.) woolly.	—	—	S. 2.	—
8	spicatus. L.T. (ye.) spiked.	S. America.	1793.	6.	S. 2.	Rosc. scitam. t. 77.
9	comosus. L.T. (re.ye.) tufted.	—————	1815.	—	S. 2.	Jacq. ic. 3. t. 202.
	<i>Alpinia comosa.</i> Jacq.					
10	spiralis. L.T. (re.) spiral.	—————	—	5. 7.	S. 2.	Jacq. schœn. 1. t. 1.
11	villosissima. R.S. (ye.) villous.	W. Indies.	1823.	—	S. 2.	Jacq. fragm. t. 80.
12	arabicus. L.T. (wh.) Arabian.	Arabia.	1752.	8.	S. 2.	—
	HELL'ENIA. B.P. HELL'ENIA. Monandria Monogynia. W.					
	cœrulea. B.P. (bh.) blue-berried.	N. Holland.	1820.	5. 6.	G. 2.	Rosc. scitam. t. 76.
	ALPINIA. L.T. ALPINIA. Monandria Monogynia. L.					
1	Allûghas. F.I. (wh.re.) glossy-leaved.	E. Indies.	1796.	2. 3.	S. 2.	Rosc. scitam. t. 67.
	<i>Hellœnia Allûghas.</i> Andr. reposit. t. 501.					
2	racemosa. L.T. (wh.) clustered.	W. Indies.	1752.	7. 9.	S. 2.	Plum. ic. 11. t. 20.
3	Galanga. F.I. (g.wh.) Galanga-major.	E. Indies.	1818.	6. 10.	S. 2.	Rumph. amb. 5. t. 63.
4	Roxbûrghii. (w.cr.) Roxburgh's.	—————	1820.	—	S. 2.	—
	<i>bracteata.</i> F.I. non L.T.					
5	malaccensis. F.I. (w.y.cr.) woolly-leaved.	—————	1799.	4. 6.	S. 2.	Bot. reg. t. 328.
6	nûtans. F.I. (re.ye.) nodding-flower'd.	—————	1792.	—	S. 2.	Bot. mag. t. 1903.
	<i>Renealmia nûtans.</i> A.R. 360.					
7	cœrnua. B.M. (y.wh.pu.) drooping.	—————	1790.	—	S. 2.	Bot. mag. t. 1900.
8	auriculata. R.Sc. (y.re.) eared.	—————	1815.	—	S. 2.	Rosc. scitam. t. 74.
9	diffissa. L.T. (ye.) cloven.	China.	—	4. 6.	S. 2.	————— t. 71.
10	mûtica. F.I. (ye.re.) spurless.	E. Indies.	1811.	4. 9.	S. 2.	————— t. 69.
11	calcarata. F.I. (re.or.) upright spiked.	China.	1804.	9.	S. 2.	Andr. reposit. t. 421.
12	spicata. F.I. (wh.pu.) spiked.	E. Indies.	1823.	6. 9.	S. 2.	—
13	striata. L.en. (std.) striated.	—————	1818.	—	S. 2.	—
14	bracteata. L.T. (ye.re.) bracted.	China.	1823.	5. 8.	S. 2.	Rosc. scitam. t. 70.
	<i>Roscoeana.</i> R.S.					
15	magnifica. R.Sc. (sc.) magnificent.	Madagascar.	1826.	S. 2.	Rosc. scitam. t. 75.
	RENE'ALMIA. R.Sc. RENE'ALMIA. Monandria Monogynia.					
1	occidentalis. (pa.) occidental.	Jamaica.	1793.	5. 7.	S. 2.	Gært. fruct. 1. t. 12.
	<i>Alpinia occidentalis.</i> L.T.					
2	exaltata. R.Sc. (re.) tubular-flowered.	Demarara.	1820.	7. 8.	S. 2.	Rosc. scitam. t. 65.
	<i>Alpinia tubulata.</i> Bot. reg. t. 777.					
3	punicea. (cr.) bright red.	E. Indies.	—	—	S. 2.	—
	<i>Alpinia punicea.</i> F.I.					
4	Cardamomum medium. (re.) 9-winged.	—————	—	—	S. 2.	—
5	linguiformis. F.I. (re.) tongue-lipped.	—————	1825.	S. 2.	—
	ELETTARIA. L.T. CARDAMON. Monandria Monogynia.					
	Cardamomum. L.T. (w.pu.) true.	E. Indies.	1815.	S. 2.	Linn. trans. 10. t. 4. 5.
	<i>Alpinia Cardamomum.</i> F.I. <i>Amomum Cardamomum.</i> L.					
	HEDY'CHIUM. F.I. GARLAND-FLOWER. Monandria Monogynia. L.					
1	angustifolium. R.Sc. (sc.) narrow-leaved.	E. Indies.	1815.	5. 12.	S. 2.	Rosc. scitam. t. 60.
2	aurantiacum. R.Sc. (or.) orange-coloured.	—————	—	—	S. 2.	————— t. 61.
	<i>angustifolium.</i> B.R. 157. non Roxb.					
3	coccineum. R.Sc. (sc.) scarlet.	Nepaul.	1818.	5. 12.	S. 2.	Rosc. scitam. t. 58.
	<i>angustifolium.</i> B.M. non Roxb.					
4	longifolium. R.Sc. (sc.) long-leaved.	E. Indies.	1819.	6. 11.	S. 2.	Rosc. scitam. t. 59.
5	carneum. R.Sc. (re.) flesh-coloured.	—————	—	—	S. 2.	Bot. mag. t. 2637.
6	flavum. R.Sc. (ye.) yellow.	—————	1818.	—	S. 2.	Rosc. scitam. t. 49.
7	flavescens. R.Sc. (st.) yellowish.	—————	1821.	—	S. 2.	————— t. 50.
8	thyrsiforme. s.s. (wh.) thyrs-flowered.	—————	1819.	7. 11.	S. 2.	————— t. 56.
	<i>heteromallum.</i> Bot. reg. t. 767.					
9	villosum. F.I. (st.) villous.	—————	1815.	6. 11.	S. 2.	Rosc. scitam. t. 54.
10	glaucum. R.Sc. (wh.) glaucous.	—————	1820.	—	S. 2.	————— t. 53.
11	ellipticum. R.Sc. (wh.) elliptic-leaved.	—————	—	5. 8.	S. 2.	————— t. 55.
12	acuminatum. R.Sc. (w.or.) taper-pointed.	—————	1822.	—	S. 2.	Bot. mag. t. 2969.
13	elatum. B.R. (bh.) tall.	Nepaul.	1818.	7. 12.	S. 2.	Bot. reg. t. 526.
14	speciosum. F.I. (ye.) beautiful.	E. Indies.	1823.	8. 10.	S. 2.	—
15	maximum. R.Sc. (wh.) large-flowered.	—————	1819.	5. 9.	S. 2.	Rosc. scitam. t. 52.
16	coronarium. F.I. (wh.) sweet-scented.	—————	1793.	7. 9.	S. 2.	Bot. mag. t. 708.
17	Gardnerianum. R.Sc. (ye.) Gardner's.	Nepaul.	1818.	—	S. 2.	Bot. reg. t. 771.
18	spicatum. B.M. (bh.) spiked.	—————	1820.	8. 11.	S. 2.	Bot. mag. t. 2300.
19	gracile. F.I. (wh.) slender.	E. Indies.	1821.	—	S. 2.	—

ORDO CCIV.

CANNEÆ. *Brown prodr.* 1. p. 307.

PHRYNIUM. R.Sc.		PHRYNIUM.		Monandria	Monogynia.	L.	
1	dichotomum. F.I. (<i>wh.</i>)	forked.	E. Indies.	1807.	6. 9.	S. 2.	Rumph. amb. 4. t. 7.
2	virgatum. F.I. (<i>wh.</i>)	slender-stem'd.	_____	1818.	_____	S. 2.	_____
3	spicatum. F.I. (<i>wh.</i>)	spiked.	_____	_____	_____	S. 2.	_____
4	imbricatum. F.I. (<i>li.</i>)	imbricated.	_____	1824.	5. 8.	S. 2.	_____
5	grandiflorum. R.Sc. (<i>st.</i>)	great-flowered.	Brazil.	1819.	6. 8.	S. 2.	Rosc. scitam. t. 33.
6	parviflorum. F.I. (<i>ye.</i>)	small-flowered.	E. Indies.	_____	5. 9.	S. 2.	_____ t. 34.
7	capitatum. F.I. (<i>ro.</i>)	capitate.	_____	1820.	_____	S. 2.	Rheed. mal. 11. t. 31.
8	violaceum. R.Sc. (<i>vi.</i>)	violet-coloured.	Brazil.	1823.	6. 8.	S. 2.	Rosc. scitam. t. 37.
	<i>Calathæa violacea.</i>	Bot. reg. t. 961.					
9	comosum. R.Sc. (<i>ye.</i>)	tufted.	Trinidad.	1812.	_____	S. 2.	Rosc. scitam. t. 35.
10	zebrinum. R.Sc. (<i>pu.</i>)	Zebra plant.	Brazil.	1815.	4. 7.	S. 2.	_____ t. 36.
	<i>Maránta zebrina.</i>	Bot. reg. t. 385.	<i>Calathæa zebrina.</i>	B.R.			
11	flavescens. (<i>ye.</i>)	yellowish.	Brazil.	1823.	6. 8.	S. 2.	Bot. reg. t. 932.
	<i>Calathæa flavescens.</i>	B.R.					
12	Alloüya. R.Sc. (<i>wh.</i>)	variegated.	Guiana.	1824.	_____	S. 2.	Rosc. scitam. t. 38.
13	Myrosma. R.Sc. (<i>wh.</i>)	Canna-like.	Surinam.	1825.	_____	S. 2.	_____ t. 39.
14	cylindricum. R.Sc. (<i>st.</i>)	cylindrical.	Brazil.	_____	2. 3.	S. 2.	_____ t. 40.
15	setosum. R.Sc.	bristly.	_____	1826.	_____	S. 2.	_____ t. 41.
	<i>Maránta secúnda.</i>	Gr.					
16	Parkèri. R.Sc. (<i>ye.</i>)	Parker's.	Grenada.	_____	_____	S. 2.	Rosc. scitam. t. 42.
17	Casupo. R.Sc. (<i>ye.</i>)	two-coloured.	Trinidad.	1823.	6. 8.	S. 2.	_____ t. 43.
	<i>Calathæa discolor.</i>	s. <i>Maránta Casupo.</i>	Jacq. frag. t. 63. f. 4.				
18	ellipticum. R.Sc. (<i>st.</i>)	elliptic-leaved.	Guiana.	1823.	_____	S. 2.	Rosc. scitam. t. 44.
19	Róssii. L.C. (<i>ye.</i>)	Ross's.	Brazil.	1825.	4. 7.	S. 2.	_____
20	villosum. L.C. (<i>ye.</i>)	villous.	_____	_____	_____	S. 2.	_____
21	luteum. (<i>wh.</i>)	yellow-bracted.	Caracas.	1809.	6. 7.	S. 2.	Jacq. ic. 2. t. 20.
	<i>Maránta lutea.</i>	Jacq. <i>Jacquini.</i>	R.S.				
22	obliquum. L.C. (<i>ye.</i>)	oblique-leaved.	E. Indies.	1824.	5. 9.	S. 2.	_____
23	angustifolium. L.C. (<i>ye.</i>)	narrow-leaved.	_____	_____	_____	S. 2.	_____
24	littorale. Led. (<i>ye.</i>)	sea-side.	Brazil.	1827.	_____	S. 2.	_____
25	longibracteatum. (<i>li.</i>)	long-bracted.	_____	1824.	6. 7.	S. 2.	Bot. reg. t. 1020.
26	grandifolium. (<i>ye.</i>)	large-leaved.	Brazil.	1825.	_____	S. 2.	_____ t. 1210.
27	macilentum. B.R. (<i>wh.</i>)	meagre.	_____	_____	_____	S. 2.	_____
TH'ALIA. W.		TH'ALIA.		Monandria Monogynia. W.			
1	dealbata. L.T. (<i>da.pu.</i>)	mealy.	Carolina.	1791.	7. 9.	H.w. 2.	Bot. mag. t. 1690.
2	geniculata. R.Sc. (<i>bl.</i>)	jointed.	Demerara.	1824.	6. 8.	S. 2.	Rosc. scitam. t. 45.
CA'NNA. W.		INDIAN SHOT.		Monandria Monogynia. L.			
1	indica. R.Sc. (<i>sc.</i>)	common.	W. Indies.	1570.	1. 12.	S. 2.	Rosc. scitam. t. 1.
2	coccinea. L.T. (<i>sc.</i>)	scarlet.	_____	1731.	_____	S. 2.	_____ t. 11.
3	lutea. L.T. (<i>ye.</i>)	yellow.	S. America.	1629.	_____	S. 2.	_____ t. 18.
4	orientalis. R.Sc. (<i>sc.</i>)	oriental.	E. Indies.	1570.	_____	S. 2.	_____ t. 12.
	β flava. (<i>ye.</i>)	yellow Indian.	_____	_____	_____	S. 2.	_____ t. 13.
	γ maculata. (<i>sc.ye.</i>)	spotted-flowered.	_____	_____	_____	S. 2.	Bot. mag. t. 2085.
5	patens. B.R. (<i>sc.ye.</i>)	spreading.	China.	1771.	7. 10.	H. 2.	Bot. reg. t. 576.
6	speciosa. B.M. (<i>sc.ye.</i>)	showy.	Nepaul.	1820.	_____	H. 2.	Bot. mag. t. 2317.
7	gigantea. B.R. (<i>or.</i>)	gigantic.	S. America.	1788.	1. 12.	S. 2.	Bot. reg. t. 206.
8	latifolia. R.Sc. (<i>sc.</i>)	broad-leaved.	_____	_____	_____	S. 2.	Rosc. scitam. t. 4.
9	edulis. B.R. (<i>sc.</i>)	eatable.	Peru.	1820.	6. 10.	S. 2.	Bot. reg. t. 775.
10	discolor. B.R. (<i>sc.</i>)	crimson-leaved.	Trinidad.	1827.	8. 12.	S. 2.	_____ t. 1231.
11	Lamberti. B.R. (<i>cr.</i>)	Mr. Lambert's.	_____	1818.	5. 8.	S. 2.	_____ t. 470.
12	excelsa. B.C. (<i>sc.</i>)	tall.	Brazil.	1820.	1. 12.	S. 2.	Lodd. bot. cab. t. 743.
13	limbata. R.Sc. (<i>sc.ye.</i>)	bordered.	_____	1818.	_____	S. 2.	Rosc. scitam. t. 9.
	<i>auro-vittata.</i>	Lodd. bot. cab. t. 449.					
14	pallida. R.Sc. (<i>st.</i>)	pale.	W. Indies.	1823.	_____	S. 2.	Rosc. scitam. t. 19.
	<i>Lagunensis.</i>	Bot. reg. t. 1311.					
	β punctata. (<i>ye.</i>)	spotted-flowered.	_____	_____	_____	S. 2.	Rosc. scitam. t. 20.
15	aurantiaca. R.Sc. (<i>or.</i>)	orange-coloured.	Brazil.	_____	_____	S. 2.	_____ t. 21.
16	compacta. R.Sc. (<i>cr.</i>)	compact.	S. America.	_____	_____	S. 2.	_____ t. 22.
17	pedunculata. R.Sc. (<i>ye.</i>)	stalked.	Brazil.	1820.	_____	S. 2.	_____ t. 8.
18	denudata. R.Sc. (<i>sc.ye.</i>)	naked-stalked.	_____	_____	_____	S. 2.	_____ t. 23.
19	sylvestris. R.Sc. (<i>cr.</i>)	wood.	S. America.	1813.	_____	S. 2.	_____ t. 10.
20	lanuginosa. R.Sc. (<i>sc.</i>)	woolly-stem'd.	Maranham.	1823.	_____	S. 2.	_____ t. 16.

21	<i>cárnea</i> . R.Sc.	(<i>fl.</i>)	flesh-coloured.	Brazil.	1822.	1. 12.	S. 2.	Rosc. scitam. t. 15.
22	<i>lanceolàta</i> . L.C.	(<i>sc.</i>)	spear-leaved.	—————	1820.	—————	S. 2.	
23	<i>esculènta</i> . L.C.	(<i>sc.</i>)	esculent.	S. America.	—————	—————	S. 2.	
24	<i>polymórpha</i> . L.C.	(<i>sc.</i>)	variable.	—————	1824.	—————	S. 2.	
25	<i>iriditòra</i> . B.M.	(<i>cr.</i>)	nodding-flower'd.	Peru.	1816.	—————	S. 2.	Bot. reg. 609.
26	<i>flaccida</i> . R.Sc.	(<i>ye.</i>)	flaccid.	S. Carolina.	1788.	—————	S. 2.	Rosc. scitam. t. 6.
27	<i>glàuca</i> . L.T.	(<i>ye.</i>)	glaucous.	S. America.	1732.	—————	S. 2.	Sm. exot. bot. t. 102.
	<i>β rùfa</i> . B.M.	(<i>ye.</i>)	brown.	—————	—————	S. 2.	Bot. mag. t. 2302.
MARA'NTA. R.S.		ARROW-ROOT		Monandria Monogynia.	L.			
1	<i>arundinàcea</i> . R.S.	(<i>wh.</i>)	Indian.	S. America.	1732.	7. 8.	S. 2.	Bot. mag. t. 2307.
2	<i>índica</i> . R.S.	(<i>wh.</i>)	smooth-leaved.	India.	—————	S. 2.	Sloan. jam. t. 149.
3	<i>divaricàta</i> . R.Sc.	(<i>wh.</i>)	spreading.	Brazil.	1825.	— —	S. 2.	Rosc. scitam. t. 27.
	<i>β purpùrea</i> . R.Sc.	(<i>pu.</i>)	purple-flowered.	—————	—————	—————	S. 2.	————— t. 28.
4	<i>Tonchat</i> . R.S.	(<i>pa.bl.</i>)	ovate.	E. Indies.	1819.	S. 2.	Rumph. amb. 4. t. 7.
5	<i>angustifòlia</i> . B.M.	(<i>li.</i>)	narrow-leaved.	W. Indies.	1820.	7. 8.	S. 2.	Bot. mag. t. 2398.
6	<i>cuspidàta</i> . R.Sc.	(<i>ye.</i>)	cuspidate.	Sierra Leone.	1822.	—————	S. 2.	Rosc. scitam. t. 31.
7	<i>bicolor</i> . B.R.	(<i>wh.</i>)	two-coloured.	S. America.	1823.	1. 12.	S. 2.	Bot. reg. t. 786.
8	<i>gibba</i> . R.S.	(<i>wh.</i>)	gibbous.	—————	—————	—————	S. 2.	Rosc. scitam. t. 29.
9	<i>oblìqua</i> . R.S.	(<i>re.</i>)	oblique.	Guiana.	1803.	10. 1.	S. 2.	Rudg. gui. t. 11.
10	<i>sylvàtica</i> . L.T.	(<i>wh.</i>)	wood.	W. Indies.	1799.	8. 9.	S. 2.	

ORDO CCV.

MUSACEÆ. *Juss. gen. 61.*

MUSA. L.		PLANTAIN-TREE.		Polygamia Monœcia.		L.		
1	<i>paradisiaca</i> . W.	(<i>br.cr.</i>)	common.	India.	1690.	10. 12.	S. h.	Trew. ehret. 3. t. 18-20.
2	<i>sapiéntum</i> . W.	(<i>br.cr.</i>)	Banana-tree.	W. Indies.	1729.	10. 3.	S. h.	————— 4. t. 21-23.
3	<i>maculàta</i> . W.	(<i>br.pi.</i>)	spotted-fruited.	Mauritius.	1818.	—————	S. h.	
4	<i>rosàcea</i> . W.	(<i>ro.</i>)	rose-coloured.	—————	1805.	3. 6.	S. h.	Bot. reg. t. 706.
5	<i>coccínea</i> . W.	(<i>sc.</i>)	scarlet-flower'd.	China.	1792.	12. 3.	S. h.	Andr. reposit. t. 47.
6	<i>ornàta</i> . F.I.	(<i>li.or.</i>)	handsome.	E. Indies.	1823.	S. h.	
7	<i>supérba</i> . F.I.	(<i>br.pa.</i>)	superb.	—————	—————	S. 2.	
8	<i>glàuca</i> . F.I.	(<i>ye.</i>)	glaucous.	—————	1824.	S. 2.	
URANIA. W.		UR'ANIA.		Hexandria Monogynia.		W.		
	<i>speciòsa</i> . W.	(<i>wh.</i>)	Plantain-leaved.	Madagascar.	1813.	S. h.	Jacq. schœn. 1. t. 93.
		<i>Rarenàlia madagascariénsis</i> . Jacq.						
STRELITZIA. H.K.		STRELIT'ZIA.		Pentandria Monogynia.		H.K.		
1	<i>angústa</i> . H.K.	(<i>wh.</i>)	Plantain-like.	C. B. S.	1791.	2. 5.	S. h.	Ker's Strelitz. ic.
2	<i>reginæ</i> . H.K.	(<i>ye.bl.</i>)	Canna-leaved.	—————	1773.	4. 5.	I. 2.	Redout. lil. t. 77. 88.
3	<i>ovàta</i> . H.K.	(<i>ye.bl.</i>)	oval-leaved.	—————	1777.	2. 4.	I. 2.	Bot. mag. t. 119. 120.
4	<i>hùmilis</i> . L.en.	(<i>ye.bl.</i>)	dwarf.	—————	—————	I. 2.	
5	<i>farinòsa</i> . H.K.	(<i>ye.bl.</i>)	mealy-stalked.	—————	1795.	—————	I. 2.	Ker's Strelitz. ic.
6	<i>angustifòlia</i> . H.K.	(<i>ye.bl.</i>)	narrow-leaved.	—————	1778.	5. 6.	I. 2.	————— ic.
7	<i>parvifòlia</i> . H.K.	(<i>ye.bl.</i>)	small-leaved.	—————	1796.	5. 7.	I. 2.	————— ic.
	<i>β júncea</i> . B.R.	(<i>ye.bl.</i>)	rush-like.	—————	—————	—————	I. 2.	Bot. reg. t. 516.
HELIC'ONIA. R.S.		HELIC'ONIA.		Pentandria Monogynia.		L.		
1	<i>Bihài</i> . W.	(<i>re.sn.</i>)	Plantain-leaved.	W. Indies.	1786.	4. 5.	S. 2.	Bot. reg. t. 374.
2	<i>hùmilis</i> . R.S.	(<i>sc.</i>)	dwarf.	Caracas.	1798.	5. 6.	S. 2.	Jacq. schœn. 1. t. 48. 19.
3	<i>psittacòrum</i> . R.S.	(<i>ye.re.</i>)	Parrot-beaked.	W. Indies.	1797.	8. 9.	S. 2.	Andr. reposit. t. 124.
4	<i>Swartziana</i> . R.S.	(<i>or.</i>)	Swartz's.	Jamaica.	—————	—————	S. 2.	Bot. mag. t. 502.
	<i>psittacòrum β</i> . B.M.							
5	<i>dealbàta</i> . L.C.	(<i>ye.</i>)	mealy.	S. America.	1823.	—————	S. 2.	
6	<i>hirsùta</i> . R.S.	(<i>ye.</i>)	hairy-bracted.	—————	—————	—————	S. 2.	
7	<i>buccinàta</i> . F.I.	(<i>st.</i>)	Indian.	E. Indies.	1820.	6. 8.	S. 2.	Rumph. amb. 5. t. 62. f. 2.

ORDO CCVI.

IRIDEÆ. *Brown prodr. 302.*

IRIS. B.M.		FLOWER-DE-LUCE.		Triandria Monogynia.		L.		
1	<i>susiàna</i> . R.S.	(<i>br.bl.</i>)	Chalcedonian.	Levant.	1596.	3. 4.	H. 2.	Bot. mag. t. 91.
2	<i>livida</i> . Trat.	(<i>pu.bl.</i>)	livid.	—————	—————	—————	H. 2.	Redout. lil. 1. t. 18.
	<i>susiàna</i> . Redoute non	B.M.						

3	florentina. R.S. (wh.)	Florentine.	S. Europe.	1596.	5. 6.	H. 2.	Bot. mag. t. 671.
4	germánica. R.S. (bl.)	German.	Germany.	1573.	—	H. 2.	— t. 670.
5	subbiflora. B.M. (bl.)	double-bearing.	Portugal.	1596.	4. 5.	H. 2.	— t. 1130.
6	pállida. R.S. (pa.bl.)	pale Turkey.	Turkey.	—	5. 6.	H. 2.	— t. 685.
	<i>nepalénsis</i> . Bot. reg. 818. non Don. prodr.						
7	longiflora. R.S. (pa.bl.)	long-flowered.	1824.	—	H. 2.	
8	flavescens. R.S. (st.)	pale yellow.	Switzerland.	1825.	—	H. 2.	Swt. br. fl. gar. s. 2. t. 7.
9	sórdida. W.en. (pa.ye.)	dull-flowered.	—	1818.	—	H. 2.	Bot. mag. t. 2861.
	<i>lutescens</i> . Bot. mag. t. 2861. nec aliorum.						
10	sambucina. R.S. (pu.wh.)	Elder-scented.	S. Europe.	1658.	6.	H. 2.	Bot. mag. t. 187.
11	squálens. R.S. (pu.ye.)	brown-flowered.	—	1768.	—	H. 2.	— t. 787.
12	lùrida. R.S. (da.pu.)	dark brown.	—	1758.	4. 5.	H. 2.	— t. 669. 986.
13	variegata. R.S. (pa.ye.)	variegated.	Hungary.	1597.	5. 6.	H. 2.	— t. 16.
	β limbata. R.S. (pu.ye.)	yellow-limbed.	N. America.	—	H. 2.	
14	neglécta. R.S. (bl.wh.)	Horneman's.	1820.	6.	H. 2.	Bot. mag. t. 2435.
15	viréscens. R.L. (st.)	greenish-flowered.	1824.	5. 6.	H. 2.	Redout. lil. 5. t. 295.
16	Swértii. R.S. (bl.wh.)	reflex-flowered.	1748.	—	H. 2.	— 6. t. 360.
17	plicata. R.S. (bl.)	plaited-leaved.	Hungary.	1823.	—	H. 2.	Bot. mag. t. 870.
18	amœna. R.L. (pu.wh.)	pretty.	—	—	H. 2.	Redout. lil. 8. t. 336.
19	biflora. R.S. (vi.pu.)	two-flowered.	S. Europe.	1596.	4. 9.	H. 2.	Besl. h. eyst. 8. f. 1.
20	furcata. R.S. (bl.)	forked.	Tauria.	1822.	3. 4.	H. 2.	Bot. reg. t. 801.
21	crístata. R.S. (bl.ye.)	crested.	N. America.	1756.	5.	H. 2.	Bot. mag. t. 412.
22	fimbriata. v. (bl.)	fringed.	China.	1792.	5. 6.	F. 2.	Vent. cels. t. 9.
	<i>chinénsis</i> . Bot. mag. t. 373.						
23	dichótoma. R.S. (vi.pu.)	forked.	Dauria.	1784.	6. 8.	H. 2.	Swt. br. fl. gar. t. 95.
24	nudicaulis. R.S. (pu.wh.)	naked-stalked.	1748.	5. 6.	H. 2.	
	<i>aphylla</i> . w.						
25	arenaria. R.S. (ye.)	sand.	Hungary.	1802.	—	H. 2.	Bot. reg. t. 549.
26	lutescens. R.S. (ye.)	dwarf yellow.	Germany.	1748.	4. 5.	H. 2.	Redout. lil. 5. t. 263.
	<i>pùmila</i> . var. <i>lutea</i> . Bot. mag. t. 1209.						
27	flavissima. R.S. (ye.)	bright yellow.	Siberia.	1814.	5. 6.	H. 2.	Jacq. ic. 3. t. 220.
28	pùmila. R.S. (bl.)	dwarf.	Austria.	1596.	4. 5.	H. 2.	Bot. mag. t. 9.
29	violacea. (vi.)	violet-coloured.	S. Europe.	—	H. 2.	— t. 1261.
	<i>pùmila</i> . var. <i>violacea</i> . B.M.						
30	hungarica. R.S. (bl.)	Hungarian.	Hungary.	1815.	5.	H. 2.	Swt. br. fl. gar. t. 74.
31	ibérica. R.S. (vi.)	Iberian.	Iberia.	1821.	5. 6.	H. 2.	
32	Pseùd-A'corus. R.S. (ye.)	yellow-water.	Britain.	6.	H. 2.	Eng. bot. v. 9. t. 573.
	β pállido-flàva. B.M. (ye.)	pale-yellow.	N. America.	1812.	—	H. 2.	Bot. mag. t. 2239.
33	Monnièrii. R.S. (ye.)	Le Monnier's.	Levant.	1820.	6. 7.	H. 2.	Redout. lil. 4. t. 236.
34	taurica. B.C. (ye.)	Taurian.	Tauria.	1826.	5. 6.	H. 2.	Lodd. bot. cab. t. 1506.
35	foetidissima. R.S. (br.bl.)	Gladwyn.	Britain.	6.	H. 2.	Eng. bot. v. 9. t. 596.
	β variegata. (br.bl.)	striped-leaved.	—	—	H. 2.	
36	versicolor. R.S. (pu.ye.)	various-coloured.	N. America.	1732.	5. 6.	H. 2.	Bot. mag. t. 21.
37	fúlva. B.M. (co.)	copper-coloured.	—	1812.	6. 7.	H. 2.	— t. 1496.
	<i>cùprea</i> . Ph. published 1814. <i>fúlva</i> . B.M. published 1812.						
38	tridentata. Ph. (bl.)	three-toothed.	N. America.	1824.	7.	H. 2.	Swt. br. fl. gar. t. 274.
	<i>tripétala</i> . Bot. mag. t. 2886. scarcely the same species.						
39	virginica. R.S. (bl.pu.)	Virginian.	Virginia.	1758.	6. 7.	H. 2.	Bot. mag. t. 703.
40	grácilis. Bolt. (pu.ye.)	Bolton's.	N. America.	1812.	—	H. 2.	
	<i>Boltoniana</i> . R.S.						
41	spùria. B.M. (bl.)	spurious.	Siberia.	1759.	7.	H. 2.	Bot. mag. t. 58.
42	nótha. M.B. (bl.)	hybrid.	—	1780.	—	H. 2.	Bieb. cent. pl. res. 2. t. 77.
	<i>halóphila</i> . Bot. mag. t. 875.						
43	ochroleuca. L. (st.)	sulphur-coloured.	Levant.	1757.	—	H. 2.	Bot. mag. t. 61.
44	halóphila. Pal. (st.)	long-leaved.	Siberia.	1780.	7. 9.	H. 2.	— t. 1131.
45	stenógyna. R.L. (st.)	cream-coloured.	Caucasus.	1804.	7.	H. 2.	— t. 1515.
46	desertorum. Guld. (bl.st.)	sweet-scented.	Russia.	1811.	—	H. 2.	— t. 1514.
	<i>spatulata</i> . W.en.						
47	heterophylla. s.s. (st.)	various-leaved.	—	—	H. 2.	
48	lævigata. F.	smooth.	Dahuria.	1828.	H. 2.	
49	vérna. M. (bl.)	vernal.	N. America.	1748.	4. 5.	H. 2.	Swt. br. fl. gar. t. 68.
50	ventricosa. R.S. (pa.bl.)	bellied.	Dahuria.	1800.	6.	H. 2.	Pall. it. 3. t. B. f. 1.
51	sibírica. R.S. (bl.st.)	flaccid-leaved.	Siberia.	1596.	5. 6.	H. 2.	Bot. mag. t. 50.
52	flexuosa. R.S. (wh.)	flexuose.	Germany.	—	H. 2.	Murr. c. gott. 7. t. 4.
	<i>sibírica</i> . β <i>alba</i> . B.M. t. 1163. Redoute liliac. t. 438. <i>acuta</i> β <i>álba</i> . W.enum.						
53	acuta. W.en. (bl.)	straight-leaved.	Siberia.	—	H. 2.	
54	triflora. W.en. (bl.)	three-flowered.	Italy.	1816.	—	H. 2.	
55	hæmatophylla. F. (bl.)	red-leaved.	Siberia.	1790.	4. 5.	H. 2.	Swt. br. fl. gar. t. 115.
	<i>sanguinea</i> . R.S. <i>sibírica</i> γ <i>sanguinea</i> . Bot. mag. t. 1604.						

58	<i>lacustris</i> . N. (<i>pa.bl.</i>) marsh.	N. America.	1825.	5. 6.	H. 4.		
59	<i>prismatica</i> . R.S. (<i>bl.</i>) New Jersey.	—————	1812.	—————	H. 4.	Bot. mag. t. 1504.	
60	<i>graminea</i> . R.S. (<i>bl.pu.</i>) grass-leaved.	Austria.	1597.	6.	H. 4.	————— t. 681.	
61	<i>humilis</i> . M.B. (<i>bl.</i>) pigmy.	Siberia.	1804.	5. 6.	H. 4.	————— t. 1123.	
62	<i>ruthénica</i> . R.S. (<i>bl.</i>) Russian.	Russia.	1810.	4. 5.	H. 4.	————— t. 1393.	
63	<i>biglumis</i> . R.S. (<i>bh.wh.</i>) two-glumed.	Siberia.	1829.	—————	H. 4.	Pall. it. 3. app. t. 6. f. 1.	
64	<i>tenuifolia</i> . W. (<i>pa.bl.</i>) slender-leaved.	Dauria.	1796.	5.	H. 4.	————— 3. t. C. f. 2.	
65	<i>nepalensis</i> . D.P. (<i>bl.</i>) Nepaul.	Nepaul.	1824.	6. 7.	H. 4.	Swt. br. fl. gar. s. 2. t. 11.	
66	<i>Pallasii</i> . B.M. (<i>bl.</i>) Pallas's.	Siberia.	1820.	—————	H. 4.		
	& <i>chinensis</i> . B.M. (<i>bl.</i>) Chinese.	China.	—————	—————	H. 4.	Bot. mag. t. 2331.	
67	<i>longispatha</i> . B.M. (<i>bl.</i>) long-spathed.	Russia.	1822.	—————	H. 4.	————— t. 2528.	
68	<i>brachycuspis</i> . B.M. (<i>bl.</i>) short-pointed.	Siberia.	1819.	6.	H. 4.	————— t. 2326.	
69	<i>caelestina</i> . N. (<i>bl.</i>) sky-blue.	N. America.	1824.	—————	F. 4.		
70	<i>ténax</i> . B.R. (<i>pu.</i>) tough-leaved.	California.	1827.	4. 5.	H. 4.	Bot. reg. t. 1218.	
71	<i>tuberosa</i> . R.S. (<i>vi.</i>) snake's-head.	Levant.	1597.	3. 4.	H. 4.	Bot. mag. t. 531.	
72	<i>reticulata</i> . R.S. (<i>bl.</i>) netted-rooted.	Iberia.	1821.	4. 5.	H. b. 4.		
73	<i>Xiphium</i> . R.S. (<i>va.</i>) small bulbous.	Spain.	1596.	6.	H. b. 4.	Bot. mag. t. 686.	
74	<i>lusitánica</i> . R.S. (<i>ye.</i>) Portuguese.	Portugal.	—————	4. 5.	H. b. 4.	————— t. 679.	
75	<i>Xiphioides</i> . R.S. (<i>va.</i>) great bulbous.	Spain.	1571.	6.	H. b. 4.	————— t. 687.	
76	<i>caucásica</i> . R.S. (<i>st.</i>) Caucasian.	Caucasus.	1821.	2. 3.	H. b. 4.	Swt. br. fl. gar. t. 255.	
77	<i>alata</i> . Lam. (<i>bl.</i>) winged.	S. Europe.	1801.	H. b. 4.	Desf. atl. 1. t. 6?	
	<i>scorpioides</i> . Redout. liliac. t. 211.						
78	<i>pérsica</i> . R.S. (<i>bl.ye.</i>) Persian.	Persia.	1629.	3.	H. b. 4.	Bot. mag. t. 1.	
DIETES. Sal. DIETES. Triandria Monogynia.							
1	<i>iridioides</i> . (<i>wh.bl.</i>) Iris-flowered.	C. B. S.	1758.	4. 8.	F. 4.	Bot. mag. t. 693.	
	<i>Mor'ea iridioides</i> . B.M. <i>Iris moræoides</i> . Ker.						
2	<i>catenulata</i> . (<i>wh.bl.</i>) chain-dotted.	Madagascar.	1826.	—————	F. 4.	Bot. reg. t. 1074.	
	<i>Mor'ea catenulata</i> . B.R.						
MOR'EA. B.M. MOR'EA. Triandria Monogynia. L.							
1	<i>Sisyrinchium</i> . B.M. (<i>bl.</i>) Spanish nut.	S. Europe.	1597.	5. 6.	F. b.	Bot. mag. t. 1407.	
2	<i>Tenoreana</i> . B.F.G. (<i>bl.</i>) Tenore's.	Naples.	1824.	6. 7.	F. b.	Swt. br. fl. gar. t. 110.	
	<i>Iris fugax</i> . Ten. flor. nap. t. 4. <i>nec aliorum</i> .						
3	<i>minuta</i> . B.R. (<i>ye.</i>) small.	C. B. S.	1825.	—————	F. b.		
4	<i>papilionacea</i> . B.R. (<i>ye.</i>) Butterfly.	—————	1795.	5. 6.	F. b.	Bot. mag. t. 750.	
5	<i>ciliata</i> . B.R. (<i>ye.</i>) fringed-leaved.	—————	1787.	4. 6.	F. b.	————— t. 1061.	
6	<i>barbigera</i> . Sal. (<i>ro.</i>) bearded.	—————	—————	4. 5.	F. b.	————— t. 1012.	
7	<i>crispa</i> . B.R. (<i>std.</i>) short-spathed.	—————	1803.	—————	F. b.	————— t. 1284.	
8	<i>tristis</i> . B.R. (<i>bl.ye.</i>) dull-coloured.	—————	1768.	—————	F. b.	————— t. 577.	
9	<i>tricolor</i> . A.R. (<i>br.re.ye.</i>) three-coloured.	—————	1809.	—————	F. b.	Andr. reposit. t. 83.	
10	<i>lurida</i> . B.R. (<i>d.pu.</i>) Mr. Griffin's.	—————	1817.	6. 7.	F. b.	Bot. reg. t. 312.	
11	<i>ramosa</i> . B.R. (<i>ye.</i>) branching.	—————	1789.	5. 6.	F. b.	Bot. mag. t. 771.	
12	<i>plumaria</i> . B.R. (<i>bl.</i>) feathered.	—————	1825.	—————	F. b.		
13	<i>viscaria</i> . B.R. (<i>br.</i>) bird-limed.	—————	1800.	6.	F. b.	Bot. mag. t. 587.	
14	<i>bituminosa</i> . B.R. (<i>ye.</i>) clammy.	—————	1787.	4. 5.	F. b.	————— t. 1045.	
15	<i>polystachya</i> . B.R. (<i>bl.</i>) many-spiked.	—————	1825.	6. 7.	F. b.		
16	<i>longiflora</i> . B.R. (<i>ye.</i>) long-flowered.	—————	1801.	6. 7.	F. b.	Bot. mag. t. 712.	
17	<i>setacea</i> . B.R. (<i>bl.</i>) bristle-leaved.	—————	1825.	—————	F. b.	Thunb. Ir. t. 1. f. 1.	
18	<i>edulis</i> . B.M. (<i>li.bl.</i>) long-leaved.	—————	1792.	5. 6.	F. b.	Bot. mag. t. 613.	
19	<i>odora</i> . P.L. (<i>wh.</i>) sweet-scented.	—————	—————	—————	F. b.	Sal. par. lond. t. 10.	
20	<i>longifolia</i> . A.R. (<i>st.</i>) pale-yellow.	—————	1808.	—————	F. b.	Andr. reposit. t. 45.	
	<i>edulis y lutescens</i> . Bot. mag. t. 1238.						
21	<i>angusta</i> . B.R. (<i>st.</i>) rolled-leaved.	—————	1790.	—————	F. b.	Bot. mag. t. 1276.	
MA'RICA. H.K. MA'RICA. Triandria Monogynia. H.K.							
1	<i>cerulea</i> . B.C. (<i>bl.</i>) blue.	Brazil.	1810.	4. 10.	S. 4.	Bot. reg. t. 713.	
2	<i>Sabini</i> . H.T. (<i>bl.</i>) Sabine's.	St. Thomas.	1822.	9. 11.	S. 4.	Hort. trans. v. 6. pl. 1.	
3	<i>Northiana</i> . H.K. (<i>wh.br.</i>) broad-stemmed.	Brazil.	1789.	4. 8.	S. 4.	Bot. mag. t. 654.	
	<i>Mor'ea Northiana</i> . Andr. rep. t. 255.						
4	<i>paludosa</i> . B.M. (<i>wh.</i>) marsh.	Guiana.	1792.	7. 8.	S. 4.	Bot. mag. t. 646.	
5	<i>semiaperta</i> . B.C. (<i>ye.</i>) half-opened.	Brazil.	1820.	5. 7.	S. 4.	Lodd. bot. cab. t. 685.	
6	<i>humilis</i> . B.C. (<i>wh.ye.</i>) dwarf.	—————	1823.	—————	S. 4.	————— t. 1081.	
7	<i>longifolia</i> . L.O. (<i>st.</i>) long-leaved.	Brazil.	1830.	6. 10.	S. 4.	Lk. et Ot. abb. t. 58.	
8	<i>martinicensis</i> . H.K. (<i>ye.</i>) Martinico.	W. Indies.	1782.	5. 7.	S. 4.	Bot. mag. t. 416.	
	<i>Iris martinicensis</i> . B.M. <i>Cipura martinicensis</i> . K.S. <i>Trimèzia lurida</i> . Sal.						
HERBERTIA. B.F.G. HERBERTIA. Monadelphia Triandria.							
1	<i>palehella</i> . B.F.G. (<i>bl.</i>) plaited-leaved.	Maldonado.	1827.	6. 8.	F. b.	Swt. br. fl. gar. t. 222.	
2	<i>pusilla</i> . (<i>st.</i>) small.	Brazil.	1830.	—————	F. b.	Lk. et Ot. abb. t. 59.	
	<i>Ferraria pusilla</i> . Lk. et Otto.						
CYPELLA. B.M. CYPELLA. Monadelphia Triandria. B.M.							
	<i>Herbèrti</i> . B.M. (<i>or.</i>) Mr. Herbert's.	BuenosAyres.	1823.	6. 9.	F. b.	Swt. br. fl. gar. s. 2. t. 33.	
	<i>Tigridia Herbèrti</i> . B.M. t. 2599. <i>Mor'ea Herbèrti</i> . E.R. t. 949.						

- VIEUSSE'UXIA. DC. VIEUSSE'UXIA. Triandria-Monadelphia Monogynia.**
- 1 tripetaloides. DC. (*bh.*) three petal-like. C. B. S. 1802. 4. 5. F.b. Bot. mag. t. 702.
Mor'æa tripétala. B.M. 'Iris tripetala. w.
 - 2 pavonia. DC. (*or.gr.*) Peacock. ——— 1790. 5. 6. F.b. Bot. mag. t. 1247.
Mor'æa pavonia. B.M. 'Iris pavonia. w.
 - 3 villosa. s.s. (*pu.bl.*) villous-leaved. C. B. S. 1789. 4. 5. F.b. Bot. mag. t. 571.
 - 4 tricuspis. s.s. (*pu.*) trident-petaled. ——— 1776. 6. F.b. ——— t. 696.
 - 5 glaucopis. DC. (*wh.bl.*) white-flowered. ——— 5. 7. F.b. Redout. lil. 1. t. 42.
'Iris pavonia. Bot. mag. t. 168. nec aliorum.
 - 6 Bellendèni. (*ye.*) Mr. Ker's. ——— 1803. 6. 7. F.b. Bot. mag. t. 772.
Mor'æa tricuspis γ lutea. B.M. certainly a very distinct species.
 - 7 tenuis. R.S. (*or.*) slender. C. B. S. 1807. 5. 6. F.b. Bot. mag. t. 1047.
 - 8 spiralis. R.S. (*ye.*) spiral-flowered. ——— 1825. — F.b. De la Roch. dis. t. 3.
 - 9 unguicularis. R.S. (*bh.*) long-clawed. ——— 1802. — F.b. Bot. mag. t. 593.
- HOMERIA. V. HOMERIA. Monadelphia Triandria.**
- 1 spicata. (*ye.or.pu.*) spiked. C. B. S. 1785. 5. 6. F.b. Bot. mag. t. 1283.
Mor'æa spicata. B.M.
 - 2 collina. (*pi.*) hill. ——— 1768. — F.b. Bot. mag. t. 1033.
Mor'æa collina. B.M.
 - 3 ochroleuca. Sal. (*ye.*) straw-coloured. ——— — F.b. Bot. mag. t. 1103.
Mor'æa collina. γ. B.M. 1103.
 - 4 lineata. B.F.G. (*pi.*) lined-leaved. ——— 1825. — F.b. Swt. br. fl. gar. t. 17.
 - 5 porrifolia. B.F.G. (*sc.*) leek-leaved. ——— — F.b. ——— ic
 - 6 elegans. (*or.gr.*) elegant. ——— — F.b. Jacq. schœn. 1. t. 2.
 - 7 aurantiaca. R.S. (*or.*) flaccid-petaled. ——— 1810. — F.b. Bot. mag. t. 1612.
Mor'æa collina. (a) miniata minor. B.M. 1612.
 - 8 miniata. B.F.G. (*pi.*) spot-flowered. ——— 1799. — F.b. Swt. br. fl. gar. t. 17.
- HEXAGLOTTIS. Vt. HEXAGLOTTIS. Monadelphia Triandria.**
- 1 flexuosa. (*ye.*) flexuose. C. B. S. 1803. 5. 6. F.b. Bot. mag. t. 695.
longifolia. Vent. Mor'æa flexuosa. B.M.
 - 2 virgata. (*ye.*) slender. ——— 1825. — F.b. Jacq. icon. 2. t. 29.
- PARDA'NTHUS. S.S. PARDA'NTHUS. Triandria Monogynia. S.S.**
- 1 chinensis. s.s. (*or.*) Chinese. China. 1759. 6. 7. H. 2. Bot. mag. t. 171.
'Ixia chinensis. B.M. Belamecanda chinensis. DC.
 - 2 nepalensis. (*or.*) Nepaul. Nepaul. 1823. — H. 2.
- BOBA'RTIA. L. BOBA'RTIA. Triandria Monogynia. L.**
- 1 gladiata. K.I. (*ye.*) hairy-stalked. C. B. S. 1815. 6. 8. G. 2. Bot. reg. t. 229.
Márica gladiata. B.R. Mor'æa gladiata. w.
 - 2 spathacea. L. (*ye.*) sheathed. ——— 1798. 7. G. 2. Thunb. dis. p. 9. t. 1.
- SISYRINCHIUM. L. SISYRINCHIUM. Monadelphia Triandria.**
- 1 latifolium. H.K. (*wh.*) broad-leaved. W. Indies. 1737. 6. 8. S. 2. Bot. mag. t. 655.
Márica plicata. B.M. Mor'æa plicata. w.
 - 2 bermudianum. w. (*bl.*) Iris-leaved. Bermudas. 1732. 5. 7. G. 2. Bot. mag. t. 94.
iridioides. B.M.
 - 3 Nuttalli. (*bl.*) Nuttall's. N. America. 1823. — H. 2.
bermudianum. N. nec aliorum.
 - 4 chilense. B.M. (*bl.*) blue Chilian. Chile. 1826. 6. 7. F. 2. Bot. mag. t. 2750.
 - 5 graminifolium. B.R. (*ye.*) grass-leaved. ——— 1825. 4. 8. F. 2. Bot. reg. t. 1067.
 - 6 flexuosum. B.R. (*ye.*) flexuose. ——— — F. 2. Bot. mag. t. 464.
 - 7 anceps. w. (*bl.*) narrow-leaved. N. America. 1693. 6. 7. H. 2.
 - 8 mucronatum. M. (*bl.*) pointed-flowered. ——— 1812. — H. 2.
 - 9 convolutum. w. (*ye.*) convolute. S. America. 1816. 5. 7. F. 2. Wild. h. ber. t. 9.
 - 10 tenuifolium. w. (*ye.*) slender-leaved. Mexico. ——— — F. 2. ——— t. 92.
 - 11 luteum. L.en. (*ye.*) yellow-flowered. ——— 1823. — H. 2. Bot. mag. t. 983.
 - 12 californicum. H.K. (*ye.*) Californian. California. 1796. 5. 2. F. 2.
 - 13 pedunculatum. B.M. (*ye.*) long-peduncled. Chile. 1827. 6. 8. F. 2. Bot. mag. t. 2965.
 - 14 micranthum. w. (*st.*) small-flowered. Peru. 1822. 5. 9. F. 2. ——— t. 2116.
 - 15 iridifolium. K.S. (*st.vi.*) Iris-leaved. S. America. ——— — F. 2. Bot. reg. t. 640.
 - 16 odoratissimum. B.R. (*std.*) sweet-scented. S. America. 1828. 6. 10. F. 2. Bot. reg. t. 1283.
 - 17 striatum. H.K. (*ye.std.*) streaked-flowered. Mexico. 1788. — F. 2. Sm. ic. pict. t. 9.
 - 18 palmifolium. w. (*wh.*) Palm-leaved. Brazil. 1799. 1. 5. S. 2.
- ORTHROSA'NTHUS. MORNING-FLOWER. Monadelphia Triandria.**
- multiflorus. S.F.A. (*bl.*) many-flowered. N. Holland. 1825. 5. 8. G. 2. Swt. flor. aust. t. 11.
- LIBERTIA. S.S. LIBERTIA. Triandria-Monadelphia Monogynia.**
- 1 paniculata. s.s. (*wh.*) paniced. N. S. W. 1823. 5. 8. F. 2. Swt. br. fl. gar. t. 6.
 - 2 grandiflora. (*wh.*) large-flowered. N. Zealand. 1822. 4. 9. H. 2.
 - 3 pulchella. s.s. (*wh.*) neat. N. S. W. 1823. 4. 9. F. 2.

PATERS'ONIA. B.P. PATERS'ONIA. Monadelphica Triandria. H.K.						
1 sericea. B.P.	(pu.) silky.	N. S. W.	1803.	5. 7.	F. 2.	Bot. mag. t. 1041.
2 lanata. B.P.	(pu.) woolly-spined.	N. Holland.	1825.	5. 8.	F. 2.	Swt. flor. aust. t. 15.
3 longifolia. B.P.	(bl.) long-leaved.	N. S. W.	1822.	5. 7.	F. 2.	
4 media. B.P.	(bl.) middle.	—————	1824.	————	F. 2.	
5 glabrata. B.P.	(bl.) smooth.	—————	1814.	————	F. 2.	Bot. reg. t. 50.
6 longiscapa. S.F.A.	(bl.) long-stalked.	N. Holland.	1825.	5. 8.	F. 2.	Swt. flor. aust. t. 39.
7 glauca. B.P.	(bl.) glaucous.	N. S. W.	1826.	————	F. 2.	Lab. nov. hol. 1. t. 9.
WITS'ENIA. H.K. WITS'ENIA. Triandria Monogynia.						
1 maura. H.K.	(or.) downy-flowered.	C. B. S.	1790.	11. 1.	G. 2.	Bot. reg. t. 5.
2 corymbosa. H.K.	(bl.) corymbose.	—————	1803.	4. 9.	G. 2.	Bot. mag. t. 895.
3 ramosa. S.S.	(ye.bl.) branching.	—————	1809.	————	G. 2.	
4 partita. K.I.	(bl.) parted-flowered.	—————	1822.	————	G. 2.	
ARISTEA. Ker. ARISTEA. Triandria Monogynia. L.						
1 cyanea. H.K.	(bl.) woolly-headed.	C. B. S.	1759.	4. 6.	G. 2.	Bot. mag. t. 458.
2 pusilla. B.M.	(bl.) flat-stemmed.	—————	1806.	6. 7.	G. 2.	———— t. 1231.
3 spiralis. H.K.	(wh.br.) spiral-flowered.	—————	1795.	4. 5.	G. 2.	———— t. 520.
4 capitata. H.K.	(bl.) tallest.	—————	1790.	7. 8.	G. 2.	———— t. 605.
<i>major. A.R. 160. Mor'ca cœrulea. Th. mor. t. 2. f. 2.</i>						
5 melaleuca. H.K.	(bl.bk.) three-coloured.	C. B. S.	1786.	5. 6.	G. 2.	Bot. mag. t. 1277.
FERRARIA. Ker. FERRARIA. Monadelphica Triandria. H.K.						
1 angustifolia.	(st.) narrow-leaved.	C. B. S.	1825.	4. 6.	F. b.	
2 antherosa. B.M.	(gr.) green variegated.	—————	1800.	3. 7.	F. b.	Bot. mag. t. 751.
<i>Ferraria viridiflora. A.R. t. 285.</i>						
3 uncinata. B.F.G.	(br.bl.) hook-leaved.	—————	1825.	————	F. b.	Swt. br. fl. gar. t. 161.
4 undulata. W.	(br.wh.) curled.	—————	1755.	————	F. b.	Bot. mag. t. 144.
5 atrata. L.C.	(da.) dark-flowered.	—————	1825.	————	F. b.	Lodd. bot. cab. t. 1356.
6 divaricata. B.F.G.	(da.) spreading-anther'd.	—————	————	————	F. b.	Swt. br. fl. gar. t. 192.
7 obtusifolia. B.F.G.	(pu.br.) blunt-leaved.	—————	————	————	F. b.	———— t. 148.
TIGRIDIA. J. TIGER-FLOWER. Monadelphica Triandria. H.K.						
1 pavonia. H.K.	(sc.) red-flowered.	Mexico.	1796.	5. 9.	H. b.	Redoute lil. t. 6.
<i>Ferraria pavonia. A.R. 178. Tigridia. B.M. 532.</i>						
2 conchiflora. B.F.G.	(ye.) yellow-flowered.	Mexico.	1824.	————	H. b.	Swt. br. fl. gar. t. 128.
GALAXIA. Ker. GALAXIA. Monadelphica Triandria. H.K.						
1 ovata. W.	(ye.) oval-leaved.	C. B. S.	1799.	5. 9.	F. b.	Andr. reposit. t. 94.
2 grandiflora. A.R.	(ye.) large-flowered.	—————	————	————	F. b.	———— t. 164.
3 mucronaris. Sal.	(ro.) mucronated.	—————	————	————	F. b.	Jac. ic. t. 291. f. inf. sin.
4 versicolor. Sal.	(ro.ye.) various-coloured.	—————	————	————	F. b.	———— f. inf. ad. dextr.
5 graminea. W.	(ye.) narrow-leaved.	—————	1795.	7. 8.	F. b.	Bot. mag. t. 1292.
PEYROUSIA. PEYROUSIA. Triandria Monogynia. H.K.						
1 corymbosa. B.M.	(bl.) level-topped.	C. B. S.	1791.	5. 6.	F. b.	Bot. mag. t. 595.
2 falcata. B.M.	(bl.) sickle-leaved.	—————	1825.	————	F. b.	Thunb. dis. 4. t. 1. f. 3.
3 fasciculata. B.M.	(wh.) fascicled.	—————	————	————	F. b.	Jacq. ic. 2. t. 291.
<i>Galaxia plicata. Jacq. Ixia heterophylla. Vahl. Orièda fasciculata. S.S.</i>						
4 fissifolia. B.M.	(ro.) leafy-spiked.	C. B. S.	1809.	8. 9.	F. b.	Bot. mag. t. 1246.
5 bracteata. B.M.	(wh.) bracteate.	—————	1825.	————	F. b.	Thunb. act. haf. 6. c. ic.
6 aculeata. B.F.G.	(wh.) prickly-stemmed.	—————	————	5. 7.	F. b.	Swt. br. fl. gar. s. 2. t. 39.
7 anceps. B.F.G.	(bl.) flat-stemmed.	—————	————	————	F. b.	———— ser. 1. t. 143.
8 silenoides. B.M.	(pu.) Silene-like.	—————	1822.	————	F. b.	Jacq. ic. 2. t. 270.
9 Fabricii. B.M.	(wh.) slender-branched.	—————	1825.	————	F. b.	
ANOMATHECA. Ker. ANOMATHECA. Triandria Monogynia. H.K.						
1 juncea. H.K.	(ro.) cut-leaved.	C. B. S.	1791.	4. 5.	F. b.	Bot. mag. t. 606.
<i>Lapeyrousia juncea. B.M. Gladiolus polystachyus. A.R. 66.</i>						
BABI'ANA. Ker. BABI'ANA. Triandria Monogynia. S.S.						
1 nana. S.S.	(bl.re.) dwarf.	C. B. S.	1807.	4. 6.	F. b.	Andr. reposit. t. 137.
<i>Gladiolus nanus. A.R.</i>						
2 rubro-cyanea. B.M.	(bl.re.) red and blue.	—————	1794.	————	F. b.	Bot. mag. t. 410.
3 villosa. B.M.	(cr.) dark red.	—————	1778.	8.	F. b.	———— t. 583.
<i>Ixia punicea. Jacq. ic. 2. t. 287.</i>						
4 obtusifolia. B.M.	(vi.) blunt-leaved.	—————	1825.	5. 6.	F. b.	Jacq. ic. 2. t. 284.
<i>Ixia villosa. Jacq. non H.K.</i>						
5 purpurea. B.M.	(d.pu.) dark purple.	—————	1806.	————	F. b.	Bot. mag. t. 1052.
6 stricta. B.M.	(bl.wh.) upright.	—————	1757.	————	F. b.	———— t. 621.
7 angustifolia.	(bl.) narrow-leaved.	—————	————	————	F. b.	———— t. 637.
<i>stricta (a) B.M. Ixia villosa var. Jacq. frag. t. 14. f. 3.</i>						
8 tenuiflora. B.F.G.	(bl.) slender-flowered.	C. B. S.	1825.	————	F. b.	Swt. br. fl. gar. ic.
9 sulphurea. B.M.	(st.) pale-flowered.	—————	1803.	————	F. b.	Bot. mag. t. 1053.
10 mucronata. B.M.	(pu.ye.) mucronate.	—————	1825.	————	F. b.	Jacq. ic. 2. t. 253.
11 plicata. B.M.	(pu.bl.) sweet-scented.	—————	1774.	————	F. b.	Bot. mag. t. 576.
12 disticha. B.M.	(pa.bl.) two-ranked.	—————	————	6. 7.	F. b.	———— t. 626.
<i>Gladiolus plicatus. Jacq. ic. t. 237. nec a iorum.</i>						

13	pállida. W.H.	(pa.) pale-flowered.	Hybrid.	6. 7.	F.b.	
14	ochroleuca.	(st.) cream-colour'd.	C. B. S.	1825.	5. 7.	F.b.	
15	spathæca. B.M.	(bl.wh.) stiff-leaved.	————	1801.	—	F.b.	Bot. mag. t. 638.
16	sambucina. B.M.	(da.bl.) Elder-scented.	————	1799.	4. 5.	F.b.	———— t. 1019.
17	tubàta.	(wh.re.) long-flowered.	————	1774.	—	F.b.	———— t. 680.
	<i>Gladiolus tubatus.</i> Jacq. ic. 2. t. 264.						
18	tubiflora. B.M.	(wh.re.) long-tubed.	————	—	—	F.b.	Bot. mag. t. 847.
19	ringens. B.M.	(pu.) gaping-flowered.	————	1752.	5. 6.	F.b.	Lodd. bot. cab. t. 1000.
20	Thunbergii. B.M.	(pu.) many-spiked.	————	1774.	—	F.b.	
	<i>Antholyza plicata.</i> W.						
ANTHOL'YZA. Ker.			ANTHOL'YZA.	Triandria Monogynia.	L.		
1	æthiòpica. B.M.	(sc.or.) flag-leaved.	C. B. S.	1759.	1. 4.	F.b.	Bot. mag. t. 561.
2	præalta. DC.	(sc.or.) tall.	————	—	F.b.	Redout. lil. 7. t. 387.
	<i>æthiòpica. var. β.</i> B.M. 1172. <i>vittigera.</i> Sal.						
3	montana. B.C.	(pu.) mountain.	————	1824.	5. 7.	F.b.	Lodd. bot. cab. t. 1020.
4	lucidor. B.M.	(pu.) shining.	————	1825.	—	F.b.	
ANISA'NTHUS. B.F.G.			ANISA'NTHUS.	Triandria Monogynia.			
1	spléndens. B.F.G.	(sc.) splendid.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. gar. ic. ined.
2	Cunònia. B.F.G.	(sc.) scarlet.	————	1756.	5. 6.	F.b.	Bot. mag. t. 343.
	<i>Antholyza Cunònia.</i> B.M. <i>Gladiolus Cunònia.</i> H.K.						
PETA'MENES. Sal.			PETA'MENES.	Triandria Monogynia.			
	quadrangulàris. (ye.sc.)	four-sided.	C. B. S.	1790.	4. 5.	F.b.	Bot. mag. t. 567.
	<i>Gladiolus quadrangulàris.</i> B.M. <i>abbreviatus.</i> Andr. repos. t. 166.						
WATS'ONIA. Ker.			WATS'ONIA.	Triandria Monogynia.	H.K.		
1	aletróides. B.M.	(ro.) Aletris-flower'd.	C. B. S.	1774.	5. 7.	F.b.	Bot. mag. t. 441.
	β variegata. B.M.	(ro.) variegated.	————	—	—	F.b.	———— t. 533.
2	angústa. K.I.	(sc.) narrow-flowered.	————	1825.	—	F.b.	Jacq. ic. 2. t. 231.
3	hùmilis. B.M.	(re.) lake-coloured.	————	1754.	—	F.b.	Bot. mag. t. 631.
4	Meriana. B.M.	(ro.) red-flowered.	————	1750.	—	F.b.	———— t. 418.
5	iridifolia. Jac.	(fl.) Iris-leaved.	————	1795.	—	F.b.	Jacq. ic. 2. t. 234.
6	fúlgida. Sal.	(sc.) scarlet.	————	—	—	F.b.	Bot. mag. t. 600.
	<i>Antholyza fúlgens.</i> A.R. 192.						
7	ròseo-álba. B.M.	(w.bh.) two-coloured.	————	7. 8.	F.b.	Bot. mag. t. 537.
	β variegata. (wh.ro.)	variegated-flower'd.	————	—	F.b.	———— t. 1193.
8	brevifolia. B.M.	(sc.) short-leaved.	————	1794.	5. 7.	F.b.	———— t. 691.
9	ròsea. B.M.	(ro.) pyramidal.	————	1803.	7. 8.	F.b.	———— t. 1072.
10	strictiflora. B.M.	(ro.) straight-flower'd.	————	1810.	6. 7.	F.b.	———— t. 1406.
11	marginata. B.M.	(ro.) broad-leaved.	————	1774.	—	F.b.	———— t. 608.
	β minor. B.M.	(ro.) shining-leaved.	————	1812.	—	F.b.	———— t. 1530.
12	rùbens. K.I.	(re.) red-spathed.	————	1825.	—	F.b.	
13	punctata. H.K.	(bl.) dotted-flowered.	————	1800.	4. 5.	F.b.	Andr. reposit. t. 177.
	<i>Ixia punctata.</i> A.R.						
14	plantaginea. B.M.	(bl.) Fox-tail.	————	1774.	6. 7.	F.b.	Bot. mag. t. 553.
15	spicata. B.M.	(bh.) hollow-leaved.	————	1791.	5.	F.b.	———— t. 523.
	<i>Ixia fistulosa.</i> B.M.						
GLADIOLUS. Ker.			CORN-FLAG.	Triandria Monogynia.	L.		
1	viperatus. B.M.	(gr.pu.) perfumed.	C. B. S.	1787.	4. 5.	F.b.	Swt. br. fl. gar. t. 150.
2	alatus. B.M.	(sc.ye.) wing-flowered.	————	1795.	5. 6.	F.b.	———— t. 187.
3	algoënsis.	(co.pu.y.) Algoa bay.	————	1824.	7.	F.b.	Bot. mag. t. 2608.
	<i>alatus β algoënsis.</i> B.M.						
4	namaquënsis. B.M.	(sc.y.) thick-leaved.	————	1800.	5. 6.	F.b.	Bot. mag. t. 592.
5	permeabilis. R.S.	(re.y.) tall.	————	1825.	—	F.b.	De la Roch. dis. t. 2.
6	Watsonius. B.M.	(sc.) Watson's.	————	1791.	3. 5.	F.b.	Bot. mag. t. 450.
	β variegata. (sc.ye.)	variegated-flower'd.	————	1801.	—	F.b.	———— t. 569.
7	brevifolius. H.K.	(fl.) short-leaved.	————	1802.	—	F.b.	———— t. 727.
8	hirsutus. H.K.	(ro.) rose-coloured.	————	1795.	4. 6.	F.b.	———— t. 574.
	<i>roseus.</i> Andr. reposit. t. 11.						
9	merianellus. K.I.	(pu.ye.) slender-flower'd.	————	—	—	F.b.	Breyn. cent. 24. t. 12. i.
10	puniceus. Lam.	(pu.) dark purple.	————	—	—	F.b.	
	<i>villòsus.</i> K.I. <i>Lamarckii.</i> R.S.						
11	aphyllus. K.I.	(fl.) leafless.	————	—	—	F.b.	Bot. mag. t. 992.
12	versicolor. B.M.	(re.ye.) various-colour'd.	————	1794.	5. 6.	F.b.	Andr. reposit. t. 19.
13	lævis. K.I.	(br.re.st.) two-nerved.	————	1806.	—	F.b.	Bot. mag. t. 1042. &
	<i>versicolor ε. binervis.</i> B.M.						
14	Breynianus. K.I.	(br.y.) Breynius's.	————	—	—	F.b.	Breyn. afr. 2. t. 7. i.
15	suavèolens. K.I.	(br.y.) sweet-scented.	————	1799.	—	F.b.	Bot. mag. t. 556.
16	elongatus. K.I.	(bl.ye.) long-leaved.	————	—	—	F.b.	Jacq. ic. 2. t. 244.
17	recurvus. B.M.	(pu.ye.) Violet-scented.	————	1758.	4. 5.	F.b.	Bot. mag. t. 578.
18	inflatus. K.I.	(pa.pu.) inflated.	————	1825.	—	F.b.	
19	gracilis. B.M.	(pa.bl.) slender.	————	1800.	—	F.b.	Bot. mag. t. 562.

20	<i>débilis</i> . B.M. (<i>wh. pu.</i>) weak.	C. B. S.	1822.	4. 5.	F.b.	Bot. mag. t. 2585.
21	<i>trichonemifolius</i> . B.M. (<i>ye.</i>) slender-leav'd.	————	1810.	5. 6.	F.b.	———— t. 1483.
22	<i>côncolor</i> . P.L. (<i>st.</i>) pale-yellow.	————	1790.	————	F.b.	Sal. par. lond. t. 8.
23	<i>tristis</i> . B.M. (<i>st. br.</i>) square-leaved.	————	1745.	————	F.b.	Bot. mag. t. 272.
24	<i>hyalinus</i> . K.I. (<i>wh. st. pu.</i>) transparent.	————	1825.	————	F.b.	Jacq. ic. 2. t. 242.
25	<i>tenellus</i> . K.I. (<i>st. br.</i>) feeble.	————	————	————	F.b.	———— t. 248.
26	<i>Colvillii</i> . B.F.G. (<i>re. ye.</i>) Colvill's.	Hybrid.	1823.	————	F.b.	Swt. br. fl. gar. t. 155.
27	<i>carneus</i> . B.M. (<i>pa. pu.</i>) flesh-coloured.	C. B. S.	1796.	————	F.b.	Bot. mag. t. 591.
28	<i>cuspidatus</i> . B.M. (<i>w. pu.</i>) sharp-pointed.	————	1795.	4. 5.	F.b.	———— t. 582.
29	<i>angustus</i> . B.M. (<i>st. re.</i>) narrow-leaved.	————	1757.	————	F.b.	———— t. 602.
	<i>hastatus</i> . Thunb. non B.M.					
30	<i>vomerulus</i> . K.I. (<i>bh. vi.</i>) spade.	————	1816.	————	F.b.	Bot. mag. t. 1564.
31	<i>involutus</i> . K.I. (<i>ro. pu.</i>) involute.	————	1757.	5. 6.	F.b.	Mill. ic. t. 286. f. 1.
32	<i>edulis</i> . B.R. (<i>wh. pu. ye.</i>) eatable-rooted.	————	————	————	F.b.	Bot. reg. t. 169.
33	<i>undulatus</i> . B.M. (<i>st. pu.</i>) waved-flowered.	————	1760.	4. 5.	F.b.	Bot. mag. t. 647.
34	<i>fasciatus</i> . R.S. (<i>pi. pu.</i>) fasciate.	————	————	————	F.b.	———— t. 538.
	<i>undulatus</i> β . Bot. mag.					
35	<i>blândus</i> . B.M. (<i>bh. ro.</i>) fairest.	————	1774.	6.	F.b.	Bot. mag. t. 625.
36	<i>albidus</i> . W. (<i>wh.</i>) white-flowered.	————	————	————	F.b.	———— t. 648.
37	<i>campanulatus</i> . A.R. (<i>pu.</i>) bell-flowered.	————	1794.	5. 6.	F.b.	Andr. reposit. t. 188.
	<i>blândus</i> γ <i>purpureo-albescens</i> . B.M.					
38	<i>excelsus</i> . K.I. (<i>pi.</i>) painted-flower'd.	————	————	————	F.b.	Bot. mag. t. 1665.
	<i>blândus</i> δ . <i>excelsus</i> . B.M.					
39	<i>trimaculatus</i> . K.I. (<i>bh. pu.</i>) three-spotted.	————	————	————	F.b.	Lam. ill. 1. t. 32. f. 3.
40	<i>flexuosus</i> . B.M. (<i>bh.</i>) flexuose.	————	1825.	————	F.b.	Thunb. diss. t. 1. f. 1.
41	<i>floribundus</i> . B.M. (<i>pi. w.</i>) large-flowered.	————	1788.	5. 7.	F.b.	Bot. mag. t. 610.
42	<i>Milleri</i> . B.M. (<i>wh. pu.</i>) Miller's.	————	1751.	4. 5.	F.b.	———— t. 632.
43	<i>cardinalis</i> . B.M. (<i>sc.</i>) superb.	————	1789.	7. 8.	F.b.	———— t. 135.
44	<i>bockveldiënsis</i> . W.H. (<i>co.</i>) Bockveld.	————	1826.	————	F.b.	
45	<i>spofforthianus</i> . W.H. (<i>va.</i>) Blando-cardinalis.	Hybrid.	————	F.b.	
46	<i>mitchamiënsis</i> . W.H. (<i>va.</i>) Tristi-hirsutus.	————	————	F.b.	
47	<i>rigidus</i> . W.H. (<i>va.</i>) Tristi-blandus.	————	————	F.b.	
48	<i>propinquus</i> . W.H. (<i>var.</i>) Floribundo-blandus.	————	————	F.b.	
49	<i>frâgrans</i> . W.H. (<i>va.</i>) Recurvo-tristis.	————	————	F.b.	
50	<i>Haylockiânus</i> . W.H. (<i>va.</i>) Versicolori-blandus.	————	————	F.b.	
51	<i>Herbertiânus</i> . (<i>va.</i>) Tristi-Spofforthianus.	————	————	F.b.	
52	<i>odoratus</i> . W.H. (<i>va.</i>) Hirsuto-Spofforthianus.	————	————	F.b.	
53	<i>delicatus</i> . W.H. (<i>va.</i>) Recurvo-blandus.	————	————	F.b.	
54	<i>byzantinus</i> . B.M. (<i>pu.</i>) Turkish.	Turkey.	1629.	6. 7.	H.b.	Bot. mag. t. 874.
55	<i>communis</i> . B.M. (<i>re.</i>) common.	S. Europe.	1596.	————	H.b.	———— t. 86.
	β <i>carneus</i> . B.M. (<i>bh.</i>) pale-flowered.	————	————	————	H.b.	———— t. 1575.
	SPHÆROSPORA. SPHÆROSPORA. Triandria Monogynia.					
1	<i>imbricatâ</i> . (<i>re. wh.</i>) European.	S. Europe.	1596.	6. 7.	H.b.	Bot. mag. t. 719.
	<i>Gladiolus ségetum</i> . B.M. <i>Gladiolus imbricatâ</i> . K.I.					
2	<i>triphylla</i> . (<i>re.</i>) three-leaved.	Greece.	1825.	————	H.b.	Flor. græc. 1. t. 38.
	SYNNO'TIA. B.F.G. SYNNO'TIA. Triandria Monogynia.					
1	<i>variegatâ</i> . B.F.G. (<i>bl. ye.</i>) variegated-flower'd.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. gar. t. 150.
2	<i>bicolor</i> . B.F.G. (<i>ye. bl.</i>) two-coloured.	————	1786.	3. 4.	F.b.	Bot. mag. t. 548.
	<i>Ixia bicolor</i> . B.M. <i>Sparâxis bicolor</i> . Ker. <i>Gladiolus bicolor</i> . W.					
3	<i>galeatâ</i> . B.F.G. (<i>vi. ye.</i>) helmet-flower'd.	————	1825.	————	F.b.	Jacq. ic. 2. t. 258.
	<i>Gladiolus galeatâ</i> . Jacq.					
	STREPTANTH'ERA. B.F.G. STREPTANTH'ERA. Triandria Monogynia.					
1	<i>élegans</i> . B.F.G. (<i>w. ve. y.</i>) elegant.	C. B. S.	1825.	6. 7.	F.b.	Swt. br. fl. gar. t. 209.
2	<i>cuprea</i> . (<i>co. ve.</i>) copper-coloured.	————	————	————	F.b.	
	SPARA'XIS. Ker. SPARA'XIS. Triandria Monogynia. H.K.					
1	<i>tricolor</i> . H.K. (<i>cr. ve. y.</i>) three-coloured.	C. B. S.	1789.	5.	F.b.	Bot. mag. t. 381.
2	<i>versicolor</i> . (<i>cr. bk. y.</i>) various-coloured.	————	1811.	————	F.b.	Swt. br. fl. gar. t. 160.
3	<i>Griffini</i> . (<i>pu. ve. y.</i>) Mr. Griffin's.	————	————	————	F.b.	Bot. mag. t. 1482. f. inf.
	<i>tricolor</i> γ <i>violâceo-purpurea</i> . B.M.					
4	<i>blânda</i> . (<i>bh.</i>) blush-flowered.	————	————	————	F.b.	Bot. mag. t. 1482. f. med.
	<i>tricolor</i> . δ . <i>subrôseo-âlbida</i> . B.M.					
5	<i>grandiflora</i> . H.K. (<i>pu.</i>) large-flowered.	————	1758.	4. 5.	F.b.	Bot. mag. t. 541.
	<i>a purpurea</i> . (<i>pu.</i>) velvet-flowered.	————	————	————	F.b.	Andr. reposit. t. 87.
	β <i>striatâ</i> . (<i>pu. st.</i>) streaked-flower'd.	————	————	————	F.b.	Bot. mag. t. 779.
6	<i>Liliâgo</i> . (<i>wh. bh.</i>) Lily-flowered.	————	————	F.b.	Redout. lil. 2. t. 109.
	<i>Ixia Liliâgo</i> . R.L. <i>Sparâxis grandiflora</i> γ <i>Liliâgo</i> .					Bot. reg. t. 258.
7	<i>bulbifera</i> . H.K. (<i>ye.</i>) bulb-bearing.	C. B. S.	1758.	5. 6.	F.b.	Bot. mag. t. 545.
8	<i>frâgrans</i> . B.M. (<i>ye.</i>) fragrant.	————	1825.	————	F.b.	Jacq. ic. 2. t. 274.
9	<i>anemonæflora</i> . B.M. (<i>st.</i>) Anemone-flower'd.	————	————	————	F.b.	———— 2. t. 273.
	<i>Ixia anemonæflora</i> . Jacq.					

TRITONIA. Ker.	TRIT'ONIA.	Triandria Monogynia.	H.K.		
1 crísipa. H.K. (ro.wh.)	curled-leaved.	C. B. S.	1787.	4. 5.	F.b. Bot. mag. t. 678.
2 anigozanthiflòra. (gr.)	Anigozanthus-fl'd.	————	1825.	6. 8.	F.b.
3 víridis. B.M. (gr.)	green-flowered.	————	1788.	7.	F.b. Bot. mag. t. 1275.
4 ròsea. H.K. (wh.ro.)	rosy.	————	1793.	6. 7.	F.b. ————— t. 618.
5 capénsis. B.M. (st.pu.)	Cape.	————	1811.	8. 10.	F.b. ————— t. 1531.
6 pállida. B.M. (st.)	pale-flowered.	————	1806.	————	F.b. Jacq. ic. 2. t. 262.
7 longiflòra. B.M. (st.re.)	long-flowered.	————	1774.	6. 8.	F.b. Bot. mag. t. 256.
<i>Hexaglòttis longiflòra.</i> V. <i>Gladiolus longiflorus.</i> Jacq. <i>Ixia longiflòra.</i> B.M.					
8 tenuiflòra. R.S. (st.)	slender-flower'd.	C. B. S.	1811.	4. 6.	F.b. Bot. mag. t. 1502.
9 cóncolor.	(st.) self-coloured.	————	————	————	F.b. ————— t. 1502. f. mis.
10 Rocheàna. (st.ro.)	bending-flowered.	————	————	8.	F.b. ————— t. 1503.
11 pectinàta. B.M. (bh.)	pectinated.	————	1825.	5. 6.	F.b.
12 striàta. B.M. (st.vi.)	streaked.	————	————	————	F.b. Jacq. ic. 2. t. 260.
13 lineàta. B.M. (st.br.)	pencilled.	————	1774.	————	F.b. Bot. mag. t. 487.
14 securígera. B.M. (co.ye.)	copper-coloured.	————	————	5.	F.b. ————— t. 383.
15 flàva. B.M. (ye.)	yellow.	————	1780.	4. 6.	F.b. Bot. reg. t. 747.
16 refràcta. B.R. (ye.)	reflexed.	————	1815.	5. 6.	F.b. ————— t. 135.
17 squálida. B.M. (pi.bh.)	sweet-scented.	————	1774.	————	F.b. Bot. mag. t. 581.
18 fenestràta. B.M. (sn.)	open-flowered.	————	1801.	————	F.b. ————— t. 704.
19 purpùrea. K.I. (pu.)	purple.	————	1825.	————	F.b.
20 crocàta. B.M. (sn.)	Crocus-flowered.	————	1758.	————	F.b. Bot. mag. t. 184.
<i>Ixia crocàta.</i> B.M.					
21 deústa. B.M. (sn.re.)	spotted-flower'd.	————	1774.	————	F.b. Bot. mag. t. 622.
22 miniàta. B.M. (ye.)	late-flowered.	————	1795.	8.	F.b. ————— t. 609.
23 xanthospila. s.s. (wh.)	yellow-spotted.	————	1825.	5. 6.	F.b. Redout. lil. 3. t. 124.
MORPHIXIA. K.I.	MORPHI'XIA.	Triandria Monogynia.			
1 lineàris. K.I. (bh.)	slender.	C. B. S.	1796.	4. 5.	F.b. Bot. mag. t. 570.
<i>Ixia lineàris.</i> R.S. <i>capillàris</i> α <i>gracillima.</i> B.M. <i>Hyàlis gracilis.</i> Salisb.					
2 capillàris. K.I. (bh.)	wire-stemmed.	C. B. S.	1774.	————	F.b. Bot. mag. t. 617.
<i>Hyàlis latifolia.</i> Salisb. <i>Ixia lancea.</i> Jacq. ic. 2. t. 281. <i>capillàris</i> β <i>stricta.</i> B.M.					
3 aùlica. K.I. (ro.)	rose-coloured.	C. B. S.	1774.	————	F.b. Bot. mag. t. 1013.
<i>Ixia aùlica.</i> H.K. <i>capillàris</i> γ <i>aùlica.</i> B.M. <i>Hyàlis aùlica.</i> Salisb.					
4 incarnàta. K.I. (fl.)	flesh-coloured.	C. B. S.	1774.	————	F.b. Jacq. ic. 2. t. 282.
I'XIA. Ker.	I'XIA.	Triandria Monogynia.	L.		
1 fucàta. B.M. (bh.)	painted.	C. B. S.	6. 7.	F.b. Bot. mag. t. 1379.
2 aristàta. B.M. (pi.)	salver-flowered.	————	1800.	————	F.b. ————— t. 589.
3 flexuòsa. B.M. (va.)	flexuose.	————	1757.	4. 5.	F.b. ————— t. 624.
4 hy'brida. B.M. (wh.ro.)	spurious.	————	————	————	F.b. ————— t. 129.
5 leucántha. P.S. (wh.)	white-flowered.	————	1779.	5. 8.	F.b. Jacq. ic. 2. t. 278.
6 pátens. B.M. (cr.)	spreading-flower'd.	————	————	4. 6.	F.b. Bot. mag. t. 522.
7 crateroídes. B.M. (cr.)	crimson.	————	1778.	————	F.b. ————— t. 594.
8 monadélpha. B.M. (bl.gr.)	monadelphous.	————	1792.	————	F.b. ————— t. 607.
9 cúrta. A.R. (or.)	shortened.	————	————	————	F.b. Andr. reposit. t. 554.
<i>monadélpha</i> β . Bot. mag. t. 1378.					
10 columellàris. B.M. (pu.b.re.)	variegated.	————	1790.	6. 8.	F.b. Bot. mag. t. 630.
11 cònica. B.M. (or.re.)	orange-color'd.	————	1757.	4. 5.	F.b. ————— t. 539.
12 fúscocitrìna. R.S. (ye.br.)	yellow and brown.	————	————	————	F.b. Redoute liliac. t. 86.
13 dùbia. R.S. (ye.pu.)	doubtful.	————	————	F.b. ————— t. 64.
14 viridiflòra. R.S. (gr.pu.)	green-flowered.	————	1780.	5. 6.	F.b. ————— t. 476.
15 maculàta. W. (va.)	spot-flowered.	————	————	————	F.b. Jacq. schœn. t. 20. 21. 50.
16 ovàta. A.R. (wh.pu.)	ovate-spiked.	————	————	————	F.b. Andr. reposit. t. 23.
17 capitàta. A.R. (wh.bk.)	headed.	————	————	————	F.b. ————— t. 159.
18 ochroleùca. (st.br.)	cream-coloured.	————	1809.	————	F.b. Bot. mag. t. 1285.
19 erécta. H.K. (wh.)	upright.	————	1757.	————	F.b. Jacq. schœn. I. t. 18.
α <i>albiflòra.</i> (wh.) <i>white-flowered.</i> ————— F.b. Bot. mag. t. 623.					
β <i>incarnàta.</i> (fl.) <i>flesh-coloured.</i> ————— F.b. Andr. reposit. t. 155.					
γ <i>lùtea.</i> (ye.) <i>yellow-flowered.</i> ————— F.b. Bot. mag. t. 846.					
20 odoràta. (ye.)	sweet-scented.	————	————	————	F.b. ————— t. 1173.
21 retùsa. H.K. (ro.)	retuse.	————	1793.	2. 4.	F.b. Jacq. ic. 2. t. 275.
<i>polystàchia.</i> Bot. mag. t. 629.					
22 scillàris. B.M. (ro.)	Squill-flowered.	————	1787.	————	F.b. Bot. mag. t. 542.
23 crísipa. B.M. (ro.)	curled-leaved.	————	————	4. 5.	F.b. ————— t. 599.
MELASPH'ÆRULA. Ker.	MELASPH'ÆRULA.	Triandria Monogynia.	H.K.		
1 iridifòlia. B.F.G. (wh.br.)	Iris-leaved.	C. B. S.	1825.	2. 4.	F.b. Swt. br. fl. gar. ic.
2 intermèdia. (pu.st.)	intermediate.	————	1787.	4. 8.	F.b. Bot. mag. t. 615.
<i>gramínea.</i> B.M. <i>excl. synonym.</i>					
3 gramínea. (wh.br.)	grass-leaved.	————	1825.	2. 5.	F.b. Jacq. ic. 2. t. 236.
<i>Gladiolus gramíneus.</i> Jacq. <i>Diàsia graminifolia.</i> Red. lil. t. 163.					
4 parviflòra. L.C. (wh.)	small-flowered.	C. B. S.	1825.	————	F.b. Lodd. bot. cab. t. 1144.

HESPERA'NTHA, Ker. EVENING-FLOWER. Triandria Monogynia. H.K.

1	cinnamomea. H.K. (w.br.) curled-leaved.	C. B. S.	1787.	4. 5.	F.b.	Bot. mag. t. 1054.
2	falcata. H.K. (wh.br.) sickle-leaved.	————	————	————	F.b.	———— t. 566.
3	graminifolia. (wh.br.) Grass-leaved.	————	1808.	8. 9.	F.b.	———— t. 1254.
	<i>pilosa</i> β <i>foliis nudis, floribus minoribus.</i> B.M.					
4	<i>pilosa.</i> H.K. (wh.br.) hairy.	C. B. S.	1811.	4. 5.	F.b.	Bot. mag. t. 1475.
5	<i>angusta.</i> B.M. (wh.) narrow-leaved.	————	1825.	————	F.b.	Jacq. ic. 2. t. 279.
	<i>Ixia angusta.</i> Jacq.					
6	<i>radiata.</i> H.K. (wh.br.) nodding-flowered.	————	1794.	4. 6.	F.b.	Bot. mag. t. 573.

GEISSORH'IZA, Ker. TILE-ROOT. Triandria Monogynia. H.K.

1	Rocheana. (bl.pu.) plaid.	C. B. S.	1790.	5.	F.b.	Bot. mag. t. 598.
2	monantha. (bl.) one-flowered.	————	————	————	F.b.	Houtt. syst. 11. t. 78. f. 1.
3	setacea. B.M. (st.re.) bristle-leaved.	————	1809.	6. 7.	F.b.	Bot. mag. t. 1255.
4	obtusata. H.K. (st.) pale-yellow.	————	1801.	5.	F.b.	———— t. 672.
5	vaginata. B.F.G. (ye.) sheathed.	————	1825.	6. 9.	F.b.	Swt. br. fl. gar. t. 138.
6	secunda. B.M. (bl.) one-ranked.	————	1795.	5. 6.	F.b.	Jacq. ic. 2. t. 277.
	<i>a carulea.</i> (bl.) blue-flowered.	————	————	————	F.b.	Bot. mag. t. 597.
	β <i>albescens.</i> (wh.bl.) whitish-flowered.	————	————	————	F.b.	———— t. 1105.
7	sublutea. B.M. (st.) yellowish.	————	1825.	————	F.b.	
	<i>Ixia sublutea.</i> Lam.					
8	humilis. K.I. (st.bh.) dwarf.	————	1822.	————	F.b.	
9	erecta. W.H. (st.bl.) erect.	————	1824.	————	F.b.	
10	imbricata. B.M. (st.re.) imbricated.	————	————	————	F.b.	
11	hirta. B.M. (pa.bl.) hairy.	————	————	————	F.b.	
12	ciliaris. Sal. (st.) fringed.	————	————	F.b.	
	<i>inflata.</i> K.I. <i>Ixia inflata.</i> De la Roche.					
13	excisa. B.M. (wh.pi.) dwarf-cut-leaved.	————	1789.	4. 5.	F.b.	Bot. mag. t. 584.
	<i>Ixia excisa.</i> B.M.					

SPATALA'NTHUS, B.F.G. RIBBON-FLOWER. Monadelphia Triandria.

	<i>speciosus.</i> B.F.G. (sc.y.re.) beautiful.	C. B. S.	1825.	8. 10.	F.b.	Swt. br. fl. gar. t. 300.
--	--	----------	-------	--------	------	---------------------------

TRICHON'EMA, Ker. TRICHON'EMA. Triandria Monogynia. H.K.

1	Bulbocodium. H.K. (pu.) channel-leaved.	S. Europe.	1739.	3. 4.	H.b.	Bot. mag. t. 265.
2	purpurascens. (pu.) purple.	Naples.	1825.	————	H.b.	Ten. fl. nap. v. 1. t. 2.
	<i>Ixia purpurascens.</i> T.S.					
3	Columnæ. T.P. (st.li.) Columna's.	————	————	————	H.b.	Redout. lil. t. 88. f. A.
4	caelestinum. (bl.) blue.	N. America.	1820.	————	H.b.	Bartr. it. t. 3.
	<i>Ixia caelestina.</i> Ph.					
5	roseum. B.M. (ro.) rose-coloured.	C. B. S.	1808.	6. 7.	F.b.	Bot. mag. t. 1225.
6	speciosum. B.M. (ro.) crimson.	————	————	3. 4.	F.b.	———— t. 1476.
7	puicum. B.M. (ro.) blush.	————	————	6. 8.	F.b.	———— t. 1244.
8	cruciatum. S.S. (ro.) square-leaved.	————	1758.	5. 6.	F.b.	Jacq. ic. 2. t. 290.
9	longifolium. Sal. (ro.) small-flowered.	————	————	————	F.b.	Bot. mag. t. 575.
	<i>cruciatum.</i> B.M. non Jacq.					
10	filifolium. K.I. (ye.) slender-leaved.	————	1812.	————	F.b.	Redout. lil. t. 251. f. 2.
11	recurvifolium. K.I. (st.) recurve-flowered.	————	————	————	F.b.	———— t. 251. f. 1.
12	tortuosum. K.I. (ye.) twisted-leaved.	————	1822.	————	F.b.	
13	caulescens. B.M. (ye.) caulescent.	————	1810.	6. 7.	F.b.	Bot. mag. t. 1392.
14	chloroleucum. B.M. (st.) milk-coloured.	————	1825.	5. 7.	F.b.	Jacq. ic. 2. t. 270.

CROCUS, L. CROCUS. Triandria Monogynia. L.

1	vernus. E.B. (ca.) spring.	England.	2. 4.	H.b.	Eng. bot. v. 5. t. 344.
	β <i>plumbeus.</i> H.T. (bl.) lead-coloured.	————	H.b.	Hort. t. v. 7. t. 11. 12. f. 10.
	γ <i>albus major.</i> H.T. (wh.) large-white.	————	H.b.	———— v. 7. t. 11. 12. f. 11.
	δ <i>leucorhynchus.</i> H.T. (w.) white.	————	H.b.	———— v. 7. t. 11. 12. f. 12.
	ϵ <i>inflatus.</i> H.T. (bl.) bellied.	————	H.b.	———— v. 7. t. 11. 12. f. 13.
	ζ <i>fucatus.</i> H.T. (bh.pu.) painted.	————	H.b.	———— v. 7. t. 11. 12. f. 14.
	η <i>pictus.</i> H.T. (li.pu.) pencilled.	————	H.b.	———— v. 7. t. 11. 12. f. 15.
	θ <i>Andersonii.</i> H.T. (wh.) Anderson's.	————	H.b.	———— v. 7. t. 11. 12. f. 16.
	ι <i>Sabini.</i> H.T. (bl.) Sabine's.	————	H.b.	———— v. 7. t. 11. 12. f. 17.
	κ <i>Glorianus.</i> H.T. (wh.bl.) Queen of Portugal's.	————	H.b.	———— v. 7. t. 11. 12. f. 18.
	λ <i>pulchellus.</i> H.T. (li.bl.) pretty.	————	H.b.	———— v. 7. t. 11. 12. f. 19.
	μ <i>neapolitanus.</i> R.S. (std.) Neapolitan.	Naples.	————	H.b.	Bot. mag. t. 860.
	ν <i>obovatus.</i> R.S. (wh.) obovate-flowered.	S. Europe.	————	H.b.	———— t. 2240.
2	striatus. L. en. (wh.vi.) striated.	————	————	H.b.	
3	versicolor. H.K. (wh.bl.) party-coloured.	————	1629.	————	H.b.	Bot. mag. t. 1110.
	α <i>purpureus.</i> H.T. (pu.) purple-flowered.	————	————	————	H.b.	Hort. tr. v. 7. t. 11. 12. f. 6.
	β <i>plumosus.</i> H.T. (pu.w.) feathered.	————	H.b.	———— v. 7. t. 11. 12. f. 7.
	γ <i>elegans.</i> H.T. (pu.wh.) elegant.	————	H.b.	———— v. 7. t. 11. 12. f. 8.
	δ <i>urbanus.</i> H.T. (wh.li.) homebred.	————	H.b.	———— v. 7. t. 11. 12. f. 9.

4	biflorus. H.K. (wh.pu.) Scotch.	Crimea.	1629.	2. 3.	H.b.	Bot. mag. t. 845.
	β Parkinsonii. H.T. (wh.bl.) Parkinson's.	—————	—————	—————	H.b.	Hort. tr. v. 7. t. 11. f. 1.
5	pusillus. R.S. (wh.pu.) small.	Italy.	1824.	—————	H.b.	Swt. br. fl. gar. t. 12.
6	minus. R.L. (pu.wh.) small.	Corsica.	1828.	—————	H.b.	Redout. lil. t. 81.
7	præcox. E.B. (pu.wh.) early.	Britain.	—————	H.b.	Eng. bot. t. 2645.
8	argenteus. H.T. (pu.wh.) silvery.	—————	H.b.	Hort. tr. v. 7. t. 11. 12. f. 1.
9	albiflorus. R.S. (wh.) white-flowered.	Hungary.	—————	2. 4.	H.b.	
10	variegatus. R.S. (ye.pu.) variegated.	Levant.	1828.	—————	H.b.	Hop. et Hor. a. Meera.
11	reticulatus. M.B. (ye.vi.) netted-bulbed.	Caucasus.	1825.	—————	H.b.	M. B. cent. pl. rar. t. 1.
12	susianus. H.K. (ye.pu.) Cloth of Gold.	Turkey.	1605.	—————	H.b.	Bot. mag. t. 652.
13	stellaris. H.T. (ye.pu.) starry cloth of gold.	S. Europe.	1629.	—————	H.b.	Hort. trans. 1. p. 136.
14	sulphureus. B.M. (st.) pale yellow.	—————	—————	—————	H.b.	Bot. mag. t. 1384.
15	lacteus. H.T. (st.vi.) milk-coloured.	—————	H.b.	
	β penicillatus. H.T. (st.vi.) pencilled.	—————	H.b.	Hort. t. v. 7. t. 11. 12. f. 1.
16	lagenæflorus. P.L. (st.) Gourd-flowered.	Greece.	—————	H.b.	Bot. mag. t. 2655.
17	aureus. F.G. (go.) golden-flowered.	—————	—————	H.b.	Eng. bot. t. 2646.
18	luteus. R.S. (ye.) common yellow.	Levant.	1620.	—————	H.b.	Bot. mag. t. 45.
	vernus. B.M. nec aliorum.					
19	mæsiacus. B.M. (ye.) great yellow.	Greece.	1629.	—————	H.b.	Bot. mag. t. 1111.
20	sativus. R.S. (vi.) saffron.	England.	9. 10.	H.b.	Eng. bot. v. 5. t. 34.
21	serotinus. R.S. (vi.) late-flowered.	S. Europe.	1629.	9. 11.	H.b.	Bot. mag. t. 1267.
22	Pallasii. M.B. (vi.) autumnal.	Tauria.	—————	H.b.	
	autumnalis. R.S.					
23	nudiflorus. E.B. (vi.) naked-flowered.	England.	10. 11.	H.b.	Eng. bot. v. 7. t. 491.

ORDO CCVII.

HÆMODORACEÆ. *Brown prodr.* 299.

WACHENDO'RFIA. L. WACHENDO'RFIA. Triandria Monogynia. L.						
1	thyrsiflora. R.S. (ye.) tall-flowered.	C. B. S.	1759.	5. 6.	G. 4.	Bot. mag. t. 1060.
2	paniculata. R.S. (ye.) paniced.	—————	1700.	2. 5.	F. b.	————— t. 616.
3	Herberti. (ye.) Herbert's.	—————	1823.	—————	F. b.	————— t. 2610.
	paniculata. β. H. in B.M.					
4	hirsuta. R.S. (ye.) hairy.	—————	1687.	4. 6.	F. b.	Bot. mag. t. 614.
5	brevifolia. B.M. (ye.) short-leaved.	—————	1795.	3. 4.	F. b.	————— t. 1166.
6	Breyniana. R.S. (pu.ye.) Breynius's.	—————	1825.	—————	F. b.	Breyn. cent. f. 37.
7	graminea. S.S. (ye.) Grass-leaved.	—————	1810.	6.	G. 4.	
8	tenella. R.S. (pu.) slender-leaved.	—————	1816.	—————	G. 4.	
XIPHIDIUM. J. XIPHIDIUM. Triandria Monogynia. W.						
1	albidum. S.S. (wh.) white.	W. Indies.	1787.	6. 8.	S. 4.	Sw. fl. ind. oc. 1. t. 2.
	floribundum. Swartz.					
2	cœruleum. S.S. (bl.) blue.	—————	1793.	—————	S. 4.	Aub. gui. 1. t. 11.
HÆMOD'ORUM. B.P. HÆMOD'ORUM. Triandria Monogynia. R.S.						
1	planifolium. B.P. (st.) flat-leaved.	N. S. W.	1810.	7. 11.	F. 4.	Bot. mag. t. 1610.
2	teretifolium. B.P. (st.) round-leaved.	—————	1822.	—————	F. 4.	
DIL'ATRIS. Ker. DIL'ATRIS. Triandria Monogynia. R.S.						
1	corymbosa. W. (pu.) broad-petaled.	C. B. S.	1790.	5. 6.	F. 4.	Sm. exot. bot. 1. t. 15.
	umbellata. L.					
2	viscosa. W. (pu.) clammy.	—————	1795.	—————	F. 4.	
3	paniculata. W. (pu.ye.) paniced.	—————	1825.	—————	F. 4.	
GYROTHECA. H.T. GYROTHECA. Triandria Monogynia.						
	tinctoria. (re.) red-rooted.	N. America.	1812.	6. 7.	H. 4.	Mich. amer. 1. t. 4.
	Lachnanthes tinctoria. Ell. Dilatris tinctoria. Ph. Heritierra Gmelini. M.					
LOPH'IOLA. B.M. LOPH'IOLA. Hexandria Monogynia. B.M.						
	aurea. B.M. (ye.) golden-flowered.	N. America.	1811.	5. 7.	H. 4.	Bot. mag. t. 1596.
	Conostylis americana. Ph.					
LAN'ARIA. W. LAN'ARIA. Hexandria Monogynia. W.						
	plumosa. W. (pu.) woolly.	C. B. S.	1787.	6. 7.	G. 4.	
CONO'STYLIS. B.P. CONO'STYLIS. Hexandria Monogynia. S.S.						
1	aculeata. B.P. (st.) prickly-leaved.	N. Holland.	1821.	9. 2.	F. 4.	Bot. mag. t. 2989.
2	serrulata. B.P. (st.) serrulate.	—————	—————	F. 4.	
ANIGOZA'NTHOS. B.P. ANIGOZA'NTHOS. Hexandria Monogynia.						
1	flavida. B.P. (br.gr.) russet-green.	N. Holland.	1803.	5. 9.	F. 4.	Bot. mag. t. 1151.
2	rufa. B.P. (br.gr.) rufous.	—————	1824.	—————	F. 4.	Labill. voy. 1. t. 22.

ORDO CCVIII.

HYPOXIDEÆ. *Brown.*

HYPOXIS. L.	HYPOXIS.	Hexandria Monogynia. L.			
1 júncea. W.	(<i>ye.</i>) rushy.	Carolina.	1787.	6. 7.	H.b. Sm. spic. 15. t. 16.
2 hygrométrica. B.P.	(<i>ye.</i>) hairy-leaved.	N. Holland.	1820.	—	F.b. Lab. nov. holl. 1. t. 8.
3 álba. W.	(<i>wh.</i>) white.	C. B. S.	1806.	—	F.b. Lodd. bot. cab. t. 1074.
4 lineáris. A.R.	(<i>ye.</i>) linear-leaved.	—	1792.	4. 5.	F.b. Andr. reposit. t. 171.
5 stelláta. W.	(<i>ye.</i>) yellow starry.	—	1752.	4. 6.	F.b. Bot. mag. t. 662.
6 élegans. P.S.	(<i>wh.</i>) white starry.	—	—	—	F.b. ——— t. 1223.
<i>stelláta</i> β . B.M. <i>certainly a distinct species.</i>					
7 serráta. W.	(<i>ye.</i>) saw-leaved.	—	1788.	6. 7.	F.b. Bot. mag. t. 709.
8 ováta. W.	(<i>ye.</i>) smooth-leaved.	—	1806.	2. 5.	F.b. ——— t. 1010.
9 veratrifólia. W.	(<i>ye.</i>) plaited-leaved.	—	1788.	6. 7.	F. $\frac{1}{2}$. Jacq. ic. 2. t. 367.
<i>plicáta</i> . Jacq.					
10 carolinénsis. M.	(<i>ye.</i>) Carolina.	Carolina.	1822.	—	F.b.
11 decúmbens. W.	(<i>ye.</i>) decumbent.	Jamaica.	1755.	6. 9.	S. $\frac{1}{2}$. Mill. ic. 1. t. 39. f. 2.
12 stellipilis. B.R.	(<i>ye.</i>) starry-haired.	C. B. S.	1821.	6. 12.	F. $\frac{1}{2}$. Bot. reg. t. 663.
13 obliqua. W.	(<i>ye.</i>) oblique-leaved.	—	1795.	6. 7.	F. $\frac{1}{2}$. Andr. rep. t. 195.
14 praténsis. B.P.	(<i>ye.</i>) field.	N. S. W.	1822.	—	F.b.
15 erécta. s.s.	(<i>ye.</i>) upright.	N. America.	1752.	—	H.b. Bot. mag. t. 710.
16 grácilis. Ot.	(<i>ye.</i>) slender.	S. America.	1828.	—	G.b.
17 Sellóii. Ot.	(<i>ye.</i>) Sello's.	Buenos Ayres.	1827.	—	F.b.
18 sobolífera. W.	(<i>ye.</i>) creeping.	C. B. S.	1774.	6. 9.	F. $\frac{1}{2}$. Bot. mag. t. 711.
19 villósa. W.	(<i>ye.</i>) villous.	—	—	—	F. $\frac{1}{2}$. Jacq. ic. 2. t. 307.
20 obtúsa. B.R.	(<i>ye.</i>) obtuse.	—	1816.	—	F. $\frac{1}{2}$. Bot. reg. t. 169.
21 aquática. W.	(<i>ye.</i>) water.	—	1787.	6. 7.	F. $\frac{1}{2}$.
CURCULIGO. B.P.	CURCULIGO.	Hexandria Monogynia. S.S.			
1 plicáta. B.R.	(<i>ye.</i>) plaited.	C. B. S.	1788.	6. 7.	F.b. Jacq. schœn. 1. t. 80.
β glábra.	(<i>ye.</i>) smooth-leaved.	—	1816.	—	F.b. Bot. reg. t. 345.
2 orchioídes. s.s.	(<i>ye.</i>) narrow-leaved.	E. Indies.	1800.	—	S. $\frac{1}{2}$. Roxb. corom. 1. t. 13.
3 brevifólia. s.s.	(<i>ye.</i>) short-leaved.	—	1804.	5. 7.	S. $\frac{1}{2}$. Bot. mag. t. 1076.
4 latifólia. s.s.	(<i>ye.</i>) broad-leaved.	—	—	5. 8.	S. $\frac{1}{2}$. Bot. reg. t. 754.
5 sumatrána. B.C.	(<i>ye.</i>) Sumatra.	Sumatra.	1818.	—	S. $\frac{1}{2}$. Lodd. bot. cab. t. 443.
6 recurvátá. s.s.	(<i>ye.</i>) recurved.	Bengal.	1805.	—	S. $\frac{1}{2}$. Bot. reg. t. 770.
BARBAC'ENIA. Vand.	BARBAC'ENIA.	Hexandria Monogynia.			
purpúrea. B.M.	(<i>pu.</i>) purple-flower'd.	Brazil.	1825.	8. 9.	S. $\frac{1}{2}$. Bot. mag. t. 2777.
VELL'OSIA. Vand.	VELL'OSIA.	Polyandria Monogynia.			
squamáta. P.B.	(<i>bl.</i>) scaly.	Brazil.	1829.	S. $\frac{1}{2}$. Pohl. bras. ic. v. 1. t. 9.

ORDO CCIX.

AMARYLLIDEÆ. *Brown prodr. p. 296.*

STERNBERGIA. W.K.	STERNBERGIA.	Hexandria Monogynia.			
1 colchiciflora. B.R.	(<i>ye.</i>) Colchicum-flower'd.	Hungary.	1816.	9. 10.	H.b. W. et K. hung. 2. t. 157.
2 Clusiána. B.R.	(<i>ye.</i>) Clusius's.	Constantinople...	—	—	H.b. Clus. hist. 1. t. 163.
3 lútea. B.R.	(<i>ye.</i>) common yellow.	S. Europe.	1596.	—	H.b. Bot. mag. t. 290.
<i>Amaryllis lútea</i> . B.M.					
β angustifolia.	(<i>ye.</i>) narrow-leaved.	—	—	—	H.b.
ZEPHYRANTHES. H.A.	ZEPHYRANTHES.	Hexandria Monogynia.			
1 chloroleuca. H.A.	(<i>st.</i>) one-leaved.	5. 8.	G.b. Ker's rev. pl. 8. f. 1.
2 Atamásco. H.A.	(<i>wh.</i>) Atamasco Lily.	N. America.	1629.	5. 6.	H.b. Bot. mag. t. 239.
<i>Amaryllis Atamásco</i> . B.M.					
3 tubispátha. H.A.	(<i>wh.</i>) tube-sheathed.	S. America.	5. 7.	S.b. Bot. mag. t. 1586.
<i>Amaryllis tubispátha</i> . B.M.					
4 cándida. B.M.	(<i>wh.</i>) white-flowered.	Peru.	1822.	7. 10.	H.b. Bot. mag. t. 2607.
<i>Amaryllis cándida</i> . Bot. reg. t. 724.					
5 ròsea. B.R.	(<i>ro.</i>) rose-coloured.	Havannah.	—	9. 10.	G.b. Bot. reg. t. 821.

6	<i>striata</i> . B.M. (<i>bh.wh.</i>) striped.	Mexico.	1824.	6. 8.	H.b.	Bot. mag. t. 2593.
7	<i>verecunda</i> . B.M. (<i>bh.</i>) modest.	—————	—————	—————	H.b.	————— t. 2583.
8	<i>carinata</i> . B.M. (<i>ro.</i>) keeled-leaved.	—————	—————	—————	H.b.	Swt. br. fl. gar. s. 2. t. 1.
9	<i>grandiflora</i> . B.R. (<i>ro.</i>) large-flowered.	—————	1825.	—————	H.b.	Bot. reg. excl. fol. t. 902.
HABRA'NTHUS . B.M. HABRA'NTHUS . Hexandria Monogynia.						
1	<i>gracilifolius</i> . B.M. (<i>ro.</i>) slender-leaved.	S. America.	1823.	9. 11.	G.b.	Bot. mag. t. 2464.
2	<i>angustus</i> . B.M. (<i>pu.</i>) narrow.	BuenosAyres.	1825.	—————	G.b.	————— t. 2639.
3	<i>versicolor</i> . B.M. (<i>bh.</i>) changeable.	S. America.	1823.	1. 4.	G.b.	————— t. 2485.
4	<i>lorifolius</i> . B.M. (<i>ro.</i>) lorate-leaved.	—————	1824.	G.b.	
5	<i>bifidus</i> . B.M. (<i>ro.</i>) two-cleft.	BuenosAyres.	1825.	6. 9.	G.b.	Bot. mag. t. 2597.
6	<i>spathaceus</i> . B.M. (<i>pu.</i>) broad-spathed.	—————	—————	G.b.	
7	<i>robusta</i> . W.H. (<i>li.</i>) robust.	—————	1827.	7. 9.	F.b.	Swt. br. fl. gar. s. 2. t. 11.
8	<i>Andersoni</i> . W.H. (<i>ye.</i>) Anderson's.	S. America.	1829.	5. 6.	F.b.	————— s. 2.
	<i>α aurea</i> . (<i>ye.</i>) golden.	—————	—————	—————	F.b.	
	<i>β cuprea</i> . (<i>co.</i>) copper-coloured.	—————	—————	—————	F.b.	
9	<i>advena</i> . W.H. (<i>std.</i>) streaked.	—————	1807.	—————	F.b.	Bot. mag. t. 1125.
	<i>Amaryllis advena</i> . Bot. reg. t. 849.					
10	<i>intermedia</i> . W.H. (<i>re.</i>) intermediate.	Brazil.	1827.	1. 3.	S.b.	Bot. reg. t. 1148.
	<i>Amaryllis intermedia</i> . B.R.					
BELLADO'NNA . BELLADO'NNA LILY. Hexandria Monogynia.						
1	<i>purpurascens</i> . (<i>pu.</i>) light purple.	C. B. S.	1712.	7. 9.	H.b.	Bot. mag. t. 783.
	<i>Amaryllis Belladonna</i> . L.					
2	<i>pallida</i> . (<i>pa.li.</i>) pale-flowered.	—————	—————	F.b.	Bot. reg. t. 714.
3	<i>pudica</i> . (<i>ro.</i>) modest.	—————	1795.	5. 7.	F.b.	Ker's rev. t. 8. f. 2.
	<i>Amaryllis pudica</i> . K.R.					
4	<i>blanda</i> . (<i>bh.</i>) charming.	—————	1754.	—————	F.b.	Bot. mag. t. 1450.
AMARYLLIS . L. AMARYLLIS . Hexandria Monogynia. L.						
1	<i>reticulata</i> . W. (<i>pu.wh.</i>) netted-veined.	Brazil.	1777.	4. 5.	S.b.	Bot. mag. t. 657.
2	<i>striatifolia</i> . (<i>pu.wh.</i>) striped-leaved.	—————	1815.	—————	S.b.	Bot. reg. t. 352.
3	<i>Sweetii</i> . W.H. (<i>va.</i>) <i>Striatifolio-Johnsoni</i> .	Colvill's.	1821.	1. 12.	S.b.	
	<i>α brevifolia</i> . C.C. (<i>pu.w.</i>) short-leaved.	Colvill's.	1820.	—————	S.b.	
	<i>β superba</i> . C.C. (<i>cr.wh.</i>) superb-flowered.	—————	—————	—————	S.b.	
	<i>γ obscura</i> . C.C. (<i>re.wh.</i>) clouded.	—————	—————	—————	S.b.	
	<i>δ recurvata</i> . C.C. (<i>re.bh.</i>) recurved-flowered.	—————	—————	—————	S.b.	
	<i>ε Wellsiæna</i> . C.C. (<i>re.w.</i>) Mr. Wells's.	—————	—————	—————	S.b.	
	<i>ζ Vallæti</i> . (<i>pu.wh.</i>) Vallets'.	—————	—————	—————	S.b.	
	<i>η rugosa</i> . C.C. (<i>pu.wh.</i>) rugged-flowered.	—————	—————	—————	S.b.	
	<i>θ versicolor</i> . (<i>re.wh.</i>) various-coloured.	—————	—————	—————	S.b.	
	<i>ι amœna</i> . (<i>re.wh.</i>) delightful.	—————	—————	—————	S.b.	
	<i>κ affinis</i> . (<i>re.wh.</i>) likened.	—————	—————	—————	S.b.	
	<i>λ undulæflora</i> . (<i>pu.wh.</i>) wave-flowered.	—————	—————	—————	S.b.	
	<i>μ palliflora</i> . (<i>li.wh.</i>) pale-flowered.	—————	—————	—————	S.b.	
	<i>ν discolor</i> . (<i>re.wh.</i>) two-coloured.	—————	—————	—————	S.b.	
	<i>ξ expansa</i> . (<i>sc.wh.</i>) expanded.	—————	—————	—————	S.b.	
	<i>ο variegata</i> . C.C. (<i>re.wh.</i>) variegated-flowered.	—————	—————	—————	S.b.	
	<i>π nôtha</i> . (<i>pu.wh.</i>) bastard.	—————	—————	—————	S.b.	
	<i>ρ lineata</i> . (<i>re.wh.</i>) line-petaled.	—————	—————	—————	S.b.	
	<i>σ modèsta</i> . (<i>wh.re.</i>) modest.	—————	—————	—————	S.b.	
	<i>τ patentissima</i> . (<i>sc.</i>) spreading-flower'd.	—————	—————	—————	S.b.	
	<i>υ salmonea</i> . (<i>re.</i>) salmon-coloured.	—————	—————	—————	S.b.	
	<i>φ bistriata</i> . (<i>cr.da.</i>) two-lined.	—————	—————	—————	S.b.	
	<i>ψ ligulæflora</i> . (<i>re.wh.</i>) strap-flowered.	—————	—————	—————	S.b.	
	<i>χ Annesleyana</i> . (<i>ve.wh.</i>) Lord Mountnorris's.	—————	—————	—————	S.b.	
4	<i>Colvillii</i> . (<i>va.</i>) <i>Reticulato-Johnsoni</i> .	—————	—————	—————	S.b.	
	<i>α atrorubens</i> . (<i>da.pu.w.</i>) dark-red.	—————	—————	—————	S.b.	
	<i>β purpurascens</i> . (<i>pu.re.</i>) purplish.	—————	—————	—————	S.b.	
	<i>γ costata</i> . (<i>re.wh.</i>) ribbed-leaved.	—————	—————	—————	S.b.	
	<i>δ dioica</i> . (<i>re.pu.</i>) barren-anthered.	—————	—————	—————	S.b.	
	<i>ε œmula</i> . (<i>re.wh.</i>) red and white.	—————	—————	—————	S.b.	
	<i>ζ nervifolia</i> . (<i>pu.re.</i>) strong-nerved.	—————	—————	—————	S.b.	
	<i>η phœnicea</i> . (<i>da.pu.</i>) dark purple red.	—————	—————	—————	S.b.	
	<i>θ stenantha</i> . (<i>pa.pu.w.</i>) narrow-petaled.	—————	—————	—————	S.b.	
	<i>ι flaccida</i> . (<i>re.pu.w.</i>) flaccid-leaved.	—————	—————	—————	S.b.	
	<i>κ bracteata</i> . (<i>re.pu.</i>) large-bracted.	—————	—————	—————	S.b.	
	<i>λ parvula</i> . (<i>pu.wh.</i>) small-flowered.	—————	—————	—————	S.b.	
5	<i>præclara</i> . W.H. (<i>va.</i>) <i>Johnsoni-striatifolia</i> .	Colvill's.	—————	—————	S.b.	
	<i>α patens</i> . (<i>pu.wh.</i>) spreading-flowered.	—————	—————	—————	S.b.	
	<i>β Colvilliana</i> . (<i>re.p.w.</i>) Colvill's.	—————	—————	—————	S.b.	
	<i>γ decora</i> . (<i>re.pu.</i>) neat.	—————	—————	—————	S.b.	

Miss Chapman's ic. ined.

6	Johnsoni. (sc. wh.)	Reginæ-vittata.	Johnson.	1810.	1. 12.	G.b.	Lodd. bot. cab. t. 159.
	speciabilis. B.C.	brasiliensis.	Redout. liliac. c. ic.				
	α Scaramouch. W.H.	(sc. wh.)	Mr. Herbert's.	Mitcham.	1811.	—	G.b.
	β Mater. W.H.	(sc. wh.)	dame.	—	—	—	G.b.
	γ Sorélla. W.H.	(sc. wh.)	sister.	—	—	—	G.b.
	δ quárta. W.H.	(sc. wh.)	fourth.	—	—	—	G.b.
	ε péndula. W.H.	(sc. wh.)	pendulous.	—	—	—	G.b.
	ζ Ponceaunélla. W.H.	(sc. wh.)	related.	—	—	—	G.b.
	η bárbe blánche. W.H.	(sc. wh.)	white-bearded.	Highclere.	—	—	G.b.
7	reginæ. W.	(sc.)	Mexican Lily.	S. America.	1725.	5. 7.	S.b. Bot. mag. t. 453.
8	formósa. W.H.	(va.)	Striatifolio-reginæ.	Colvill's.	1820.	—	S.b.
	α grandiflora. (pu. wh.)	large-flowered.	—	—	—	—	S.b.
	β palléscens. (pa. re. w.)	pale red and white.	—	—	—	—	S.b.
	γ rubicúnda. (ve. re.)	velvetty red.	—	—	—	—	S.b.
	δ coccínea. (sc.)	dark-reined scarlet.	—	—	—	—	S.b.
	ε ringens. (re. wh.)	gaping-flowered.	—	—	—	—	S.b.
	ζ carnéscens. (fl. wh.)	flesh-coloured.	—	—	—	—	S.b.
	η dilúta. (pa. re. wh.)	stained-flowered.	—	—	—	—	S.b.
	θ imbúta. (re.)	stained red.	—	—	—	—	S.b.
	ι compácta. (pa. re.)	compact.	—	—	—	—	S.b.
9	gloriósa. (va.)	Reticulato-reginæ.	—	—	—	—	S.b.
	α sulcáta. (re. wh.)	channelled-leaved.	—	—	—	—	S.b.
	β rubéscens. (re. wh.)	pale red.	—	—	—	—	S.b.
	γ ròseo-álba. (ro. wh.)	rosy and white.	—	—	—	—	S.b.
	δ accédens. (ve. re.)	velvetty.	—	—	—	—	S.b.
10	consanguínea. (sc. wh.)	Valleti-reginæ.	—	1824.	—	—	S.b.
	β seríceá. (pu.)	silky-flowered.	—	—	—	—	S.b.
11	intermédia. (re. wh.)	Reginæ-equestris.	—	1820.	—	—	S.b.
12	spathácea. B.M.	(sc.)	large-spathed.	Hybrid.	—	—	S.b. Bot. mag. t. 2315.
13	vittáta. W.	(sc. wh.)	striped.	S. America.	1769.	4. 5.	S.b. ——— t. 129.
	β latifolia. L. col.	(sc. wh.)	broad-leaved.	—	1816.	—	G.b. Lindl. coll. bot. ic.
14	lineáta. Colla. (sc. wh.)	lined-flowered.	—	1820.	—	—	S.b. Coll. hort. rip. ic.
	vittáta γ. Harrisónia.	Bot. reg. t. 988.	—	—	—	—	—
15	magnífica. (sc. wh.)	Striatifolio-vittata.	Colvill's.	1823.	—	—	S.b.
16	púlchra. C.C.	(sc. wh.)	Reticulato-vittata.	—	—	—	S.b.
17	rútila. K.R.	(sc.)	fiery.	Brazil.	1815.	1. 12.	S.b. Bot. reg. t. 23.
18	spléndens. H.A.	(sc. wh.)	Rutilo-equestri-vittata.	Spofforth.	1819.	—	F.b. Herb. append. p.52. ic.
	α Mars. W.H.	(sc. wh.)	Mars.	—	1822.	—	F.b.
	β Vésta. W.H.	(sc. wh.)	Vesta.	—	—	—	F.b.
	γ Bellóna. W.H.	(sc. wh.)	Bellona.	—	—	—	F.b.
	δ álta. W.H.	(sc. wh.)	tallest.	—	—	—	F.b.
	ε ignéscens. (sc.)	flame-coloured.	Colvill's.	—	—	—	F.b.
19	sanguínea. W.H.	(cr. wh.)	Rutilo-vittata.	Highclere.	1819.	—	G.b.
20	micans. W.H.	(re. co.)	Rutilo-crocata.	—	1820.	—	S.b.
21	angústa. (sc. pu.)	Johnsoni-rutila.	Colvill's.	1822.	—	—	S.b.
22	rígida. (re. co. g.)	Crocato-rutila.	—	—	—	—	S.b.
23	incl' yta. W.H.	(sc. wh.)	Fulgido-vittata.	Highclere.	1819.	—	S.b.
24	Carnarvóni. W.H.	(sc. w.)	Vittato-reginæ.	—	—	—	G.b.
25	árdens. W.H.	(sc. co.)	Crocato-reginæ.	Spofforth.	1820.	—	S.b.
	α salmónea. W.H.	(pa. re.)	salmon-coloured.	—	—	—	S.b.
	β charbon brulant. (pa. r.)	shining-flowered.	—	—	—	—	S.b.
26	fúlgida. K.R.	(sc.)	fulgid.	Brazil.	1810.	—	S.b. Bot. reg. t. 226.
27	subbarbáta. (or. sc.)	slightly bearded.	—	1823.	—	—	S.b. Bot. mag. t. 2475.
28	flórida. W.H.	(sc. wh.)	Fulgido-rutila.	Spofforth.	1820.	—	S.b.
29	május. W.H.	(sc. co.)	Acuminato-rutila.	—	—	—	S.b.
	β fratérna. (sc.)	brother.	Colvill's.	1821.	—	—	S.b.
30	venósa. W.H.	(sc. wh.)	Vittato-Johnsoni.	Highclere.	—	—	G.b.
31	invérsa. W.H.	(sc. wh.)	Johnsoni-vittata.	Liverpool.	1812.	—	G.b.
	β Sátürn. W.H.	(sc. wh.)	Saturn.	—	—	—	G.b.
	γ Plúto. W.H.	(sc. wh.)	Pluto.	Spofforth.	1814.	—	G.b.
	δ Andromache. W.H.	(sc.)	Andromache.	—	—	—	G.b.
32	sidérea. W.H.	(sc.)	Sanguineo-subbarbata.	Spofforth.	1820.	—	S.b.
33	stelláta. W.H.	(sc.)	Subbarbato-sanguinea.	—	—	—	S.b.
34	renováta. W.H.	(sc. wh.)	Splendente-fulgida.	—	—	—	S.b.
35	expánsa. W.H.	(sc. wh.)	Equestri-florida.	—	—	—	S.b.
36	Beátum. W.H.	(sc. co.)	Johnsoni-acuminata.	Wentworth.	—	—	S.b.
	β Beatrice. W.H.	(sc. co.)	Beatrice.	—	—	—	S.b.
	γ tricolor. (re. pu. gr.)	three-coloured.	Colvill's.	1821.	—	—	S.b.
	δ macrántha. (re. co.)	large-flowered.	—	—	—	—	S.b.

	ϵ <i>crispata</i> .	(re.co.) curled-edged.	Colvill's.	1821.	1. 12.	S.b.	
	ζ <i>tricuspis</i> .	(sc.or.) three-pointed.	_____	_____	_____	S.b.	
36	<i>lugubris</i> . w.H.	(sc.or.) Styloso-Johnsoni.	Spofforth.	1814.	_____	S.b.	
	α <i>sombrèlla</i> . w.H.	(co.) sombre.	_____	_____	_____	S.b.	
	β <i>griselina</i> . w.H.	(pa.) greyish.	_____	_____	_____	S.b.	
	γ <i>porporina</i> . w.H.	(br.) brownish.	_____	_____	_____	S.b.	
37	<i>tristis</i> . w.H.	(sc.co.) Johnsoni-stylosa.	_____	_____	_____	S.b.	
38	<i>Brookesii</i> . w.H.	(sc.co.) Crocato-Johnsoni.	Brookes's.	1820.	_____	S.b.	
	β <i>Creusa</i> . w.H.	(sc.co.) <i>Creusa</i> .	_____	_____	_____	S.b.	
39	<i>aurantiaca</i> . w.H.	(or.) Reginæ-acuminata.	Spofforth.	_____	_____	S.b.	
	α <i>Camillus</i> . w.H.	(or.sc.) <i>Camillus</i> .	_____	_____	_____	S.b.	
	β <i>Gustavus</i> . w.H.	(or.sc.) <i>Gustavus</i> .	_____	_____	_____	S.b.	
	γ <i>amabilis</i> .	(sc.or.) brilliant.	Colvill's.	1821.	_____	S.b.	
	δ <i>fúlva</i> .	(co.) coppery.	_____	_____	_____	S.b.	
40	<i>platypétala</i> .	(sc.or.) Acuminato-reginæ.	_____	_____	_____	S.b.	
41	<i>Hoodii</i> .	(sc.wh.) Reginæ-fulgida.	_____	1820.	_____	S.b.	
42	<i>intermixta</i> . c.c.	(re.wh.) Equestri-reginæ.	_____	_____	_____	S.b.	
43	<i>Cooperi</i> . w.H.	(co.) Crocato-acuminata.	Wentworth.	_____	_____	S.b.	
	β <i>transparens</i> . (co.gr.)	transparent.	Colvill's.	1821.	_____	S.b.	
44	<i>élegans</i> . w.H.	(sc.wh.) Formoso-vittata.	Highclere.	_____	_____	G.b.	
45	<i>Burghcleriana</i> . w.H.	(sc.wh.) Splendente-vittata.	Burghclere.	_____	_____	G.b.	
46	<i>ancéps</i> . w.H.	(sc.wh.) Florido-Johnsoni.	Spofforth.	_____	_____	G.b.	
47	<i>concinna</i> . w.H.	(sc.wh.) Formoso-Johnsoni.	_____	_____	_____	G.b.	
	α <i>Roundhead</i> . w.H.	(sc.wh.) <i>Roundhead</i> .	_____	_____	_____	G.b.	
	β <i>Peter</i> . w.H.	(sc.wh.) <i>Peter</i> .	_____	_____	_____	G.b.	
	γ <i>John</i> . w.H.	(sc.wh.) <i>John</i> .	_____	_____	_____	G.b.	
	δ <i>Jeffrey</i> . w.H.	(sc.wh.) <i>Jeffrey</i> .	_____	_____	_____	G.b.	
48	<i>incónstans</i> .	(sc.or.) Acuminato-Johnsoni.	Colvill's.	_____	_____	G.b.	
	α <i>venosa</i> .	(re.co.) purple-veined.	_____	_____	_____	G.b.	
	β <i>lateritia</i> .	(re.co.) brick-coloured.	_____	_____	_____	G.b.	
	γ <i>glaucéscens</i> .	(re.co.) glaucescent.	_____	_____	_____	G.b.	
	δ <i>cóncolor</i> .	(co.) self-coloured.	_____	_____	_____	G.b.	
	ϵ <i>vària</i> .	(re.co.) variable-coloured.	_____	_____	_____	G.b.	
	ζ <i>crispiflora</i> .	(sc.) scarlet curl-flowered.	_____	_____	_____	G.b.	
	η <i>pustulosa</i> .	(sc.co.) pustulose-flowered.	_____	_____	_____	G.b.	
	θ <i>breviflora</i> .	(re.co.) short-tubed.	_____	_____	_____	G.b.	
	ι <i>fúlvo-cincta</i> .	(re.co.) brown-edged.	_____	_____	_____	G.b.	
	κ <i>dilécta</i> .	(sc.) bright-scarlet.	_____	_____	_____	G.b.	
	λ <i>tortuliflora</i> .	(sc.or.) twisted-flowered.	_____	_____	_____	G.b.	
	μ <i>veniflora</i> .	(ye.re.) veined-flowered.	_____	_____	_____	G.b.	
	ν <i>lineolata</i> .	(re.) dark-lined.	_____	_____	_____	G.b.	
	ξ <i>basiflora</i> .	(re.pu.) purple-bottomed.	_____	_____	_____	G.b.	
	\omicron <i>imperialis</i> .	(sc.) imperial.	_____	_____	_____	G.b.	
	π <i>punctulosa</i> .	(pa.sc.) purple spotted.	_____	_____	_____	G.b.	
	ρ <i>unipárvula</i> .	(re.pu.) lower small petaled.	_____	_____	_____	G.b.	
	σ <i>purpureo-rúbens</i> .	(pu.re.) purplish red.	_____	_____	_____	G.b.	
	τ <i>flexuosa</i> .	(pu.re.) flexuose-petaled.	_____	_____	_____	G.b.	
	υ <i>delicata</i> .	(sc.pu.) purple-striped scarlet.	_____	_____	_____	G.b.	
49	<i>crocata</i> . K.R.	(sn.) saffron-coloured.	Brazil.	1810.	4. 6.	S.b.	Bot. reg. t. 38.
50	<i>stylòsa</i> .	(co.re.) long-styled.	Maranham.	1821.	2. 6.	S.b.	Bot. mag. t. 2278.
	<i>maranénsis</i> . B.R. 719.	<i>Hippeástrum stylòsum</i> .	B.M.	_____	_____	_____	
51	<i>acuminata</i> . B.R.	(co.) acute-flowered.	Maranham.	_____	4. 8.	S.b.	Bot. reg. t. 534.
	<i>Hippeástrum pulverulentum</i> .	Bot. mag. t. 227.	_____	_____	_____	_____	
52	<i>spùria</i> .	(sc.co.) Acuminato-reginæ.	Colvill's.	1822.	_____	S.b.	
	α <i>sórdida</i> .	(co.) dull-copper.	_____	_____	_____	S.b.	
	β <i>carinata</i> .	(re.co.) keeled-flowered.	_____	_____	_____	S.b.	
53	<i>striatiflora</i> .	(sc.wh.) Acuminato-Sweetii.	β .	1823.	_____	S.b.	
	β <i>consobrìna</i> .	(pi.pu.) cousin.	_____	_____	_____	S.b.	
	γ <i>diversicolor</i> .	(re.w.pu.) different-coloured.	_____	_____	_____	S.b.	
54	<i>nòbile</i> . w.H.	(st.pu.) Acuminato-striatifolia.	Spofforth.	1820.	_____	S.b.	
55	<i>venústa</i> . w.H.	(sc.pu.w.) Fulgido-striatifolia.	_____	_____	_____	S.b.	
56	<i>dilécta</i> . w.H.	(sc.pu.) Equestri-striatifolia.	Colvill's.	_____	_____	S.b.	
57	<i>Goweni</i> . w.H.	(pu.co.) Striatifolio-acuminata.	Highclere.	_____	_____	S.b.	
	α <i>Cavalier</i> . w.H.	(pu.co.) <i>Cavalier</i> .	_____	_____	_____	S.b.	
	β <i>Biondelta</i> . w.H.	(pu.c.) <i>Biondelta</i> .	_____	_____	_____	S.b.	
	γ <i>Agatha</i> . w.H.	(pu.co.) <i>Agatha</i> .	_____	_____	_____	S.b.	
58	<i>Harrisòni</i> . w.H.	(sc.pu.) Striatifolio-stylosa.	Harrison's.	1824.	_____	S.b.	
59	<i>triplex</i> . w.H.	(sc.pu.w.) Goweni-vittatum.	Highclere.	1820.	_____	S.b.	

60	<i>pulcherrima</i> . W.H. (p.co.) Sweetii-pulverulenta. Spofforth. 1824. 4. 8.	S.b.	
	<i>a</i> <i>Vezzosa</i> . (pu.re.co.) <i>Vezzosa</i> .	S.b.	
	<i>β</i> <i>Gratian</i> . (pu.re.co.) <i>Gratian</i> .	S.b.	
	<i>γ</i> <i>Amorosetta</i> . (pu.re.co.) <i>Amorosetta</i> .	S.b.	
	<i>δ</i> <i>Salamander</i> . (pu.re.co.) <i>changing-coloured</i> .	S.b.	
	<i>ε</i> <i>Calisto</i> . (pu.re.co.) <i>Calisto</i> .	S.b.	
61	<i>bella</i> . W.H. (pu.re.w.) Sweetii-Carnarvoni.	S.b.	
62	<i>discolor</i> . W.H. (sc.br.) Johnsoni-tristis.	S.b.	
63	<i>variata</i> . W.H. (sc.pu.) Formoso-inversum.	S.b.	
64	<i>quintuplex</i> . W.H. (pu.re.) Harrisoni-tristis. 1826.	S.b.	
65	<i>eximia</i> . W.H. (va.) Goweni-Highcleriàna. Highclere. ...	S.b.	
66	<i>equëstris</i> . K.R. (sc.) Barbadoes Lily. W. Indies. 1710. 7. 10.	S.b.	Bot. mag. t. 305.
	<i>β</i> <i>màjor</i> . B.R. (sc.) <i>larger</i> .	S.b.	Bot. reg. t. 234.
	<i>γ</i> <i>plëna</i> . (sc.) <i>double-flowered</i> . 1809.	S.b.	
67	<i>miniàta</i> . R.P. (se.) <i>vermilion</i> . S. America.	S.b.	
68	<i>solandriflora</i> . L.col. (st.) Solandra-flowered. 1820. 4. 6.	S.b.	Lindl. coll. bot. t. 11.
	<i>a</i> <i>chloroleuca</i> . (st.) <i>dull-coloured</i> .	S.b.	
	<i>β</i> <i>rùbro-striàta</i> . (st.) <i>red-striped</i> .	S.b.	Bot. mag. t. 2573.
	<i>γ</i> <i>purpuràscens</i> . (st.pu.) <i>purple-tubed</i> .	S.b.	
	<i>δ</i> <i>striàta</i> . (pu.st.) <i>purple-striped</i> .	S.b.	Bot. reg. t. 876.
69	<i>Haylòcki</i> . W.H. (st.pu.) Solandrifloro-acuminata.	S.b.	
70	<i>Herbèrti</i> . (va.) Solandrifloro-stylosa. Spofforth.	S.b.	
	<i>a</i> <i>lònga</i> . (va.) <i>long-flowered</i> .	S.b.	
	<i>β</i> <i>carnèlla</i> . (fl.) <i>flesh-coloured</i> .	S.b.	
	<i>γ</i> <i>magnífica</i> . (va.) <i>magnificent</i> .	S.b.	
71	<i>Highcleriàna</i> . W.H. (va.) Styloso-Solandriflora. Highclere. ...	S.b.	
	<i>β</i> <i>pícta</i> . (va.) <i>painted lady</i> . Spofforth.	S.b.	
	<i>γ</i> <i>Dòminie</i> . (va.) <i>Dominie</i> .	S.b.	
72	<i>calyptràta</i> . K.R. (gr.) green-flowered. Brazil. 1816. 5. 8.	S.b.	Bot. reg. t. 164.
73	<i>aùlica</i> . K.R. (sc.gr.) crowned. 1. 6.	S.b.	t. 444.
74	<i>psittàcina</i> . K.R. (sc.gr.) parrot-like. 1. 12.	S.b.	t. 199.
75	<i>Griffìni</i> . W.H. (sc.gr.) Psittacino-Johnsoni. Griffin's. 1820.	S.b.	
	<i>a</i> <i>Napoleòna</i> . W.H. (sc.gr.) <i>Napoleon's</i> .	S.b.	
	<i>β</i> <i>Victor</i> . W.H. (sc.gr.) <i>Victor</i> .	S.b.	
	<i>γ</i> <i>Alompra</i> . W.H. (sc.gr.) <i>Alompra</i> .	S.b.	
	<i>δ</i> <i>retinèrcia</i> . (sc.gr.) <i>netted-nerved</i> . Colvill's. 1822.	S.b.	
	<i>ε</i> <i>recurviflora</i> . (sc.gr.) <i>recurve-pointed</i> .	S.b.	
	<i>ζ</i> <i>campanulàta</i> . (re.gr.) <i>bell-flowered</i> .	S.b.	
	<i>η</i> <i>quadrilineàta</i> . (sc.pu.g.) <i>four-lined</i> .	S.b.	
	<i>θ</i> <i>alboíncta</i> . (wh.sc.) <i>white-edged</i> .	S.b.	
	<i>ι</i> <i>quadrícolor</i> . (sc.pu.g.w.) <i>four-coloured</i> .	S.b.	
76	<i>affine</i> . (sc.gr.) Psittacino-reginæ.	S.b.	
	<i>a</i> <i>canaliculàta</i> . (sc.gr.) <i>channel-leaved</i> .	S.b.	
	<i>β</i> <i>membranàcea</i> . (re.pu.g.) <i>membranous-edged</i> .	S.b.	
	<i>γ</i> <i>purpurostriàta</i> . (re.pu.) <i>purple-striped</i> .	S.b.	
	<i>δ</i> <i>latífida</i> . (re.pu.g.) <i>broad-segmented</i> .	S.b.	
77	<i>tortuòsa</i> . (sc.gr.) Psittacino-equestris.	S.b.	
78	<i>multistriàta</i> . (sc.wh.) Psittacino-Valleti.	S.b.	Miss Chapman ic.
	<i>β</i> <i>retiflora</i> . (sc.w.g.) <i>netted-flowered</i> .	S.b.	
79	<i>pretiosum</i> . W.H. (sc.gr.) Psittacino-Griffini. Highclere. 1824.	S.b.	
80	<i>sínistrum</i> . W.H. (sc.w.g.) Griffini-vittatum.	S.b.	
SPREIK'ELIA. H.A. JACOBÆA LILY. Hexandria Monogynia.			
	<i>formosíssima</i> . H.A. (cr.) <i>crimson</i> . S. America. 1658. 5. 6.	F.b.	Bot. mag. t. 47.
<i>Amary'llis formosíssima</i> . B.M.			
LYC'ORIS. H.A. LYC'ORIS. Hexandria Monogynia.			
1	<i>aùrea</i> . H.A. (ye.) <i>golden</i> . China. 1777. 8. 12.	G.b.	Bot. reg. t. 611.
<i>Amary'llis aùrea</i> . B.R.			
2	<i>radiàta</i> . H.A. (pi.) <i>Snowdrop-leaved</i> . 1758. 9. 10.	G.b.	Bot. reg. t. 596.
<i>Amary'llis radiàta</i> . B.R.			
NER'INE. H.A. NER'INE. Hexandria Monogynia.			
1	<i>curvifòlia</i> . H.A. (sc.) <i>curve-leaved</i> . C. B. S. 1794. 7. 9.	F.b.	Bot. mag. t. 725.
<i>Amary'llis curvifòlia</i> . B.M. <i>Fothergillia</i> . Andr. reposit. t. 163.			
2	<i>corúsca</i> . H.A. (sc.) <i>brilliant</i> . C. B. S. 1809.	F.b.	Bot. mag. t. 1089.
3	<i>rósea</i> . B.M. (ro.) <i>rose-coloured</i> .	F.b.	t. 2124.
4	<i>venústa</i> . H.A. (ro.) <i>poppy-coloured</i> . 1806. 6. 8.	F.b.	t. 1090.
5	<i>sarniënsis</i> . H.A. (re.) <i>Guernsey Lily</i> . 1659. 9. 10.	F.b.	t. 294.
6	<i>pulchèlla</i> . H.A. (re.) <i>pretty</i> . 1820. 7. 9.	F.b.	t. 2407.
7	<i>flexuòsa</i> . H.A. (pa.re.) <i>zigzag</i> . 1795. 9. 10.	F.b.	Bot. reg. t. 172.
8	<i>hùmilis</i> . H.A. (re.) <i>small</i> .	F.b.	Bot. mag. t. 726.

9 undulâta. H.A. (<i>pa.re.</i>) waved-flower'd.	C. B. S.	1767.	7. 10.	F.b.	Bot. mag. t. 369.
10 versicolor. H.A. (<i>li.</i>) changeable-col'd.	Hybrid.	1815.	—	F.b.	Herb. append. ic.
IXIOLIRION. H.A. IXIOLIRION.	Hexandria Monogynia.				
1 montanum. R.S. (<i>bl.</i>) mountain.	Persia.	1829.	...	H.b.	Redout. liliac. t. 241.
<i>Amaryllis montana.</i>	Labill. syr. dec. 2. p. 5. t. 1.	<i>Alstroemèria montana.</i>		Ker.	
2 tatàricum. R.S. (<i>bl.</i>) Tartarian.	Tartary.	1822.	4. 6.	H.b.	Pall.it.3.ap.85.t.D.f.l.
<i>Amaryllis tatàrica.</i>	M.B.				
STRUMARIA. Ker. STRUMARIA.	Hexandria Monogynia. L.				
1 truncata. w. (<i>wh.bh.</i>) truncated.	C. B. S.	1795.	4. 5.	F.b.	Jacq. ic. 2. t. 357.
2 rubella. w. (<i>li.</i>) pale red.	—	—	5. 6.	F.b.	— 2. t. 358.
3 angustifolia. w. (<i>wh.li.</i>) narrow-leaved.	—	—	4. 5.	F.b.	— 2. t. 359.
4 linguæfolia. w. (<i>wh.</i>) tongue-leaved.	—	1812.	—	F.b.	— 2. t. 356.
5 filifolia. B.R. (<i>wh.</i>) fine-leaved.	—	1774.	10. 12.	F.b.	Bot. reg. t. 440.
6 spiralis. B.M. (<i>ro.wh.</i>) spiral-stalked.	—	—	4. 8.	F.b.	Bot. mag. t. 1383.
7 crispa. B.M. (<i>ro.li.</i>) curled-flowered.	—	1790.	—	F.b.	— t. 1363.
<i>Amaryllis crispa.</i>	Jacq. schœn. t. 72.				
8 undulata. w. (<i>wh.ro.</i>) waved.	—	1825.	—	F.b.	Jacq. ic. t. 360.
9 stellaris. B.M. (<i>pi.</i>) starry.	—	1794.	10. 11.	F.b.	Jacq. schœn. 1. t. 71.
10 gemmata. B.M. (<i>wh.</i>) gynandrous.	—	1810.	8. 10.	F.b.	Bot. mag. t. 1620.
IMHO'FIA. H.A. IMHO'FIA.	Hexandria Monogynia.				
marginata. H.A. (<i>pu.</i>) red margined.	C. B. S.	1795.	9. 10.	F.b.	Jacq. schœn. 1. t. 65.
<i>Brunsvigia marginata.</i>	H.K. <i>Amaryllis marginata.</i>	Jacq.			
BUPHONE. H.A. BUPHONE.	Hexandria Monogynia.				
1 disticha. H.A. (<i>pu.</i>) distichous.	C. B. S.	1823.	9. 10.	F.b.	Patters. iter. t. 1.
2 toxicaria. H.A. (<i>li.</i>) Poison-bulb.	—	1774.	—	F.b.	Bot. reg. t. 567.
β obtusifolia. H.A. (<i>li.</i>) wave-leaved.	—	1816.	—	F.b.	
3 ciliaris. H.A. (<i>pa.pu.</i>) fringe-leaved.	—	1752.	6. 8.	F.b.	Bot. reg. t. 1153.
<i>Brunsvigia ciliaris.</i>	B.R. <i>Amaryllis ciliaris.</i>	L. <i>Hæmânthus ciliaris.</i>		w.	
AMMO'CHARIS. H.A. AMMO'CHARIS.	Hexandria Monogynia.				
1 coranica. H.A. (<i>pu.</i>) Mr. Burchell's.	C. B. S.	1816.	7. 8.	F.b.	Bot. reg. t. 139.
<i>Amaryllis coranica.</i>	B.R.				
β pallida. B.R. (<i>li.</i>) pale-flowered.	—	—	—	F.b.	Bot. reg. t. 1219.
2 falcata. H.A. (<i>pu.</i>) sickle-leaved.	—	1774.	5. 6.	F.b.	Bot. mag. t. 1443.
<i>Brunsvigia falcata.</i>	B.M. <i>Amaryllis falcata.</i>	H.K. <i>Crinum falcatum.</i>		Jacq.	Jacq. vind. 3. t. 60.
BRUNSVIGIA. Ker. BRUNSVIGIA.	Hexandria Monogynia. H.K.				
1 laticoma. (<i>pa.pu.</i>) broad-headed.	C. B. S.	1818.	3. 6.	F.b.	Bot. reg. t. 497.
<i>lucida.</i>	H.A. <i>Amaryllis laticoma.</i>	B.R.			
2 minor. B.R. (<i>ro.</i>) lesser.	—	1820.	—	F.b.	Bot. reg. t. 954.
3 multiflora. B.M. (<i>sc.gr.</i>) many-flowered.	—	1752.	6. 8.	F.b.	Bot. mag. t. 1619.
<i>Amaryllis orientalis.</i>	w.				
β rubicaulis. H.A. (<i>cr.</i>) red-stemmed.	—	1812.	—	F.b.	Jacq. schœn. 1. t. 39.
4 Josephina. B.R. (<i>sc.</i>) Josephine's.	—	1814.	—	F.b.	Redout. lil. t. 370-372.
β minor. B.R. (<i>ro.</i>) smaller.	—	—	—	F.b.	Bot. reg. t. 192, 193.
γ striata. B.M. (<i>pu.std.</i>) striped-flowered.	—	1823.	—	F.b.	Bot. mag. t. 2578.
5 striata. H.K. (<i>pu.</i>) striated.	—	1795.	9. 10.	F.b.	Jacq. schœn. 1. t. 73.
6 radula. H.K. (<i>pu.</i>) rasp-leaved.	—	1790.	4. 8.	F.b.	— 1. t. 63.
PHYCELLA. B.R. PHYCELLA.	Hexandria Monogynia.				
1 ignea. B.R. (<i>sc.ye.</i>) fiery.	Chili.	1824.	8. 10.	G.b.	Bot. reg. t. 809.
β glauca. (<i>sc.ye.</i>) glaucous-leaved.	—	—	—	G.b.	Bot. mag. t. 2687.
2 cyrtanthoides. B.R. (<i>sc.ye.</i>) Cyrtanthus-like.	—	1821.	6. 8.	G.b.	— t. 2399.
<i>Amaryllis cyrtanthoides.</i>	B.M.				
GRIFFINIA. B.R. GRIFFINIA.	Hexandria Monogynia. B.R.				
1 hyacinthina. B.R. (<i>bl.</i>) largest.	Brazil.	1815.	6. 9.	S.b.	Bot. reg. t. 163.
<i>Amaryllis hyacinthina.</i>	B.R.				
2 intermedia. B.R. (<i>bl.</i>) intermediate.	—	1825.	5. 7.	S.b.	Bot. reg. t. 990.
3 parviflora. B.R. (<i>bl.</i>) small flowered.	—	1820.	—	S.b.	— t. 511.
HÆMANTHUS. W. BLOOD-FLOWER.	Hexandria Monogynia. L.				
1 coccineus. s.s. (<i>sc.</i>) salmon-colour'd.	C. B. S.	1629.	8. 10.	F.b.	Bot. mag. t. 1075.
2 coarctatus. s.s. (<i>sc.</i>) compressed.	—	1795.	2. 3.	F.b.	Bot. reg. t. 181.
3 tigrinus. s.s. (<i>sc.</i>) Tiger-spotted.	—	1790.	12. 2.	F.b.	Bot. mag. t. 1705.
4 rotundifolius. s.s. (<i>sc.</i>) round-leaved.	—	—	6. 10.	F.b.	— t. 1618.
5 crassipes. s.s. (<i>sc.</i>) thick-leaved.	—	1816.	—	F.b.	
6 hyalocarpus. s.s. (<i>re.</i>) clear-berried.	—	—	—	F.b.	Jacq. schœn. 4. t. 409.
7 quadrivalvis. s.s. (<i>re.</i>) four-valved.	—	1790.	9. 10.	G.b.	Bot. mag. t. 1523.
8 humilis. s.s. (<i>re.</i>) small.	—	1825.	—	F.b.	
9 Pumilio. s.s. (<i>re.</i>) dwarf.	—	1789.	8. 9.	F.b.	Jacq. schœn. 1. t. 61.
10 pubescens. s.s. (<i>wh.</i>) villous-leaved.	—	1774.	—	F.b.	Bot. reg. t. 382.
11 albiflorus. w. (<i>wh.</i>) smooth-broad-ld.	—	1791.	4. 8.	F.b.	— t. 984.
12 carneus. s.s. (<i>ro.</i>) flesh-coloured.	—	1819.	6. 8.	F.b.	— t. 509.

13 lanceafolius. s.s. (re.) spear-leaved.	C. B. S.	1794.	9. 10.	F.b.	Jacq. schœn. 1. t. 60.
14 carinatus. P.S. (re.) keel-leaved.	————	1759.	8. 9.	F.b.	
15 amarylloides. s.s. (re.) Amaryllis-like.	————	1825.	—	F.b.	
16 moschatus. s.s. (re.) musk-scented.	————	1816.	—	F.b.	
17 sanguineus. s.s. (sc.) crimson.	————	1820.	6. 8.	F.b.	
18 puniceus. s.s. (sc.) waved-leaved.	————	1722.	5. 9.	G.b.	Bot. mag. t. 1315.
19 multiflorus. s.s. (sc.) many-flowered.	Sierra Leon.	1783.	—	S.b.	———— t. 1995 & 961.
CRINUM. W.H. CRINUM. Hexandria Monogynia.					
1 pedunculatum. B.P. (wh.) New Holland.	N. S. W.	1790.	4. 8.	G.b.	Bot. reg. t. 52.
2 exaltatum. H.A. (wh.) high.	E. Indies.	1820.	—	S.b.	
3 canaliculatum. K.R. (wh.) channelled-leaved.	————	1810.	—	S.b.	
4 brachyandrum. K.R. (wh.) short-anthered.	N. Holland.	1819.	—	G.b.	
5 brevilimbium. H.A. (wh.) short-limbed.	Pacific Isl.	1820.	6. 8.	S.b.	
6 procerum. H.A. (bh.) tall.	Rangoon.	1822.	—	S.b.	Bot. mag. t. 2684.
7 sinicum. H.A. (wh.) Chinese.	China.	1819.	—	S.b.	
8 anomalum. H.A. (wh.) plaited-leaved.	————	1822.	—	S.b.	
9 asiaticum. K.R. (wh.) Poison bulb.	————	1732.	—	S.b.	Bot. mag. t. 1073.
10 plicatum. B.M. (wh.) plicate-leaved.	————	1823.	4. 6.	S.b.	———— t. 2908.
11 declinatum. H.A. (wh.) declined.	E. Indies.	1819.	4. 8.	S.b.	———— t. 2231.
12 bracteatum. W. (wh.) short-leaved.	Mauritius.	1810.	6. 8.	S.b.	Bot. reg. t. 179.
brevisfolium. H.B. published 1814.	bracteatum. W. 1799.	Jacq. schœn. 4. t. 495	in 1804.		
β angustifolium. H.A. (wh.) narrow-leaved.	————	—	—	S.b.	
13 erubescens. K.R. (re.wh.) blush-coloured.	S. America.	1789.	—	S.b.	Bot. mag. t. 1232.
α rubrilimbium. (re.) red-limbed.	————	—	—	S.b.	
β major. H.A. (re.wh.) larger.	————	—	—	S.b.	
γ minor. H.A. (re.wh.) lesser.	————	—	—	S.b.	
δ corantynum. W.H. (bh.) Corantyne.	Berbice.	1820.	—	S.b.	
ε aquaticum. W.H. (wh.) water.	Brazil.	1823.	—	S.b.	
ζ glabrum album. W.H. (wh.) shining-leaved.	Maranham.	1820.	—	S.b.	
η glabrum rubrum. W.H. (re.wh.) smooth red.	————	1823.	—	S.b.	
θ undulatum. W.H. (wh.) wave-leaved.	Brazil.	—	—	S.b.	Hook. ex. flor. t. 200.
Crinum undulatum. Hooker.					
14 cruentum. B.R. (re.) red-flowered.	S. America.	1810.	—	S.b.	Bot. reg. t. 171.
15 sumatranum. K.R. (wh.) Sumatra.	Sumatra.	—	—	S.b.	———— t. 1049.
16 macrocarpon. H.A. (wh.) large-fruited.	Pegu.	1820.	—	S.b.	
17 elegans. H.A. (wh.) elegant.	————	—	9. 11.	S.b.	Bot. mag. t. 2592.
18 venustum. H.A. pretty.	E. Indies.	—	—	S.b.	
19 canaliculatum. H.A. (wh.) channelled.	————	—	6. 9.	S.b.	
β major. W.H. (wh.) larger.	————	1825.	—	S.b.	
20 longifolium. K.R. (wh.) long-leaved.	————	1810.	—	S.b.	
21 lorifolium. K.R. (wh.) loriate-leaved.	————	1819.	—	S.b.	
22 americanum. W. (wh.) American.	S. America.	1752.	7. 9.	S.b.	Bot. mag. t. 1034.
23 Commelini. K.R. (wh.) Commelin's.	————	1798.	6. 9.	S.b.	Jacq. schœn. 2. t. 202.
24 strictum. B.M. (wh.) upright.	S. America?	1820.	8. 10.	S.b.	Bot. mag. t. 2635.
25 defixum. K.R. (wh.) marsh.	E. Indies.	1810.	4. 8.	S.b.	———— t. 2208.
26 ensifolium. K.R. (bh.) sword-leaved.	————	1820.	—	S.b.	———— t. 2301.
27 amœnum. K.R. (wh.) delightful.	————	1810.	—	S.b.	
28 multiflorum. Df. (wh.) many-flowered.	1822.	—	S.b.	
29 verecundum. H.A. (bh.) blush.	E. Indies.	1820.	6. 9.	S.b.	
30 humile. B.M. (wh.) humble.	————	1816.	4. 8.	S.b.	Bot. mag. t. 2636.
31 confertum. B.M. (wh.) crowded-flowered.	N. Holland.	1822.	6. 7.	G.b.	———— t. 2522.
32 angustifolium. B.P. (wh.) rough-edged.	————	1823.	—	G.b.	
33 arenarium. B.M. (wh.) sand.	————	1818.	5. 8.	G.b.	Bot. mag. t. 2355.
β blandum. B.M. (bh.) blush-flowered.	————	1821.	—	G.b.	———— t. 2531.
34 purpurascens. W.H. (pu.) purplish.	Fernando Po.	1826.	—	S.b.	
35 erythrophyllum. W.H. (pu.) red-leaved.	Rangoon.	1824.	—	S.b.	
36 amabile. K.R. (pu.wh.) beautiful.	Sumatra.	1810.	1. 12.	S.b.	Bot. mag. t. 1605.
37 angustum. K.R. (pu.wh.) august.	Mauritius.	1819.	4. 8.	S.b.	———— t. 2397.
38 mauritianum. B.C. (wh.) Mauritius.	————	1816.	6. 9.	S.b.	Lodd. bot. cab. t. 650.
39 submersum. B.M. (pu.wh.) lake.	Brazil.	1823.	8. 10.	S.b.	Bot. mag. t. 2463.
40 scabrum. B.M. (cr.wh.) rough-leaved.	S. America.	1810.	1. 12.	S.b.	———— t. 2180.
41 zeylanicum. H.A. (cr.wh.) Ceylon.	Ceylon.	1771.	7. 8.	S.b.	———— t. 1171.
Amaryllis zeylanica. B.M.					
42 latifolium. H.A. (bh.) broad-leaved.	E. Indies.	1806.	7. 9.	S.b.	Bot. reg. t. 1297.
43 longistylum. W.H. (bh.) long-styled.	————	1819.	6. 10.	S.b.	
44 insigne. W.H. (cr.wh.) noble.	————	—	4. 8.	S.b.	Bot. reg. t. 579.
45 Careyânum. B.M. (bh.) Carey's.	Mauritius.	1820.	1. 12.	S.b.	Bot. mag. t. 2466.
46 speciosum. B.M. (w.ro.) specious.	E. Indies.	1819.	6. 9.	S.b.	———— t. 2217.
47 moluccanum. B.M. (w.bh.) Molucca.	Moluccas.	—	—	S.b.	———— t. 2292.

48	gigánteum. A.R. (<i>wh.</i>) gigantic.	Sierra Leone.	1792.	7. 10.	S.b.	Andr. rep. t. 169.
	<i>petiolátum</i> . H.A. <i>Amaryllis gigánteá</i> . Bot. mag. t. 92.					
49	Broussonèti. H.A. (<i>wh.pu.</i>) Broussonet's.	—————	—————	—————	S.b.	Bot. mag. t. 2121.
50	yuccæides. H.A. (<i>re.wh.</i>) Yucca-flowered.	—————	1740.	6. 10.	S.b.	
51	dístichum. H.A. (<i>re.wh.</i>) distichous.	—————	—————	—————	S.b.	Bot. mag. t. 1253.
	<i>Amaryllis ornàta a.</i> B.M.					
52	Lánci. W.H. (<i>re.wh.</i>) Lance's.	Surinam.	1825.	—————	S.b.	
53	fláccidum. B.M. (<i>wh.</i>) flaccid.	N. S. W.	1820.	7. 9.	G.b.	Bot. mag. t. 2133.
	<i>Amaryllis australásica</i> . Bot. reg. t. 426.					
54	Fórbesi. W.H. (<i>re.wh.</i>) Forbes's.	Delagoa Bay.	1824?	—————	S.b.	
55	longiflòrum. H.A. (<i>re.wh.</i>) long-flowered.	W. Indies.	1816.	5. 8.	S.b.	Bot. reg. t. 303.
	<i>Amaryllis longifòlia</i> β <i>longiflòra</i> . B.R.					
56	capènze. H.A. (<i>wh.</i>) common Cape.	C. B. S.	1752.	7. 11.	H.b.	Bot. mag. t. 661.
	<i>Amaryllis longifòlia</i> . B.M.					
	β <i>minor</i> . W.H. (<i>re.wh.</i>) lesser.	Highclere.	1819.	—————	G.b.	
57	ripàrium. H.A. (<i>cr.wh.</i>) bank.	—————	1816.	6. 9.	H.b.	Bot. mag. t. 2688.
58	revolútum. H.A. (<i>wh.re.</i>) revolute.	—————	1774.	8. 10.	G.b.	Bot. reg. t. 623.
	<i>Amaryllis revolùta</i> . A.—B.R.					
59	crassifòlium. H.A. (<i>wh.ro.</i>) thick-leaved.	—————	—————	—————	G.b.	Bot. reg. t. 615.
	<i>Amaryllis revolùta</i> . B.—B.R.					
60	algoénze. W.H. (<i>re.wh.</i>) Algoa-bay.	C. B. S.	1826.	—————	G.b.	
61	cáffrum. W.H. (<i>re.wh.</i>) Caffre.	—————	1825.	—————	G.b.	
62	aquáticum. H.A. (<i>ro.bh.</i>) water.	—————	1816.	5. 8.	G.b.	Bot. mag. t. 2352.
63	Goweniànum. W.H. (<i>bh.</i>) zeylanico-capense.	Highclere.	1813.	6. 9.	G.b.	Hort. trans. ic.
64	Herbertiànum. (<i>re.wh.</i>) Scabro-capense.	Spofforth.	1818.	—————	G.b.	
	<i>Spofforthiànum</i> . Herbert Mss.					
65	fértilè. W.H. (<i>wh.</i>) Canaliculato-capense.	—————	—————	—————	G.b.	
	β <i>grandiflòrum</i> . W.H. (<i>wh.</i>) larger-flowered.	—————	—————	—————	G.b.	
66	íngens. W.H. (<i>wh.</i>) Pedunculato-capense.	Highclere.	—————	—————	G.b.	
67	eréctius. W.H. (<i>bh.</i>) Corantyno-capense.	Spofforth.	—————	—————	G.b.	
68	Highcleriànum. W.H. (<i>wh.</i>) Asiatico-capense.	Highclere	—————	—————	G.b.	
69	elongátum. W.H. (<i>wh.</i>) Brevifolio-capense.	Spofforth.	1819.	—————	G.b.	
70	modéstum. W.H. (<i>bh.</i>) Specioso-capense.	—————	—————	—————	G.b.	
71	pùdicum. W.H. (<i>bh.</i>) Careyano-capense.	—————	—————	—————	G.b.	
72	cùpitum. W.H. (<i>re.wh.</i>) Cruento-capense.	—————	—————	—————	G.b.	
73	tortuòsum. W.H. (<i>wh.</i>) Defixo-capense.	—————	—————	—————	G.b.	
74	Fèlix. W.H. (<i>bh.</i>) Latifolio-capense.	—————	1828.	—————	G.b.	
75	microspèrmum. W.H. (<i>bh.</i>) Revoluto-capense.	—————	—————	—————	G.b.	
76	egrègium. W.H. (<i>re.wh.</i>) Pedunculato-riparium.	—————	1826.	—————	G.b.	
77	præ'stans. W.H. (<i>re.wh.</i>) Canaliculato-riparium.	—————	—————	—————	G.b.	
78	vittàtum. W.H. (<i>re.wh.</i>) Scabro-exaltatum.	—————	1818.	—————	S.b.	
79	Digweèdi. W.H. (<i>re.wh.</i>) Scabro-americanum.	Highclere.	1826.	—————	S.b.	
80	Coopèri. W.H. (<i>re.wh.</i>) Specioso-longifolium.	Wentworth	—————	—————	S.b.	
81	amàtum. W.H. (<i>re.wh.</i>) Zeylanico-pedunculatum.	Highclere.	—————	—————	S.b.	
82	Bacòni. W.H. (<i>re.wh.</i>) Zeylanico-erubescens.	Mr. Bacon's.	—————	—————	S.b.	
83	cándidum. W.H. (<i>wh.</i>) Americano-bracteatum.	Spofforth.	—————	—————	S.b.	
84	rubricaùle. W.H. (<i>bh.</i>) Erubescenti-bracteatum.	—————	—————	—————	S.b.	
85	púlchrum. W.H. (<i>re.wh.</i>) Scabro-erubescens.	Highclere.	—————	—————	S.b.	
86	bulbulòsum. W.H. (<i>bh.</i>) Capensi-erubescens.	—————	—————	—————	G.b.	
87	dùplex. W.H. (<i>bh.</i>) Americano-erubescens.	Spofforth.	—————	—————	S.b.	
	β <i>minor</i> W.H. (<i>bh.</i>) lesser.	Highclere.	—————	—————	S.b.	
88	flaccidulum. W.H. (<i>bh.</i>) Specioso-defixum.	Spofforth.	—————	—————	S.b.	
89	promíssum. W.H. (<i>re.wh.</i>) Forbesi-Careyanum.	—————	—————	—————	S.b.	
90	mirábile. W.H. (<i>wh.</i>) Flaccido-caliculatum.	—————	—————	—————	S.b.	
91	ùnicum. W.H. (<i>wh.</i>) Flaccido-bracteatum.	—————	—————	—————	S.b.	
92	trìplex. W.H. (<i>wh.</i>) Careyano-fertile.	—————	—————	—————	S.b.	
93	divèrsum. W.H. (<i>wh.</i>) Careyano-tortuosum.	—————	—————	—————	S.b.	
94	quádruplex. W.H. (<i>wh.</i>) Candido-fertile.	—————	—————	—————	S.b.	
	VALLOTA. H.A. VALLOTA. Hexandria Monogynia.					
	purpùrea. H.A. (<i>re.</i>) purple-stalked.	C. B. S.	1774.	5. 8.	F.b.	Jacq. schæn. l. t. 62.
	<i>Amaryllis purpùrea</i> . W. <i>elàta</i> . Jacq.					
	α <i>màjor</i> . (<i>re.</i>) larger.	—————	—————	—————	F.b.	Bot. mag. t. 1430.
	β <i>mìnor</i> . (<i>re.</i>) lesser.	—————	—————	—————	F.b.	Bot. reg. t. 552.
	GASTRON'EMA. H.A. GASTRON'EMA. Hexandria Monogynia.					
	clavàtum. H.A. (<i>re.wh.</i>) clavate.	C. B. S.	1816.	5. 8.	F.b.	Bot. mag. t. 2291.
	<i>Cyrtánthus uniflòrus</i> . Bot. reg. t. 168. <i>Amaryllis Pumílio</i> . H.K.					
	CYRTA'NTHUS. W. CYRTA'NTHUS. Hexandria Monogynia. W.					
1	oblíquus. W. (<i>or.gr.</i>) oblique-leaved.	C. B. S.	1774.	5. 8.	G.b.	Bot. mag. t. 1153.
2	striàtus. B.M. (<i>ye.sc.</i>) striped.	—————	1823.	—————	G.b.	————— t. 2534.

3 vittatus. S.S.	(std.) ribbon.	C. B. S.	1823.	5. 8.	G.b.	
4 spiralis. B.R.	(sc.) spiral-leaved.	————	1790.	—	G.b.	Bot. reg. t. 167.
5 collinus. B.R.	(sc.) hill.	————	1816.	—	G.b.	———— t. 162.
6 pallidus. B.M.	(fl.) pale-flowered.	————	1822.	—	G.b.	Bot. mag. t. 2471.
7 ventricosus. W.	(sc.) bellied.	————	1770.	—	G.b.	Jacq. scœen. 1. t. 76.
8 angustifolius. W.	(sc.) narrow-leaved.	————	1774.	5. 6.	G.b.	Bot. mag. t. 271.
9 odorus. B.R.	(sc.) sweet-scented.	————	1818.	5. 7.	G.b.	Bot. reg. t. 503.
COBURGHIA. B.F.G.	COBURGHIA.	Hexandria Monogynia.				
incarnata. B.F.G.	(sc.) splendid.	Quito.	1820.	8. 9.	F.b.	Swt. br. fl. gar. s.2. t.17.
STENOMESSON. H.A.	STENOMESSON.	Hexandria Monogynia.				
1 flavum. B.M.	(ye.) slender-toothed.	Peru.	1823.	5. 11.	G.b.	Bot. mag. t. 2641.
	<i>Chrysiphiala flava.</i> B.R. 778.					
2 curvidentatum. B.M.	(ye.) curve-toothed.	————	1824.	—	G.b.	Bot. mag. t. 2640.
3 pauciflorum.	(ye.) few-flowered.	————	1822.	—	G.b.	Hook. ex. flor. t. 132.
	<i>Chrysiphiala pauciflora.</i> H.E.F.					
CHLIDANTHUS. H.A.	CHLIDANTHUS.	Hexandria Monogynia.				
fragrans. H.A.	(ye.) yellow fragrant.	S. America.	1821.	6. 8.	G.b.	Bot. reg. t. 640.
EUCROSIA. B.R.	EUCROSIA.	Hexandria Monogynia.				
bicolor. B.R.	(or.re.) two-coloured.	Cape Horn.	1816.	4. 5.	S.b.	Bot. reg. t. 207.
CALOSTEMMA. B.P.	CALOSTEMMA.	Hexandria Monogynia.				
1 luteum. B.R.	(ye.) yellow.	N. Holland.	1819.	8. 10.	F.b.	Bot. reg. t. 421.
2 purpureum. B.P.	(pu.) purple.	————	—	—	F.b.	———— t. 422.
3 album. B.P.	(wh.) white-flowered.	————	1824.	—	G.b.	
EURYCLES. Sal.	EURYCLES.	Hexandria Monogynia.				
1 nuda.	(wh.) naked stamen'd.	E. Indies.	1822.	5. 7.	S.b.	
	<i>Crinum nervosum.</i> H.B.					
2 alata.	(wh.) wing-stamen'd.	N. Holland.	1821.	—	S.b.	Bot. reg. t. 715.
	<i>Pancratium australasicum.</i> B.R.					
3 coronata.	(wh.) crowned.	E. Indies.	1759.	—	S.b.	Bot. mag. t. 1419.
	<i>Pancratium amboinense.</i> B.M. <i>Prædiphys amboinensis.</i> H.A.					
	Three very distinct species, all flowered at Mr. Colvill's.					
HYMENOCA'LLIS. H.A.	HYMENOCA'LLIS.	Hexandria Monogynia.				
1 speciosa. K.R.	(wh.) large-flowered.	W. Indies.	1759.	5. 9.	S.b.	Bot. mag. t. 1453.
	<i>Pancratium speciosum.</i> B.M.					
2 ovata. K.R.	(wh.) broad-leaved.	————	—	S.b.	Bot. reg. t. 43.
3 amœna. K.R.	(wh.) handsome.	Guiana.	1790.	—	S.b.	Bot. mag. t. 1467.
4 fragrans. L.T.	(wh.) fragrant.	W. Indies.	—	S.b.	Lodd. bot. cab. t. 834.
5 guianensis. B.R.	(wh.) Guiana.	Guiana.	1818.	—	S.b.	Bot. reg. t. 265.
6 caribæa. K.R.	(wh.) Caribbean.	W. Indies.	1730.	—	S.b.	Bot. mag. t. 826.
	<i>Pancratium caribæum.</i> B.M.					
7 declinata. B.C.	(wh.) declining.	Brazil.	—	S.b.	Lodd. bot. cab. t. 558.
8 undulata. K.R.	(wh.) wave-leaved.	S. America.	—	S.b.	
9 expansa. B.M.	(wh.) expanded.	W. Indies.	1818.	—	S.b.	Bot. mag. t. 1941.
10 pedalis. B.C.	(wh.) foot-flowered.	Brazil.	1815.	—	S.b.	Lodd. bot. cab. t. 899.
11 patens. K.R.	(wh.) spreading.	W. Indies.	—	S.b.	Redout. lil. 6. t. 380.
12 littoralis. K.R.	(wh.) sea side.	S. America.	1758.	—	S.b.	Jacq. vind. 3. t. 75.
13 Dryandri. K.R.	(wh.) Dryander's.	————	—	S.b.	Bot. mag. t. 825.
14 disticha. H.A.	(wh.) two-ranked.	————	—	S.b.	
15 angusta. K.R.	(wh.) narrow-leaved.	————	—	S.b.	Bot. reg. t. 221.
16 tenuiflora. H.A.	(wh.) slender-flowered.	—	S.b.	
17 crassifolia. H.A.	(wh.) thick-leaved.	S. America.	—	S.b.	
18 acutifolia.	(wh.) acute-leaved.	Mexico.	1824.	—	G.b.	Bot. reg. t. 940.
	<i>Pancratium mexicanum.</i> B.R. <i>nec aliorum.</i> <i>Hymenocallis littoralis.</i> δ <i>acutifolia.</i> B.M. 2621.					
19 rotata. H.A.	(wh.) large-crowned.	Carolina.	1803.	7. 9.	G.b.	Bot. mag. t. 827.
20 mexicana. K.R.	(wh.) Mexican.	Mexico.	1732.	8.	G.b.	Ker's review. pl. 3. f. 2.
21 caroliniana. H.A.	(wh.) Carolina.	Carolina.	1759.	6. 7.	G.b.	———— pl. 3. f. 1.
22 Staplesi. W.H.	(wh.) Mr. Staples's.	Mexico.	1826.	—	G.b.	
23 ovalifolium. W.H.	(wh.) oval-leaved.	S. America.	1820.	—	S.b.	
PANCRATIUM. H.A.	PANCRATIUM.	Hexandria Monogynia.				
1 maritimum. K.R.	sea Daffodil.	S. Europe.	1597.	5. 7.	G.b.	Bot. reg. t. 161.
	<i>carolinianum.</i> B.R. 927. <i>nec aliorum.</i>					
2 canariense. B.R.	Canary.	Canaries.	1815.	6. 7.	G.b.	Bot. reg. t. 174.
3 illyricum. K.R.	Illyrian.	S. Europe.	1615.	5. 6.	G.b.	Bot. mag. t. 718.
4 verecundum. K.R.	Narcissus-leav'd.	E. Indies.	1776.	6. 8.	G.b.	Bot. reg. t. 413.
5 zeylanicum. K.R.	one-flowered.	Ceylon.	1752.	—	S.b.	Bot. mag. t. 2538.
ISMENE. Sal.	ISMENE.	Hexandria Monogynia.				
1 nutans. H.A.	(wh.) nodding.	Brazil.	1810.	6. 8.	S.b.	Bot. mag. t. 1561.
	<i>Pancratium calathinum.</i> B.M. <i>non R.L.</i>					
2 calathinum. H.A.	(wh.) cup-flowered.	————	—	6. 7.	S.b.	Bot. reg. t. 215.

- 3 Amáncaes. H.A. (ye.) Narcissus-flower'd. Peru. 1804. 6. 7. S.b. Bot. mag. t. 1224.
Pancrátium Amáncaes. B.M. *Narcíssus Amáncaes.* R.P. 3. t. 283. f. a.
- NARCISSUS. L. NARCISSUS. Hexandria Monogynia. L.**
- 'AJAX. H.S.S.**
- 1 obvallàris. H.S.S. (ye.) Sibthorp's. S. Europe. 3. 4. H.b. Bot. mag. t. 1301.
 2 bicolor. L. (wh. ye.) two-coloured. Spain. 1629. 4. 5. H.b. ——— t. 1187.
'Ajax lorifolius. H.S.S.
- 3 tubæflòrus. s.P. (wh. ye.) tube-flowered. S. Europe. 3. 5. H.b.
'Ajax bicolor. H.S.S.
- 4 moschàtus. B.M. (wh. st.) greater white. Spain. 1629. 4. H.b. Bot. mag. t. 924.
 5 álbus. L.T. (wh.) white flowered. ——— 1759. 3. 4. H.b. ——— t. 1300.
moschàtus. δ. B.M. *'Ajax álbus.* H.S.S.
- 6 cèrnuus. R.E. (wh.) drooping-flowered. 1828. ——— H.b.
β plènus. (wh.) double-flowered. ——— H.b.
- 7 abscíssus. H.S.S. (ye.) clipt trunk. ——— H.b. Park. parad. t. 107.
 8 màjor. B.M. (ye.) large. Spain. 1629. ——— H.b. Bot. mag. t. 51.
 9 propínquus. s.P. (ye.) great jagged. S. Europe. ——— H.b. ——— t. 301. f.
- màjor β.* B.M. *'Ajax propínquus.* H.S.S.
- 10 Telamònius. H.S.S. (ye.) Telamonian. ——— ——— H.b.
β plènus. H.S.S. (ye.) double Daffodil. ——— ——— H.b.
γ grandiplènus. H.S.S. (ye.) great double. ——— ——— H.b. Park. parad. t. 101.
- 11 nòbilis. H.S.S. (ye.) noble. ——— ——— H.b.
 12 spùrius. H.S.S. (ye.) spurious. England. ——— H.b.
 13 serràtus. H.S.S. (st. ye.) serrate. ——— ——— H.b. Eng. bot. ic. ined.
β sudris. H.S.S. (st. ye.) sweet-scented. ——— ——— H.b.
- 14 Pseùdo-Narcíssus. (st. ye.) Daffodil. ——— 3. 4. H.b. Eng. bot. v. l. t. 17.
β scòticus. H.S.S. (st. ye.) Scotch Daffodil. Scotland. ——— H.b.
γ plènus. H.S.S. (ye.) double French. ——— H.b. Park. parad. t. 101.
δ pleníssimus. H.S.S. (ye.) rose double. ——— H.b. ——— t. 101.
- 15 lobulàris. H.P. (ye.) lobe-crowned. England. ——— H.b. Eng. bot. c. ic. ined.
 16 pùmilus. s.P. (ye.) small wedge-fld. S. Europe. 3. H.b. Besl. eyst. 3. fol. 5.
- 'Ajax cuneiflòrus.* H.S.S.
- 17 mìnor. B.M. (ye.) small. Spain. 1629. 3. 5. H.b. Bot. mag. t. 6.
α mínimus. H.S.S. (ye.) smallest. ——— ——— H.b.
β mìnor. H.S.S. (ye.) small. ——— ——— H.b. Park. parad. t. 107.
γ mèdius. H.S.S. (ye.) middle-sized. ——— ——— H.b.
δ conspicuus. H.S.S. (ye.) conspicuous. ——— ——— H.b.
ε angústus. H.S.S. (ye.) narrow-leaved. ——— ——— H.b.
- DIOMEDES. H.S.S.**
- 18 Macleài. B.M. (st. ye.) Mac Leay's. Levant. 4. 5. H.b. Bot. mag. t. 2588.
Diomèdes màjor. H.P.
- 19 Sabìni. B.R. (st. ye.) Sabine's. ——— ——— H.b. Bot. reg. t. 762.
Diomèdes mìnor. H.P.
- CORBULARIA. H.S.S.**
- 20 tenuifòlius. L.T. (ye.) slender-leaved. Biscay. 1760. 3. 4. H.b. Swt. br. fl. gar. t. 112.
 21 lobulàtus. H.S.S. (ye.) lobed. ——— H.b. Park. parad. t. 107.
 22 obèsus. s.P. (ye.) inflated. Portugal. 1796. ——— H.b. Park. parad. t. 107.
β mìnor. H.S.S. (ye.) smaller. ——— ——— H.b. Lobel. advers. 462.
 23 álbianus. H.S.S. (wh.) Trompet Marin. 1629. ——— H.b. Bot. mag. t. 88.
- 24 Bulbocòdium. w. (ye.) hoop petticoat. S. Europe. ——— ——— H.b.
- QUELTIA. H.S.S.**
- 25 aurántius. H.S.S. (ye.) orange rimmed. ——— ——— H.b. Park. parad. t. 71.
β lúteo-aurántius. (wh. ye.) Butter and eggs. ——— ——— H.b. Bot. mag. t. 121.
- 26 incomparàbilis. B.M. (st. ye.) peerless. Portugal. ——— 4. 5. H.b.
 27 sulphùreus. (st.) self coloured peerless. 1629. ——— H.b.
Quèltia cóncolor. H.S.S.
β plènus. (st.) double orange crown. ——— H.b.
- 28 semipartítus. H.S.S. (st. ye.) cloven-cupped. 1818. 3. 4. H.b.
 29 Quèltia. (wh. st.) peerless white. 4. H.b.
Quèltia álba. H.S.S.
β níveo-aurántius. (wh. st.) Orange Phoenix. ——— H.b.
- 30 montànus. B.R. (wh.) mountain. Pyrenees. 1620. ——— H.b. Bot. reg. t. 123.
 31 galanthifòlius. H.S. (wh.) Snowdrop-leav'd. ——— 1720. 5. H.b. Park. parad. t. 73.
 32 cápax. H.S.S. (wh.) capacious. Levant. ——— H.b. Redout. lil. t. 177.
- calathínus.* R.L. *Quèltia cápax.* H.S.S.
- 33 Redoùtei. (wh.) long-tubed. ——— ——— H.b. Redout. lil. t. 410.
calathínus. R.L. non L. nec aliorum.

SCHISA'NTHES. H.S.S.

34 orientalis. L. (st.ye.) oriental. Levant. 1778. 4. 5. H.b. Bot. mag. t. 948.
 incomparabilis. β. B.M. Schisanthes orientalis. H.S.S.

GANYMEDES. H.S.S.

35 ochroleucus. H.R. (st.) drooping. Portugal. 1620. 4. H.b. Bot. mag. t. 48.
 triandrus. B.M. non L. Ganymedes cernuus. H.S.S. ochroleucus. H.R.

36 triandrus. L. (wh.) white drooping. S. Europe. 1629. — H.b. Park. parad. t. 93. f. 2.
 Ganymedes albus. H.R.

37 nutans. H.S.S. (ye.) yellow cupped. — 1789. 3. 5. H.b. Bot. mag. t. 945.
 trilobus. B.M. Ganymedes nutans. H.S.S.

38 concolor. H.S.S. (st.) self-coloured. — 1626. 4. H.b.

39 striatulus. H.S.S. (ye.st.) faint-striped. — — H.b.

40 pulchellus. H.S.S. (ye.wh.) white-cupped. — 1620. — H.b.

PHYLOGYNE. H.S.S.

41 rugulosus. H.S.S. (ye.) wrinkle-cupped. — — H.b.

42 odorus. L. (ye.) starry-flowered. Corsica. 1720. 3. H.b. Bot. mag. t. 934.
 calathinus. α. B.M. Phylogyne odora. H.S.S.

43 interjectus. H.S.S. (ye.) great curled cup. S. Europe. 4. H.b.

44 trilobus. L. (ye.) three-lobed. Spain. 1629. 3. H.b. Bot. mag. t. 78.
 odorus. B.M. Phylogyne triloba. H.S.S. calathina. Sal.

45 heminalis. H.S.S. (ye.) lesser curled cup. 4. H.b. Park. parad. t. 93. f. 4.

46 parvulus. (ye.) small. 1629. — H.b.

Phylogyne minor. H.S.S.

β reginæ. (ye.) Queen Ann's Jonquil. — — — H.b.

HERMIONE. H.S.S.

47 Jonquilla. B.M. (ye.) Jonquil. Spain. 1596. 4. 5. H.b. Bot. mag. t. 15.
 β plenus. (ye.) double Jonquil. — — H.b.

48 similis. H.S.S. (ye.) lesser Jonquil. S. Europe. 1626. — H.b.

49 bifrons. B.M. (ye.) double-faced. — 1807. 4. H.b. Bot. mag. t. 1186.

50 compressus. L.T. (ye.) Jasmine Jonquil. — 1790. 3. 4. H.b.

51 primulinus. H.S. (ye.) Cowslip-cupped. — — — H.b. Bot. mag. t. 1299.

bifrons. β. B.M. Hermione primulina. H.S.S.

52 calathinus. L. (ye.) many-flowered. Levant. — H.b. Rudb. elys. 2. p. 60. f. 5.

53 tereticaulis. L.T. (st.) cream-coloured. 4. H.b. Bot. mag. t. 1298?

54 citrinus. H.S.S. (wh.ye.) Citroniere. — H.b. — t. 946.

orientalis. γ. B.M.

55 floribundus. H.S.S. (wh.ye.) grand monarche. — H.b.

56 Trewianus. B.M. (wh.ye.) Bazelman major. — H.b. Bot. mag. t. 940.
 Hermione grandiflora. H.S.S.

57 crenulatus. H.S. (wh.ye.) Bazelman minor. — H.b. Park. parad. t. 81. f. 5.

58 Tazetta. L. (wh.ye.) French Daffodil. 1626. — H.b. — t. 81. f. 3.

59 dubius. P.S. (wh.) doubtful. S. France. — H.b. Redout. lil. t. 429.

60 patulus. DC. (wh.ye.) spreading. Isl. Hyeres. — H.b.

61 fistulosus. H.S. (wh.ye.) pipe-stemmed. Levant. — H.b.

62 cerinus. H.S. (wh.ye.) waxen cupped. 5. H.b.

63 Luna. H.S.S. (wh.) broad white. 4. F.b.

64 papyratus. B.M. (wh.) paper white. Italy. 2. 3. F.b. Bot. mag. t. 947.
 Hermione papyratis. H.S.S.

65 unicolor. T.N. (wh.) one-coloured. Naples. — H.b. Ten. fl. nap. 1. t. 26.

66 præcox. T.N. (st.ye.) early-flowered. — H.b. — 1. t. 27.

67 italicus. B.M. (st.ye.) Italian. Italy. — F.b. Bot. mag. t. 1188.
 Hermione italica. H.S.S.

α semiplenus. (wh.) semidouble. 3. F.b.

β plenus. (wh.) double Roman. — F.b.

68 gracilis. B.R. (pa.ye.) slender. 4. H.b. Bot. reg. t. 816.

69 tenuior. B.M. (pa.ye.) slender 2-flowered. Italy. 1626. — H.b. Bot. mag. t. 379.

70 latifolius. H.S.S. (ye.) broad-ld. orange. Levant. 4. 5. H.b.

71 multiflorus. H.S.S. (ye.) common yellow. — H.b. Bot. mag. t. 925.
 Tazetta. B.M. non L.

72 intermedius. R.L. (pa.ye.) intermediate. Pyrenees. — H.b. Redout. lil. t. 426.

orientalis δ. Bot. mag. t. 1026. Hermione multiflora. β aurea. H.S.S.?

NARCISSUS. H.S.S.

73 poeticus. L. (wh.) Poet's. Greece. 1620. 4. F.b. Park. parad. t. 75. f. 3.

74 angustifolius. B.M. (wh.) narrow-leaved. Switzerland. 1626. — H.b. Bot. mag. t. 193.

75 majalis. B.M. (wh.) May-flowering. England? 5. H.b. Eng. bot. v. 4. t. 275.

poeticus. E.B. non L. patellaris. s.P.

β exsertus. H.S.S. (wh.) long-stamened. — H.b.

γ plenus. H.S.S. (wh.) double-flowered. — H.b. Park. parad. t. 75. f. 1.

76 biflorus. B.M. (wh.) two-flowered. 4. 5. H.b. Eng. bot. v. 4. t. 276.

- 77 niveus. W.en. (*wh.*) snowy white. S. Europe. 4. 5. H.b.
CHLORASTER. H.P.
- 78 viridiflorus. B.M. (*gr.*) green-flowered. Barbary. 1629. 9. 10. F.b. Bot. mag. t. 1657.
Chloraster fissus. H.P.
- 79 intèger. H.P. (*gr.*) entire-cupped. ———— ———— ———— F.b. Park. parad. t. 93. f. 6.
 80? obsolètus. H. s.s. (*w. ye.*) leafy autumnal. Spain. ———— ———— F.b. ———— 90. t. 89. f. 4.
 81? serotinus. w. (*wh.*) late-flowered. Barbary. ———— ———— F.b. Clus. hist. t. 252.
- GALANTHUS. L. SNOWDROP. Hexandria Monogynia. L.**
- 1 nivàlis. w. (*wh.*) common. Britain. 1. 3. H.b. Eng. bot. v. 1. t. 19.
 2 plicatus. B.R. (*wh.*) plaited. S. Europe. 1818. 2. 4. H.b. Bot. reg. t. 545.
- LEUCOJUM. L. SNOWFLAKE. Hexandria Monogynia. L.**
- 1 vèrnum. w. (*wh.*) spring. Germany. 1596. 2. 4. H.b. Bot. mag. t. 46.
 2 carpàthicum. (*wh.*) Carpathian. Carpathian mt. 1816. ———— H.b. ———— t. 1993.
 3 æstivum. w. (*wh.*) summer. England. 4. 5. H.b. ———— t. 1210.
 4 pulchèllum. P.L. (*wh.*) neat. ———— ———— H.b. Sal. par. lond. t. 74.
- 'ACIS. P.L. 'ACIS. Hexandria Monogynia.**
- 1 ròsea. s.F.G. (*ro.*) rose-coloured. S. Europe. 1826. 8. 9. H.b. Swt. br. fl. gar. t. 267.
 2 grandiflora. s.F.G. (*bh.*) large-flowered. ———— 1828. ———— H.b. Redout. liliac. t. 217.
 3 trichophylla. s.F.G. (*wh.*) many-flowered. Barbary. 1812. 1. 2. F.b. Bot. reg. t. 544.
Leucòjum trichophyllum. L.R.
- 4 autumnàlis. P.L. (*bh.*) autumnal. Portugal. 1629. 9. F.b. Bot. mag. t. 960.
Leucòjum autumnàle. B.M.
- GETHYLLIS. L. GETHYLLIS. Hexandria Monogynia. L.**
- 1 spiràlis. w. (*wh.*) spiral-leaved. C. B. S. 1780. 6. 7. G.b. Bot. mag. t. 1088.
 2 ciliàris. w. (*wh.*) fringed. ———— 1788. ———— G.b. Jacq. schœn. l. t. 79.
 3 villòsa. w. (*wh.*) hairy. ———— 1787. ———— G.b.
 4 lanceolata. w. (*wh.*) spear-leaved. ———— 1790. ———— G.b.
- ALSTREMERIA. W. ALSTREMERIA. Hexandria Monogynia. L.**
- 1 Pelegrina. w. (*re. bh.*) spotted flower'd. Peru. 1753. 6. 9. H. 4. Bot. mag. t. 139.
 β àlbida. (*wh. gr.*) white flowered. ———— 1820. ———— H. 4.
 2 Símsii. s.s. (*sc. ye.*) red-flowered. Chili. 1822. ———— H. 4. Swt. br. fl. gar. t. 267.
pulchèlla. B.M. 2353. Hook. ex. flor. t. 64.
- 3 Hookèri. (*ro.*) rose-coloured. Chili. 1822. ———— H. 4. Hook. ex. flor. t. 181.
ròsea. H.E.F. non R.P.
- 4 Flòs Martini. B.R. (*w. p. y.*) St. Martin's. ———— ———— H. 4. Bot. reg. t. 731.
pùlchra. Bot. mag. t. 2421. tricolor. Hook. ex. flor. t. 65.
- 5 bicolor. B.C. (*ye. wh.*) two-coloured. Chili. 1826. ———— H. 4. Lodd. bot. cab. t. 147.
 6 psittàcina. s.s. (*sc. gr.*) Parrot-like. Mexico. 1829. 7. 9. H. 4. Swt. br. fl. gar. s. 2. t. 147.
 7 acutifolia. Ot. (*or.*) sharp-leaved. S. America. ———— 9. 10. F. 4.
 8 pàllida. Ot. (*pa.*) pale-flowered. Chili. ———— ———— H. 4.
 9 Curtisiàna. R.s. (*wh. sc.*) striped-flowered. Brazil. 1776. 2. 4. S. 4. Bot. mag. t. 125.
Ligtu. B.M. nec aliorum.
- 10 ovàta. s.s. (*sc.*) oval-leaved. Peru. 1824. H. 4. Cavan. ic. 1. t. 76.
 11 Salsilla. w. (*pu. gr.*) climbing. ———— 1806. 6. 7. H. 4. Feuille. per. 2. p. 713.
 12 èdulis. Tus. (*ro. gr.*) eatable-rooted. W. Indies. 1801. 6. 9. S. 4. Andr. reposit. t. 64.
Salsilla. Bot. mag. t. 1613. non L.
- 13 hirtèlla. K.s. (*pi. gr.*) hairy. Mexico. 1824. H. 4. Swt. br. fl. gar. t. 267.
- CLIVIA. B.R. CLIVIA. Hexandria Monogynia.**
- nòbilis. B.R. (*sc. gr.*) scarlet. C. B. S. 1820. 7. 10. G. 4. Bot. reg. t. 1182.
Imatophyllum Aitòni. Bot. mag. t. 2856.
- DORYANTHES. B.P. DORYANTHES. Hexandria Monogynia. S.S.**
- excèlsa. B.P. (*sc.*) gigantic. N. S. W. 1800. 7. 10. G. 4. Bot. mag. t. 1655.

ORDO CCX.

HEMEROCALLIDÆ. *Brown prodr. 1. p. 295.*

- HEMEROCALLIS. S.S. DAY LILY. Hexandria Monogynia. L.**
- 1 gramínea. B.M. (*ye.*) narrow-leaved. Siberia. 1759. 6. 7. H. 4. Bot. mag. t. 873.
 2 flàva. B.M. (*ye.*) yellow. ———— 1596. ———— H. 4. ———— t. 19.
 3 speciòsa. W.H. (*co.*) specious. Jamaica. 1816. ———— G. 4. Swt. br. fl. gar. t. 267.
 4 dísticha. B.F.G. (*co.*) fan-like. China. 1798. 5. 7. H. 4. Bot. mag. t. 64.
 5 fúlva. B.M. (*co.*) copper-coloured. Levant. 1596. 6. 8. H. 4.

FUNKIA, S.S.	FUNKIA.	Hexandria Monogynia.	S.S.					
1 álba.	(wh.) white-flowered.	Japan.	1790.	8. 9.	H. 4.		Bot. mag. t. 1433.	
subcordata. s.s.	<i>Hemerocallis japonica</i> .	B.M. álba.	Andr. reposit. t. 75.					
2 cœrulea.	(wh.) blue-flowered.	—————	—————	6. 8.	H. 4.		Bot. mag. t. 894.	
ocata. s.s.	<i>Hemerocallis cœrulea</i> .	B.M.						
AGAPANTHUS, W.	AFRICAN LILY.	Hexandria Monogynia.	L.					
1 umbellatus. w.	(bl.) large-flowered.	C. B. S.	1692.	1. 12.	G. 4.		Bot. mag. t. 500.	
β variegatus.	(bl.) striped-leaved.	—————	—————	G. 4.			
2 præcox. W.en.	(bl.) early-flowering.	—————	1. 4.	G. 4.			
3 minor. B.C.	(bl.) small.	—————	—————	G. 4.		Lodd. bot. cab. t. 42.	
POLIANTHES, L.	POLIANTHES.	Hexandria Monogynia.	L.					
1 gracilis. L.en.	(wh.) slender.	Brazil.	1822.	8. 10.	S. 4.			
2 tuberosa. w.	(wh.) common.	E. Indies.	1629.	—————	S. 4.		Bot. reg. t. 63.	
β flore pleno.	(wh.) double-flowered.	—————	—————	—————	S. 4.			
BLANDFORDIA, B.P.	BLANDFORDIA.	Hexandria Monogynia.	S.S.					
1 nobilis. B.P.	(sc.ye.) noble.	N. S. W.	1803.	7. 8.	G. 4.		Bot. reg. t. 286.	
2 grandiflora. B.P.	(sc.ye.) large-flowered.	—————	1824.	—————	G. 4.		————— t. 911.	
3 punicea.	(cr.) large-leaved.	N. Holland.	1812.	—————	G. 4.		Lab. nov. hol. 1. t. 111.	
Alétris punicea.	Labillardiere.							
TRITOMA, B.M.	TRITOMA.	Hexandria Monogynia.	S.S.					
1 Uvária. H.K.	(or.) great.	C. B. S.	1707.	8. 9.	H. 4.		Bot. mag. t. 758.	
2 Burchellii. W.H.	(or.) Mr. Burchell's.	—————	1816.	—————	H. 4.			
3 média. H.K.	(sc.or.) lesser.	—————	1789.	12. 6.	H. 4.		Bot. mag. t. 744.	
4 pumila. H.K.	(sc.or.) least.	—————	1774.	9. 11.	F. 4.		————— t. 764.	
VELTHEIMIA, B.M.	VELTHEIMIA.	Hexandria Monogynia.	W.					
1 viridifolia. w.	(sc.or.) green-leaved.	C. B. S.	1768.	11. 4.	G. b.		Bot. mag. t. 501.	
Alétris capensis.	B.M.							
2 intermedia.	(ro.ye.) subglaucous.	—————	1819.	—————	G. b.			
3 glauca. w.	(ro.ye.) glaucous.	—————	1781.	1. 4.	G. b.		Bot. mag. t. 1091.	
ALETRIS, W.	COLIC-ROOT.	Hexandria Monogynia.	L.					
1 farinosa. w.	(wh.) common.	N. America.	1768.	6.	H. 4.		Bot. mag. t. 1418.	
2 aurea. Ph.	(wh.) golden-tipped.	—————	1811.	7. 8.	H. 4.		Willd. hort. ber. t. 8.	
SANSEVIERA, W.	SANSEVIERA.	Hexandria Monogynia.	W.					
1 glauca. H.S.	(wh.) glaucous.	Sierra Leon.	6. 10.	S. 4.			
2 polyphylla. H.S.	(wh.) upright-glaucous.	—————	—————	S. 4.			
3 guineensis. H.S.	(wh.) Guinea.	Guinea.	1690.	6. 11.	S. 4.		Bot. mag. t. 1180.	
4 lætevirens. H.S.	(wh.) light green.	—————	S. 4.			
5 longiflora. B.M.	(wh.) long-flowered.	7. 8.	S. 4.		Bot. mag. t. 2634.	
6 spicata. H.S.	(wh.) spiked.	—————	S. 4.		Cavan. ic. 3. t. 246.	
7 fulvocincta. H.S.S.	(wh.) brown-edged.	Brazil.	1818.	6. 9.	S. 4.			
8 zeylanica. H.S.	(wh.) Ceylon.	Ceylon.	1731.	6. 11.	S. 4.		Bot. reg. t. 160.	
9 lanuginosa. w.	(wh.) woolly.	E. Indies.	—————	S. 4.		Rheed. mal. 11. t. 42.	
10 ensifolia. H.S.	(wh.) sword-leaved.	—————	—————	S. 4.			
11 grandicuspis. H.S.	(wh.) large-pointed.	S. 4.			
12 pumila. H.S.	(wh.) dwarf.	C. B. S.	1796.	S. 4.			
13 stenophylla. L.en.	(wh.) slender-leaved.	1818.	6. 8.	S. 4.			
14 carnea. A.R.	(ro.) flesh-coloured.	China.	1792.	4. 10.	H. 4.		Andr. reposit. t. 361.	
TULBAGIA, W.	TULBAGIA.	Hexandria Monogynia.	L.					
1 alliacea. w.	(gr.) Narcissus-leaved.	C. B. S.	1774.	5. 7.	G. 4.		Bot. mag. t. 806.	
2 affinis. L.en.	(gr.) linear-leaved.	—————	1820.	—————	G. 4.			
3 cepacea. w.	(gr.) Onion-scented.	—————	1795.	4.	G. 4.			
BRODIAEA, L.T.	BRODIAEA.	Triandria Monogynia.	L.T.					
1 grandiflora. I.T.	(bl.) large-flowered.	Georgia.	1806.	6.	H. b.		Bot. reg. t. 1183.	
Hookera coronaria.	Sal. par. lond. t. 98.							
2 congesta. L.T.	(bl.) close-headed.	—————	—————	5.	H. b.		Linn. trans. v. 10. t. 1.	
PHYLLOMA, B.M.	PHYLLOMA.	Hexandria Monogynia.						
1 aloiflorum. B.M.	(ye.) Aloe-like.	Bourbon.	1766.	4. 6.	D.S. h.		Bot. mag. t. 1585.	
Lomatophyllum borbonicum.	w. Dracæna marginata.	H.K. dentata.	P.S.					
2 macrum. L.en.	(ye.) lean.	Mauritius.	1817.	6. 7.	D.S. h.			
3 rufocinctum.	(ye.) rosy-edged.	E. Indies.	1818.	D.S. h.			
Aloe rufocincta.	H.S.S.							
PACHIDE'NDRON, H.R.	PACHIDE'NDRON.	Hexandria Monogynia.	H.R.					
1 africanum. H.R.	(ye.) African.	C. B. S.	1731.	7.	D.G. h.			
α latum. H.R.	(ye.) broad-leaved.	—————	—————	—————	D.G. h.			
β angustum. H.R.	(ye.) narrow-leaved.	—————	—————	—————	D.G. h.		Bot. mag. t. 2517.	
Aloe pseudo-africana.	L.en. Aloe africana. β. angustior.	B.M.						
2 principis. H.R.	(ye.) revolving red-spined.	—————	D.G. h.			
3 angustifolium. H.R.	(ye.) narrow-leaved.	—————	1812.	D.G. h.			
4 ferox. H.R.	(st.re.) great hedgehog.	—————	1759.	4. 5.	D.G. h.		Bot. mag. t. 1975.	
Aloe ferox.	B.M.							

5	pseùdo-fèrox. H.R. (st.)	false hedgehog.	C. B. S.	1759.	4. 5. D.G. h.	Comm. prælud. t. 20.
6	supral'æve. H.R. (ye.)	upright hedgehog.	————	1731. D.G. h.	
A'LOE. H.R. ALOE. Hexandria Monogynia. L.						
1	dichótoma. H.s.	smooth-stemmed.	C. B. S.	1780. D.G. h.	
2	purpuráscens. H.s. (re.gr.)	purple.	————	1789.	7. 10. D.G. h.	Bot. mag. t. 1474.
3	socotrìna. H.s. (sc.g.)	socotrìne.	————	1731.	4. 6. D.G. h.	———— t. 472.
4	spicàta. H.R. (wh.gr.)	white spotted.	————	1795.	— D.G. h.	
5	plùridens. H.P. many-toothed.	————	1822. D.G. h.	
6	arboréscens. H.s. (sc.)	tree.	————	1731.	11. 3. D.G. h.	Bot. mag. t. 1306.
7	grácilis. H.P. slender-stalked.	————	1822. D.G. h.	
8	flavispìna. H.s. (sc.)	yellow-spined.	————	1790.	8. D.G. h.	
9	mitræfórmis. H.s. (sc.)	mitre.	————	1732.	— D.G. h.	Bot. mag. t. 1270.
10	nóbilis. H.s. (sc.)	great mitre.	————	1800.	7. 8. D.G. h.	
11	Commelini. H.R. (sc.)	Commeline's.	————	1813.	— D.G. h.	
	β mitræfórmis. H.R.	yellowish-toothed.	————	— D.G. h.	
12	dístans. H.s. (sc.gr.)	small mitre.	————	1732.	8. D.G. h.	Bot. mag. 1362.
	γ depréssa. H.R. (sc.gr.)	depressed.	————	— D.G. h.	
13	xanthacántha. H.s.s. (sc.)	yellow mitre.	————	1817.	— D.G. h.	
14	vulgàris. DC. (ye.or.)	yellow-flowered.	W. Indies.	1596.	8. D.S. h.	DC. plant. gras. t. 27.
	barbadénsis. H.s.					
15	chinénsis. H.s.s. (ye.)	Chinese.	China.	1817.	— D.G. h.	
16	c'æsia. H.s.s. cæsious tree.	C. B. S.	1818. D.G. h.	
	β elàtior. H.s.s. tall.	————	— D.G. h.	
17	frutéscens. H.s.s. (sc.)	lesser tree.	———— D.G. h.	
18	albispìna. H.s. (sc.)	white-spined.	————	1796. D.G. h.	
19	glaùca. H.s. (sc.gr.)	glaucous red-spined.	————	1731.	1. 9. D.G. h.	
	α màjor. H.s. (sc.gr.)	larger.	————	—	— D.G. h.	
	β rhodacántha. B.M. (sc.gr.)	lesser red-spined.	————	—	— D.G. h.	Bot. mag. t. 1278.
	γ spinòsior. H.R. (sc.g.)	long-spined.	————	1820. D.G. h.	
20	lineàta. H.s. (sc.gr.)	striped red-spined.	————	1789. D.G. h.	
	α víridis. H.R. (sc.gr.)	greenest-leaved.	————	— D.G. h.	
	β glaucéscens. H.R. (sc.)	glaucous.	————	— D.G. h.	
21	dorsàlis. R.s. (ye.)	spiny-keeled.	————	1826. D.G. h.	
22	depréssa. H.s. (sc.ye.)	depressed.	————	1731.	8. D.G. h.	Bot. mag. t. 1332.
23	brevifòlia. H.s. (sc.gr.)	short-leaved.	————	—	6. 8. D.G. h.	Bot. reg. t. 996.
24	prolífera. H.R. (or.y.)	proliferous.	————	1818.	— D.G. h.	
25	sérra. DC. (re.gr.)	saw-leaved.	————	—	— D.G. h.	Jacq. eclog. t. 61.
26	striàta. H.s. (re.gr.)	streaked.	————	1795.	— D.G. h.	Jacq. fragm. t. 68.
	paniculàta. Jacquin.					
27	striátula. H.P. stripe-sheathed.	————	1820. D.G. h.	
28	ciliàris. H.P. (sc.gr.)	fringe-leaved.	————	— D.G. h.	
29	ténuior. H.P. (ye.)	green-sheathed.	————	1819. D.G. h.	
30	alboíncta. H.s.s. (sc.g.)	pearl edged.	————	1812. D.G. h.	
31	serrulàta. H.s. (pi.)	serrulated.	————	1789.	7. 8. D.G. h.	Bot. mag. t. 1415.
32	obscura. H.s. (sc.or.)	great soap.	————	1727.	6. 10. D.G. h.	———— t. 1323.
	pícta. α. B.M.					
	β glaucior. H.R. (sc.or.)	glaucous-leaved.	————	1819.	— D.G. h.	
	γ mágnidens. H.R. (sc.or.)	large-toothed.	————	— D.G. h.	
33	palléscens. H.R. (pi.gr.)	pale serrulate.	————	1820.	— D.G. h.	
34	latifòlia. H.s. (sc.or.)	broad-leaved.	————	1795.	7. 8. D.G. h.	Bot. mag. t. 1346.
35	grandidentàta. R.s. (sc.g.)	great-toothed.	————	— D.G. h.	
36	saponària. H.s. (sc.or.)	common soap.	————	1727.	— D.G. h.	Bot. mag. t. 1460.
	β lúteo-striàta. H.R. (sc.)	yellow-striped.	————	1821.	— D.G. h.	
37	microcántha. H.s.s. (re.)	small-spined.	————	1819.	— D.G. h.	Bot. mag. t. 2272.
38	virens. H.s. (sc.)	apple green.	————	1790.	8. 9. D.G. 4.	———— t. 1355.
39	suberécta. H.s. (sc.ye.)	lesser hedgehog.	————	1789.	3. 6. D.G. 4.	
	β semiguttàta. H.R. (sc.g.)	half-warted.	————	1819.	— D.G. 4.	
40	acuminàta. H.s. (sc.ye.)	middle hedgehog.	————	1795.	— D.G. 4.	Bot. mag. t. 757.
	hùmilis. B.M. non H.S.					
41	echinàta. H.R. (sc.gr.)	great tubercled.	————	1821.	3. 6. D.G. 4.	
42	tuberculàta. H.s. (sc.g.)	tubercled.	————	1796.	— D.G. 4.	
43	aristata. H.P. (sc.gr.)	bearded many-leaved.	—	1819.	— D.G. 4.	
44	subtuberculàta. H.P. (sc.)	rough & smooth.	————	—	— D.G. 4.	
45	hùmilis. H.s. (sc.gr.)	dwarf hedgehog.	————	1731.	— D.G. 4.	DC. plant. gras. t. 34.
46	incúrva. H.s. (sc.gr.)	incurved hedgehog.	————	1796.	— D.G. 4.	Bot. mag. t. 828.
	hùmilis β incúrva. B.M.					
47	tenuifòlia. H.R. (sc.gr.)	thin-leaved.	————	1821.	— D.G. 4.	
48	variegàta. H.s. (sc.gr.)	partridge-breast.	————	1720.	3. 12. D.G. 4.	Bot. mag. t. 513.

RHIPIDODE'NDRON.W. RHIPIDODE'NDRON.	Hexandria Monogynia.			
1 plicátile. H.R. (<i>re.gr.</i>) fan. <i>distichum</i> . W. <i>A'loe plicátilis</i> . B.M. <i>β major</i> . H.R. (<i>re.</i>) larger fan.	Africa.	1723.	6. 7. D.G. ½.	Bot. mag. t. 457.
2 dichótomum. W. (<i>re.gr.</i>) dichotomous.	C. B. S.	1780.	— D.G. ½.	Patt. journ. t. 3. 4. 5.
GASTERIA. H.S. TONGUE-ALOE. Hexandria Monogynia. H.S.				
1 obliqua. H.S. (<i>ro.w.g.</i>) broad-marbled. <i>maculàta</i> . H.P. <i>A'loe lingua. a.</i> B.M.	C. B. S.	1759.	6. 8. D.G. ½.	Bot. mag. t. 979.
2 pulchra. H.S. (<i>ro.gr.</i>) narrow-marbled. <i>A'loe maculàta</i> . B.M.	—	1759.	7. 8. D.G. ½.	Bot. mag. t. 765.
3 picta. H.P. (<i>ro.gr.</i>) painted. <i>A'loe Bowiedna</i> . R.S.	—	1824.	— D.G. ¼.	
4 formòsa. H.P. (<i>sc.gr.</i>) beautiful.	—	1826.	— D.G. ¼.	
5 fasciàta. H.P. (<i>ro.gr.</i>) marbled. <i>β laxa</i> . H.P. (<i>ro.gr.</i>) loose-leaved.	—	1820.	— D.G. ¼.	
6 retàta. H.P. (<i>ro.gr.</i>) chequered. <i>A'loe dict'yodes</i> . R.S.	—	1826.	— D.G. ¼.	
7 nigricans. H.S. (<i>re.gr.</i>) dark-leaved.	—	1790.	6. 7. D.G. ¼.	Bot. mag. t. 838.
8 marmoràta. H.P. (<i>re.g.</i>) marble-leaved.	—	—	— D.G. ¼.	
9 crassifòlia. H.P. (<i>re.gr.</i>) thick-leaved.	—	1820.	— D.G. ¼.	
10 brevifòlia. H.S. (<i>re.gr.</i>) short-leaved. <i>a latevirens</i> . H.P. (<i>re.gr.</i>) pale-green. <i>β perviridis</i> . H.P. (<i>re.gr.</i>) darker-green.	—	1809.	7. 8. D.G. ¼.	
11 obtusifòlia. H.R. (<i>re.g.</i>) blunt-leaved.	—	—	— D.G. ¼.	
12 móllis. H.R. (<i>re.gr.</i>) soft muddy-leaved.	—	1819.	— D.G. ¼.	
13 subnigricans. H.P. (<i>re.g.</i>) dark-leaved. <i>β glábrior</i> . H.P. (<i>re.gr.</i>) smoother.	—	1820.	— D.G. ¼.	
14 disticha. H.P. (<i>re.gr.</i>) distichous. <i>a minor</i> . H.P. (<i>re.gr.</i>) lesser. <i>β major</i> . H.P. (<i>re.gr.</i>) larger.	—	1819.	— D.G. ¼.	Comm. hort. ams. 2. t. 8.
15 conspurcàta. H.R. (<i>re.g.</i>) dirtied.	—	1796.	3. 11. D.G. ¼.	
16 angulàta. H.P. (<i>re.gr.</i>) angular.	—	—	— D.G. ¼.	Bot. mag. t. 1322. f. 3.
17 sulcàta. H.P. (<i>re.w.g.</i>) furrowed.	—	1791.	— D.G. ¼.	— t. 1322. f. 5.
18 excavàta. H.P. (<i>re.gr.</i>) excavated.	—	1824.	— D.G. ¼.	— t. 1322. f. 4.
19 angustifòlia. H.S. (<i>re.g.</i>) narrow.	—	1731.	— D.G. ¼.	— t. 1322. f. 2.
20 lævis. H.P. (<i>re.gr.</i>) smooth.	—	1820.	— D.G. ¼.	
21 subverrucòsa. H.P. (<i>re.g.</i>) large-warted. <i>a grandipunctàta</i> . H.R. large-dotted. <i>β parripunctàta</i> . H.B. small-dotted.	—	—	— D.G. ¼.	
22 verrucòsa. H.S. (<i>re.g.</i>) pearl. <i>β latifòlia</i> . H.R. (<i>re.g.</i>) broad-leaved.	—	1731.	3. 11. D.G. ¼.	Bot. mag. t. 837.
23 intermèdia. H.S. (<i>re.g.</i>) intermediate. <i>β aspèrrima</i> . H.R. (<i>re.g.</i>) rough-leaved. <i>γ lævior</i> . H.P. (<i>re.gr.</i>) smoother. <i>δ longior</i> . H.P. (<i>re.gr.</i>) longer-leaved.	—	1820.	— D.G. ¼.	Bot. mag. t. 1322. f. 1.
24 répens. H.R. (<i>re.gr.</i>) creeping-rooted.	—	—	— D.G. ¼.	
25 parva. H.P. (<i>re.gr.</i>) smallest.	—	1824.	— D.G. ¼.	
26 decipiens. H.P. (<i>re.gr.</i>) deceiving.	—	1823.	7. 10. D.G. ¼.	
27 carinàta. H.S. (<i>sc.gr.</i>) rough-keeled.	—	1731.	6. 7. D.G. ¼.	Bot. mag. t. 1331.
28 strigàta. H.P. (<i>re.gr.</i>) rough strigate.	—	1824.	7. 10. D.G. ¼.	
29 lætipunctàta. H.P. (<i>re.gr.</i>) pale-spotted.	—	1821.	— D.G. ¼.	
30 subcarinàta. H.S.S. (<i>re.</i>) slightly-keeled. <i>β striàta</i> . H.R. (<i>re.gr.</i>) striated.	—	1820.	6. 7. D.G. ¼.	
31 undàta. H.P. (<i>re.gr.</i>) waved.	—	—	— D.G. ¼.	
32 glábra H.S. (<i>re.gr.</i>) smooth-keeled. <i>β minor</i> . H.R. (<i>re.gr.</i>) smaller.	—	1825.	— D.G. ¼.	
33 nítida. B.M. (<i>sc.gr.</i>) shining. <i>a parripunctàta</i> . H.R. small dotted. <i>β grandipunctàta</i> . H.R. large-dotted.	—	1796.	6. 7. D.G. ¼.	
34 trigòna. H.R. (<i>li.gr.</i>) trigonal.	—	1820.	— D.G. ¼.	
35 obtùsa. H.P. (<i>re.gr.</i>) smooth obtuse.	—	—	— D.G. ¼.	
36 acinacifòlia. H.R. (<i>ro.g.</i>) long sword-leaved.	—	1818.	— D.G. ¼.	Bot. mag. t. 2369
37 nitens. H.P. (<i>re.gr.</i>) sparse-spotted.	—	1819.	— D.G. ¼.	
38 venústa. H.P. (<i>re.gr.</i>) charming.	—	1822.	— D.G. ¼.	
39 pluripunctàta. H.P. (<i>re.gr.</i>) many-spotted.	—	—	— D.G. ¼.	
40 ensifòlia. H.P. (<i>re.gr.</i>) long sword-leaved.	—	1820. D.G. ¼.	
41 cándicans. H.R. (<i>re.</i>) rough marbled white.	—	1818.	7. 8. D.G. ¼.	
42 línita. H.P. (<i>re.</i>) smeared.	—	1822.	— D.G. ¼.	
43 bicolor. H.P. (<i>re.</i>) half-marbled.	—	—	— D.G. ¼.	

47	setàta. H.S.S. (<i>wh.re.</i>) bristle-edged.	C. B. S.	1818.	5. 8.	D.G. 4.	
	β nigricans. H.R. (<i>wh.re.</i>) blackish.	————	————	————	D.G. 4.	
	γ mèdia. H.R. (<i>wh.re.</i>) middle.	————	————	————	D.G. 4.	
	δ màjor. H.R. (<i>wh.re.</i>) larger.	————	————	————	D.G. 4.	
48	pàllida. H.R. (<i>wh.re.</i>) pale green.	————	————	————	D.G. 4.	
49	atrovirens. H.R. (<i>wh.bh.</i>) dark green.	————	1752.	5.	D.G. 4.	Bot. mag. t. 1361.
	<i>A'loe atrovirens. DC. arachnoïdes pùmila. B.M.</i>					
50	chlorocántha. H.R. (<i>w.re.</i>) green-toothed.	————	1820.	5. 8.	D.G. 4.	
51	angustifòlia. H.P. (<i>w.re.</i>) slender-leaved.	————	————	6. 7.	D.G. 4.	
52	reticulàta. H.S. (<i>wh.</i>) netted.	————	1794.	5. 8.	D.G. 4.	Bot. mag. t. 1314.
	<i>A'loe arachnoïdes γ reticulàta. B.M.</i>					
53	cymbifòrmis. H.S. (<i>w.pu.</i>) boat-leaved.	————	1795.	6. 8.	D.G. 4.	Bot. mag. t. 802.
	<i>concàra. H.R.</i>					
54	altilinea. H.P. (<i>wh.re.</i>) ridge-lined.	————	1821.	————	D.G. 4.	
55	obtùsa. H.P. (<i>wh.re.</i>) small blunt-leaved.	————	————	————	D.G. 4.	
56	planifòlia. H.P. (<i>wh.re.</i>) flat oval-leaved.	————	————	————	D.G. 4.	
57	mucronàta. H.R. (<i>w.pu.</i>) membrane-pointed.	C. B. S.	1818.	————	D.G. 4.	
58	limpida. H.R. (<i>w.pu.</i>) limpid.	————	————	————	D.G. 4.	
59	aristàta. H.B. (<i>w.pu.</i>) pin-pointed.	————	————	————	D.G. 4.	
60	cuspidàta. H.R. (<i>w.pu.</i>) sharp-pointed.	————	————	————	D.G. 4.	
61	denticulàta. H.R. (<i>w.re.</i>) pale pin-pointed.	————	————	————	D.G. 4.	
A'PICRA. H.S.S.		A'PICRA. Hexandria Monogynia. H.S.S.				
1	spiràlis. H.S.S. (<i>wh.g.</i>) great spiral.	C. B. S.	1790.	8. 9.	D.G. 4.	
2	spirèlla. H.S.S. (<i>wh.g.</i>) small spiral.	————	1808.	————	D.G. 4.	
3	bullulàta. H.S.S. (<i>st.gr.</i>) blistered.	————	1818.	————	D.G. 4.	Jacq. frag. t. 109.
4	pentagòna. H.S.S. (<i>wh.</i>) five sided.	————	1731.	6. 8.	D.G. 4.	Bot. mag. t. 1338.
5	quinquangulàris. R.S. (<i>w.st.</i>) five-angled.	————	————	D.G. 4.	
6	rigida. w. (<i>wh.re.</i>) gunpowdered.	————	1818.	————	D.G. 4.	Jacq. frag. t. 108.
	<i>pseùdo-rígida. H.S.S.</i>					
7	àspera. H.S.S. (<i>wh.st.</i>) rough triangled.	————	————	————	D.G. 4.	
	α minor. H.S.S. (<i>wh.st.</i>) lesser.	————	————	————	D.G. 4.	
	β màjor. H.S.S. (<i>wh.st.</i>) larger.	————	1795.	————	D.G. 4.	
8	bicarinàta. H.S.S. (<i>w.st.</i>) double-keeled.	————	1819.	————	D.G. 4.	
9	nigra. H.P. (<i>wh.</i>) rough black.	————	1820.	5. 8.	D.G. 4.	
10	imbricàta. H.R. (<i>st.</i>) rough-flowered.	————	1731.	6. 7.	D.G. 4.	Bot. mag. t. 1455.
	<i>A'loe spiràlis. B.M. non H.S.</i>					
11	foliolòsa. H.P. (<i>wh.</i>) many small-leaved.	————	1795.	6. 8.	D.S. 4.	Bot. mag. t. 1352.

ORDO CCXI.

DIOSCOREÆ. *Brown prodr. 1. p. 294.*

RAJANIA. W.		RAJ'ANIA. Diœcia Hexandria. L.				
1	hastàta. w.	(<i>gr.</i>) halberd-leaved.	W. Indies.	1822.	7. 8.	S. 4. ∪. Plum. amer. 84. t. 98.
2	cordàta. w.	(<i>gr.</i>) heart-leaved.	————	1786.	————	S. 4. ∪. Plum. ic. 155. f. 1.
3	quinquefòlia. w.	(<i>gr.</i>) five-leaved.	————	1820.	————	S. 4. ∪. ———— 155. f. 2.
DIOSCOREA. W.		YAM. Diœcia Hexandria. L.				
1	pentaphy'lla. w.	(<i>gr.</i>) five-leaved.	E. Indies.	1768.	S. 4. ∪. Rheed. mal. 7. t. 35.
2	triphy'lla. w.	(<i>gr.</i>) three-leaved.	————	1818.	S. 4. ∪. Jacq. ic. t. 627.
3	quinquelòba. w.	(<i>gr.</i>) five-lobed.	Japan.	1822.	7. 9.	G. 4. ∪. Kœmpf. ic. t. 15.
4	brasiliénsis. w.	(<i>gr.</i>) Brazilian.	Brazil.	1818.	————	S. 4. ∪.
5	heterophy'lla. H.B.	(<i>gr.</i>) various-leaved.	E. Indies.	————	S. 4. ∪.
6	aculeàta. w.	(<i>gr.</i>) prickly-stemmed.	————	1803.	7. 9.	S. 4. ∪. Rheed. mal. 7. t. 37.
7	rubèlla. H.B.	(<i>re.g.</i>) reddish.	————	————	————	S. 4. ∪.
8	purpùrea. H.B.	(<i>pu.g.</i>) purple.	————	1816.	————	S. 4. ∪.
9	angustifòlia. s.s.	(<i>gr.</i>) narrow-leaved.	Peru.	1821.	————	S. 4. ∪.
10	nummulària. w.	(<i>gr.</i>) Money-wort.	E. Indies.	1820.	S. 4. ∪. Rumph. amb. 5. t. 162.
11	alàta. w.	(<i>gr.</i>) wing-stalked.	————	1739.	S. 4. ∪. Rheed. mal. 7. t. 38.
12	bulbífèra. w.	(<i>gr.</i>) bulb-bearing.	————	1692.	7. 9.	S. 4. ∪. Sal. par. lond. t. 17.
13	crispàta. H.B.	(<i>gr.</i>) curl-stalked.	————	1818.	————	S. 4. ∪.
14	altíssima. s.s.	(<i>gr.</i>) tallest.	Martinica.	1821.	————	S. 4. ∪. Plum. ic. 117. f. 2.
15	coriàcea. s.s.	(<i>gr.</i>) leathery.	S. America.	1818.	————	S. 4. ∪.
16	anguina. H.B.	(<i>gr.</i>) snake.	E. Indies.	1803.	————	S. 4. ∪.
17	pulchèlla. H.B.	(<i>gr.</i>) pretty.	————	1819.	S. 4. ∪.

18 atropurpùrea. H.B. (pu.g.) dark purple.	C. B. S.	1820.	S. 4. ∩.
19 globòsa. H.B. (gr.) globular.	————	1818.	S. 4. ∩.
20 fasciculàta. H.B. (gr.) bundled.	————	1817.	S. 4. ∩.
21 glábra. H.B. (gr.) smooth.	————	1803.	7. 9.	S. 4. ∩.
22 satìva. w. (gr.) common.	W. Indies.	1733.	—	S. 4. ∩. Rheed. mal. 8. t. 51.
23 piperifòlia. w. (gr.) Pepper-leaved.	S. America.	1817.	S. 4. ∩. Plum. ic. 117. f. 1.
24 nepalénsis. (gr.) Nepaul.	Nepaul.	1816.	7. 8.	H. 4. ∩.
25 cinnamomifòlia. B.M. (g.) Cinnamon-leav'd.	Brazil.	1826.	11. 12.	S. 4. ∩. Bot. mag. t. 2825.
26 quaternàta. Ph. (re.g.) four-leaved.	N. America.	1811.	7.	H. 4. ∩.
27 villòsa. Ph. (re.g.) pubescent.	————	1752.	8.	H. 4. ∩. Jacq. ic. 3. t. 626.
28 oppositifòlia. L. (gr.) opposite-leav'd.	E. Indies.	1803.	S. 4. ∩. Petiv. gaz. t. 31. f. 6.
TESTUDIN'ARIA. B.T. TESTUDIN'ARIA. Dicoecia Hexandria.				
1 Elephántipes. B.R. (gr.) Elephant's-foot.	C. B. S.	1774.	7. 8.	G. 4. ∩. Bot. reg. t. 92.
<i>Tamus Elephántipes.</i> Bot. mag. t. 1347.				
2 montàna. B.T. (gr.) glaucous-leaved.	————	1816.	—	G. 4. ∩.

ORDO CCXII.

TAMEÆ. *Brown prodr. 294 in obs.*

TAMUS. L.		BLACK BRYONY. Dicoecia Hexandria. L.		
1 commùnis. w. (gr.) common.	England.	5. 8.	H. 4. ∩. Eng. bot. t. 91.
2 crética. w. (gr.) Cretan.	Candia.	1739.	7. 8.	H. 4. ∩.

ORDO CCXIII.

SMILACEÆ. *Brown prodr. 292.*

SMILAX. L.		SMILAX. Dicoecia Hexandria. L.		
1 áspera. s.s. (w.gr.) rough bindweed.	S. Europe.	1648.	9.	H. 2. ∩. Schk. handb. 3. t. 328.
β auriculàta. (w.gr.) ear-leaved.	————	————	—	H. 2. ∩. Pluk. alm. t. 110. f. 3.
2 nìgra. s.s. (w.gr.) black.	————	1817.	—	H. 2. ∩.
3 catalònica. s.s. (w.gr.) Catalanian.	————	————	—	H. 2. ∩.
4 mauritànica. s.s. (w.gr.) red-berried.	————	1820.	8. 10.	F. 2. ∩.
5 excélsa. s.s. (w.gr.) tall.	Syria.	1739.	8. 9.	F. 2. ∩. Buxb. cent. 1. t. 32.
6 hórrida. s.s. (w.gr.) straight-spined.	N. America.	1820.	—	H. 2. ∩.
7 zeylánica. s.s. (w.gr.) Ceylon.	E. Indies.	1778.	—	S. 2. ∩. Rumph. amb. 5. t. 161.
8 quadrangulàris. s.s. (w.g.) square-stalked.	N. America.	1812.	6. 8.	H. 2. ∩. Wats. dend. brit. t. 100.
9 longifòlia. s.s. (w.gr.) long-leaved.	Cayenne.	1823.	S. 2. ∩.
10 Watsoni. (w.gr.) Watson's.	N. America.	1811.	7. 8.	H. 2. ∩. Wats. dend. brit. t. 113.
<i>longifolia.</i> W.D. non Rich.				
11 Sarsaparílla. s.s. (w.gr.) medicinal.	————	1664.	—	H. 2. ∩. Wats. dend. brit. t. 111.
12 brasiliénsis. s.s. (w.gr.) Brazilian.	Brazil.	1820.	—	S. 2. ∩.
13 hastàta. s.s. (w.gr.) halberd-leaved.	Carolina.	1822.	—	F. 2. ∩. Pluk. alm. t. 111. f. 3.
14 Chìna. s.s. (w.gr.) Chinese.	China.	1759.	G. 2. ∩. Kæmpf. amcen. t. 752.
15 acuminàta. s.s. (w.gr.) sharp-pointed.	W. Indies.	1822.	6. 7.	S. 2. ∩. Plum. ic. 83.
16 glàuca. B.M. (wh.) glaucous-leaved.	N. America.	1811.	5. 7.	H. 2. ∩. Bot. mag. t. 1846.
17 austràlis. B.P. (w.gr.) oblong-leaved.	N. S. W.	1815.	G. 2. ∩.
18 rotundifòlia. s.s. (w.g.) round-leaved.	N. America.	1760.	7. 8.	H. 2. ∩.
19 laurifòlia. s.s. (w.gr.) Laurel-leaved.	————	1739.	—	H. 2. ∩. Catesb. car. 1. t. 15.
20 tamnoídes. s.s. (w.gr.) Tamus-leaved.	————	————	6. 7.	H. 2. ∩. ————— 1. t. 52.
21 cadùca. s.s. (w.gr.) deciduous.	————	1759.	—	H. 2. ∩.
22 havanénsis. s.s. (w.gr.) Havannah.	S. America.	1823.	S. 2. ∩. Jacq. amer. t. 179. f. 102.
23 ovalifòlia. D.P. (w.gr.) oval-leaved.	Nepaul.	1822.	H. 2. ∩.
24 Bòna-nóx. s.s. (w.gr.) fringed.	N. America.	1739.	6. 7.	H. 2. ∩. Pluk. alm. t. 111. f. 1.
25 maculàta. D.P. (w.gr.) spotted.	Nepaul.	1819.	H. 2. ∩.
26 prolífera. H.B. (w.gr.) proliferous.	E. Indies.	—	S. 2. ∩.
27 glábra. H.B. (w.gr.) smooth.	————	1820.	S. 2. ∩.
28 Alpini. s.s. (w.gr.) Grecian.	Greece.	—	6. 8.	F. 2. ∩.
29 latifòlia. B.P. (w.gr.) broad-leaved.	N. Holland.	1791.	F. 2. ∩.
30 lanceolàta. Ph. (w.gr.) spear-leaved.	N. America.	1785.	5. 6.	H. 2. ∩. Catesb. car. 2. t. 81.

- 31 herbacea. s.s. (*gr.*) herbaceous. N. America. 1669. 7. H. 4. Bot. mag. t. 1920.
- 32 pedunculâris. s.s. (*gr.*) long-peduncled. ———— 1812. 5. 7. H. 4.
- 33 globifer. s.s. (*w.gr.*) Surinam. Surinam. 1819. S. h.
- 34 macrophylla. s.s. (*w.g.*) large-leaved. W. Indies. 1822. S. h.
- 35 Pseudo-china. s.s. (*w.g.*) Bastard China. S. America. 1739. 5. 6. S. h. Sloan. jam. l. t. 143. f. 1.
- 36 glycyphylla. B.P. (*w.g.*) Botany-bay Tea. N. S. W. 1815. ———— S. h.
- 37 canariensis. s.s. (*w.gr.*) Canary. Canaries. 1816. ———— F. h.
- 38 pubera. s.s. (*w.gr.*) downy. N. America. 1806. ———— H. h.
- 39 rubens. w.D. (*pi.*) pink-flowered. ———— 1811. 7. 8. H. h. Wats. dend. brit. t. 108.
- RIPOG'ONUM. B.P. RIPOG'ONUM. Hexandria Monogynia.**
- album. B.P. (*wh.*) white-flowered. N. S. W. 1820. 4. 6. G. h.
- RUSCUS. L. BUTCHER'S-BROOM. Diœcia Monadelphia. L.**
- 1 aculeatus. w. (*w.gr.*) prickly. England. 12. 6. H. h. Eng. bot. v. 8. t. 560.
- 2 laxus. L.T. (*w.gr.*) loose. Europe. 1. 6. H. h.
- 3 Hypophyllum. w. (*g.y.*) thick-leaved. Italy. 1640. 5. 6. H. h. Bot. mag. t. 2049.
- 3 latifolius. w. (*g.y.*) broad-leaved. S. Europe. ———— H. h. Dill. elt. t. 251. f. 303.
- 4 Hypoglôssum. w. (*g.y.*) double-leaved. Italy. 1596. 4. 5. H. h. Schk. handb. 3. t. 340.
- 5 androgynus. w. (*g.y.*) climbing. Canaries. 1713. ———— G. h. Bot. mag. t. 1898.
- 6 reticulatus. w. (*g.y.*) netted-leaved. C. B. S. 1816. ———— G. h.
- 7 volubilis. w. (*g.y.*) many-nerved. ———— ———— G. h.
- 8 racemosus. w. (*g.wh.*) Alexandrian Laurel. Portugal. 1713. 6. H. h. Wats. dend. brit. t. 145.
- POLYGON'ATUM. D. SOLOMON'S-SEAL. Hexandria Monogynia.**
- 1 verticillatum. R.L. (*w.g.*) whorl-leaved. Scotland. 6. 7. H. 4. Redout. liliac. t. 244.
- Convallaria verticillata. Eng. bot. v. 2. t. 128.
- 2 bracteatum. Th. (*wh.g.*) bracted. Switzerland. 1827. ———— H. 4.
- 3 leptophyllum. D.P. slender-leaved. Nepaul. 1816. 6. 7. H. 4.
- 4 oppositifolium. D.P. opposite-leaved. ———— ———— H. 4. Lodd. bot. cab. t. 640.
- Convallaria oppositifolia. B.C.
- 5 vulgare. R.L. (*w.gr.*) common. England. 5. 6. H. 4. Redout. liliac. t. 258.
- Convallaria Polygonatum. Eng. bot. v. 4. t. 280.
- 6 pubescens. Ph. (*w.g.*) pubescent. N. America. 1812. ———— H. 4. Willd. hort. ber. t. 45.
- 7 canaliculatum. Ph. (*w.g.*) channel-leaved. ———— ———— 6. H. 4.
- 8 angustifolium. Ph. (*st.g.*) narrow-leaved. ———— 1824. 5. 6. H. 4.
- 9 multiflorum. R.L. (*w.g.*) many-flowered. Britain. ———— H. 4. Eng. bot. v. 4. t. 279.
- 10 latifolium. R.L. (*st.*) broad-leaved. Europe. 1802. ———— H. 4. Redout. liliac. t. 243.
- 11 macrophyllum. (*w.g.*) large-leaved. N. America. 1823. ———— H. 4.
- latifolium. Ph. nec aliorum.
- 12 polyanthemum. M.B. (*w.*) many-flowered. Caucasus. ———— ———— H. 4.
- SMILAC'INA. Df. SMILAC'INA. Hexandria Monogynia. Ph.**
- 1 racemosa. Df. (*wh.*) cluster-flowered. N. America. 1640. 5. 6. H. 4. Redout. liliac. t. 230.
- Convallaria racemosa. Bot. mag. t. 899.
- 2 stellata. Df. (*wh.*) star-flowered. ———— 1633. ———— H. 4. Bot. mag. t. 185.
- 3 trifolia. Df. (*wh.*) three-leaved. ———— 1812. 6. 7. H. 4. Gmel. sib. 1. t. 6.
- 4 canadensis. Ph. (*wh.*) Canadian. ———— ———— H. 4. Redout. lil. t. 216. f. 1.
- 5 bifolia. Df. (*wh.*) least. N. Europe. 1596. 5. 6. H. 4. Bot. mag. t. 510.
- Convallaria bifolia. B.M. Majanthemum bifolium. Redout. liliac. t. 216. f. 2.
- 6 borealis. B.M. (*g.ye.*) oval-leaved. N. America. 1778. 5. 6. H. 4. Bot. mag. t. 1403.
- 7 umbellata. Df. (*wh.*) umbel-flowered. ———— ———— H. 4. ———— t. 1155.
- OPHIOP'OGON. B.M. SNAKE'S-BEARD. Hexandria Monogynia. B.M.**
- 1 japonicus. B.M. (*wh.*) Japan. Japan. 1784. 6. F. 4. Bot. mag. t. 1063.
- 2 spicatus. B.R. (*bl.*) spiked. China. 1821. 8. 10. F. h. Bot. reg. t. 593.
- 3 intermedius. D.P. (*wh.*) intermediate. Nepaul. 1824. ———— F. 4.
- CONVALL'ARIA. D. LILY OF THE VALLEY. Hexandria Monogynia. L.**
- majalis. E.B. (*wh.*) common. Britain. 5. 6. H. 4. Eng. bot. v. 15. t. 1035.
- a alba. (*wh.*) white-flowered. ———— ———— H. 4.
- β rosea. (*ro.*) rose-coloured. ———— ———— H. 4.
- γ plena. (*wh.*) double-flowered. ———— ———— H. 4.
- STRE'PTOPUS. M. STRE'PTOPUS. Hexandria Monogynia. Ph.**
- 1 amplexifolius. R.L. (*g.y.*) heart-leaved. Europe. 1752. 5. H. 4. W. et K. hung. t. 167.
- 2 distortus. M. (*g.y.*) distorted. N. America. ———— ———— H. 4.
- 3 roseus. M. (*ro.*) rose-coloured. ———— 1806. 6. 7. H. 4. Bot. mag. t. 1489.
- Utularia rosea. B.M.
- 4 lanuginosus. M. (*g.y.*) woolly. ———— 1812. ———— H. 4. Bot. mag. t. 1490.
- 5 simplex. D.P. (*br.gr.*) simple-stalked. Nepaul. 1822. ———— H. 4.
- MED'EOLA. S.S. INDIAN CUCUMBER. Hexandria Trigynia. L.**
- virginica. s.s. (*gr.*) Virginian. Virginia. 1759. 6. H. 4. Bot. mag. t. 1316.
- Gyromia virginica. N.
- TRILLIUM. L. TRILLIUM. Hexandria Trigynia. L.**
- 1 sessile. s.s. (*da.pu.*) sessile-flowered. N. America. 1759. 4. 5. H. 4. Bot. mag. t. 40.

2	petiolatum. s.s. (d.pu.)	Plantain-leaved. N.America.	1811.	4. 5.	H. 4.	
3	erythrocarpum. M. (w.re.)	Painted-flowered. — — —	— — —	5. 6.	H. 4.	Swt. br. fl. gar. t. 212
	<i>pictum</i> . Ph.					
4	undulatum. s.s. (wh.)	wave-flowered. — — —	— — —	— — —	H. 4.	
5	pusillum. s.s. (pu.)	dwarf. Carolina.	1812.	— — —	F. 4.	
6	ovatum. s.s. (pa.pu.)	purple-flowered. N. America.	— — —	— — —	F. 4.	
7	cernuum. s.s. (wh.)	drooping-flowered. — — —	1758.	4. 5.	H. 4.	Bot. mag. t. 954.
8	erectum. w. (d.pu.)	stinking. — — —	1759.	— — —	H. 4.	— — — t. 470.
9	pendulum. s.s. (wh.)	white-flowered. — — —	1805.	— — —	H. 4.	W. hort. ber. l. t. 35
	<i>erectum</i> . β . Bot. mag. t. 1027.					
10	obovatum. s.s. (d.ro.)	obovate-petaled. — — —	1824.	— — —	H. 4.	
11	grandiflorum. s.s. (wh.)	large-flowered. — — —	1799.	4. 6.	H. 4.	Sal. par. lond. t. 1.
	<i>erythrocarpum</i> . B.M. non M.					
12	stylisum. N. (ro.)	long-styled. Carolina.	1823.	— — —	F. 4.	
PARIS. L.		HERB-PARIS. Octandria Tetragynia. L.				
1	quadrifolia. E.B. (gr.)	True-love or 1-berry. England.	— — —	5. 6.	H. 4.	Eng. bot. v. 1. t. 7.
2	verticillata. M.B. (gr.)	whorl-leaved. Siberia.	1825.	— — —	H. 4.	
3	polyphylla. D.P. (gr.)	many-leaved. Nepaul.	1816.	— — —	H. 4.	

ORDO CCXIV.

ASPHODELEÆ. *Brown prodr. l. p. 274.*

ASPHODELUS. L.		ASPHODEL.	Hexandria Monogynia. L.			
1	clavatus. H.B. (wh.)	club-seeded. E. Indies.	1808.	7. 10.	S. \odot .	
2	fistulosus. s.s. (wh.)	Onion-leaved. S. Europe.	1596.	6. 9.	H. 4.	Bot. mag. t. 984.
3	intermedius. L.en. (wh.)	intermediate. Canaries.	1824.	— — —	F. 4.	
4	albus. s.s. (wh.)	upright. S. Europe.	5. 7.	H. 4.	Blackw. t. 238.
5	æstivus. s.s. (wh.)	summer. Portugal.	1819.	— — —	H. 4.	
6	asiaticus. R.s. (wh.)	Asiatic. Levant.	— — —	H. 4.	
7	ramosus. s.s. (wh.)	branched. S. Europe.	1551.	— — —	H. 4.	Bot. mag. t. 790.
8	prolifer. M.B. (wh.)	proliferous. Armenia.	1824.	6. 10.	H. \odot .	Hoff.com. m. l. p. 1. t. 4.
9	tenuior. s.s. (ye.gr.)	slender-leaved. Caucasus.	1823.	7.	H. 4.	Bot. mag. t. 2626.
10	creticus. s.s. (ye.gr.)	Cretan. Candia.	1821.	6. 7.	H. 4.	Lodd. bot. cab. t. 913.
11	liburnicus. R.s. (ye.gr.)	oriental. Levant.	— — —	— — —	H. 4.	Jacq. f. eclog. t. 77.
12	tauricus. s.s. (ye.gr.)	Taurian. Tauria.	1812.	5. 7.	H. 4.	Redout. lil. t. 470.
13	capillaris. R.s. (ye.gr.)	awl-leaved. — — —	— — —	— — —	H. 4.	— — — t. 380.
14	luteus. s.s. (ye.)	common yellow. Sicily.	1596.	5. 6.	H. 4.	Bot. mag. t. 773.
EREMURUS. S.S.		EREMURUS. Hexandria Monogynia. S.S.				
	spectabilis. s.s. (ye.)	channel-leaved. Caucasus.	1800.	5. 6.	H. 4.	Swt. br. fl. gar. t. 188
	<i>Asphodelus altaicus</i> . w.					
CZACKIA. S.S.		ST. BRUNO'S LILY. Hexandria Monogynia. S.S.				
	Liliastrum. s.s. (wh.)	Savoy Spiderwort. Switzerland.	1629.	5. 6.	H. 4.	Bot. mag. t. 318.
	<i>Anthëricum Liliastrum</i> . B.M. <i>Hemerocallis Liliastrum</i> . W.en.					
PHALANGIUM. J.		PHALANGIUM. Hexandria Monogynia.				
1	Liliago. B.M. (wh.)	grass-leaved. S. Europe.	1596.	5. 6.	H. 4.	Redout. lil. t. 269.
	<i>a major</i> . B.M. (wh.)	larger. — — —	— — —	— — —	H. 4.	Bot. mag. t. 1635.
	β minor. B.M. (wh.)	lesser — — —	— — —	— — —	H. 4.	— — — t. 914.
2	ramosum. B.M. (wh.)	branching. — — —	1570.	— — —	H. 4.	— — — t. 1055.
	<i>Anthëricum ramosum</i> . w.					
3	græcum. Lam. (wh.)	Grecian. Greece.	1828.	— — —	F. 4.	Flor. græc. t. 336.
4	nepalense. B.R. (wh.)	Nepaul. Nepaul.	1822.	6. 10.	F. 4.	Bot. reg. t. 998.
5	glaucum. P.s. (wh.)	glaucous. S. America.	1816.	— — —	G. 4.	
6	pomeridianum. (wh.)	afternoon-flower'd. — — —	1818.	— — —	G. 4.	Bot. reg. t. 564.
	<i>Anthëricum pomeridianum</i> . B.R. <i>Scilla pomeridiana</i> . DC.					
ANTHERICUM.		ANTHERICUM. Hexandria Monogynia. L.				
1	hirsutum. R.s. (wh.)	hairy-leaved. — — —	1822.	6. 10.	G. 4.	
2	blepharophoron. R.s. (w.pu.)	fringed. — — —	— — —	— — —	G. 4.	
3	bipedunculatum. (wh.)	two-flowered. — — —	1825.	4. 5.	G. 4.	Jacq. ic. 2. t. 410.
4	triflorum. w. (wh.)	three-flowered. — — —	1782.	8. 10.	G. 4.	
5	undulatum. w. (wh.)	wave-leaved. — — —	1825.	4. 6.	G. 4.	
6	pilosum. w. (wh.)	pilose. — — —	— — —	— — —	G. 4.	Jacq. ic. 2. t. 416.
7	longifolium. w. (wh.)	long-leaved. — — —	— — —	— — —	G. 4.	— — — t. 413.
8	graminifolium. w. (wh.)	grass-leaved. — — —	1794.	6. 7.	G. 4.	— — — t. 411.
9	vespertinum. w. (w.re.)	afternoon-flower'd. — — —	1803.	5. 9.	G. 4.	Bot. mag. t. 1040.

10	Jacquinianum. R.s.(w.)	Jacquin's.	C. B. S.	1795.	5. 9.	G. 2.	Jacq. ic. 2. t. 412.
11	divaricatum. R.s.(wh.)	divaricate.	————	————	————	G. 2.	Jacq. schœn. 4. t. 414.
12	revolutum. w.	(wh.) curled-flowered.	————	1731.	9. 12.	G. 2.	Bot. mag. t. 1014.
13	floribundum. w.	(st.) thick-spiked.	————	1774.	3. 4.	G. 2.	
14	squammeum. w.	(wh.) scaly.	————	1820.	————	G. 2.	
15	filiforme. w.	(wh.gr.) thread-leaved.	————	1774.	4.	G. 2.	
16	elongatum. R.s.(wh.g.)	long-racemed.	————	1822.	————	G. 2.	
17	flexifolium. w.	(wh.) flexuose-leaved.	————	1795.	5. 6.	G. 2.	
BULBINE. L. BULBINE. Hexandria Monogynia. L.							
1	hispida. L.	(bh.gr.) hairy-leaved.	C. B. S.	1774.	5. 6.	D.G. 2.	Jacq. ic. 2. t. 409.
2	canaliculata. s.s.	(wh.) channel-leaved.	————	————	4. 5.	D.G. 2.	Bot. mag. t. 1121.
3	semibarbata. s.s.	(ye.) half bearded.	N. S. W.	1820.	4. 8.	D.G. 2.	Lodd. bot. cab. t. 320.
	<i>Anthéricum semibarbatum. B.P.</i>						
4	australis. s.s.	(ye.) bulbous.	————	1819.	————	D.G.b.	
	<i>Anthéricum bulbosum. B.P.</i>						
5	annua. s.s.	(ye.) annual.	C. B. S.	1731.	5. 6.	H. ☉.	Bot. mag. t. 1451.
	<i>Anthéricum annuum. B.M.</i>						
6	incurva. R.s.	(ye.) incurved-leaved.	————	1822.	————	D.G. 2.	
7	longiscapa. s.s.	(ye.) glaucous-leaved.	————	1759.	4. 8.	D.G.b.	Bot. mag. t. 1339.
8	favosa. R.s.	(ye.) conical-rooted.	————	1824.	————	D.G. 2.	
9	asphodeloides. s.s.	(ye.) upright-leaved.	————	1759.	6. 8.	D.G. ♂.	Jacq. vind. t. 181.
10	rostrata. s.s.	(ye.) glaucous shrubby.	————	1812.	3. 8.	D.G. ♀.	Jacq. ic. 2. t. 403.
11	frutescens. w.	(ye.) shrubby.	————	1702.	————	D.G. ♀.	Bot. mag. t. 816.
12	pugioniformis. s.s.	(ye.) dagger-leaved.	————	1793.	4. 6.	D.G.b.	———— t. 1454.
13	bisulcata. H.P.	(ye.) two-channelled.	————	1825.	————	D.G.b.	
14	triquetra. s.s.	(wh.) triquetrous.	————	————	————	D.G. 2.	
15	scabra. s.s.	(wh.) rough.	————	————	————	D.G. 2.	
16	dubia. R.s.	(wh.) doubtful.	————	1822.	————	D.G. 2.	
17	ciliata. s.s.	(wh.re.) fringed.	————	————	————	D.G. 2.	
18	cauda-felis. R.s.	(wh.) Cats-tail.	————	1825.	————	D.G. 2.	
19	planifolia. R.s. (ro.w.)	two-coloured.	S. Europe.	1824.	————	H. 2.	Desf. atl. 1. t. 90.
	<i>Phalangium bicolor. Redout. liliac. t. 215.</i>						
20	mesembryanthoides. H.P.	(ye.) Figwort-like.	C. B. S.	1824.	————	D.G. 2.	
21	crispa. R.s.	(ye.) curled-leaved.	————	1825.	————	D.G. 2.	
22	præmorsa. s.s.	(ye.) bitten-rooted.	————	1816.	————	D.G.b.	Jacq. ic. 2. t. 406.
23	graminea. H.R.	(ye.) Grass-leaved.	————	1819.	6. 8.	D.G.b.	
24	alooides. R.s.	(ye.) Aloe-leaved.	————	1732.	4. 8.	D.G.b.	Bot. mag. t. 1317.
	<i>Anthéricum aloides. B.M.</i>						
25	nudans. s.s.	(st.gr.) nodding.	————	1812.	————	D.G. 2.	Jacq. ic. 2. t. 407.
26	latifolia. s.s.	(ye.gr.) broad-leaved.	————	————	————	D.G. 2.	———— 2. t. 408.
ARTHROPODIUM. B.P. ARTHROPODIUM. Hexandria Monogynia. S.S.							
1	cirratum. B.R.	(wh.) large-flowered.	N. Zealand.	1819.	5. 8.	F. 2.	Bot. reg. t. 709.
2	paniculatum. B.P.	(w.pu.) paniced.	N. S. W.	1800.	6. 9.	F. 2.	Bot. mag. t. 1421.
	<i>minus. Bot. reg. 866. non B.P. Anthéricum milleflorum. Redout. liliac. t. 58.</i>						
3	minus. B.P.	(wh.pu.) simple-racemed.	————	1819.	————	F. 2.	
4	pendulum. s.s.	(vi.) pendulous-flower'd.	N. Holland.	1817.	————	F. 2.	
	<i>Anthéricum pendulum. W.en.</i>						
5	strictum. B.P.	(wh.pu.) upright.	V. Diem. Isl.	1826.	————	G. 2.	
6	fimbriatum. B.P.	(wh.) fringe-flowered.	N. S. W.	1825.	————	F. 2.	
STYPA'NDRA. B.P. STYPA'NDRA. Hexandria Monogynia.							
1	glauca. B.P.	(bl.) glaucous.	N. S. W.	1819.	4. 6.	F. 2.	
2	cæspitosa. B.P.	(bl.) turfy.	————	1824.	————	F. 2.	
3	umbellata. B.P.	(bl.) umbel-flowered.	————	1820.	————	F. 2.	
CÆSIA. B.P. CÆSIA. Hexandria Monogynia. S.S.							
	vittata. B.P.	(wh.) nodding-flowered.	N.S.W.	1816.	7. 8.	F. 2.	
TRICO'RYNE. B.P. TRICO'RYNE. Hexandria Monogynia. S.S.							
1	simplex. B.P.	(ye.) simple-stalked.	N. S. W.	1819.	7. 9.	H. ☉.	
2	elätior. B.P.	(ye.) tall.	————	1825.	————	G. 2.	
CHLOROPHYTUM. B.P. CHLOROPHYTUM. Hexandria Monogynia. S.S.							
1	inornatum. B.M.	(gr.) green-flowered.	Sierra Leone.	6. 8.	S. 2.		Bot. mag. t. 1071.
2	orchidastrum. B.R.	(wh.) Orchis-like.	————	1822.	1. 12.	S. 2.	Bot. reg. t. 813.
3	elatum. B.P.	(wh.) tall.	C. B. S.	1751.	8. 9.	G. 2.	Redout. lil. t. 191.
	<i>Anthéricum elatum. H.K. Phalangium elatum. R.L.</i>						
PUSCHK'INIA. M.B. PUSCHK'INIA. Hexandria Monogynia. M.B.							
	scilloides. M.B.	(w.bl.) Squill-like.	Iberia.	1819.	5. 6.	H.b.	Bot. mag. t. 2244.
	<i>Adamsia scilloides. Lindl. coll. bot. t. 21.</i>						
ALBUCA. Ker. ALBUCA. Hexandria Monogynia. L.							
1	altissima. w.	(wh.gr.) tall.	C. B. S.	1780.	4. 5.	F.b.	Jacq. ic. 1. t. 63.
2	cornuta. R.L.	(wh.gr.) three-horned.	————	1812.	————	F.b.	Redout. liliac. t. 70.
3	majör. w.	(ye.gr.wh.) great.	————	1759.	————	F.b.	Bot. mag. t. 804.

4	minor. w.	(ye.gr.) small.	C. B. S.	1768.	5. 6.	F.b.	Bot. mag. t. 720.
5	flaccida. w.	(ye.gr.) flaccid.	————	1791.	————	F.b.	Jacq. ic. 2. t. 411.
6	viridiflora. w.	(ye.gr.) green-flowered.	————	1794.	6. 7.	F.b.	Bot. mag. t. 1656.
7	coarctata. w.	(ye.) channel-leaved.	————	1774.	5. 6.	F.b.	
8	fastigiata. w.	(wh.) level-topped.	————	————	————	F.b.	Andr. reposit. t. 450.
9	caudata. w.	(wh.gr.) upright-flowered.	————	1791.	5. 7.	F.b.	Jacq. ic. 2. t. 442.
10	setosa. w.	(gr.ye.) bristly-rooted.	————	1795.	————	F.b.	Bot. mag. t. 1481.
11	aurea. w.	(ye.gr.) golden-flowered.	————	1825.	————	F.b.	Jacq. ic. 2. t. 411.
12	abyssinica. w.	(w.y.g.) African.	————	————	————	F.b.	Redout. liliac. t. 199.
13	fragrans. w.	(ye.gr.) sweet-scented.	————	1791.	6. 7.	F.b.	Jacq. schœn. 1. t. 81.
14	viscosa. w.	(w.y.g.) clammy-leaved.	————	1779.	5. 6.	F.b.	Jacq. ic. 2. t. 445.
15	spiralis. w.	(st.gr.) spiral-leaved.	————	1795.	6.	F.b.	———— 2. t. 439.
16	vittata. B.M.	(ye.gr.) ribbon.	————	1802.	7. 8.	F.b.	Bot. mag. t. 1329.
17	parviflora. R.S.	(ye.gr.) small-flowered.	————	1812.	————	F.b.	
18	physodes. B.M.	(w.pu.) dingy-flowered.	————	1804.	6. 7.	F.b.	Bot. mag. t. 1046.
19	nematodes.	(w.pu.) slender-leaved.	————	1812.	————	F.b.	
	<i>Anthëricum nematodes.</i> R.S.						
20	exuviata. B.M.	(w.pu.) Adder skin.	————	1795.	5. 7.	F.b.	Bot. mag. t. 871.
	<i>Anthëricum exuviatum.</i> Jacq. ic. 2. t. 415.						
21	anthericoïdes.	(ye.gr.) Anthericum-like.	————	1788.	8.	F.b.	
	<i>Anthëricum albucoides.</i> w.						
22	filifolia. Ker.	(wh.gr.) filiform-leaved.	————	1825.	7. 8.	F.b.	Jacq. ic. 2. t. 411.
23	fugax. B.R.	(wh.pu.) fugacious.	————	1795.	4. 6.	F.b.	Bot. reg. t. 311.
	<i>Anthëricum fragrans.</i> Jacq. schœn. 1. t. 86.						
ORNITHOGALUM. L. STAR OF BETHLEHEM.				Hexandria Monogynia. L.			
1?	uniflorum. w.	(ye.) one-flowered.	Siberia.	1781.	5. 6.	H.b.	Nov. act. pet. 18. t. 6. f. 3.
2	ixioides. H.K.	(wh.) Ixia-like.	California.	1796.	————	H.b.	
3	montanum. T.N.	(w.g.) mountain.	Naples.	1825.	————	H.b.	Swt. br. fl. gar. s. 2. t. 42.
4	collinum. R.S.	(wh.gr.) hill.	Sicily.	1829.	————	H.b.	
5	umbellatum. E.B.	(w.g.) common.	England.	4. 6.	H.b.	Eng. bot. v. 2. t. 130.
6	refractum. W.en.	(w.g.) reflexed.	S. Europe.	1825.	————	H.b.	Swt. br. fl. gar. s. 2. t. 58.
7	tenuifolium. R.S.	(w.g.) slender-leaved.	Sicily.	1830.	————	H.b.	
8	excipum. T.N.	(w.g.) short-stalked.	Naples.	1823.	————	H.b.	Ten. fl. nap. v. 1. t. 34.
9	fimbriatum. M.B.	(w.g.) fringed.	Tauria.	1820.	2. 3.	H.b.	Swt. br. fl. gar. s. 2.
10	comosum. w.	(wh.gr.) short-spiked.	Austria.	1596.	6. 8.	H.b.	Jacq. ic. 2. t. 426.
11	conicum. w.	(wh.) conical.	C. B. S.	1818.	————	F.b.	———— 2. t. 428.
12	niveum. w.	(wh.) snowy.	————	1774.	————	F.b.	Bot. reg. t. 235.
13	ovatum. w.	(wh.gr.) oval-leaved.	————	1816.	4. 8.	F.b.	
14	notatum. R.S.	(ye.br.) brown-marked.	————	1825.	6. 8.	F.b.	Jacq. coll. 2. t. 18. f. 15.
	<i>maculatum.</i> Jacq. non Thunb.						
15	ciliatum. w.	(wh.) ciliated.	————	1818.	4. 6.	F.b.	
16	crenulatum. w.	(st.) crenulate.	————	1825.	6. 8.	F.b.	
17	maculatum. R.S.	(sn.br.) spotted-flowered.	————	————	————	F.b.	
18	secundum. R.S.	(st.br.) one-ranked.	————	1816.	————	F.b.	Jacq. ic. 2. t. 433.
19	graminifolium. R.S.	(w.g.) grass-leaved.	————	————	————	F.b.	
20	tenellum. w.	(st.gr.) slender.	————	1816.	5. 8.	F.b.	Jacq. ic. 2. t. 427.
21	pilosum. w.	(wh.) hairy-leaved.	————	————	————	F.b.	
22	revolutum. w.	(wh.gr.) revolute-flowered.	————	1795.	4. 8.	F.b.	Bot. reg. t. 315.
23	corymbosum. B.R.	(wh.) corymbose.	Peru.	1822.	————	H.b.	———— t. 906.
24	Rudolphi. R.S.	(wh.) Rudolph's.	C. B. S.	1812.	————	F.b.	Jacq. ecl. t. 20.
	<i>tenuifolium.</i> Redout. liliac. t. 312. non Guss.						
25	prasinum. B.R.	(gr.) green-flowered.	————	1816.	6. 7.	F.b.	Bot. reg. t. 153.
26	virens. B.R.	(gr.) greenish.	————	1823.	————	F.b.	———— t. 814.
27	suavœolens. w.	(gr.ye.) fragrant.	————	1816.	————	F.b.	Jacq. ic. 2. t. 431.
28	barbatum. w.	(ye.gr.) bearded.	————	1795.	5. 7.	F.b.	Jacq. schœn. 1. t. 91.
29	polyphyllum. w.	(g.y.) many-leaved.	————	1825.	————	F.b.	Jacq. ic. 2. t. 430.
30	rupestre. w.	(wh.gr.) rock.	————	1795.	5. 8.	F.b.	
31	juncifolium. w.	(w.pu.) Rush-leaved.	————	1794.	7. 8.	F.b.	Bot. mag. t. 792.
32	fuscatum. w.	(br.gr.) brown-flowered.	————	1825.	4. 6.	F.b.	Jacq. ic. 2. t. 429.
33	odoratum. w.	(gr.ye.) sweet-scented.	————	1795.	5. 6.	F.b.	Andr. reposit. t. 260.
34	elatum. A.R.	(wh.) Egyptian.	Egypt.	1804.	6. 7.	H.b.	———— t. 528.
35	pyramidale. w.	(wh.) pyramidal.	Spain.	1752.	————	H.b.	Jacq. ic. 2. t. 425.
36	latifolium. w.	(wh.) broad-leaved.	Egypt.	1629.	————	H.b.	Bot. mag. t. 876.
37	longibracteatum. w.	(w.) long-bracted.	C. B. S.	1812.	7. 12.	F.b.	Jacq. vind. 1. t. 29.
38	caudatum. w.	(wh.gr.) long-spiked.	————	1774.	2. 8.	F.b.	Bot. mag. t. 805.
39	scilloïdes. w.	(wh.gr.) Squill-like.	————	1795.	6. 7.	F.b.	Jacq. schœn. 1. t. 888.
40	trigynum. R.L.	(wh.gr.) three styled.	1825.	————	F.b.	Redout. liliac. t. 417.
41	narbonense. w.	(w.g.) Narbonne.	S. Europe.	1810.	7. 8.	H.b.	Bot. mag. t. 2510.
42	pyrenœicum. w.	(st.) spiked.	England.	6. 7.	H.b.	Eng. bot. v. 7. t. 499.

43	sulfureum. R.S. (st.) straw-coloured.	Hungary.	1818.	6. 10.	H.b.	Bot. mag. t. 2623.
	<i>Anthéricum sulphureum.</i> Walds. et Kit. pl. hung. 1. t. 95. <i>Phalangium sulfureum.</i> Poiret.					
44	stachyoides. w. (w.g.) close-spiked.	S. Europe.	1771.	4. 7.	H.b.	Renealm. spec. t. 90.
45	lacteum. w. (st.gr.) milk white.	C. B. S.	1796.	6. 7.	F.b.	Bot. mag. t. 1134.
46	nutans. w. (wh.gr.) nodding.	Britain.	4. 5.	H.b.	Eng. bot. v. 28. t. 1997.
47	coarctatum. w. (wh.) close-flowered.	C. B. S.	1804.	6. 7.	F.b.	Jacq. ic. 2. t. 435.
48	aurea. w. (go.) golden.	————	1790.	—	F.b.	Bot. mag. t. 190.
49	flavissimum. Jacq. (ye.) great yellow.	————	—	—	F.b.	Jacq. ic. 2. t. 436.
50	miniatum. Jacq. (ye.) stained.	————	—	—	F.b.	———— t. 438.
51	thyrsoides. w. (wh.br.) thyrses-flowered.	————	1757.	—	F.b.	Bot. mag. t. 1164.
	α album. (wh.br.) white-flowered.	————	—	—	F.b.	Bot. reg. t. 316.
	β flavescens. (st.br.) pale-yellow.	————	—	—	F.b.	———— t. 305.
52	bicolor. R.S. (wh.br.) two-coloured.	————	1816.	—	F.b.	
53	tuberosum. R.S. (ye.) large-rooted.	————	1787.	—	F.b.	
54	arabicum. w. (wh.) great-flowered.	Egypt.	1629.	3. 4.	F.b.	Bot. mag. t. 728.
55	brachystachys. F. (wh.) short-spiked.	Dahuria.	1821.	—	H.b.	
56	Bergii. R.S. (wh.gr.) Bergius's.	————	1816.	—	F.b.	
57	maritimum. Lam. (wh.) officinal Squill.	S. Europe.	1629.	4. 5.	F.b.	Bot. mag. t. 918.
	<i>Squilla.</i> B.M. <i>Scilla maritima.</i> w.					
58	concinnum. s.P. (wh.) neat.	Portugal.	1797.	—	H.b.	Bot. mag. t. 953.
59	unifolium. B.M. (wh.) one-leaved.	Gibraltar.	1805.	6. 7.	F.b.	———— t. 935.
GAGEA. S.A.B.		GAGEA. Hexandria Monogynia.				
1	fascicularis. s.A.B. (ye.) bunch-rooted.	Britain.	3. 4.	H.b.	Bot. mag. t. 1200.
	<i>lutea.</i> B.M. 1200. <i>Ornithogalum luteum.</i> Eng. bot. v. 1. t. 21. non L.					
2	glauca. B.F.G. (ye.) glaucous-leaved.	Switzerland.	1825.	—	H.b.	Swt. br. fl. gar. t. 177.
3	bracteolaris. s.A.B. (ye.) sheathing-bracted.	————	—	H.b.	———— t. 158.
	<i>Ornithogalum luteum.</i> L. non E.B. v. s. in herb. linn.					
4	minima. R.S. (ye.) corn-field.	Europe.	1825.	—	H.b.	Swt. br. fl. gar. s.2.t.29.
	<i>stellaris.</i> s.A.B. <i>Ornithogalum arvense.</i> s.s. <i>Sternbergii.</i> Hop. v. s. in herb. linn.					
5	spathacea. R.S. (ye.) sheathed.	Germany.	1759.	5.	H.b.	Flor. græc. t. 331.
6	reticulata. R.S. (ye.) netted-sheathed.	Tauria.	1829.	—	H.b.	Pall. it. 3. ap. t. D. f. 2.
7	pusilla. R.S. (ye.) small.	Bohemia.	1823.	—	H.b.	Reichenb. ic. t. 117.
8	Clusiana. R.S. (ye.) Clusius's.	S. Europe.	—	H.b.	
9	podolica. R.S. (ye.) Polish.	Poland.	1827.	—	H.b.	
10	erubescens. R.S. (y.bh.) blush.	————	—	—	H.b.	
11	Liotardi. R.S. (ye.) fistulous-leaved.	S. Europe.	1825.	—	H.b.	Sternb. denks. 2. t. 3.
	<i>Ornithogalum fistulosum.</i> Redout. liliac. t. 221.					
12	pygmæa. R.S. (ye.) pigmy.	Spain.	1826.	—	H.b.	
13	arvense. R.S. (ye.) villous-stalked.	Europe.	—	H.b.	Flor. græc. t. 332.
	<i>Ornithogalum villosum.</i> M.B.					
14	bohemicum. R.S. (ye.g.) Bohemian.	Bohemia.	1828.	—	H.b.	Sturm. flor. t. 23.
15	saxatilis. R.S. (gr.ye.) rock.	Germany.	—	—	H.b.	
16	bulbifera. R.S. (ye.g.) bulbiferous.	Tauria.	1829.	—	H.b.	Reichenb. ic. t. 117.
BARNARDIA. B.R.		BARNARDIA. Hexandria Monogynia.				
1	scilloides. B.R. (ro.) Squill-like.	China.	1824.	9. 10.	H.b.	Bot. reg. t. 1029.
2	japonica. R.S. (pu.) Japan.	Japan.	1821.	6. 8.	H.b.	
	<i>Ornithogalum japonicum.</i> w.					
LLOYDIA. Sal.		LLOYDIA. Hexandria Monogynia.				
1	serotina. (wh.std.) mountain.	Wales.	6. 7.	H.b.	Eng. bot. v. 12. t. 793.
	<i>Anthéricum serotinum.</i> E.B. <i>Phalangium serotinum.</i> Redout. liliac. t. 270. <i>Gagea serotina.</i> Ker.					
2	striata. (wh.std.) stripe-flowered.	Siberia.	1789.	5. 7.	H.b.	
	<i>Ornithogalum striatum.</i> s.s.					
SCILLA. W.		SQUILL. Hexandria Monogynia. L.				
1	non scripta. L.en. (bl.) Harebells.	Britain.	3. 6.	H.b.	Eng. bot. v. 6. t. 377.
	<i>nutans.</i> E.B. <i>Hyacinthus non scriptus.</i> L.					
2	cœrnea. R.S. (ro.) flesh-coloured.	Spain.	—	H.b.	Bot. mag. t. 1161.
3	pátula. R.S. (bl.) spreading.	S. Europe.	1633.	4. 6.	H.b.	Redout. liliac. t. 225.
	<i>campanulata.</i> B.M. t. 1102. non t. 128.					
4	campanulata. w. (bl.) bell-flowered.	Spain.	—	5. 6.	H.b.	Bot. mag. t. 128.
5	corymbosa. s.s. (ro.) Cape.	C. B. S.	1793.	8. 12.	F.b.	———— t. 991.
	<i>Massonia corymbosa.</i> B.M. <i>Hyacinthus corymbosus.</i> L.					
6	brevifolia. R.S. (wh.) short-leaved.	————	1822.	1. 3.	F.b.	
7	brachyphylla. R.S. (bh.) blush.	————	1811.	—	F.b.	Bot. mag. t. 1468.
	<i>Scilla brevifolia.</i> B.M. non Thunb.					
8	sibirica. H.K. (bl.) Siberian.	Siberia.	1796.	2. 3.	H.b.	Andr. rep. t. 365.
9	amœnula. R.S. (bl.) pretty.	Russia.	1822.	3. 4.	H.b.	Bot. mag. t. 2408.
10	amœna. R.S. (bl.) nodding.	Levant.	1596.	—	H.b.	———— t. 341.
11	pumila. R.S. (pa.bl.) small.	Portugal.	1819.	4. 5.	H.b.	Brot. phyt. lus. t. 46. f. 2.
	<i>monophyllos.</i> Link ex R.S.					

12	<i>blfòlia</i> . w.	(<i>va.</i>) two-leaved.	England.	2. 4.	H.b.	Eng. bot. v. 1. t. 24.
	<i>α cærùlea</i> .	(<i>bl.</i>) blue-flowered.	—————	—	H.b.	
	<i>β álba</i> .	(<i>wh.</i>) white-flowered.	—————	—	H.b.	
13	<i>cárnea</i> .	(<i>ro.</i>) rosy.	—	—	H.b.	Bot. mag. t. 746. f. sim.
14	<i>pr'æcox</i> . w.	(<i>bl.</i>) early-flowering.	1790.	—	H.b.	
15	<i>Lílio-hyacínthus</i> . w.	(<i>bl.</i>) Lily-rooted.	S. Europe.	1597.	5. 7.	H.b.	Redout. lil. t. 205.
16	<i>vérna</i> . w.	(<i>bl.</i>) vernal.	Britain.	4. 5.	H.b.	Eng. bot. v. 1. t. 23.
17	<i>umbellàta</i> . s.s.	(<i>bl.</i>) umbel-flowered.	Pyrenees.	1817.	—	H.b.	Redout. liliac. t. 166.
18	<i>itálica</i> . s.s.	(<i>bl.</i>) Italian.	Italy.	1605.	4. 7.	H.b.	Bot. mag. t. 663.
19	<i>autumnàlis</i> . w.	(<i>pu.</i>) autumnal.	England.	8.	H.b.	Eng. bot. v. 2. t. 78.
20	<i>intermèdia</i> . R.S.	(<i>bl.</i>) intermediate.	Sicily.	1829.	—	H.b.	
21	<i>obtusifòlia</i> . R.S.	(<i>vi.bl.</i>) blunt-leaved.	Barbary.	1828.	—	H.b.	Redout liliac. 4. t. 190.
22	<i>undulàta</i> . R.S.	(<i>li.</i>) wave-leaved.	S. Europe.	—	—	H.b.	Desf. atl. 1. t. 47.
23	<i>lingulàta</i> . R.S.	(<i>bl.</i>) tongue-leaved.	Barbary.	—	—	H.b.	Redout. liliac. t. 321.
24	<i>vincentina</i> . R.S.	(<i>bl.</i>) spreading-flowered.	Portugal.	1827.	—	H.b.	
25	<i>peruviàna</i> . w.	(<i>va.</i>) corymbose.	Spain.	1607.	5.	H.b.	Bot. mag. t. 749.
	<i>α cærùlea</i> .	(<i>bl.</i>) blue-flowered.	—————	—	—	H.b.	————— t. 749.
	<i>β álba</i> .	(<i>wh.</i>) white-flowered.	—————	—	—	H.b.	
26	<i>Cupaniána</i> . R.S.	(<i>bl.</i>) Cupani's.	Sicily.	1826.	—	H.b.	Cup. panph. sic. 5. t. 201.
27	<i>lusitánica</i> . B.M.	(<i>pa.bl.</i>) Portugal.	Portugal.	1777.	—	H.b.	Bot. mag. t. 1909.
28	<i>hyacínthoïdes</i> . w.	(<i>bl.</i>) Hyacinth-like.	Madeira.	1585.	8.	H.b.	————— t. 1140.
29	<i>esculénta</i> . B.M.	(<i>pa.bl.</i>) Quamash.	N. America.	1811.	5. 7.	H.b.	————— t. 1574.
	<i>Phalángium Quamash</i> .	Ph.					
HYACINTHUS. S.S. HYACINTH. Hexandria Monogynia. L.							
1	<i>orientàlis</i> . w.	(<i>bl.</i>) common.	Levant.	1596.	3. 5.	H.b.	Bot. reg. t. 995.
	<i>α cærùleus</i> .	(<i>bl.</i>) blue-flowered.	—————	—	—	H.b.	
	<i>β lyricus</i> .	(<i>bl.</i>) <i>Lyra grandis</i> .	—————	—	H.b.	Swt. flor. guid. t. 96.
	<i>γ rùber</i> .	(<i>re.</i>) red-flowered.	—————	1596.	—	H.b.	
	<i>δ flàvus</i> .	(<i>ye.</i>) yellow-flowered.	—————	—	—	H.b.	
	<i>ε álbus</i> .	(<i>wh.</i>) white-flowered.	—————	—	—	H.b.	
	<i>ζ semiplènus</i> .	(<i>va.</i>) semidouble.	—————	—	—	H.b.	
	<i>η plènus</i> .	(<i>va.</i>) double-flowered.	—————	—	—	H.b.	
	<i>θ múltiplex</i> .	(<i>va.</i>) full-flowered.	—————	—	—	H.b.	
	<i>ι atrocærùleus</i> .	(<i>bl.</i>) <i>Pourpre fonce</i> .	—————	—	H.b.	Swt. flor. guid. t. 92.
	<i>κ sceptiformis</i> .	(<i>pa.bl.</i>) <i>Porcelaine sceptre</i> .	—————	—	H.b.	————— t. 51.
	<i>λ sanguinoléntus</i> .	(<i>re.</i>) <i>Waterloo</i> .	—————	—	H.b.	————— t. 1.
	<i>μ ornàtus</i> .	(<i>pi.</i>) <i>L'honneur d'Amsterdam</i> .	—————	—	H.b.	————— t. 108.
	<i>ν ranunculiflorus</i> .	(<i>ye.</i>) <i>yellow Ophir</i> .	—————	—	H.b.	————— t. 123.
2	<i>amethy'stinus</i> . w.	(<i>bl.</i>) Amethyst-coloured.	S. Europe.	1759.	4. 5.	H.b.	Swt. br. fl. gar. t. 134.
UROPE'TALON. B.R. UROPE'TALON. Hexandria Monogynia. B.R.							
1	<i>viride</i> . B.R.	(<i>gr.</i>) green-flowered.	C. B. S.	1774.	8.	F.b.	Redout. lil. t. 203.
	<i>Hyacínthus viridis</i> . L.	<i>Zuccàgnia viridis</i> . Th.	<i>Lachenàlia viridis</i> . w.				
2	<i>glàucum</i> . B.R.	(<i>gr.br.</i>) glaucous-leaved.	C. B. S.	1816.	7. 8.	F.b.	Bot. reg. t. 156.
3	<i>crispum</i> . B.R.	(<i>br.gr.</i>) curled-leaved.	—————	—	—	F.b.	
4	<i>longifòlium</i> . B.R.	(<i>br.gr.</i>) long-leaved.	—————	1822.	—	F.b.	Bot. reg. t. 974.
5	<i>hyacínthoïdes</i> . R.S.	(<i>re.</i>) Hyacinth-like.	—————	—	—	F.b.	
6	<i>serotinum</i> . B.R.	(<i>bl.</i>) late-flowering.	Spain.	1629.	6. 8.	F.b.	Bot. mag. t. 859.
7	<i>fùlvum</i> . H.S.L.	(<i>re.br.</i>) tile-red.	Mogador.	1808.	6. 9.	F.b.	————— t. 1185.
	<i>Scilla serotina</i> β. B.M.	<i>Hyacínthus fùlvus</i> . Cav.					
BELLEV'ALIA. Lap. BELLEV'ALIA. Hexandria Monogynia.							
	<i>romàna</i> .	(<i>wh.</i>) Roman.	Italy.	1596.	5.	H.b.	Bot. mag. t. 939.
	<i>operculàta</i> . Lap.	<i>Scilla romàna</i> . B.M.	<i>Hyacínthus romànus</i> . L.				
MUSC'ARI. S.S. GRAPE HYACINTH. Hexandria Monogynia. S.S.							
1	<i>moschàtum</i> . s.s.	(<i>br.</i>) musk.	Levant.	1596.	4. 5.	H.b.	Bot. mag. t. 734.
2	<i>ambrosiacum</i> . R.L.	(<i>wh.</i>) strong-scented.	—————	—	H.b.	Redout. liliac. t. 133.
3	<i>macrocàrpum</i> . B.F.G.	(<i>ye.</i>) large-capsuled.	Turkey.	1812.	—	H.b.	Swt. br. fl. gar. t. 210.
	<i>moschàtum</i> β <i>flàvum</i> .						Bot. mag. t. 1565.
4	<i>comòsum</i> . s.s.	(<i>br.pu.</i>) purple.	S. Europe.	1596.	—	H.b.	Bot. mag. t. 133.
	<i>β monstròsum</i> .	(<i>pu.</i>) feathered.	—————	—	—	H.b.	Moris. s. 4. t. 11. f. 2.
5	<i>ciliàtum</i> . s.s.	(<i>w.pu.</i>) ciliated.	Tauria.	1818.	—	H.b.	Bot. reg. t. 394.
6	<i>pállens</i> . s.s.	(<i>pa.bl.</i>) pale-flowered.	—————	—	—	H.b.	Swt. br. fl. gar. t. 210.
7	<i>glàucum</i> . B.R.	(<i>pa.</i>) glaucous-leaved.	Persia.	1825.	—	H.b.	Bot. reg. t. 1085.
8	<i>racemòsum</i> . s.s.	(<i>bl.</i>) starch.	Britain.	—	H.b.	Eng. bot. v. 27. t. 164.
9	<i>commutàtum</i> . R.S.	(<i>d.bl.</i>) confused.	Sicily.	—	H.b.	
10	<i>parviflorum</i> . R.S.	(<i>bl.</i>) small-flowered.	—————	1827.	—	H.b.	
11	<i>botryoïdes</i> . s.s.	(<i>va.</i>) bunch-flower'd.	Italy.	1596.	—	H.b.	Bot. mag. t. 157.
	<i>α azùreum</i> . B.F.G.	(<i>bl.</i>) bright-blue.	—————	—	—	H.b.	Swt. br. fl. gar. 15. f. 2.
	<i>β pállidum</i> . B.F.G.	(<i>pa.</i>) pale blue.	—————	—	—	H.b.	————— 15. f. 1.
	<i>γ álbum</i> . B.F.G.	(<i>wh.</i>) white-flowered.	—————	—	—	H.b.	————— 15. f. 2.

LACHENALIA. W.		LACHENALIA.		Hexandria Monogynia. W.			
1	pendula. w. (y.re.g.)	pendulous.	C. B. S.	1774.	3. 4.	F.b.	Jacq. ic. 2. t. 400.
2	viridifolia. (y.re.g.)	green-leaved.	_____	_____	_____	F.b.	Bot. mag. t. 590.
3	maculata. (y.re.g.)	spotted-leaved.	_____	_____	_____	F.b.	
2	quadricolor. B.M. (va.)	four-coloured.	_____	1789.	3. 5.	F.b.	Jacq. ic. 2. t. 388.
2	viridifolia. (y.sc.g.)	green-leaved.	_____	_____	_____	F.b.	Bot. mag. t. 588.
3	colorata. (y.sc.g.)	coloured-leaved.	_____	_____	_____	F.b.	_____ t. 1097.
3	luteola. Jacq. (ye.)	yellow-flowered.	_____	1774.	4. 5.	F.b.	Jacq. ic. 2. t. 395.
3	viridifolia. (ye.)	green-leaved.	_____	_____	_____	F.b.	Bot. mag. t. 1020.
3	maculata. (ye.)	spotted-leaved.	_____	_____	_____	F.b.	_____ t. 1704.
4	tricolor. B.M. (y.re.g.)	three-coloured.	_____	_____	_____	F.b.	_____ t. 82.
5	rubida. w. (re.)	dotted-flowered.	_____	1803.	9. 10.	F.b.	_____ t. 993.
6	punctata. s.s. (w.re.)	spotted-flowered.	_____	1825.	6. 8.	F.b.	Jacq. ic. 2. t. 397.
7	flava. A.R. (ye.)	bright-yellow.	_____	1805.	5. 6.	F.b.	Andr. reposit. t. 77.
8	isopétala. w. (pa.br.)	equal-flowered.	_____	1804.	_____	F.b.	Jacq. ic. 2. t. 401.
9	hirsuta. R.S. (w.bl.)	hairy-leaved.	_____	1825.	_____	F.b.	
10	sessiliflora. A.R. (bh.)	sessile-flowered.	_____	1804.	_____	F.b.	Andr. rep. t. 460.
11	unifolia. w. (bl.re.)	one-leaved.	_____	1795.	3. 4.	F.b.	Bot. mag. t. 766.
12	rosea. A.R. (ro.)	rose-coloured.	_____	1800.	4. 5.	F.b.	Andr. rep. t. 296.
13	pusilla. w. (wh.)	dwarf.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 385.
14	reflexa. R.S. (ye.)	reflex-leaved.	_____	_____	_____	F.b.	
15	bilobata. B.M. (ro.wh.)	cowl-leaved.	_____	1813.	3. 4.	F.b.	Bot. mag. t. 1611.
16	contaminata. w. (w.br.)	contaminated.	_____	1774.	2. 4.	F.b.	_____ t. 1401.
17	purpurea. w. (pu.w.)	purple.	_____	1819.	4. 5.	F.b.	Jacq. ic. 2. t. 393.
18	violacea. w. (g.vi.)	violet.	_____	1795.	3. 4.	F.b.	_____ 2. t. 394.
19	licida. B.M. (w.br.)	glossy-leaved.	_____	1798.	3. 5.	F.b.	Bot. mag. t. 1372.
20	racemosa. B.M. (wh.)	racemed.	_____	1811.	5.	F.b.	_____ t. 1517.
21	fragrans. w. (wh.)	sweet-scented.	_____	1798.	3. 5.	F.b.	Jacq. schœn. 1. t. 82.
22	unicolor. B.M. (li.)	self-coloured.	_____	1806.	5. 6.	F.b.	Bot. mag. t. 1373.
23	anguinea. S.F.G. (w.g.)	snake.	_____	1825.	4. 5.	F.b.	Swt. br. fl. gar. t. 179.
24	purpureo-cœrulea. (bl.)	purple-blue.	_____	1798.	_____	F.b.	Bot. mag. t. 745.
25	pustulata. w. (w.st.)	blistered.	_____	1790.	1. 4.	F.b.	_____ t. 817.
26	liliflora. w. (wh.)	Lily-flowered.	_____	1820.	4. 6.	F.b.	Jacq. ic. 2. t. 387.
27	orthopétala. R.S. (w.gr.)	wedge-flowered.	_____	1825.	_____	F.b.	_____ 2. t. 353.
28	pátula. w. (wh.ro.)	spreading-flower'd.	_____	1795.	4. 5.	F.b.	_____ 2. t. 381.
29	nervosa. B.M. (br.pu.)	nerved-leaved.	_____	1810.	6.	F.b.	Bot. mag. t. 1497.
30	angustifolia. w. (wh.)	narrow-leaved.	_____	1793.	4. 5.	F.b.	_____ t. 735.
31	hyacinthoides. w. (wh.)	Hyacinth-flower'd.	_____	1812.	3. 4.	F.b.	Jacq. ic. 2. t. 382.
32	pallida. w. (pa.bl.)	pale-flowered.	_____	1782.	_____	F.b.	Bot. reg. t. 314.
33	mediána. R.S. (st.gr.)	intermediate.	_____	_____	_____	F.b.	Jacq. ic. t. 392.
34	mutabilis. S.F.G. (ye.)	changeable.	_____	1825.	2. 5.	F.b.	Swt. br. fl. gar. ser. 2.
35	orchioïdes. w. (ye.)	Orchis-like.	_____	1752.	2. 4.	F.b.	Bot. mag. t. 1269.
36	glauca. w. (wh.bl.)	sea-green.	_____	1795.	3. 4.	F.b.	Jacq. ic. 2. t. 391.
DRIMIA. S.S.		DRIMIA.		Hexandria Monogynia. S.S.			
1	lanceolata. R.S. (y.gr.)	spear-leaved.	C. B. S.	1774.	8. 10.	F.b.	Andr. reposit. t. 299.
	<i>Lachenalia reflexa.</i>						Andr. rep. t. 299.
2	lanceifolia. B.M. (g.pu.)	lance-leaved.	C. B. S.	1800.	9. 10.	F.b.	Bot. mag. t. 643.
3	longipedunculata. (g.pu.)	long-stalked.	_____	_____	_____	F.b.	Schr. pl. rar. mon. t. 100.
4	acuminata. B.C. (g.br.)	taper-leaved.	_____	_____	_____	F.b.	Lodd. bot. cab. t. 1041.
5	Gawleri. R.S. (gr.pu.)	revolute-flowered.	_____	1774.	_____	F.b.	Bot. mag. t. 1380.
	<i>Hyacinthus revolutus.</i>						H.K.
6	ovalifolia. R.S. (gr.pu.)	oval-leaved.	_____	1812.	_____	F.b.	Lodd. bot. cab. t. 278.
7	undulata. s.s. (g.pu.)	wave-leaved.	_____	1825.	8. 10.	F.b.	Jacq. ic. 2. t. 376.
8	purpurascens. s.s. (pu.)	purplish.	_____	_____	_____	F.b.	
9	ciliaris. s.s. (g.pu.)	ciliated.	_____	_____	_____	F.b.	Bot. mag. t. 1444.
10	pusilla. s.s. (gr.)	dwarf.	_____	1793.	5. 6.	F.b.	Jacq. ic. 2. t. 374.
11	media. s.s. (w.pu.)	semicylindrical-ld.	_____	1818.	7. 8.	F.b.	_____ 2. t. 375.
12	clata. s.s. (g.w.)	tall.	_____	1799.	10. 11.	F.b.	Bot. mag. t. 822.
13	altissima. s.s. (wh.)	tallest.	_____	1791.	8. 9.	F.b.	_____ t. 1074.
ERIOSPERMUM. W.		ERIOSPERMUM.		Hexandria Monogynia. W.			
1	parvifolium. s.s. (wh.)	small-leaved.	C. B. S.	1795.	6. 8.	F.b.	Jacq. ic. 2. t. 422.
2	latifolium. s.s. (wh.)	broad-leaved.	_____	1800.	_____	F.b.	_____ 2. t. 429.
3	Bellendeni. (wh.)	Mr. Ker's.	_____	_____	_____	F.b.	Bot. mag. t. 1382.
	<i>latifolium</i> α. B.M. non Jacq.						
4	lanceifolium. s.s. (st.)	lance-leaved.	_____	1795.	_____	F.b.	Jacq. ic. 2. t. 421.
5	pubescens. s.s. (wh.)	pubescent.	_____	1820.	_____	F.b.	Bot. reg. t. 578.
6	lanuginosum. s.s. (st.)	woolly-leaved.	_____	_____	_____	F.b.	Jacq. schœn. 3. t. 265.
7	folioliferum. B.M. (w.g.)	leaflet-bearing.	_____	1806.	_____	F.b.	Andr. reposit. t. 521.
8	paradoxicum. B.M. (w.g.)	paradoxical.	_____	1820.	_____	F.b.	Jacq. col. sup. 81. t. 1.

MASS'ONIA. S.S.		MASS'ONIA. Hexandria Monogynia. W.					
1	grandiflora. B.R. (wh.)	honey-bearing.	C. B. S.	1825.	1. 4.	F.b.	Bot. reg. t. 958.
2	candida. B.T. (wh.)	white-flowered.	————	1816.	2. 5.	F.b.	———— t. 694.
	<i>longifolia</i> β. <i>candida</i> . E.R.						
3	longifolia. s.s. (wh.)	long-leaved.	————	————	————	F.b.	
4	latifolia. s.s. (g.pu.)	broad-leaved.	————	1775.	3. 4.	F.b.	Bot. mag. t. 848.
5	cordata. s.s. (wh.)	heart-leaved.	————	1820.	————	F.b.	
6	muricata. s.s. (wh.)	prickly-leaved.	————	1790.	4. 5.	F.b.	Bot. mag. t. 559.
7	scabra. H.K. (wh.)	shagreen-leaved.	————	————	1. 4.	F.b.	Andr. reposit. t. 2.
	<i>pustulata</i> . Bot. mag. t. 642.						
8	echinata. s.s. (wh.)	rough-leaved.	————	————	5.	F.b.	
9	pauciflora. s.s. (wh.)	few-flowered.	————	————	————	F.b.	
10	angustifolia. s.s. (wh.)	narrow-leaved.	————	1775.	3. 4.	F.b.	Bot. mag. t. 736.
11	undulata. s.s. (wh.)	wave-leaved.	————	1791.	4.	F.b.	
12	ensifolia. s.s. (pi.)	trumpet-flowered.	————	1790.	9. 2.	F.b.	Bot. mag. t. 554.
	<i>violacea</i> . A.R. 46. <i>Agapanthus ensifolius</i> . w. <i>Hyacinthus bifolius</i> . Cav.						
E'UCOMIS. S.S.		E'UCOMIS. Hexandria Monogynia. W.					
1	nana. s.s. (gr.)	dwarf.	C. B. S.	1774.	5.	F.b.	Bot. mag. t. 1495.
2	bifolia. s.s. (gr.st.)	two-leaved.	————	1792.	4. 5.	F.b.	———— t. 846.
3	purpureocaulis. s.s. (gr.)	purple-stalked.	————	1794.	3. 4.	F.b.	Andr. reposit. t. 369.
4	regia. s.s. (g.wh.)	tongue-leaved.	————	1702.	3. 5.	F.b.	Dill. elth. t. 92. f. 10.
5	undulata. s.s. (g.wh.)	wave-leaved.	————	1760.	————	F.b.	Bot. mag. t. 1083.
6	punctata. s.s. (g.wh.)	spotted.	————	1783.	7.	F.b.	———— t. 913.
7	striata. H.K. (g.wh.)	streaked.	————	1790.	6. 12.	F.b.	———— t. 1539.
A'LLIUM. L.		GARLIC. Hexandria Monogynia. L.					
1	sativum. G.D. (re.)	common.	Sicily.	1548.	6. 9.	H.b.	Lobel. ic. t. 158.
2	Ophioscörodon. G.D. (br.)	Rocambole.	Crete.	1596.	8.	H.b.	Clus. his. p. 191. t. 2.
3	contraversum. G.D. (pu.)	simple-rooted.	Egypt.	1823.	————	H.b.	Cord. hist. p. 144. f.
	<i>Ophioscörodon</i> . L.en.						
4	arenarium. G.D. (re.)	sand.	Britain.	6. 8.	H.b.	Eng. bot. v. 19. t. 13.
5	Scorodopràsum. G.D. (re.)	wild Rocambole.	Denmark.	1596.	7.	H.b.	Flor. dan. t. 219. et 14.
6	littoreum. G.D. (re.)	Italian sand.	Italy.	1824.	8.	H.b.	
	<i>monspessulanum</i> . w.						
7	vineale. G.D. (ro.)	Crow.	Britain.	6. 8.	H.b.	Eng. bot. v. 28. t. 136.
8	compactum. G.D. (ro.)	two-headed crow.	France.	1819.	————	H.b.	Moris. sect. 4. t. 15. f.
9	Pürshii. G.D. (da.pu.)	Pursh's crow.	N. America.	1824.	————	H.b.	
	<i>vineale</i> . Ph. nec aliorum.						
10	proliferum. G.D. (wh.)	tree Onion.	Egypt.	7.	H.b.	Bot. mag. t. 1469.
	<i>Cèpa</i> β. <i>bulbifera</i> . B.M.						
11	Pórrum. G.D. (gr.pu.)	Leek.	Switzerland.	1562.	5. 7.	H.b.	Plenck. ic. t. 421.
12	Ampelopràsum. G.D. (pa.)	blue Leek.	England.	7. 8.	H.b.	Eng. bot. v. 24. t. 16.
13	rotundum. G.D. (pu.)	round-headed.	S. Europe.	1819.	6. 7.	H.b.	Clus. hist. p. 195. t. 2.
14	Hallèrii. G.D. (pa.pu.)	Haller's.	————	1818.	————	H.b.	Flor. græc. t. 312.
15	rubicundum. G.D. (re.)	marbled leek.	C. B. S.	7. 8.	F.b.	Bot. mag. t. 1566.
	<i>ampelopràsum</i> β. B.M.						
16	Waldstèini. G.D. (d.pu.)	Waldstein's.	Smyrna.	1824.	6. 7.	H.b.	W. et K. hæg. t. 52.
17	exsertum. G.D. (ro.)	long-stamen'd.	Russia.	1819.	7. 8.	H.b.	
18	erectum. G.D. (wh.)	upright leek.	C. B. S.	1824.	————	F.b.	
19	acutiflorum. G.D. (re.)	sharp-flowered.	France.	————	————	H.b.	Moris. sect. 4. t. 15. f.
20	Synnóti. G.D. (li.)	Synnot's.	C. B. S.	1825.	6. 7.	F.b.	
21	verrucosum. G.D. (li.)	warted-flower'd.	————	————	————	F.b.	
22	multiflorum. G.D. (vi.)	many-flowered.	Barbary.	1826.	7. 8.	F.b.	
23	descendens. G.D. (d.pu.)	early flowering.	Switzerland.	1766.	6.	H.b.	Flor. græc. t. 316.
24	sphærocéphalon. G.D. (pr.)	late-flowered.	Germany.	1759.	7.	H.b.	Bot. mag. t. 1761.
25	pruinatum. G.D. (li.)	frosted.	Portugal.	1819.	6. 8.	H.b.	
26	carneum. G.D. (li.)	blush-coloured.	France.	1816.	6. 7.	H.b.	
27	ascalonicum. G.D. (li.)	Shallot.	Palestine.	1548.	————	H.b.	Moris. sect. 4. t. 14. f.
	β. <i>chinense</i> . G.D. (li.) <i>Chinese Shallot</i> . China.						
28	fissile. (gr.)	Scallion.	Asia minor.	————	H.b.	Matt. opus. p. 420. f.
	<i>Cèpa fissilis</i> . Matt.						
29	Cèpa. G.D. (wh.gr.)	Onion.	6.	H. ♂. b.	Flor. græc. t. 326.
	β. <i>aggregatum</i> . G.D. (w.g.) <i>Potatoe Onion</i>						
30	Schenopràsum. G.D. (pu.)	Chives.	Britain.	5. 6.	H.b.	Eng. bot. v. 34. t. 24.
31	foliosum. G.D. (pu.)	leafy Chives.	France.	1820.	————	H.b.	Redout. lil. 4. t. 214.
32	sibiricum. G.D. (li.)	Siberian Chives.	Siberia.	1778.	6. 8.	H.b.	Bot. mag. t. 1441.
33	fistulosum. G.D. (gr.)	Welsh Onion.	————	1629.	6. 7.	H. ♂. b.	———— t. 1239.
	β. <i>altaicum</i> . Pallas. (gr.) <i>Altaic</i> . Altay.						
34	cepæforme. G.D. (w.g.)	Onion-like.	1824.	————	H.b.	Pall. it. 2. n. 108. t. 6.
35	obliquum. G.D. (st.)	oblique-leaved.	Siberia.	1759.	————	H.b.	Bot. mag. t. 1408.

36	ramosum. G.D.	(st.) branching	Chives. Siberia.	1824.	6.	H.b.	
37	angustum. G.D.	(pu.) narrow-leaved.	—————	—————	—————	H.b.	
38	Pallasii. G.D.	(pu.) Pallas's Chives.	Russia.	—	H.b.	Murr.c.got.6.1775.t.3.
39	pusillum. G.D.	(li.) small.	Italy.	1824.	6. 7.	H.b.	Redout. liliac. 2. t. 118.
40	robellum. G.D.	(ro.) reddish.	Siberia.	1825.	7. 8.	H.b.	
41	reticulatum. G.D.	(wh.) netted.	N. America.	1811.	—	H.b.	Bot. mag. t. 1840.
42	oxypetalum. G.D.	(bh.) acute-petal'd.	Switzerland.	1822.	7.	H.b.	
43	oleraceum. G.D.	(st.pu.) purple-striped.	England.	—	H.b.	Eng. bot. v. 7. t. 488.
44	carinatum. G.D.	(st.br.) keeled.	—————	5. 6.	H.b.	————— v. 24. t. 1658.
45	fœtidum. W.	(da.pu.) twisted.	Siberia.	1823.	—	H.b.	
46	violaceum. G.D.	(vi.) violet-flowered.	Hungary.	1819.	7.	H.b.	W. et K. hung. 3. t. 278.
	<i>flexum. W.K.</i>						
47	asperum. G.D.	(vi.) rough-leaved.	S. Europe.	1820.	—	H.b.	Red. lil. 7. t. 368.
	<i>carinatum. R.L. nec aliorum.</i>						
48	longispatum. G.D.	(g.pu.) long-spathed.	—————	1779.	6. 7.	H.b.	Red. lil. 6. t. 316.
	<i>paliens. Bot. mag. t. 1420.</i>						
49	paniculatum. G.D.	(bh.) panicled.	—————	1780.	—	H.b.	Bot. mag. t. 1432.
50	pallens. G.D.	(pa.wh.) pale-flowered.	—————	1779.	—	H.b.	Redout. lil. 5. t. 272.
51	tenuiflorum. G.D.	(ro.) slender-flowered.	Italy.	1824.	—	H.b.	Ten. fl. nap. 1. t. 30.
52	pulchellum. G.D.	(vi.) beautiful.	Russia.	1819.	8.	H.b.	Redout. lil. 5. t. 252.
	<i>paniculatum. R.L. coloratum. s.s.</i>						
53	flavum. G.D.	(ye.) yellow-leafy.	S. Europe.	1759.	6. 7.	H.b.	Bot. mag. t. 1330.
54	caucasicum. G.D.	(ro.) Caucasian.	Caucasus.	1810.	—	H.b.	————— t. 973.
55	rupestre. G.D.	(ro.) small Caucasian.	—————	1824.	—	H.b.	
56	globosum. G.D.	(li.) globular-headed.	Siberia.	1820.	7.	H.b.	Gmel. sib. v. 1. t. 10.
57	montanum. G.D.	(ro.) mountain.	Greece.	—	6. 8.	H.b.	Flor. græc. t. 319.
58	parviflorum. G.D.	(br.) small-flowered.	S. Europe.	1781.	6. 7.	H.b.	
59	moschatum. G.D.	(w.pu.) small-leaved.	Hungary.	1805.	7. 8.	H.b.	W. et K. hung. 1. t. 68.
	<i>setaceum. W.K.</i>						
60	Stellerianum. G.D.	(g.w.) Steller's.	Siberia.	1829.	—	H.b.	Gmel. sib. 1. t. 16. f. 1 et 2.
61	saxatile. G.D.	(wh.) rock.	Caucasus.	1825.	6. 7.	H.b.	
62	strictum. G.D.	(ro.) upright.	Siberia.	1820.	7.	H.b.	Schrad. h. gott. 1. t. 1.
63	lineare. G.D.	(re.) linear-leaved.	—————	1819.	7. 8.	H.b.	Gmel. sib. 1. t. 13. 14. f. 1.
64	nūtans. G.D.	(fl.) great nodding.	—————	1785.	—	H.b.	Bot. mag. t. 1143.
65	senescens. G.D.	(li.) Narcissus-leaved.	—————	1596.	7.	H.b.	Gmel. sib. 1. t. 11. f. 2.
66	Andersonii. G.D.	(li.) Anderson's.	—————	1819.	—	H.b.	
67	spuriūm. G.D.	(li.) spurious.	—————	—	H.b.	
68	glaucum. G.D.	(pu.) glaucous.	—————	1596.	6. 7.	H.b.	Bot. mag. t. 1150.
	<i>senescens. B.M. non L. baicalense. W.en.</i>						
69	angulosum. G.D.	(pu.) angular-stalked.	—————	1739.	—	H.b.	Bot. mag. t. 1149.
70	acutangulum. G.D.	(pu.) acute-angled.	—————	1816.	—	H.b.	Ger. emac. p. 186. ic.
71	danubiāle. G.D.	(pu.) short-leaved.	—————	—	—	H.b.	
72	laxum. G.D.	(pu.) loose umbelled.	Russia.	1824.	—	H.b.	
73	serotinum. G.D.	(pu.) late-flowering.	Switzerland.	—	8.	H.b.	
74	albidum. G.D.	(wh.) whitish-flower'd.	Caucasus.	1823.	6. 8.	H.b.	
75	flavescens. G.D.	(st.) half naked.	Siberia.	1819.	8.	H.b.	Redout. lil. 6. t. 357.
	<i>denudatum. R.L.</i>						
76	rubens. G.D.	(pu.) red-rooted.	S. Europe.	1805.	5.	H.b.	Bot. mag. t. 1318.
	<i>bisulcum. Redout. liliac. t. 286.</i>						
77	prostratum. G.D.	(li.) small trailing.	Siberia.	6.	H.b.	
78	congestum. G.D.	(pu.) crowded-flower'd.	—————	—	H.b.	
79	pedemontanum. G.D.	(ro.) Piedmont.	Piedmont.	1820.	7. 8.	H.b.	Allion. ped. t. 254.
80	narcissiflorum. G.D.	(ro.) large-flowered.	France.	1818.	—	H.b.	Vill. dauph. 2. t. 6.
81	suaveolens. G.D.	(w.pu.) sweet-scented.	—————	1801.	6. 8.	H.b.	Jacq. ic. 2. t. 364.
82	ochroleucum. G.D.	(st.) cream-colour'd.	Hungary.	1816.	7.	H.b.	W. et K. hung. 2. t. 186.
83	cernuum. G.D.	(bh.) drooping.	N. America.	1806.	6. 7.	H.b.	Bot. mag. t. 1324.
84	stellatum. G.D.	(li.) starry-flowered.	—————	1811.	—	H.b.	————— t. 1576.
85	carolinianum. G.D.	(li.) Carolina.	—————	1819.	—	H.b.	Redout. lil. 2. t. 101.
86	paradoxum. G.D.	(wh.) paradoxical.	Siberia.	1823.	4.	H.b.	
87	scorzonerifolium. G.D.	(ye.) Scorzonera-leaved.	S. Europe.	—	6. 7.	H.b.	Redout. liliac. 2. t. 99.
88	canadense. G.D.	(ro.) Canadian.	N. America.	1739.	—	H.b.	Kalm. it. v. 3. p. 79.
89	mutabile. G.D.	(bh.) changeable.	—————	7.	H.b.	Redout. lil. 4. t. 240.
90	magicum. G.D.	(st.) broad-leaved.	Spain.	1596.	6. 7.	H.b.	Park. parad. p. 141.
91	ambiguum. G.D.	(ro.) ambiguous.	Levant.	5. 6.	H.b.	Flor. græc. t. 327.
	<i>incarnatum. S.S. roseum β. Bot. mag. t. 978.</i>						
92	amicenum. G.D.	(ro.) fine red-flowered.	Italy.	1820.	—	H.b.	Ten. fl. nap. t. 28.
	<i>carneum. T.N.</i>						
93	roseum. G.D.	(ro.) rose-coloured.	Spain.	1752.	6.	H.b.	Redout. lil. 4. t. 213.
94	illyricum. G.D.	(pi.) Illyrian.	Austria.	6. 7.	H.b.	Jacq. ic. 2. t. 365.

95	<i>subhirsutum</i> . G.D. (<i>wh.</i>) hairy.	S. Europe.	1596.	6.	H.b.	Cyr. pl. r. nap. 2. t. 3.
	<i>β obtusum</i> . (<i>wh.</i>) blunt-flowered.	————	————	————	H.b.	Bot. mag. t. 774.
96	<i>Clusianum</i> . G.D. (<i>wh.</i>) Clusius's.	————	1803.	6. 8.	H.b.	Clus. hist. 1. p. 192.
97	<i>Chamæ-Moly</i> . G.D. (<i>w.</i>) dwarf-Moly.	————	1774.	2. 4.	F.b.	Bot. mag. t. 1203.
98	<i>majale</i> . G.D. (<i>wh.</i>) large Moly.	Italy.	1825.	6.	F.b.	Ten. fl. nap. 1. t. 28.
99	<i>brachystemon</i> . R.L. (<i>w.</i>) short-stamened.	S. France.	1826.	————	H.b.	Redout. liliac. 7. t. 3.
100	<i>longifolium</i> . G.D. (<i>pu.</i>) long-leaved.	Mexico.	————	8. 10.	F.b.	Bot. reg. t. 1034.
101	<i>Cowani</i> . B.R. (<i>wh.</i>) Cowan's.	Chili.	1824.	5.	F.b.	———— t. 758.
102	<i>neapolitanum</i> . G.D. (<i>w.</i>) Neapolitan.	Italy.	————	4. 5.	H.b.	Swt. br. fl. gar. t. 29.
	<i>album</i> . Bivon.					
103	<i>triquetrum</i> . G.D. (<i>wh.</i>) triquetrous.	S. Europe.	1759.	5. 6.	H.b.	Bot. mag. t. 869.
104	<i>medium</i> . G.D. (<i>wh.</i>) intermediate.	Hungary.	1824.	5.	H.b.	
105	<i>pendulinum</i> . G.D. (<i>w.</i>) pendulous Italian.	Italy.	————	4. 5.	H.b.	Ten. fl. nap. 1. t. 31.
106	<i>nigrum</i> . G.D. (<i>wh.</i>) black.	S. Europe.	1596.	6.	H.b.	Bot. mag. t. 1148.
	<i>magicum</i> . B.M.					
	<i>β rubescens</i> . (<i>bh.</i>) pale red-flowered.	Greece.	————	H.b.	Flor. græc. t. 323.
107	<i>atropurpureum</i> . G.D. (<i>d. pu.</i>) dark purple.	Hungary.	1825.	————	H.b.	W. et K. hung. 1. t. 1.
108	<i>Moly</i> . G.D. (<i>ye.</i>) large yellow.	S. Europe.	1604.	————	H.b.	Bot. mag. t. 499.
109	<i>triccocum</i> . G.D. (<i>wh.</i>) three-seeded.	N. America.	1770.	7.	H.b.	
110	<i>ursinum</i> . G.D. (<i>wh.</i>) Ramson.	Britain.	4. 5.	H.b.	Eng. bot. v. 2. t. 122.
111	<i>sulcatum</i> . G.D. (<i>wh.</i>) furrowed.	1823.	————	H.b.	Redout. liliac. 8. t. 42.
112	<i>Victoriâlis</i> . G.D. (<i>st.</i>) long-rooted.	Austria.	1739.	5.	H.b.	Bot. mag. t. 1222.
113	<i>odorum</i> . G.D. (<i>wh. pu.</i>) sweet-flowered.	Siberia.	1787.	6. 7.	H.b.	Redout. lil. 2. t. 98.
	<i>tataricum</i> . Bot. mag. t. 1142.					
114	<i>inodorum</i> . B.M. (<i>bh.</i>) fragrant.	Carolina.	1776.	3. 4.	H.b.	Bot. mag. t. 1129.
	<i>fragrans</i> . Vent. cels. t. 26. <i>gracile</i> . w.					
115	<i>striatum</i> . G.D. (<i>bh. w.</i>) striated.	America.	1800.	5. 6.	H.b.	Bot. mag. t. 1524 & 1035.
	<i>Ornithogalum gramineum</i> . B.M. 2419.					
116	<i>caspium</i> . G.D. (<i>bh.</i>) Caspian.	Astracan.	1820.	4. 5.	H.b.	Pall. it. 2. ap. t. 2.
	<i>Amaryllis caspica</i> . w. <i>Crinum caspicum</i> . Pal.					
117	<i>Akaka</i> . F. Persian.	Persia.	1829.	H.b.	
SOWERB'ÆA. B.P.	SOWERB'ÆA. Hexandria Monogynia. S.S.					
<i>junceâ</i> . B.P. (<i>ro.</i>) Rush-leaved.	N. S. W.	1792.	5. 7.	G. 4.		Bot. mag. t. 1104.
LAXMA'NNIA. B.P.	LAXMA'NNIA. Hexandria Monogynia. S.S.					
<i>gracilis</i> . B.P. (<i>wh.</i>) slender.	N. S. W.	1822.	5. 7.	G. 4.		
APHYLLA'NTHES. L.	LILY PINK. Hexandria Monogynia.					
<i>monspeliensis</i> . L. (<i>bl.</i>) Rush-like.	France.	1791.	6. 7.	H. 4.		Bot. mag. t. 1132.
THYSAN'OTUS. B.P.	THYSAN'OTUS. Hexandria Monogynia. S.S.					
1 tuberôsus. B.P. (<i>bl.</i>) tuberous-rooted.	N. S. W.	1822.	7. 9.	G. 4.		
2 elâtior. B.P. (<i>bl.</i>) tall.	————	————	————	————	G. 4.	
3 isanthêrus. B.P. (<i>bl.</i>) equal-anthered.	V. Diem. Isl.	————	————	————	G. 4.	Bot. reg. t. 655.
4 junceus. B.P. (<i>bl.</i>) rush-like.	N. S. W.	————	————	————	G. 4.	———— t. 656.
	<i>Chlamysporum juncifolium</i> . Par. lond. t. 103.					
CYANE'LLA. L.	CYANE'LLA. Hexandria Monogynia. L.					
1 âlba. s.s. (<i>wh.</i>) 1-flowered white.	C. B. S.	1825.	4. 6.	F. b.		Th. in a. hol. 1794. t. 713.
2 lûtea. s.s. (<i>ye.</i>) yellow-flowered.	————	1788.	5. 12.	F. b.		Bot. mag. t. 1252.
3 orchidifôrmis. s.s. (<i>bl.</i>) Orchis-like.	————	1825.	4. 8.	F. b.		Jacq. ic. 2. t. 447.
4 lineâta. B.T. (<i>std.</i>) lined.	————	1816.	————	F. b.		Bot. reg. t. 1111.
	<i>odoratissima</i> . B.R.					
5 capênsis. s.s. (<i>pu.</i>) purple-flowered.	————	1768.	————	F. b.		Bot. mag. t. 568.
CONANTH'ERA. R.P.	CONANTH'ERA. Hexandria Monogynia. P.S.					
<i>bifolia</i> . R.P. (<i>bl.</i>) two-leaved.	Chile.	1823.	3. 5.	F. b.		Lodd. bot. cab. t. 604.
CUMMI'NGIA. D.D.	CUMMI'NGIA. Hexandria Monogynia.					
<i>campanulâta</i> . D.D. (<i>bl.</i>) Hyacinth-flowered.	Chile.	1823.	4. 6.	F. b.		Swt. br. fl. gar. t. 29.
	<i>Conanthera campanulata</i> . Hook. ex. flor. t. 214. <i>bifolia</i> . B.M. 2496. <i>nec aliorum</i> .					
LEUCOCO'RYNE. B.R.	LEUCOCO'RYNE. Hexandria Monogynia.					
1 odorâta. B.R. (<i>wh.</i>) sweet-scented.	Chile.	1826.	8. 9.	F. 4.		Bot. reg. t. 1293.
2 ixioides. B.R. (<i>bl.</i>) Ixia-like.	————	1821.	7. 9.	F. b.		Bot. mag. t. 2382.
	<i>Brodiaea ixioides</i> . B.M.					
TRITEL'EIA. B.R.	TRITEL'EIA. Hexandria Monogynia.					
<i>grandiflora</i> . B.R. (<i>bl.</i>) large-flowered.	N. America.	1827.	7. 8.	H. 4.		
HESPEROSCO'RDUM. B.R.	MISSOURI HYACINTH. Hexandria Monogynia.					
<i>hyacinthinum</i> . B.R. (<i>bl.</i>) largest-flowered.	N. America.	1827.	7.	H. b.		
	<i>Brodiaea grandiflora</i> . Pursh non Smith.					
DIANE'LLA. B.P.	DIANE'LLA. Hexandria Monogynia. W.					
1 ensifolia. B.M. (<i>wh.</i>) whitish-flowered.	E. Indies.	1731.	8.	S. 4.		Bot. mag. t. 1404.
	<i>Dracæna ensifolia</i> . H. K.					
2 nemorôsa. Lam. (<i>bl.</i>) blue Indian.	————	6. 8.	S. 4.		Rumph. amb. 5. t. 73.
3 cœrûlea. B.P. (<i>bl.</i>) rough-edged.	N. S. W.	1783.	5. 8.	F. 4.		Bot. mag. t. 505.

4 longifolia. B.P.	(bl.) long-leaved.	N. S. W.	1820.	5. 8.	F. 4.	Bot. reg. t. 734.
5 laevis. B.P.	(bl.) smooth-leaved.	————	1823.	—	F. 4.	
6 revoluta. B.P.	(bl.) revolute-margined.	————	1822.	—	F. 4.	
7 divaricata. B.P.	(bl.) divaricated.	N. Holland.	1805.	7. 8.	G. 4.	
8 strumosa. B.P.	(bl.) strumous.	————	1822.	5. 8.	G. 4.	Bot. reg. t. 751.
LUZUR'AGA. B.P.	LUZUR'AGA.	Hexandria Monogynia.	S.S.			
1 cymosa. B.P.	(pu.) cymose.	N. S. W.	1820.	4. 6.	G. 2.	
2 montana. B.P.	(pu.) mountain.	————	1823.	—	G. 2.	
EUSTR'EPHUS. B.P.	EUSTR'EPHUS.	Hexandria Monogynia.	S.S.			
1 latifolius. B.P.	(pu.) broadest-leaved.	N. S. W.	1800.	6. 9.	G. 2.	Bot. mag. t. 1245.
2 angustifolius. B.P.	(pu.) narrow-leaved.	N. Holland.	1816.	—	G. 2.	
MYRSIPHY'LLUM. S.S.	MYRSIPHY'LLUM.	Hexandria Trigynia.	S.S.			
1 asparagoïdes. s.s.	(wh.) broadest-leaved.	C. B. S.	1702.	10. 3.	G. 2.	Redout. liliac. t. 442.
	<i>Medeola asparagoïdes.</i> L.					
2 angustifolium. s.s.	(bh.) narrow-leaved.	————	1752.	12. 3.	G. 2.	Redout. liliac. t. 393.
HERR'ERIA. R.P.	HERR'ERIA.	Hexandria Monogynia.				
1 stellata. R.P.	(ye.) prickly-stalked.	Chile.	1825.	6. 9.	G. 2.	Flor. peruv. 3. t. 303. f. a.
2 parviflora. B.R.	(gr.) small-flowered.	Brazil.	—	—	S. 2.	Bot. reg. t. 1042.
ASPA'RAGUS. L.	ASPA'RAGUS.	Hexandria Monogynia.	L.			
1 amarum. s.s.	(ye.) bitter.	S. France.	1820.	6. 8.	H. 4.	Redout. liliac. t. 446.
2 officinalis. s.s.	(gr.) common.	England.	—	H. 4.	Eng. bot. v. 5. t. 339.
3 tenuifolius. DC.	(ye.) slender-leaved.	Hungary.	—	H. 4.	Redout. liliac. t. 434.
	<i>sylvaticus.</i> W. et. K. hung. 3. t. 201.					
4 declinatus. s.s.	(st.) long-leaved.	C. B. S.	1759.	—	F. 4.	
5 decumbens. s.s.	(wh.) decumbent.	————	1792.	5.	F. 2.	Jacq. schœn. 1. t. 97.
6 flexuosus. s.s.	(wh.) flexuose.	————	7. 8.	F. 2.	
7 dauricus. s.s.	(st.) Daurian.	Dauria.	1819.	6. 8.	H. 4.	
8 caspius. R.S.	(gr. wh.) Caspian.	Caucasus.	1821.	—	H. 4.	
9 maritimus. s.s.	(gr. wh.) sea-side.	Siberia.	1820.	—	H. 4.	
10 tricarinatus. DC.	(g. y.) three-keeled.	—	G. 2.	Redout. liliac. t. 451.
11 verticillatus. s.s.	(g. y.) whorl-leaved.	Caucasus.	1752.	—	H. 4.	Buxb. cent. 5. ap. t. 37.
12 umbellatus. R.S.	(g. w.) umbel-flowered.	Canaries.	1816.	—	G. 4.	
13 grandiflorus. R.S.	(wh.) large-flowered.	Teneriffe.	1828.	—	G. 2.	
14 longifolius. F.	(gr. ye.) long-leaved.	Russia.	1827.	H. 4.	
15 acutifolius. s.s.	(ye.) needle-leaved.	Spain.	1640.	—	H. 2.	Flor. græc. t. 337.
16 racemosus. s.s.	(wh.) branching.	E. Indies.	1808.	S. 2.	
17 sarmentosus. s.s.	(wh.) linear-leaved.	Ceylon.	1710.	8.	S. 2.	Redout. liliac. t. 460.
18 falcatus. s.s.	(wh.) sickle-leaved.	E. Indies.	1792.	S. 2.	Burm. zeyl. t. 13 f. 2.
19 retrofractus. s.s.	(wh.) Larch-leaved.	Africa.	1759.	8. 9.	G. 4.	Pluk. alm. t. 375. f. 3.
20 capensis. s.s.	(wh. re.) Cape.	C. B. S.	1691.	4. 5.	G. 2.	Jacq. schœn. 3. t. 266.
21 æthiopicus. W.	(wh.) angular-stalked.	————	1816.	G. 2.	
22 scandens. W.	(wh. vi.) climbing.	————	1795.	5. 6.	G. 2.	
23 asiaticus. s.s.	(wh.) Asiatic.	Asia.	1759.	—	G. 2.	Pluk. alm. t. 14. f. 4.
24 subulatus. s.s.	(wh.) awl-leaved.	C. B. S.	1811.	—	G. 2.	
25 Nivenianus. R.S.	(w. pu.) Niven's.	————	—	—	G. 2.	
26 lanceus. R.S.	(wh.) spear-leaved.	————	—	—	G. 2.	
27 laricinus. R.S.	(wh.) Larch-leaved.	————	1816.	—	G. 2.	
28 tetragonus. R.S.	(wh.) square-leaved.	————	1822.	—	G. 2.	
29 albus. s.s.	(wh.) white.	Spain.	1540.	5. 7.	F. 2.	Moris. s. 1. t. 1. f. 3.
30 aphyllus. s.s.	(ye.) prickly.	S. Europe.	1640.	—	F. 2.	Flor. græc. t. 338.
31 horridus. s.s.	(ye.) long-spined.	————	1819.	—	F. 2.	———— t. 239.
32 Broussoneti. L. en.	(st.) Broussonet's.	Canaries.	1815.	—	F. 4.	Jacq. eclog. 2. t. 40.
CHARLWO'ODIA. S.F.A.	CHARLWO'ODIA.	Hexandria Monogynia.				
1 congesta. S.F.A.	(pu.) crowded-paniced.	N. Holland.	1821.	5. 7.	S. 2.	Swt. flor. aust. t. 18.
2 stricta. S.F.A.	(bl.) loose-paniced.	————	—	—	S. 2.	Bot. reg. t. 956.
	<i>Dracæna stricta.</i> Bot. mag. t. 2575.					
DRAC'ÆNA. W.	DRAGON-TREE.	Hexandria Monogynia.	L.			
1 Draco. s.s.	(wh.) common.	E. Indies.	1640.	S. 2.	Blackw. t. 358.
2 ensifolia. H.S.	(wh.) sword-leaved.	1800.	S. 2.	
3? indivisa. s.s.	(wh.) undivided.	N. Zealand.	1819.	6. 8.	G. 2.	
4? australis. s.s.	(wh.) Forster's.	————	—	—	G. 2.	Bot. mag. t. 2835
5 marginata. s.s.	(wh.) red-margined.	Madagascar.	1816.	S. 2.	
	<i>tessellata.</i> W. enum.					
6 arborea. s.s.	(wh.) tree.	Africa.	1810.	3. 5.	S. 2.	
7 fragrans. s.s.	(wh.) fragrant.	————	1768.	2. 5.	S. 2.	Bot. mag. t. 1081.
8 ferrea. L.	(wh.) dark-purple.	China.	1771.	3. 4.	S. 2.	———— t. 2053.
9 terminalis. W.	(wh.) red-leaved.	India.	1812.	4. 8.	S. 2.	Lodd. bot. cab. t. 1221.
10 umbraculifera. s.s.	(wh.) umbrella.	Mauritius.	1788.	4. 6.	S. 2.	———— t. 289.
11 cœrnea. s.s.	(st. li.) drooping.	————	—	S. 2.	Jacq. schœn. 1. t. 96.

12 mauritiàna. s.s.	(wh.) Mauritius.	Mauritius.	1816.	S. h.	
13 undulàta. s.s.	(wh.) wave-leaved.	C. B. S.	—	G. h.	
14 ovàta. B.M.	(li.) oval-leaved.	Sierra Leon.	1790.	8. 9.	S. h.	Bot. mag. t. 1180.
15 nodòsa. L.C.	(wh.) knotted.	1822.	S. h.	
16 refléxa. s.s.	(li.) reflex-leaved.	Madagascar.	1816.	5. 8.	S. h.	Redout. liliac. t. 92.
17 surculòsa. B.R.	(st.) trailing.	Sierra Leone.	1822.	—	S. h.	Bot. reg. t. 1169.
CORDYL'INE. B.P.	CORDYL'INE.	Hexandria Monogynia.				
1 hemichr'ysa. P.S.	(wh.) golden-leaved.	Bourbon.	1823.	S. h.	
2 parviflòra. s.s.	(wh.) small-flowered.	Mexico.	1828.	S. h.	H. et B.n. gen. 3. t. 67.
PHO'RMIUM. W.	FLAX-LILY.	Hexandria Monogynia. W.				
tèrax. w.	(ye.) Iris-leaved.	N. Zealand.	1788.	8.	F. 4.	Redout. liliac. t. 448-449.
XANTHORRH'ŒA. B.P.	GUM-TREE.	Hexandria Monogynia. S.S.				
1 arbòrea. B.P.	(wh.) tree.	N. S. W.	1828.	G. h.	
2 austràlis. E.P.	(wh.) southern.	V. Diem. Isl.	1820.	F. h.	
3 hástile. B.P.	(wh.) yellow gum.	N. S. W.	1803.	4. 5.	F. h.	
4 mèdia. B.P.	(wh.) intermediate.	—	1819.	—	F. h.	
5 minòr. E.P.	(wh. br.) small.	—	1804.	4. 6.	F. 4.	
6 bracteàta. B.P.	(wh.) long-bracted.	—	1810.	4. 5.	F. 4.	
ROXBURGHIA. W.	ROXBURGHIA.	Octandria Monogynia.				
1 gloriosòides. R.C.	(st. pu.) cordate-leaved.	E. Indies.	1803.	4. 6.	S. 4. ~.	Roxb. corom. 1. t. 32.
2 viridiflòra. Ex. B.	(st. cr.) elliptic-leaved.	—	—	—	S. 4. ~.	Sm. exot. bot. 1. t. 57.
	gloriosa. Bot. mag. t. 1500.					

ORDO CXXV.

BROMELIACEÆ. *Juss. gen. 49.*

AG'AVE. L.	AG'AVE.	Hexandria Monogynia. L.				
1 americana. H.S.	(gr.) large American.	S. America.	1640.	8. 10.	D. G. 4.	Andr. reposit. t. 438.
2 Millèri. H.S.	(gr.) Miller's.	—	1768.	—	D. G. 4.	
3 fláccida. H.S.	(gr.) flaccid.	—	1790.	—	D. S. 4.	
4 lùrida. B.M.	(gr.) Vera Cruz.	Vera Cruz.	1731.	6. 7.	D. S. 4.	Bot. mag. t. 1522.
5 brachystàchys. s.	(gr.) short-spiked.	Mexico.	1826.	D. G. 4.	Redout. liliac. t. 455.
	spicàta. R.L. non Cavan.					
6 spicàta. s.	(gr. ye.) spiked.	Havannah.	1825.	D. S. 4.	Cav. h. reg. medic. ined.
7 angustifòlia. H.S.	(gr.) narrow-leaved.	St. Helena.	1770.	D. S. 4.	
8 yuccafòlia. H.S.S.	(y. g.) Yucca-leaved.	S. America.	1817.	D. S. 4.	Redout. liliac. t. 328, 329.
9 mexicàna. H.S.S.	(gr.) Mexican.	Mexico.	1818.	D. G. 4.	
10 Karátto. H.S.	(gr.) Karatto.	S. America.	1768.	D. S. 4.	
11 vivipara. H.S.	(gr. ye.) viviparous.	—	1731.	8. 10.	D. S. 4.	Comm. præl. t. 15.
12 polyacántha. H.R.	(g. y.) black-spined.	1800.	D. S. 4.	
13 virgínica. H.S.	(gr. ye.) Virginian.	N. America.	1765.	9.	F. 4.	Bot. mag. t. 1157.
FURCR'ŒA. V.	FURCR'ŒA.	Hexandria Monogynia. H.S.				
1 gigánteá. (gr. wh.)	gigantic.	S. America.	1690.	9. 1.	D. S. h.	DC. plant. gras. t. 126.
	Agàve faé'tida. w.					
2 tuberòsa. H.K.	(gr. wh.) tuberous.	—	1739.	8. 9.	D. S. h.	Comm. hort. 2. f. 19.
3 cubénsis. H.S.	(wh. gr.) Cuba.	—	—	D. S. h.	Jacq. am. pic. t. 260. f. 25.
4 rígida. H.S.	(gr. ye.) Vera Cruz.	—	1768.	D. S. h.	Spin. cat. 1812. c. ic.
5 austràlis. H.S. entire-leaved.	N. Holland.	1811.	D. S. 4.	
6 madagascariénsis. H.	Madagascar.	Madagascar.	1818.	D. S. 4.	
7 cantàla. H.S.S. Canton.	China.	—	D. G. 4.	
LITT'ŒA. H.S.S.	LITT'ŒA.	Hexandria Monogynia. H.S.S.				
geminiflòra. H.S.S.	(gr.) twin-flowered.	S. America.	1810.	S. h.	Bot. reg. t. 1145.
	Agàve geminiflòra. Ker. <i>Buonapàrtea júncea</i> , H.S. nec aliorum.					
ANANA'SSA. B.H.	PINE-APPLE.	Hexandria Monogynia. L.				
1 satíva. B.R.	(bl.) common.	S. America.	1690.	1. 12.	S. 4.	Bot. mag. t. 1554.
2 semiserràta. s.s.	(bl.) semiserrate.	—	—	S. 4.	
3 lùcida. W.en.	(bl.) shining-leaved.	—	—	S. 4.	
4 débilis. B.R.	(bl.) waved-leaved.	—	1826.	—	S. 4.	
5 bracteàta. B.R.	(bl. sc.) red-bracted.	Jamaica.	1785.	9. 10.	S. h.	Bot. reg. t. 1081.
BILLBERGIA. Th.	BILLBERGIA.	Hexandria Monogynia.				
1 zebrína. B.M.	(ye.) white-barred.	Brazil.	1825.	6. 7.	S. 4.	Bot. mag. t. 2686.
2 fasciàta. B.R.	(bl.) banded.	—	—	8. 10.	S. 4.	Bot. reg. t. 1130.

3	iridifolia. B.R. (ye.bl.) drooping.	Brazil.	1826.	3. 5.	S. 2.	Bot. reg. t. 1068.
4	amœna. B.R. (ye.bl.) pale-flowered.	S. America.	1810.	3. 11.	S. 2.	Lodd. bot. cab. t. 76.
	<i>Bromelia pallida.</i> Bot. reg. t. 344.					
5	pyramidalis. B.R. (cr.) pyramidal.	Brazil.	2. 4.	S. 2.	Bot. reg. t. 203.
	<i>Bromelia nudicaulis.</i> B.R. <i>pyramidalis.</i> Bot. mag. t. 1732.					
	β <i>bicolor.</i> B.R. (cr.bl.) two-coloured.	S. America.	—	S. 2.	Bot. reg. t. 1181.
6	nudicaulis. B.R. (st.) naked-stalked.	Trinidad.	1822.	4. 6.	S. 2.	Hook. ex. flor. t. 143.
7	cruenta. B.M. (bl.) blood-stained.	Brazil.	1824.	—	S. 2.	Bot. mag. t. 2892.
	BROMELIA. B.R. BROMELIA. Hexandria Monogynia.					
1	melanantha. B.R. (bk.) black-flowered.	Trinidad.	1823.	5. 7.	S. 2.	Bot. reg. t. 766.
2	fastuosa. L.col. (pu.) noble.	S. America.	1815.	8. 10.	S. 2.	Lindl. col. bot. t. 1.
3	lingulata. s.s. (ye.) tongue-leaved.	—	1759.	5. 6.	S. 2.	Plum. ic. t. 64. f. 1.
4	Karatas. s.s. (ro.) upright-leaved.	W. Indies.	1739.	S. 2.	Jacq. vind. 1. t. 31. 32.
5	humilis. s.s. (bl.) dwarf.	—	1789.	3.	S. 2.	Jacq. ic. 1. t. 60.
6	Pinguin. s.s. (re.) broad-leaved.	—	1699.	3. 4.	S. 2.	Jacq. am. ed. pict. t. 91.
7	chrysantha. s.s. (ye.) yellow-flowered.	S. America.	1820.	—	S. 2.	Jacq. schœn. 1. t. 55.
8	exudans. B.C. (ye.) clammy.	—	1816.	—	S. 2.	Lodd. bot. cab. t. 801.
9	paniculigera. s.s. (sc.) panicked.	W. Indies.	1822.	—	S. 2.	
10	sylvestris. s.s. (cr.) wild.	S. America	1820.	7. 8.	S. 2.	Bot. mag. t. 2392.
11	Acanga. s.s. (ye.) recurved.	—	1824.	S. 2.	Pis. bras. t. 91.
12	sessiliflora. L.C. sessile-flowered.	—	—	S. 2.	
	GUZMA'NNIA. R.P. GUZMA'NNIA. Hexandria Monogynia. S.S.					
	<i>tricolor.</i> R.P. (g.st.ro.) three-coloured.	S. America.	1818.	5. 6.	S. 2.	Lindl. coll. bot. t. 8.
	PITCAIRNIA. S.S. PITCAIRNIA. Hexandria Monogynia. L.					
1	staminea. s.s. (sc.) long-stamened.	S. America.	1823.	1. 3.	S. 2.	Bot. mag. t. 2411.
2	integrifolia. s.s. (sc.) entire-leaved.	W. Indies.	1800.	8.	S. 2.	— t. 1462.
3	latifolia. s.s. (sc.) broad-leaved.	—	1785.	8. 9.	S. 2.	— t. 856.
4	bracteata. R.L. (sc.) large bracted-red.	—	1799.	4. 5.	S. 2.	— t. 2813.
5	sulphurea. A.R. (st.) yellow-flowered.	—	1797.	6. 8.	S. 2.	Andr. reposit. t. 249.
	<i>bracteata</i> β <i>sulphurea.</i> Bot. mag. t. 1416.					
6	suavœolens. B.R. (st.) sweet-scented.	Brazil.	1826.	6. 7.	S. 2.	Bot. reg. t. 1069.
7	albiflos. B.M. (wh.) white-flowered.	—	1824.	9. 12.	S. 2.	Bot. mag. t. 2642.
8	bromeliæfolia. s.s. (sc.) Pine-apple-leaved.	Jamaica.	1781.	6. 8.	S. 2.	— t. 821.
9	angustifolia. s.s. (sc.) narrow-leaved.	Santa Cruz.	1777.	12. 1.	S. 2.	— t. 1547.
10	furfuracea. B.M. (ro.) mealy.	S. America.	1818.	7. 9.	S. 2.	— t. 2657.
11	flammea. B.R. (sc.) flame-coloured.	Brazil.	1823.	11. 12.	S. 2.	— t. 1092.
12	mœdia. L.C. (sc.) intermediate.	S. America.	—	7. 9.	S. 2.	
13	iridiflora. L.C. (sc.) Iris-flowered.	—	—	—	S. 2.	
14	humilis. L.C. (sc.) dwarf.	—	—	—	S. 2.	
	POURRETIA. R.P. POURRETIA. Hexandria Monogynia. S.S.					
1	lanuginosa. R.P. (gr.) woolly.	S. America.	1826.	4. 8.	S. 2.	Flor. peruv. 3. t. 256.
2	pyramidata. K.S. (st.) pyramidal.	—	1822.	4. 6.	S. 2.	— 3. t. 257.
3	coarctata. R.P. (ye.) crowded-spiked.	Chili.	—	S. 2.	Feuil. per. 3. t. 39.
	TILLANDSIA. L. TILLANDSIA. Hexandria Monogynia. L.					
1	usneoides. s.s. (ye.gr.) moss-like.	W. Indies.	1823.	4. 8.	S. 2.	Sloan. hist. t. 122. f. 2-3.
2	Bartramii. s.s. Bartram's.	Carolina.	1825.	S. 2.	
3	recurvata. s.s. (pu.) recurve-leaved.	Jamaica.	1793.	7.	S. 2.	Sloan. jam. 1. t. 121. f. 1.
4	xiphoides. B.R. (wh.) Xiphium-like.	Buenos Ayres.	1815.	—	S. 2.	Bot. reg. t. 105.
5	serrata. s.s. (ye.) saw-leaved.	Jamaica.	1793.	6. 7.	S. 2.	Plum. ic. 63. t. 75. f. 1.
6	lingulata. s.s. (ye.) tongue-leaved.	—	1776.	—	S. 2.	Jacq. amer. t. 62.
7	acaulis. B.R. (wh.) stemless.	Brazil.	1826.	7. 9.	S. 2.	Bot. reg. t. 1157.
8	psittacina. B.M. (or.y.) gaudy-flowered.	—	1827.	4. 8.	S. 2.	Bot. mag. t. 2841.
9	setacea. s.s. (st.) bristle-leaved.	Jamaica.	1822.	—	S. 2.	
10	stricta. s.s. (bl.) stiff-leaved.	Brazil.	1810.	11.	S. 2.	Bot. mag. t. 1529.
11	bulbosa. H.E.F. (bl.) bulbous.	Trinidad.	1823.	8. 9.	S. 2.	Hook. ex. flor. t. 173.
12	aloifolia. H.E.F. (st.) Aloe-leaved.	—	1824.	11. 12.	S. 2.	— t. 205.
13	pulchra. H.E.F. (wh.) pretty.	—	1822.	10. 11.	S. 2.	— t. 154.
14	anceps. B.C. (bl.) two-edged.	W. Indies.	1819.	7.	S. 2.	Lodd. bot. cab. t. 771.
15	utriculata. s.s. (st.) bottle.	S. America.	1793.	7. 8.	S. 2.	
16	tenuifolia. s.s. (sc.) slender-leaved.	W. Indies.	1822.	—	S. 2.	Plum. ic. 232. f. 2.
17	acutifolia. L.en. (st.) acute-leaved.	Brazil.	1815.	—	S. 2.	Bot. reg. t. 749.
	<i>flexuosa</i> β <i>pallida.</i> B.R.					
18	flexuosa. s.s. (sc.) flexuose.	W. Indies.	1790.	—	S. 2.	Jacq. amer. t. 63.
19	nutans. s.s. (bl.) nodding-spiked.	—	1793.	—	S. 2.	
20	fasciculata. s.s. (st.) bundled.	—	1822.	—	S. 2.	
21	nitida. H.E.F. (wh.) shining-leaved.	Jamaica.	1823.	11. 12.	S. 2.	Hook. ex. flor. t. 218.
22	polystachya. s.s. (st.) many-spiked.	W. Indies.	1820.	7. 9.	S. 2.	
23	angustifolia. s.s. (st.) narrow-leaved.	—	1822.	—	S. 2.	
24	paniculata. s.s. (st.) panicked.	—	1817.	—	S. 2.	Plum. ic. t. 237.

25	coarctata. G.C.	crowded.	W. Indies.	1822.	S. 4.	
26	compressa. G.C.	compressed.	—————	—————	S. 4.	
27	gracilis. G.C.	slender.	—————	—————	S. 4.	
28	ramosa. G.C.	branching.	—————	—————	S. 4.	
29	rigida. G.C.	rigid.	—————	—————	S. 4.	
BUONAPARTEA. R.P. BUONAPARTEA. Hexandria Monogynia.							
	junceæ. R.P. (ll.)	rush-leaved.	Peru.	1800.	S. 4.	Flor. peruv. 3. t. 242.

ORDO CCXVI.

TULIPACEÆ. *Kth. synops. 1. p. 292.*

YU'CCA. L.		ADAM'S-NEEDLE. Hexandria Monogynia. L.					
1	conspicua. H.S.S. (wh.)	broad rough-edged.	1810.	8. 10.	F. h.		
2	aloifolia. H.S.S. (wh.)	Aloe-leaved.	W. Indies.	1696.	—	G. h.	Bot. mag. t. 1700.
3	serrulata. H.S.S. (wh.)	narrow saw-leaved.	Carolina.	1808.	F. h.	
4	Draconis. H.S.S. (wh.)	drooping-leaved.	—————	1732.	8. 9.	F. h.	Dill. elt. t. 324. f. 417.
5	crenulata. H.S.S. (wh.)	rough-edged oblique.	—————	1818.	F. h.	
6	arcuata. H.S.S. (wh.)	arcuated.	—————	1817.	F. h.	
7	tenuifolia. H.S.S. (wh.)	slender-leaved.	Malta?	—	F. h.	
8	concaeva. H.S.S. (wh.)	hollow-thready.	N. America.	1816.	7. 8.	H. 4.	
9	filamentosa. H.S.S. (wh.)	common-thready.	Virginia.	1675.	7. 10.	H. 4.	Bot. mag. t. 900.
10	flaccida. H.S.S. (wh.)	flaccid-thready.	N. America.	1816.	—	H. 4.	
11	puberula. H.P. (wh.)	pubescent-stemmed.	—————	1822.	—	H. 4.	Swt. br. fl. gar. t. 251.
12	glaucescens. H.S.S. (wh.)	glaucescent.	—————	1815.	7. 8.	H. 4.	————— t. 53.
13	recurva. P.L. (wh.)	recurved-leaved.	Georgia.	1795.	8. 9.	H. h.	Sal. par. lond. t. 31.
14	glauca. B.M. (st.)	glaucous-leaved.	Carolina.	1812.	—	H. 4.	Bot. mag. t. 2662.
15	stricta. B.M. (gr.pu.)	straight-leaved.	—————	1811.	—	H. h.	————— t. 2222.
16	angustifolia. H.S.S. (gr.)	narrow-leaved.	Missouri.	—	—	H. h.	————— t. 2236.
17	superba. H.S.S. (wh.)	superb.	8. 10.	G. h.	Andr. reposit. t. 473.
	gloriosa. A.R. nec aliorum.						
18	acuminata. S.F.G. (br.w.)	tapering-flowered.	America.	7. 9.	H. h.	Swt. br. fl. gar. t. 195.
19	gloriosa. H.S.S. (wh.)	handsome.	—————	1596.	7. 8.	H. h.	Bot. mag. t. 1260.
20	rufocincta. H.S.S. (wh.)	rufous-edged.	—————	1816.	—	H. 4.	
21	obliqua. H.S.S. (wh.)	oblique-leaved.	—————	1808.	—	H. 4.	
	β major. H.S.S. (wh.)	larger.	—————	—	—	H. 4.	
22	spinosa. K.S. (pu.or.)	spiny-leaved.	Mexico.	1829.	G. h.	
TULIPA. L.		TULIP. Hexandria Monogynia. L.					
1	altaica. R.S. (ye.)	Altai.	Altay mount.	1822.	4. 5.	H. b.	
2	saxatilis. R.S. (ye.)	rocky.	Crete.	1827.	—	H. b.	Reich. ic. rar. t. 396.
3	patens. R.S. (wh.g.y.)	spreading-flowered.	Siberia.	1829.	—	H. b.	
4	stellata. B.M. (bh.wh.)	starry.	E. Indies.	1827.	3. 4.	G. b.	Bot. mag. t. 2762.
5	montana. B.R. (cr.)	mountain.	Persia.	1826.	—	H. b.	Bot. reg. t. 1106.
6	biflora. S.S. (wh.vi.ye.)	two-flowered.	Russia.	1806.	4.	H. b.	————— t. 535.
7	tricolor. F.	three-coloured.	—————	1823.	H. b.	
8	Celsiana. S.S. (ye.re.)	Cels's.	Levant.	6. 7.	H. b.	Bot. mag. t. 717.
	Breyniana. B.M. nec aliorum.						
9	Biebersteiniiana. R.S. (y.pu.)	Bieberstein's.	Siberia.	1820.	—	H. b.	
	repens. F. ?						
10	sylvestris. S.S. (ye.)	wild.	England.	4. 5.	H. b.	Eng. bot. v. 1. t. 63.
11	turcica. Roth. (ye.)	Florentine.	S. Europe.	—	H. b.	Swt. br. fl. gar. t. 186.
12	Clusiana. R.S. (sc.wh.)	Clusins's.	Sicily.	1636.	5. 6.	H. b.	Bot. mag. t. 1390.
13	maculata. R.S. (ye.gr.)	spotted-flowered.	Spain.	—	H. b.	
14	media. R.S. (sc.wh.)	intermediate.	1828.	—	H. b.	
15	cornuta. R.S. (va.)	horn-petaled.	Levant.	1816.	5.	H. b.	Bot. reg. t. 127.
16	undulata. (sc.re.)	wave-leaved.	Whitley's.	1820.	5. 6.	H. b.	
17	oculus solis. S.S. (sc.re.)	Sun's-eye.	S. Europe.	1816.	—	H. b.	Redout. liliac. t. 219.
18	præcox. S.S. (sc.gr.)	early-flowering.	Naples.	1825.	3. 4.	H. b.	Swt. br. fl. gar. t. 157.
19	persica. (sc.re.)	Persian.	Persia.	1826.	—	H. b.	Bot. reg. t. 1143.
20	suavæolens. S.S. (sc.ye.)	Van-Thol.	S. Europe.	1603.	—	H. b.	Bot. mag. t. 839.
21	pubescens. S.S. (va.)	woolly-stalked.	—————	—	H. b.	Swt. br. fl. gar. t. 78.
22	Gesneriana. S.S. (va.)	common.	Levant.	1577.	4. 5.	H. b.	
	α coccinea. (sc.ve.)	scarlet-flowered.	Constantinople.	1816.	—	H. b.	Bot. reg. t. 380.
	β versicolor. (va.)	various-coloured.	Levant.	—	—	H. b.	Bot. mag. t. 1135.
	γ simploniensis. (st.pu.)	Semplon.	—	H. b.	Swt. flor. guid. t. 53.

δ	Alexandrina. (st. pu. ve.) Alexandrina.	H. b.	Swt. flor. guid. t. 138.
ε	Burnardiàna. (st. pu. ve.) Burnard's agitator.	H. b.	t. 132.
ζ	Collingwoodii. (y. pu. ve.) Lord Collingwood.	H. b.	t. 85.
η	Leopoldi. (ye. ve.) Prince Leopold.	H. b.	t. 128.
θ	Georgii. (ye. ve.) George the Fourth	H. b.	t. 89.
ι	platyantha. (ye. ve.) Platonia.	H. b.	t. 77.
κ	imperialis. (ye. ve.) Emperor of Austria.	H. b.	t. 103.
λ	Migueli. (ye. ve.) Don Miguel.	H. b.	t. 19.
μ	Polyphemi. (ye. ve.) Lawrence's Polyphemus	H. b.	t. 7.
ν	sanguifera. (ye. cr. ve.) Bataille d' Eyleau	H. b.	t. 4.
ξ	Duckettiàna. (y. sc. ve.) Sir George Duckett.	H. b.	t. 66.
ο	Canningiàna. (y. sc. ve.) Strong's Canning.	H. b.	t. 135.
π	regia. (ye. sc. ve.) Strong's King.	H. b.	t. 42.
ρ	Titiàna. (ye. sc. ve.) Titian.	H. b.	t. 109.
σ	Juno. (wh. sc. pu.) Rose Juno.	H. b.	t. 56.
τ	Daphneàna. (wh. cr.) Rose Daphne.	H. b.	t. 83.
υ	retusu. (wh. cr.) Walworth.	H. b.	t. 26.
φ	fulminea. (wh. sc.) Bartlett's thunderbolt.	H. b.	t. 95.
χ	Hilliàna. (wh. sc.) Lord Hill.	H. b.	t. 82.
ψ	fulgens. (w. ro.) Rose brillante.	H. b.	t. 5.
ω	Creweæ. (wh. sc.) Sherwood's Lady Crewe.	H. b.	t. 153.
αα	Victoriàna. (w. ro. cr.) Princess Victoria.	H. b.	t. 38.
ββ	Stróngii. (w. cr. ve.) Strong's high Admiral.	H. b.	t. 11.
γγ	puèlla. (wh. ro.) Pucelle d' Orleans.	H. b.	t. 50.
δδ	principissæ. (w. ro. cr.) Strong's Duchess of Kent.	H. b.	t. 75.
εε	purpureo-ròsea. (w. ro. pu.) Rose camusa de craix.	H. b.	t. 116.
ζζ	iridiflòra. (wh. pu.) Strong's rainbow.	H. b.	t. 124.
ηη	Hollandiàna. (w. pu. ve.) Lord Holland.	H. b.	t. 106.
θθ	Ludoriàna. (wh. ve.) Louis XVI.	H. b.	t. 150.
ιι	lancastriensis. (w. pu. ve.) Lancashire hero.	H. b.	t. 119.
κκ	marginàta. (wh. ve.) Davey's Trafalgar.	H. b.	t. 145.
λλ	Penelopeàna. (w. ve.) Penelope.	H. b.	t. 57.
μμ	Jenkinsòni. (w. ve.) Goldham's Earl of Liverpool.	H. b.	t. 16.
νν	Fredericiàna. (w. ve.) Willmer's Duke of York.	H. b.	t. 121.
ξξ	Buonaparteàna. (w. ve.) Buonaparte.	H. b.	t. 72.
οο	augusta. (wh. ve.) Grande Monarque	H. b.	t. 92.
ππ	Lampsoniàna. (w. ve.) Lampson.	H. b.	t. 100.
ρρ	Aglaiàna. (wh. pu.) Aglaia.	H. b.	t. 87.
σσ	Alexàndri. (wh. pu.) Violet Alexander.	H. b.	t. 30.
ττ	virginea. (wh. ve.) Lady of the Lake.	H. b.	t. 62.
υυ	Winefrediàna. (w. v.) Winefred.	H. b.	t. 141.
φφ	Daveyàna. (wh. ve.) Daveyana.	H. b.	t. 35.
χχ	Maria. (wh. ve. pu.) Goldham's Maria.	H. b.	t. 48.
ψψ	majèsta. (wh. ve.) Majestueuse.	H. b.	t. 39.
ωω	albida. (wh. ve.) Gloria alborum.	H. b.	t. 74.
ααα	Charlotteàna. (w. pu.) Princess Charlotte's cenotaph.	H. b.	t. 23.
βββ	plèna. (va.) double-flowered. Levant.	1577.	4. 5.	H. b.	
γγγ	laciniàta. (ye. re. pu.) Parrot.			H. b.	
FRITILL'ARIA. L. FRITILLARY. Hexandria Monogynia. L.					
1	præcox. (wh.) early white.	Europe.	3. 4.	H. b.
	Meleàgris β præcox. P. S.				
2	Meleàgris. E. B. (pu. wh.) chequered.	Britain.	3. 5.	H. b.
3	meleagroïdes. R. S. (d. vi.) Altaic.	Altay.	1827.	H. b.
4	tenèlla. M. B. (br. pu.) slender.	Caucasus.	1824.	H. b.
	racemòsa. α minor. B. M. orientàlis. Adam.				Eng. bot. v. 9. t. 622.
5	nervòsa. S. S. (d. pu.) nerved-leaved.	4. 5.	H. b.
	latifolia. β minor. B. M.				Bot. mag. t. 1216.
6	lutea. M. B. (ye. pu.) large yellow.	1812.	H. b.
7	latifolia. W. (pu. br.) broad-leaved.	1604.	H. b.
8	ruthénica. S. S. (pu.) Russian.	1820.	H. b.
9	messanénsis. S. S. (pu. ye.) Italian.	Italy.	1825.	H. b.
10	lusitànica. S. S. (vi. ye.) Portugal.	Portugal.	H. b.
11	nigra. B. M. (d. pu. ye.) dark-flowered.	Pyrenees.	1596.	5.	H. b.
	pyrenàica. B. M. nec aliorum. aquitànica. Clusius.				Bot. mag. t. 661.
12	racemòsa. R. S. (br. pu.) cluster-flowered.	Russia.	1605.	5. 6.	H. b.
13	pyrenàica. L. (pu.) Pyrenean.	S. Europe.	4. 5.	H. b.
14	tulipifolia. M. B. (pu. vi.) Tulip-leaved.	Caucasus.	1816.	H. b.
15	obliqua. B. M. (pu.) oblique-leaved.	4.	H. b.
16	pèrsica. B. M. (pu.) Persian.	Persia.	1596.	4. 5.	H. b.
	β minor. B. M. (pu.) lesser.	H. b.
					Bot. mag. t. 857.
					t. 1537.
					t. 962.

17	verticillàta. F.	(pu.) acute-leaved.	Siberia.	1820.	4. 5.	H.b.	
18	scándens. F.	(st.) blunt-leaved.	—————	1827.	————	H.b.	
19	leucántha. F.	(wh.) white-flowered.	Altay.	————	————	H.b.	
20	Imperiàlis. w.	(y.re.) Crown Imperial.	Persia.	1596.	3. 4.	H.b.	
	<i>a rubra.</i>	(re.) red-flowered.	—————	————	————	H.b.	Bot. mag. t. 194.
	<i>β flava.</i>	(ye.) yellow-flowered.	—————	————	————	H.b.	———— t. 1215.
CYCLOBO'THRA. S.F.G. CYCLOBO'THRA. Hexandria Monogynia.							
1	barbàta. s.F.G.	(ye.) bearded.	Mexico.	1827.	7. 8.	H.b.	Swt. br. fl. gar. t. 273.
	<i>Fritillària barbàta.</i>	K.S.					
2	purpùrea. s.F.G.	(pu.y.) purple-flowered.	—————	————	————	H.b.	Swt. br. fl. gar. ser. 2. t. 29
CALOCHO'RTUS. Ph. CALOCHO'RTUS. Hexandria Monogynia.							
1	macrocàrpus. B.R.	(pu.) long-fruited.	Columbia.	1826.	7. 8.	H.b.	Bot. reg. t. 1152.
2	nítidus. D.	(pu.ye.) glossy.	—————	————	————	H.b.	
AMBLI'RION. Raf. AMBLI'RION. Hexandria Monogynia.							
1	pùdicum.	(ye.) dwarf.	N. America.	1825.	H.b.	Pursh. fl. amer. t. 8.
	<i>Lilium pùdicum.</i>	Ph.					
2	lanceolàtum.	(pu.) spear-leaved.	—————	1823.	H.b.	
	<i>Fritillària lanceolàta.</i>	Ph. <i>Lilium affìne.</i>	R.S.				
3	camtschatcèse. (pu.)	Camtschatka.	Camtschatka.	1759.	5.	H.b.	Linu. trans. 10. t. 11.
	<i>Lilium camtschatcèse.</i>	L.T.					
4	álbum.	(wh.) white-flowered.	N. America.	1825.	4.	H.b.	
	<i>Fritillària álba.</i>	N.					
LI'LIIUM. L. LILY. Hexandria Monogynia. L.							
1	cándidum. w.	(wh.) common white.	Levant.	1596.	6. 7.	H.b.	Bot. mag. t. 278.
	<i>β striàtum.</i>	(wh.re.) striped-flowered.	————	H.b.	
	<i>γ spicàtum.</i>	(wh.) monstrous-flowered.	————	H.b.	
	<i>δ variegàtum.</i>	(wh.) striped-leaved.	————	H.b.	
2	peregrìnum. R.S.	(wh.) drooping-flowered.	—————	————	————	H.b.	Hayn. getr. dars. 8. t. 27
3	lancifòlium. R.S.	(wh.) spear-leaved.	Japan.	1824.	F.b.	
4	longiflòrum. R.S.	(wh.) long-flowered.	—————	1819.	7. 9.	F.b.	
	<i>β suarèolens.</i>	R.S. (wh.) one-flowered.	—————	————	————	F.b.	Bot. reg. t. 560.
5	japònicum. R.S.	(wh.) Japan.	—————	1804.	————	F.b.	Bot. mag. t. 1591.
6	bulbíferum. R.S.	(or.) bulb-bearing.	Italy.	1596.	————	H.b.	———— t. 36.
	<i>β umbellàtum.</i>	B.M. (or.) umbel-flowering.	—————	————	————	H.b.	———— t. 1018.
7	cròceum. R.S.	(sn.) saffron-color'd.	S. Europe.	————	H.b.	Redout. liliac. t. 210.
8	latifòlium. L.en.	(or.) broad-leaved.	—————	————	H.b.	
9	pubéscens. R.S.	(or.) pubescent.	—————	————	H.b.	
10	spectàbile. F.	(or.) showy Siberian.	Siberia.	1754.	————	H.b.	Swt. br. fl. gar. t. 75.
	<i>pensylvànicum.</i>	B.M. t. 872.	<i>daùricum.</i>	B.M. 1210.	<i>in note.</i>		
11	monadélphum. B.M.	(y.) monadelphous.	Caucasus.	1800.	6. 7.	H.b.	Bot. mag. t. 1405.
12	cóncolor. s.s.	(sc.or.) self-coloured.	—————	1806.	7. 8.	F.b.	———— t. 1165.
13	pùmìlum. s.s.	(sc.) dwarf.	Dahuria.	1816.	6. 8.	H.b.	Bot. reg. t. 132.
	<i>linifòlium.</i>	Horn.	<i>tenuifòlium.</i>	R.S.			
14	andìnum. N.	(sc.) umbel-flowered.	Andes.	1811.	7. 8.	H.b.	Bot. reg. t. 504.
	<i>umbellàtum.</i>	Ph. <i>philadélphicum</i>	<i>β andìnum.</i>	B.R.			
15	philadélphicum. w.	(or.) Philadelphian.	N. America.	1757.	————	H.b.	Bot. mag. t. 519.
16	Catesb'æi. w.	(sc.y.) Catesby's.	Carolina.	1787.	7. 9.	H.b.	———— t. 259.
17	caroliniànum. M.	(ye.) Carolina.	—————	1820.	————	H.b.	Bot. reg. t. 580.
18	canadèse. B.M.	(ye.) Canadian.	N. America.	1629.	7. 8.	H.b.	Bot. mag. t. 800.
	<i>β penduliflòrum.</i>	R.L. red-flowered.	—————	————	————	H.b.	Redout. lil. t. 105.
	<i>canadèse</i>	<i>β rubra.</i>	Bot. mag. t. 858.				
19	supèrbum. w.	(ye.) superb.	—————	1727.	6. 8.	H.b.	Bot. mag. t. 936.
20	Mártagon. w.	(va.) Turk's-cap.	Germany.	1596.	6. 7.	H.b.	Redout. lil. t. 146.
	<i>α glàbrum.</i>	(pu.) smooth-stalked.	—————	————	————	H.b.	Bot. mag. t. 1634.
	<i>β pubéscens.</i>	(pu.) hairy-stalked.	—————	————	————	H.b.	———— t. 893.
	<i>γ pàllidum.</i>	H. (li.) pale-flowered.	—————	————	————	H.b.	
	<i>δ elàtum.</i>	H. (pu.) tall.	—————	————	————	H.b.	
	<i>ε dorsipùctum.</i>	H. (pu.) spotted backed.	—————	————	————	H.b.	
	<i>ζ purpùreum.</i>	H. (pu.) purple.	—————	————	————	H.b.	
	<i>η perpurpùreum.</i>	H. (pu.) dark purple.	—————	————	————	H.b.	
	<i>θ ocellàre.</i>	H. (pu.) eyed.	—————	————	————	H.b.	
	<i>ι petiolàre.</i>	H. (pu.) petioled.	—————	————	————	H.b.	
	<i>κ purpùreo-plènum.</i>	H. (pu.) double purple.	—————	————	————	H.b.	
	<i>λ álbum.</i>	H. (wh.) white-flowered.	—————	————	————	H.b.	
	<i>μ álbo-plènum.</i>	(wh.) double white.	—————	————	————	H.b.	
21	tigrìnum. B.M.	(or. bh.) tiger-spotted.	China.	1804.	7. 9.	H.b.	Bot. mag. t. 1237.
22	pyrenàicum. s.s.	(ye.) Pyrenean.	Pyrenees.	1596.	6. 7.	H.b.	Redout. liliac. t. 145.
23	chalcedónicum. w.	(sc.) scarlet Martagon.	Levant.	————	————	H.b.	Bot. mag. t. 30.
24	pompòniium. w.	(sc.) scarlet pompone.	Siberia.	1629.	5. 6.	H.b.	———— t. 971.

25 pulchellum. F. pretty.	Dahuria.	1829.	H.b.	
GLORIOSA. L.	GLORIOSA. Hexandria Monogynia. L.				
1 virescens. B.M. (gr.) greenish-flowered.	Mozambique.	1822.	7. 8.	S. 4. ~.	Bot. mag. t. 2539.
2 superba. L. (or.) superb.	E. Indies.	1690.	—	S. 4. ~.	Bot. reg. t. 77.
3 simplex. L. (bl.) simple-leaved.	Senegal.	1756.	—	S. 4.	
<i>Melionica gloriosa.</i> Sal.					
ERYTHRONIUM. L.	DOG'S TOOTH VIOLET. Hexandria Monogynia. L.				
1 Dens canis. W. (pu.) common.	Europe.	1596.	3. 4.	H.b.	Redout. liliac. t. 194.
2 americanum. B.M. (ye.) yellow-flower'd.	N. America.	1665.	4. 5.	H.b.	Bot. mag. t. 1113.
<i>lanceolatum.</i> Ph.					
3 albidum. N. (wh.) white American.	—	1825.	—	H.b.	

ORDO CCXVII.

MELANTHACEÆ. *Brown prodr.* 272.

BULBOCODIUM. W.	BULBOCODIUM. Hexandria Monogynia. L.				
1 vernum. s.s. (li.) spring-flowering.	Spain.	1629.	2. 3.	H.b.	Bot. mag. t. 153.
2 versicolor. s.s. (li. ye.) various-colour'd.	Russia.	1820.	9. 10.	H.b.	Bot. reg. t. 571.
<i>Colchicum versicolor.</i> B.R.					
CO'LCHEICUM. S.S.	MEADOW SAFFRON. Hexandria Trigynia. L.				
1 byzantinum. s.s. (li.) broad-leaved.	Levant.	1629.	9. 10.	H.b.	Bot. mag. t. 1122.
2 autumnale. E.B. (li.) common.	Britain.	—	H.b.	Eng. bot. v. 2. t. 133.
β album. (wh.) white flowered.	—	—	H.b.	
γ multipléx. (li.) double-flowered.	—	—	H.b.	
3 crociflorum. B.M. (li.) Crocus-flowered.	—	—	H.b.	Bot. mag. t. 2673.
4 variegatum. W. (std.) chequer-flowered.	Greece.	1629.	8. 10.	H.b.	— t. 1028.
5 arenarium. s.s. (li.) sand.	Hungary.	1816.	9. 10.	H.b.	W. et K. hung. 2. t. 179.
6 umbròsum. F. (li.) wood.	Siberia.	—	—	H.b.	Bot. reg. t. 541.
7 montanum. s.s. (li.) mountain.	S. Europe.	1818.	—	H.b.	
UVULARIA. S.S.	UVULARIA. Hexandria Monogynia. L.				
1 perfoliata. s.s. (gr. ye.) perfoliate.	N. America.	1710.	5. 6.	H. 4.	Sm. exot. bot. 1. t. 49.
2 flava. s.s. (ye.) yellow-flowered.	—	—	H. 4.	— 1. t. 50.
3 lanceolata. H.K. (ye.) spear-leaved.	—	1710.	7. 8.	H. 4.	Cornut. canad. t. 41.
4 grandiflora. H.K. (ye.) large yellow.	—	1802.	5. 6.	H. 4.	Sm. exot. bot. 1. t. 51.
5 sessilifolia. s.s. (st.) sessile-leaved.	—	1790.	6.	H. 4.	— 1. t. 52.
6 puberula. s.s. (ye.) pubescent.	—	1818.	—	H. 4.	Swt. br. fl. gar. s. 2. t. 21.
DISPORUM. D.P.	DISPORUM. Hexandria Monogynia.				
1 parviflorum. D.P. (ye.) small-flowered.	Nepaul.	1823.	6. 8.	F. 4.	
2 Pitsutum. D.P. (ye.) umbel-flowered.	—	1826.	—	F. 4.	
3 fulvum. Sal. (br. pu.) brown-flowered.	China.	1801.	6. 11.	F. 4.	Bot. mag. t. 916.
<i>Uvularia chinensis.</i> E.M.					
SCHELHAMM'ERA. B.P.	SCHELHAMM'ERA. Hexandria Monogynia. S.S.				
1 undulata. E.P. (ro.) wave-leaved.	N. S. W.	1825.	6. 9.	F. 4.	Bot. mag. t. 2712.
2 multiflora. B.P. (ro.) many-flowered.	—	1826.	—	F. 4.	
BURCHA'RDIA. B.P.	BURCHA'RDIA. Hexandria Monogynia. S.S.				
umbellata. B.P. (wh.) umbel-flowered.	N. S. W.	1825.	6. 8.	F. 4.	
ANGUILL'ARIA. B.P.	ANGUILL'ARIA. Hexandria Trigynia.				
1 dioica. B.P. (br.) dioecious.	N. S. W.	1826.	F. 4.	
2 biglandulosa. E.P. (br.) two-glanded.	—	1822.	6. 8.	F. 4.	
3 indica. B.P. (d. pu.) Indian.	E. Indies.	—	—	F. 4.	
<i>Melanthium indicum.</i> L.					
ORNITHOGLOSSUM. S.S.	BIRD'S-TONGUE. Hexandria Trigynia. S.S.				
1 undulatum. B.F.G. (g. pu.) wave-leaved.	C. B. S.	1825.	8. 10.	F. b.	Swt. br. fl. gar. t. 131.
2 viride. s.s. (gr. br.) green-flowered.	—	1788.	10. 11.	F. b.	Sal. par. lond. t. 54.
<i>Melanthium viride.</i> Bot. mag. t. 994.					
ANDROCYMBIUM. W.	ANDROCYMEIUM. Hexandria Trigynia. S.S.				
1 melanthioides. s.s. (gr.) narrow-leaved.	C. B. S.	1825.	8. 10.	F. b.	
2 eucomoides. s.s. (gr.) Tulip-leaved.	—	1794.	3. 5.	F. b.	Swt. br. fl. gar. t. 165.
<i>Melanthium eucomoides.</i> B.M. 641.					
3 volutare. E.T. (gr.) rolled-leaved.	—	1816.	—	F. b.	
MELANTHIUM. W.	MELANTHIUM. Hexandria Trigynia. L.				
1 junceum. W. (li.) Rush-leaved.	C. B. S.	1788.	6. 11.	F. b.	Bot. mag. t. 558.
2 secundum. W. (wh.) side-flowering.	—	1812.	—	F. b.	Lam. ill. t. 269. f. 2.

- 3 capense. w. (wh.) spotted-flowered. C. B. S. 1768. 5. 6. F.b.
 4 ciliatum. w. (wh.) fringed. ——— 1825. ——— F.b.
 5 gramineum. s.s. (wh.) grassy. Barbary. 1823. ——— F.b. Cavan. icon. t. 587. f. 1.
- KO'LBEA. R.S. KO'LBEA. Hexandria Trigynia.
 Breyniana. R.S. (ye.) Breynius's. C. B. S. 1787. 6. 7. F.b. Bot. mag. t. 767.
Melanthium uniflorum. w.
- WURMB'EA. W. WURMB'EA. Hexandria Trigynia. W.
 1 campanulata. w. (wh.) bell-flowered. C. B. S. 1788. 5. 6. F.b. Bot. mag. t. 1291.
Melanthium monopetalum. B.M.
 2 purpurea. H.K. (pu.) purple. ——— ——— F.b. Bot. mag. t. 694.
Melanthium spicatum. B.M. *Wurmbæa capensis*. Andr. reposit. t. 221.
 3 pumila. w. (wh.) dwarf. C. B. S. 1800. 5. 6. F.b.
 4 longiflora. w. (wh.) long-flowered. ——— ——— F.b.
- TOFIELDIA. L.T. TOFIELDIA. Hexandria Trigynia. S.S.
 1 palustris. L.T. (st.) Scotch. Britain. 7. 8. H. 4. Eng. bot. v. 8. t. 536.
 2 racemosa. Hop. (st.) racemed. Germany. 1827. ——— H. 4.
 3 alpina. L.T. (st.) Alpine. Europe. 7. 8. H. 4. Redout. lil. t. 256.
palustris. DC.
 4 pubens. L.T. (st.) downy. N. America. 1790. 4. 5. H. 4. Pluk. mant. 29. t. 342. f. 1.
 5 glutinosa. L.T. (ye.) glutinous. ——— 1827. ——— H. 4. Linn. trans. v. 12. t. 5. f. 2.
- XEROPHYLLUM. M. XEROPHYLLUM. Hexandria Trigynia. S.S.
 1 gramineum. s.s. (wh.) grass-leaved. N. America. 1812. 5. 6. H. 4. Bot. mag. t. 1599.
Helonias graminea. B.M.
 2 tenax. s.s. (wh.) tough-leaved. ——— 1811. ——— H. 4. Pursh. amer. 1. t. 9.
 3 asphodeloides. s.s. (wh.) Asphodel-like. ——— 1765. ——— H. 4. Bot. mag. t. 748.
Helonias asphodeloides. B.M.
- HELONIAS. W. HELONIAS. Hexandria Trigynia. L.
 1 bullata. w. (pu.) broad-leaved. N. America. 1758. 4. 5. H. 4. Bot. mag. t. 747.
latifolia. M.
 2 erythrosperma. M. (wh.) channel-leaved. ——— 1770. 6. H. 4. Bot. mag. t. 803.
læta. B.M. *Melanthium lætum*. w.
 3 angustifolia. M. (wh.) narrow-leaved. ——— 1812. ——— H. 4. Bot. mag. t. 1540.
- ZIGAD'ENUS. M. ZIGAD'ENUS. Hexandria Monogynia. S.S.
 1 glaberrimus. w. (wh.) smooth-leaved. N. America. 1811. 5. 6. H. 4. Mich. amer. 1. t. 22.
Helonias glaberrima. Bot. mag. t. 1680.
 2 bracteatus. (wh.) bracted. ——— ——— H. 4. Bot. mag. t. 1703.
Helonias bracteata. B.M.
 3 elegans. Ph. (wh.) elegant. ——— 1830. 6. 7. H. 4.
- NOLINA. M. NOLINA. Hexandria Trigynia. S.S.
 georgiana. M. (wh.) Georgian. Georgia. 1812. 7. 8. H. 4. Pluk. mant. t. 342. f. 1.
- LEIMANTHIUM. W. LEIMANTHIUM. Polygamia Monœcia.
 virginicum. w. (wh.) Virginian. N. America. 1768. 6. 7. H. 4. Bot. mag. t. 985.
Helonias virginica. B.M. *Melanthium virginicum*. Ph.
 2 monoicum. (wh.) monoecious. ——— 1817. ——— H. 4.
Melanthium monoicum. Ph.
 3 hybridum. (wh.) hybrid. ——— 1822. ——— H. 4.
Melanthium hybridum. Ph. *racemosum*. M.
- PELIOSANTHES. A.R. PELIOSANTHES. Hexandria Monogynia.
 1 humilis. A.R. (gr.) small. E. Indies. 1809. 5. 6. S. 4. Bot. mag. t. 1532.
 2 Teta. A.R. (gr.) large. ——— 1807. 4. S. 4. ——— t. 1302.
- CYMATION. S.S. CYMATION. Hexandria Trigynia. R.S.
 lævigatum. s.s. (ll.) smooth. C. B. S. 1824. 4. 5. G.b.
- VERATRUM. L. WHITE HELLEBORE. Polygamia Monœcia. L.
 1 nigrum. w. (da. pu.) dark-flowered. Siberia. 1596. 6. 7. H. 4. Bot. mag. t. 963.
 2 album. w. (wh.) white-flowered. S. Europe. 1548. 6. 8. H. 4. Flor. dan. t. 1120.
 3 Lobelianum. W.en. (wh.) Lobel's. ——— 1818. ——— H. 4.
 4 viride. w. (gr.) green-flowered. N. America. 1742. 7. 8. H. 4. Bot. mag. t. 1096.
 5 parviflorum. M. (gr.) small-flowered. ——— 1809. ——— H. 4.
 6 angustifolium. Ph. (gr.) narrow-leaved. ——— 1823. ——— H. 4.
- CHAMÆLIRIUM. W. CHAMÆLIRIUM. Diœcia Hexandria.
 carolinianum. w. (st.) spiked-flowered. N. America. 1759. 7. 8. H. 4. Bot. mag. t. 1062.
Helonias lutea. B.M. *dioica*. Ph. *Ophyostachys virginica*. Redout. liliac. t. 464.

ORDO CCXVIII.

PONTEDEREÆ. *Kth. synops.* 1. p. 273.

PONTEDE'ERIA. L.	PONTEDE'ERIA.	Hexandria	Monogynia.	L.	
1 cordàta. s.s.	(bl.) heart-leaved.	N. America.	1759.	6. 8.	H.w. 4. Bot. mag. t. 1156.
2 azùrea. s.s.	(pu.) large-flowered.	Jamaica.	1822.	—	S.w. 4. ——— t. 2932.
3 lanceolàta. s.s.	(bl.) lanceolate.	Carolina.	8. 9.	G.w. 4. Lodd. bot. cab. t. 613.
4 angustifolia. s.s.	(bl.) narrow-leaved.	N. America.	1806.	6. 8.	H.w. 4.
5 crassipès. s.s.	(bl.) thick-footstalked.	Brazil.	1822.	—	S.w. 4. Mart. n. pl. bras. t. 4.
6 dilatàta. s.s.	(bl.) spreading.	E. Indies.	1806.	5.	S.w. 4. Andr. reposit. t. 490.
HETERANTH'ERA. R.S.	HETERANTH'ERA.	Triandria	Monogynia.	W.	
1 renifórmis. R.S.	(wh.) kidney-leaved.	S. America.	1812.	6. 7.	G.w. 4. Flor. per. 1. t. 71. f. a.
2 acùta. W.	(wh.) acute-leaved.	N. America.	—	—	H.w. 4.
3 limòsa. R.S.	(bl.) oval-leaved.	W. Indies.	1822.	—	S.w. 4. Mich. amer. 1. t. 5. f. 1.
LEPTA'NTHUS. M.	LEPTA'NTHUS.	Triandria	Monogynia.	Ph.	
gramíneus. M.	(ye.) grass-like.	N. America.	1823.	7. 8.	H.w. 4. Hook. ex. flor. t. 94.
<i>Heteranthera graminea</i> , Ph. <i>Schöllera graminifolia</i> , w.					

ORDO CCXIX.

COMMELINEÆ. *Brown prodr.* 1. p. 268.

DICHORISA'NDRA. S.S.	DICHORISA'NDRA.	Hexandria	Monogynia.	S.S.	
1 thyrsiflòra. s.s.	(bl.) bunch-flowered.	Brazil.	1820.	8. 10.	S. ½. Bot. reg. t. 682.
2 gràcilis. s.s.	(bl.) slender.	—	1824.	—	S. ½.
3 oxypétala. B.M.	(pu.) sharp-flowered.	—	1825.	6. 9.	S. 4. Bot. mag. t. 2721.
4 pubérula. s.s.	(bl.) pubescent.	—	—	—	S. 4.
CAMP'ELIA. K.S.	CAMP'ELIA.	Hexandria	Monogynia.	S.S.	
Zanònia. K.S.	(wh.) Gentian-leaved.	S. America.	1759.	7. 12.	S. 4. Redout. lil. 4. t. 192.
<i>Commelina Zanònia</i> , R.L. <i>Tradescantia Zanònia</i> , w. <i>Zanònia bibractèata</i> , Cram.					
TRADESCA'NTIA. L.	SPIDERWORT.	Hexandria	Monogynia.	L.	
1 fuscàta. s.s.	(bl.) rusty.	S. America.	1820.	8. 12.	S. 4. Bot. reg. t. 482.
2 malabàrica. s.s.	(pu.) Grass-leaved.	E. Indies.	1776.	7. 8.	S. 4. Rheed. mal. 9. t. 63.
3 tuberòsa. s.s.	(bl.) tuberous-rooted.	—	1817.	—	S. 4.
4 speciòsa. s.s.	(pu.) handsome.	Mexico.	1825.	—	S. 4.
5 discolor. s.s.	(wh.) purple-leaved.	S. America.	1783.	4. 9.	S. ½. Bot. mag. t. 1192.
6 cordifolia. s.s.	(pu.) heart-leaved.	Jamaica.	1822.	—	S. ⊙.
7 erécta. s.s.	(bl.) upright.	Mexico.	1794.	7. 8.	H. ⊙. Bot. mag. t. 1340.
8 undàta. s.s.	(bl.) wave-leaved.	S. America.	1817.	8. 10.	H. ⊙.
9 pulchélla. s.s.	(pu.) pretty.	Mexico.	1825.	—	G. 4.
10 crassifolia. s.s.	(pu.) thick-leaved.	—	1796.	7. 10.	H. 4. Bot. mag. t. 1598.
11 subàspera. s.s.	(bl.) Lyon's.	N. America.	1812.	5. 10.	H. 4. ——— t. 1597.
12 virgínica. s.s.	(bl.) Virginian.	—	1629.	5. 8.	H. 4. Park. parad. t. 151. f. 4.
α cærùlea.	(bl.) blue-flowered.	—	—	—	H. 4. Bot. mag. t. 105.
β rubra.	(re.) red-flowered.	—	—	—	H. 4.
γ albida.	(wh.) whitish-flowered.	—	—	—	H. 4.
δ nìrea.	(wh.) snowy white.	—	1824.	—	H. 4.
ε pilòsa. B.R.	(bl.) hairy.	—	1827.	—	H. 4. Bot. reg. t. 1055.
13 congésta. H.E.	(bl.) close-flowered.	—	1825.	—	H. 4.
14 ròsea. s.s.	(ro.) rose-coloured.	Carolina.	1802.	5. 10.	H. 4. Swt. br. fl. gar. t. 181.
15 multiflòra. s.s.	(wh.) many-flowered.	Jamaica.	1824.	—	S. 4.
16 crássula. B.M.	(wh.) white-flowered.	Brazil.	1826.	12. 1.	S. 4. Bot. mag. t. 2935.
17 procúbens. s.s.	(wh.) procumbent.	Caracas.	1823.	—	S. 4. Jacq. ic. 2. t. 355.
<i>multiflòra</i> , Jacq. non w.					
18 parvisflòra. s.s.	(bl.) small-flowered.	Peru.	1822.	—	H. 4. Flor. per. 3. t. 272. f. 2.
19 latifolia. s.s.	(ri.) broad-leaved.	Lima.	1820.	9. 11.	H. ⊙. ——— 3. t. 272.
20 divaricàta. s.s.	(bl.) spreading.	Trinidad.	—	5. 8.	S. 4. Aub. gui. 1. t. 12.
21 geniculàta. s.s.	(wh.) knotted.	W. Indies.	1783.	7. 8.	S. 4. Jacq. amer. t. 64.
22 paniculàta. s.s.	(bl.) paniced.	E. Indies.	1824.	—	S. ⊙.

CYAN'OTIS. D.P.	CYAN'OTIS.	Hexandria Monogynia.				
1 axillàris. D.P.	(bl.) axil-flowered.	E. Indies.	1822.	8. 10.	S. ⊙.	Rheed. mal. 10. t. 13.
2 cristàta. D.P.	(bl.) crest-bunched.	Ceylon.	1770.	7. 9.	S. ⊙.	Bot. mag. t. 1435.
	<i>Tradescantia cristata.</i>	B.M.				
3 barbàta. D.P.	(bl.) bearded.	Nepaul.	1824.	—	H. ⊙.	
CARTON'EMA. B.P.	CARTON'EMA.	Hexandria Monogynia.				
spicatum. B.P.	(ye.) spiked.	New Holland.	1822.	7. 8.	S. 4.	
CALLISIA. L.	CALLISIA.	Triandria Monogynia. L.				
repens. L.	(gr.) creeping.	W. Indies.	1776.	6. 7.	S. 4.	Jacq. amer. t. 11.
ANEIL'EMA. B.P.	ANEIL'EMA.	Triandria Monogynia.				
1 biflora. B.P.	(bl.) two-flowered.	N. S. W.	1820.	7. 8.	F. 4.	
2 acuminata. B.P.	(bl.) sharp-pointed.	—	1822.	—	F. 4.	
3 longifolia. H.E.F.	(bl.) long-leaved.	Zanzibar.	1823.	8. 9.	S. 4.	Hook. ex. flor. t. 204.
4 sinica. B.R.	(bl.) Chinese.	China.	1820.	5. 6.	G. 4.	Bot. reg. t. 659.
5 nudiflora. B.P.	(bl. pu.) naked-flowered.	E. Indies.	—	8. 10.	S. ⊙.	Rheed. mal. 9. t. 63.
6 spirata. B.P.	(bl.) spear-leaved.	—	1783.	7. 8.	S. ⊙.	
	<i>Commelina spirata.</i>	L.				
7 affinis. B.P.	(bl.) rough-angled.	N. S. W.	1825.	—	F. 4.	
COMMEL'INA. B.P.	COMMEL'INA.	Triandria Monogynia. L.				
1 angustifolia. R.S.	(bl.) narrow-leaved.	Carolina.	1812.	7. 8.	F. 4.	
2 truncata. R.S.	(pa. bl.) truncate-bracted.	—	1822.	7. 9.	H. 4.	
3 cyanea. E.P.	(bl.) bright blue.	N. S. W.	1820.	—	F. 4.	
4 dianthifolia. DC.	(bl.) Pink-leaved.	—	1816.	—	S. 4.	Redout. lil. 7. t. 390.
5 longicaulis. R.S.	(bl.) long-stalked.	Caracas.	1806.	8.	S. 4.	Jacq. ic. 2. t. 291.
6 hirtella. R.S.	(bl.) hairy.	N. America.	1820.	7. 8.	H. 4.	
7 virginica. R.S.	(bl.) Virginian.	—	1779.	—	H. 4.	Pluk. alm. t. 174. f. 4.
8 africana. R.S.	(ye.) yellow-flowered.	C. B. S.	1759.	5. 10.	G. 4.	Bot. mag. t. 1431.
9 fasciculata. R.S.	(bl.) woolly tubered.	Lima.	1817.	—	H. 4.	Flor. per. 1. t. 72. f. b.
10 communis. R.S.	(bl.) common.	America.	1732.	6. 7.	H. ⊙.	Redout. lil. 4. t. 206.
11 polygama. R.S.	(bl.) polygamous.	Japan.	—	H. 4.	Kæmpf. am. p. 888. ic.
12 caroliniana. R.S.	(bl.) Carolina.	Carolina.	—	H. 4.	
13 dubia. R.S.	(bl.) dubious.	—	1819.	7. 9.	H. 4.	Redout. lil. 6. t. 359.
14 tuberosa. R.S.	(bl.) tuberous-rooted.	Mexico.	1732.	—	H. 4.	Andr. reposit. t. 399.
15 cœlestis. R.S.	(bl.) sky-blue.	—	1813.	7. 10.	H. 4.	Swt. br. fl. gar. t. 3.
16 pallida. R.S.	(bl.) pale-flowered.	Mexico.	1822.	—	H. 4.	Willd. hort. ber. 2. t. 87.
	<i>rubens.</i>	Redoute liliac.	7. t. 367.			
17 turbinata. R.S.	(bl.) top-shaped.	Santa Cruz.	1824.	—	S. 4.	
18 obliqua. R.S.	(bl.) oblique-leaved.	S. America.	1827.	—	S. 4.	
19 erecta. R.S.	(bl.) upright.	Virginia.	1732.	8. 9.	H. 4.	Dill. elt. 94. t. 77. f. 88.
20 mollis. R.S.	(bl.) soft.	Caracas.	1804.	—	H. 4.	Jacq. ic. 2. t. 293.
21 bengalensis. R.S.	(bl.) Bengal.	Bengal.	1794.	6.	S. 4.	Burm. ind. t. 7. f. 3.
22 parviflora. L. en.	(bl.) small-flowered.	—	1823.	—	S. 4.	
23 deficiens. B.M.	(bl.) deficient.	Brazil.	1825.	1. 12.	S. 4.	Bot. mag. t. 2644.

ORDO CCXX.

PALMÆ. *Brown prodr. p. 266.*

CHAMÆD'OREA. W.	CHAMÆD'OREA.	Diccia Hexandria. W.				
1 gracilis. W.	(st.) slender.	Caracas.	1803.	S. h.	Jacq. schen. 2. t. 217. s.
2 fragrans. M.P.	(st.) fragrant.	Pern.	1823.	Martius Palm. ic.
S'ABAL. P.S.	S'ABAL.	Hexandria Trigynia. P.S.				
1 Adansoni. B.M.	(st.) dwarf.	Florida.	1810.	6. 8.	S. 4.	Bot. mag. t. 1434.
	<i>Corypha minor.</i>	Jacq. vind. 3. t. 8.	<i>Chamærops aculeis.</i>	M.		
2 Blackburniana. L.C.	(st.) Blackburn's.	S. America.	1824.	S. 4.	
3 graminifolia. L.C.	(st.) grass-leaved.	—	1822.	S. 4.	
4 umbraculifera. L.C.	(st.) umbrella.	—	—	S. 4.	
RHA'PIS. W.	RHA'PIS.	Polygamia Monœcia. W.				
1 flabelliformis. W.	(st.) creeping-rooted.	China.	1774.	8.	S. 4.	Bot. mag. t. 1371.
2 arundinæa. W.	(st.) simple-leaved.	Carolina.	1765.	9.	G. h.	
CHAMÆROPS. W.	CHAMÆROPS.	Polygamia Diccia. W.				
1 excelsa. L.C.	(st.) tall.	Nepaul.	1822.	S. h.	
2 gracilis. L.C.	(st.) slender.	S. America.	—	S. h.	
3 guianensis. L.C.	(st.) Guiana.	Guiana.	1824.	S. h.	
4 humilis. s.s.	(st.) dwarf fan palm.	S. Europe.	1731.	2. 3.	G. h.	Andr. reposit. t. 599.

5 serrulata. s.s.	(st.) saw-leaved.	N. America.	1809.	G. h.	
6 Hy'strix. s.s.	(st.) Porcupine.	Georgia.	1801.	G. h.	
7 Palmétto. s.s.	(st.) smooth-stemm'd.	Carolina.	1809.	G. h.	
LIVISTONA. B.P.	LIVIST'ONA.	Hexandria Monogynia.	S.S.			
1 inermis. B.P.	(st.) spineless.	N. Holland.	1823.	S. h.	
2 humilis. B.P.	(st.) dwarf spiny.	—	—	S. h.	
LODOÏCEA. S.S.	DOUBLE COCOA-NUT.	Diœcia Monadelphia.				
Secbellarum. B.M.	(st.) Seychelle's Island.	Seychelle's Isl.	1827.	S. h.	Bot. mag. t. 2734-2738.
LATANIA. W.	LAT'ANIA.	Diœcia Monadelphia.	W.			
1 rubra. w.	(st.) red.	Mauritius.	1788.	S. h.	Jacq. frag. 1. t. 8.
2 glaucophylla. L.C.	(st.) glaucous-leaved.	—	1821.	S. h.	
3 borbònica. w.	(st.) Bourbon.	Bourbon.	—	S. h.	Jacq. frag. 1. t. 11.
chinensis. Jacq.	Livistonæ species? B.P.					
CORYPHA. L.	FAN PALM.	Hexandria Monogynia.	W.			
1 australis. B.P.	(st.) New Holland.	N. S. W.	1822.	S. h.	
2 elata. H.B.	(st.) tall.	E. Indies.	1820.	S. h.	
3 glaucescens. L.C.	(st.) glaucescent.	—	—	S. h.	
4 umbraculifera. w.	(st.) great.	—	1742.	S. h.	Rheed. mal. 3. t. 1-12.
5 Utan. s.s.	(st.) Molucca.	—	1822.	S. h.	
TALIERA. S.S.	TAL'IERA.	Hexandria Monogynia.	S.S.			
bengalensis. s.s.	(st.) Bengal.	E. Indies.	1822.	S. h.	
Corypha Taliera. H.B.						
PHENIX. W.	DATE PALM.	Diœcia Hexandria.	W.			
1 dactylifera. w.	(st.) common.	Levant.	1597.	G. h.	Kæmpf. am. 686. t. 1.2.
2 sylvestris. H.B.	(st.) wood.	E. Indies.	1820.	S. h.	
3 paludosa. H.B.	(st.) marsh.	—	—	S. h.	
4 reclinata. w.	(st.) reclining.	C. B. S.	1792.	G. h.	Jacq. frag. 1. t. 24.
5 farinifera. w.	(st.) small.	E. Indies.	1800.	S. h.	Roxb. corom. 1. t. 74.
6 acaulis. s.s.	(st.) stalkless.	—	1820.	S. 4.	
7 leonensis. L.C.	(st.) African.	Sierra Leon.	—	S. h.	
8 pygmæa. L.C.	(st.) pigmy.	—	S. 4.	
SAGUS. W.	SAGO PALM.	Monœcia Hexandria.	W.			
1 Rumphii. w.	(st.) Rumphius's.	E. Indies.	1800.	S. h.	Rumph. amb. 1. t. 17. 18.
2 vinifera. P.S.	(st.) prickly-leaved.	Africa.	1820.	S. h.	Beauv. fl. d'ow. t. 45.
3 Ruffia. w.	(st.) Madagascar.	Madagascar.	—	S. h.	Jacq. frag. p. 7. t. 4. f. 2.
4 pedunculata. Poir.	(st.) peduncled.	—	—	S. h.	
HYPHÆNE. G.	HYPH'ÆNE.	Diœcia Hexandria.				
coriacea. G.	(st.) leathery.	Egypt.	1822.	S. h.	
Cucifera thebaica. Del.						
ARECA. W.	CABBAGE-TREE.	Monœcia Monadelphia.	W.			
1 Catechu. w.	(st.) medicinal.	E. Indies.	1690.	S. h.	Roxb. corom. 1. t. 75.
2 humilis. w.	(st.) dwarf.	—	1814.	S. h.	Rumph. amb. 1. t. 7.
3 rubra. w.	(st.) red.	Isl. France.	1823.	S. h.	
4 crinita. w.	(st.) hairy.	—	1819.	S. h.	
5 oleracea. w.	(st.) esculent.	W. Indies.	1656.	S. h.	Jacq. amer. t. 170.
6 triandra. H.B.	(st.) three-anthered.	E. Indies.	1819.	S. h.	
7 lutescens. w.	(st.) yellowish.	Mauritius.	—	S. h.	
8 exilis. L.C.	(st.) slender.	1822.	S. h.	
9 Manicot. L.C.	(st.) Manicot.	—	S. h.	
10 montana. L.C.	(st.) mountain.	1819.	S. h.	
CENOCA'RPIUS. M.P.	CENOCA'RPUS.	Monœcia Hexandria.				
Batana. M.P.	(st.) American.	S. America.	1822.	S. h.	Martius. palm. ic.
EUTERPE. G.	EUTERPE.	Polygamia Monœcia.				
1 globosa. G.	(st.) globular.	E. Indies.	1819.	S. h.	
Areca spicata. Lam.						
2 pisifera. G.	(st.) Pea-bearing.	—	—	S. h.	
WALLI'CHIA. S.S.	WALLI'CHIA.	Polygamia Monœcia.				
caryotoïdes. s.s.	(st.) Caryota-like.	E. Indies.	1818.	S. h.	Roxb. corom. ic.
ELAIS. W.	OILY PALM.	Diœcia Hexandria.	W.			
1 guineensis. w.	(st.) Guinea.	Guinea.	1730.	S. h.	Jacq. amer. t. 172.
2 melanococca. G.	(st.) black-fruited.	S. America.	1820.	S. h.	
3 pernambucana. L.C.	(st.) Pernambuco.	—	—	S. h.	
SYAGRUS. M.P.	SYA'GRUS.	Polygamia Monœcia.				
cocoïdes. M.P.	(st.) Cocoa-like.	Brazil.	1823.	S. h.	Mart. palm. ic.
ELATE. W.	EL'ATE.	Monœcia Hexandria.				
sylvestris. w.	(st.) prickly-leaved.	E. Indies.	1763.	4. 6.	S. h.	Rheed. mal. 3. t. 22-25.
ACROC'OMIA. M.P.	ACROC'OMIA.	Monœcia Hexandria.				
1 sclerocarpa. M.P.	(st.) dry-fruited.	Brazil.	1822.	S. h.	Mart. palm. ic.
2 aculeata. L.C.	(st.) prickly.	W. Indies.	1796.	S. h.	Jacq. amer. 278. t. 160.
Cocos aculeata. w.						

3 fusifórmis.	(st.) great Macaw-tree.	W. Indies.	1731.	S. h.	
<i>Cocos fusifórmis.</i> w.						
4 minor. L.C.	(st.) lesser.	S. America.	1823.	S. h.	
COCOS. W. COCOA-NUT-TREE. Monœcia Hexandria. W.						
1 nucífera. w.	(st.) common.	E. Indies.	1690.	S. h.	Roxb. corom. 1. t. 73
2 flexuosa. M.P.	(st.) flexuose.	Brazil.	1823.	S. h.	Mart. palm. ic.
3 plumosa. L.C.	(st.) feathered.	W. Indies.	—	S. h.	
MAXIMILIANA. M.P. MAXIMILIANA. Polygamia Monœcia.						
règia. M.P.	(st.) membranous-fl'd.	Brazil.	1822.	S. h.	Mart. palm. ic.
THRINAX. W. THRINAX. Hexandria Monogynia. W.						
parviflora. w.	(st.) small.	Jamaica.	1778.	S. h.	
ASTROCARYUM. M.P. ASTROCARYUM. Monœcia Hexandria.						
1 acaule. M.P.	(st.) stalkless.	Brazil.	1823.	S. 4.	Mart. palm. ic.
2 campêtre. M.P.	(st.) field.	—	1824.	S. h.	— ic.
3 aculeatum. s.s.	(st.) prickly.	Guiana.	—	S. h.	
4 vulgare. M.P.	(st.) common.	Brazil.	1823.	S. h.	Mart. palm. ic.
5 Murumuru. M.P.	(st.) tall.	—	—	S. h.	— ic.
GEONOMA. W. GEONOMA. Diœcia Hexandria.						
1 simplicifrons. w.	(st.) simple-fronded.	S. America.	1823.	S. 4.	
2 macrostachys. M.P.	(st.) large-spiked.	—	—	S. 4.	Mart. palm. ic.
3 acaulis. M.P.	(st.) stalkless.	Brazil.	1822.	S. 4.	— ic.
4 pinnatifrons. w.	(st.) pinnated.	S. America.	—	S. 4.	
5 Schottiana. L.C.	(st.) Schott's.	Brazil.	—	S. 4.	
MAURITIA. L. MAURITIA. Diœcia Hexandria. W.						
1 flexuosa. w.	(st.) flexuose.	W. Indies.	1819.	S. h.	
2 armata. M.P.	(st.) spiny.	Brazil.	1822.	S. h.	Mart. palm. ic.
3 vinífera. M.P.	(st.) straight-stem'd.	—	—	S. h.	— ic.
LICUALA. W. LICUALA. Hexandria Monogynia. W.						
1 spinosa. w.	(st.) spiny.	E. Indies.	1802.	S. h.	Rumph. amb. 1. t. 9.
2 peltata. H.P.	(st.) peltate.	—	1819.	S. h.	
CALAMUS. W. CALAMUS. Hexandria Monogynia. S.S.						
1 verus. s.s.	(st.) true.	E. Indies.	1820.	S. h.	Rumph. amb. 5. t. 54.
2 niger. s.s.	(st.) black.	—	—	S. h.	— 5. t. 52.
3 rudentum. s.s.	(st.) common.	China.	1812.	S. h.	
4 Zalacca. s.s.	(st.) Java.	E. Indies.	—	S. h.	Gært. fr. 2. t. 139. f. 2.
5 albus. P.S.	(st.) common.	—	—	S. h.	Rumph. amb. 5. f. 52.
6 Draco. s.s.	(st.) Dragon.	—	1819.	S. h.	— 5. t. 58. f. 1.
SEAFO'RTHIA. B.P. SEAFO'RTHIA. Polygamia Monœcia.						
élegans. B.P.	(st.) elegant.	N. Holland.	1822.	S. h.	
CARYOTA. W. CARYOTA. Monœcia Polyandria. W.						
1 urens. w.	(st.) torn-leaved.	E. Indies.	1788.	S. h.	Rheed. mal. 1. t. 11.
2 horrida. w.	(st.) horrid.	S. America.	1820.	S. h.	
DIPLOTHEMIUM. M.P. DIPLOTHEMIUM. Polygamia Monœcia.						
1 maritimum. M.P.	(st.) sea-side.	Brazil.	1823.	S. 4.	Mart. palm. ic.
2 campêtre. M.P.	(st.) field.	—	—	S. 4.	— ic.
ATTALEA. K.S. ATTALEA. Monœcia Polyandria.						
1 humilis. M.P.	(st.) dwarf.	Brazil.	1823.	S. h.	Mart. palm. ic.
2 compta. M.P.	(st.) decked.	—	—	S. h.	— ic.
3 funífera. M.P.	(st.) rope-bearing.	—	—	S. h.	— ic.
4 excelsa. M.P.	(st.) lofty.	—	—	S. h.	— ic.
5 speciosa. M.P.	(st.) handsome.	—	1824.	S. h.	— ic.
6 Róssii. L.C.	(st.) Ross's.	—	—	S. h.	
7 spectabilis. L.C.	(st.) showy.	—	—	S. h.	
GOMUTUS. S.S. GOMUTUS. Monœcia Polyandria.						
saccharifer. s.s.	(st.) sugar-bearing.	E. Indies.	1820.	S. h.	
MANICARIA. G. MANICARIA. Polygamia Monœcia.						
saccífera. G.	(st.) bag-like.	E. Indies.	1822.	S. h.	Gært. sem. 2. t. 176.
BORA'SSUS. W. BORA'SSUS. Diœcia Hexandria. W.						
flabellifórmis. w.	(st.) fan-leaved.	E. Indies.	1771.	S. h.	Roxb. corom. 1. t. 71. 72.
NIPA. W. NIPA. Monœcia Monadelphia. W.						
fruticans. w.	(st.) shrubby.	E. Indies.	1822.	S. h.	Rumph. amb. 1. t. 16.
DESMONCUS. M.P. DESMONCUS. Monœcia Monadelphia.						
1 polyacanthus. M.P.	(st.) many-spined.	Brazil.	1822.	S. h.	Mart. palm. ic.
2 orthacanthus. M.P.	(st.) long-spined.	—	—	S. h.	— ic.
3 americanus. L.C.	(st.) American.	S. America.	1823.	S. h.	
4 dubius. L.C.	(st.) doubtful.	—	—	S. h.	
BA'CTRIS. W. BA'CTRIS. Monœcia Hexandria. W.						
1 pectinata. M.P.	(st.) pectinated.	Brazil.	1825.	S. h.	Mart. palm. ic.
2 cuspidata. M.P.	(st.) sharp-pointed.	—	—	S. h.	

3 minor. w.	(st.) lesser.	S. America.	1691.	S. h.	Jacq. amer. t. 171. f. 1.
4 macracantha. M.P.	(st.) large-spined.	Brazil.	1822.	S. h.	Mart. palm. ic.
5 major. w.	(st.) greater.	Carthagera.	1800.	S. h.	Jacq. amer. t. 171. f. 2.
6 caryotæfolia. M.P.	(st.) Caryota-leaved.	Brazil.	1825.	S. h.	Mart. palm. ic.

ORDO CCXXI.

JUNCEÆ. *Brown prodr. 1. p. 257.*

KINGIA. L.T.	GRASS-TREE.	Hexandria Monogynia.				
australis. L.T.	(st.) southern.	N. Holland.	1830.	G. h.	
XEROTES. B.P.	XEROTES.	Diœcia Hexandria.				
1 flexifolia. B.P.	(st.) bending-leav'd.	N. S. W.	1819.	6. 8.	F. 4.	Thunb. diss. drac. 17. f. 2.
2 mucronata. B.P.	(st.) mucronated.	—————	1823.	—	F. 4.	
3 filiformis. B.P.	(st.) filiform.	—————	—	—	F. 4.	Th. dis. drac. n. 1. ic.
<i>Dracæna filiformis.</i>	Th.					
4 denticulata. B.P.	(st.) toothed.	—————	1825.	—	F. 4.	
5 laxa. B.P.	(st.) loose-flowered.	—————	1819.	—	F. 4.	
6 rigida. B.P.	(st.) stiff-leaved.	N. Holland.	1796.	6. 7.	F. 4.	Lodd. bot. cab. t. 798.
<i>Lomandra rigida.</i>	Lab. n. hol. 1. t. 120.					
7 montana. B.P.	(st.) mountain.	N. S. W.	1824.	—	F. 4.	
8 longifolia. B.P.	(st.) long-leaved.	—————	1796.	—	F. 4.	Lab. nov. hol. 1. t. 19.
<i>Lomandra longifolia.</i>	Lab.					
9 Hystrix. B.P.	(st.) Porcupine.	—————	1823.	—	F. 4.	
10 æmula. B.P.	(st.) rival.	—————	—	—	F. 4.	
11 echinata. M.C.	(st.) bristly.	N. Holland.	1824.	—	F. 4.	
PLEEA. M.	PLEEA.	Enneandria Trigynia. Ph.				
tenuifolia. M.	(br.) slender-leaved.	Carolina.	1812.	5. 8.	F. 4.	Bot. mag. t. 1956.
NARTHECIUM. E.B.	NARTHECIUM.	Hexandria Monogynia.				
1 ossifragum. E.B.	(ye.) Lancashire Asphodel.	Britain.	7. 8.	H. 4.	Eng. bot. v. 8. t. 535.
2 americanum. B.M.	(ye.) American.	N. America.	1811.	—	H. 4.	Bot. mag. t. 1505.
LUZULA. DC.	WOODRUSH.	Hexandria Monogynia. S.S.				
1 pilosa. R.S.	(br.) spring.	Britain.	3. 5.	H. 4.	Eng. bot. v. 11. t. 736.
2 flavescens. S.S.	(st.) yellowish.	S. Europe.	1817.	—	H. 4.	Host. gram. 3. t. 94.
3 Forsteri. DC.	(br.) Forster's.	England.	5. 6.	H. 4.	Eng. bot. v. 18. t. 1293.
4 glabrata. S.S.	(br.) smooth.	Switzerland.	1825.	—	H. 4.	Desv. j. bot. 1. t. 5. f. 3.
5 albida. DC.	(wh.br.) white.	—————	1815.	—	H. 4.	Leers. herb. t. 13. f. 6.
6 lutea. DC.	(st.) yellow.	—————	—	—	H. 4.	
7 spadicea. DC.	(da.br.) light red.	Europe.	1816.	—	H. 4.	Vill. delph. 2. t. 6.
8 parviflora. S.	(br.) small-flowered.	Switzerland.	1824.	—	H. 4.	Rost. junc. p. 26. t. 1. f. 1.
9 nivea. DC.	(wh.) snowy.	—————	1770.	—	H. 4.	Scheuch. gram. t. 7. f. 7.
10 sylvatica. S.	(br.wh.) wood.	Britain.	5.	H. 4.	Eng. bot. v. 11. t. 737.
<i>Juncus sylvaticus.</i>	E.B.					
11 pallescens. S.	(br.) palish.	N. Europe.	1828.	—	H. 4.	Linn. fl. lap. t. 10. f. 2.
12 hyperborea. S.	(br.) northern.	—————	—	—	H. 4.	
13 arcuata. S.S.	(wh.br.) fringe-bracted.	Scotland.	7.	H. 4.	Wahl. lapp. t. 4.
14 spicata. DC.	(br.) spiked.	—————	—	H. 4.	Eng. bot. v. 17. t. 1176.
15 congesta. S.S.	(br.) close-headed.	Britain.	6.	H. 4.	Purt. suppl. t. 9.
<i>Juncus liniger.</i>	Purt.					
16 sudetica. DC.	(br.) Swedish.	Sweden.	1824.	—	H. 4.	Host. gram. 4. t. 99.
17 pediformis. DC.	(br.) foot-shaped.	S. Europe.	1822.	5. 6.	H. 4.	
18 campestris. DC.	(br.) field.	Britain.	4. 5.	H. 4.	Eng. bot. v. 10. t. 672.
19 multiflora. S.S.	(br.) many-flowered.	Europe.	1822.	5. 6.	H. 4.	
JUNCUS. DC.	RUSH.	Hexandria Monogynia. L.				
1 multicapitatus. S.	(br.) many-headed.	Scotland.	6. 7.	H. 4.	
<i>polycéphalus.</i>	E.F. non Mich.					
2 fusco-ater. S.	(br.) dark brown.	Europe.	1825.	—	H. 4.	
3 obtusiflorus. L.T.	(bh.) blunt-flowered.	Britain.	7. 8.	H. 4.	Eng. bot. v. 30. t. 2144.
4 lamprocarpus. L.T.	(br.) shining-fruited.	—————	—	H. 4.	— v. 30. t. 2143.
5 acutiflorus. L.T.	(br.) sharp-flowered.	—————	6. 7.	H. 4.	— v. 4. t. 238.
<i>articulatus.</i>	E.B.					
6 Holoschœnus. B.P.	(br.) stripe-seeded.	N. S. W.	1824.	—	F. 4.	
7 subverticillatus. L.T.	(br.) whorled.	Britain.	7. 8.	H. 4.	Flor. dan. t. 817.
8 tenuis. S.	(gr.pu.) slender.	N. America.	1826.	—	H. 4.	
9 castaneus. E.B.	(br.) black-spiked.	Scotland.	7.	H. 4.	Eng. bot. v. 13. t. 900.

10	Jacquini. s. (<i>br. pu.</i>) Jacquin's. <i>S. Europe.</i> 1824. 7. H. 2. Jacq. fl. aust. t. 221.
	<i>biglumis.</i> Jacq. vind. t. 4. f. 2. <i>nec aliorum.</i>
11	<i>biglumis.</i> E.B. (<i>br.</i>) two-flowered. <i>Scotland.</i> 8. H. 2. Eng. bot. v. 13. t. 898.
12	<i>triglumis.</i> E.B. (<i>br.</i>) three-flowered. <i>Britain.</i> 7. H. 2. ——— v. 13. t. 898.
13	<i>capitatus.</i> s.s. (<i>br. g.</i>) headed. ——— 5. 7. H. ⊙. Weig. obs. t. 2. f. 5.
14	<i>supinus.</i> L.T. (<i>br.</i>) dwarf. ——— 7. H. 2. Flor. dan. t. 1099.
15	<i>uliginosus.</i> E.B. (<i>br.</i>) little bulbous. ——— 7. 8. H. 2. Eng. bot. v. 12. t. 801.
16	<i>trifidus.</i> E.B. (<i>br.</i>) three-leaved. <i>Scotland.</i> ——— H. 2. ——— v. 21. t. 148.
17	<i>Gésneri.</i> E.F. (<i>g. br.</i>) Gesner's. ——— 7. H. 2. ——— v. 31. t. 21.
	<i>gracilis.</i> E.B. <i>non B.P.</i>
18	<i>bufonius.</i> E.B. (<i>pa.</i>) toad. <i>Britain.</i> 6. 8. H. 2. Eng. bot. v. 12. t. 82.
19	<i>cœnosus.</i> L.T. (<i>br.</i>) mud. ——— 7. 8. H. 2. Flor. dan. t. 431.
20	<i>compressus.</i> L.T. (<i>g. br.</i>) round-fruited. ——— ——— H. 2. Eng. bot. v. 13. t. 924.
	<i>bulbosus.</i> E.B.
21	<i>squarrosus.</i> E.B. (<i>br.</i>) Goose-corn. ——— 6. 7. H. 2. Eng. bot. v. 13. t. 963.
22	<i>Tenagèja.</i> s.s. (<i>g. br.</i>) annual. <i>Europe.</i> 1816. ——— H. ⊙. Flor. dan. t. 1160.
23	<i>aristulatus.</i> M. (<i>br.</i>) awned. <i>N. America.</i> 1820. ——— H. 2.
24	<i>plebeius.</i> B.P. (<i>pa. pu.</i>) linear-leaved. <i>N. S. W.</i> 1816. ——— F. 2.
25	<i>planifolius.</i> B.P. (<i>br. pu.</i>) flat-leaved. ——— 1822. 7. 8. F. 2.
26	<i>pauciflorus.</i> B.P. (<i>pa.</i>) few-flowered. ——— ——— F. 2.
27	<i>vaginatus.</i> E.P. (<i>st.</i>) sheathed. ——— 1823. ——— F. 2.
28	<i>polycéphalus.</i> M. (<i>gr.</i>) paniced. <i>N. America.</i> 1828. ——— H. 2.
29	<i>macrostemon.</i> s. (<i>gr.</i>) large-stamened. ——— 1826. ——— H. 2.
30	<i>filiformis.</i> E.B. (<i>gr.</i>) least. <i>Britain.</i> 8. H. 2. Eng. bot. v. 17. t. 1175.
31	<i>pallidus.</i> B.P. (<i>pa.</i>) pale-flowered. <i>N. Holland.</i> 1829. ——— F. 2.
32	<i>arcticus.</i> W. (<i>da. br.</i>) arctic. <i>Scotland.</i> 7. 8. H. 2. Flor. dan. t. 1095.
33	<i>bálticus.</i> s. (<i>br.</i>) Baltic. <i>Baltic.</i> 1821. ——— H. 2.
34	<i>effusus.</i> E.B. (<i>gr.</i>) soft. <i>Britain.</i> 5. 8. H. 2. Eng. bot. v. 12. t. 886.
35	<i>conglomeratus.</i> E.B. (<i>br.</i>) common. ——— 6. 7. H. 2. ——— v. 12. t. 886.
36	<i>glaucus.</i> E.B. (<i>br.</i>) glaucous. ——— 7. 8. H. 2. ——— v. 10. t. 665.
37	<i>marítimus.</i> E.B. (<i>br.</i>) sea-side. ——— 8. H. 2. ——— v. 24. t. 1725.
38	<i>acutus.</i> E.B. (<i>g. br.</i>) great sharp sea. ——— 7. 8. H. 2. ——— v. 23. t. 1611.
39	<i>globulosus.</i> E. (<i>br.</i>) globular. <i>Egypt.</i> 1829. ——— H. 2.
? FLAGELLARIA. L.	FLAGELLARIA. <i>Hexandria Trigynia.</i> L.
	<i>indica.</i> L. (<i>st.</i>) Indian. <i>India.</i> 1782. 6. 7. S. 2. Redout. lil. t. 257.
? PHILYDRUM. B.P.	PHILYDRUM. <i>Monandria Monogynia.</i> B.M.
	<i>lanuginosum.</i> B.P. (<i>ye.</i>) woolly. <i>N. S. W.</i> 1801. 6. 7. S. w. ♂. Bot. mag. t. 782.
? BURMA'NNIA. L.	BURMA'NNIA. <i>Triandria Monogynia.</i>
	1 <i>distachya.</i> B.P. (<i>bl.</i>) two-spiked. <i>N. S. W.</i> 1822. 6. 8. G. w. 2. Burm. zeyl. t. 20. f. 1.
	2 <i>biflora.</i> L. (<i>bl.</i>) two-flowered. <i>Virginia.</i> 9. G. w. 2.
? GILLIESIA. B.R.	GILLIESIA. <i>Hexandria Monogynia.</i>
	<i>graminea.</i> B.R. (<i>st.</i>) Grass-like. <i>S. America.</i> 1824. 5. 7. G. 2. Bot. reg. t. 992.

ORDO CCXXII.

RESTIACEÆ. *Brown prodr. p. 243.*

X'YRIS. B.P.	X'YRIS. <i>Triandria Monogynia.</i> L.
1 l'avis. B.P. (<i>ye.</i>) smooth. <i>N. S. W.</i> 1819. 6. 8. G. 2.	
2 bractèata. B.P. (<i>ye.</i>) bracteate. ——— 1825. ——— G. 2.	
3 júncea. E.P. (<i>ye.</i>) rushy. ——— 1822. ——— G. 2.	
4 grácilis. B.P. (<i>ye.</i>) slender. <i>V. Diem. Isl.</i> 1821. ——— G. 2.	
5 operculàta. B.P. (<i>ye.</i>) rush-leaved. <i>N. S. W.</i> 1804. 6. 7. G. 2. Bot. mag. t. 1158.	
6 Púrshii. (<i>ye.</i>) Pursh's. <i>N. America.</i> 1825. ——— F. 2.	
	<i>indica.</i> Ph. <i>non Vahl.</i>
7 <i>indica.</i> w. (<i>ye.</i>) Indian. <i>E. Indies.</i> 1822. 5. 7. S. 2. Rheed. mal. 9. t. 71.	
8 ancéps. R.S. (<i>ye.</i>) flat-edged. <i>Malabar.</i> 1824. ——— S. 2. Aubl. guian. 40. t. 15.	
9 americàna. R.S. (<i>bl.</i>) blue-flowered. <i>Trinidad.</i> 1825. ——— S. 2.	
10 caroliniàna. R.S. (<i>ye.</i>) Carolina. <i>N. America.</i> 1812. ——— G. 2.	
11 capénsis. R.S. (<i>ye.</i>) Cape. <i>C. B. S.</i> 1822. ——— G. 2.	
12 brevifolia. M. (<i>ye.</i>) short-leaved. <i>Carolina.</i> 1812. 6. 8. F. 2.	
ERIOCA'ULON. L.	PIPEWORT. <i>Triandria Trigynia.</i> L.
1 septangulàre. E.B. (<i>wh.</i>) jointed. <i>Scotland.</i> 9. H. w. 2. Eng. bot. v. 11. t. 755.	
2 austràle. B.P. (<i>wh.</i>) New Holland. <i>N. S. W.</i> 1822. 8. 10. G. w. 2.	

DEVA'UXIA. B.P.	DEVA'UXIA.	Monandria Monogynia.				
1 Patersoni. B.P. (gr.)	Paterson's.	N. S. W.	1825.	6. 7.	F. 4.	Linn.trans.v.10.t.12.f.2
	<i>Centrolëpis amula.</i> L.T.					
2 Billardieri. B.P. (gr.)	Billardiere's.	————	————	————	F. 4.	Linn.trans.v.10.t.12.f.1
	<i>Centrolëpis cuspidigera.</i> L.T.	<i>fascicularis.</i> Lab. nov. holl. 1. p. 7. t. 1.				
HYPOLÆNA. B.P.	HYPOLÆNA.	Diœcia Triandria.				
1 fastigiata. B.P. (br.)	crowded.	N. S. W.	1821.	6. 8.	F. 4.	
2 exsulca. B.P. (br.)	round-stalked.	————	————	————	F. 4.	
LEPTOCA'RPUS. B.P.	LEPTOCA'RPUS.	Diœcia Triandria.				
1 tenax. B.P. (br.)	tough.	N. S. W.	1824.	6. 8.	F. 4.	Lab. nov. holl. 2. t. 229.
	<i>Schænödum tenax femina.</i> Lab.					
2 imbricatus. s.s. (br.)	imbricated.	C. B. S.	————	————	G. 4.	
EL'EGIA. W.	EL'EGIA.	Diœcia Triandria. W.				
1 junceæ. w. (br.)	Rush-like.	C. B. S.	1789.	7. 8.	F. 4.	Rottb. gram.10.t.3. f.2.
2 racemosa. w. (br.)	racemed.	————	1804.	5. 6.	F. 4.	Lam. ill. t. 884. f. 4.
LEPYR'ODIA. B.P.	LEPYR'ODIA.	Diœcia Triandria. W.				
gracilis. B.P. (br.)	slender.	N. S. W.	1823.	5. 6.	F. 4.	
WILLDEN'OVIA. S.S.	WILLDEN'OVIA.	Diœcia Triandria. W.				
1 striata. s.s. (br.)	striated.	C. B. S.	1816.	6. 8.	F. 4.	Th.act.hol.1790.t.2.f.1.
2 teres. s.s. (br.)	round-stalked.	————	1790.	————	F. 4.	———— 1790.t. 2. f.2.
THAMNOCHO'RTUS. B.P.	THAMNOCHO'RTUS.	Diœcia Triandria.				
1 dichotomus. B.P. (br.)	forked.	C. B. S.	1816.	6. 8.	F. 4.	Rottb. gram. t. 2. f. 1.
2 scariosus. s.s. (br.)	scariose.	————	1822.	————	G. 4.	Berg. cap. t. 5. f. 8.
RESTIO. B.P.	ROPE-GRASS.	Diœcia Triandria. L.				
1 australis. B.P. (br.)	southern.	V. Diem. Isl.	1812.	4. 6.	F. 4.	
2 gracilis. B.P. (br.)	slender.	N. S. W.	1823.	6. 8.	F. 4.	
3 complanatus. B.P. (br.)	flat-stemmed.	————	————	————	F. 4.	
4 tectorum. s.s. (br.)	thatch.	C. B. S.	1793.	5. 6.	F. 4.	Rottb.gram.10.t.3.f.2.
5 vaginatus. s.s. (br.)	sheathed.	————	1816.	————	F. 4.	
6 fastigiatus. B.P. (br.)	crowded.	N. S. W.	1824.	————	F. 4.	
7 virgatus. s.s. (br.)	twiggy.	C. B. S.	1816.	————	F. 4.	Rottb. gram. t. 1. f. 2.
8 paniculatus. s.s. (br.)	panicled.	————	————	————	F. 4.	———— t. 2. f. 3.
9 lateriflorus. B.P. (br.)	side-flowering.	N. S. W.	1819.	————	F. 4.	Labil. nov. hol.2. t.228.
	<i>Calorophus elongata.</i> Lab.					
10 tetraphyllus. B.P. (br.)	four-leaved.	————	1825.	————	F. 4.	Labil. nov. hol.2. t. 226.

ORDO CCXXIII.

CYPERACEÆ. *Brown prodr. 1. p. 212.*

CAREX. L.	SEDGE.	Monœcia Triandria L.				
1 dioica. w. (br.)	diœcious.	Britain.	5. 6.	H. 4.	Eng. bot. v. 8. t. 543.
2 Davalliæna. w. (br.)	Davall's.	————	————	H. 4.	———— v. 30. t. 2123.
3 pauciflora. E.B. (st.)	few-flowered.	————	6.	H. 4.	———— v. 29. t. 2041.
4 pyrenæica. s.s. (br.)	Pyrenean.	Pyrenees.	1816.	————	H. 4.	Schk.caric.5.t.D.f.15.
5 pulicaris. E.B. (br.)	Flea.	Britain.	6. 7.	H. 4.	Eng. bot. v. 15. t. 1051.
6 Fraseriæna. H.K. (wh.)	Fraser's.	N. America.	1809.	4. 6.	H. 4.	Bot. mag. t. 1391.
7 cyperoides. s.s. (br.)	Bohemian.	Bohemia.	1801.	6. 7.	H. 4.	Schk. caric. t. A. f. 5.
8 fœtida. s.s. (br.)	stinking.	Switzerland.	1791.	7. 8.	H. 4.	———— t. Hh. f.96.
9 incurva. E.B. (br.)	curved.	Scotland.	————	H. 4.	Eng. bot. v. 13. t. 927.
10 stenophylla. s.s. (br.)	slender-leaved.	Europe.	1824.	————	H. 4.	Schk. caric. t. G. f. 32.
11 chordorrhiza. s.s. (br.)	creeping-rooted.	Germany.	————	————	H. 4.	———— t. G. f. 31.
12 baldensis. s.s. (br.)	three-styled.	Mount Baldo.	1829.	5. 7.	H. 4.	———— t. Y. f. 81.
13 stellulata. E.B. (br.)	little prickly.	Britain.	5. 6.	H. 4.	Eng. bot. v. 12. t. 806.
14 rosea. s.s. (ro.)	Rose.	N. America.	1812.	————	H. 4.	Schk. caric. Zzz. f.179.
15 retroflæxa. s.s. (br.)	retroflexed.	Pensylvania.	1826.	————	H. 4.	———— t.Kkk.f.140.
16 triceps. s.s. (br.)	three-headed.	N. America.	1825.	————	H. 4.	———— t. Zzz. f. 180.
17 fœnea. s.s. (br.)	short-spiked.	————	1819.	————	H. 4.	
18 muricata. E.B. (br.)	greater prickly.	Britain.	————	H. 4.	Eng. bot. v. 16. t. 1097.
19 brizoides. s.s. (br.)	Briza-like.	Germany.	1815.	5. 7.	H. 4.	Host. gram. 36. t. 47.
20 argyrolôchin. s.s. (wh.)	silver-spiked.	————	1823.	————	H. 4.	
21 straminea. s.s. (st.)	slender-stalked.	N. America.	1803.	6. 7.	H. 4.	Sch.caric.t.Xxx.f.174.
22 stipata. s.s. (br.)	sharp-scaled.	————	1820.	————	H. 4.	———— t.Hhh.f.132.
23 Muhlenbergii. s.s. (gr.)	Muhlenberg's.	————	1824.	————	H. 4.	———— t.Yyy.f.178.

24	Schrèberi. s.s.	(br.) Schreber's.	Germany.	1800.	6. 7.	H. 4.	Host. gram. 1. t. 46.
25	ovàlis. E.B.	(gr.br.) oval-spiked.	Britain.	—	H. 4.	Eng. bot. v. 5. t. 306.
26	cúrta. E.B.	(wh.) white.	—	6.	H. 4.	— v. 20. t. 137.
27	divisa. E.B.	(bk.) bracteated.	—	5. 7.	H. 4.	— v. 16. t. 107.
28	sparganioídes. s.s.	(br.) Sparganium-like.	N. America.	1822.	—	H. 4.	Schk. caric. t. Lll. f. 142.
29	arenària. E.B.	(br.) sand.	Britain.	6. 7.	H. 4.	Eng. bot. v. 13. t. 928.
30	intermèdia. E.B.	(br.) soft brown.	—	5. 7.	H. 4.	— v. 29. t. 2042.
31	schænoídes. w.	(br.) Schoenus-like.	Austria.	1819.	—	H. 4.	Host. gram. 1. t. 45.
32	lagopodioídes. w.	(br.) Hare's-foot.	N. America.	1805.	6. 7.	H. 4.	Schk. cari. t. Yyy. f. 171.
33	elongàta. E.B.	(br.gr.) elongated.	England.	5. 6.	H. 4.	Eng. bot. v. 27. t. 192.
34	remòta. E.B.	(wh.) remote.	Britain.	—	H. 4.	— v. 12. t. 822.
35	axillàris. E.B.	(br.) axillary.	England.	—	H. 4.	— v. 14. t. 922.
36	divúlta. E.B.	(wh.) gray.	Britain.	5.	H. 4.	— v. 9. t. 629.
37	nemoròsa. s.s.	(gr.) shady wood.	Germany.	5. 7.	H. 4.	
38	vulpina. E.B.	(gr.) great spiked.	Britain.	5. 8.	H. 4.	Eng. bot. v. 5. t. 307.
39	apprèssa. B.P.	(gr.) close-spiked.	N. S. W.	1802.	—	F. 4.	
40	invérsa. B.P.	(gr.) inversed.	—	1820.	—	F. 4.	
41	scopària. w.	(gr.) broom.	N. America.	1812.	6. 7.	H. 4.	Schk. cari. t. Xxx. f. 173.
42	multiflòra. w.	(gr.) many-flowered.	—	1819.	—	H. 4.	— t. Lll. f. 142.
43	paradóxa. w.	(gr.) paradoxical.	Germany.	—	—	H. 4.	— t. E. f. 21.
44	teretiúscula. E.B.	(br.) lesser-panicled.	Britain.	5. 6.	H. 4.	Eng. bot. v. 15. t. 107.
45	paniculàta. E.B.	(br.) great panicled.	England.	6. 7.	H. 4.	— v. 15. t. 107.
46	tenèlla. E.F.	(br.) slender.	Scotland.	6.	H. 4.	Schk. caric. t. P. f. 10.
47	norvègica. w.	(gr.) Norway.	Norway.	1823.	—	H. 4.	— t. S. f. 6.
48	atràta. E.B.	(bk.) black.	Britain.	6. 7.	H. 4.	Eng. bot. v. 29. t. 2042.
49	bicolor. w.	(br.ye.) two-coloured.	Switzerland.	1823.	—	H. 4.	Sch. car. t. Aaaa. f. 1.
50	pedunculàta. w.	(gr.) peduncled.	N. America.	—	5. 7.	H. 4.	— t. Ggg. f. 10.
51	longifòlia. B.P.	(gr.) long-leaved.	N. S. W.	—	—	F. 4.	
52	thuringiaca. w.	(gr.) Thuringian.	Hungary.	—	—	H. 4.	Schk. cari. t. Ppp. f. 172.
53	Buxbaumii. w.	(br.) Buxbaum's.	S. Europe.	1819.	5. 6.	H. 4.	— t. X. f. 76.
54	glareòsa. w.	(br.) narrow-leaved.	Norway.	—	—	H. 4.	— t. Aaa. f. 97.
55	clandestina. E.B.	(wh.) dwarf silvery.	Britain.	5.	H. 4.	Eng. bot. v. 30. t. 212.
56	digitàta. E.B.	(pu.) fingered.	England.	5. 6.	H. 4.	— v. 9. t. 615.
57	plantagínea. w.	(br.) broad-leaved.	N. America.	1805.	—	H. 4.	Schk. caric. t. U. f. 17.
58	pilulifera. E.B.	(br.) round-headed.	Britain.	4. 6.	H. 4.	Eng. bot. v. 13. t. 822.
59	montàna. s.s.	(br.) mountain.	Europe.	1819.	5. 6.	H. 4.	Schk. caric. t. F. f. 1.
	collina. w.						
60	ciliàta. w.	(br.) fringed.	Germany.	—	—	H. 4.	Schk. caric. t. I. f. 42.
61	pr'æcox. E.B.	(st.) vernal.	Britain.	4.	H. 4.	Eng. bot. v. 16. t. 107.
62	tomentòsa. E.B.	(st.) downy-fruited.	England.	6.	H. 4.	— v. 29. t. 2042.
63	exténsa. E.B.	(gr.) long-bracted.	Britain.	—	H. 4.	— v. 12. t. 833.
64	flàva. E.B.	(ye.) yellow.	—	5. 6.	H. 4.	— v. 18. t. 122.
65	Edèri. E.B.	(ye.) Oeder's.	England.	6. 7.	H. 4.	— v. 25. t. 177.
66	álba. w.	(wh.) bristle-leaved.	Germany.	1819.	—	H. 4.	Host. gram. 1. t. 59.
67	Mielichóferi. E.B.	(gr.) loose-spiked.	Scotland.	7. 8.	H. 4.	Eng. bot. v. 32. t. 222.
68	ferrugínea. w.	(br.) ferruginous.	Europe.	1820.	6. 8.	H. 4.	Schk. caric. t. M. f. 48.
69	saxátilis. w.	(st.) rock.	N. Europe.	—	—	H. 4.	— t. I. f. 40.
70	rígida. E.B.	(bk.) rigid.	Britain.	6. 7.	H. 4.	Eng. bot. v. 29. t. 2042.
71	púlla. E.B.	(bk.br.) russet.	Scotland.	7.	H. 4.	— v. 29. t. 2042.
72	cæspitòsa. E.B.	(gr.) tufted bog.	Britain.	5. 6.	H. 4.	— v. 21. t. 1307.
73	stricta. E.B.	(br.) straight-leaved.	—	4. 5.	H. 4.	— v. 13. t. 914.
74	alpéstris. w.	(br.) Alpine.	Europe.	1804.	5. 6.	H. 4.	Schk. caric. t. G. f. 30.
75	nítida. w.	(br.) glossy.	Austria.	1805.	—	H. 4.	Host. gram. 1. t. 71.
76	umbròsa. w.	(gr.) shade.	—	1818.	6. 7.	H. 4.	— 1. t. 60.
77	granulàris. w.	(gr.) grain-seeded.	N. America.	1807.	—	H. 4.	Sch. caric. t. Vvv. f. 102.
78	ánceps. w.	(gr.) two-edged.	—	1805.	7. 8.	H. 4.	— t. Fff. f. 122.
79	demíssa. s.s.	(br.) low.	Norway.	1825.	—	H. 4.	
80	binévis. E.B.	(bk.) green-ribbed.	Britain.	6.	H. 4.	Eng. bot. v. 18. t. 1222.
81	dístans. E.B.	(br.) loose.	—	—	H. 4.	— v. 18. t. 1222.
82	fúlva. E.B.	(ye.br.) tawny.	—	6. 7.	H. 4.	— v. 18. t. 1222.
83	loliàcea. w.	(br.) Ray-grass-like.	Sweden.	1810.	—	H. 4.	Schk. car. t. Pp. f. 166.
84	lucòrum. W.en.	(gr.) grove.	N. America.	1825.	—	H. 4.	
85	Michèlii. w.	(br.) Micheli's.	Europe.	1818.	—	H. 4.	Host. gram. 1. t. 72.
86	péndula. E.B.	(gr.) great pendulous.	Britain.	5. 6.	H. 4.	Eng. bot. v. 33. t. 2315.
87	strigòsa. E.B.	(gr.) loose pendulous.	—	—	H. 4.	— v. 14. t. 944.
88	depauperàta. E.B.	(gr.) starved-wood.	England.	—	H. 4.	— v. 16. t. 1028.
89	pilòsa. s.s.	(gr.) hairy.	Germany.	1819.	—	H. 4.	Schk. caric. t. M. f. 49.
90	panícea. E.B.	(bk.) Pink-leaved.	Britain.	5. 7.	H. 4.	Eng. bot. v. 21. t. 1307.
91	oligocárpa. w.	(gr.) few-seeded.	N. America.	1825.	—	H. 4.	Schk. caric. t. Vvv. f. 102.

92	rostrata. w.	(gr.) beaked.	N. America.	1818.	5. 7.	H. 2.	Schk. caric. t. Hhh. f. 134
93	conglobata. w.	(gr.) globular-fruited.	Hungary.	—	—	H. 2.	Eng. bot. v. 14. t. 995.
94	sylvatica. E.B.	(gr.) wood.	Britain.	5. 6.	H. 2.	Eng. bot. v. 14. t. 995.
	<i>Drimèja</i> . w.						
95	Pseudocyperus. w.	(gr.) Bastard Cypress.	—	6. 7.	H. 2.	Eng. bot. v. 4. t. 242.
96	junceæ. s.s.	(gr.) rush-like.	N. America.	1823.	—	H. 2.	
97	pallescens. E.B.	(g. ye.) pale.	Britain.	4. 6.	H. 2.	Eng. bot. v. 31. t. 2185.
98	limosa. E.B.	(ye. gr.) green and gold.	—	6.	H. 2.	— v. 29. t. 2043.
99	rariflora. E.B.	(bk.) loose-flowered.	Scotland.	—	H. 2.	— v. 35. t. 2516.
100	capillaris. E.B.	(br.) capillary.	Britain.	7. 8.	H. 2.	— v. 29. t. 2069.
101	lævigata. E.B.	(gr.) smooth-stalked.	—	5. 6.	H. 2.	— v. 20. t. 1387.
102	ustulata. E.B.	(bk.) scorched alpine.	Scotland.	6. 7.	H. 2.	— v. 34. t. 2404.
103	flexuosa. w.	(br.) bending.	N. America.	1807.	—	H. 2.	Schk. car. t. Ddd. f. 124.
104	recurva. E.B.	(bk. br.) glaucous heath.	England.	5. 6.	H. 2.	Eng. bot. v. 21. t. 1506.
	<i>β Micheliæna</i> . E.B.	(bk.) smooth-fruited.	—	—	H. 2.	— v. 32. t. 2236.
105	nutans. w.	(br.) nodding.	Austria.	1815.	6. 7.	H. 2.	Host. gram. 1. t. 83.
106	acuminata. w.	(br.) taper-pointed.	Istria.	1819.	—	H. 2.	— 1. t. 97.
107	hirta. E.B.	(br.) hairy.	Britain.	5. 6.	H. 2.	Eng. bot. v. 10. t. 685.
108	filiformis. E.B.	(bk.) slender-leaved.	—	6. 7.	H. 2.	— v. 13. t. 904.
109	acuta. E.B.	(bk.) slender-spiked.	—	5. 6.	H. w. 2.	— v. 9. t. 580.
110	paludosa. E.B.	(bk.) lesser common.	—	—	H. w. 2.	— v. 12. t. 807.
111	riparia. E.B.	(bk.) great common.	—	4. 6.	H. w. 2.	— v. 9. t. 579.
112	vesicaria. E.B.	(bk.) short-spiked.	—	5. 6.	H. 2.	— v. 11. t. 779.
113	ampullacea. E.B.	(st.) slender-beaked.	—	—	H. 2.	— v. 11. t. 780.
114	bullata. w.	(st.) blistered.	N. America.	1811.	6.	H. 2.	Schk. caric. Uuu. f. 166.
115	hordeiformis. w.	(gr.) Barley-like.	France.	1805.	6. 7.	H. 2.	
116	crinita. w.	(gr.) haired.	N. America.	1807.	—	H. 2.	Schk. caric. t. Eee f. 125.
117	aquatilis. w.	(gr.) water.	Lapland.	1819.	—	H. w. 2.	
118	secalina. w.	(br.) rye-like.	Europe.	1820.	—	H. 2.	Schk. caric. t. Ddd. f. 121
119	salina. w.	(br.) salt marsh.	Norway.	6.	H. 2.	
120	eriphora. F.	(wh.) wool-bearing.	Dahuria.	1828.	—	H. 2.	
121	pentastachys. F.	(br.) five-spiked.	Kamtschatka.	1821.	—	H. 2.	
122	corsica. Ot.	(br.) Corsican.	Corsica.	1825.	—	H. 2.	
	KOBRÆSIA. W.	KOBRÆSIA. Monœcia Triandria. W.					
	caricina. w.	(gr.) Carex-like.	Britain.	8.	H. 2.	Eng. bot. v. 20. t. 1410.
	<i>Schœnus monoicus</i> . E.B.	<i>Carex hybrida</i> . s.s.					
	SCLÆRIA. W.	SCLÆRIA. Monœcia Triandria. W.					
1	Flagellum. s.s.	(gr.) climbing.	W. Indies.	1822.	S. 2.	Gært. sem. 1. p. 13. t. 2.
2	latifolia. s.s.	(gr.) broad-leaved.	—	1824.	S. 2.	
3	verticillata. s.s.	(gr.) whorled.	N. America.	1825.	6. 7.	H. 2.	
4	hirtella. s.s.	(gr.) hairy.	—	1822.	—	H. 2.	
5	auricoma. Ot.	(ye.) golden-locks.	—	1826.	7. 9.	H. ⊙.	
6	ciliata. w.	(gr.) fringed.	—	1823.	—	H. 2.	
	SCHÆNUS. B.P.	BOG-RUSH. Triandria Monogynia. L.					
1	nigricans. w.	(bk.) black-headed.	Britain.	7.	H. w. 2.	Eng. bot. v. 16. t. 1121.
2	pusillus. R.S.	(br.) small.	W. Indies.	1824.	7. 8.	S. 2.	Swtz. fl. ind. oc. ic. t. 6.
3	mucronatus. R.S.	(br. pu.) clustered.	S. Europe.	1781.	4. 5.	H. w. 2.	Flor. græc. 1. t. 43.
4	imberbis. B.P.	(bk.) beardless.	N. S. W.	1818.	—	F. 2.	
5	melanostachys. B.R.	(br.) black-spiked.	—	1822.	6. 8.	F. 2.	
	CHÆTO'SPORA. B.P.	CHÆTO'SPORA. Triandria Monogynia. S.S.					
1	ferruginea. s.s.	(br.) brown.	Switzerland.	1818.	7. 8.	H. w. 2.	Host. gram. 4. t. 71.
	<i>Schœnus ferrugineus</i> . R.S.						
2	turbinata. B.P.	(br.) turbinate.	N. S. W.	1822.	—	F. 2.	
3	paludosa. B.P.	(br.) marsh.	—	1824.	—	F. w. 2.	
	LEPIDOSPE'RMA. B.P.	LEPIDOSPE'RMA. Triandria Monogynia. S.S.					
1	gladiata. B.P.	(br.) flat-stemmed.	N. Holland.	1819.	7. 8.	F. w. 2.	Lab. nov. hol. 1. t. 12.
2	concaua. B.P.	(br.) concave.	—	1824.	—	F. 2.	
3	exaltata. B.P.	(gr.) tall.	—	1816.	—	H. 2.	
	DULI'CHIUM. P.S.	DULI'CHIUM. Triandria Monogynia. S.S.					
1	spathaceum. P.S.	(br.) sheathed.	N. America.	1818.	7. 8.	H. w. 2.	Pluk. alm. t. 301. f. 1.
2	canadense. Ph.	(gr.) Canadian.	Canada.	1826.	—	H. 2.	
	RHYNCHO'SPORA. R.S.	RHYNCHO'SPORA. Triandria Monogynia. S.S.					
1	aurea. R.S.	(ye.) golden.	W. Indies.	1825.	7. 8.	S. 2.	Rottb. gram. t. 21. f. 1.
2	laxa. R.S.	(br.) loose.	N. America.	1827.	—	H. w. 2.	
3	alba. R.S.	(wh.) white-headed.	Britain.	8.	H. w. 2.	Eng. bot. v. 14. t. 985.
	<i>Schœnus albus</i> . E.B.						
4	fusca. R.S.	(br.) brown-headed.	—	—	H. w. 2.	Eng. bot. v. 22. t. 1575.
5	distant. Ph.	(br.) filiform-leaved.	N. America.	1820.	7. 8.	H. w. 2.	
6	comata. R.S.	(br.) leafy.	Brazil.	—	—	S. w. 2.	

CLADIUM. B.P.		CLADIUM. Diandria Monogynia. S.S.					
1	Mariscus. B.P. (<i>br.</i>) prickly.	England.	7. 8.	H.w. 2.	Eng. bot. v. 14. t. 93.	
	<i>germánicum. R.S. Schœnus Mariscus. E.B.</i>						
2	occidentale. R.S. (<i>br.</i>) West Indian.	W. Indies.	1824.	—	S.w. 2.		
3	glomeratum. B.P. (<i>br.</i>) close-headed.	N. S. W.	1819.	—	F.w. 2.		
4	juncum. B.P. (<i>br.</i>) rushy.	—	1823.	—	F.w. 2.		
5	schœnoides. B.P. (<i>br.</i>) Bogrush-like.	—	—	—	F.w. 2.	Lab. nov. hol. 1. t. 19.	
	<i>Schœnus acutus. Lab.</i>						
FIMBRISTYLIS. B.P.		FIMBRISTYLIS. Triandria Monogynia. R.S.					
1	annua. R.S. (<i>br.</i>) annual.	S. Europe.	1818.	7. 9.	H.w. 0.	Host. gram. 3. t. 61.	
2	puberula. R.S. (<i>br.</i>) pubescent.	N. America.	1820.	7. 8.	H. 2.		
3	dichotoma. R.S. (<i>br.</i>) forked.	E. Indies.	1817.	7. 9.	S.w. 0.	Rottb. gram. t. 13. f. 1.	
4	autumnalis. R.S. (<i>br.</i>) autumnal.	N. America.	1822.	7. 9.	H. 2.		
5	ferruginea. R.S. (<i>br.</i>) rusty.	Jamaica.	1825.	—	S.w. 2.	Sloan. hist. 1. t. 77. f. 1.	
ABILDG'AARDIA. B.P.		ABILDG'AARDIA. Triandria Monogynia. R.S.					
	monostachya. B.P. (<i>wh.</i>) one-spiked.	W. Indies.	1819.	6. 8.	S. 2.	Sloan. jam. 1. t. 79. f. 2.	
ELEOCHARIS. B.P.		ELEOCHARIS. Triandria Monogynia. R.S.					
1	acuta. B.P. (<i>br.</i>) acute-scaled.	N. S. W.	1819.	7. 8.	F.w. 2.		
2	geniculata. R.S. (<i>br.</i>) jointed.	America.	—	—	F.w. 2.	Sloan. hist. 1. t. 83. f. 1.	
3	plantaginea. R.S. (<i>br.</i>) Plantain-like.	E. Indies.	1826.	7. 9.	S.w. 2.	Rottb. gram. t. 15. f. 2.	
4	palustris. R.S. (<i>br.</i>) marsh.	Britain.	7.	H.w. 2.	Eng. bot. v. 2. t. 131.	
	<i>Scirpus palustris. E.B.</i>						
5	ovata. R.S. (<i>br.</i>) ovate.	Germany.	1818.	7. 8.	H.w. 0.	Host. gram. 3. t. 36.	
6	multicaulis. E.F. (<i>br. pu.</i>) many-stalked.	Britain.	7.	H.w. 2.	Eng. bot. v. 17. t. 115.	
	<i>Scirpus multicaulis. E.B.</i>						
7	acicularis. R.S. (<i>br.</i>) upright needle.	—	—	H.w. 2.	Eng. bot. v. 11. t. 74.	
8	obtusa. R.S. (<i>br.</i>) obtuse-scaled.	N. America.	1818.	7. 8.	H.w. 2.		
9	glaucescens. R.S. (<i>br.</i>) glaucous.	—	1819.	—	H.w. 2.		
10	tenuis. R.S. (<i>br.</i>) slender.	—	—	—	H.w. 2.		
11	capitata. R.S. (<i>br.</i>) headed.	America.	1824.	—	H.w. 2.	Rottb. gram. t. 15. f. 3.	
12	intermedia. R.S. (<i>br.</i>) intermediate.	Pensylvania.	1826.	—	H.w. 2.		
ISOLEPIS. B.P.		ISOLEPIS. Triandria Monogynia. R.S.					
1	fluitans. R.S. (<i>br.</i>) floating.	Britain.	7. 8.	H.w. 2.	Eng. bot. v. 3. t. 216.	
	<i>Scirpus fluitans. E.B.</i>						
2	gracilis. (<i>br.</i>) knotted.	N. Holland.	1820.	—	G.w. 2.		
	<i>nodosa. B.P. Scirpus gracilis. Linn. trans. 10. t. 15. f. 2.</i>						
3	setacea. R.S. (<i>br. gr.</i>) bristle-like.	Britain.	—	H.w. 0.	Eng. bot. v. 24. t. 168.	
4	Vahlî. R.S. (<i>br. gr.</i>) Vahl's.	S. America.	1828.	—	S.w. 0.		
5	Micheliâna. R.S. (<i>st.</i>) Micheli's.	S. Europe.	—	—	H.w. 0.	Host. gram. 3. t. 69.	
6	Holoschœnus. R.S. (<i>br.</i>) round-headed.	Britain.	—	H.w. 2.	Eng. bot. v. 23. t. 162.	
	<i>β australis. R.S. (br.) southern.</i>	S. Europe.	—	H.w. 2.	Pluk. phyt. t. 40. f. 3.	
7	romana. w. (<i>br.</i>) Roman.	England.	—	H.w. 2.	Jacq. aust. 5. t. 448.	
8	complanata. R.S. (<i>br.</i>) flat-stemmed.	E. Indies.	1820.	—	S.w. 2.		
9	angularis. R.S. (<i>br.</i>) angular-stemmed.	—	1827.	—	S.w. 2.		
10	curvifolia. R.S. (<i>br.</i>) curve-leaved.	—	—	—	S.w. 2.		
11	pubigera. Schr. (<i>br.</i>) pubescent.	—	—	S.w. 2.		
12	Ehrenbergii. Ot. (<i>br.</i>) Ehrenberg's.	Egypt.	1825.	—	H.w. 0.		
SCIRPUS. B.P.		CLUB-RUSH. Triandria Monogynia. L.					
1	cæspitosus. E.B. (<i>br.</i>) scaly-stalked.	Britain.	7.	H.w. 2.	Eng. bot. v. 15. t. 102.	
2	campêstris. R.S. (<i>pu. st.</i>) field.	S. Europe.	1824.	7. 9.	H.w. 2.	Hayn. term. bot. t. 25. f. 4.	
3	pauciflorus. E.B. (<i>br.</i>) chocolate-headed.	—	8.	H.w. 2.	Eng. bot. v. 16. t. 112.	
	<i>Bæothryon. R.S.</i>						
4	pungens. R.S. (<i>br.</i>) pungent.	Europe.	8. 9.	H.w. 2.		
5	mucronatus. R.S. (<i>gr. br.</i>) mucronated.	Britain.	—	H.w. 2.	Scheuch. agr. t. 9. f. 14.	
6	Luzulæ. R.S. (<i>br.</i>) clustered.	E. Indies.	1776.	7. 9.	S.w. 2.	Eng. bot. v. 10. t. 666.	
7	lacustris. E.B. (<i>br.</i>) tall.	Britain.	7.	H.w. 2.	— v. 33. t. 252.	
8	glaucus. E.B. (<i>br.</i>) glaucous.	England.	7. 8.	H.w. 2.	— v. 11. t. 79.	
9	caricinus. s.s. (<i>br.</i>) compressed.	Britain.	7.	H.w. 2.		
	<i>Schœnus compressus. E.B.</i>						
10	rufus. s.s. (<i>br.</i>) rusty.	—	6. 7.	H.w. 2.	Eng. bot. v. 15. t. 101.	
	<i>Schœnus rufus. E.B.</i>						
11	triqueter. E.B. (<i>re. br.</i>) triangular.	England.	8.	H.w. 2.	Eng. bot. v. 24. t. 169.	
12	carinatus. E.B. (<i>br.</i>) blunt-edged.	—	7. 8.	H.w. 2.	— v. 28. t. 198.	
13	maritimus. E.B. (<i>br.</i>) salt marsh.	Britain.	7. 9.	H.w. 2.	— v. 8. t. 542.	
14	sylvaticus. E.B. (<i>br. gr.</i>) wood.	—	—	H.w. 2.	— v. 13. t. 913.	
15	radicans. R.S. (<i>br. gr.</i>) rooting.	Germany.	—	H.w. 2.	Schk. in Ust. an. 4. t. 1.	
16	atrovirens. R.S. (<i>da. g.</i>) dark green.	N. America.	1818.	—	H.w. 2.		
17	quinquangularis. R.S. (<i>br.</i>) five-angled.	E. Indies.	1823.	S.w. 2.		
18	thyrsiflorus. f. (<i>br.</i>) thyrses-flowered.	Siberia.	1821.	7. 9.	H.w. 2.		

CYPERUS. L.	CYPERUS.	Triandria Monogynia. L.				
1 Aitonii. R.s.	(br.) Aiton's.	C. B. S.	6. 8.	G.w. 2.	
2 articulatus. R.s.	(st.) jointed.	S. America.	1820.	—	S.w. 2.	Sloan. hist. 1. t. 81. f. 1.
3 viscosus. R.s.	(gr.br.) clammy.	Jamaica.	1781.	5. 8.	S.w. 2.	Jacq. ic. 2. t. 295.
4 tenuis. R.s.	(gr.br.) slender.	C. B. S.	1819.	7. 9.	H. ⊙.	
5 mucronatus. R.s.	(wh.) pointed.	Levant.	—	—	F.w. 2.	Flor. græc. 1. t. 49.
6 pannonicus. R.s.	(g.w.) dwarf.	Hungary.	1781.	7. 8.	H. ⊙.	Jacq. aust. ap. t. 6.
7 margaritaceus. R.s.	(wh.) pearl.	Guinea.	1822.	7. 9.	S.w. 2.	
8 monocephalus. F. l.	(da.br.) one-headed.	E. Indies.	1816.	—	S.w. 2.	
9 pygmaeus. R.s.	(gr.) dwarf.	—	1827.	—	S.w. 2.	Rottb. gr. 20. t. 14. f. 4-5.
10 filiformis. R.s.	(br.) filiform.	Jamaica.	1825.	—	S.w. 2.	
11 tenuis. R.s.	(gr.) slender.	—	—	—	S.w. 2.	
12 polystachyus. R.s.	(br.) many-spiked.	E. Indies.	1819.	—	S.w. 2.	Rottb. gram. t. 11. f. 1.
13 brunneus. R.s.	(br.) brown-spiked.	W. Indies.	1826.	—	S.w. 2.	
14 brizæus. R.s.	(br.) Briza-like.	—	1824.	7. 8.	S.w. 2.	
15 diandrus. R.s.	(br.) two-stamened.	N. America.	1827.	—	H.w. 2.	
16 Purshii. R.s.	(br.wh.) Pursh's.	—	1816.	—	H.w. 2.	
17 Haspan. R.s.	(br.) digitate-spiked.	Trinidad.	1824.	—	S.w. 2.	
18 alternifolius. R.s.	(br.) alternate-leaved.	Madagascar.	1781.	—	S.w. 2.	Jacq. ic. 2. t. 298.
19 elegans. R.s.	(re.) elegant.	Jamaica.	1801.	5. 9.	S. ♂.	Sloan. jam. 1. t. 75. f. 1.
20 compressus. R.s.	(pu.st.) compressed.	S. America.	1819.	—	S.w. 2.	Rottb. gram. t. 9. f. 3.
21 vegetus. R.s.	(br.) smooth.	America.	1790.	—	G.w. 2.	Jacq. vind. 3. t. 12.
	compressus. Jacq. non w.					
22 formosus. R.s.	(ye.) handsome.	N. America.	1827.	7. 9.	H.w. 2.	
23 Luzulae. R.s.	(gr.br.) compact.	W. Indies.	—	S.w. 2.	Rottb. gram. t. 13. f. 2.
	polycephalus. Lam. non L. en.					
24 confertus. R.s.	(ye.) crowded-spiked.	W. Indies.	1825.	7. 9.	S.w. 2.	
25 squarrosus. R.s.	(br.) globe-headed.	E. Indies.	1828.	—	S.w. 2.	Rottb. gram. t. 6. f. 3.
26 paniculatus. R.s.	(br.) paniced.	W. Indies.	1804.	5. 7.	S.w. 2.	Vahl. ic. pl. am. t. 12.
27 flavescens. R.s.	(br.ye.) yellowish.	Germany.	1776.	6. 9.	F.w. 2.	Flor. græc. t. 47.
28 fuscus. R.s.	(br.) brown.	Fulham.	—	7. 9.	H. ⊙.	— t. 48.
29 conglomeratus. R.s.	many-flowered.	Java.	1820.	5. 9.	S.w. 2.	Rottb. gram. t. 15. f. 7.
30 erubescens. L. en.	(bh.) blush.	—	—	S.w. 2.	
31 tuberosus. R.s.	(g.pu.) tuberous-rooted.	N. America.	1827.	—	H.w. 2.	Rottb. gram. t. 7. f. 1.
32 rotundus. R.s.	(g.pu.) round-rooted.	Africa.	1828.	—	H.w. 2.	Scheuch. agrost. t. 9. f. 3.
33 glaber. R.s.	(br.) smooth.	S. Europe.	1820.	—	H.w. 2.	Reich. ic. C. 3. t. 204.
34 australis. R.s.	(br.) southern.	—	—	—	H. ⊙.	Seguier. veron. 3. t. 2. f. 2.
35 Tenoreanus. R.s.	(ye.) Tenore's.	Naples.	1825.	—	H.w. 2.	Reich. ic. C. 3. t. 212.
36 punctatus. R.s.	(br.gr.) spotted-seeded.	E. Indies.	1820.	—	S.w. 2.	Pluck. t. 192. f. 3.
37 Ornithopus. R.s.	(st.pu.) bird's-foot.	St. Domingo.	1824.	—	S.w. 2.	
38 esculentus. R.s.	(st.) Rush-nut.	S. Europe.	1597.	7.	H. 2.	Host. gram. 3. t. 75.
39 Hydra. M.	(gr.wh.) American.	N. America.	1812.	—	H. 2.	
40 Pangorei. R.s.	(br.) Ceylon.	Ceylon.	1823.	7. 9.	S.w. 2.	Rottb. gram. t. 7. f. 3.
41 badius. R.s.	(br.) saw-leaved.	Algiers.	1800.	—	F.w. 2.	Desf. atl. 1. t. 7. f. 2.
42 patulus. R.s.	(br.st.) spreading.	Hungary.	1818.	—	H.w. ⊙.	Host. gram. 3. t. 74.
43 longus. E. B.	(br.gr.) sweet.	England.	7.	H.w. 2.	Eng. bot. v. 19. t. 1309.
44 procerus. R.s.	(br.wh.) tall rough.	E. Indies.	1826.	7. 9.	S.w. 2.	Rheed. mal. 12. t. 50.
45 tenuiflorus. R.s.	(br.) slender-flower'd.	S. Europe.	1818.	7. 8.	H.w. 2.	Jacq. ic. 2. t. 296.
46 Monti. R.s.	(pu.gr.) spreading-spiked.	—	—	—	H.w. 2.	Host. gram. 4. t. 67.
47 Paramatta. R.s.	(br.pu.) tuberous-rooted.	—	—	—	H.w. 2.	
48 spectabilis. Schreb.	(pu.) showy.	—	1827.	—	H.w. 2.	
49 diandrus. R.s.	(st.br.) diandrous.	N. America.	1828.	—	H.w. 2.	
50 planifolius. R.s.	(br.) flat-leaved.	W. Indies.	1824.	—	S.w. 2.	Sloan. his. 1. t. 74. f. 2. 3.
51 Linkianus. R.s.	(br.gr.) Link's.	S. Europe.	1819.	6. 8.	H.w. 2.	
	polycephalus. L. en. non Lam.					
52 strigosus. R.s.	(br.st.) bristle-spiked.	W. Indies.	1786.	7. 9.	S.w. 2.	
53 Michauxianus. R.s.	(g.w.) Michaux's.	N. America.	1812.	—	H.w. 2.	
54 flavicomus. R.s.	(ye.) yellow-spiked.	—	1826.	—	H.w. 2.	
55 Iria. R.s.	(st.gr.) tall.	E. Indies.	1802.	7.	S.w. 2.	Rheed. mal. 12. t. 50.
56 distans. R.s.	(br.st.) distant.	W. Indies.	1820.	7. 8.	S.w. 2.	Jacq. ic. t. 299.
57 tegetum. R.s.	(br.) creeping-rooted.	E. Indies.	1822.	—	S.w. 2.	
58 giganteus. R.s.	(st.) gigantic.	Trinidad.	1824.	—	S.w. 2.	Rudg. guian. t. 21.
59 fastigiatus. R.s.	(ye.) lofty.	E. Indies.	1800.	5. 8.	S.w. 2.	Rottb. gram. t. 7. f. 2.
60 alopecuroides. R.s.	(g.br.) fox-tailed.	C. B. S.	1804.	—	G.w. 2.	— 38. t. 8. f. 2.
61 cruentus. R.s.	(pu.) purple-spotted.	Arabia.	1820.	—	S.w. 2.	— 21. t. 5. f. 1.
62 glomeratus. R.s.	(br.) round-headed.	Italy.	1804.	—	H. ⊙.	Segu. ver. 3. p. 68. t. 2. f. 2.
63 ligularis. R.s.	(br.gr.) ligulate.	C. B. S.	1820.	—	G.w. 2.	Rottb. gram. t. 11. f. 2.
64 difformis. R.s.	(br.) deformed.	Levant.	1819.	6. 8.	S.w. 2.	Flor. græc. t. 46.
65 protractus. L. en.	(br.) protracted.	Egypt.	1820.	—	H.w. ⊙.	Delil. æg. 152. t. 5. f. 3.

66	dives. s.s.	(ye.) large-bracted.	Egypt.	1820.	7.	H.w.⊙.	Delil. æg. 149. t. 4. f. 1.
67	chlorostachys. Stev.	(gr.) green-spiked.	Siberia.	1823.	—	H.w.⌞.	
68	múltiplex. Lk.	(br.) many-spiked.	1829.	—	H.w.⌞.	
69	scáber. Lag.	(br.) rough.	Spain.	1823.	—	H.w.⊙.	
70	xanthócoma. Ot.	(ye.) yellow-haired.	Sicily.	1829.	—	H.w.⌞.	
PAP'YRUS. S.S.		PAPER-RUSH.	Triandria Monogynia.	S.S.			
1	antiquòrum. s.s.	(br.y.) common.	Egypt.	1802.	7. 9.	S.w.⌞.	Michel. gen. pl. t. 12.
		<i>Cyperus Pap'yrus.</i> R.S.					
2	laxiflórus. s.s.	(br.) loose-flowered.	Madagascar.	1822.	—	S.w.⌞.	
3	odorátus. s.s.	(st.) fragrant.	W. Indies.	1819.	—	S.w.⌞.	Rudg. guian. p. 17. t. 20.
MARI'SCUS. R.S.		MARI'SCUS.	Triandria Monogynia.	R.S.			
1	capillàris. R.S.	(st.br.) capillary.	Trinidad.	1824.	7. 10.	S.w.⌞.	
2	aggregátus. R.S.	(g.br.) clustered.	1820.	7. 9.	S.w.⌞.	
3	l'ævis. B.P.	(br.g.) smooth.	N. S. W.	1819.	6. 8.	G.w.⌞.	
4	ovulàris. R.S.	(br.g.) oval-spiked.	Carolina.	1818.	—	F.w.⌞.	Pluk. alm. t. 91. f. 4.
5	retrofráctus. R.S.	(st.pu.) retrofracted.	N. America.	1827.	—	H.w.⌞.	———— t. 415. f. 4.
6	umbellátus. R.S.	(br.g.) umbelled.	E. Indies.	1789.	—	S.w.⌞.	Rottb. gram. t. 4. f. 2.
7	elátus. R.S.	(br.g.) tall.	————	1805.	—	S.w.⌞.	Jacq. ic. 2. t. 300.
8	confléxus. L.en.	(br.g.) contracted.	Brazil.	1819.	7. 8.	S.w.⌞.	
KYLLI'NGA. W.		KYLLI'NGA.	Triandria Monogynia.	L.			
1	monocéphala. R.S.	(wh.) one-headed.	India.	1793.	6. 7.	S.w.⌞.	Rottb. gram. t. 4. f. 4.
2	crucifórmis. R.S.	(wh.) cross-formed.	E. Indies.	1825.	—	S.w.⌞.	Swartz. hort. gott. ic.
3	intermèdia. B.P.	(wh.) intermediate.	N. S. W.	1822.	—	G.w.⌞.	
4	triceps. R.S.	(wh.pu.) three-headed.	E. Indies.	1776.	9. 11.	S.w.⌞.	Rottb. gram. t. 4. f. 6.
5	uncinàta. L.en.	(gr.) hook-seeded.	Brazil.	1820.	7. 8.	S.w.⌞.	
6	odoràta. R.S.	(gr.) fragrant.	S. America.	1822.	—	S.w.⌞.	
7	polycéphala. L.en.	(wh.) many-headed.	Brazil.	1820.	—	S.w.⌞.	
FUIR'ENA. B.P.		FUIR'ENA.	Triandria Monogynia.	L.			
1	umbellàta. R.S.	(br.) umbelled.	W. Indies.	1822.	6. 8.	S.w.⌞.	Rottb. gram. t. 19. f. 1.
2	glomeràta. R.S.	(pu.g.) crowded.	E. Indies.	1827.	—	S.w.⊙.	———— t. 17. f. 1.
EL'YNA. R.S.		EL'YNA.	Triandria Monogynia.	R.S.			
	spicàta. R.S.	(br.) simple-spiked.	Europe.	1819.	6. 8.	H.w.⌞.	Vill. delph. 2. t. 6.
		<i>Cárex Bellàrdi.</i> Host. gram. 4. t. 77.					
TRICHO'PHORUM. P.S.		TRICHO'PHORUM.	Triandria Monogynia.	P.S.			
1	cyperìnum. P.S.	(br.st.) cyperine.	N. America.	1802.	5. 9.	H.w.⌞.	Pluk. mant. t. 419. f. 1.
2	alpìnum. P.S.	(br.st.) Alpine.	Scotland.	7.	H.w.⌞.	Eng. bot. v. 5. t. 311.
		<i>Erióphorum alpìnum.</i> E.B.					
ERIO'PHORUM. L.		COTTON-GRASS.	Triandria Monogynia.	L.			
1	vaginàtum. E.B.	(br.) Hare's-tail.	Britain.	3. 4.	H.w.⌞.	Eng. bot. v. 13. t. 573.
2	capitatum. E.B.	(br.) round-headed.	Scotland.	8. 9.	H.w.⌞.	———— v. 34. t. 2387.
3	grácile. E.B.	(bk.g.) slender.	————	7. 8.	H.w.⌞.	———— v. 34. t. 2402.
4	angustifólium. (pu.g.)	narrow-leaved.	Britain.	4. 5.	H.w.⌞.	———— v. 8. t. 564.
5	virgìnicum. R.S.	(pu.g.) Virginian.	N. America.	1802.	5. 8.	H.w.⌞.	Pluk. alm. t. 299. f. 1.
6	polystàchion. E.B.	(pu.g.) broad-leaved.	Britain.	4.	H.w.⌞.	Eng. bot. v. 8. t. 563.
7	pubéscens. E.F.	(bk.) pubescent.	————	4. 5.	H.w.⌞.	

ORDO CCXXIV.

GRAMINEÆ. *Juss. gen. p. 28.*

REMIR'EA. R.S.		REMIR'EA.	Triandria Monogynia.				
	marítima. R.S. sea-side.	America.	1822.	7. 8.	G.w.⌞.	Aubl. guian. 1. t. 16.
NA'RDUS. R.S.		MAT-GRASS.	Triandria Monogynia.	L.			
	stríctá. E.B. upright.	Britain.	6. 7.	H.w.⌞.	Eng. bot. v. 5. t. 290.
ORYZO'PSIS. M.		ORYZO'PSIS.	Triandria Monogynia.	R.S.			
	asperifólia. M. rough-leaved.	N. America.	1822.	7. 8.	H.⌞.	Mich. amer. 1. t. 9.
LYG'EUM. R.S.		LYG'EUM.	Triandria Monogynia.	L.			
	Spártum. R.S. rush-leaved.	Spain.	1776.	5. 6.	H.⌞.	Schreb. gram. t. 52. 53.
CORNUC'OPIÆ. R.S.		HORN OF PLENTY.	Triandria Monogynia.	L.			
	cucullàtum. R.S. hooded.	Levant.	1788.	8.	H.⊙.	Flor. græc. 1. t. 51.
CE'NCHRUS. R.S.		CE'NCHRUS.	Triandria Monogynia.	L.			
1	tribuloídes. R.S. spinous.	N. America.	1818.	5. 8.	H.⊙.	Sloan. hist. 1. t. 65. f. 1.
2	echinátus. R.S. rough-spiked.	W. Indies.	1691.	8. 12.	S. ♂.	Cavan. ic. 5. p. 39. t. 182.
3	austràlis. B.P. New Holland.	N. S. W.	1822.	6. 8.	H.⊙.	

PENNIS'ETUM. R.S.		PENNIS'ETUM.		Triandria Monogynia. R.S.			
1	setosum. R.S.	setose.	W. Indies.	1804.	7. 8.	H.⊙.
2	polystachyum. R.S.	..	many-spiked.	E. Indies.	—	—	H.⊙.
3	cenchröides. R.S.		ciliated.	C. B. S.	1777.	7. 8.	H.⊙.
	<i>Cenchrus ciliaris.</i> L.						
4	orientale. R.S.	oriental.	Levant.	1819.	—	F.⌞.
5	violaceum. R.S.	violet-spiked.	Senegal.	1829.	—	S.⊙.
6	compressum. B.P.	flat-stemmed.	N. S. W.	1820.	—	H.⌞.
7	holcoïdes. R.S.	Holcus-like.	E. Indies.	1823.	—	S.⊙.
	<i>Panicum holcoïdes.</i> F.I.						
8	barbatum. R.S.	bearded.	—	—	—	S.⊙.
9	dichotomum. R.S.	forked.	Egypt.	1824.	—	H.⌞.
10	nepalense. s.s.	Nepaul.	Nepaul.	1822.	—	H.⊙.
11	asperum. R.S.	rough-leaved.	C. B. S.	1823.	—	G.⌞.
PENICILL'ARIA. R.S.		PENICILL'ARIA.		Polygamia Monœcia. W.			
1	spicata. R.S.	spiked.	E. Indies.	1592.	6. 7.	H.⊙.
2	alopeuroïdes.	Fox-tail.	Jamaica.	1739.	7. 10.	H.⊙.
	<i>ciliata.</i> W.en. <i>cylindrica.</i> R.S. <i>Panicum alopecuroïdes.</i> L. <i>Alopecurus indicus.</i> L.						
SET'ARIA. R.S.		SET'ARIA.		Triandria Digynia. R.S.			
1	sericea. R.S.	silky.	W. Indies.	1780.	5. 9.	H.⊙.
2	verticillata. R.S.	rough.	England.	7. 8.	H.⊙.
3	viridis. R.S.	green.	—	—	H.⊙.
	<i>Panicum viride.</i> E.B. <i>Pennisetum viride.</i> B.P.						
4	pumila. R.S.	dwarf.	1819.	—	H.⊙.
5	macrochæta. R.S.	..	long-spiked.	—	—	H.⊙.
6	purpurascens. R.S.	purplish.	S. America.	1822.	—	H.⊙.
7	intermedia. R.S.	intermediate.	E. Indies.	1819.	8. 10.	H.⊙.
8	Weinmanni. R.S.	Weinman's.	Teneriffe.	1816.	—	H.⊙.
9	glauca. R.S.	glaucous.	S. Europe.	1771.	7. 8.	H.⊙.
10	helvola. R.S.	pale red.	E. Indies.	1822.	8. 10.	H.⊙.
11	corrugata. R.S.	rugged-flowered.	Carolina.	1828.	—	H.⊙.
12	erubescens. R.S.	blush.	S. America.	1822.	—	H.⊙.
13	geniculata. R.S.	jointed.	Antilles.	1805.	7. 8.	H.⊙.
14	maritima. R.S.	sea-side.	1818.	—	H.⊙.
15	germanica. R.S.	German.	Germany.	1548.	—	H.⊙.
16	italica. R.S.	Italian.	Italy.	1616.	—	H.⊙.
	<i>Panicum italicum.</i> Host. gram. 4. t. 14. <i>Pennisetum italicum.</i> B.P.						
17	composita. R.S.	compound.	S. America.	1823.	—	H.⊙.
18	cylindrica. R.S.	cylindrical.	—	—	H.⊙.
19	setosa. R.S.	bristly.	W. Indies.	1822.	—	H.⊙.
20	polystachia. R.S.	many-spiked.	Brazil.	1824.	—	S.♂.
21	tenacissima. R.S.	tough.	—	1819.	—	H.⊙.
22	Pennisetum. R.S.	Indian.	E. Indies.	1820.	6. 8.	S.⊙.
23	scandens. R.S.	climbing.	—	—	H.⊙.
24	caudata. R.S.	tailed.	Trinidad.	1824.	—	H.⊙.
25	muricata. R.S.	sea-side.	N. America.	1819.	—	H.⊙.
26	auricoma. Lk.	golden-headed.	1826.	—	H.⊙.
ANTHOXA'NTHUM. R.S.		SPRING-GRASS.		Diandria Digynia. L.			
1	odoratum. E.B.	sweet-scented.	Britain.	5.	H.⌞.
	β laxum.	loose-spiked.	—	—	H.⌞.
	γ pubescens.	downy-spiked.	—	—	H.⌞.
	δ ramosum.	branching-spiked.	—	—	H.⌞.
2	amarum. R.S.	bitter.	S. Europe.	1810.	7.	H.⌞.
3	gracile. R.S.	slender.	Italy.	1825.	7. 8.	H.⊙.
4	ovatum. R.S.	oval-spiked.	Spain.	1824.	—	H.⊙.
SPARTINA. R.S.		SPARTINA.		Triandria Monogynia. R.S.			
1	cynosuroïdes. R.S.	Dog's-tail.	N. America.	1781.	8. 9.	H.⌞.
	<i>Dactylis cynosuroïdes.</i> L. <i>Trachynotia cynosuroïdes.</i> M. <i>Limnëtis cynosuroïdes.</i> P.S.						
2	stricta. R.S.	upright.	Britain.	8.	H.⌞.
	<i>Dactylis stricta.</i> E.B. <i>Limnëtis pungens.</i> P.S.						
3	glabra. R.S.	smooth.	N. America.	1827.	—	H.⌞.
4	alterniflora. R.S.	alternate-flower'd.	S. Europe.	—	—	H.⌞.
5	polystachia. R.S.	many-spiked.	N. America.	1781.	8. 9.	H.⌞.
6	pumila. R.S.	dwarf.	—	1820.	—	H.⌞.
7	pectinata. R.S.	pectinated.	—	1827.	—	H.⌞.
8	junceæ. R.S.	rushy.	—	1781.	7. 8.	H.⌞.
9	patens. R.S.	spreading.	—	—	—	H.⌞.
10	geniculata. R.S.	jointed.	Java.	1822.	—	S.⌞.
11	arundinæa. R.S.	Reed-like.	Tristan d'Acunha.	1820.	—	G.⌞.

Rumph. amb. 6. t. 7. f. 2.
Giseck. ic. 1. t. 23.

Delil. ægyp. t. 8. f. 3.

Pluk. alm. t. 32. f. 4.
— t. 92. f. 5.

Eng. bot. v. 13. t. 874.
— v. 13. t. 875.

Host. gram. 2. t. 16.

Host. gram. 2. t. 15.
Rumph. amb. 3. t. 76. f. 2.

Eng. bot. v. 9. t. 647.
Loes. ic. 22.

Trin. ic. gram. t. 14.
— t. 13.

Linn. fil. fasc. 1. t. 9.
Eng. bot. v. 6. t. 380.

Burm. ind. t. 12. f. 3.

ZO'YSIA. R.S.	Zo'ysia.	Triandria Digynia. W.				
púngens. R.S.	pungent.	E. Indies.	1819.	6. 8.	S. 4.	
LE'ERSIA. B.P.	LE'ERSIA.	Triandria Digynia. W.				
1 oryzoïdes. s.s.	Rice-like.	S. Europe.	1793.	7. 8.	H.w. 4.	Host. gram. 1. t. 35.
2 virgínica. s.s.	Virginian.	N. America.	—	—	H.w. 4.	
3 austràlis. B.P.	southern.	N. S. W.	1819.	—	H.w. 4.	
4 lenticulàris. s.s.	round-glumed.	N. America.	1825.	—	H.w. 4.	
5 brasiliénsis. R.S.	Brazilian.	Brazil.	1826.	—	S.w. 4.	
PER'OTIS. R.S.	PER'OTIS.	Triandria Digynia. W.				
latifòlia. R.S.	broad-leaved.	E. Indies.	1777.	8. 9.	S. ⊙.	Rheed. mal. 12. t. 62.
ALOPEC'URUS. R.S.	FOXTAIL-GRASS.	Triandria Digynia. L.				
1 agréstis. E.B.	slender.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 12. t. 843.
2 utriculàtus. R.S.	bladdered.	Italy.	1777.	—	H. ⊙.	Flor. græc. t. 63.
3 echinàtus. R.S.	rough.	C. B. S.	1822.	—	G. ⊙.	
4 praténsis. E.B.	meadow.	Britain.	5.	H. 4.	Eng. bot. v. 11. t. 759.
5 nígricans. R.S.	blackish.	Europe.	1815.	6. 7.	H. 4.	Jacq. ecl. gram. t. 13.
	<i>Tauntoniënsis.</i> Sinc. gr. wob. p. 232.					
6 triviàlis. s.o.	long-awned.	Bohemia.	1827.	—	H. 4.	
7 scáber. s.o.	scabrous.	—	—	—	H. 4.	
8 Giesekeànus. R.S.	Gieseke's.	N. Europe.	1828.	—	H. 4.	Flor. dan. t. 1565.
	<i>ovàtus.</i> F.D. non Forst.					
9 geniculàtus. E.E.	floating.	Britain.	5. 8.	H.w. 4.	Eng. bot. v. 18. t. 1250.
10 fúlvus. E.B.	orange-spiked.	England.	6.	H.w. 4.	— v. 21. t. 1467.
11 alpínus. E.B.	Alpine.	Scotland.	5. 6.	H. 4.	— v. 16. t. 1126.
12 ramòsus. R.S.	branching.	N. America.	1823.	—	H. 4.	
13 arundinàceus. R.S.	Reed-like.	1819.	—	H. 4.	
14 macrostàchyos. s.s.	large-spiked.	Barbary.	1824.	6. 8.	H. 4.	
15 bulbòsus. E.B.	bulbous.	England.	7.	H. 4.	Eng. bot. v. 18. t. 1240.
16 colobachnoïdes. R.S.	Siberian.	Siberia.	1826.	6. 7.	H. 4.	
17 Gerárdi. Trin.	Gerard's.	S. Europe.	1820.	6. 8.	H. 4.	Jacq. ic. t. 301.
	<i>Phlèum Gerárdi.</i> R.S.					
PHL'EUM. R.S.	CAT'S-TAIL-GRASS.	Triandria Digynia. L.				
1 praténse. R.S.	common.	Britain.	7.	H. 4.	Eng. bot. v. 15. t. 1076.
	<i>a majus.</i> S.G.W.	—	—	H. 4.	Sinc. gr. wob. p. 195. ic.
	<i>β minus.</i> S.G.W.	—	7. 8.	H. 4.	— p. 197. ic.
2 nodòsum. w.	knotted.	—	7. 9.	H. 4.	Flor. dan. t. 380.
3 Bertolòni. R.S.	Bertoloni's.	France.	1818.	—	H. 4.	
4 alpínus. R.S.	alpine.	Scotland.	7.	H. 4.	Eng. bot. v. 8. t. 519.
5 commutàtum. R.S.	confused.	Piedmont.	1819.	—	H. 4.	
6 felínus. R.S.	Grecian.	Greece.	1822.	—	H. ⊙.	
7 echinàtum. R.S.	hedgheg.	Dalmatia.	—	8. 9.	H. ⊙.	Host. gram. 3. t. 11.
ACHNODO'NTON. R.S.	ACHNODO'NTON.	Triandria Digynia. R.S.				
1 Bellárdi. R.S.	bulbous.	Spain.	1798.	6. 7.	H. ⊙.	
	<i>Phálaris Bellárdii.</i> w. <i>bulbòsa.</i> L.					
2 ténue. R.S.	slender.	S. Europe.	1826.	—	H. ⊙.	Host. gram. t. 36.
3 arenària. L.en.	sand.	Britain.	6. 7.	H. ⊙.	Eng. bot. v. 4. t. 222.
	<i>Phálaris arenària.</i> E.B. <i>Phlèum arenàrium.</i> F.D. t. 915. <i>Chilochlòà arenària.</i> R.S.					
CHILOCHL'OA. R.S.	CHILOCHL'OA.	Triandria Digynia. R.S.				
1 Bœhmèri. R.S.	Phalaris-like.	England.	7. 9.	H. 4.	Eng. bot. v. 7. t. 459.
	<i>Phálaris phleoïdes.</i> E.B. <i>Phlèum phalaroïdes.</i> Kœl. <i>Bœhmèri.</i> w.					
2 cuspidàta. R.S.	sharp-pointed.	Tyrol.	1824.	7. 8.	H. 4.	Host. gram. 4. t. 20.
3 Michèli. L.en.	Micheli's.	Scotland.	6. 7.	H. 4.	Eng. bot. v. 32. t. 2265.
	<i>Phlèum Michèlii.</i> E.B.					
4 áspera. R.S.	rough.	England.	7.	H. ⊙.	Eng. bot. v. 15. t. 1077.
	<i>Phlèum paniculatum.</i> E.B. <i>Phlèum ásperum.</i> Jacq. ic. t. 14. <i>Phálaris áspera.</i> w.					
5 ànnua. R.S.	annual.	Caucasus.	1825.	7. 8.	H. ⊙.	
SCHMI'DTIA. S.S.	SCHMI'DTIA.	Diandria Digynia. S.S.				
súbtilis. s.s.	close umbelled.	Bohemia.	1824.	6. 8.	H. ⊙.	Tratt. fl. aus. t. 451.
	<i>Coleánthus súbtilis.</i> R.S.					
POLYP'OGON. R.S.	POLYP'OGON.	Triandria Digynia. W.				
1 monspeliénsis. R.S.	chaffy.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 24. t. 1704.
	<i>Agróstis panícea.</i> E.B.					
2 littoràlis. E.F.	sea-side.	—	8.	H. 4.	Eng. bot. v. 18. t. 1251.
3 Lagásca. R.S.	Lagasca's.	Spain.	1824.	—	H. 4.	
4 marítimus. R.S.	shore.	S. Europe.	1822.	—	H. ⊙.	
5 glomeràtus. R.S.	clustered.	N. America.	—	7. 8.	H. 4.	
6 tatáricus. F.	Tartarian.	Tartary.	1825.	—	H. ⊙.	
CER'ESIA. P.S.	CER'ESIA.	Triandria Digynia. P.S.				
élegans. P.S.	elegant.	Peru.	1818.	8. 9.	H. 4.	Jacq. frag. t. 86.
	<i>Páspalum membranàceum.</i> s.s.					

PA'SPALUM. W.	PA'SPALUM.	Triandria Digynia. L.				
1 dissectum. s.s. dissected.	S. America.	1822.	8. 10.	H. ⊙.	
2 scrobiculatum. s.s. dimpled.	E. Indies.	1778.	7. 9.	S. 4.	Hout. n. his. t. 89. f. 3.
3 stoloniferum. s.s. purple.	Peru.	1794.	—	G. 4.	Jacq. ic. 2. t. 302.
4 paniculatum. s.s. paniced.	W. Indies.	1782.	—	S. ⊙.	Sloan. hist. 1. t. 72. f. 2.
5 virgatum. s.s. twiggy.	—	1822.	—	S. 4.	—1. t. 69. f. 2.
6 l'ave. M. smooth.	N. America.	1818.	—	H. 4.	Lecomt. pasp. t. 91.
7 mucronatum. R.S. mucronate.	—	1825.	—	H. ⊙.	
8 Lecomteanum. R.S. Lecomte's.	—	1827.	—	H. 4.	Lecomt. pas. t. 91.
9 latifolium. R.S. broad-leaved.	—	—	—	H. 4.	
10 platense. R.S. Monte Video.	Monte Video.	1824.	—	H. 4.	
11 difforme. R.S. deformed.	N. America.	1818.	7. 9.	H. 4.	Lecomt. pas. t. 91. p. 284.
12 pusillum. R.S. small.	St. Thomas.	1822.	—	S. 4.	
13 conjugatum. s.s. conjugate.	W. Indies.	—	—	S. 4.	Gært. fruct. 2. t. 80. f. 4.
14 notatum. s.s. two-spiked.	—	1776.	7.	S. ♂.	Swartz obs. t. 2. f. 1.
15 vaginatum. R.S. sheathed.	—	1824.	—	S. 4.	
16 platycaule. R.S. flat-stalked.	—	—	—	S. 4.	
17 molle. s.s. soft.	St. Thomas.	1822.	—	S. 4.	
18 Kora. R.S. smooth-flowered.	E. Indies.	1818.	7. 8.	S. 4.	
19 longiflorum. R.S. long-flowered.	—	1824.	—	S. 4.	
20 setaceum. M. bristly.	N. America.	—	—	H. 4.	
21 pilosum. R.S. hairy.	S. America.	1826.	—	S. 4.	
22 incertum. R.S. uncertain.	1812.	—	H. 4.	
23 dubium. s.s. doubtful.	1818.	—	H. 4.	
24 glabrum. s.s. smooth.	W. Indies.	1823.	—	S. 4.	
25 tenellum. w. elegant.	1817.	—	S. 4.	
<i>élégans. s.s.</i>						
26 laxum. R.S. loose.	S. America.	1819.	—	S. 4.	
27 inæquale. L.en. unequal-valved.	Manilla.	1822.	—	S. 4.	
AMPHIPOGON. B.P.	AMPHIPOGON.	Triandria Digynia. S.S.				
strictus. B.P. upright.	N. S. W.	1823.	5. 6.	G. 4.	
GASTRIDIVM. R.S.	GASTRIDIVM.	Triandria Digynia. R.S.				
1 australe. R.S. yellow.	England.	8.	H. 4.	Eng. bot. v. 16. t. 1107.
<i>Milium lendigerum. E.B.</i>						
2 muticum. R.S. beardless.	Sicily.	1819.	7. 8.	H. ⊙.	
CHÆTURUS. R.S.	CHÆTURUS.	Triandria Digynia. R.S.				
fasciculatus. R.S. fascicled.	S. Europe.	1815.	7. 9.	H. ⊙.	
MILIUM. R.S.	MILLET-GRASS.	Triandria Digynia. L.				
1 nigricans. R.S. Guinea maize.	Peru.	1824.	6. 8.	H. ⊙.	
2 effusum. E.B. common.	Britain.	6. 7.	H. 4.	Eng. bot. v. 16. t. 1106.
3 vernale. R.S. vernal.	Caucasus.	1819.	4. 5.	H. ⊙.	
4 scabrum. R.S. rough.	S. Europe.	1826.	—	H. ⊙.	
5 confertum. R.S. close-flowered.	Italy.	—	—	H. 4.	
6 amphicarpon. R.S. earth-fruited.	N. America.	1827.	—	H. 4.	Pursh. am. sept. 2. t. 2.
7 gallicicum. R.S. capillary.	Gallicia.	1819.	6. 8.	H. 4.	
8 velutinum. R.S. downy.	Mexico.	1823.	—	H. ⊙.	
9 filiforme. Lag. slender.	New Spain.	1824.	—	H. 4.	
10 microspERMUM. R.S. small-seeded.	—	1822.	—	H. ⊙.	
11 phleoides. Phleum-like.	E. Indies.	1820.	—	S. 4.	
PIPTATHERUM. R.S.	PIPTATHERUM.	Triandria Digynia. R.S.				
1 paradoxum. R.S. black-seeded.	France.	1771.	6. 7.	H. ⊙.	Host. gram. 3. t. 23.
<i>Agróstis paradoxá. L. Milium paradoxum. w. Urúchne viréscens. Trin.</i>						
2 cœruléscens. R.S. blueish.	Barbary.	1819.	—	H. 4.	Desf. atl. 1. t. 12.
3 multiflorum. R.S. many-flowered.	S. Europe.	1778.	—	H. 4.	Host. gram. 3. t. 45.
<i>Milium arundináceum. F.G. t. 66. Agróstis miliácea. L.</i>						
4 punctatum. R.S. dotted.	W. Indies.	1824.	—	S. 4.	
CALAMAGROSTIS. S.S.	CALAMAGROSTIS	Triandria Digynia. S.S.				
1 epigëjos. s.s. wood.	Britain.	7.	H. 4.	Eng. bot. v. 6. t. 403.
2 intermedia. R.S. intermediate.	Carlsruhe.	1827.	—	H. 4.	
3 littorea. s.s. sea-side.	Switzerland.	1824.	7. 8.	H. 4.	Schrad. fl. ger. 1. t. 4. f. 2.
4 laxa. Host. loose.	—	—	—	H. 4.	Host. gram. 4. t. 23.
5 glauca. R.S. glaucous.	N. America.	—	—	H. 4.	
6 Halleriana. s.s. Haller's.	Switzerland.	1819.	—	H. 4.	Schrad. fl. ger. 1. t. 4. f. 3.
<i>Arúndo pseudophragmites. R.S.</i>						
7 stricta. s.s. upright.	Scotland.	7. 8.	H. 4.	Eng. bot. v. 30. t. 2160.
8 varia. Host. various.	S. Europe.	1813.	—	H. 4.	Host. gram. 4. t. 47.
9 acutiflora. DC. sharp-flowered.	Germany.	1819.	—	H. 4.	
10 sylvatica. DC. wood.	Europe.	1813.	—	H. 4.	Host. gram. 4. t. 49.
<i>arundinácea. Roth. Agróstis arundinácea. L. pyramidális. Host.</i>						

11	purpurascens.Br.	purplish.	N. America.	1827.	7. 8.	H. 4.	
12	Schwábii. s.s.	Saxon.	Saxony.	1828.	—	H. 4.	
13	Langsdórrffii. s.s.	Langsdorff's.	1823.	—	H. 4.	
14	confinis. s.s.	hairy-flowered.	N. America.	1820.	—	H. 4.	
15	montana. Host.	mountain.	Europe.	—	—	H. 4.	Host. gram. 4. t. 46.
16	Hóstii. R.S.	Host's.	—	—	—	H. 4.	— 4. t. 48.
	<i>sylvatica.</i> Host. <i>nec aliorum.</i>						
17	canadensis. N.	Canadian.	N. America.	1826.	—	H. 4.	
18	lanceolata. s.s.	common.	England.	7.	H. 4.	Eng. bot. v. 30. t. 2159.
	<i>Arundo Calamagróstis.</i> E.B. <i>Agróstis lanceolata.</i> R.S.						
19	speciosa. Host.	beautiful.	Germany.	1813.	7. 8.	H. 4.	Host. gram. 4. t. 45.
	<i>Agróstis Calamagróstis.</i> R.S.						
STIPA. R.S.		FEATHER-GRASS. Triandria Digynia. L.					
1	pennata. E.B.	common.	Britain.	7. 8.	H. 4.	Eng. bot. v. 19. t. 1356.
2	tortilis. R.S.	twisted-awned.	S. Europe.	1823.	—	H. 4.	Desf. atl. 1. t. 31. f. 1.
3	junceae. R.S.	rushy.	France.	1772.	—	H. 4.	Flor græc. 1. t. 85.
4	gigantea. R.S.	gigantic.	Spain.	1823.	—	H. 4.	
5	Lagascæ. R.S.	Lagasca's.	—	1822.	—	H. 4.	Desf. atl. 1. t. 28.
6	capillata.	capillary.	S. Europe.	—	—	H. 4.	Host. gram. 3. t. 5.
7	tenacissima. R.S.	tough.	—	1822.	—	H. 4.	Desf. atl. 1. t. 30.
8	Aristella. R.S.	awned.	Montpelier.	1806.	—	H. 4.	Host. gram. 4. t. 34.
9	Redówskii. L.A.	Redowski's.	Altay.	1828.	—	H. 4.	Ledeb. ic. t. 98.
10	mollis. B.P.	soft.	N. S. W.	1824.	—	F. 4.	
11	conferta. R.S.	close paniced.	1819.	—	H. 4.	
12	sibirica. R.S.	Siberian.	Siberia.	1777.	—	H. 4.	Ledeb. ic. t. 99.
AGRAULUS. P.B.		AGRAULUS. Triandria Digynia. R.S.					
1	canina. P.B.	brown.	Britain.	7.	H. 4.	Eng. bot. v. 26. t. 1856.
	<i>Agróstis canina.</i> E.B. <i>Trichodium caninum.</i> R.S.						
2	alpina. P.B.	Alpine.	S. Europe.	1818.	7. 8.	H. 4.	Host. gram. 3. t. 49.
3	rupéstris. R.S.	rock.	Pyrenees.	—	—	H. 4.	— 3. t. 50.
4	neglecta. R.S.	neglected.	Hungary.	1822.	—	H. 4.	
5	flavescens.	yellowish.	S. Europe.	—	—	H. 4.	Host. gram. 4. t. 52.
6	setacea.	bristly.	Britain.	—	H. 4.	Eng. bot. v. 17. t. 1168.
	<i>Agróstis setacea.</i> E.B. <i>Trichodium setaceum.</i> R.S.						
7	rubra. R.S.	red.	Lapland.	1820.	—	H. 4.	
8	hybrida. R.S.	hybrid.	Switzerland.	—	—	H. 4.	
9	diffusa. L.en.	spreading.	1823.	—	H. 4.	
TRICHODIUM. M.		WINTER-GREEN-GRASS. Triandria Digynia.					
1	decumbens. R.S.	decumbent.	N. America.	1786.	6. 7.	H. 4.	Fraser mon. c. ic.
2	laxiflorum. R.S.	loose-flowered.	—	1816.	—	H. 4.	Mich. amer. 1. t. 8.
3	elegans. R.S.	elegant.	France.	—	7. 9.	H. 4.	Lois journ. bot. 2. t. 8. f. 1.
AGROSTIS. R.S.		BENT-GRASS. Triandria Digynia. R.S.					
1	stolonifera. R.S.	creeping.	Britain.	7. 8.	H. 4.	Eng. bot. v. 22. t. 1532.
	<i>α latifolia.</i> S.G.W. <i>Fiorin grass.</i>		—	—	H. 4.	Sinc. gr. wob. p. 225. ic.
	<i>β angustifolia.</i> S.G.W. <i>narrow-leaved.</i>		—	—	H. 4.	— p. 346. ic.
	<i>γ aristata.</i> S.G.W. <i>awned.</i>		—	—	H. 4.	— p. 345. ic.
	<i>δ nemoralis.</i> S.G.W. <i>wood.</i>		—	—	H. 4.	
	<i>ε palustris.</i> S.G.W. <i>marsh.</i>		—	—	H. 4.	
2	dulcis. Df.	sweet.	S. France.	1824.	—	H. 4.	
3	stolonizans. R.S.	stoloniferous.	Poland.	1827.	—	H. 4.	
4	diffusa. R.S.	spreading.	Europe.	1816.	—	H. 4.	Host. gram. 4. t. 55.
5	neglecta. R.S.	neglected.	Hungary.	—	—	H. 4.	
6	capillaris. R.S.	capillary.	S. Europe.	—	—	H. 4.	
7	tenella. R.S.	slender.	Switzerland.	1824.	—	H. 4.	Sm. ic. ined. 3. t. 54.
8	alba. R.S.	white rooted.	Britain.	7.	H. 4.	Schad. fl. ger. 1. t. 5. f. 1.
	<i>β purpurascens.</i>	<i>purplish.</i>	—	—	H. 4.	Sinc. gr. wob. p. 342. ic.
	<i>γ vivipara.</i>	<i>viviparous.</i>	—	—	H. 4.	Eng. bot. v. 17. t. 1189.
9	parvula. R.S.	small.	Hungary.	1826.	—	H. 4.	Leers fl. herb. t. 4. f. 3.
10	tenuifolia. R.S.	slender-leaved.	Caucasus.	1819.	7. 8.	H. 4.	Trin. icon. gr. t. 35.
11	pátula. R.S.	knotted spreading.	Switzerland.	1824.	—	H. 4.	
12	valentina. R.S.	Valentia.	Spain.	—	—	H. 4.	
13	dùbia. R.S.	doubtful.	Germany.	1818.	—	H. 4.	Leers fl. herb. t. 4. f. 4.
14	gigantea. R.S.	gigantic.	Caucasus.	—	—	H. 4.	
15	frondosa. R.S.	frondose.	Naples.	1824.	—	H. 4.	
16	vulgàris. R.S.	fine.	Britain.	—	H. 4.	Eng. bot. v. 24. t. 1671.
17	ambigua. R.S.	ambiguous.	Germany.	1820.	—	H. 4.	Host. gram. t. 56.
18	Juréssi. R.S.	close paniced.	—	—	—	H. 4.	Trin. ic. gram. t. 29.
19	virginica. R.S.	Virginian.	N. America.	—	—	H. 4.	Lab. nov. holl. 1. t. 23.
20	brasiliensis. R.S.	Brazilian.	Brazil.	1828.	—	S. 4.	

21	marítima. R.S. sea-side.	S. Europe.	1825.	7. 8.	H. 2.	
22	Forstèri. R.S. Forster's.	N. Zealand.	1822.	—	H. 2.	
	<i>Arèna filifórmis.</i>	Forst.					
23	Billardièri. B.P. Labillardiere's.	N. Holland.	1806.	—	H. 2.	Lab. nov. holl. 1. t. 31.
24	plebèia. B.P. plebeian.	N. S. W.	1822.	—	H. 2.	
25	æmula. B.P. flat-leaved.	—	1806.	—	H. 2.	
26	retrofrácta. R.S. broad-leaved.	—	—	4. 5.	F. 2.	
27	hirsùta. R.S. hairy.	Teneriffe.	1810.	—	F. 2.	
28	Spìca vénti. E.B. silky.	England.	6. 7.	H. 2.	Eng. bot. v. 14. t. 951.
29	pállida. DC. pale.	France.	1818.	—	H. 2.	
30	interrùpta. R.S. interrupted.	S. Europe.	—	—	H. 2.	Host. gram. 3. t. 48.
31	purpùrea. R.S. purple.	—	1820.	—	H. 2.	
32	pauciflòra. R.S. few-flowered.	Switzerland.	1824.	6. 8.	H. 2.	Schrad. fl. ger. 1. t. 3. f. 2.
33	decumbens. Host. decumbent.	Hungary.	—	—	H. 2.	Host. gram. 4. t. 54.
	SPORO'BOLUS. B.P.	SPORO'BOLUS.	Triandria Digynia.				
1	diándrus. R.S. diandrous.	E. Indies.	1820.	6. 8.	S. 2.	
2	pulchéllus. R.S. pretty.	N. Holland.	1828.	—	F. 2.	
3	índicus. B.P. Indian.	India.	1773.	8. 10.	H. 2.	Sloan. hist. 1. t. 73. f. 1.
4	purpuráscens. R.S. purplish.	Jamaica.	1820.	—	S. 2.	
5	tenacíssimus. L.en. tough.	W. Indies.	1801.	—	S. 2.	Jacq. ic. 1. t. 16.
6	elongátus. B.P. elongated.	N. S. W.	1822.	—	H. 2.	
7	micránthus. small-flowered.	Monte Video.	1825.	—	H. 2.	
	COLP'ODIUM. Trin.	COLP'ODIUM.	Triandria Digynia.				
1	Stevèni. Trin. various-coloured.	Caucasus.	1823.	7. 8.	H. 2.	
	<i>Agróstitis versicolor.</i>	Stev.					
2	latifólium. Br. broad-leaved.	Melville Isl.	1821.	—	H. 2.	
	TRICHOCHL'OA. Tr.	TRICHOCHL'OA.	Triandria Digynia.				
1	tenuiflòra. slender-flowered.	N. America.	1820.	7. 8.	H. 2.	Willd. hort. ber. t. 12.
	<i>longisèta.</i> Tr.	<i>Agróstitis tenuiflòra.</i> w. <i>Cinna tenuiflòra.</i>	L.en.				
2	mexicàna. Tr. Mexican.	America.	1780.	6. 9.	H. 2.	
3	foliòsa. Tr. leafy.	N. America.	1819.	7. 8.	H. 2.	
	<i>Agróstitis filifórmis.</i>	W.en. <i>Cinna filifórmis.</i>	L.en.				
4	sobolífèra. Tr. soboliferous.	N. America.	1819.	7. 8.	H. 2.	
5	microspérma. DC. small-seeded.	Mexico.	1818.	8. 10.	H. 2.	
6	capillàris. DC. capillary.	Carolina.	—	—	H. 2.	
7	expànsa. DC. expanded.	—	1822.	—	H. 2.	P.B. agros. nov. t. 8. f. 2.
	<i>purpùrea.</i>	P.B.					
8	polypògon. DC. many-bearded.	—	1812.	—	H. 2.	P.B. agros. nov. t. 8. f. 3.
	CINNA. L.	CINNA.	Monandria Digynia.	L.			
1	arundinàcea. L. Reed-like.	Canada.	1789.	7.	H. 2.	Schreb. gram. t. 49.
2	crinìta. Tr. rough-keeled.	N. Zealand.	1822.	—	F. 2.	Lab. nov. hol. 2. t. 263.
3	monándra. R.S. monandrous.	N. America.	1826.	—	H. 2.	
	KNAPPIA. E.B.	KNAPPIA.	Triandria Digynia.	S.S.			
	<i>agrostídea.</i> E.B. small.	Wales.	3. 4.	H. 2.	Eng. bot. v. 16. t. 1127.
	<i>Agróstitis mínima.</i>	w. <i>Chamagróstitis mínima.</i> R.S. <i>Stúrnia vérna.</i>	P.S.				
	COLOBA'CHNE. R.S.	COLOBA'CHNE.	Triandria Digynia.	R.S.			
	<i>vaginàta.</i> R.S. sheathed.	Levant.	1818.	4.	H. 2.	Flor. græc. t. 64.
	<i>Alopecùrus angustifólius.</i>	F.G. <i>Polypògon vaginátus.</i>	w.				
	HELEOCHL'OA. Host.	HELEOCHL'OA.	Triandria Monogynia.				
1	alopècuroídes. R.S. Foxtail-like.	Germany.	1816.	7. 8.	H. 2.	Host gram. 1. t. 29.
2	phalaróides. P.B. Phalaris-like.	Caucasus.	1827.	—	H. 2.	
3	schænoídes. R.S. Schœnus-like.	S. Europe.	1783.	—	H. 2.	Jacq. ic. 1. t. 15.
	CRY'PSIS. Host.	CRY'PSIS.	Triandria Monogynia.				
	<i>aculeàta.</i> R.S. prickly.	S. Europe.	1783.	—	H. 2.	Host. gram. 1. t. 31.
	LAPP'AGO. W.	LAPP'AGO.	Triandria Digynia.	W.			
1	racemòsa. W. branching.	S. Europe.	1771.	—	H. 2.	Flor. græc. t. 101.
	<i>Tràgus racemòsus.</i> R.S.	<i>Cénchrus racemòsus.</i>	L.				
2	aliena. S.S. Brazilian.	Brazil.	1826.	6. 8.	S. 2.	
3	biflòra. F.I. two-flowered.	E. Indies.	1824.	—	S. 2.	
	MUHLENBE'RGIA. W.	MUHLENBE'RGIA.	Triandria Digynia.	W.			
	<i>diffùsa.</i> R.S. spreading.	N. America.	1816.	5. 6.	H. 2.	Schreb. gram. t. 51.
	CHÆT'ARIA. R.S.	CHÆT'ARIA.	Triandria Digynia.	R.S.			
1	adscensiònis. R.S. West Indian.	W. Indies.	1822.	7. 8.	S. 2.	Sloan. hist. 1. t. 2. f. 56.
	<i>Aristida adscensiònis.</i>	w.					
2	Hy'strix. R.S. Porcupine.	E. Indies.	—	S. 2.	Pluk. alm. t. 191. f. 5.
3	oligántha. R.S. long-glumed.	N. America.	1826.	—	H. w. 2.	
4	pállens. R.S. pale.	Chile.	1825.	—	H. 2.	
5	divaricàta. R.S. spreading.	S. America.	1818.	7. 8.	G. 2.	Jacq. eclog. gram. t. 6.

6	<i>gigantea</i> . R.S.	gigantic.	Teneriffe.	1824.	7. 8.	F. 2.	
7	<i>cærulescens</i> . R.S.	blueish.	Canaries.	1818.	—	H. ⊙.	Desf. atl. t. 21. f. 2.
CURTOPOGON . R.S.		CURTOPOGON .		Triandria Digynia.				
	<i>dichotomus</i> . R.S.	forked.	N. America.	1826.	6. 8.	H. ♂.	Spr. act. pet. 2. t. 6.
	<i>Aristida dichotoma</i> . Ph.							
ARISTIDA . R.S.		ARISTIDA .		Triandria Digynia. L.				
1	<i>obtusa</i> . R.S.	blunt-awned.	Egypt.	1828.	6. 8.	H. ⊙.	Delil. ægyp. t. 13. f. 2.
2	<i>vagens</i> . R.S.	spreading-paniced.	N. S. W.	1820.	7. 8.	F. 2.	Cavan. ic. 5. t. 471.
HO'RDEUM . R.S.		BARLEY .		Triandria Digynia. L.				
1	<i>vulgare</i> . R.S.	spring.	Levant.	7.	H. ⊙.	Host. gram. 3. t. 34.
	<i>β giganteum</i>	giant.	—	—	H. ⊙.	
2	<i>cæleste</i> . R.S.	naked-seeded.	Levant.	—	H. ⊙.	Viborg cereal. t. 1.
3	<i>nigrum</i> . R.S.	black-seeded.	—	—	H. ♂.	
4	<i>hexastichon</i> . R.S.	winter.	—	—	H. ⊙.	Viborg cereal. t. 2.
5	<i>bulbosum</i> . R.S.	bulbous.	S. Europe.	1770.	—	H. 2.	Flor. græc. 1. t. 93.
6	<i>jubatum</i> . R.S.	long-bearded.	N. America.	1782.	7. 8.	H. ♂.	
7	<i>Sieberianum</i> . R.S.	Sieber's.	Egypt.	1828.	—	H. ⊙.	
8	<i>distichum</i> . R.S.	common.	Tartary.	7.	H. ⊙.	Viborg cereal. t. 3.
	<i>β imberbe</i> . R.S.	beardless.	—	—	H. ⊙.	
9	<i>nudum</i> . R.S.	naked seeded.	—	—	H. ⊙.	Arduin. sag. t. II. f. 4.
10	<i>Zœcriton</i> . R.S.	Battledore.	8.	H. ⊙.	Viborg cereal. t. 4.
11	<i>murinum</i> . R.S.	wall.	Britain.	4. 8.	H. ⊙.	Eng. bot. v. 28. t. 197.
12	<i>pratense</i> . R.S.	meadow.	—	6.	H. 2.	— v. 6. t. 409.
13	<i>maritimum</i> . E.B.	sea-side.	—	6. 7.	H. ⊙.	— v. 17. t. 126.
14	<i>nepalense</i>	Nepaul.	Nepaul.	1825.	7. 8.	H. ⊙.	
15	<i>Hystrix</i> . R.S.	hedgohog.	Spain.	1817.	—	H. ⊙.	
16	<i>bifarium</i> . R.S.	two-ranked.	1822.	—	H. ⊙.	
ÆGOP'OGON . R.S.		ÆGOP'OGON .		Triandria Digynia. R.S.				
1	<i>pusillus</i> . R.S.	small.	S. America.	1822.	7. 8.	H. ⊙.	Cav. h. r. mad. 1. t. 5. f. 2.
2	<i>trisetus</i> . R.S.	three awned.	—	—	—	H. ⊙.	— 1. t. 5. f. 3.
MICROCHLOA . B.P.		MICROCHLOA .		Triandria Digynia. R.S.				
	<i>setacea</i> . B.P.	bristly.	Tropics.	1806.	7.	H. ⊙.	Roxb. corom. 2. t. 132.
MEL'INIS . S.S.		MEL'INIS .		Triandria Digynia. S.S.				
	<i>minutiflora</i> . s.s.	glutinous.	Brazil.	1822.	6. 7.	S. 2.	Nees Hor. ber. 54. t. 7.
	<i>Tristegis glutinosa</i> . Nees. <i>Suardia picta</i> . Schrank h. mon. 11. t. 58.							
DIGITARIA . R.S.		DIGITARIA .		Triandria Digynia. R.S.				
1	<i>sanguinalis</i> . R.S.	slender-spiked.	Britain.	8.	H. ⊙.	Eng. bot. v. 12. t. 849.
	<i>Panicum sanguinale</i> . E.B.							
2	<i>bicornis</i> . R.S.	two-horned.	E. Indies.	1825.	8. 9.	H. ⊙.	
3	<i>affinis</i> . R.S.	related.	S. America.	1820.	7. 8.	H. ⊙.	
4	<i>ægyptiaca</i> . R.S.	Egyptian.	Egypt.	1794.	—	H. ⊙.	Jacq. obs. 3. t. 30.
5	<i>filiformis</i> . s.s.	filiform.	N. America.	1781.	—	H. ⊙.	
6	<i>Roxburghii</i> . s.s.	Roxburgh's.	E. Indies.	1823.	—	H. ⊙.	
	<i>Panicum filiforme</i> . F.I.							
7	<i>villosa</i> . s.s.	villous.	N. America.	1781.	7. 9.	H. ⊙.	
8	<i>débilis</i> . s.s.	weak.	Barbary.	1824.	—	H. ⊙.	
9	<i>glabra</i> . R.S.	smooth.	S. Europe.	1817.	—	H. ⊙.	Schrad. germ. 1. t. 3. f. 6.
	<i>Syntherisma glabrum</i> . Schrad.							
10	<i>paspalodes</i> . R.S.	trailing.	N. America.	—	—	H. ⊙.	
11	<i>ciliaris</i> . R.S.	fringed.	S. Europe.	1804.	—	H. ⊙.	Host. gram. 4. t. 15.
12	<i>barbata</i> . R.S.	bearded.	E. Indies.	1824.	—	H. ⊙.	
13	<i>biformis</i> . R.S.	two-formed.	Canaries.	1820.	—	H. ⊙.	
14	<i>marginata</i> . R.S.	marginated.	Brazil.	1825.	—	H. ⊙.	
15	<i>linearis</i> . R.S.	linear-spiked.	India.	1804.	—	H. ⊙.	
16	<i>inæqualis</i> . s.s.	hairy-sheathed.	Manila.	1824.	7. 8.	S. ⊙.	Burm. ind. 25. t. 10. f. 3.
17	<i>serotina</i> . M.	late-flowered.	N. America.	—	—	H. ⊙.	
	<i>Paspalum serotinum</i> . R.S.							
18	<i>Andersoni</i> . Ot.	Anderson's.	Monte Video.	1825.	6. 8.	F. 2.	
19	<i>erigona</i> . Schr.	woolly-angled.	S. America.	—	—	S. 2.	
20	<i>mollissima</i> . Schr.	soft.	—	1826.	—	S. 2.	
21	<i>piligera</i> . Lk.	hairy.	Monte Video.	—	—	H. ⊙.	
22	<i>violascens</i> . Lk.	violet.	—	—	—	H. ⊙.	
CYN'ODON . R.S.		CYN'ODON .		Triandria Digynia. R.S.				
1	<i>Dactylon</i> . R.S.	creeping.	England.	7. 8.	H. 2.	Eng. bot. v. 12. t. 850.
	<i>β indicus</i>	Doob-grass.	India.	1820.	—	S. 2.	Sinc. gr. wob. p. 290. ic.
2	<i>linearis</i> . R.S.	linear-leave !.	E. Indies.	1796.	—	S. 2.	
3	<i>stellatus</i> . R.S.	starry.	St. Helena.	1823.	—	S. 2.	
4	<i>virgatus</i> . R.S.	twiggy.	E. Indies.	1826.	—	S. 2.	

- 5 præcox. R.S. early-flowered. N. America. 1823. 6. 7. H. 2.
- Digitaria sanguinalis*. M.
- BRACHYEL'YTRUM**. R.S. BRACHYEL'YTRUM. Triandria Digynia.
- aristatum. R.S. awned. N. America. 1827. 6. 7. H. 2. Schreb. gram. t. 50.
- Muhlenbergia crecta*. Ph. *Dilep'yrum aristosum*. M.
- PHA'LARIS**. R.S. CANARY-GRASS. Triandria Digynia. R.S.
- 1 canariensis. R.S. common. Britain. 6. 8. H. ⊙. Eng. bot. v. 19. t. 1310.
- 2 microstachya. DC. small-spiked. N. America. 1818. — H. ⊙.
- 3 aquatica. R.S. water. Egypt. 1778. 6. 7. H. ⊙. Host. gram. 2. t. 38.
- 4 nitida. R.S. glossy. Sicily. 1824. — H. ⊙.
- 5 commutata. R.S. changed. Italy. 1823. — H. ⊙. Barrel. ic. 700. f. 2.
- 6 capensis. R.S. Cape. C. B. S. 1804. — G. 2.
- 7 bulbosa. R.S. bulb-bearing. Spain. 1824. — H. 2.
- 8 variegata. R.S. variegated. Sicily. 1825. — H. 2.
- 9 cærulescens. R.S. blueish. S. Europe. 1824. — H. ⊙. Buxb. cent. 4. t. 53.
- 10 nodosa. R.S. knotted. — 1825. — H. 2. Flor. græc. t. 56.
- 11 paradoxica. R.S. paradoxical. — — — H. ⊙. — 1. t. 58.
- 12 appendiculata. R.S. .. appendaged. Egypt. 1823. — H. ⊙.
- DIGRA'PHIS**. Tr. DIGRA'PHIS. Triandria Digynia.
- 1 arundinæca. Tr. Reed-like. Britain. 7. H.w. 2. Eng. bot. v. 6. t. 402.
- Arundo colorata*. E.B. *Phalaris arundinæca*. L. *Baldingera*. Fl. wet.
- β variegata. striped-leaved. — — — H. 2.
- 2 americana. s.s. American. N. America. — H. 2.
- LAG'URUS**. R.S. HARE'S-TAIL-GRASS. Triandria Digynia. L.
- ovatus. E.B. oval-spiked. Guernsey. 6. H. ⊙. Eng. bot. v. 19. t. 1334.
- ECHINOP'OGON**. R.S. ECHINOP'OGON. Triandria Digynia.
- ovatus. R.S. ovate paniced. N. Holland. 1820. 7. 8. H. 2. Lab. nov. holl. 1. t. 21.
- Agròstis ovata*. Lab.
- HIEROCHL'OA**. P.B. HIEROCHL'OA. Triandria Digynia. R.S.
- 1 borealis. R.S. northern. Scotland. 5. 6. H. 2. Sinc. gr. wob. p.167. ic.
- Hólcus odoratus*. F.D. t. 963. *repens*. Host. gram. 3. t. 3.
- 2 australis. R.S. southern. S. Europe. 1777. 6. 7. H. 2. Host. gram. 1. t. 4.
- 3 fragrans. R.S. fragrant. N. America. — — H. 2.
- 4 alpina. R.S. Alpine. Melville Isl. 1827. — H. 2. Flor. dan. t. 1508.
- 5 pauciflora. R.S. few-flowered. — — — H. 2.
- CATABR'OSA**. R.S. CATABR'OSA. Triandria Digynia. R.S.
- 1 aquatica. R.S. water. Britain. 5. 6. H.w. 2. Eng. bot. v. 22. t. 1557.
- Aíra aquatica*. E.B.
- 2 viridula. R.S. close-paniced. 1718. — H.w. 2.
- 3 humilis. Tr. dwarf. Caucasus. 1824. 6. 7. H. 2.
- AI'RA**. R.S. HAIR-GRASS. Triandria Digynia. L.
- 1 flexuosa. E.B. waved. Britain. 7. 8. H. 2. Eng. bot. v. 22. t. 1519.
- 2 uliginosa. R.S. marsh. Germany. 1825. — H. 2. Reich. ic. r. C. 2. t. 150.
- 3 versicolor. R.S. various-color'd. S. Europe. 1823. — H. 2.
- 4 caryophyllea. E.B. .. silver. Britain. — H. ⊙. Eng. bot. v. 12. t. 812.
- 5 elegans. R.S. elegant. Switzerland. 1824. — H. ⊙. Host. gram. 4. t. 35.
- 6 pulchella. R.S. pretty. Spain. 1820. — H. ⊙.
- 7 pallens. R.S. pale. N. America. — — H. 2.
- 8 arundinæca. R.S. Reed-like. Cumana. 1823. — S. 2.
- 9 semineutra. s.s. doubtful. Hungary. 1819. 6. 7. H. 2.
- DESCHA'MPSIA**. R.S. DESCHA'MPSIA. Triandria Digynia. R.S.
- 1 cæspitosa. R.S. turfey. Britain. 8. H. 2. Eng. bot. v. 21. t. 1453.
- Aíra cæspitosa*. E.B.
- 2 Biebersteiniána. R.S. Bieberstein's. Caucasus. 1823. 6. 8. H. 2.
- 3 refracta. R.S. reflexed. Spain. 1822. — H. 2.
- 4 alpina. R.S. Alpine. Scotland. 5. 6. H. 2. Eng. bot. v. 30. t. 2102.
- Aíra lævigata*. E.B. *alpina*. L. *Arèna alpina*. Tr.
- 5 brevifolia. R.S. short-leaved. Melville Isl. 1827. — H. 2.
- 6 bóttnica. Tr. bristle-leaved. Bottnia. 1824. — H. 2.
- Aíra bóttnica*. R.S. *montána*. R.S.
- SCHISMUS**. R.S. SCHISMUS. Triandria Digynia. R.S.
- 1 Gouani. Tr. Gouan's. Montpellier. 1820. 6. 7. H. 2.
- Aíra média*. Gouan. *Deschampsia média*. et *discolor*. R.S.
- 2 marginatus. R.S. margined. Spain. 1781. — H. ⊙. Cavan. ic. 1. t. 44. f. 2.
- Festuca calycina*. W. *Kælèria calycina*. DC.
- 3 fasciculatus. P.B. fascicled. St. Domingo. 1827. — S. ⊙.
- Digitaria horizontalis*. W.
- DUPO'NTIA**. R.S. DUPO'NTIA. Triandria Digynia.
- Fischèri. R.S. Fischer's. Melville Isl. 1827. 6. 8. H. 2.

CORYNEPHORUS. R.S. CORYNEPHORUS. Triandria Digynia. R.S.					
1 canescens. R.S. canescent.	England.	7. 8. H. 2.	Eng. bot. v. 17. t. 1190.
<i>Aira canescens. E.B.</i>					
2 articulatus. R.S. jointed.	S. Europe.	1824.	— H. 2.	Desf. atl. 1. t. 13.
PERIBALLIA. Tr. PERIBALLIA. Triandria Digynia. R.S.					
hispanica. Tr. Spanish.	Spain.	1820.	6. 7. H. 2.	Cavan. ic. 1. t. 44. f. 1.
<i>Aira involucrata. Cav. Airópsis involucrata. R.S.</i>					
AIROPSIS. R.S. AIROPSIS. Triandria Digynia. R.S.					
1 globosa. R.S. globe-flowered.	S. Europe.	1823.	6. 8. H. 2.	Cavan. ic. 3. t. 274. f. 1.
2 obtusata. R.S. blunt-flowered.	N. America.	—	6. 7. H. 2.	
3 brevifolia. R.S. short-leaved.	Missouri.	1818.	— H. 2.	
4 agrostidea. R.S. Agrostis-like.	S. Europe.	1823.	— H. 2.	DC. ic. rar. t. 1.
<i>Pòa agrostidea. DC. Aira agrostidea. Lois.</i>					
MELICA. R.S. MELIC-GRASS. Triandria Digynia. L.					
1 ciliata. R.S. ciliated.	Europe.	1771.	7. H. 2.	Flor. græc. 1. t. 70.
2 nutans. R.S. mountain.	Britain.	6. 7. H. 2.	Eng. bot. v. 15. t. 1000.
3 uniflora. R.S. wood.	—	5. 6. H. 2.	— v. 15. t. 1000.
4 minuta. R.S. small.	S. Europe.	1825.	— H. 2.	Cavan. ic. 2. t. 175. f. 2.
5 Bauhini. R.S. Italian.	Italy.	1806.	6. 7. H. 2.	Host. gram. 4. t. 23.
6 pyramidalis. R.S. pyramidal.	Barbary.	1804.	— H. 2.	Barrel. ic. t. 96. f. 1.
7 speciosa. R.S. handsome.	N. America.	1812.	— H. 2.	Schreb. gram. t. 54.
<i>glabra. Ph. rariflora. Schreb.</i>					
8 altissima. R.S. tallest.	Siberia.	1770.	7. 8. H. 2.	Host. gram. 2. t. 9.
9 diffusa. R.S. spreading.	N. America.	1824.	— H. 2.	
10 pallida. R.S. pale.	Quito.	1825.	— S. 2.	
11 exasperata. R.S. exasperate.	—	— H. 2.	
12 digitata. R.S. fingered.	E. Indies.	1824.	— S. 2.	
13 refracta. R.S. reflexed.	—	—	— S. 2.	
14 latifolia. R.S. broad-leaved.	—	1822.	— S. 2.	
MOLINIA. P.B. MOLINIA. Triandria Digynia. R.S.					
1 cœrulea. P.B. purple.	Britain.	8. H. 2.	Eng. bot. v. 11. t. 700.
<i>varia. s.s. Mélica cœrulea. F.B. Enòdium cœruleum. R.S.</i>					
2 sylvatica. R.S. wood.	Europe.	1824.	— H. 2.	
DINEBA. R.S. DINEBA. Triandria Digynia. R.S.					
1 americana. R.S. American.	S. America.	1822.	6. 8. S. 2.	
2 arábica. R.S. Arabian.	Levant.	1816.	8. 9. H. 2.	Jacq. fragm. t. 121. f. 1.
3 divaricata. R.S. spreading.	Egypt.	1823.	— H. 2.	
WANGENHEIMIA. Tr. WANGENHEIMIA. Triandria Digynia. R.S.					
Lima. Tr. imbricated.	Spain.	1776.	7. 8. H. 2.	Cavan. ic. 1. t. 91.
<i>Cynosurus Lima. Cav. Dinèba Lima. R.S.</i>					
SACCHARUM. R.S. SUGAR-CANE. Triandria Digynia. L.					
1 officinarum. R.S. common.	India.	1597. S. 2.	Rumph. amb. 5. t. 74. f. 1.
2 sinense. F.I. Chinese.	China.	1822. S. 2.	Roxb. corom. 3. t. 222.
3 procerum. F.I. lofty.	E. Indies.	— S. 2.	
4 violaceum. R.S. violet-coloured.	W. Indies.	1816. S. 2.	
5 caudatum. R.S. tailed.	—	— S. 2.	Sloan. hist. 1. t. 70. f. 1.
6 contractum. R.S. contracted.	S. America.	1823. S. 2.	
7 exaltatum. F.I. tall.	E. Indies.	1826. S. 2.	Rheed. mal. 12. t. 46.
8 polystachyum. R.S. many-spiked.	W. Indies.	— S. 2.	
9 Múnja. F.I. slender.	E. Indies.	1805. S. 2.	
IMPERATA. R.S. IMPERATA. Triandria Digynia. R.S.					
1 arundinacea. R.S. Reed-like.	N. Holland.	1820.	7. 8. F. 2.	Cyrl. ic. fasc. 2. t. 11.
2 Thunbergii. R.S. Thunberg's.	E. Indies.	1822. S. 2.	
3 Kœnigii. R.S. Kœnig's.	W. Indies.	1818. S. 2.	
4 spontanea. R.S. spontaneous.	E. Indies.	— S. 2.	Rheed. mal. 12. t. 46.
TRICHOLÆNA. R.S. TRICHOLÆNA. Triandria Digynia. R.S.					
micrantha. R.S. small-flowered.	S. Europe.	1816.	7. 8. H. 2.	Jacq. ecl. gram. t. 34.
<i>Saccharum Teneriffæ. Jacq.</i>					
ERIA'NTHUS. R.S. ERIA'NTHUS. Triandria Digynia. R.S.					
1 saccharoides. R.S. Sugar-cane-like.	N. America.	1816.	7. 8. H. 2.	
<i>Saccharum giganteum. Ph.</i>					
2 brevibarbis. R.S. short-bearded.	—	1822.	— H. 2.	
3 strictus. R.S. upright.	—	1828.	— H. 2.	
RIPIDIUM. Tr. RIPIDIUM. Polygamia Monœcia. Tr.					
1 Ravennæ. Tr. rough.	S. Europe.	1816.	7. 8. H. 2.	Host. gram. 3. t. 1.
<i>Andropogon Ravennæ. Host. Saccharum Ravennæ. w.</i>					
2 strictum. Tr. upright.	Hungary.	1802.	— H. 2.	Host. gram. 2. t. 2.
<i>Saccharum adpressum. Kit. Andropogon strictus. Host.</i>					

ANDROP'OGON. R.S. ANDROP'OGON. Polygamia Monœcia. L.					
1	<i>alopecuroïdes. R.S.</i> Foxtail.	America.	1818.	G. 4. Sloan. hist. 1. t. 14.
2	<i>miliiformis. R.S.</i> Millet-like.	E. Indies.	—	S. 4.
	<i>miliaceus. F.I. non Forsk.</i>				
3	<i>argenteus. DC.</i> silvery.	Mexico.	1822.	G. 4. DC. hort. m. ined. t. 68.
4	<i>saccharoïdes. R.S.</i> Sugar-cane-like.	Jamaica.	1818.	—	S. 4.
5	<i>laguroïdes. R.S.</i> hares-tail-like.	New Spain.	1820.	S. 4. DC. h. mons. ined. t. 69.
6	<i>hirtus. R.S.</i> hairy.	S. Europe.	1802.	7. 8.	S. 4. Host. gram. 4. t. 1.
7	<i>angustifolius. R.S.</i> narrow-leaved.	—	1818.	—	H. 4. Jacq. aust. 4. t. 384.
8	<i>Ischæmum. R.S.</i> woolly.	—	1768.	—	H. 4. Gerard. gall. p. 107. t. 4.
9	<i>serratus. R.S.</i> saw-leaved.	Japan.	1816.	G. 4.
	<i>laxus. w.</i>				
10	<i>comosus. R.S.</i> tufted.	Egypt.	1824.	H. 4.
11	<i>annulatus. R.S.</i> annular.	—	—	H. 4. Forsk. egypt. t. 7.
12	<i>furcatus. R.S.</i> forked.	N. America.	1818.	7. 8.	H. 4.
CHRYSOP'OGON. Tr. CHRYSOP'OGON. Polygamia Monœcia.					
1	<i>Gryllus. Tr.</i> purple-flowered.	S. Europe.	1791.	6. 7.	H. 4. Flor. græc. 1. t. 67.
	<i>Andropogon Gryllus. F.G. Holcus Gryllus. B.P.</i>				
2	<i>aciculatus. Tr.</i> sharp-pointed.	E. Indies.	1825.	6. 8.	S. 4. Rheed. mal. 12. t. 43.
LEPEOCERCIS. Tr. LEPEOCERCIS. Polygamia Monœcia.					
	<i>serrata. Tr.</i> serrated.	E. Indies.	1812.	6. 8.	S. 4.
	<i>Andropogon serratum. w.</i>				
POLLINIA. R.S. POLLINIA. Polygamia Monœcia.					
1	<i>distachya. R.S.</i> two-spiked.	S. Europe.	1805.	7. 8.	H. 4. Flor. græc. 1. t. 69.
2	<i>striata. R.S.</i> nerve-glumed.	E. Indies.	1793.	8.	S. 4.
3	<i>undata. R.S.</i> waved.	Mauritius.	1823.	7. 9.	S. 4. Jacq. ic. 3. t. 361.
CYMBOP'OGON. R.S. CYMBOP'OGON. Polygamia Monœcia.					
1	<i>elegans. R.S.</i> elegant.	E. Indies.	1816.	6. 8.	S. 4.
2	<i>prostratus.</i> prostrate.	—	—	—	S. 4.
	<i>glandulosus. R.S. Anthistiria prostrata. F.I. Andropogon prostratus. L.</i>				
3	<i>Schœnanthus. R.S.</i> Lemon-grass.	E. Indies.	1786.	S. 4. Rumph. amb. 5. t. 72. f. 2.
	<i>Andropogon Schœnanthus. w.</i>				
4	<i>arundinaceus. R.S.</i> Reed-like.	E. Indies.	1820.	6. 8.	S. 4.
HETEROP'OGON. R.S. HETEROP'OGON. Polygamia Monœcia.					
1	<i>Allionii. R.S.</i> Allioni's.	S. Europe.	1816.	7. 8.	H. 4. Allion. fl. ped. t. 91. f. 4.
2	<i>contortus. R.S.</i> twisted.	E. Indies.	1779.	7. 9.	S. 4. Schk. hand. t. 342. f. a.
	<i>Andropogon contortus. w.</i>				
APL'UDA. R.S. APL'UDA. Polygamia Monœcia. L.					
1	<i>aristata. R.S.</i> awned.	E. Indies.	1820.	S. 4. Schreb. gram. 2. t. 42.
2	<i>villosa. R.S.</i> villous.	—	—	S. 4.
ANATHERUM. R.S. ANATHERUM. Polygamia Monœcia.					
1	<i>muricatum. R.S.</i> muricate.	E. Indies.	1820.	S. 4.
	<i>Andropogon muricatus. Retz. squarrosus. w.</i>				
2	<i>virginicum. R.S.</i> Virginian.	N. America.	1819.	7. 8.	H. 4. Sloan. jam. 1. t. 68. f. 2?
3	<i>bicorne. R.S.</i> two-horned.	W. Indies.	1825.	—	S. 4. Sloan. hist. 1. t. 15.
4	<i>caudatum. R.S.</i> tailed.	—	1826.	—	S. 4.
5	<i>muticum. R.S.</i> smooth-spiked.	C. B. S.	1794.	7. 9.	G. 4.
CALAMINA. R.S. CALAMINA. Polygamia Monœcia.					
1	<i>gigantea. R.S.</i> gigantic.	Isl. Luzon.	1822.	7. 8.	G. 4. Cavan. ic. 5. t. 458.
2	<i>mutica. R.S.</i> awnless.	E. Indies.	1816.	—	S. 4.
	<i>Apluda mutica. L.</i>				
CYMBACHNE. R.S. CYMBACHNE. Polygamia Monœcia.					
	<i>ciliata. R.S.</i> fringed.	E. Indies.	1824.	7. 8.	S. 4.
ANTHISTIRIA. R.S. ANTHISTIRIA. Polygamia Monœcia. L.					
1	<i>ciliata. R.S.</i> fringed.	Jamaica.	1821.	8. 10.	S. 4. Cavan. ic. 5. t. 459.
2	<i>barbata. R.S.</i> bearded.	Japan.	1816.	—	G. 4. Desf. j. ph. 40. p. 294. t. 2.
3	<i>polystachya. R.S.</i> many-spiked.	E. Indies.	1824.	—	S. 4.
4	<i>heteroclita. R.S.</i> jointed.	—	—	—	S. 4.
5	<i>australis. B.P.</i> New Holland.	N. Holland.	1818.	—	F. 4.
SO'RGHUM. R.S. SO'RGHUM. Polygamia Monœcia.					
1	<i>vulgare. R.S.</i> Indian Millet.	India.	1596.	7.	H. 4. Host. gram. 4. t. 2.
2	<i>nigrum. R.S.</i> black-glumed.	—	H. 4. Ard. sag. pad. 1. t. 5. f. 1.
3	<i>bicolor. R.S.</i> two-coloured.	Persia.	1731.	—	H. 4. Mieg. ac. helv. 8. t. 4. f. 4.
4	<i>cernuum. R.S.</i> nodding.	—	H. 4. Host. gram. 4. t. 3.
5	<i>rubens. R.S.</i> red.	Africa.	1817.	—	H. 4.
6	<i>nervosum. R.S.</i> nerved-leaved.	China.	1827.	—	H. 4.
7	<i>saccharatum. R.S.</i> yellow-seeded.	India.	1759.	7. 8.	S. 4. Host. gram. 4. t. 4.
8	<i>cafferum. R.S.</i> Cape.	C. B. S.	1816.	—	H. 4. Ard. sag. pad. 1. t. 1. f. 1.
	<i>Arduini. Jacq. ecl. gram. t. 18.</i>				

9	avenàceum. R.S.	Oat-like.	C. B. S.	1816.	7. 9.	H. ⊙.	
10	halépense. R.S.	panicled.	Syria.	1691.	7. 8.	H. 4.	Flor. græc. 1. t. 68.
11	elongàtum. R.S.	long-panicled.	N. Holland.	1823.	—	F. 4.	
HO'LCUS. R.S.		SOFT-GRASS.		Polygamia Monœcia. L.				
1	móllis. R.S.	creeping.	Britain.	7. 8.	H. 4.	Eng. bot. v. 17. t. 117.
2	lanàtus. R.S.	meadow.	—	6. 7.	H. 4.	— v. 17. t. 110.
ARRHENATHERUM. R.S.		ARRHENATHERUM.		Polygamia Monœcia.				
1	avenàceum. R.S.	Oat-like.	Britain.	6. 7.	H. 4.	Eng. bot. v. 12. t. 813.
	<i>Hólcus avenàceus.</i>	E.B.	<i>Avèna elàtior.</i>	F.D.	t. 165.			
	<i>β mùticum.</i>	awnless.	Scotland.	—	H. 4.	
2	bulbòsum. Presl.	bulbous.	Germany.	—	H. 4.	Host. gram. 4. t. 30.
	<i>Hólcus bulbòsus.</i>	Host.	<i>Avèna bulbòsa.</i>	w.				
ATHEROP'OGON. R.S.		ATHEROP'OGON.		Polygamia Monœcia.				
	apludoídes. R.S.	Apluda-like.	N. America.	1808.	6. 7.	H. 4.	Jacq. ecl. gram. t. 7.
	<i>Chlòris cartipéndula.</i>	M.						
CHL'ORIS. R.S.		CHL'ORIS.		Polygamia Monœcia. L.				
1	foliòsa. R.S.	leafy.	St. Thomas.	1822.	7. 9.	S. 4.	
2	ciliàta. R.S.	ciliated.	Jamaica.	1779.	—	S. ⊙.	
3	radiàta. R.S.	many spiked.	W. Indies.	1739.	8. 9.	S. ⊙.	Hayn. term. bot. t. 40.
4	pállida. R.S.	pale-spiked.	S. France.	1816.	—	H. ⊙.	
5	barbàta. R.S.	bearded.	E. Indies.	1777.	6. 7.	S. ⊙.	Jacq. ecl. gram. 1. t. 5.
6	Roxburghiàna. R.S.	..	Roxburgh's.	—	1824.	7. 8.	S. ⊙.	
7	inflàta. R.S.	inflated.	California.	—	—	H. 4.	
8	fasciculàta. R.S.	crowded.	Brazil.	—	—	H. ⊙.	
9	carib'æa. R.S.	Caribbean.	W. Indies.	1827.	—	S. ⊙.	
10	polydàctyla. R.S.	many-spiked.	—	1818.	—	S. ⊙.	Jacq. ecl. gram. 1. t. 5.
11	élegans. R.S.	elegant.	Mexico.	1825.	—	H. ⊙.	H. et B. n. gen. 1. t. 40.
12	compréssa. R.S.	compressed.	S. France.	1820.	6. 8.	H. ⊙.	
13	megastàchya. R.S.	..	long-spiked.	N. Holland.	1825.	—	F. 4.	
14	ventricòsa. B.P.	swelled.	N. S. W.	1818.	—	G. 4.	
15	truncàta. B.P.	truncated.	—	1822.	—	G. 4.	
16	pubéscens. R.S.	pubescent.	Peru.	1824.	—	H. ⊙.	
17	filifórmis. R.S.	filiform.	1825.	—	H. ⊙.	
18	distichophýlla. R.S.	..	fan-leaved.	Chile.	1822.	—	H. 4.	
19	retùsa. R.S.	retuse-glumed.	—	—	—	H. ⊙.	
20	dolichostàchya. R.S.	...	long-spiked.	Philippine Isl.	1824.	7. 8.	H. ⊙.	
21	crinìta. R.S.	crowded-spiked.	—	—	—	H. ⊙.	
22	ruféscens. R.S.	rufescent.	—	—	—	H. ⊙.	
23	tenélla. R.S.	slender.	E. Indies.	1825.	—	S. ⊙.	
24	grácilis. s.s.	slender.	S. America.	1824.	—	S. 4.	
25	Durandiàna. R.S.	Durand's.	—	—	H. ⊙.	
EUSTACHYS. R.S.		EUSTACHYS.		Polygamia Monœcia.				
1	petr'æa. R.S.	flat-stalked.	Jamaica.	1779.	7. 8.	S. 4.	Jacq. ecl. gram. 1. t. 1.
	<i>Chlòris petr'æa.</i>	w.						
2	submùtica. R.S.	Mexican.	Mexico.	1827.	—	H. ⊙.	H. et B. pl. am. 1. t. 5.
CHRYSURUS. R.S.		CHRYSURUS.		Polygamia Monœcia.				
1	aùreus. s.s.	golden-spiked.	Levant.	1770.	7.	H. ⊙.	Host. gram. 3. t. 4.
	<i>cynosuroídes.</i>	R.S.	<i>Cynosurùs aùreus.</i>	F.G. 1. t. 79.	<i>Lamárckia aùrea.</i>	DC.		
2	echinàtus. R.S.	rough.	England.	8.	H. ⊙.	Eng. bot. v. 19. t. 130.
	<i>Cynosùrus echinàtus.</i>	E.B.						
3	effùsus. R.S.	spreading.	S. Europe.	1824.	7. 8.	H. ⊙.	
4	élegans. R.S.	elegant.	—	—	—	H. ⊙.	Desf. atl. 1. t. 17.
ISCH'ÆMUM. S.S.		ISCH'ÆMUM.		Polygamia Monœcia. L.				
1	mùticum. R.S.	awnless.	E. Indies.	1824.	6. 8.	S. 4.	Rheed. mal. 12. t. 43.
2	conjugàtum. R.S.	yoked.	—	1826.	—	S. 4.	
3	austràle. B.P.	southern.	N. S. W.	1822.	7. 8.	F. 4.	
4	rugòsum. s.s.	rough.	E. Indies.	1791.	—	S. ⊙.	Sal. stirp. rar. 1. t. 1.
MEO'SCHIUM. R.S.		MEO'SCHIUM.		Polygamia Monœcia.				
1	aristàtum. R.S.	awned.	E. Indies.	1808.	6. 7.	S. 4.	
	<i>Isch'æmum aristàtum.</i>	s.s.						
2	barbàtum. R.S.	bearded.	Java.	—	—	S. 4.	Houtt. syst. 12. t. 93. f. 4.
ROTTBOELLIA. R.S.		ROTTBOELLIA.		Triandria Digynia. L.				
1	exaltàta. R.S.	tall.	E. Indies.	1806.	S. ♂.	
2	perforàta. R.S.	perforated.	—	1822.	S. 4.	Roxb. corom. t. 152.
3	glábra. R.S.	smooth.	—	—	—	S. 4.	
HEMA'RTHRIA. B.P.		HEMA'RTHRIA.		Triandria Digynia.				
	compréssa. B.P.	flat-spiked.	N. S. W.	1822.	6. 7.	G. 4.	
LODICULARIA. P.B.		LODICULARIA.		Triandria Digynia.				
	fasciculàta. P.B.	fascicled.	S. Europe.	1826.	6. 7.	H. 4.	P. Beauv. agros. t. 11. f. 6.
	<i>Rottbøellia fasciculàta.</i>	Desf. atl. 1. t. 36.						

STENOTA'PHRUM. Tr.		STENOTA'PHRUM. Polygamia Monœcia.					
1	glábrum. Tr.	smooth.	Carolina.	1826.	6. 7.	H. 4.	
2	dimidiátum.	creeping-rooted.	W. Indies.	1822.	—	S. 4.	Schrank. h. monac. t. 98.
	<i>americanum.</i> Schk.						
3	complanátum. Sek. ...	flat-spiked.	E. Indies.	1824.	—	S. 4.	Burm. ind. t. 8. f. 5.
LEPTURUS. B.P.		HARD-GRASS. Triandria Digynia.					
1	incurvátus. Tr.	sea-side.	Britain.	7.	H. 0.	Eng. Bot. v. 11. t. 760.
	<i>Rottbœllia incurvata.</i>	E.B. <i>Ophiurus incurvatus.</i>	R.S.				
2	filifórmis. Tr.	thready.	S. Europe.	1800.	—	H. 4.	Barrel. ic. t. 6.
3	cylíndricus. Tr.	cylindrical.	Portugal.	1806.	—	H. 0.	Giorn. pis. 4. f. 4-8.
	<i>Rottbœllia cylíndrica.</i>	w. <i>subulata.</i> DC.	<i>Monérma subulata.</i>	R.S.			
PHOLIURUS. Tr.		PHOLIURUS. Triandria Digynia.					
	pannónicus. Tr.	Hungarian.	Hungary.	1804.	—	H. 0.	Host. gram. 1. t. 24.
MONE'RMA. R.S.		MONE'RMA. Monandria Digynia.					
	monándra. R.S.	monandrous.	Spain.	1804.	—	H. 0.	Cavan. ic. t. 39. f. 1.
	<i>Rottbœllia monándra.</i>	Cav. <i>Nárdus aristata.</i> L.	<i>Psilurus nardoídes.</i>	Tr.			
MANIS'URIS. R.S.		MANIS'URIS. Polygamia Monœcia. W.					
	granuláris. R.S.	round grained.	E. Indies.	1784.	6. 7.	S. 0.	Roxb. corom. 2. t. 118.
ANTHE'PHORA. R.S.		ANTHE'PHORA. Triandria Monogynia.					
1	élegans. R.S.	elegant.	Jamaica.	1776.	8. 9.	S. 0.	Schreb. gram. t. 44.
	<i>Tripsacum hermaphroditum.</i>	L. <i>Cénchrus laxigátus.</i>	s.s.				
2	villosa. R.S.	villous.	W. Indies.	1824.	—	S. 0.	
TRIPSACUM. S.S.		TRIPSACUM. Monœcia Triandria. L.					
1	dactyloídes. s.s.	rough-seeded.	Virginia.	1640.	8.	H. 4.	Lam. ill. t. 750.
2	monostáchyon. s.s. ..	single-spiked.	N. America.	1815.	—	H. 4.	Willd. hort. ber. t. 1.
ECHINOCHLOA. R.S.		ECHINOCHLOA. Triandria Digynia. R.S.					
1	stagnína. R.S.	pond.	E. Indies.	1802.	7. 8.	H.w. 0.	
2	commutáta. R.S.	Hungarian.	Hungary.	—	—	H.w. 0.	Host. gram. 3. t. 51.
	<i>Panicum stagninum.</i>	Host.					
3	intermédia. R.S.	intermediate.	1816.	—	H. 0.	
4	erythrospérma. R.S. ...	red-seeded.	1825.	—	H. 0.	
5	hispida. R.S.	hispid.	Egypt.	1829.	—	H. 0.	
6	Crus-Córvi. R.S.	Crow's-foot.	E. Indies.	1781.	—	H. 0.	
7	Crus-Gállí. R.S.	Cock's-foot.	England.	—	H. 0.	Eng. bot. v. 13. t. 876.
	<i>Panicum Crus-Gállí.</i>	E.B.					
8	echináta. R.S.	bristly.	N. America.	1825.	—	H. 0.	Jacq. ecl. gram. t. 20.
9	setigera. R.S.	setigerous.	E. Indies.	1820.	—	S. 0.	
ORTHOP'OGON. B.P.		ORTHOP'OGON. Triandria Digynia. S.S.					
1	hirtéllus. s.s.	hairy.	W. Indies.	1795.	6. 7.	S. 3.	
2	setáris. s.s.	bristly.	1823.	—	S. 0.	
3	undulatifólius. s.s. ..	wave-leaved.	S. Europe.	1795.	6. 7.	H. 0.	Host. gram. 3. t. 52.
	<i>Panicum hirtellum.</i>	Host. non L.					
4	Burmánni. R.S.	Burman's.	E. Indies.	1819.	S. 0.	Burm. ind. t. 12. f. 1.
5	africánus.	African.	Africa.	1822.	7. 9.	S. 0.	Pal. fl. d'ow. 2. t. 67. f. 1.
	<i>Oplismenus africanus.</i>	R.S.					
6	compósitus. s.s.	compound spiked.	E. Indies.	1819.	—	S. 0.	Linn. pfl. sys. 12. t. 96. f. 1.
7	fláccidus. B.P.	flaccid.	N. S. W.	1824.	—	H. 0.	
8	imbecíllis. B.P.	feeble.	—	—	H. 0.	
PA'NICUM. R.S.		PANIC-GRASS. Triandria Digynia. R.S.					
1	colónum. R.S.	purple.	E. Indies.	1699.	7. 8.	H. 0.	Ehret pict. t. 3. f. 3.
2	flúitans. R.S.	floating.	1825.	—	S.w. 0.	
3	brizoídes. R.S.	Briza-like.	1801.	6. 7.	S. 3.	Jacq. gram. fasc. t. 2.
4	flávidum. R.S.	yellowish.	1823.	—	S. 3.	
5	mólle. R.S.	soft.	W. Indies.	1824.	—	H. 0.	
6	Michauxiánum. R.S.	Michaux's.	N. America.	—	—	H. 0.	
	<i>Panicum mólle.</i>	Mich. non Swartz.					
7	fasciculátum. R.S. ..	fascicled.	Jamaica.	1801.	—	H. 0.	
8	plicátum. R.S.	plaited.	E. Indies.	1824.	6. 8.	S. 4.	
9	palmifólium. R.S.	Palm-leaved.	1804.	—	S. 4.	Jacq. ecl. gram. t. 1.
10	neuródes. R.S.	nerved-leaved.	Nepaul.	1823.	—	G. 4.	
	<i>nerrósum.</i>	F.I. non Lam.					
11	costátum. F.I.	ribbed.	Mauritius.	1805.	—	S. 4.	
12	carthaginése. R.S. ..	Carthagena.	S. America.	1818.	—	S. 4.	
13	conglomerátum. R.S.	conglomerate.	E. Indies.	—	—	S. 4.	
14	indicum. F.I.	Indian.	—	—	S. 4.	
15	hispídulum. R.S.	hispid.	1804.	7. 8.	H. 0.	
16	framentáceum. F.I. ...	cultivated.	1810.	—	H. 0.	
17	dichótomum. R.S.	forked.	N. America.	1817.	—	H. 0.	Sp.m. act. pet. 1810. t. 4.
18	colorátum. R.S.	coloured.	Egypt.	1771.	7. 9.	H. 0.	Jacq. ic. 1. t. 58?

19	<i>répens.</i> R.S.	slender.	S. Europe.	1777.	7. 9.	H. ⊙.	Flor. græc. 1. t. 61.
20	<i>prolíferum.</i> R.S.	prolíferous.	N. America.	1816.	—	H. ⊙.	
21	<i>diffórme.</i> R.S.	deformed.	E. Indies.	1825.	—	S. ♀.	
22	<i>numidiànum.</i> R.S.	Numidian.	Barbary.	1816.	—	H. ⊙.	Desf. atl. 1. t. 11.
23	<i>miliàceum.</i> R.S.	Millet.	E. Indies.	1596.	—	H. ⊙.	Host. gram. 2. t. 20.
24	<i>ténue.</i> R.S.	slender.	—	1824.	—	S. ♀.	
25	<i>tenuíssimum.</i> R.S.	very slender.	Brazil.	1827.	—	S. ♀.	
26	<i>attenuàtum.</i> R.S.	attenuated.	—	1825.	—	H. ⊙.	
27	<i>gongylòdes.</i> R.S.	branching-flowered.	—	1823.	—	H. ♀.	
28	<i>miliàre.</i> R.S.	Millet-like.	E. Indies.	1824.	—	H. ⊙.	
29	<i>muricàtum.</i> R.S.	prickly.	—	1805.	—	H. ⊙.	
30	<i>capillàre.</i> R.S.	hair-panicled.	America.	1758.	6. 8.	H. ⊙.	
	<i>β mìnor.</i> R.S.	smaller.	—	—	—	H. ⊙.	Host. gram. 4. t. 16.
31	<i>tenèllum.</i> R.S.	slender-branch'd.	Sierra Leon.	1820.	—	S. ⊙.	
32	<i>grossàrium.</i> R.S.	cultivated.	W. Indies.	1810.	—	H. ⊙.	
33	<i>máximum.</i> R.S.	Guinea-grass.	Tropics.	1822.	—	S. ♀.	Jacq. ic. 1. t. 13.
34	<i>aspèrrimum.</i> R.S.	rough.	S. America.	1824.	7. 9.	H. ⊙.	
35	<i>fúscum.</i> R.S.	brown.	Jamaica.	1822.	—	S. ♀.	
36	<i>latifòlium.</i> R.S.	broad-leaved.	N. America.	1765.	8. 9.	H. ♀.	Moris. his. 3. t. 5. f. 4.
37	<i>macrocárpon.</i> R.S.	large-fruited.	—	1825.	—	H. ♀.	
38	<i>microcárpon.</i> R.S.	small-fruited.	—	1822.	—	H. ♀.	
39	<i>diffúsum.</i> R.S.	diffuse.	W. Indies.	1823.	—	S. ⊙.	
40	<i>oryzòides.</i> R.S.	Rice-like.	—	1824.	—	S. ⊙.	
41	<i>clandestìnum.</i> R.S.	hidden-flowered.	N. America.	1802.	7.	H. ♀.	
42	<i>virgàtum.</i> R.S.	twiggy.	—	1781.	8. 9.	H. ♀.	Spr. m. act. pet. 2. t. 1.
43	<i>ánceps.</i> R.S.	flat-edged.	—	1816.	7. 8.	H. ♀.	
44	<i>uliginòsum.</i> R.S.	marsh.	E. Indies.	1819.	—	S. w. ♀.	
45	<i>nítidum.</i> R.S.	glossy.	N. America.	1811.	—	H. ⊙.	
46	<i>arundinàceum.</i> R.S.	Reed-like.	Jamaica.	1819.	—	S. ♀.	
47	<i>triphèron.</i> R.S.	brown-seeded.	E. Indies.	1820.	6. 8.	S. ⊙.	
	<i>tenèllum.</i> F.I. nec aliorum. <i>Roxbúrghii.</i> s.s.		—	—	—	—	
48	<i>brevifòlium.</i> R.S.	short-leaved.	—	1800.	7. 8.	S. ♀.	Pluk. alm. t. 189. f. 4.
49	<i>divaricàtum.</i> R.S.	divaricate.	Jamaica.	—	—	S. ♀.	Jacq. schœn. 1. t. 26.
50	<i>interrúptum.</i> R.S.	interrupted.	E. Indies.	1820.	—	S. ♀.	
51	<i>arboréscens.</i> R.S.	arborescent.	—	1776.	3. 4.	S. h.	
52	<i>pàtens.</i> R.S.	spreading.	—	1804.	7. 8.	S. ♂.	Burm. ind. t. 10. f. 3.
53	<i>altíssimum.</i> R.S.	lofty.	—	1816.	—	H. ⊙.	
54	<i>erìogònum.</i> R.S.	woolly-angled.	N. Holland.	1824.	—	G. ♀.	
55	<i>marginàtum.</i> B.P.	margin-leaved.	N. S. W.	1822.	—	F. ♀.	
56	<i>bícolor.</i> B.P.	two-coloured.	—	—	—	F. ♀.	
	ISA'CHNE. B.P.	ISA'CHNE. Triandria Digynia.	R.S.				
	<i>austràlis.</i> B.P.	New Holland.	N. S. W.	1820.	6. 8.	H. w. ♀.	
	MONA'CHNE. R.S.	MONA'CHNE. Triandria Digynia.	R.S.				
	<i>unilateràlis.</i> R.S.	one-sided.	Jamaica.	1819.	6. 8.	S. ♀.	Sloan. hist. 1. t. 14. f. 1.
	<i>Mílìum villòsum.</i> w.						
	AXO'NOPUS. R.S.	AXO'NOPUS. Triandria Digynia.	R.S.				
	1 <i>digitàtus.</i> R.S.	fingered.	Jamaica.	1818.	6. 8.	H. ⊙.	
	2 <i>cimicìnus.</i> R.S.	spotted.	E. Indies.	1778.	7. 9.	H. ⊙.	
	<i>Pánìcum cimicìnum.</i> w. <i>Mílìum cimicìnum.</i> L.						
	BECKMA'NNIA. R.S.	BECKMA'NNIA. Triandria Digynia.	R.S.				
	<i>erucæfórmis.</i> R.S.	linear-spiked.	Europe.	1773.	7.	H. ⊙.	Host. gram. 3. t. 6.
	SEC'ALE. R.S.	RYE. Triandria Digynia.	R.S.				
	1 <i>cerèale.</i> R.S.	common.	Tauria.	—	6. 7.	H. ⊙.	
	<i>α hybèrnum.</i> R.S.	winter.	—	—	—	H. ♂.	Blackw. t. 424.
	<i>β vérnum.</i> R.S.	spring.	—	—	—	H. ⊙.	Host. gram. 2. t. 46.
	<i>γ compòsitum.</i> R.S.	compound-spiked.	—	—	—	H. ⊙.	
	2 <i>frágile.</i> R.S.	brittle.	—	1816.	—	H. ⊙.	Flor. græc. t. 97.
	3 <i>villòsum.</i> F.G.	villous.	S. Europe.	1790.	—	H. ⊙.	
	<i>Triticum villòsum.</i> R.S.						Host. gram. 4. t. 2.
	4 <i>sylvèstre.</i> Host.	wood.	Hungary.	1816.	—	H. ♂.	
	5 <i>créticum.</i> w.	Cretan.	Candia.	—	—	H. ♀.	
	TETRAPOGON. S.S.	TETRAPOGON. Polygamia Monœcia.					
	<i>villòsus.</i> s.s.	villous.	Barbary.	1818.	7. 8.	H. ⊙.	Desf. atl. 2. t. 255.
	TRITICUM. R.S.	WHEAT. Triandria Digynia.	L.				
	1 <i>æstivum.</i> R.S.	summer.	Baschiros.	—	6. 7.	H. ⊙.	Host. gram. 3. t. 26.
	<i>α ambígens.</i> LG.	<i>β Bâhi.</i> LG.	<i>γ Bâncos.</i> LG.	<i>δ Cálot.</i> LG.	<i>ε cándidum.</i> LG.	<i>ζ compàctum.</i> LG.	
	<i>η Lamárckii.</i> LG.	<i>θ Róyo.</i> LG.	<i>ι truncátulum.</i> LG.	<i>κ variegàtum.</i> LG.	<i>λ confértum.</i> LG.		
	<i>μ hùmile.</i> LG.	<i>ν mèdium.</i> LG.	<i>ξ màjus.</i> LG.	<i>o Pástor.</i> LG.	<i>π versícolor.</i> LG.		

2	hybérnum. R.S. Lanmas.	6. 7. H. ♂.	Host. gram. 3. t. 26. f. 8
	<i>a candidissimum.</i> LG.	β <i>compáctum.</i> LG.	γ <i>Morisòni.</i> LG.	δ <i>Pòlo.</i> LG.	ϵ <i>Tessieri.</i> LG.	
3	sibíricum. R.S. Siberian.	Siberia.	— H. ⊙.	
4	velutinum. R.S. velvet-spiked.	— H. ♂.	Rod. Schub. cer. n. 4. f. 4.
5	compósitum. R.S. Egyptian.	Egypt.	1799.	— H. ⊙.	Host. gram. 3. t. 27.
	<i>a aureum.</i> LG.	β <i>compósitum.</i> LG.	γ <i>edéntulum.</i> LG.	δ <i>prismáticum.</i> LG.	ϵ <i>rùbrum.</i> LG.	
6	Linnæànum. R.S. Linnean.	Egypt.	6. 7. H. ⊙.	
	<i>a Caballèro.</i> LG.	β <i>dùbium.</i> LG.	γ <i>Lajustícia.</i> LG.	δ <i>depilátum.</i> LG.	ϵ <i>piceo-cœrùleum.</i> LG.	
7	túrgidum. R.S. turgid.	6. 7. H. ⊙.	Host. gram. 3. t. 28.
	<i>a Collàdo.</i> LG.	β <i>compósitum.</i> LG.	γ <i>montànum.</i> LG.	δ <i>Tournefortii.</i> LG.	ϵ <i>Caùmels.</i> LG.	
	ζ <i>Lapiedra.</i> LG.					
8	fastuòsum. R.S. thick-grained.	6. 7. H. ⊙.	
	<i>a albèllum.</i> LG.	β <i>A'sso.</i> LG.	γ <i>Cannabàte.</i> LG.	δ <i>Cástro.</i> LG.	ϵ <i>Echeándia.</i> LG.	ζ <i>Juràdo.</i> LG.
	η <i>Alvárez.</i> LG.	θ <i>Lobèlii.</i> LG.				
9	Gærtneriànum. R.S. Gærtner's. H. ⊙.	
	<i>a Bèrnal.</i> LG.	β <i>cálvum.</i> LG.	γ <i>ciliòsum.</i> LG.	δ <i>Gràells.</i> LG.	ϵ <i>Oliet.</i> LG.	ζ <i>Plà.</i> LG.
	η <i>speltoides.</i> LG.	θ <i>truncátum.</i> LG.	ι <i>Vasálla.</i> LG.	κ <i>yèpes.</i> LG.	λ <i>Hallèri.</i> LG.	μ <i>Páreck.</i> LG.
	ν <i>Valcárcel.</i> LG.	ξ <i>Xixòna.</i> LG.	\omicron <i>Cleménte.</i> LG.	π <i>Colòna.</i> LG.	ρ <i>Gerárdi.</i> LG.	σ <i>Gleichen.</i> LG.
	τ <i>Moràles.</i> LG.	υ <i>Plùkenet.</i> LG.	ϕ <i>Sanmártin.</i> LG.	χ <i>Theophrásti.</i> LG.	ψ <i>Thouini.</i> LG.	
10	platystàchyum. R.S. flat-spiked.	6. 7. H. ⊙.	
11	cochleàre. R.S. spoon-like.	— H. ⊙.	
	<i>a aristátum.</i> LG.	β <i>mucronátum.</i> LG.				
12	Cevállos. R.S. Trigo Moro.	— H. ⊙.	
13	dùrum. R.S. Barbary.	— H. ⊙.	
14	villòsum. Host. villous.	— H. ⊙.	Host. gram. 4. t. 6.
15	siculum. R.S. Sicilian.	— H. ⊙.	
16	hordeifórme. R.S. Barley form.	— H. ⊙.	Host. gram. 4. t. 5.
17	compáctum. R.S. compact.	— H. ⊙.	————— 4. t. 7.
18	polònicum. R.S. Polish.	1692.	— H. ⊙.	————— 3. t. 31.
19	monocóccon. R.S. one-grained.	1648.	— H. ⊙.	————— 3. t. 32.
	<i>a glábrum.</i> LG.	β <i>pubéscens.</i> LG.				
20	dicócceum. R.S. two-grained.	— H. ⊙.	Rod. Schub. cer. n. 15. f. 2
	<i>a álbum.</i> white-spiked.	— H. ⊙.	
	β <i>rùfum.</i> brown-spiked.	— H. ⊙.	
21	atrátum. R.S. dark-spiked.	— H. ⊙.	Host. gram. 4. t. 8.
22	tricócceum. R.S. three-grained.	— H. ⊙.	Rod. Schub. cer. n. 17. f. 3
23	Cienfuègos. R.S. tooth-valved.	— H. ⊙.	
24	Bauhini. R.S. truncate-valved.	— H. ⊙.	
25	Spélta. R.S. Spelt.	— H. ⊙.	Host. gram. 3. t. 29.
	<i>Zèa.</i> Host.					
	<i>a Astùrum.</i> LG.	β <i>ruféscens.</i> LG.	γ <i>submàticum.</i> LG.	δ <i>álbum.</i> LG.	ϵ <i>cyáneum.</i> LG.	
26	venulòsum. R.S. veined.	Egypt.	6. 7. H. ⊙.	
27	ichyostàchyum. R.S. slender-spiked.	— H. ⊙.	
	AGROPYRUM. R.S.	COUCH-GRASS.	Triandria Digynia.	R.S.		
1	júnceum. R.S. rushy.	England.	6. 7. H. ♀.	Eng. bot. v. 12. t. 814.
	<i>Triticum júnceum.</i> E.B.					
2	acútum. R.S. acute-glumed.	France.	1816.	— H. ♀.	
3	littoràle. Host. sea-side.	Mediterranean.	—	— H. ♀.	Host. gram. 4. t. 9.
4	rígidum. R.S. rigid.	S. Europe.	1805.	— H. ♀.	
5	intermèdium. Host. intermediate.	Germany.	—	— H. ♀.	Host. gram. 2. t. 22.
6	glàucum. R.S. glaucous.	Switzerland.	1824.	— H. ♀.	————— 4. t. 10?
7	rupéstre. R.S. rock.	Siberia.	1822.	— H. ♀.	
8	obtusiflòrum. R.S. blunt-flowered.	— H. ♀.	
9	púngens. R.S. pungent.	S. Europe.	1824.	— H. ♀.	
10	densiflòrum. R.S. close-flowered.	Siberia.	—	— H. ♀.	
11	gigánteum. R.S. gigantic.	S. Europe.	1805.	— H. ♀.	Host. gram. 2. t. 23.
	<i>Triticum elongátum.</i> Host.					
12	rèpens. R.S. common.	Britain.	7. 8. H. ♀.	Eng. bot. v. 13. t. 909.
	<i>a arvènsis.</i> R.S. field.	—————	— H. ♀.	Trattin. tab. t. 566.
	β <i>subulátum.</i> R.S. subulate-glumed.	—————	— H. ♀.	Schreb. gram. t. 26. f. 2.
	γ <i>dumetòrum.</i> R.S. many-flowered.	—————	— H. ♀.	————— f. II. IV. f. 3.
	δ <i>Vaillantianum.</i> R.S. Vaillant's.	—————	— H. ♀.	————— f. 6.
	ϵ <i>Leersianum.</i> R.S. Leers's.	—————	— H. ♀.	Leers fl. herb. t. 12. f. 4.
	ζ <i>capillàre.</i> R.S. hair-awned.	—————	— H. ♀.	
13	sibíricum. R.S. Siberian.	Siberia.	1825.	— H. ♀.	
14	dasyánthum. R.S. thick-flowered.	Russia.	—	— H. ♀.	
15	caninum. R.S. bearded.	Britain.	— H. ♀.	Eng. bot. v. 20. t. 1372
16	distichum. R.S. two-ranked.	C. B. S.	1816.	— G. ♀.	
17	prostrátum. R.S. prostrate.	Siberia.	1780.	6. H. ⊙.	Jacq. vind. 3. t. 44.

18	orientale. R.S. hairy-spiked.	Levant.	1807.	6. 7.	H. ♂.	Will.n.act.ber.2.t.4.f.3.
	<i>Secale orientale.</i> w.					
19	pátulum. Tr. spreading.	Egypt.	1800.	—	H. ⊙.	
	<i>Triticum squarròsum.</i> R.S. Buonapártis. Spr.					
20	imbricatùm. R.S. imbricated.	Caucasus.	1824.	6. 8.	H. ♀.	Gmel. sib. 1. n. 51. t. 22.
21	pectinifórme. R.S. comb-like.	Tauria.	—	—	H. ♀.	Buxb. cent. 1. t. 50. f. 3.
22	cristátum. R.S. crested.	—	—	—	H. ♀.	Eng. bot. v. 32. t. 220.
23	desertòrum. R.S. desert.	Altay.	1822.	—	H. ♀.	Ledeb. ic. alt. t. 246.
24	angustifòlium. R.S. .. narrow-leaved.	Siberia.	—	—	H. ♀.	
25	muricatùm. R.S. bristly.	—	1825.	—	H. ♀.	
26	pectinatùm. R.S. pectinated.	V. Diem. Isl.	1822.	—	H. ♀.	
27	variegátum. R.S. variegated.	1818.	—	H. ♀.	
	L'OLIUM. R.S. DARNEL. Triandria Digynia. L.					
1	peréne. R.S. Rye-grass.	Britain.	5. 6.	H. ♀.	Eng. bot. v. 5. t. 315.
	<i>a vulgàre.</i> R.S. common.	—	—	H. ♀.	Host. gram. 1. t. 25.
	<i>β ténue.</i> R.S. slender.	—	—	H. ♀.	Sinc. gra. wob. p. 211. ic.
	<i>γ compòsitum.</i> R.S. .. compound.	—	—	H. ♀.	Scheuch. agr. 1. f. 7. D.
	<i>δ ramòsum.</i> R.S. branching.	—	—	H. ♀.	Leers gram. 1. 12. f. 1.
	<i>ε Russellianum.</i> H.G.W. Russell's.	—	—	H. ♀.	Sinc. gra. wob. p. 216. ic.
	<i>ζ Whitwòrthii.</i> H.G.W. Whitworth's.	—	—	H. ♀.	
	<i>η Stickneyànum.</i> H.G.W. Stickney's.	—	—	H. ♀.	
	<i>θ paniculatùm.</i> H.G.W. paniced.	—	—	H. ♀.	
	<i>ι monstròsum.</i> H.G.W. monstrous-flowered.	—	—	H. ♀.	
	<i>κ viviparum.</i> R.S. viviparous.	—	—	H. ♀.	
	<i>λ multiflòrum.</i> R.S. .. many-flowered.	—	—	—	H. ♀.	
	<i>μ hùmile.</i> R.S. dwarf.	—	—	H. ♀.	
2	multiflòrum. R.S. many-flowered.	Europe.	1816.	—	H. ⊙.	Vaill. par. t. 17. f. 3.
3	arvénse. R.S. beardless.	England.	7.	H. ⊙.	Eng. bot. v. 16. t. 1125.
4	canadénse. Panz. Canadian.	Canada.	1822.	—	H. ⊙.	
5	complanátum. L.en. rigid.	Switzerland.	1825.	—	H. ⊙.	
	<i>rigidum.</i> R.S.					
6	temuléntum. R.S. bearded.	Britain.	7. 8.	H. ⊙.	Eng. bot. v. 16. t. 1124.
7	speciòsum. R.S. pretty.	Tauria.	1824.	—	H. ⊙.	
	ÆGILOPS. R.S. HARD-GRASS. Polygamia Monœcia. L.					
1	caudàta. R.S. tailed.	Candia.	1820.	7. 8.	H. ⊙.	
2	cylíndrica. R.S. cylindrical.	Hungary.	1805.	6. 7.	H. ⊙.	Host. gram. 2. t. 7.
3	ovàta. R.S. oval-spiked.	S. Europe.	1683.	—	H. ⊙.	Flor. græc. 1. t. 93.
4	triaristàta. R.S. three-awned.	—	1739.	7. 8.	H. ⊙.	Host. gram. 2. t. 6.
	<i>triunciàlis.</i> Host. non w.					
5	triunciàlis. R.S. long-spiked.	—	—	—	H. ⊙.	Schreb. gram. t. 10. f. 1.
6	comòsa. R.S. tufted.	Greece.	1828.	—	H. ⊙.	
7	squarròsa. w. rough-spiked.	Levant.	1794.	6. 7.	H. ♀.	Schreb. gram. 2. t. 27. f. 2.
	<i>Triticum squarròsum.</i> R.S.					
8	Hý'strix. N. hedgehog.	Missouri.	1819.	7. 8.	H. ♀.	
	E'LYMUS. R.S. LYME-GRASS. Triandria Digynia. L.					
1	arenàrius. E.B. sand.	Britain.	4. 6.	H. ♀.	Eng. bot. v. 24. t. 1672.
2	geniculatùs. E.B. pendulous.	England.	7.	H. ♀.	— v. 23. t. 1586.
3	Delileànus. R.S. Delile's.	Egypt.	1827.	—	H. ⊙.	Delil. egypt. t. 13. f. 1.
4	sabulòsus. R.S. glaucous.	Siberia.	1806.	6. 7.	H. ♀.	
5	gigánteus. R.S. gigantic.	N. America.	1790.	7. 8.	H. ♀.	
6	mexicànus. R.S. Mexican.	Mexico.	1823.	6. 8.	H. ♀.	Jacq. ecl. gr. t. 19.
7	sibiricus. R.S. Siberian.	Siberia.	1758.	6. 7.	H. ♀.	Schreb. gram. 1. t. 21. f. 1.
8	móllis. R.S. soft.	Kamtschatka.	1829.	—	H. ♀.	
9	racemòsus. R.S. racemed.	1816.	—	H. ♀.	
10	téner. R.S. tender.	Siberia.	1801.	—	H. ♀.	
11	philadélphicus. R.S. .. Philadelphian.	N. America.	1790.	7. 8.	H. ♀.	
12	canadénsis. R.S. Canadian.	—	1699.	—	H. ♀.	Moris. s. 8. t. 2. f. 10.
13	glaucifòlius. R.S. glaucous.	—	1816.	—	H. ♀.	
14	villòsus. R.S. villous.	—	1802.	6. 7.	H. ♀.	
15	virgínicus. R.S. Virginian.	—	1781.	—	H. ♀.	
16	striatùs. R.S. striated.	—	1790.	—	H. ♀.	
	<i>β minor.</i> R.S. lesser.	—	—	H. ♀.	
17	europ'æus. R.S. European.	England.	—	H. ♀.	Eng. bot. v. 19. t. 1317.
18	crinitùs. R.S. long-awned.	Smyrna.	1806.	7. 8.	H. ⊙.	Host. gram. 1. t. 27.
19	intermèdius. R.S. intermediate.	Iberia.	1819.	7. 9.	H. ⊙.	Buxb. cent. 1. t. 52.
20	altàicus. F. Altaic.	Altay.	1829.	—	H. ♀.	
21	pauciflorus. R.S. few-flowered.	1824.	—	H. ⊙.	
22	Càput Medusæ. H.S. Portuguese.	Portugal.	1784.	—	H. ⊙.	Schreb. gram. 2. t. 24. f. 2.
23	júnceus. R.S. rushy.	Siberia.	1823.	7. 8.	H. ♀.	

24	hordeifórmis. R.S.	Barley-like.	1816.	7. 8.	H. ⊙.	
25	Hy'strix. R.S.	rough.	Levant.	1770.	—	H. ⊙.	Jacq. ic. 2. t. 305.
	<i>Asprella Hy'strix.</i>		W.en.					
26	pseùdo-hy'strix. R.S.	rough American.	N. America.	1818.	—	H. ⊙.	
	ENNEAP'OGON. R.S.		ENNEAP'OGON.	Triandria Digynia.	R.S.			
1	nígricans. R.S.	blackish.	N. S. W.	1822.	7. 8.	F. 2.	
2	pállidus. R.S.	pale.	—	1824.	—	F. 2.	
	<i>Pappóphorum pállidum.</i>		B.P.					
3	phleóides. R.S.	Phleum-like.	S. America.	1822.	—	F. 2.	
	PAPPO'PHORUM. B.P.		PAPPO'PHORUM.	Triandria Digynia.	R.S.			
1	alopécuroídeum. R.S.	Foxtail-like.	S. America.	1825.	6. 8.	S. 2.	
2	laguroídeum. R.S.	..	Harestail-like.	W. Indies.	1826.	—	S. 2.	
	ECHIN'ARIA. R.S.		ECHIN'ARIA.	Triandria Digynia.	R.S.			
	capitáta. R.S.	headed.	S. Europe.	1771.	5. 8.	H. ⊙.	Flor. græc. 1. t. 100.
	<i>Cénchrus capitátus.</i>		F.G. <i>Sésleria echináta.</i>	Host. gram. 3. t. 8.				
	SESL'ERIA. R.S.		SESL'ERIA.	Triandria Digynia.	R.S.			
1	elongáta. R.S.	long-spiked.	Austria.	1805.	6. 7.	H. 2.	Host. gram. 2. t. 97.
2	cylíndrica. R.S.	cylindrical.	S. Europe.	1818.	—	H. 2.	Sav. Ust. ann. 1800. ic.
3	tenuifólia. R.S.	slender-leaved.	—	—	4. 6.	H. 2.	Host. gram. 4. t. 22.
4	cærúlea. R.S.	blue.	Britain.	4. 5.	H. 2.	Eng. bot. v. 23. t. 1613.
5	álbicans. R.S.	whitish.	Carpathian Mt	1826.	—	H. 2.	
6	nítida. R.S.	glossy.	Italy.	1825.	5. 6.	H. 2.	
7	tenélla. R.S.	weak.	Switzerland.	1810.	—	H. 2.	Host. gram. 2. t. 100.
8	sphærocéphala. R.S.	..	round-headed.	—	—	—	H. 2.	— 2. t. 99.
9	dísticha. R.S.	distichous.	—	1824.	—	H. 2.	— 2. t. 76.
	<i>Pòda dísticha.</i>		Host.					
	TRI'ODIA. B.P.		TRI'ODIA.	Triandria Digynia.	R.S.			
	decúmbens. R.S.	decumbent.	Britain.	7. 8.	H. 2.	Eng. bot. v. 11. t. 792.
	<i>Pòda decúmbens.</i>		E.B. <i>Festùca decúmbens.</i>	W. <i>Danthònia decúmbens.</i>	DC.			
	TR'IDENS. R.S.		REDTOP-GRASS.	Triandria Digynia.	R.S.			
	quínquéfida. R.S.	five-cleft.	N. America.	1816.	7. 8.	H. 2.	Jacq. ecl. gr. 2. t. 16.
	<i>Triðdia cupr'æa.</i>		Jacq. <i>Windsòria poafórmis.</i>	N. <i>Pòda quínquéfida.</i>	Ph.			
	DANTH'ONIA. DC.		DANTH'ONIA.	Triandria Digynia.	R.S.			
1	longifólia. B.P.	long-leaved.	N. S. W.	1823.	7. 8.	F. 2.	
2	semiannulàris. B.P.	..	semiannular.	N. Holland.	1822.	—	F. 2.	Labill. n. holl. 1. t. 33.
	<i>Arúndo semiannulàris.</i>		Lab.					
3	pilòsa. B.P.	hairy.	N. S. W.	1823.	—	F. 2.	
4	provinciális. R.S.	Provence.	S. Europe.	1818.	6. 7.	H. 2.	Vill. delph. 2. t. 2. f. 9.
5	spicáta. R.S.	spiked.	N. America.	1823.	—	H. 2.	
6	strigòsa. R.S.	bristle-pointed.	Britain.	—	H. 2.	Eng. bot. v. 18. t. 1266.
	<i>Arèna strigòsa.</i>		E.B.					
7	macrántha. R.S.	large-flowered.	C. B. S.	1816.	—	H. ⊙.	
8	curvifólia. R.S.	curve-leaved.	—	—	—	G. 2.	
9	calycèna. R.S.	glossy-calyxed.	—	1822.	—	G. 2.	
	KÆL'ERIA. R.S.		KÆL'ERIA.	Triandria Digynia.	R.S.			
1	cristáta. R.S.	crested.	Europe.	6. 8.	H. 2.	Host. gram. 2. t. 75.
	<i>β glábra.</i>		R.S. smooth.	Britain.	7. 8.	H. 2.	Eng. bot. v. 9. t. 648.
	<i>Aíra cristáta.</i>		E.B. <i>Pòda cristáta.</i>	W.				
2	grandiflòra. R.S.	great-flowered.	S. Europe.	1824.	6. 8.	H. 2.	
3	glàuca. DC.	glaucous.	Germany.	1816.	—	H. 2.	
4	pensylvánica. DC.	Pensylvanian.	N. America.	1818.	—	H. 2.	Spr. mem. p 2. 1810. t. 7.
5	nítida. R.S.	glossy.	—	1828.	—	H. 2.	
6	macrántha. R.S.	large-flowered.	Russia.	1824.	—	H. 2.	
7	albescens. R.S.	whitish.	S. France.	1829.	—	H. 2.	
8	valesiaca. R.S.	Swiss.	Switzerland.	1824.	—	H. 2.	
9	setàcea. R.S.	bristly.	S. Europe.	1825.	—	H. 2.	
10	tuberòsa. P.S.	tuberous.	—	1802.	7. 8.	H. 2.	Lam. ill. t. 45. f. 4.
11	hirsùta. R.S.	hairy.	Switzerland.	1824.	—	H. 2.	
12	villòsa. R.S.	villous.	S. Europe.	1800.	6. 7.	H. 2.	
	<i>Aíra pubescens.</i>		W. <i>Phálaris pubescens.</i>	Lam.				
13	phleóides. R.S.	cat's-tail.	Portugal.	1802.	7. 8.	H. ⊙.	Desf. atl. 1. t. 23.
14	hispida. R.S.	hispid.	S. Europe.	1819.	6. 7.	H. ⊙.	Savi fl. pis. t. 1. f. 5.
15	brachystàchya. R.S.	..	short-spiked.	—	—	H. ⊙.	
16	parviflòra. L.en.	small-flowered.	S. Europe.	—	—	H. ⊙.	Desf. atl. 1. t. 32.
	<i>Arèna parviflòra.</i>		Desf. <i>Trisetum parviflorum.</i>	R.S.				
17	ægyptiaca. Lk.	Egyptian.	Egypt.	1826.	—	H. ⊙.	
18	láxa. Th.	loose-flowered.	—	1829.	—	H. ⊙.	
	AVENA. R.S.		OAT-GRASS.	Triandria Digynia.	L.			
1	pr'æcox. R.S.	early-flowering.	Britain.	5. 6.	H. ⊙.	Eng. bot. v. 18. t. 1296.
	<i>Aíra pr'æcox.</i>		E.B.					

2	<i>brèvis</i> . R.S. short.	Germany.	1804.	5. 6.	H.⊙.	Host. gram. 3. t. 42.
3	<i>álba</i> . R.S. white.	France.	6. 7.	H.⊙.	
4	<i>satíva</i> . R.S. common.	S. America.	—	H.⊙.	Host. gram. 2. t. 59.
	<i>a melanospérma</i> <i>black Oat</i> .	—	—	H.⊙.	
	<i>β leucospérma</i> <i>white Oat</i> .	—	—	H.⊙.	
5	<i>orientális</i> . R.S. Tartarian.	Levant.	1798.	—	H.⊙.	Host. gram. 3. t. 44.
6	<i>nùda</i> . R.S. naked.	—	H.⊙.	— 3. t. 43.
7	<i>fátua</i> . R.S. wild.	Britain.	8.	H.⊙.	Eng. bot. v. 31. t. 221.
8	<i>hirsùta</i> . R.S. hairy.	S. Europe.	—	6. 8.	H.⊙.	
9	<i>stérilis</i> . R.S. bearded.	—	1640.	7. 8.	H.⊙.	Jacq. ic. 1. t. 23.
10	<i>sempervirens</i> . R.S.	.. evergreen.	Pyrenees.	1816.	6. 7.	H.⊙.	Host. gram. 3. t. 41.
11	<i>fállax</i> . R.S. fallacious.	S. Europe.	1824.	—	H.⊙.	
12	<i>pállens</i> . R.S. pale.	Portugal.	—	—	H.⊙.	
13	<i>praténsis</i> . R.S. narrow-leaved.	Britain.	—	H.⊙.	Eng. bot. v. 17. t. 124.
14	<i>cantábrica</i> . R.S. evergreen.	1825.	—	H.⊙.	
15	<i>bromoídes</i> . R.S. Bromus-like.	S. Europe.	—	H.⊙.	
16	<i>planicúlmis</i> . R.S. flat-stalked.	Hungary.	1822.	—	H.⊙.	Schrad. fl. ger. 1. t. 6. f. 2.
	<i>latifòlia</i> .	Host. gram. 4. t. 32.					
17	<i>versicolor</i> . R.S. various-colored.	Europe.	1816.	6. 8.	H.⊙.	Host. gram. 2. t. 52.
GAUD'INIA. R.S. GAUD'INIA.			Triandria Digynia. R.S.				
	<i>frágilis</i> . R.S. brittle.	S. Europe.	1770.	7. 8.	H.⊙.	Host. gram. 2. t. 54.
	<i>Avèna frágilis</i> .	Host.					
TRIS'ETUM. R.S. TRISE'TUM.			Triandria Digynia. R.S.				
1	<i>ténue</i> . R.S. slender.	Europe.	1804.	7. 8.	H.⊙.	Host. gram. 2. t. 55.
	<i>striatum</i> . P.S.	<i>Avèna tenuis</i> . Host.					
2	<i>pensylvánicum</i> . R.S.	.. Pennsylvanian.	N. America.	1785.	6. 7.	H.⊙.	
3	<i>micránthum</i> . R.S. small-flowered.	S. Europe.	1823.	—	H.⊙.	
4	<i>negléctum</i> . R.S. neglected.	—	—	—	H.⊙.	Savi fl. pis. 1. t. 1. f. 4.
5	<i>alopecùrus</i> . R.S. Foxtail.	1816.	—	H.⊙.	
6	<i>Loeflingianum</i> . R.S.	.. Loefling's.	S. Europe.	1770.	—	H.⊙.	W. berl. mag. 2. t. 8. f. 3.
7	<i>condensatum</i> . R.S. close-flowered.	Sicily.	1824.	—	H.⊙.	
8	<i>pilòsum</i> . R.S. hairy.	Iberia.	—	—	H.⊙.	
9	<i>pubescens</i> . R.S. pubescent.	Britain.	7. 8.	H.⊙.	Eng. bot. v. 23. t. 1640.
	<i>Avèna pubescens</i> .	E.B.					
10	<i>rígidum</i> . R.S. rigid.	Caucasus.	1825.	—	H.⊙.	
11	<i>alpínum</i> . R.S. Alpine.	Scotland.	7.	H.⊙.	Eng. bot. v. 30. t. 214.
	<i>Avèna planicúlmis</i> .	E.B. non Schrad.					
12	<i>carpáthicum</i> . R.S. Carpathian.	Carp. mount.	1818.	7. 8.	H.⊙.	Host. gram. 4. t. 31.
13	<i>flavescens</i> . R.S. golden.	Britain.	6. 7.	H.⊙.	Eng. bot. v. 14. t. 952.
	<i>pratense</i> . P.S.	<i>Avèna flavescens</i> . E.B.					
14	<i>alpéstre</i> . R.S. mountain.	S. Europe.	1816.	—	H.⊙.	Host. gram. 3. t. 39.
15	<i>brevifòlium</i> . R.S. short-leaved.	—	—	—	H.⊙.	— 3. t. 40.
16	<i>argénteum</i> . R.S. silvery.	Switzerland.	1791.	—	H.⊙.	— 2. t. 53.
17	<i>distichophyllum</i> fan-leaved.	—	1796.	—	H.⊙.	Vill. delph. 2. t. 4. f. 4.
18	<i>airoídes</i> . R.S. Aira-like.	—	1800.	—	H.⊙.	Flor. dan. t. 228.
	<i>Avèna airoídes</i> .	DC. <i>Aira subspicata</i> . W.					
19	<i>glabratum</i> . R.S. smooth.	Portugal.	1818.	7. 8.	H.⊙.	
CENTOTHECA. R.S. CENTOTH'ECA.			Triandria Digynia. R.S.				
	<i>lappacea</i> . R.S. Bur.	India.	1773.	7.	S.⊙.	Pal. de Beau. ag. t. 14. f. 7.
	<i>Cénchrus lappaceus</i> .	L.					
CABRERA. LG. CABR'ERA.			Triandria Digynia.				
	<i>chrysoblépharis</i> . LG.	golden-spiked.	S. America.	1822.	6. 7.	S.⊙.	
P'OA. R.S. MEADOW-GRASS.			Triandria Digynia. L.				
1	<i>praténsis</i> . R.S. smooth-stalked.	Britain.	5. 6.	H.⊙.	Eng. bot. v. 15. t. 1073.
2	<i>angustifòlia</i> . DC. narrow-leaved.	—	5.	H.⊙.	Sinc. gra. wob. p. 184. ic.
3	<i>hùmilis</i> . R.S. short-blueish.	—	5. 6.	H.⊙.	Eng. bot. v. 14. t. 1004.
	<i>subcærùlea</i> .	E.B.					
4	<i>víridis</i> . R.S. green.	N. America.	1812.	—	H.⊙.	
5	<i>hy'brida</i> . R.S. hybrid.	Switzerland.	1824.	—	H.⊙.	
6	<i>Torreyàna</i> . R.S. Torrey's.	N. America.	1825.	—	H.⊙.	
7	<i>triviális</i> . E.B. common.	Britain.	6. 8.	H.⊙.	Eng. bot. v. 15. t. 1072.
8	<i>Gmelini</i> . R.S. Gmelin's.	Germany.	1825.	—	H.⊙.	
9	<i>ánnuà</i> . E.B. annual.	—	1. 12.	H.⊙.	Eng. bot. v. 16. t. 1141.
10	<i>cæspitòsa</i> . R.S. tufted.	N. Zealand.	1822.	6. 8.	H.⊙.	
11	<i>grácilis</i> . R.S. slender.	Siberia.	1818.	—	H.⊙.	
12	<i>bulbòsa</i> . R.S. bulbous.	England.	5. 6.	H.⊙.	Eng. bot. v. 15. t. 1071.
13	<i>láxa</i> . R.S. loose.	Scotland.	7.	H.⊙.	Host. gram. 3. t. 15.
	<i>flexuòsa</i> .	Eng. bot. v. 16. t. 1123.					
14	<i>distichophylla</i> . R.S.	.. fan-leaved.	Switzerland.	1829.	—	H.⊙.	Host. gram. 4. t. 26.

15	àrtica. R.S. arctic.	Melville Isl.	1827.	7.	H. 2.	
16	angustàta. R.S. narrow.	—————	—————	—————	H. 2.	
17	abbreviàta. R.S. shortened.	—————	—————	—————	H. 2.	
18	Hallèri. R.S. Haller's.	Switzerland.	—————	—————	H. 2.	
	<i>pállens.</i> Hall.						
19	cenisia. R.S. soft.	Mt. Cenis.	1791.	7. 8.	H. 2.	Host. gram. 3. t. 16.
20	alpina. R.S. Alpine.	Scotland.	6. 7.	H. 2.	Eng. bot. v. 14. t. 1003.
21	collina. R.S. hill.	Europe.	1800.	—————	H. 2.	Host. gram. 2. t. 66.
22	concinna. R.S. neat.	Switzerland.	1815.	—————	H. 2.	
23	Molinèri. R.S. Molineri's.	—————	1816.	—————	H. 2.	Balb. misc. t. 5. f. 1.
24	badénsis. W. Baden.	Baden.	1826.	—————	H. 2.	
25	brevifòlia. DC. short-leaved.	France.	1822.	—————	H. 2.	
26	supina. R.S. trailing.	Switzerland.	—————	—————	H. 2.	Host. gram. 4. t. 27.
27	miliacea. R.S. Millet like.	Hungary.	1824.	—————	H. 2.	
28	nemoràlis. R.S. wood.	—————	6.	H. 2.	Eng. bot. v. 18. t. 1265.
	<i>β angustifòlia.</i> H.G.W.	<i>narrow-leaved.</i>	—————	—————	H. 2.	Sinc. gr. wob. p. 182. ic.
29	Gaudini. R.S. Gaudin's.	Switzerland.	1820.	—————	H. 2.	
	<i>àspera.</i> Gaud. <i>non</i> Spreng.						
30	versicolor. R.S. various-color'd.	Tauria.	1825.	6. 7.	H. 2.	
31	coarctàta. L.en. crowded.	Europe.	—————	H. 2.	
32	glauca. E.B. glaucous.	Britain.	—————	H. 2.	Eng. bot. v. 24. t. 1720.
33	c'æsia. E.B. sea-green.	Scotland.	—————	H. 2.	————— v. 24. t. 1719.
34	brachyphylla. R.S.	.. short-leaved.	N. America.	1816.	—————	H. 2.	
35	depauperàta. R.S.	.. few-flowered.	Hungary.	—————	—————	H. 2.	
36	stérilis. R.S.	.. barren-ground.	Tauria.	1824.	—————	H. 2.	
37	nervàta. R.S. nerved.	N. America.	1812.	—————	H. 2.	Sinc. gr. wob. p. 190. ic.
38	imbecilla. R.S. weak.	N. Zealand.	1822.	7. 8.	H. 2.	
39	anceps. R.S. flat-edged.	—————	—————	—————	H. 2.	
40	flàva. R.S. yellow.	N. America.	—————	—————	H. 2.	
41	hirsùta. R.S. hairy.	—————	—————	—————	H. 2.	
42	índica. R.S. Indian.	E. Indies.	—————	—————	S. 2.	
43	Poirètii. R.S. Poirèt's.	1816.	6. 8.	H. 2.	
44	serotina. R.S. late-flowering.	Germany.	1800.	7. 9.	H. 2.	
45	effusa. R.S. spreading.	Hungary.	1823.	6. 8.	H. 2.	
46	sudética. R.S. broad-leaved.	Germany.	1802.	7. 8.	H. 2.	Vill. delph. 2. t. 3.
47	àspera. S.S. rough-branch'd.	E. Indies.	1829.	—————	S. 2.	
48	víridis. Ph. green.	N. America.	1812.	—————	H. 2.	
49	crocàta. M. saffron.	—————	1818.	—————	H. 2.	
50	commutàta. R.S. changed.	Spain.	1822.	—————	H. 2.	
51	contràcta. R.S. contracted.	E. Indies.	1823.	—————	S. 2.	
52	amboinénsis. R.S. Amboyna.	—————	1800.	6. 7.	S. 2.	Rumph. amb. 6. t. 7. f. 3.
53	chinénsis. R.S. China.	China.	—————	—————	H. 2.	
54	austràlis. B.P. southern.	N. S. W.	1822.	—————	H. 2.	Lab. nov. hol. 1. t. 35.
	<i>Arúndo poæfórmis.</i> Lab.						
55	plebèia. B.P. plebeian.	—————	—————	—————	H. 2.	
56	compréssa. E.B. compressed.	Britain.	6. 8.	H. 2.	Eng. bot. v. 6. t. 365.
57	complanàta. R.S. flattened.	Sicily.	1827.	—————	H. 2.	
58	festucæfórmis. R.S.	.. Fescue-like.	Dalmatia.	1800.	7. 9.	H. 2.	Host. gram. 3. t. 17.
59	convolùta. R.S. convolute.	1819.	—————	H. 2.	
60	atrovirens. R.S. dark green.	Barbary.	1825.	—————	H. 2.	Desf. atl. 1. t. 17.
61	scariòsa. R.S. scariose.	Spain.	1826.	—————	H. 2.	
62	coromandeliana. R.S. Coromandel.	E. Indies.	1824.	—————	S. 2.	
63	bromoídes. R.S. Bromus-like.	—————	—————	G. 2.	
64	Uniòlæ. R.S. Uniola-like.	C. B. S.	1826.	—————	G. 2.	
65	peruviàna. R.S. Peruvian.	Peru.	1802.	7. 8.	H. 2.	Jacq. ic. 1. t. 18.
66	papillòsa. R.S. papillose.	C. B. S.	1816.	—————	H. 2.	
67	digitàta. B.P. fingered.	N. S. W.	1800.	—————	H. 2.	
68	nùtans. R.S. nodding.	E. Indies.	1820.	—————	S. 2.	
69	pállens. R.S. pale.	BuenosAyres.	1824.	—————	H. 2.	
70	diándra. F.I. diandrous.	E. Indies.	1820.	—————	S. 2.	
71	unioloídes. R.S. Uniola-like.	—————	1824.	—————	S. 2.	
72	pellúcida. R.S. pellucid.	N. Holland.	1829.	—————	G. 2.	
73	semineùtra. Tr. Hairgrass-like.	Hungary.	1818.	—————	H. 2.	
SCLEROCHL'OA. R.S. SCLEROCHL'OA.			Triandria Digynia.	R.S.			
1	divaricàta. R.S. spreading.	S. Europe.	1802.	7. 8.	H. 2.	Gouan. ill. 4. t. 2. f. 1.
2	procúbens. R.S. procumbent.	Britain.	—————	H. 2.	Eng. bot. v. 8. t. 532.
	<i>Pòa procúbens.</i> E.B.	<i>Glycèria procúbens.</i> E.F.					
3	dùra. R.S. rigid.	S. Europe.	1776.	7. 8.	H. 2.	Host. gram. 2. t. 73.
	<i>Pòa dùra.</i> Host.	<i>Cynosùrus dùrus.</i> L.					

4	<i>rígida</i> . L.en. hard.	England.	6. 7.	H.⊙.	Eng. bot. v. 20. t. 1371.
	<i>Pòa rígida</i> . E.B. <i>Glycèria rígida</i> . E.F. <i>Megastàchya rígida</i> . R.S.				
5	<i>articulàta</i> . L.en. jointed.	Barbary. 1816.	—	H.⊙.	Desf. atl. 1. t. 22.
6	<i>marítima</i> sea-side.	Europe.	—	H.⊙.	Cyrril.neap.fasc.2.t.2.
	<i>dichòtoma</i> . L.en. <i>Triticum marítimum</i> . L. <i>Festùca marítima</i> . DC.				
HYDROCHL'OA . Har. HYDROCHL'OA . Triandria Digynia.					
1	<i>dístans</i> . Har. distant.	Britain.	7.	H.w.⌥.	Eng. bot. v. 14. t. 986.
	<i>Pòa dístans</i> . E.B. <i>Glycèria dístans</i> . E.F.				
2	<i>aquática</i> . Har. water.	—	—	H.w.⌥.	Eng. bot. v. 19. t. 1315.
	<i>Pòa aquática</i> . E.B. <i>Glycèria aquática</i> . E.F.				
3	<i>arundinàcea</i> Reed-like.	Caucasus. 1825.	—	H.w.⌥.	
	<i>Pòa arundinàcea</i> . M.B.				
4	<i>marítima</i> . Har. sea-side.	Britain.	—	H.w.⌥.	Eng. bot. v. 16. t. 1140.
	<i>Pòa marítima</i> . E.B. <i>Glycèria marítima</i> . E.F.				
GLYC'ERIA . B.P. SWEET-GRASS. Triandria Digynia. R.S.					
	<i>flùitans</i> . B.P. floating.	Britain.	5. 8.	H.⌥.	Eng. bot. v. 22. t. 1320.
	<i>Pòa flùitans</i> . E.B. <i>Festùca flùitans</i> . W.				
ERAGRO'STIS . R.S. ERAGRO'STIS. Triandria Digynia. R.S.					
1	<i>poæoïdes</i> . R.S. Poa-like.	Italy. 1699.	7.	H.⊙.	Flor. græc. t. 73.
	<i>Pòa Eragròstis</i> . F.G.				
2	<i>tephrosánthos</i> . R.S. .. Martinica.	Martinica. 1824.	7. 9.	S.⊙.	
3	<i>pilòsa</i> . R.S. hairy.	Italy. 1804.	7. 8.	H.⊙.	Host. gram. 2. t. 68.
4	<i>verticillàta</i> . R.S. whorled.	S. Europe. 1816.	—	H.⊙.	Cavan. ic. 1. t. 93.
5	<i>punctàta</i> . R.S. spotted.	E. Indies. —	—	S.⊙.	
6	<i>ægyptiàca</i> . R.S. Egyptian.	Egypt. 1812.	—	H.⊙.	Descr. de l'Egyp. t. 10.
7	<i>purpuràscens</i> . R.S. .. purplish. 1822.	—	H.⊙.	
8	<i>despíciens</i> . R.S. doubtful. —	—	H.⊙.	
9	<i>tenèlla</i> . R.S. slender.	E. Indies. 1781.	—	S.⊙.	Rheed. mal. 12. t. 41.
10	<i>cynosuroïdes</i> . R.S. Dogstail.	Egypt. 1824.	—	H.⊙.	Descr. de l'Egyp. t. 10.
	<i>Pòa cynosuroïdes</i> . W.				
11	<i>capillàris</i> . L.en. hair-panicled.	N. America. 1781.	10. 11.	H.⊙.	Moris. s. 3. t. 6. f. 33.
	<i>Pòa capillàris</i> . R.S.				
12	<i>mexicàna</i> . L.en. Mexican.	Mexico. 1816.	9. 10.	H.⊙.	
13	<i>abyssínica</i> . L.en. Abyssinian.	Abyssinia. 1824.	—	H.⊙.	Jacq. icon. 1. t. 17.
14	<i>plumòsa</i> . R.S. feathered.	E. Indies. 1826.	—	S.⊙.	Rheed. mal. 12. t. 41.
MEGASTACHYA . R.S. MEGASTACHYA. Triandria Digynia. R.S.					
1	<i>Eragròstis</i> . R.S. Love-grass.	S. Europe. 1776.	7. 8.	H.⊙.	Schreb. gram. t. 38.
	<i>Pòa megastàchya</i> . P.S. <i>Briza Eragròstis</i> . W. <i>Eragròstis mājor</i> . Host. gram.				4. t. 24.
2	<i>nígricans</i> . R.S. blackish.	S. America. 1823.	—	S.⌥.	
3	<i>amábilis</i> . R.S. purple.	E. Indies. 1802.	—	S.⊙.	L. pfl. syst. 12. t. 91. f. 2.
	<i>Pòa amábilis</i> . L.				
4	<i>spectábilis</i> . R.S. showy.	N. America. 1816.	—	H.⊙.	
5	<i>pulchélla</i> . R.S. pretty.	Tauria. 1825.	—	H.⊙.	
6	<i>elongàta</i> . R.S. long-panicled.	E. Indies. 1812.	—	S.⌥.	Jacq. ecl. gr. t. 3.
7	<i>ciliàris</i> . R.S. ciliated.	Jamaica. 1776.	—	S.⊙.	Jacq. ic. 2. t. 304.
8	<i>rupéstris</i> . R.S. rock.	E. Indies. 1823.	—	S.⊙.	
9	<i>Boryàna</i> . R.S. Bory's.	Mauritius. 1822.	—	S.⊙.	
10	<i>ripària</i> . R.S. crowded.	E. Indies. 1824.	—	S.⊙.	
11	<i>mucronàta</i> . R.S. mucronated.	Africa. 1822.	7. 9.	S.⌥.	Beauv. fl. ow. 1. t. 1.
12	<i>polymórpha</i> . R.S. variable.	Tropics. 1826.	—	S.⌥.	
DA'CTYLIS . R.S. COCK'S-FOOT-GRASS. Triandria Digynia. L.					
1	<i>glomeràta</i> . R.S. rough.	Britain.	6. 7.	H.⌥.	Eng. bot. v. 5. t. 335.
2	<i>glaucéscens</i> . R.S. glaucescent.	Europe. 1816.	—	H.⌥.	
3	<i>hispanica</i> . R.S. Spanish.	Spain. 1814.	—	H.⌥.	
4	<i>glaùca</i> . R.S. glaucous. 1823.	—	H.⌥.	
5	<i>capitàta</i> . R.S. headed.	Sardinia. 1824.	—	H.⌥.	
6	<i>altàica</i> . R.S. Altaic.	Altay. 1826.	—	H.⌥.	
7	<i>marítima</i> . R.S. sea-side.	Caucasus. 1823.	—	H.⌥.	Schrad. fl. ger. 1. t. 6. f. 1.
8	<i>littoràlis</i> . R.S. shore.	S. Europe. 1816.	—	H.⌥.	Lam. ill. t. 45. f. 5.
9	<i>repens</i> . R.S. creeping.	— 1824.	—	H.⌥.	Desf. atl. 1. t. 15.
10	<i>adscéndens</i> . R.S. ascending.	C. B. S. 1823.	—	G.⌥.	
11	<i>lagopodioides</i> . R.S. .. harefoot.	E. Indies. 1826.	—	S.⌥.	Burm. ind. t. 12. f. 2.
12	<i>brevifòlia</i> . R.S. short-leaved.	— —	—	S.⌥.	
13	<i>cynosuroïdes</i> . R.S. Dog's-tailed.	— 1823.	—	S.⌥.	
14	<i>aristàta</i> . E. awned.	Egypt. 1828.	—	H.⊙.	
BR'IZA . R.S. QUAKING-GRASS. Triandria Digynia. R.S.					
1	<i>minor</i> . R.S. small.	England.	7.	H.⌥.	Eng. bot. v. 19. t. 1316.
2	<i>virens</i> . R.S. green.	S. Europe. 1800.	7. 8.	H.⊙.	Hayn. term. bot. t. 25. f. 6.
3	<i>mèdia</i> . E.B. common.	Britain.	5. 6.	H.⌥.	Eng. bot. v. 5. t. 340.

4 Clùsil. R.S. Cluslus's.	S. Europe.	1823.	5. 6.	H. 2.	Fouc. j. bot. 3. t. 24. f. 2.
5 geniculàta. R.S. jointed.	C. B. S.	1816.	7. 8.	H. 2.	
6 elàtior. R.S. tall.	Greece.	1788.	—	H. 2.	Flor. græc. 1. t. 75.
7 máxima. R.S. great-spiked.	S. Europe.	1633.	6. 7.	H. 2.	— 1. t. 76.
8 hùmilis. R.S. dwarf.	Tauria.	1818.	—	H. 2.	Scheuch. agr. 4. t. 4. f. 10.
9 rùbra. R.S. red.	S. Europe.	—	—	H. 2.	
CYNOSURUS. R.S.	DOGSTAIL-GRASS.	Triandria Digynia.	L.			
cristàtus. E.B. crested.	Britain.	8.	H. 2.	Eng. bot. v. 5. t. 316.
UNIOLA. R.S.	SEASIDE OAT.	Triandria Digynia.	L.			
1 paniculàta. R.S. paniced.	N. America.	1793.	6. 7.	H. 2.	Catesb. car. 1. t. 32.
2 latifòlia. R.S. broad-leaved.	— —	1809.	—	H. 2.	
3 spicàta. R.S. spiked.	— —	1790.	7.	H. 2.	
4 distichophy'lla. R.S.	.. two-ranked.	— —	1789.	6. 7.	H. 2.	
	<i>Festuca distichophy'lla.</i> Ph.					
CERATOCHLOA. R.S.	CERATOCHLOA.	Triandria Digynia.	R.S.			
unioloïdes. R.S. Uniola-like.	N. America.	1796.	6. 7.	H. 2.	Willd. h. ber. t. 3.
	<i>Festuca unioloïdes.</i> W.					
GRAPHEPHORUM. R.S.	GRAPHEPHORUM.	Triandria Digynia.				
melicoïdes. R.S. Melic-like.	N. America.	1824.	6. 8.	H. 2.	
	<i>A'ira melicoïdes.</i> M.					
LEPTOCHLOA. R.S.	LEPTOCHLOA.	Triandria Digynia.	R.S.			
1 cynosuroides. R.S. filiform.	E. Indies.	1818.	8. 9.	H. 2.	
2 procera. R.S. tall.	Brazil.	1823.	—	S. 2.	
3 filifórmis. R.S. slender.	S. America.	1818.	—	H. 2.	Jacq. ecl. gram. t. 4.
4 virgàta. R.S. fine-spiked.	— —	1727.	7. 9.	H. 2.	Sloan. jam. 1. t. 70. f. 2.
5 tenerrima. R.S.	.. slenderest.	China.	1820.	—	H. 2.	
6 domingensis. L.en.	.. close-spiked.	W. Indies.	—	6. 8.	S. 2.	
ELEUSINE. R.S.	ELEUSINE.	Triandria Digynia.	R.S.			
1 coracàna. R.S. thick-spiked.	E. Indies.	1714.	7. 9.	H. 2.	Schreb. gram. 2. t. 35.
2 stricta. R.S. upright.	— —	1822.	—	H. 2.	
3 índica. R.S. Indian.	India.	1714.	—	H. 2.	Rheed. mal. 12. t. 69.
4 rígida. R.S. rigid.	Monte Video.	1826.	—	H. 2.	
5 verticillàta. R.S. whorled.	E. Indies.	1823.	—	H. 2.	
6 calycina. R.S. calycine.	— —	—	—	H. 2.	
7 cereàlis. E. Rye-like.	Egypt.	1827.	—	H. 2.	
8 ovàlis. E. oval-spiked.	— —	—	—	H. 2.	
9 tristàchya. E. three-spiked.	— —	—	—	H. 2.	
DACTYLOCTENIUM. R.S.	DACTYLOCTENIUM.	Triandria Digynia.	R.S.			
ægypciacum. R.S. Egyptian.	Egypt.	1770.	7. 9.	H. 2.	Moris. s. 8. t. 3. f. 7.
	<i>Cynosurus ægyptius.</i> L. <i>Eleusine ægyptiaca.</i> P.S.					
RHABDOCHLOA. R.S.	RHABDOCHLOA.	Triandria Digynia.	R.S.			
1 cruciàta. R.S. cross-spiked.	W. Indies.	1818.	7. 9.	H. 2.	Sloan. his. 1. t. 69. f. 1.
	<i>Chloris cruciàta.</i> W. <i>Agròstis cruciàta.</i> L.					
2 mucronàta. R.S. mucronate.	N. America.	1820.	—	H. 2.	Lam. ill. t. 48. f. 2.
3 virgàta. R.S. slender.	W. Indies.	—	—	H. 2.	
4 domingensis. R.S. West Indian.	— —	1820.	—	S. 2.	Jacq. icon. 1. t. 22.
CHONDROSIUM. R.S.	CHONDROSIUM.	Triandria Digynia.	R.S.			
1 procumbens. Desv.	.. procumbent.	Philippines.	1816.	7. 9.	H. 2.	Jacq. ecl. gr. t. 12.
	<i>Antinochlòda procumbens.</i> R.S. <i>Atheropògon procumbens.</i> Jacq.					
2 ténue. R.S. slender.	Mexico.	1823.	—	H. 2.	H. et B. n. gen. 1. t. 57.
3 prostràtum. R.S. prostrate.	— —	—	—	H. 2.	
	<i>Antinochlòda prostràta.</i> R.S. <i>Bouteloua prostràta.</i> Lag.					
4 hirsùtum. R.S. hairy.	— —	—	—	H. 2.	
CORYCA'RPUS. R.S.	CORYCA'RPUS.	Diandria Digynia.	S.S.			
arundinàceus. S.S.	.. Reed-like.	N. America.	1810.	6. 7.	H. 2.	Mich. amer. 1. t. 10.
	<i>Festuca diàndra.</i> M. <i>Diarrhèna americana.</i> R.S. <i>Ræmèria Zeæ.</i> R.S.					
DIPLA'CHNE. R.S.	DIPLA'CHNE.	Triandria Digynia.	R.S.			
fasciculàris. R.S. fascicled.	N. America.	1818.	6. 8.	H. 2.	
	<i>Festuca polystàchya.</i> M.					
SCHEDON'ORUS. R.S.	SCHEDON'ORUS.	Triandria Digynia.	R.S.			
1 pratensis. R.S. meadow.	Britain.	6. 7.	H. 2.	Eng. bot. v. 23. t. 1592.
	<i>Festuca pratensis.</i> E.B.					
2 phænicoïdes. R.S.	.. creeping-rooted.	Switzerland.	1824.	—	H. 2.	
3 elàtior. R.S. tall.	Britain.	—	H. 2.	Eng. bot. v. 23. t. 1593.
	<i>Festuca elàtior.</i> E.B. et Sinc. gr. wob. p. 361. ic.					
4 cœrulèscens. R.S. blueish.	Barbary.	1818.	6. 7.	H. 2.	
5 spadiceus. R.S. Gerard's.	Italy.	1775.	4. 6.	H. 2.	Host. gram. 3. t. 20.
6 inermis. R.S. naked-spiked.	Hungary.	1816.	6. 7.	H. 2.	— 1. t. 9.
7 calamàrius. R.S. Reed-like.	Scotland.	7. 8.	H. 2.	Eng. bot. v. 14. t. 1005.

8	deciduus. deciduous.	England.	6. 7. H. 4.	Eng. bot. v. 32. t. 2266.
	<i>Festuca decida.</i> E.B.			
9	exaltatus. R.S. high upright.	Sicily. 1827.	— H. 4.	
10	sylvaticus. R.S. wood.	Germany. 1804.	7. 8. H. 4.	Host. gram. 2. t. 78.
11	serotinus. R.S. late-flowering.	S. Europe. 1818.	7. 9. H. 4.	— 2. t. 92.
12	loliaceus. R.S. spiked.	England.	6. 7. H. 4.	Eng. bot. v. 26. t. 1821.
13	Scheuchzeri. R.S. Scheuchzer's.	S. Europe. 1822.	— H. 4.	
14	violaceus. R.S. violet coloured.	Europe.	— H. 4.	
15	nutans. R.S. nodding.	Hungary. 1823.	— H. 4.	Host. gram. 4. t. 61.
16	nigriscens. R.S. blackish.	Switzerland. —	— H. 4.	
17	poæformis. R.S. Poa-like.	— 1818.	— H. 4.	Host. gram. 2. t. 81.
18	pumilus. R.S. dwarf.	S. Europe. —	— H. 4.	— 2. t. 91.
19	nitidus. R.S. glossy.	Hungary. 1827.	— H. 4.	
20	tenellus. R.S. slender.	N. America. 1804.	7. 8. H. 4.	
	<i>Festuca tenella.</i> Ph. <i>Brachypodium festucoïdes.</i> L.en.			
FESTUCA. R.S. FESCUE-GRASS. Triandria Digynia. L.				
1	cynosuroides. R.S. .. dogs-tail.	Barbary. 1825.	6. 8. H. 4.	Desf. atl. 1. t. 21.
2	Fenas. R.S. tough.	Spain. 1822.	— H. 4.	
	<i>Poa tenax.</i> L.en.			
3	ovina. R.S. Sheep's.	Britain.	6. H. 4.	Eng. bot. v. 9. t. 585.
4	brachyphylla. R.S. .. short-leaved.	Melville Isl. 1827.	— H. 4.	
	<i>brevifolia.</i> Br. non Muhlenberg.			
5	tenuifolia. L.en. slender-leaved.	Britain.	— H. 4.	
6	cæsia. E.B. gray.	England.	6. 7. H. 4.	Eng. bot. v. 27. t. 1917.
7	vivipara. E.B. viviparous.	Britain.	7. H. 4.	— v. 19. t. 1355.
8	glauca. R.S. glaucous.	S. Europe.	6. 7. H. 4.	
9	pallens. R.S. pale.	Germany. 1816.	— H. 4.	Host. gram. 2. t. 88.
10	stricta. Host. upright.	— —	— H. 4.	— 2. t. 86.
11	hirsuta. Host. hairy.	— —	— H. 4.	— 2. t. 85.
12	Halleri. R.S. Haller's.	Europe. 1820.	— H. 4.	
13	curvula. R.S. curved.	Switzerland. —	— H. 4.	
14	alpina. R.S. Alpine.	— —	— H. 4.	
15	amethystina. R.S. blue.	S. Europe. 1804.	— H. 4.	
16	picta. R.S. painted.	Hungary. 1826.	— H. 4.	
17	varia. R.S. variable.	S. Europe. 1823.	— H. 4.	Host. gram. 2. t. 90.
18	vallésiana. Vallesian.	Vallesia. —	— H. 4.	
19	pannónica. R.S. Hungarian.	Hungary. —	— H. 4.	Host. gram. 4. t. 62.
20	xanthina. R.S. yellow.	Switzerland. 1818.	— H. 4.	— 3. t. 19.
	<i>flavescens.</i> Host. non Bellardi.			
21	flavescens. DC. yellowish.	— —	— H. 4.	
22	duriuscula. E.B. hard.	Britain.	— H. 4.	Eng. bot. v. 7. t. 470.
23	dumetorum. s.G.w. .. pubescent.	— —	— H. 4.	
24	glabra. s.G.w. smooth.	— —	6. H. 4.	Sinc. gr. wob. p. 180. ic.
25	hordeiformis. s.G.w. .. Barley-like.	— H. 4.	— p. 159. ic.
26	cambrica. s.G.w. Welsh.	Wales.	— H. 4.	— p. 157. ic.
27	heterophylla. R.S. .. various-leaved.	S. Europe. 1812.	6. 7. H. 4.	Host. gram. 3. t. 18.
28	rubra. E.B. red creeping.	Britain.	7. H. 4.	Eng. bot. v. 29. t. 2056.
29	vaginata. R.S. sheathed.	Hungary. 1804.	6. 7. H. 4.	
30	Kitaibeliána. R.S. Kitaibel's.	— 1818.	— H. 4.	
	<i>pubescens.</i> L.en. non Zea.			
31	laxa. R.S. loose.	Switzerland. 1824.	— H. 4.	Host. gram. 2. t. 80.
32	decolorans. R.S. discoloured.	— —	— H. 4.	
	<i>laxa.</i> Gaud. nec aliorum.			
33	nutans. R.S. nodding.	N. America. 1805.	— H. 4.	
34	rubens. R.S. red.	S. Europe. 1776.	— H. 4.	Flor. græc. t. 83.
	<i>Bromus rubens.</i> F.G.			
35	scabra. R.S. rough.	C. B. S. 1826.	— G. 4.	
36	bracteata. DC. leafy-bracted.	— H. 4.	
37	lævis. F. smooth.	Russia. 1806.	7. H. 4.	
38	grandiflora. Ph. large-flowered.	N. America. 1812.	6. 7. H. 4.	
39	asperima. Ot. roughest. 1825.	— H. 4.	
40	rupëstris. Ot. rock.	— H. 4.	
MYGALURUS. L.en. MOUSETAIL-GRASS. Triandria Digynia. L.en.				
1	bromoides. L.en. barren.	Britain.	6. H. 4.	Eng. bot. v. 20. t. 1411.
2	caudatus. L.en. wall.	England.	— H. 4.	— v. 20. t. 1412.
	<i>Festuca Myurus.</i> E.B.			
3	alopécuroïdes. L.en. ... Fox-tail.	Barbary. 1799.	6. 8. H. 4.	Desf. atl. 1. t. 25.
4	ciliata. Lk. fringed.	Portugal. 1827.	— H. 4.	Host. gram. 4. t. 65.
5	uniglumis. L.en. single-husked.	England.	— H. 4.	Eng. bot. v. 20. t. 1430.

6	<i>delicatulus</i> . L.en. delicate.	Spain.	1817.	7. 8.	H.⊙.	
7	<i>geniculatus</i> . L.en. jointed.	S. Europe.	1793.	6. 7.	H.⊙.	
	<i>Bromus geniculatus</i> . R.S. <i>Festuca stipoides</i> . R.S.					
BRACHYPODIUM. R.S. BRACHYPODIUM. Triandria Digynia. R.S.						
1	<i>pinnatum</i> . R.S. spiked heath.	Britain.	6. 8.	H.⊙.	Eng. bot. v. 11. t. 730.
	<i>Bromus pinnatus</i> . E.B. <i>Triticum pinnatum</i> . DC. <i>Festuca pinnata</i> . E.F.					
2	<i>rupestre</i> . R.S. rock.	S. Europe.	1816.	—	H.⊙.	Host. gram. 4. t. 17.
3	<i>strigosum</i> . R.S. strigose.	Tauria.	1821.	—	H.⊙.	
4	<i>cæspitosum</i> . R.S. tufted.	S. Europe.	—	—	H.⊙.	Host. gram. 4. t. 18.
5	<i>ramosum</i> . R.S. branched.	—	1818.	—	H.⊙.	Flor. græc. t. 84.
6	<i>phœnicoides</i> . R.S. pointed-leaved.	S. France.	1824.	—	H.⊙.	
7	<i>obtusifolium</i> . R.S. blunt-leaved.	Spain.	1818.	—	H.⊙.	
8	<i>Tenorianum</i> . R.S. Tenore's.	Naples.	1824.	—	H.⊙.	
9	<i>Barrelieri</i> . R.S. Barrelier's.	—	1827.	—	H.⊙.	
10	<i>longifolium</i> . R.S. long-leaved.	Barbary.	1818.	—	H.⊙.	
11	<i>sylvaticum</i> . R.S. wood.	Britain.	—	H.⊙.	Eng. bot. v. 11. t. 729.
	<i>Bromus sylvaticus</i> . E.B. <i>Triticum sylvaticum</i> . DC. <i>Festuca sylvatica</i> . E.F.					
12	<i>distachyum</i> . R.S. two-spiked.	S. Europe.	1772.	—	H.⊙.	Host. gram. 1. t. 20.
13	<i>megastachyum</i> . R.S. long-spiked.	—	1826.	—	H.⊙.	
14	<i>macrostachyum</i> . R.S. large-spiked.	—	—	—	H.⊙.	
15	<i>asperum</i> . R.S. stiff-leaved.	Spain.	1818.	—	H.⊙.	
16	<i>unioloides</i> . L.en. Uniola-like.	Sicily.	1758.	7. 8.	H.⊙.	Jacq. icon. 2. t. 303.
17	<i>brevisetum</i> . R.S. short-awned.	1825.	—	H.⊙.	
18	<i>fragile</i> . R.S. brittle.	Europe.	1824.	—	H.⊙.	
19	<i>Halleri</i> . R.S. Haller's.	S. Europe.	1818.	—	H.⊙.	Vivian. fr. fl. it. t. 26. f. 1.
20	<i>hispanicum</i> . Viv. slender-stem'd.	—	—	—	H.⊙.	— t. 23. f. 2.
	<i>tenuiculum</i> . R.S.					
21	<i>tenuiflorum</i> . R.S. slender-flowered.	—	1823.	—	H.⊙.	Host. gram. 2. t. 26.
22	<i>Nardus</i> . L.en. slender.	—	—	—	H.⊙.	
	<i>tenellum</i> . R.S. <i>Triticum Nardus</i> . DC.					
23	<i>loliaceum</i> . R.S. spiked sea.	Britain.	6. 7.	H.⊙.	Eng. bot. v. 4. t. 221.
	<i>Triticum loliaceum</i> . E.B.					
24	<i>Poa</i> . R.S. meadow-grass.	France.	1824.	—	H.⊙.	Pluk. phyt. t. 32. f. 7.
25	<i>biunciale</i> . R.S. small.	S. Europe.	1818.	6. 8.	H.⊙.	Viv. fl. it. fr. t. 24.
26	<i>unilaterale</i> . R.S. one-sided.	—	1824.	—	H.⊙.	Bocc. mus. t. 57. f. 2.
27	<i>mexicanum</i> . Bes. Mexican.	Mexico.	1816.	7. 9.	H.⊙.	
	<i>Festuca mexicana</i> . R.S.					
TRICHÆTA. R.S. TRICHÆTA. Triandria Digynia. R.S.						
	<i>ovata</i> . R.S. oval-spiked.	Spain.	1824.	6. 8.	H.⊙.	Cavan. ic. 6. t. 591. f. 2.
	<i>Bromus ovatus</i> . Cav. <i>Trisetum ovatum</i> . P.S.					
BROMUS. R.S. BROME-GRASS. Triandria Digynia. R.S.						
1	<i>secalinus</i> . R.S. smooth Rye.	England.	6. 8.	H.⊙.	Eng. bot. v. 17. t. 1171.
2	<i>elongatus</i> . R.S. elongated.	Switzerland.	1823.	—	H.⊙.	
3	<i>commutatus</i> . R.S. downy Rye.	Britain.	—	H.⊙.	Host. gram. 1. t. 11.
4	<i>velutinus</i> . R.S. hairy-headed.	—	—	H.⊙.	Eng. bot. v. 27. t. 1884.
	<i>multiflorus</i> . E.B.					
5	<i>Trinianus</i> . R.S. Trinius's.	Gilan.	1826.	—	H.⊙.	Trin. m. ac. pet. 1813. t. 9.
6	<i>mollis</i> . R.S. soft.	Britain.	5. 7.	H.⊙.	Eng. bot. v. 15. t. 1078.
7	<i>confertus</i> . R.S. close-spiked.	Iberia.	1825.	—	H.⊙.	Jacq. ecl. gr. t. 14.
8	<i>racemosus</i> . R.S. smooth.	England.	6. 8.	H.⊙.	Eng. bot. v. 15. t. 1079.
9	<i>erectus</i> . E.B. upright.	—	—	H.⊙.	— v. 7. t. 471.
10	<i>Biebersteinii</i> . R.S. Bieberstein's.	Caucasus.	1825.	—	H.⊙.	
11	<i>australis</i> . B.P. southern.	N. S. W.	1823.	—	H.⊙.	
12	<i>lanceolatus</i> . R.S. spear-leaved.	Canaries.	1798.	—	H.⊙.	Buxb. cent. ap. t. 19.
13	<i>lanuginosus</i> . R.S. woolly.	S. Europe.	1824.	—	H.⊙.	
14	<i>variegatus</i> . R.S. variegated.	Caucasus.	—	—	H.⊙.	
15	<i>squarrosus</i> . R.S. corn.	England.	—	H.⊙.	Eng. bot. v. 27. t. 1885.
16	<i>vestitus</i> . R.S. clothed.	C. B. S.	1816.	—	G.⊙.	
17	<i>wolgensis</i> . R.S. Wolga.	Caucasus.	—	—	H.⊙.	Jacq. ecl. gr. t. 15.
18	<i>laxus</i> . R.S. loose.	—	—	H.⊙.	
19	<i>alopeuroides</i> . R.S. Fox-tail.	S. Europe.	1799.	—	H.⊙.	Desf. atl. 1. t. 25.
	<i>contortus</i> . Desf.					
20	<i>purgans</i> . R.S. purging.	Canada.	1793.	—	H.⊙.	
21	<i>pubescens</i> . R.S. pubescent.	N. America.	1816.	—	H.⊙.	
22	<i>asper</i> . E.B. hairy wood.	England.	—	H.⊙.	Eng. bot. v. 17. t. 1172.
23	<i>hirsutissimus</i> . Cyr. very hairy.	S. Europe.	1822.	—	H.⊙.	
24	<i>pendulinus</i> . R.S. pendulous.	New Spain.	1823.	—	H.⊙.	
25	<i>glaucus</i> . R.S. glaucous.	Pyrenees.	—	—	H.⊙.	Lap. fl. pyren. t. 53. bis.
26	<i>altissimus</i> . R.S. tallest.	N. America.	1812.	—	H.⊙.	

27	<i>giganteus</i> . R.S. gigantic.	Britain.	7. 8.	H. 4.	Eng. bot. v. 26. t. 153.
28	<i>triflorus</i> three-flowered.	—————	—	H. 4.	————— v. 27. t. 193.
	<i>Festuca triflora</i> . E.B.						
29	<i>montanus</i> . R.S. mountain.	Switzerland.	1827.	—	H. 0.	
30	<i>longiflorus</i> . R.S. long-flowered.	1818.	—	H. 4.	
31	<i>stenophyllus</i> . R.S. slender-leaved.	1824.	—	H. 4.	
32	<i>angustifolius</i> . M.B. narrow-leaved.	Caucasus.	—	—	H. 4.	
33	<i>ciliatus</i> . R.S. ciliated.	N. America.	1802.	6. 8.	H. 4.	
34	<i>arvensis</i> . R.S. field.	Britain.	7.	H. 4.	Eng. bot. v. 28. t. 193.
35	<i>sterilis</i> . R.S. barren.	—————	6. 7.	H. 0.	————— v. 15. t. 1030.
36	<i>tectorum</i> . R.S. nodding.	Europe.	1776.	6. 8.	H. 4.	Flor. græc. t. 82.
37	<i>matritensis</i> . R.S. wall.	Britain.	6.	H. 0.	Eng. bot. v. 14. t. 1006.
	<i>diandrus</i> . E.B.						
38	<i>ligusticus</i> . R.S. contracted.	Italy.	1824.	6. 8.	H. 0.	Barrel. ic. 76. n. 2.
39	<i>rigidus</i> . R.S. rigid.	S. France.	1822.	—	H. 0.	Host. gram. 1. t. 18.
40	<i>pilosus</i> . R.S. hairy wall.	S. Europe.	—	—	H. 0.	
41	<i>jubatus</i> . R.S. loose paniced.	Italy.	1824.	—	H. 0.	
42	<i>maximus</i> . R.S. great.	Morocca.	1804.	—	H. 0.	Desf. atl. 1. t. 26.
43	<i>scoparius</i> . R.S. broom.	S. Europe.	1824.	—	H. 0.	Cavan. ic. 1. t. 45. f. 2.
44	<i>humilis</i> . R.S. low.	Spain.	—	—	H. 0.	————— ic. 6. t. 589. f. 2.
45	<i>scaberrimus</i> . R.S. roughest.	Italy.	—	—	H. 0.	
46	<i>coarctatus</i> . H.H. close-flowered.	1826.	—	H. 4.	
47	<i>parviflorus</i> . Df. small-flowered.	1824.	—	H. 4.	
48	<i>torilis</i> . Presl. twisted.	Sicily.	1825.	—	H. 4.	
49	<i>caucasicus</i> . F. Caucasian.	Caucasus.	—	—	H. 4.	
	ROSTR'ARIA. Tr.	ROSTR'ARIA.	Triandria Digynia.				
	<i>pubescens</i> . Tr. pubescent.	1824.	6. 8.	H. 0.	
	<i>Brômus dactyloides</i> .	Roth. <i>Dactylis pungens</i> .	Horn.				
	PHRAGMITES. Tr.	REED.	Triandria Digynia. R.S.				
	<i>communis</i> . Tr.	common.	Britain.	...	7. 8.	H. w. 4.	Eng. bot. v. 6. t. 401.
	<i>Arundo phragmites</i> . E.B.						
	ARUNDO. S.S.	REED-GRASS.	Triandria Digynia. S.S.				
1	<i>Dônax</i> . s.s. manured.	S. Europe.	1648.	7. 8.	H. 4.	Host. gram. 4. t. 38.
	<i>β versicolor</i> striped.	—————	—	H. 4.	Moris. s. 8. t. 8. f. 9.
2	<i>tênax</i> . s.s. tough.	—————	1823.	—	H. 4.	Cyrl. neap. f. 2. t. 12.
3	<i>festucæa</i> . W.en. Fescue-like.	Germany.	—	—	H. w. 4.	
	PSA'MMA. R.S.	SEA MATWEED.	Triandria Trigynia. R.S.				
	<i>arenaria</i> . R.S. common.	Britain.	6. 7.	H. 4.	Eng. bot. v. 8. t. 520.
	<i>Arundo arenaria</i> . E.B.						
	ARUNDIN'ARIA. R.S.	CANE-BRAKE.	Triandria Monogynia. S.S.				
1	<i>glaucescens</i> . R.S. glaucous.	E. Indies.	1818.	S. 4.	
	<i>Ludôlfia glaucescens</i> . w.						
	OL'YRA. W.	OL'YRA.	Monœcia Triandria. L.				
	<i>paniculata</i> . w. broad-leaved.	W. Indies.	1783.	7.	S. 4.	Sloan. jam. 1. t. 64. f. 2.
	Z'EA. W.	INDIAN CORN.	Monœcia Triandria. L.				
1	<i>Máys</i> . w. common.	America.	1562.	6. 7.	H. 0.	Lam. ill. t. 749.
2	<i>Curagua</i> . s.s. saw-leaved.	Chile.	1820.	—	H. 0.	
	CO'IX. W.	JOB'S-TEARS.	Monœcia Triandria. L.				
1	<i>Láchryma</i> . s.s. common.	E. Indies.	1596.	6. 7.	S. 4.	Bot. mag. t. 2479.
2	<i>agrestis</i> . s.s. round-fruited.	—————	1812.	—	S. 4.	Rumph. amb. 6. t. 9. f. 1.
3	<i>exaltata</i> . s.s. tall.	China.	1816.	—	S. 4.	Jacq. ic. gram.
4	<i>arundinæa</i> . s.s. reed-like.	Mexico.	1824.	—	S. 4.	
5	<i>K'œnigii</i> . s.s. Kœnig's.	E. Indies.	1818.	—	S. 4.	
6	<i>gigantea</i> . H.B. gigantic.	Bengal.	1820.	—	H. 4.	
	BAMB'USA. W.	BAMBOO-CANE.	Hexandria Monogynia. W.				
1	<i>arundinæa</i> . w. common.	India.	1730.	S. 4.	Roxb. corom. 1. t. 79.
2	<i>verticillata</i> . w. whorl-flowered.	—————	1802.	S. 4.	————— 1. t. 80.
	MELOCA'NNA. Tr.	MELOCA'NNA.	Hexandria Monogynia. S.S.				
	<i>bambusoïdes</i> . Tr. berry bearing.	E. Indies.	1818.	S. 4.	
	<i>Bambusa baccifera</i> . Roxb.						
	PH'ARUS. W.	PH'ARUS.	Monœcia Hexandria. W.				
1	<i>latifolius</i> . w. broad-leaved.	Jamaica.	1793.	7. 8.	S. 4.	Brown. jam. t. 38. f. 3.
2	<i>angustifolius</i> . D.L. narrow-leaved.	Trinidad.	1821.	—	S. 4.	
	EHRHA'RTA. W.	EHRHA'RTA.	Hexandria Monogynia. S.S.				
1	<i>panicea</i> . w. Panic-grass.	C. B. S.	1790.	5. 7.	G. 4.	Sm. ined. 1. t. 9.
2	<i>melicoïdes</i> . s.s. Melica-like.	—————	1816.	—	G. 4.	
	MICROL'ÆNA. B.P.	MICROL'ÆNA.	Tetrandria Digynia. B.P.				
	<i>stipoïdes</i> . B.P. Stipa-like.	N. S. W.	1822.	7. 8.	F. 4.	Lab. n. hol. 1. t. 118.
	<i>Ehrharta stipoïdes</i> . Lab.						

POTAMO'PHILA. B.P.	POTAMO'PHILA.	Polygamia Monœcia.	B.P.			
parviflora. B.P. small-flowered.	N. S. W.	1820.	6. 7.	F.w. 4.	
ORYZA. W.	RICE.	Hexandria Digynia.	L.			
sativa. w. common.	Ethiopia.	1596.	7.	S.w. ⊙.	
ZIZANIA. W.	CANADA RICE.	Monœcia Hexandria.	W.			
1 aquatica. H.K. water.	N. America.	1790.	7. 9.	H.w. 4.	Linn. trans. 7. t. 13.
2 miliacea. M. Millet-like.	Carolina.	1816.	—	H.w. 4.	
3 fluitans. M. floating.	N. America.	1824.	7. 8.	H.w. 4.	
PARIANA. W.	PARIANA.	Monœcia Polyandria.	W.			
campêstris. w.	Cayenne.	Cayenne.	1803.	S. h.	Aubl. gui. 2. t. 337.

** SUBCLASSIS II. CRYPTOGAMEÆ. DC.

ORDO CCXXV.

CHARACEÆ. *Kth. synopsis. v. 1. p. 102.*

CHARA. L.	CHARA.	Monœcia Monandria.	W.			
1 vulgaris. E.B. common.	Britain.	7. 8.	H.w. ⊙.	Eng. bot. v. 5. t. 336.
2 hispida. E.B. prickly.	—	6. 9.	H.w. ⊙.	— v. 7. t. 463.
NITELLA. Ag.	NITELLA.	Monœcia Monandria.				
1 tomentosa. w. tomentose.	—	6. 7.	H.w. ⊙.	Moris. s. 15. t. 4. f. 9.
2 flexilis. Ag. smooth.	Britain.	7. 8.	H.w. ⊙.	
3 opaca. Ag. opaque.	—	—	H.w. ⊙.	Eng. bot. v. 15. t. 1070.
<i>Chara flexilis.</i> E.B.						
4 translucens. Ag. great transparent.	—	—	H.w. ⊙.	Eng. bot. v. 26. t. 1855.
5 nidifica. Ag. proliferous.	—	—	H.w. ⊙.	— v. 24. t. 1703.
6 gracilis. Ag. slender.	—	—	H.w. ⊙.	— v. 30. t. 2140.

ORDO CCXXVI.

EQUISETACEÆ. *DC. fl. fr. ed. 3. v. 2. p. 28.*

EQUISETUM. W.	HORSE-TAIL.	Cryptogamia Gonopterides.	W.			
1 arvense. w. (br.ye.)	corn.	Britain.	3. 4.	H. 4.	Eng. bot. v. 29. t. 2020.
2 fluviatile. w. (br.ye.)	great water.	—	4. 5.	H. 4.	— v. 29. t. 2022.
3 umbròsum. W.en. (br.y.)	shade.	Germany.	1818.	—	H. 4.	
4 sylvaticum. w. (br.ye.)	wood.	Britain.	—	H. 4.	Eng. bot. v. 27. t. 1874.
5 limosum. w. (br.ye.)	smooth naked.	—	6. 7.	H. 4.	— v. 13. t. 929.
6 palustre. w. (br.ye.)	marsh.	—	—	H. 4.	— v. 29. t. 2021.
7 pratense. w. (br.ye.)	meadow.	Germany.	1820.	—	H. 4.	
8 scirpoïdes. w. (br.ye.)	American.	N. America.	1812.	—	H. 4.	
9 hyemale. w. (br.ye.)	Shave grass.	Britain.	7. 8.	H. 4.	Eng. bot. v. 13. t. 915.
10 variegatum. w. (br.ye.)	variegated.	Scotland.	6. 7.	H. 4.	— v. 28. t. 1987.
11 filiforme. (br.ye.)	thready.	N. America.	1800.	7. 8.	H. 4.	

ORDO CCXXVII.

MARSILEACEÆ. *Brown prodr. p. 166.*

PILULARIA. W.	PILLWORT.	Cryptogamia Hydropterides.	W.			
globulifera. w. (br.)	Pepper-grass.	Britain.	6. 9.	H.w. 4.	Eng. bot. v. 8. t. 521.
ISOETES. W.	QUILLWORT.	Cryptogamia Hydropterides.	W.			
lacustris. w. marsh.	Britain.	5. 10.	H.w. 4.	Eng. bot. v. 16. t. 1084.

SALV'NIA. W.	SALV'NIA. Cryptogamia Hydropterides. W.				
nàtans. w.	floating.	Europe.	1818.	5. 8. H. 2.	Schkuhr filic. t. 173.
MARSILEA. W.	MARSILEA. Cryptogamia Hydropterides. W.				
quadrifolia. w.	four-leaved.	S. Europe.	1820.	6. 8. H. 2.	J. mem. ac. sci. par. 174.

ORDO CCXXVIII.

LYCOPODIACEÆ. *Kth. synops. 1. p. 95.*

LYCOP'ODIUM. W.	CLUB-MOSS.	Cryptogamia Stachyopterides. W.			
1 carolinianum. w. (br.)	Carolina.	Carolina.	1812.	7. 8. H. 2.	Dill. muse. t. 62. f. 5.
2 clavatum. w. (br.)	common.	Britain.	— H. 2.	Eng. bot. v. 4. t. 224.
3 complanatum. w. (br.)	Arbor Vitæ-leav'd.	N. America.	1770.	— H. 2.	Flor. dan. t. 78.
4 alpinum. w. (br.)	Savin-leaved.	Britain.	8. H. 2.	Eng. bot. v. 4. t. 234.
5 dendroideum. w. (br.)	fan.	N. America.	1770.	7. H. 2.	Hook. ex. flor. t. 7.
6 annotinum. w. (br.)	interrupted.	Britain.	6. 8. H. 2.	Eng. bot. v. 24. t. 172.
7 inundatum. w. (br.)	marsh.	—	— H. 2.	— v. 4. t. 239.
8 alopecuroides. w. (br.)	Fox-tail.	N. America.	1816.	— H. 2.	Schkuhr filic. t. 160.
9 Selaginoides. w. (br.)	prickly.	Britain.	8. H. 2.	Eng. bot. v. 16. t. 1148.
10 ornithopodioides. w. (br.)	Bird's-claw.	1812.	6. 8. H. 2.	Dill. muse. t. 66. f. 1. B.
11 helveticum. w. (br.)	Swiss.	Switzerland.	1779.	— H. 2.	— t. 64. f. 2.
12 rupestre. w. (br.)	rock.	N. America.	1818.	— H. 2.	— t. 63. f. 11.
13 denticulatum. w. (br.)	toothed.	Switzerland.	1779.	7. H. 2.	— t. 66. f. 1. A.
14 depressum. w. (br.)	depressed.	C. B. S.	1816.	7. 8. G. 2.	
15 Selago. w. (br.)	Fir.	Britain.	6. 8. H. 2.	Eng. bot. v. 4. t. 233.
16 apodum. w. (br.)	distichous.	N. America.	1815.	7. H. 2.	Dill. muse. t. 64. f. 3.
17 lucidulum. w. (br.)	glossy.	—	1822.	— H. 2.	Schkuhr filic. t. 159.
18 densum. B.P. (br.)	dense.	N. S. W.	—	7. 8. G. 2.	Lab. nov. hol. 2. t. 251. f. 1.
PSILO'TUM. B.P.	PSILO'TUM. Cryptogamia Stachyopterides. W.				
triquetrum. B.P. (ye.)	triangular.	N. S. W.	1793.	7. 8. G. 2.	Schkuhr filic. t. 165. b.
<i>Lycopodium nudum. L. Bernhardia dichotoma. w.</i>					

ORDO CCXXIX.

FILICES. *Juss. gen. 14.*

SUBORDO I. OPHIOGLOSSEÆ. Brown prodr. p. 163.

OPHIOGLO'SSUM. W.	ADDER'S-TONGUE.	Cryptogamia Stachyopterides. W.			
1 vulgatum. E.B. (br.)	common.	Britain.	5. 6. H. 2.	Eng. bot. v. 2. t. 108.
2 bulbosum. w. (br.)	bulbous-rooted.	N. America.	— H. 2.	
3 lusitanicum. w. (br.)	Portugal.	Portugal.	— H. 2.	
4 gramineum. w. (br.)	grass-like.	N. Holland.	1822.	— G. 2.	Willd. s. erf. 1802. t. 1. f. 1.
5 costatum. B.P. (br.)	ribbed.	N. S. W.	—	— G. 2.	
6 reticulatum. w. (br.)	netted.	W. Indies.	1793.	— S. 2.	Plum. fil. t. 164.
7 petiolatum. w. (br.)	petiolate.	—	1822.	1. 3. S. 2.	Hook. ex. flor. t. 56.
BOTRY'CHIUM. W.	MOONWORT.	Cryptogamia Stachyopterides. W.			
1 Lunaria. w. (br. ye.)	common.	Britain.	5. 6. H. 2.	Eng. bot. v. 5. t. 315.
<i>Osmunda lunaria. E.B.</i>					
2 fumarioides. w. (br. ye.)	Fumitory-leaved.	Carolina.	1806.	7. 8. H. 2.	Schkuhr fil. t. 157.
3 obliquum. w. (br. ye.)	oblique.	N. America.	1821.	6. 7. H. 2.	Pluk. mant. t. 427. f. 7.
4 dissectum. w. (br. ye.)	cut-leaved.	—	1806.	7. H. 2.	Schkuhr fil. t. 159.
5 virginicum. w. (br. ye.)	Virginian.	—	1790.	8. H. 2.	— t. 156.
6 australe. B.P. (br. ye.)	southern.	N. S. W.	1823.	7. 8. H. 2.	
7 gracile. Ph. (br. ye.)	slender.	N. America.	1824.	— H. 2.	

SUBORDO II. *OSMUNDACEÆ*. Brown prodr. p. 161.

LYG'ODIUM. B.P.		SNAKE'S-TONGUE.		Cryptogamia Schismatopterides. W.	
1	<i>polymorphum</i> . K.S. (br.y.) variable.	S. America.	1816.	5. 9.	S. 4. ~. Cav. ic. 6. t. 595. f. 1.
	<i>Ugena polymorpha</i> . Cav. <i>Hydroglóssum hirsutum</i> . w.				
2	<i>scandens</i> . Sw. (br.ye.) climbing.	E. Indies.	1793.	5. 9.	S. 4. ~. Lodd. bot. cab. t. 742.
3	<i>microphyllum</i> . B.P. (br.y.) small-leaved.	N. Holland.	1818.	—	S. 4. ~. Cavan. icon. 6. t. 595. f. 2.
4	<i>venustum</i> . Sw. (br.y.) elegant.	S. America.	1812.	—	S. 4. ~.
5	<i>circinatum</i> . Sw. (br.y.) rounded.	W. Indies.	1818.	—	S. 4. ~.
6	<i>palmatum</i> . Sw. (br.y.) palmate.	N. America.	1823.	—	S. 4. ~. Schkuhr filic. t. 140.
	<i>Hydroglóssum palmatum</i> . w.				
ANEIMIA. W.		ANEIMIA.		Cryptogamia Schismatopterides. W.	
1	<i>fraxinifolia</i> . Rad. (br.y.) Ash-leaved.	Brazil.	1829.	9. 12.	S. 4.
2	<i>hirta</i> . w. (br.ye.) hairy-leaved.	W. Indies.	1824.	—	S. 4.
3	<i>collina</i> . Rad. (br.ye.) hill.	Brazil.	1829.	—	S. 4.
4	<i>hirsuta</i> . w. (br.ye.) hairy.	W. Indies.	1794.	S. 4. Plum. fil. t. 162.
5	<i>laciniata</i> . (br.ye.) jagged.	—	—	—	S. 4.
6	<i>adiantifolia</i> . w. (br.ye.) Maiden-hair-leav'd.	—	1793.	8. 9.	S. 4. Plum. fil. t. 158.
7	<i>lanceolata</i> . w. (br.ye.) spear-leaved.	—	1820.	—	S. 4.
OSMUNDA. W.		OSMUNDA.		Cryptogamia Schismatopterides. W.	
1	<i>cinnamomea</i> . w. (br.) woolly.	N. America.	1772.	6.	H. 4. Schkuhr fil. t. 146.
2	<i>regalis</i> . w. (br.ye.) flowering fern.	Britain.	7. 8.	H. 4. Eng. bot. v. 3. t. 209.
3	<i>Claytoniana</i> . w. (br.ye.) Clayton's.	N. America.	1772.	8.	H. 4.
4	<i>interrupta</i> . w. (br.ye.) interrupted.	—	6. 7.	H. 4. Schkuhr fil. t. 144.
5	<i>spectabilis</i> . w. (br.ye.) showy.	—	1811.	7.	H. 4. Pluk. alm. t. 184. f. 4.
6	<i>humilis</i> . w. (br.ye.) dwarf.	—	1823.	6. 8.	H. 4. Hook. ex. flor. t. 28.
TODEA. W.		TODEA.		Cryptogamia Schismatopterides. W.	
	<i>africana</i> . w. (br.ye.) African.	C. B. S.	1805.	5. 8.	G. 4. Schkuhr fil. t. 147.
	<i>Osmunda barbata</i> . B.P.				
SCHIZ'ÆA. W.		SCHIZ'ÆA.		Cryptogamia Schismatopterides. W.	
1	<i>penicillata</i> . w. (br.ye.) pencilled.	S. America.	1816.	6. 7.	S. 4.
2	<i>pusilla</i> . Ph. (br.ye.) small.	N. America.	1825.	—	H. 4. H. et G. ic. fil. t. 47.
3	<i>rupesstris</i> . B.P. (br.ye.) rock.	N. S. W.	1822.	—	G. 4. ————— t. 48.
4	<i>bifida</i> . B.P. (br.ye.) bifid.	—	—	—	G. 4. Willd. mem. farr. t. 3. f. 2.

SUBORDO III. *GLEICHENEÆ*. Brown prodr. p. 160.

GLEICH'ENIA. B.P.		GLEICH'ENIA.		Cryptogamia Poropterides. W.	
1	<i>pubescens</i> . K.S. (br.) pubescent.	Vera Cruz.	1822.	6. 8.	S. 4.
	<i>Mertensia pubescens</i> . w.				
2	<i>Speluncæ</i> . B.P. (br.) various-leaved.	N. S. W.	—	—	G. 4.
3	<i>Hermanni</i> . B.P. (br.) Hermann's.	India.	1829.	S. 4. H. et G. ic. fil. t. 14.
4	<i>microphylla</i> . B.P. (br.) small-leaved.	N. S. W.	1825.	6. 8.	G. 4.
5	<i>flabellata</i> . B.P. (br.) fan-leaved.	—	1823.	—	G. 4.
MARATTIA. W.		MARATTIA.		Cryptogamia Poropterides. W.	
	<i>alata</i> . w. (br.ye.) winged.	Jamaica.	1793.	5. 8.	S. 4. Sm. ic. ined. t. 46.

SUBORDO IV. *PARKERIACEÆ*. Hook et Grev. ic. fil. 97.

PARK'ERIA. H.F.		PARK'ERIA.		Cryptogamia Poropterides.	
1	<i>pteridoïdes</i> . H.F. (br.) Brake-like.	W. Indies.	1822.	5. 10.	S. 4. H. et G. ic. fil. t. 97.
2	<i>Lockharti</i> . H.F. (br.) Lockhart's.	Trinidad.	1824.	—	S. 4.
CERATO'PTERIS. S.S.		CERATO'PTERIS.		Cryptogamia Poropterides.	
	<i>thalictroides</i> . s.s. (br.) Thalictum-like.	E. Indies.	1818.	6. 10.	S. 4. Pluk. alm. t. 215. f. 3.
	<i>Ellobocarpus oleraceus</i> . Kaulfuss.				

SUBORDO V. *POLYPODIACEÆ*. Brown prodr. p. 145.

ACRO'STICHUM. W.		ACRO'STICHUM.		Cryptogamia Filices. L.	
1	<i>viscosum</i> . H.F. (br.ye.) viscous.	W. Indies.	1826.	6. 10.	S. 4. H. et G. ic. fil. t. 61.
2	<i>simplex</i> . w. (br.ye.) simple.	Jamaica.	1793.	5. 7.	S. 4. Lodd. bot. cab. t. 709.
3	<i>apodum</i> . H.F. (br.ye.) stemless.	W. Indies.	1824.	—	S. 4. H. et G. ic. fil. t. 99.

4	crinitum. w. (br.ye.) hairy.	W. Indies.	1793.	5. 7.	S. 4.	H. et G. ic. fil. t. 1.
5	alcicorne. B.P. (br.) Elk's-horn.	N. S. W.	1808.	8. 10.	G. 4.	Bot. reg. t. 262-3.
6	Stemaria. Beau. (br.) Stag's-horn.	Guinea.	1822.	5. 8.	S. 4.	Beau. fl. d'ow. v. 1. p. 1.
7	appendiculatum. H. (br.) appendaged.	W. Indies.	1824.	6. 8.	S. 4.	Hook. ex. flor. t. 10.
8	aureum. w. (br.ye.) golden.	America.	1820.	7. 8.	G. 4.	Schkuhr fil. t. 1.
NOTHOLÆNA. B.P. NOTHOLÆNA. Cryptogamia Filices.						
1	Marantæ. B.P. (br.ye.) Swiss. <i>Acróstichum Marantæ. w.</i>	Switzerland.	1824.	6. 8.	H. 4.	Spreng. crypt. t. 2. f. 1.
2	distant. B.P. (br.ye.) distant.	N. S. W.	1823.	—	G. 4.	
3	lanuginosa. s.s. (br.ye.) woolly. <i>Acróstichum vélleum. H. K.</i>	Madeira.	1778.	8. 9.	G. 4.	Desf. atl. 2. t. 256.
HEMION'ITIS. W. HEMION'ITIS. Cryptogamia Filices. W.						
	palmata. w. (br.ye.) palmated.	W. Indies.	1793.	6. 8.	S. 4.	Hook. ex. flor. t. 31.
GYMNOGRA'MMA. GYMNOGRA'MMA. Cryptogamia Filices.						
1	pedata. s.s. (br.ye.) pedate.	New Spain.	1822.	6. 9.	S. 4.	Swtz. syn. fil. t. 1. f. 1.
2	rufa. s.s. (br.ye.) rusty-haired. <i>Hemionitis rufa. w.</i>	Jamaica.	1793.	6. 8.	S. 4.	Schkuhr fil. t. 17. 21.
3	tartarea. s.s. (br.ye.) whitened. <i>Acróstichum tartareum. Swtz. Hemonitis dealbata. w.</i>	S. America.	1817.	—	S. 4.	Willd. hort. ber. l. t. 4.
4	peruviana. s.s. (br.ye.) Peruvian.	Peru.	1822.	6. 8.	G. 4.	
5	trifoliata. s.s. (br.ye.) three-leaved.	Jamaica.	1810.	—	S. 4.	Plum. fil. t. 144.
6	calomelanos. s.s. (br.y.) mealy.	W. Indies.	1790.	7. 8.	S. 4.	Willd. hort. ber. l. t. 4.
7	chrysophylla. s.s. (br.y.) golden-leaved.	—	1824.	—	S. 4.	
8	sulphurea. s.s. (br.ye.) sulphur-colored.	Jamaica.	1808.	—	S. 4.	Schkuhr crypt. t. 4.
9	leptophylla. s.s. (br.ye.) slender-leaved.	S. Europe.	1824.	5. 8.	H. 4.	H. et G. ic. fil. t. 25.
10	chærophylla. s.s. (br.y.) Chervil-leaved.	Brazil.	1825.	6. 8.	S. 4.	— t. 45.
MEN'SCIUM. W. MEN'SCIUM. Cryptogamia Filices. W.						
1	triphyllum. s.s. (br.ye.) three-leaved.	E. Indies.	1820.	6. 8.	S. 4.	H. et G. ic. fil. t. 120.
2	sorbifolium. s.s. (br.ye.) Service-leaved.	S. America.	1825.	—	S. 4.	
3	reticulatum. w. (br.ye.) netted.	Martinico.	1793.	6. 8.	S. 4.	Plum. fil. t. 110.
XIPHO'PTERIS. K.F. SWORD FERN. Cryptogamia Filices.						
1	serrulata. K.F. (br.ye.) saw-leaved. <i>Grammitis serrulata. w.</i>	W. Indies.	1823.	6. 8.	S. 4.	Hook. ex. flor. t. 75.
2	myosuroides. s.s. (br.y.) Mousetail-like.	—	1824.	—	S. 4.	
GRAMMITIS. Sw. GRAMMITIS. Cryptogamia Filices. W.						
1	australis. B.P. (br.ye.) southern.	N. S. W.	1822.	6. 8.	G. 4.	
2	linearis. s.s. (br.ye.) linear-leaved.	Jamaica.	1823.	—	S. 4.	
3	lanceolata. s.s. (br.ye.) spear-leaved.	Mauritius.	1824.	—	S. 4.	H. et G. ic. fil. t. 43.
4	elongata. s.s. (br.ye.) long-leaved.	W. Indies.	—	—	S. 4.	Schkuhr crypt. t. 7.
5	furcata. H.F. (br.ye.) forked-leaved.	Trinidad.	1825.	—	S. 4.	H. et G. ic. fil. t. 62.
CETERACH. W. CETERACH. Cryptogamia Filices.						
	officinarum. w. (br.) common. <i>Scolopendrium Ceterach. Eng. bot. v. 18. t. 1244.</i>	Britain.	5. 10.	H. 4.	Lodd. bot. cab. t. 15.
POLYB'OTRYA. S.S. POLYB'OTRYA. Cryptogamia Filices.						
1	vivipara. H.E.F. (br.y.) viviparous.	W. Indies.	1823.	5. 8.	S. 4.	Hook. ex. flor. t. 107.
2	cervina. s.s. (br.ye.) hart's-tongue.	—	—	—	S. 4.	H. et G. ic. fil. t. 81.
NIPHO'BOLUS. K.F. NIPHO'BOLUS. Cryptogamia Filices.						
1	pertusum. s.s. (br.ye.) bored. <i>Polypodium pertusum. Hooker.</i>	China.	1817.	7. 10.	G. 4.	Hook. ex. flor. t. 162.
2	rupëstris. s.s. (br.ye.) rock.	N. S. W.	1824.	—	G. 4.	H. et G. ic. fil. t. 93.
3	confluens. s.s. (br.ye.) confluent.	—	1822.	—	G. 4.	
4	Lingua. s.s. (br.ye.) tongue-like.	Japan.	1817.	—	G. 4.	Thunb. jap. t. 38.
POLYPODIUM. W. POLYPODY. Cryptogamia Filices. L.						
1	serpens. w. (ye.) trailing.	W. Indies.	1822.	3. 8.	S. 4.	Plum. fil. 105. t. 121.
2	angustifolium. w. (ye.) narrow-leaved.	S. America.	—	—	S. 4.	
3	lanceolatum. w. (ye.) spear-leaved.	—	1824.	—	S. 4.	Plum. fil. t. 137.
4	attenuatum. B.P. (ye.) attenuated.	N. S. W.	1823.	—	G. 4.	
5	piloselloides. w. (ye.) Mouse-ear.	W. Indies.	1793.	—	S. 4.	Plum. fil. t. 118.
6	vacciniifolium. s.s. (ye.) Whortle-leaved.	Brazil.	1826.	—	S. 4.	
7	tæniolum. s.s. (ye.) jointed.	S. America.	1815.	—	S. 4.	
8	lycopodioides. w. (ye.) Club-moss.	W. Indies.	1793.	—	S. 4.	Schkuhr fil. t. 8. c. p.
9	phyllitidis. w. (ye.) Hart's-tongue.	—	—	—	S. 4.	Plum. fil. 114. t. 130.
10	irioides. s.s. (ye.) Iris-leaved.	E. Indies.	1824.	—	S. 4.	H. et G. ic. fil. t. 125.
11	crassifolium. w. (ye.) thick-leaved.	W. Indies.	1816.	—	S. 4.	Plum. fil. 107. t. 127.
12	repens. w. (ye.) creeping.	S. America.	—	—	S. 4.	— 115. t. 131.
13	lineare. s.s. (ye.) linear-leaved.	Japan.	1822.	—	G. 4.	Thunb. ic. jap. t. 18.
14	Billardiæri. B.P. (ye.) La Billardiere's.	V. Diem. Isl.	1823.	—	G. 4.	Lab. nov. hel. 2. t. 249.
15	aureum. w. (ye.) golden.	W. Indies.	1742.	3. 5.	S. 4.	Plum. fil. 59. t. 76.
16	phymatodes. w. (ye.) warted.	—	1816.	—	S. 4.	

17	quercifolium. s.s. (ye.)	Oak-leaved.	E. Indies.	1824.	3. 5.	S. 2.	Rumph. amb. 6. t. 36.
18	curvatum. s.s. (ye.)	curve-leaved.	Jamaica.	1822.	—	S. 2.	
19	vulgare. E.B. (ye.)	common.	Britain.	5. 10.	H. 2.	Eng. bot. v. 16. t. 1149.
	β cambricum. (ye.)	Welsh.	Wales.	—	H. 2.	Bolt. fil. t. 2. f. 5. a.
20	virginianum. w. (ye.)	Virginian.	N. America.	7.	H. 2.	Plum. fil. t. 77.
21	Scouleri. H.F. (ye.)	Scouler's.	—	1827.	—	H. 2.	H. et G. ic. fil. t. 56.
22	pectinatum. w. (ye.)	comb-leaved.	W. Indies.	1793.	6. 9.	S. 2.	Lodd. bot. cab. t. 748.
23	Plumula. w. (ye.)	feather.	S. America.	1822.	5. 8.	S. 2.	
24	scolopendrioides. H.F. (y.)	hart's-tongue-ld.	Jamaica.	1824.	—	S. 2.	H. et G. ic. fil. t. 42.
25	tenuifolium. w. (ye.)	slender-leaved.	S. America.	1822.	—	S. 4.	Plum. fil. 66. t. 85.
26	asplenifolium. w. (ye.)	Spleenwort-leav'd.	Martinico.	1790.	—	S. 2.	— 85. t. 102. f. A.
27	incanum. w. (ye.)	hoary.	America.	1811.	7.	H. 2.	Schkuhr fil. t. 11. b.
28	trichomanoïdes. w. (ye.)	Trichomaneslike.	W. Indies.	1822.	5. 8.	S. 2.	— p. 11. t. 10.
29	decumanum. s.s. (ye.)	robust.	Brazil.	1818.	—	S. 2.	
30	juglandifolium. w. (ye.)	Walnut-leaved.	S. America.	1822.	—	S. 2.	
31	proliferum. s.s. (ye.)	proliferous.	Brazil.	1829.	9. 12.	S. 2.	
32	crenatum. w. (ye.)	crenated.	S. America.	1821.	S. 2.	
33	fraxinifolium. w. (ye.)	Ash-leaved.	Caracas.	1822.	5. 8.	S. 2.	
34	tenellum. B.P. (ye.)	slender.	N. S. W.	—	5. 7.	S. 2.	
35	tetragonum. s.s. (ye.)	four-sided.	W. Indies.	1826.	6. 9.	S. 2.	
36	Phegopteris. E.B. (ye.)	sun-fern.	Britain.	6. 7.	H. 2.	Eng. bot. v. 31. t. 2224.
37	hexagonopterum. w. (y.)	triangular.	N. America.	1811.	—	H. 2.	Pluk. alm. t. 284. f. 2.
38	pruinatum. w. (ye.)	white-leaved.	Jamaica.	1793.	5. 8.	S. 2.	
39	effusum. w. (ye.)	spreading.	—	1769.	11.	S. 2.	Sloan. jam. 1. t. 57. f. 3.
40	Dryopteris. w. (ye.)	tender-branched.	Britain.	6. 9.	H. 2.	Eng. bot. v. 9. t. 616.
41	connectile. w. (ye.)	connected.	N. America.	1812.	7.	H. 2.	
42	calcareum. w. (ye.)	rigid-branched.	Britain.	—	H. 2.	Eng. bot. v. 22. t. 1525.
WO'ODSIA. L.T. WO'ODSIA. Cryptogamia Filices. L.							
1	pubescens. s.s. (br.ye.)	pubescent.	Brazil.	1826.	1. 12.	S. 2.	
2	glabella. s.s. (br.ye.)	smooth.	N. America.	1827.	6. 9.	H. 2.	
3	hyperborea. L.T. (br.y.)	hairy Alpine.	Scotland.	7. 9.	H. 2.	Eng. bot. v. 29. t. 2023.
4	ilvensis. L.T. (br.ye.)	rock.	N. America.	1812.	6. 7.	H. 2.	Schkuhr fil. t. 19.
5	vestita. Spr. (br.ye.)	clothed.	—	1816.	—	H. 2.	
6	Perriniàna. H.F. (br.y.)	Perrin's.	—	1825.	8. 11.	G. 2.	H. et G. ic. fil. t. 68.
<i>Alsophila Perriniàna. s.s.</i>							
PLEOPE'LTIS. K.S. PLEOPE'LTIS. Cryptogamia Filices.							
1	ensifolia. H.E.F. (br.y.)	sword-leaved.	C. B. S.	1823.	5. 6.	S. 2.	Hook. ex. flor. t. 62.
2	latifolia. L.C. (br.ye.)	broad-leaved.	—	—	—	S. 2.	
3	nuda. D.P. (br.ye.)	naked.	Nepaul.	—	—	S. 2.	Hook. ex. flor. t. 63.
4	angusta. s.s. (br.ye.)	narrow-leaved.	Mexico.	1826.	—	S. 2.	
ASPIDIUM. B.P. SHIELD-FERN. Cryptogamia Filices. W.							
1	Hookeri. (br.ye.)	Hooker's.	W. Indies.	1812.	6. 9.	S. 2.	H. et G. ic. fil. t. 96.
<i>prolifera. H.F. non B.P.</i>							
2	rhizophyllum. H.F. (br.y.)	rooting-leaved.	Jamaica.	1816.	—	S. 2.	H. et G. ic. fil. t. 59.
3	trifoliatum. w. (br.ye.)	three-leaved.	W. Indies.	1769.	4. 8.	S. 2.	Jacq. ic. 3. t. 638.
4	cicutarium. w. (br.ye.)	Cicuta-leaved.	N. America.	1823.	—	H. 2.	Pluk. alm. t. 289. f. 4.
5	pátens. w. (br.ye.)	pubescent.	W. Indies.	1784.	7. 9.	S. 2.	Schkuhr fil. t. 334.
6	dentatum. w. (br.ye.)	toothed.	Scotland.	7.	H. 2.	Eng. bot. v. 23. t. 1588.
<i>Cyathea dentata. E.B.</i>							
7	Halleri. w. (br.ye.)	Haller's.	Switzerland.	1824.	4. 8.	H. 2.	
8	bulbiferum. w. (br.ye.)	bulbiferous.	N. America.	1638.	7. 8.	H. 2.	
9	rhæticum. w. (ye.)	stone.	Switzerland.	—	H. 2.	
10	frágile. w. (ye.)	brittle.	Britain.	6. 8.	H. 2.	Eng. bot. v. 23. t. 1587.
11	regium. w. (ye.)	laciniated.	—	6.	H. 2.	— v. 3. t. 163.
<i>Cyathea incisa. E.B.</i>							
12	æmulum. w. (ye.)	dwarf.	Madeira.	1779.	F. 2.	
13	alpinum. w. (ye.)	Alpine.	S. Europe.	1825.	6. 8.	H. 2.	Jacq. ic. 3. t. 642.
14	montanum. w. (ye.)	mountain.	—	—	—	H. 2.	
15	irriguum. E.B. (ye.)	brook.	Britain.	6.	H. 2.	Eng. bot. v. 31. t. 2199.
16	atomarium. w. (ye.)	small.	N. America.	1822.	6. 8.	H. 2.	
NEPHR'ODIUM. B.P. NEPHR'ODIUM. Cryptogamia Filices.							
1	Lonchitis. H.S.L. (ye.)	rough Alpine.	Britain.	5. 8.	H. 2.	Eng. bot. v. 12. t. 797.
<i>Aspidium Lonchitis. E.B.</i>							
2	auriculatum. H.S.L. (ye.)	eared.	E. Indies.	1793.	7.	S. 2.	Burm. zeyl. t. 44. f. 2.
3	acrostichoïdes. M. (ye.)	Acrostichum-like.	N. America.	1824.	5. 8.	H. 2.	Schkuhr fil. t. 30.
4	mucronatum. s.s. (ye.)	mucronate.	Jamaica.	1826.	—	S. 2.	
5	exaltatum. B.P. (ye.)	lofty.	—	1793.	5. 8.	S. 2.	Schkuhr fil. t. 32. b.
6	unitum. B.P. (ye.)	smooth united.	E. Indies.	—	—	S. 2.	Burm. zeyl. t. 44. f. 1.
7	propinquum. B.P. (ye.)	pubescent.	—	—	—	S. 2.	

8	mólle. B.P.	(ye.) soft.	N. S. W.	1822.	5. 8.	G. 2.	Jacq. ic. t. 640.
9	sesquipedále. s.s.	(ye.) black-spotted.	W. Indies.	1824.	—	S. 2.	
10	hirsútulum. s.s.	(ye.) hairy.	E. Indies.	1823.	—	S. 2.	
11	èdule. D.P.	(ye.) eatable-rooted.	Nepaul.	1826.	—	G. 2.	
12	semicordàtum. s.s.	(ye.) half cordate.	W. Indies.	1822.	—	S. 2.	
13	noveboracéense. H.S.L.	(y.) river-side.	N. America.	1812.	7.	H. 2.	Schkuhr fil. t. 46.
14	pectinàtum.	(ye.) comb-like.	1823.	5. 8.	S. 2.	————— t. 296.
	<i>Aspidium trapezoides.</i> Schk.						
15	Oreóptèris. H.S.L.	(ye.) Heath.	Britain.	7.	H. 2.	Eng. bot. v. 15. t. 101.
16	Thely'ptèris. H.S.L.	(ye.) Lady fern.	—————	7. 8.	H. 2.	————— v. 15. t. 101.
17	sérra. s.s.	(ye.) saw-like.	Jamaica.	1819.	—	S. 2.	
18	parasíticum. w.	(ye.) parasitical.	E. Indies.	1824.	—	S. 2.	
19	Goldiànum. H.F.	(ye.) Goldie's.	N. America.	1822.	—	H. 2.	H. et G. ic. fil. t. 102.
20	crístàtum. H.S.L.	(ye.) crested heath.	Britain.	6. 7.	H. 2.	Eng. bot. v. 30. t. 212.
21	aculéàtum. H.S.L.	(ye.) common prickly.	—————	6. 8.	H. 2.	————— v. 22. t. 156.
22	pubéscens. H.F.	(ye.) pubescent.	Jamaica.	1824.	—	S. 2.	H. et G. ic. fil. t. 162.
23	marginàle. H.S.L.	(ye.) marginal-flower'd.	N. America.	1772.	6. 9.	H. 2.	Schkuhr fil. t. 45. b.
24	Fílix-más. H.S.L.	(ye.) Male fern.	Britain.	6. 8.	H. 2.	Eng. bot. v. 21. t. 147.
	β <i>Smithii.</i>	(ye.) <i>Smith's.</i>	—————	—	H. 2.	————— v. 28. t. 194.
	<i>Aspidium cristatum.</i> E.B. 1949. non 2125.						
	γ <i>eròsum.</i> Ph.	(ye.) jagged.	N. America.	1812.	—	H. 2.	Schkuhr fil. t. 45.
25	lancastriéense. s.s.	(ye.) Lancaster.	—————	1825.	—	H. 2.	
26	fràgrans. H.F.	(ye.) fragrant.	Europe.	—	H. 2.	H. et G. ic. fil. t. 70.
27	platyphýllum. s.s.	(ye.) flat-leaved.	S. America.	1826.	—	S. 2.	
28	lobàtum. H.S.L.	(ye.) close-leaved.	England.	6. 9.	H. 2.	Eng. bot. v. 22. t. 156.
29	intermèdium. w.	(ye.) intermediate.	N. America.	1816.	—	H. 2.	
30	spinulòsum. H.S.L.	(ye.) crested prickly.	Britain.	6. 8.	H. 2.	Eng. bot. v. 21. t. 146.
31	dilatàtum. H.S.L.	(ye.) great crested.	—————	—	H. 2.	————— v. 21. t. 146.
32	obtùsum. w.	(ye.) blunt leaved.	N. America.	1827.	—	H. 2.	Schkuhr fil. t. 21.
33	rígidum. w.	(ye.) rigid.	Germany.	1816.	—	H. 2.	
34	elongàtum. H.S.L.	(ye.) cut-leaved.	Madeira.	1799.	7. 8.	F. 2.	
35	villòsum. H.S.L.	(ye.) villous.	W. Indies.	1793.	7.	S. 2.	Schkuhr fil. t. 46. b.
36	decompòsitum. B.P.	(ye.) decompound.	N. S. W.	1820.	6. 8.	F. 2.	
37?	Báromez. Baromez.	Tartary.	1824.	S. 2.	
	ALLANTODIA. B.P. ALLANTODIA. Cryptogamia Filices.						
1	umbròsa. B.P.	(ye.) Madeira.	Madeira.	1779.	6. 9.	F. 2.	Schkuhr fil. t. 61.
2	axillàris. s.s.	(ye.) slender.	—————	—	—	F. 2.	
	<i>Polypodium axillare.</i> H.K. <i>Aspidium axillare.</i> Sw.						
3	austràlis. B.P.	(ye.) southern.	V. Diem. Isl.	1820.	—	F. 2.	
4	ténera. B.P.	(ye.) membranaceous.	N. S. W.	—	—	F. 2.	
	ASPLENIUM. B.P. SPLEENWORT. Cryptogamia Filices. L.						
1	acútum. s.s.	(br.) acute.	Canaries.	1818.	4. 7.	F. 2.	
2	físsum. s.s.	(br.) cleft-leaved.	Hungary.	1825.	—	H. 2.	
3	fontànum. B.P.	(st.) smooth rock.	England.	6. 8.	H. 2.	Eng. bot. v. 29. t. 202.
	<i>Aspidium fontanum.</i> E.B.						
4	Fílix-fémína. B.P.	(st.) female fern.	Britain.	6. 9.	H. 2.	Eng. bot. v. 21. t. 149.
5	Michauxii. s.s.	(st.) Michaux's.	N. America.	1812.	—	H. 2.	
6	Athyrium. s.s.	(st.) American.	—————	1820.	—	H. 2.	Schkuhr filic. t. 78.
	<i>Nephrodium asplenioides.</i> M.						
7	Hallèri. s.s.	(st.) Haller's.	Switzerland.	1825.	—	H. 2.	
8	Adiàntum-nigrum. w.	(br.) black.	Britain.	4. 10.	H. 2.	Eng. bot. v. 28. t. 195.
9	lanceolàtum. E.B.	(br.) lanceolate.	England.	6. 10.	H. 2.	————— v. 4. t. 240.
10	rádicans. s.s.	(br.) rooting-branched.	W. Indies.	1822.	—	S. 2.	
11	bisséctum. s.s.	(br.) bifid.	Jamaica.	1821.	—	S. 2.	
12	montànum. w.	(br.) mountain.	N. America.	1812.	7.	H. 2.	
13	fràgrans. w.	(br.) fragrant.	Jamaica.	1793.	—	S. 2.	
14	Rùta murària. w.	(br.) Wall-rue.	Britain.	6. 10.	H. 2.	Eng. bot. v. 3. t. 150.
15	cicutàrium. H.S.	(br.) Cicuta-like.	S. America.	1822.	—	S. 2.	Plum. fil. t. 48. a.
16	formòsum. w.	(br.) handsome.	Santa Cruz.	—	—	S. 2.	
17	præmórsum. w.	(br.) snip-leaved.	Jamaica.	1793.	—	S. 2.	Pluk. alm. t. 73. f. 5.
18	striàtum. w.	(br.) striated.	W. Indies.	—	6. 8.	S. 2.	Plum. fil. t. 18. 19.
19	thelypteroídes. w.	(br.) Ladyfern-like.	N. America.	1823.	7.	H. 2.	Schkuhr fil. t. 76. b.
20	sulcàtum. s.s.	(br.) furrowed.	W. Indies.	1827.	—	S. 2.	Plum. fil. t. 46.
21	pùmilum. s.s.	(br.) dwarf.	—————	1823.	—	S. 2.	————— t. 66. A.
22	canariéense. s.s.	(br.) Canary Island.	Canaries.	1824.	—	G. 2.	
23	rhizóphorum. w.	(br.) root-bearing.	Jamaica.	1793.	6. 8.	S. 2.	Sloan. j. 1. t. 29. 30. f. 1.
24	víride w.	(br.) green.	Britain.	6. 9.	H. 2.	Eng. bot. v. 32. t. 225.
25	melanocàulon. w.	(br.) black-stalked.	N. America.	1812.	7.	H. 2.	
26	Trichómanes. w.	(br.) Maiden hair.	Britain.	5. 10.	H. 2.	Eng. bot. v. 8. t. 576.

27	germánicum. w.	alternate-leaved.	Scotland.	6. 10.	H. 4.	Eng. bot. v. 32. t. 2258.
	<i>alternifolium</i> . E.B.	<i>Brèynii</i> . Sw.					
28	ebèneum. w.	(br.) ivory striped.	N. America.	1779.	9.	H. 4.	Lodd. bot. cab. t. 5.
	<i>trichomanoides</i> . M.						
29	bipartitum. s.s.	(br.) two-parted.	W. Indies.	1822.	—	S. 4.	
30	dimidiatum. s.s.	(br.) narrow-leaved.	—	1827.	—	S. 4.	
31	aùritum. s.s.	(br.) eared.	—	1829.	9. 12.	S. 4.	
32	zamiæfolium. s.s.	(br.) Zamia-leaved.	S. America.	1818.	6. 10.	S. 4.	Lodd. bot. cab. t. 854.
33	falcatum. B.P.	(br.) sickle-leaved.	N. S. W.	1825.	6. 7.	F. 4.	
34	monanthemum. w.	(br.) one-flowered.	C. B. S.	1790.	7.	G. 4.	Sm. ined. t. 73.
35	resectum. s.s.	(br.) cut-leaved.	Mauritius.	1820.	—	S. 4.	H. et G. ic. fil t. 114.
36	marinum. w.	(br.) sea-side.	Britain.	6. 10.	H. 4.	Eng. bot. v. 6. t. 392.
37	dentatum. H.F.	(br.) tooth-leaved.	Jamaica.	1824.	—	S. 4.	H. et G. ic. fil. t. 72.
38	flabellifolium. w.	(br.) fan-leaved.	N. S. W.	1825.	6. 7.	G. 4.	Hook. ex. flor. t. 208.
39	déntex. w.	(br.) toothed.	C. B. S.	1790.	6. 10.	G. 4.	
40	difforme. B.P.	(br.) deformed.	N. S. W.	1822.	6. 7.	F. 4.	
41	Shephérdii. s.s.	(br.) Shepherd's.	Jamaica.	1824.	6. 9.	S. 4.	
42	angustifolium. s.s.	(br.) narrow-leaved.	N. America.	1812.	—	H. 4.	Schkuhr fil. t. 69.
43	septentrionale. w.	(br.) forked.	Britain.	6. 10.	H. 4.	Eng. bot. v. 15. t. 1017.
44	palmatum. s.s.	(br.) palmated.	S. Europe.	1816.	7. 10.	F. 4.	Lodd. bot. cab. t. 868.
45	attenuatum. E.P.	(br.) slender.	N. S. W.	1825.	6. 7.	F. 4.	
46	rhizophyllum. w.	(br.) rooting-leaved.	N. America.	1680.	—	H. 4.	
47	serratum. w.	(br.) saw-leaved.	W. Indies.	1793.	—	S. 4.	Schkuhr fil. t. 64.
48	Nidus. B.P.	(br.) nest.	N. Holland.	1822.	—	F. 4.	
CÆNOPTERIS. S.S. CÆNOPTERIS. Cryptogamia Filices.							
1	Odontites. s.s.	(br.) long-leaved.	N. Holland.	1822.	6. 10.	G. 4.	Thunb. n. ac. pet. t. E. f. 1.
	<i>Asplenium Odontites</i> . B.P.	<i>Dàrea Odontites</i> . w.					
2	appendiculata. s.s.	(br.) loose.	V. Diem. Isl.	—	—	G. 4.	Lab. n. holl. 2. t. 243.
3	rhizophylla. s.s.	(br.) rooting-leaved.	W. Indies.	1827.	—	S. 4.	
SCOLOPE'NDRIUM. W. HART'S-TONGUE. Cryptogamia Filices. W.							
1	officinàrum. w.	(br. ye.) common.	Britain.	7. 8.	H. 4.	Eng. bot. v. 16. t. 1150.
	β <i>crispum</i> . (br. ye.)	curled-leaved.	—	—	H. 4.	
	γ <i>undulatum</i> . (br. ye.)	waved-leaved.	—	—	H. 4.	Pluk. phyt. 248. f. 1.
	δ <i>multifidum</i> . (br. ye.)	clustered.	—	—	—	H. 4.	
	ϵ <i>ramosum</i> . (br. ye.)	branching.	—	—	H. 4.	Pluk. phyt. 248. f. 2.
2	Hemionitis. s.s.	(br.) Mule's fern.	Canaries.	1779.	6. 7.	G. 4.	Schkuhr crypt. t. 66.
	<i>Asplenium Hemionitis</i> . L.						
DO'ODIA. B.P. DO'ODIA. Cryptogamia Filices.							
1	áspera. B.P.	(br. ye.) rough-stalked.	N. S. W.	1808.	3. 9.	G. 4.	Hook. ex. flor. t. 8.
2	caudata. B.P.	(br. ye.) tailed.	—	1822.	—	G. 4.	— t. 25.
WOODWA'RDIA. W. WOODWA'RDIA. Cryptogamia Filices. W.							
1	onocleoides. w.	(br. ye.) Onoclea-like.	N. America.	1812.	8. 10.	H. 4.	Schkuhr fil. t. 111.
2	virginica. w.	(br. ye.) Virginian.	—	1774.	8. 9.	H. 4.	Pluk. alm. t. 179. f. 2.
3	rádicans. w.	(br. ye.) rooting-leaved.	Madeira.	1779.	9. 10.	G. 4.	Schkuhr fil. t. 112.
BLE'CHNUM. W. BLE'CHNUM. Cryptogamia Filices. W.							
1	brasiléense. s.s.	(br. ye.) Brazilian.	Brazil.	1828.	9. 11.	S. 4.	
2	cartilagineum. B.P.	(br.) cartilaginous.	N. S. W.	1822.	6. 8.	F. 4.	
3	denticulatum. s.s.	(br. y.) toothed.	Teneriffe.	1826.	6. 9.	F. 4.	
4	lævigatum. B.P.	(br.) smooth.	N. S. W.	1820.	3. 9.	G. 4.	
5	angustifolium. s.s.	(br. y.) narrow-leaved.	Trinidad.	1824.	—	S. 4.	
6	longifolium. s.s.	(br.) long-leaved.	—	1826.	—	S. 4.	Bot. mag. t. 2818.
7	glandulosum. s.s.	(br.) glandular.	Brazil.	1823.	—	S. 4.	
8	occidentale. w.	(br.) American.	S. America.	1777.	—	S. 4.	Jacq. ic. 3. t. 644.
9	australe. w.	(br.) Cape.	C. B. S.	1691.	—	G. 4.	Schkuhr fil. t. 110. b.
10	polypodioides. s.s.	(br.) Polypody-leav'd.	Brazil.	1829.	8. 12.	S. 4.	
11	Lancèola. s.s.	(br.) spear-leaved.	—	—	—	S. 4.	
LOM'ARIA. W. LOM'ARIA. Cryptogamia Filices. W.							
1	nuda. w.	(br.) naked.	V. Diem. Isl.	1822.	4. 8.	F. 4.	Lab. n. hol. 2. t. 246.
	<i>Onoclea nuda</i> . Lab.	<i>Stegània nuda</i> . B.P.					
2	Spicant. s.s.	(br.) northern.	Britain.	7. 9.	H. 4.	Eng. bot. v. 17. t. 1159.
	<i>Osmunda Spicant</i> . L.	<i>Bléchnum boreale</i> . E.B.					
3	onocleoides. s.s.	(br.) Onoclea-like.	Jamaica.	1824.	—	S. 4.	
4	sorbifolia. s.s.	(br.) Service-leaved.	W. Indies.	1793.	—	S. 4.	Plum. fil. t. 117.
	<i>Acróstichum sorbifolium</i> . L.						
5	longifolia. s.s.	(br.) long-leaved.	—	1810.	6. 9.	S. 4.	Plum. fil. t. 117. dextr.
6	prócera. s.s.	(br.) lofty.	N. Holland.	1822.	4. 8.	F. 4.	Lab. n. hol. 2. t. 247.
	<i>Bléchnum pròcerum</i> . Lab.	<i>Stegània pròcera</i> . B.P.					
ONOCLE'EA. W. ONOCLE'EA. Cryptogamia Filices. L.							
1	sensibilis. w.	(br.) sensitive fern.	Virginia.	1799.	8.	H. 4.	Schkuhr fil. t. 102.
2	obtusilobata. Ph.	(br.) blunt-lobed.	N. America.	1812.	7.	H. 4.	— t. 103.

STRUTHIO'PTERIS. W. STRUTHIO'PTERIS. Cryptogamia Filices.

- 1 *germánica*. s.s. (br.) German. Europe. 1760. 7. 8. H. 4. Schkuhr fil. t. 105.
Osmúnda Struthiöpteris. L. *Onoclèa Struthiöpteris*. w.
- 2 *pensylvánica*. w. (br.) Pensylvanian. N. America. 1812. — H. 4. Schkuhr fil. t. 104.
Onoclèa nodulösa. Schkuhr.

VITT'ARIA. W. VITT'ARIA. Cryptogamia Filices. W.

- lineàta*. w. (br.) linear-leaved. America. 1793. S. 4. Schkur fil. t. 101. b.

ANTR'OPHYUM. S.S. ANTR'OPHYUM. Cryptogamia Filices.

- lanceolàtum*. s.s. (br.) spear-leaved. W. Indies. 1793. 6. 10. S. 4. Schkuhr fil. t. 6.
Hemionitis lanceolàta. L.

DIPL'AZIUM. W. DIPL'AZIUM. Cryptogamia Filices. W.

- 1 *plantagíneum*. s.s. (br.) Plantain-leav'd. W. Indies. 1822. S. 4.
 2 *grandifòlium*. w. (br.) large-leaved. Jamaica. 1793. 8. 10. S. 4.
 3 *juglandifòlium*. s.s. (br.) Walnut-leaved. ——— 1825. S. 4.
 4 *seramporéne*. s.s. (br.) East Indian. E. Indies. 1827. S. 4.
 5 *auriculàtum*. s.s. (br.) eared. S. America. 1820. 8. 10. S. 4.
 6 *barbadéne*. w. (br.) Barbadoes. W. Indies. 1822. S. 4.
 7 *malabáricum*. s.s. (br.) Malabar. E. Indies. 1818. 6. 8. S. 4.
Asplénium ambíguum. Swartz.
- 8 *arboréscens*. s.s. (br.) arborescent. Mauritius. 1824. S. 4.
 9 *esculéntum*. w. (br.) eatable. Ceylon. 1822. S. 4.

CRYPTOGRAMMA. Br. CRYPTOGRAMMA. Cryptogamia Filices.

- 1 *acrostichoídes*. Br. (st.) Acrostichum-like. N. America. 1827. 7. 9. H. 4. H. et G. ic. fil. t. 29.
Allosòrus acrostichoídes. s.s.
- 2 *crísipa*. Br. (st.) curled. Britain. — H. 4. Eng. bot. v. 17. t. 1160.
Allosòrus crísipus. s.s. *Ptèris crísipa*. E. B. *Osmúnda crísipa*. L.

PTERIS. W. BRAKE. Cryptogamia Filices. L.

- 1 *pedàta*. w. (st.) pedate. W. Indies. 1816. 5. 8. S. 4. Pet. fil. 176. t. 8. f. 12.
 2 *palmàta*. w. (br. st.) palmated. ——— 1823. 6. 7. S. 4. Lodd. bot. cab. t. 1299.
 3 *argénteà*. w. (st. br.) silvery. Siberia. ——— — H. 4.
 4 *longifòlia*. w. (st. br.) long-leaved. W. Indies. 1770. 7. 9. S. 4. Jacq. sch. 3. t. 339. 409.
 5 *grandifòlia*. w. (st. br.) large-leaved. ——— 1793. S. 4. Schkuhr fil. t. 89.
 6 *serrulàta*. w. (st. br.) various-leaved. India. 1770. 8. 9. S. 4. ——— t. 91.
 7 *denticulàta*. s.s. (st. br.) toothed. Brazil. 1824. 5. 9. S. 4. H. et G. ic. fil. t. 28.
 8 *crética*. w. (st. br.) Cretan. Candia. 1818. 5. 7. G. 4.
 9 *atropurpúrea*. w. (br.) dark purple. N. America. 1770. 8. 9. H. 4. Schkuhr fil. t. 101.
 10 *nemoràlis*. W. en. (st. br.) wood. Africa. 1823. 5. 8. S. 4.
 11 *biaùrita*. s.s. (st. br.) two-eared. W. Indies. 1824. ——— S. 4. H. et G. ic. fil. t. 142.
 12 *Plumieri*. s.s. (st. br.) Plumier's. S. America. 1818. ——— S. 4.
 13 *argùta*. w. (st. br.) sharp-notched. Madeira. 1778. 8. 9. F. 4. Pluk. alm. t. 290. f. 2.
 14 *umbrösa*. B. P. (st. br.) shade. N. S. W. 1823. 5. 8. F. 4.
 15 *cordàta*. w. (st. br.) heart-leaved. Mexico. 1825. ——— G. 4.
 16 *sagittàta*. w. (st. br.) arrow-leaved. S. America. 1820. ——— S. 4.
 17 *vespertiliónis*. B. P. (st.) Bat-winged. N. S. W. 1823. ——— F. 4. Lab. nov. hol. 2. t. 245.
 18 *trémula*. B. P. (st. br.) trembling. ——— 1822. ——— F. 4.
 19 *esculénta*. B. P. (st. br.) esculent. ——— 1815. ——— F. 4. Lab. nov. hol. 2. t. 244.
 20 *grácilis*. w. (st. br.) slender. Canada. 1823. 7. H. 4.
 21 *hastàta*. w. (st. br.) hastate. W. Indies. ——— 5. 8. S. 4.
 22 *aculeàta*. w. (st. br.) prickly-stem'd. ——— 1793. S. 4. Plum. fil. t. 5. et 11.
 23 *falcàta*. B. P. (st. br.) falcate. N. S. W. 1820. 5. 7. F. 4.
 24 *caudàta*. w. (st. br.) American. N. America. 1777. 9. 12. H. 4. Jacq. ic. 3. t. 645.
 25 *aquilina*. E. B. (st. br.) common. Britain. 7. 8. H. 4. Eng. bot. v. 24. t. 1679.
 26 *lanuginösa*. w. (st. br.) woolly. Bourbon. 1818. ——— S. 4.
 27 *intramarginàlis*. K. F. (br.) Mexican. Mexico. 1828. 7. 12. S. 4.

TÆN'ITIS. W. TÆN'ITIS. Cryptogamia Filices. W.

- 1 *lanceolàta*. s.s. (br.) spear-leaved. W. Indies. 1818. 6. 9. S. 4. Plum. fil. t. 132.
 2 *angustifòlia*. s.s. (br.) narrow-leaved. ——— 1823. ——— S. 4.
 3 *graminifòlia*. H. E. F. (br.) grass-leaved. Trinidad. 1820. 6. 8. S. 4. Hook. ex. flor. t. 77.
 4 *furcàta*. s.s. (br.) forked. ——— 1824. ——— S. 4. H. et G. ic. fil. t. 7.
 5 *chinénsis*. s.s. (br.) Chinese. China. 1828. ——— G. 4.

ADIA'NTUM. W. MAIDENHAIR. Cryptogamia Filices. L.

- 1 *renifórme*. w. (br.) kidney-leaved. Madeira. 1699. 6. 9. G. 4. Lodd. bot. cab. t. 841.
 2 *obliquum*. s.s. (br.) oblique-leaved. W. Indies. 1826. 4. 8. S. 4. H. et G. ic. fil. t. 132.
 3 *macrophy'llum*. w. (br.) large-leaved. Jamaica. 1793. ——— S. 4. ——— t. 104.
 4 *lunulàtum*. s.s. (br.) lunulate. E. Indies. 1826. ——— S. 4.
 5 *deltoídeum*. s.s. (br.) deltoid-leaved. Jamaica. 1824. ——— S. 4.
 6 *denticulàtum*. s.s. (br.) toothed-leaved. W. Indies. 1825. ——— S. 4.
 7 *serrulàtum*. w. (br.) saw-leaved. Jamaica. 1823. 6. 8. S. 4. Sloan. j. 17. t. 36. f. 2.
 8 *radiàtum*. w. (br.) radiated. W. Indies. 1776. 4. 8. S. 4. Plum. fil. t. 100.
 9 *pedàtum*. w. (br.) Canadian. N. America. 1640. 8. 9. H. 4. Schkuhr fil. t. 115.

10 hispidulum. B.P.	(br.) bristly.	N. Holland.	1822.	5. 8.	G. 2.	
11 striatum. s.s.	(br.) streaked.	W. Indies.	—	—	S. 2.	
12 villosum. w.	(br.) hairy-stalked.	Jamaica.	1775.	6. 9.	S. 2.	Schkuhr fil. t. 120.
13 pulverulentum. w.	(br.) dusty.	W. Indies.	1793.	S. 2.	— t. 119.
14 triangulatum. s.s.	(br.) triangular.	Trinidad.	1824.	—	S. 2.	
15 Capillus-veneris. w.	(br.) true.	Britain.	5. 9.	H. 2.	Eng. bot. v. 22. t. 1564.
16 trapeziforme. w.	(br.) rhomb-leaved.	—	1793.	S. 2.	Schkuhr fil. t. 122.
17 pentadactylon. s.s.	(br.) five-fingered.	Brazil.	1828.	—	S. 2.	H. et G. ic. fil. t. 98.
18 cuneatum. s.s.	(br.) wedge-leaved.	—	1824.	—	S. 2.	— ic. fil. t. 30.
19 assimile. B.P.	(br.) likened.	N. S. W.	1823.	5. 8.	G. 2.	Lab. n. hol. 2 t. 248. f. 2.
trigdonum. Lab.						
20 formosum. B.P.	(br.) handsome.	—	1822.	—	G. 2.	
21 tenerum. w.	(br.) tender.	Jamaica.	1793.	7.	S. 2.	Pluk. alm. t. 254. f. 1.
CHEILA'NTHES. W.	CHEILA'NTHES. Cryptogamia Filices. W.					
1 ferruginea. s.s.	(br.) ferruginous.	Peru.	1816.	5. 8.	S. 2.	
2 gracilis. s.s.	(br.) slender.	Canada.	1827.	—	H. 2.	
3 pteroides. s.s.	(br.) Pteris-like.	C. B. S.	1775.	7. 9.	G. 2.	Hout. n. hist. t. 26. f. 3.
4 odora. s.s.	(br.) sweet-scented.	S. Europe.	1824.	—	F. 2.	
5 suavolens. s.s.	(br.) scented.	Madeira.	1778.	—	G. 2.	
6 fragrans. s.s.	(br.) fragrant.	E. Indies.	—	—	S. 2.	Sw. syn. fil. t. 3. f. 6.
7 microphylla. s.s.	(br.) small-leaved.	W. Indies.	1822.	5. 8.	S. 2.	
8 vestita. s.s.	(br.) clothed.	N. America.	1812.	7.	H. 2.	Schkuhr fil. t. 124.
9 hirta. s.s.	(br.) hairy.	C. B. S.	1816.	5. 8.	G. 2.	
10 lendigera. w.	(br.) chaffy.	S. America.	1822.	—	S. 2.	
11 tenuifolia. B.P.	(br.) slender-leaved.	N. S. W.	1824.	—	G. 2.	
12 spectabilis. s.s.	(br.) showy.	Brazil.	1829.	9. 12.	S. 2.	
13 repens. s.s.	(br.) creeping.	W. Indies.	1824.	6. 10.	S. 2.	
LONCHITIS. W.	LONCHITIS. Cryptogamia Filices. W.					
1 pedata. s.s.	(br.) pedate.	Jamaica.	1793.	6. 8.	S. 2.	Brown. jam. 89. t. 1.
Pteris podophylla. w.						
2 hirsuta. s.s.	(br.) hairy.	W. Indies.	—	S. 2.	Schkuhr fil. t. 86.
LINDS'ÆA. B.P.	LINDS'ÆA. Cryptogamia Filices. W.					
1 reniformis. L.T.	(br.) kidney-leaved.	Trinidad.	1826.	5. 7.	S. 2.	Linn. trans. v. 3. t. 7. f. 1.
2 linearis. B.P.	(br.) linear-leaved.	N. S. W.	1820.	4. 6.	G. 2.	Sw. fil. 118. t. 3. f. 3.
3 falcata. L.T.	(br.) sickle-leaved.	—	1824.	5. 8.	S. 2.	Linn. trans. v. 3. t. 7. f. 1.
4 trapeziformis. L.T.	(br.) rhomb-leaved.	W. Indies.	1825.	—	S. 2.	— v. 3. t. 9.
5 microphylla. B.P.	(br.) small-leaved.	N. S. W.	1820.	4. 6.	G. 2.	
DAVA'LLIA. W.	DAVA'LLIA. Cryptogamia Filices. W.					
1 pyxidata. B.P.	(ye.) shining.	N. S. W.	1808.	4. 9.	G. 2.	
2 canariensis. w.	(ye.) Hare's-foot fern.	Canaries.	1699.	—	G. 2.	Jacq. ic. 1. t. 200.
3 gibberosa. s.s.	(br.ye.) gibbous-flower'd.	N. Zealand.	1825.	—	G. 2.	Sw. flor. aust. t. 31.
4 fumaroides. s.s.	(br.ye.) Fumitory-like.	W. Indies.	1828.	6. 10.	S. 2.	
5 flaccida. B.P.	(br.ye.) flaccid.	N. Holland.	1826.	—	G. 2.	
BALA'NTIUM. K.F.	BALA'NTIUM. Cryptogamia Filices.					
Cúlcita. K.S.	(br.ye.) shining-leaved.	Madeira.	1779.	9. 10.	F. 2.	
Dicksônia Cúlcita. w.						
DICKS'ONIA. W.	DICKS'ONIA. Cryptogamia Filices. W.					
1 pilosúscula. w.	(br.ye.) hairy.	N. America.	1811.	7. 9.	H. 2.	Schkuhr fil. t. 131.
2 arboréscens. w.	(br.ye.) tree.	S. Helena.	1786.	6. 12.	S. 2.	Jacq. ic. t. 201.
3 dissécta. w.	(br.ye.) cut-leaved.	Jamaica.	1793.	9. 10.	S. 2.	
4 adiantoides. s.s.	(br.st.) Adiantum-like.	W. Indies.	1828.	8. 12.	S. 2.	
CYATH'EA. B.P.	CYATH'EA. Cryptogamia Filices. W.					
1 arborea. w.	(br.ye.) tree.	W. Indies.	1793.	S. 2.	Plum. fil. 1. t. 1. 2.
2 excélsa. s.s.	(br.ye.) tall.	Mauritius.	1825.	S. 2.	
ALSO'PHILA. B.P.	ALSO'PHILA. Cryptogamia Filices.					
1 australis. B.P.	(br.st.) southern.	N. S. W.	1820.	G. 2.	
2 áspera. s.s.	(br.ye.) rough.	W. Indies.	1824.	S. 2.	
HEMIT'ELIA. B.P.	HEMIT'ELIA. Cryptogamia Filices.					
multiflora. s.s.	(br.ye.) many-flowered.	Jamaica.	1824.	S. 2.	
TRICHO'MANES. W.	TRICHO'MANES. Cryptogamia Filices. W.					
1 membranaceum. w.	(br.) membranaceous.	W. Indies.	1820.	5. 8.	S. 2.	Hook. ex. flor. t. 76.
2 floribúndum. s.s.	(br.ye.) many-flowered.	—	1825.	—	S. 2.	H. et G. ic. fil. t. 9.
3 brevisetum. H.K.	(br.ye.) short-styled.	Britain.	5. 6.	H. 2.	Eng. bot. v. 20. t. 1417
Hymenophyllum alatum. E.B.						
4 alatum. s.s.	(br.ye.) wing-leaved.	W. Indies.	1824.	—	S. 2.	H. et G. ic. fil. t. 11.
5 crispum. s.s.	(br.ye.) curled.	—	1828.	—	S. 2.	— ic. fil. t. 12.
HYMENOPHY'LLUM. FILMY-LEAF. Cryptogamia Filices. W.						
1 polyánthos. s.s.	(br.ye.) many-flowered.	W. Indies.	1824.	6. 9.	S. 2.	H. et G. ic. fil. t. 128.
2 tunbridgense. w.	(br.) Tunbridge.	Britain.	5. 6.	H. 2.	Eng. bot. v. 3. t. 162.
3 hirsutum. s.s.	(br.ye.) hairy.	Trinidad.	1823.	5. 9.	S. 2.	H. et G. ic. fil. t. 84.

ADDENDA et CORRIGENDA.

RANUNCULACEÆ. p. 1.

CLE'MATIS. p. 1.	VIRGIN'S BOWER.				
grandiflora. p. 1. (gr.)	large-flowered.	Sierra Leone.	1822.	7. 9.	S. $\frac{1}{2}$. \smile . Bot. reg. t. 1234.
chlorantha. B. Reg.					
43 viornoïdes. Jac. (li.)	Viorna-like.	N. America.	1826.	6. 9.	H. $\frac{1}{2}$. \smile .
ANEMONÆ. p. 3.	ANEMONE.				
26 Richardsoni. H.A. (ye.)	Richardson's.	N. America.	1827.	4. 7.	H. $\frac{1}{2}$. Hook. fl. b. am. t. 4. A.
27 deltoïdea. H.A. (wh.)	deltoid.	Columbia.	—	—	H. $\frac{1}{2}$. ————— t. 3. A.
RANUNCULUS. p. 4.	CROWFOOT.				
98 rhomboïdeus. H.A. (ye.)	rhomboid-leav'd.	N. America.	1825.	5. 6.	H. $\frac{1}{2}$. Edin. phi. jou. 6. t. 11. f. 1.
99 glaberrimus. H.A. (ye.)	smoothest.	—	1827.	—	H. $\frac{1}{2}$. Hook. fl. b. am. t. 5. A.
100 ovâlis. H.A. (ye.)	oval-leaved.	—	—	—	H. $\frac{1}{2}$. ————— t. 6. B.
101 brevicaulis. H.A. (ye.)	short-stalked.	—	—	—	H. $\frac{1}{2}$. ————— t. 7. A.
102 cardiophyllus. H.A. (y.)	heart-leaved.	—	—	—	H. $\frac{1}{2}$. Bot. mag. t. 2999.
103 pygmæus. DC. (ye.)	pygmy.	—	—	—	H. $\frac{1}{2}$. Wahl. lapp. t. 8. f. 1.
104 Eschscholtzii. H.A. (ye.)	Eschscholtz's.	—	—	—	H. $\frac{1}{2}$.
105 pedatifidus. DC. (ye.)	pedatifid.	—	—	—	H. $\frac{1}{2}$.
106 recurvatus. DC. (ye.)	recurved.	—	—	—	H. $\frac{1}{2}$.
107 Schlechtendalii. H.A. (ye.)	Schlechtendahl's.	—	—	—	H. $\frac{1}{2}$. Schlec. an. s. 2. t. 2.
fascicularis. Schlec. non Muhl.					
CA'LTHA. p. 7.	MARSH MARYGOLD.				
9 biflora. H.A. (wh.)	two-flowered.	N. America.	1827.	5. 7.	H. w. $\frac{1}{2}$.
10 leptosépala. H.A. (wh.)	slender-sepaled.	—	—	—	H. w. $\frac{1}{2}$. Hook. fl. b. am. t. 10.
CO'PTIS. p. 7.	CO'PTIS.				
2 aspleniifolia. H.A. (wh.)	Fern-leaved.	N. America.	1827.	6. 7.	H. $\frac{1}{2}$. Hook. fl. b. am. t. 11.
ACONITUM. p. 9.	MONKSHOOD.				
129 Nuttallii. (pa.)	Nuttall's.	N. America.	1828.	7. 8.	H. $\frac{1}{2}$.
pallidum. N. non R.A.					
130 glabrum. DC. (pa.)	smooth.	1829.	—	H. $\frac{1}{2}$.

DILLENiaceÆ. p. 12.

TRACHYTE'LLA. DC.	TRACHYTE'LLA.	Polyandria Monogynia.			
Actæa. DC. (wh.)	spear-leaved.	China.	1826.	6. 8.	H. $\frac{1}{2}$. \smile .

MAGNOLIACEÆ. p. 13.

TALA'UMA. DC.	TALA'UMA.	Polyandria Polygynia.			
Candollii. Bl. (st.)	De Candolle's.	Java.	1827.	4. 6.	S. $\frac{1}{2}$. Blum. pl. jav. c. ic.
Magnolia odoratissima. Hort.					

BERBERIDEÆ. p. 16.

BE'RBERIS. p. 16.	BARBERRY.				
19 caroliniâna. N. (ye.)	Carolina.	Carolina.	1828.	5. 7.	H. $\frac{1}{2}$.
20 cratægina. DC. (ye.)	Hawthorn-like.	Levant.	1829.	H. $\frac{1}{2}$.
21 glumacea. DC. (ye.)	glumaceous.	N. America.	1827.	H. $\frac{1}{2}$.
A'CHLYS. DC.	A'CHLYS.	Polyandria Monogynia.			
triphy'lla. DC. (wh.)	three-leaved.	N. America.	1827.	4. 6.	H. $\frac{1}{2}$. Hook. fl. b. am. t. 12.
EPIM'EDIUM. p. 16.	BARRENWORT.				
2 hexândrum. H.A. (li.)	hexandrous.	N. America.	1827.	4. 5.	H. $\frac{1}{2}$. Hook. fl. b. am. t. 13.

NYMPHÆACEÆ. p. 17.

NYMPHÆA. p. 17.	WATER-LILY.				
odorata. p. 18.		sweet-scented.	N. America.		
β maxima. N.	(wh.)	largest.	————	1828.	7. 8. H. w. 2.
20 sanguinea. N.	(re.)	bloody.	————	—	— H. w. 2.
N'UPHAR. p. 18.	N'UPHAR.				
advèna. p. 18.		striped-flowered.	N. America.		
β lutea. N.	(ye.)	yellow-flowered.	————	1828.	— H. w. 2.

SARRACENIÆ. p. 18.

SARRACENIA. p. 18.	SIDE-SADDLE-FLOWER.				
1 minor. N.	(pu.)	small.	Carolina.	1829.	6. 7. H. 2. Swt. br. fl. gar. s. 2.

PAPAVERACEÆ. p. 18.

ARGEMONE. p. 19.	ARGEMONE.				
5 intermedia.	(wh.)	intermediate.	Mexico.	1828.	7. 10. H. 2.
SANGUINARIA. p. 19.	PUCCOON.				
2 grandiflora. Ros.	(wh.)	large-flowered.	N. America.	1812.	3. 5. H. 2. Rosc. flor. ill. sea. t. 8.
RŒMERIA. p. 19.	RŒMERIA.				
vermiculata. Lehm.	(re.)	red-flowered.	Persia.	1829.	6. 9. H. 3.
GLAUCIUM. p. 19.	HORN POPPY.				
5 rubrum. DC.	(re.)	red-flowered.	Levant.	—	— H. 3. Flor. græc. t. 488.
6 persicum. DC.	(re.re.)	red and velvet.	Persia.	—	— H. ⊙.

CRUCIFERÆ. p. 21.

NASTURTIUM. p. 22.	NASTURTIUM.				
1 natans. DC.	(st.)	floating.	N. America.	1827.	5. 9. H. w. 2. Deles. ic. sel. 2. t. 15.
BRA'YA. p. 22.	BRA'YA.				
3 pilosa. H.A.	(pu.)	hairy.	N. America.	—	4. 6. H. 2. Hook. fl. b. am. t. 17. f. A.
ARABIS. p. 22.	WALL-CRESS.				
47 retrofracta. Gr.	(bh.)	bending.	N. America.	—	4. 7. H. 2.
<i>Turrilis retrofracta.</i> H.A.					
48 patula. W.K.	(pu.)	spreading.	Hungary.	—	— H. 2. W. et K. hung. 1. t. 59.
49 lævigata. DC.	(wh.)	smooth.	N. America.	—	— H. 2.
MACROP'ODIUM. p. 2.	MACROP'ODIUM.				
2 laciniatum. H.A.	(wh.)	cut-leaved.	N. America.	—	6. 9. H. ⊙. Hook. bot. mis. p. III. ic
PA'RRYA. p. 24.	PA'RRYA.				
3 macrocarpa. Br.	(pu.)	large-podded.	N. America.	—	5. 6. H. 2. Hook. fl. b. am. t. 15.
DR'ABA. p. 25.	WHILLOW-GRASS.				
35 crassifolia. Gr.	(ye.)	thick-leaved.	N. America.	—	4. 5. H. 2.
ERY'SIMUM. p. 30.	ERY'SIMUM.				
crepidifolium. s.s.	(ye.)	Crepis-leaved.	N. America.	1829.	5. 6. H. 3.
ÆTHION'EMA. p. 32.	ÆTHION'EMA.				
5 membranaceum. DC.	(li.)	membranous-podded.	Persia.	—	6. 8. H. 2. Swt. br. fl. gar. s. 2. t. 69.
SIN'APIS. p. 34.	MUSTARD.				
30 amplexicaulis. DC.	(ye.)	stem-clasping.	Algiers.	—	6. 9. H. ⊙. Desf. atl. 2. t. 153.

CAPPARIDEÆ. p. 37.

CLE'OME. p. 37.	CLE'OME.				
20 speciosissima. B.R.	(pu.)	pretty.	Mexico.	1827.	8. 11. H. ⊙. Bot. reg. t. 1312.
CAPPARIS. p. 38.	CAPER-TREE.				
acutifolia.	(wh.)	sharp-pointed.	S. America.	—	6. 8. S. h. Bot. reg. t. 1320.
acuminata. Bot. reg.	nec aliorum.				

VIOLARIÆ. p. 43.

VIOLA. p. 43.		VIOLET.					
89	pedatífida. G.D. (bl.)	pedatifid.	N. America.	1827.	5. 7.	H. 2.	
90	attenuàta. B.F.G. (wh.)	attenuated.	—————	1812.	4. 8.	H. 2.	Swt. br. fl. gar. s. 2
	lanceolàta. Pursh et Nuttall non Lin.						
91	præmórsa. B.R. (ye.)	bitten-rooted.	—————	1827.	4. 6.	H. 2.	Bot. reg. t. 1254.
HYMENANTH'ERA. DC. HYMENANTH'ERA. Monadelphia Pentandria.							
	dentàta. DC. (ye.)	toothed.	N. S. W.	1822.	3. 5.	G. 2.	

POLYGALEÆ. p. 46.

POLY'GALA. p. 46.		MILKWORT.					
42	rubélla. Ph. (ro.)	pale red.	N. America.	1828.	6. 7.	H. 2.	

FRANKENIACEÆ. p. 48.

FRANK'ENIA. p. 48.		SEA HEATH.					
9	corymbósa. DC. (ro.)	corymb-flowered.	Barbary.	1829.	6. 8.	F. 2.	Desf. atl. 1. t. 93.

CARYOPHYLLÆ. p. 48.

DIA'NTHUS. p. 49.		PINK.					
97	ciliátus. Lehm. (pi.)	fringed.	1829.	6. 8.	H. 2.	
98	sículus. s.s. (pi.)	Sicilian.	Sicily.	—————	—————	H. 2.	
AREN'ARIA. p. 56.		SANDWORT.					
68	glomeràta. DC. (wh.)	close-headed.	Tauria.	1829.	7. 9.	H. 2.	
SPERG'ULA. p. 55.		SPURREY.					
9	pilífera. DC. (wh.)	piliferous.	Corsica.	1829.	6. 8.	H. 2.	

LINEÆ. p. 58.

LINUM. p. 58.		FLAX.					
41	altaícum. F. (bl.)	Altay.	Altay.	1829.	6. 8.	H. 2.	

MALVACEÆ.

MA'LVA. p. 59.		MALLOW.					
72	Munroàna. B.R. (sc.)	Munro's.	N. America.	1827.	5. 10.	H. 2.	Bot. reg. t. 1306.
HIBI'SCUS. p. 61.		HIBI'SCUS.					
86	Telfairiæ.	(va.) Mrs. Telfair's.	Hybrid.	1825.	1. 12.	S. 2.	
	a ròseus.	(ro.) rose-coloured.	—————	—————	—————	S. 2.	Bot. mag. t. 2891.
	β lilacínus.	(li.) pink.	—————	—————	—————	S. 2.	
	γ cárneus.	(fl.) flesh-coloured.	—————	—————	—————	S. 2.	
	δ fulvéscens.	(bf.) buff-coloured.	—————	—————	—————	S. 2.	
	ε òchroleùcus.	(st.) straw-coloured.	—————	—————	—————	S. 2.	
S'IDA. p. 63.		S'IDA.					
59	repánda. DC. (st.)	repanded.	1829.	6. 8.	S. 2.	

BUTTNERIACEÆ. p. 66.

RE'EVESIA. B.R.		RE'EVESIA. Polyadelphia Polyandria.					
	thyrsóidea. B.R. (wh.)	thyse-flowered.	China.	1818.	1. 7.	G. 2.	Bot. reg. t. 1236.
STERC'ULIA. p. 66.		STERC'ULIA.					
16	lanceolàta. B.R. (br.)	spear-leaved.	—————	1822.	5. 6.	G. 2.	Bot. reg. t. 1256.
DOMB'EYA. p. 69.		DOMB'EYA.					
4	angulàta. DC. (ro.)	angle-leaved.	Mauritius.	1826.	4. 8.	S. 2.	Bot. mag. t. 2905.

HYPERICINEÆ. p. 76.

HYPERICUM. p. 76. ST. JOHN'S-WORT.

77 Gebleri. Led. (yc.) Gebler's. Altay. 1829. 6. 8. H. h.

GUTTIFERÆ. p. 78.

GARCINIA. p. 78. GARCINIA.

5 purpurea. H.B. (pu.) purple. E. Indies. 1828. S. h.

GERANIACEÆ. p. 88.

PHYMATA'NTHUS. p. 89. WART-FLOWER.

6	intertinctus. s.G. (re.w.r.) stained.	Hybrid.	1827.	2. 10.	G. h.	Swt. ger. ser. 2. t. 54.
PELARGONIUM. p. 92. STORK'S-BILL.						
504	nodosum. s.G. (cr.v.) knotted-stalked.	Hybrid.	1824.	4. 11.	G. h.	Swt. ger. ser. 2. t. 68.
505	bipinnatifidum. s.G. (pu.) bipinnatifid.	_____	1827.	_____	G. h.	_____ ser. 2. t. 62.
506	Darnleyanum. s.G. (cr.) Earl of Darnley's.	_____	1826.	_____	G. h.	_____ ser. 2. t. 63.
507	pullaceum. s.G. (sc.v.) dark brown.	_____	1827.	5. 10.	G. h.	_____ ser. 2. t. 76.
508	contiguum. s.G. (sc.) contiguous.	_____	1828.	_____	G. h.	_____ ser. 2. t. 73.
509	iconicum. s.G. (sc.bk.) figured.	_____	_____	_____	G. h.	_____ ser. 2. t. 88.
510	Bluntianum. s.G. (sc.re.) Miss Blunt's.	_____	_____	_____	G. h.	_____ ser. 2. t. 79.
511	eriophoron. s.G. (sc.re.) wool-bearing.	_____	_____	_____	G. h.	_____ ser. 2. t. 90.
512	obtusidentatum. s.G. (sc.) blunt-toothed.	_____	_____	_____	G. h.	_____ ser. 2. t. 92.
513	melancholicum. s.G. (sc.re.) dark-edged.	_____	1827.	_____	G. h.	_____ ser. 2. t. 53.
514	Spéculum. s.G. (re.re.) looking-glass.	_____	_____	_____	G. h.	_____ ser. 2. t. 52.
515	anacampton. s.G. (re.re.) recurved-calyx'd.	_____	_____	_____	G. h.	_____ ser. 2. t. 64.
516	Peytonia. s.G. (re.re.) Lady Peyton's.	_____	_____	_____	G. h.	_____ ser. 2. t. 46.
517	ursinum. s.G. (re.) shaggy-calyxed.	_____	1828.	_____	G. h.	_____ ser. 2. t. 94.
518	suffusum. s.G. (pi.re.) suffused.	_____	1827.	_____	G. h.	_____ ser. 2. t. 47.
519	laxulum. s.G. (ro.re.) loose-umbelled.	_____	1828.	_____	G. h.	_____ ser. 2. t. 75.
520	conchylatum. s.G. (vi.re.) violet-purple.	_____	_____	_____	G. h.	_____ ser. 2. t. 95.
521	porphyreon. s.G. (pu.) bright-purple.	_____	_____	_____	G. h.	_____ ser. 2. t. 89.
522	mollifolium. s.G. (pi.re.) soft-leaved.	_____	1827.	_____	G. h.	_____ ser. 2. t. 77.
523	Colleyanum. s.G. (pu.) Colley's.	_____	1828.	_____	G. h.	_____ ser. 2. t. 83.
524	Littleanum. s.G. (pu.li.) Little's.	_____	1827.	_____	G. h.	_____ ser. 2. t. 72.
525	dædaleum. s.G. (pi.re.) variable-coloured.	_____	_____	_____	G. h.	_____ ser. 2. t. 100.
526	Veitchianum. s.G. (pu.) Veitch's.	_____	_____	_____	G. h.	_____ ser. 2. t. 81.
527	implicatum. s.G. (pu.) implicated.	_____	_____	_____	G. h.	_____ ser. 2. t. 86.
528	inseulptum. s.G. (li.pu.) engraved-petal'd.	_____	1828.	_____	G. h.	_____ ser. 2. t. 65.
529	lanosum. s.G. (li.re.) wool-bearing.	_____	_____	_____	G. h.	_____ ser. 2. t. 84.
530	flabellifolium. s.G. (std.) fan-leaved.	_____	_____	_____	G. h.	_____ ser. 2. t. 48.
531	cordiforme. s.G. (bh.pu.) heart-shaped.	_____	1827.	_____	G. h.	_____ ser. 2. t. 49.
532	præclarum. s.G. (wh.pu.) clear-coloured.	_____	_____	_____	G. h.	_____ ser. 2. t. 67.
533	clathratum. s.G. (pi.re.) burred-petaled.	_____	_____	_____	G. h.	_____ ser. 2. t. 85.
534	instratum. s.G. (wh.re.) spreading-spotted.	_____	1828.	_____	G. h.	_____ ser. 2. t. 78.
535	Yeatmanianum. s.G. (pu.re.) Miss Yeatman's.	_____	1827.	_____	G. h.	_____ ser. 2. t. 59.
536	mirabile. s.G. (li.re.) admirable.	_____	_____	_____	G. h.	_____ ser. 2. t. 57.
537	lautum. s.G. (pi.pu.) genteel.	_____	_____	_____	G. h.	_____ ser. 2. t. 91.
538	commixtum. s.G. (re.re.) mingled.	_____	_____	_____	G. h.	_____ ser. 2. t. 71.
539	compactum. s.G. (bh.re.) compact.	_____	1828.	_____	G. h.	_____ ser. 2. t. 70.
540	exquisitum. s.G. (w.pu.) dainty-flowered.	_____	1824.	_____	G. h.	_____ ser. 2. t. 55.
541	politum. s.G. (bh.re.) polished.	_____	1827.	_____	G. h.	_____ ser. 2. t. 87.
542	Atkinsianum. s.G. (bh.pu.) Mr. Atkins's.	_____	1828.	_____	G. h.	_____ ser. 2. t. 99.
543	atrovirens. s.G. (bh.pu.) dark green-leav'd.	_____	1827.	_____	G. h.	_____ ser. 2. t. 74.
544	adventitium. s.G. (pu.re.) adventitious.	_____	1826.	_____	G. h.	_____ ser. 2. t. 80.
545	peramplum. s.G. (li.) very large-flower'd.	_____	_____	_____	G. h.	_____ ser. 2. t. 61.
546	glabrescens. s.G. (w.pu.) smoothish-leav'd.	_____	1824.	_____	G. h.	_____ ser. 2. t. 45.
547	Hillianum. s.G. (w.pu.) Hill's.	_____	1828.	_____	G. h.	_____ ser. 2. t. 51.
548	pallidulum. s.G. (pi.) pale pink.	_____	_____	_____	G. h.	_____ ser. 2. t. 97.
549	urbanum. s.G. (pi.) home bred.	_____	_____	_____	G. h.	_____ ser. 2. t. 50.
550	dissimile. s.G. (re.l.re.) dissimilar.	_____	_____	_____	G. h.	_____ ser. 2. t. 60.
551	fastuosum. s.G. (re.re.) fastuous.	_____	_____	_____	G. h.	_____ ser. 2. t. 93.
552	succulentum. s.G. (sc.re.) succulent-leav'd.	_____	1827.	_____	G. h.	_____ ser. 2. t. 69.
553	Drakeæ. s.G. (cr.re.) Mrs. Drake's.	_____	1828.	_____	G. h.	_____ ser. 2. t. 96.

554	Annesleyanum. s.G. (re.ve.)	Miss Annesley's Hybrid.	1828.	5. 10.	G. h.	Swt. ger. ser. 2. t. 56.
555	Glorianum. s.G. (cr.ve.)	Queen of Portugal's.	—	—	G. h.	— ser. 2. t. 82.
556	Kenrickæ. s.G. (re.ve.)	Mrs. Kenrick's.	—	—	G. h.	— ser. 2. t. 58.
557	nütans. s.G. (sc.ve.)	nodding-flowered.	1827.	—	G. h.	— ser. 2. t. 66.
558	Sweetianum. Sm. (cr.ve.)	Sweet's.	1829.	—	G. h.	—
559	staphysagroides. s.G. (pu.)	Stavesacre-ld. C. B. S.	1827.	—	G. h.	Swt. ger. ser. 2. t. 98.

BALSAMINEÆ. p. 101.

IMPATIENS. p. 102. TOUCH-ME-NOT.

pállida. p. 102.	pale-flowered.	N. America.	1812.	6. 10.	H. ☉.	Eng. bot. v. 14. t. 937.
<i>Nòli-tángere. E.B. nec aliorum.</i>						
7 boreàlis.	(ye.) northern.	Denmark.	—	H. ☉.	Flor. dan. t. 582.
<i>Nòli-tángere. F.D. non L.</i>						
Nòli-tángere. L. (y.re.)	English.	England.	—	H. ☉.	

OXALIDEÆ. p. 102.

O'XALIS. p. 102.

WOOD-SORREL.

113 tortuòsa. B.R. (ye.)	twisted.	Chile.	1825.	6. 8.	G. h.	Bot. reg. t. 1249.
114 floribúnda. Leh. (ro.)	many-flowered.	Brazil.	1829.	4. 9.	F. 4.	Swt. br. fl. gar. s. 2.
úrbrica. Hil. (li.)	Martius's.	—	1828.	5. 9.	F. 4.	
<i>Martiàna. Zuc. p. 102. ex S.S. Lodd. bot. cab. ic.</i>						

ZYGOPHYLLÆ. p. 104.

LA'RREA. p. 104.

LA'RREA.

2 divaricàta. DC. (ye.)	spreading-lobed.	Buenos Ayres.	1829.	6. 9.	G. h.	Cavan. icon. 6. t. 560. f. 1.
-------------------------	------------------	---------------	-------	-------	-------	-------------------------------

RUTACEÆ. p. 105.

APLOPHYLLUM. p. 105. APLOPHYLLUM.

patavina, tuberculàta, villòsa, linifòlia et dahùrica, lege patavinum, tuberculàtum, villòsum, linifòlium, et dahùricum.

9 Buxbàumii. J.R. (ye.)	Buxbaum's.	Levant.	1828.	6. 8.	H. 4.	Buxb. cent. 2. t. 28. f. 2.
<i>Rùta Buxbàumii. DC.</i>						

DICTA'MNUS. p. 105. FRAXINELLA.

3 angustifòlius. s.F.G. (pu.)	narrow-leaved.	Siberia.	1829.	5. 7.	H. 4.	Swt. br. fl. gar. ser. 2.
-------------------------------	----------------	----------	-------	-------	-------	---------------------------

CELASTRINEÆ. p. 109.

EUO'NYMUS. p. 109. SPINDLE-TREE.

16 nànus. DC. (st.)	dwarf.	Caucasus.	1829.	5. 7.	H. h.	
17 gróssus. F.I. (wh.)	large.	Nepaul.	1828.	6. 8.	F. h.	

RHAMNEÆ. p. 112.

TRAV'OA. H.M.

TRAV'OA. Pentandria Monogynia.

quinquenèrvia. H.M. (w.)	five-nerved.	Chile.	1827.	5. 7.	F. h.	
--------------------------	--------------	--------	-------	-------	-------	--

HOMALINEÆ. p. 116.

BLACKWELLIA. p. 11. BLACKWELLIA.

7 padifòlia. B.R. (wh.)	Padus-leaved.	China.	1826.	8. 9.	G. h.	Bot. reg. t. 1308.
-------------------------	---------------	--------	-------	-------	-------	--------------------

CASSUVIEÆ. p. 117.

MELANORRH'ŒA. W. MELANORRH'ŒA. Polygamia Diœcia.

usitàta. W.I. (re.)	useful.	E. Indies.	1828.	S. h.	Wall. ind. pl. t. 11. 12.
HOLIGA'RNA. DC. (wh.)	long-leaved.	E. Indies.	1828.	S. h.	Roxb. corom. 3. t. 282.

BURSERACEÆ. p. 120.

ICICA. DC.	ICICA.	Octo-Decandria Monogynia.				
1 emeandria. DC. (wh.)	nine-stamened.	Guiana.	1825.	S. h.	Aubl. guian. 1. t. 134.
2 decandra. DC. (wh.)	ten-stamened.	————	————	S. h.	
3 altissima. DC. (wh.)	tallest.	————	1822.	S. h.	Aubl. guian. 1. t. 132.

LEGUMINOSÆ. p. 122.

Subordo I. PAPILIONACEÆ.

SOPHORA. p. 122.	SOPHORA.					
12 velutina. B.R. (pu.)	velvetty.	China.	1826.	6. 7.	G. h.	Bot. reg. t. 1185.
BAPTISIA. p. 123.	BAPTISIA.					
10 minor. Lehm. (bl.)	lesser.	N. America.	6. 7.	H. 4.	
ANTHYLLIS. p. 132.	KIDNEY-VETCH.					
22 polycéphala. DC. (ye.)	many-headed.	Barbary.	1829.	6. 7.	H. 4.	Desf. atl. 2. t. 195.
HOSÁCKIA. B.R.	HOSÁCKIA.	Diadelphia Decandria.				
1 bicolor. B.R. (y.w.)	two-coloured.	N. America.	1823.	7. 9.	H. 4.	Bot. reg. t. 1257.
	<i>Lötus pinnatus.</i>					Bot. mag. t. 2913.
2 Purshiana. B.R. (ye.)	Pursh's.	————	1827.	—	H. 4.	
3 decumbens. B.R. (ye.)	decumbent.	————	—	—	H. 4.	
4 parviflora. B.R. (ye.)	small-flowered.	————	—	—	H. 4.	
TEPHROSIA. p. 141.	TEPHROSIA.					
38 chinensis. H.C. (li.)	Chinese.	China.	1822.	5. 8.	G. h.	
ASTRAGALUS. p. 145.	MILK VETCH.					
120 succulentus. B.R. (pu.)	succulent.	N. America.	1827.	6. 7.	H. 4.	Bot. reg. t. 1324.
KENNEDYA. p. 156.	KENNEDYA.					
monophylla. p. 157.	simple-leaved.	N. S. W.	1790.	3. 8.	G. h. ∪.	Vent. malm. t. 106.
β longeracemosa. (pi.)	long-racemed.	————	1828.	—	G. h. ∪.	Bot. reg. t. 1336.
LUPINUS. p. 159.	LUPINE.					
34 pulchellus. (bl.)	handsome.	Mexico.	—	6. 10.	F. h.	Swt. br. fl. gar. s. 2. t. 67.

Subordo III. MIMOSEÆ.

ACACIA. p. 164.	ACACIA.					
209 graveolens. L.C. (ye.)	strong-scented.	N. Holland.	1825.	3. 5.	G. h.	Lodd. bot. cab. t. 1460.
uncinata. p. 165. (st.)	hooked.	N. Holland.	1823.	8. 1.	G. h.	Bot. reg. t. 1332.
210 albida. B.R. (ye.)	white spiny.	Peru.	1824.	4. 6.	G. h.	———— t. 1317.

Subordo IV. CÆSALPINEÆ.

CASTANOCARPUS. MORETON BAY CHESTNUT.	Decandria Monogynia.					
australis. (wh.)	southern.	N. Holland.	1829.	G. h.	
CASSIA. p. 169.	CASSIA.					
116 brevifolia. DC. (ye.)	short-leaved.	Madagascar.	1824.	6. 7.	S. h.	

ROSACEÆ. p. 178.

RUBUS. p. 187.	BRAMBLE AND RASPBERRY.					
85 flavus. D.P. (wh.)	yellow-fruited.	Nepaul.	1827.	F. h.	
86 setosus. DC. (wh.)	bristly-stalked.	N. America.	—	5. 7.	H. h.	
87 nutkanus. DC. (wh.)	Nootka sound.	————	—	—	H. h.	Swt. br. fl. gar. s. 2.
DRYAS. p. 190.	DRYAS.					
3 Drummondii. B.M. (ye.)	Drummond's.	————	—	4. 8.	H. 4.	Bot. mag. t. 2972.
POTENTILLA. p. 190.	CINQUEFOIL.					
nivea. p. 190. (ye.)	snowy-leaved.	N. Europe.	1816.	6. 8.	H. 4.	
β macrophylla. B.M. (y.)	large-leaved.	N. America.	1827.	—	H. 4.	Bot. mag. t. 2982.
101 gracilis. B.M. (ye.)	slender.	————	—	—	H. 4.	———— t. 2984.
102 Hopwoodiana. S.F.G. (ro.s.)	Hopwood's.	Recto-formosa.	1829.	6. 9.	H. 4.	Swt. br. fl. gar. s. 2. t. 61.

COMBRETACEÆ. p. 195.

- POIVREA. p. 196. POIVREA.
 6 Afzèlii. D.D. (sc.) Afzelius's. Sierra Leone. 1824. 7. 10. S. h. ∪. Bot. mag. t. 2944.
Combrètum grandiflorum. B.M. not G.D. in Linn. trans., which is a true *Combrètum*, with 8 stamens; we have adopted M. Decandolle's division of the genus, as Mr. Don informed us, he found the same distinctions as given by Decandolle, and was inclined to divide them himself, but afterwards arranged them in distinct sections, by which they might be readily divided, one genus having irregular convolute cotyledons, and the other straight plaited ones; this circumstance he mentioned to us before his paper was published, and before M. Decandolle's volume had arrived.

VOCHYSIÆ. p. 197.

- QU'ALEA. M.P. QU'ALEA. Monandria Monogynia.
 violàcea. M.P. (vi.) violet-coloured. Brazil. 1824. S. h. Mart. pl. bras. 1. t. 81.
 ERISMA. DC. ERISMA. Monandria Monogynia.
 floribúnda. DC. (bl.) many-flowered. Guiana. 1825. S. h. Tratt. tab. t. 105.

ONAGRARIÆ. p. 197.

- FU'CHSIA. p. 197. FU'CHSIA.
 11 thymifòlia. DC. (re.) Thyme-leaved. Mexico. 1829. 4. 10. F. h. Swt. br. fl. gar. s. 2. t. 25.

MELASTOMACEÆ. p. 203.

- PLER'OMA. p. 204. PLER'OMA.
 3? villòsum. DC. (pu.) villous. S. America. 1820. 5. 10. S. h. Bot. mag. t. 2630.
Melástoma villòsa. B.M.

PASSIFLOREÆ. p. 216.

- PASSIFL'ORA. p. 216. PASSION-FLOWER.
 65 Cavanillèsii. DC. (co.) Cavanille's. W. Indies. 1822. 7. 10. S. h. ∪. Cavan. dis. 10. t. 273.
 66 Andersòni. DC. (st.) Anderson's. St. Vincent. 1823. — S. h. ∪.
 67 Raddiàna. DC. (st. pu.) Raddi's. Brazil. 1829. — S. h. ∪.
 68 cephaléima. DC. crowded-leaved. — 1826. S. h. ∪. Bory. an. gen. 2. t. 22. f. 2.
 69 obscùra. H.C. (gr. st.) obscure. S. America. 1823. 2. 10. S. h. ∪.

CACTEÆ. p. 235.

- MAMMILL'ARIA. p. 235. MAMMILL'ARIA.
 23 fulvispina. H.P. (re.) brown-spined. Brazil. 1822. 8. 10. D.S. h.
 24 pùlchra. H.B.R. (pu.) pretty. Mexico. 1828. 6. 10. D.S. h. Bot. reg. t. 1329.
 25 depréssa. DC. (wh. re.) depressed. S. America. 1800. 6. 8. D.S. h. DC. diss. t. 2. f. 2.
 discolor. DC. dis. non Haw. Spinii. Colla hort. rip. ic.
 discolor. H.S. (wh. re.) two-coloured. S. America. — — D.S. h.
 26 stellàris. H.S. (ro.) starry. — 1816. 6. 9. D.S. h. Lodd. bot. cab. t. 79.
 non pusilla. DC. ex. H.P.
- ECHINOCA'CTUS. p. 235. ECHINOCA'CTUS.
 22 cornigerus. DC. (wh.) horn-spined. Mexico. 1830. 6. 9. D.S. h. DC. diss. cact. t. 7.
 23 nóbilis. H.P. (wh.) noble. — 1796. — D.S. h.
 24 Hy'strix. H.P. (wh.) Porcupine. S. America. 1818. — D.S. h.
- C'EREUS. p. 236. C'EREUS.
 74 mágnus. H.P. (wh.) great 12-angled. St. Domingo. 1830. 6. 10. D.S. h.
 75 fèrox. H.P. (wh.) fierce upright. Brazil. 1828. — D.S. h.
 76 Æ'thiops. H.P. (wh.) black-spined. — — D.S. h.
 77 setiger. H.P. small quadrangular. — 1826. D.S. h.
 78 undàtus. H.P. triangular China. China. 1824. D.S. h.
 79 crispàtus. H.P. curly-edged. Brazil. 1826. D.S. h.
 80 Colvillii. (ro.) Colvill's. Grandiflora-speciosissimus. — D.S. h.

OPUNTIA. p. 237. INDIAN FIG.

38 longispina. H.P. (ye.) long-spined.	Brazil.	1826.	6. 10.	D.S. ♀.	
39 glomerata. H.P. (ye.) long flat-spined.	—————	—————	—————	D.S. ♀.	
40 rosea. DC. (ro.) rose-coloured.	Mexico.	1830.	D.S. ♀.	DC. diss. cact. t. 15.
41 imbricata. DC. (ro.) imbricated.	S. America.	1820.	D.S. ♀.	
<i>Cereus imbricatus</i> . p. 237.					
42 cylindrica. DC. (ro.) cylindrical.	Peru.	1779.	D.S. ♀.	
<i>Cereus cylindricus</i> . p. 237.					
RHIPSALIS. p. 238. RHIPSALIS.					
5 cereuscula. H.P.	Cereus-like.	Brazil.	1828.	D.S. ♀.

GROSSULARIÆ. p. 238.

RIBES. p. 238. CURRANT AND GOOSEBERRY.

45 punctatum. DC. (st.) spotted.	Chile.	1825.	3. 5.	H. ♀.	Bot. reg. t. 1278.
----------------------------------	--------	-------	-------	-------	--------------------

ESCALLONEÆ. p. 239.

ESCALLONIA. p. 239. ESCALLONIA.

5 bifida. Ot. (pi.) bifid.	Mexico.	1827.	F. ♀.	
6 viscosa. Ot. (wh.) viscous.	Mendoza.	1829.	G. ♀.	

SAXIFRAGÆ. p. 239.

SAXIFRAGA. p. 239. SAXIFRAGE.

102 spicata. L.T. (sp.) spiked.	N. America.	1827.	5. 6.	H. ♀.	
103 arguta. L.T. (sp.) deep-notched.	—————	—————	—————	H. ♀.	
104 nudicaulis. L.T. (wh.) naked-stalked.	—————	—————	—————	H. ♀.	
105 ferruginea. Gr. (wh.) ferruginous.	—————	—————	—————	H. ♀.	
106 pyrolifolia. L.T. (wh.) Pyrola-leaved.	—————	—————	—————	H. ♀.	
107 tricuspidata. L.T. (ye.) three-pointed.	Greenland.	1827.	—————	H. ♀.	
HEUCHERA. p. 242. HEUCHERA.					
1 micrantha. B.R. (gr.) small-flowered.	Columbia.	—————	6. 7.	H. ♀.	Bot. reg. t. 1302.
2 Richardsoni. D. (gr.) Richardson's.	N. America.	—————	—————	H. ♀.	
TIARELLA. p. 242. TIARELLA.					
5 colorans. Gr. (wh.) coloured.	N. America.	—————	4. 6.	H. ♀.	
MITELLA. p. 242. MITELLA.					
5 trifida. Gr. (wh.) trifid.	N. America.	—————	5. 7.	H. ♀.	
DRUMMONDIA. DC. DRUMMONDIA. Pentandria Digynia.					
<i>Mitella pentandra</i> . Bot. mag. t. 2933.					

UMBELLIFERÆ. p. 243.

ERYNGIUM. p. 244. ERYNGO. Pentandria Digynia.

36 Andersoni. LG. (bl.) Anderson's.	8. 9.	H. ♀.	
DISCOPLURA. p. 245. DISCOPLURA.					
2 capillacea. DC. (wh.) capillary.	N. America.	1824.	7. 9.	H. ♂.	
<i>Ammi capillaceum</i> . M.					
FERULA. p. 250. GIANT-FENNEL.					
21 linearis. Cerv. (ye.) linear-leaved.	Mexico.	1828.	8. 10.	F. ♀.	
ANTHRISCUS. p. 254. ROUGH CHERVILL.					
9 torquata. DC. (wh.) twisted.	France.	1726.	6. 7.	H. ♂.	Jacq. aust. 1. t. 63.
<i>Cherophyllum bulbosum</i> . Jacq.					
ARPITIUM. Neck. ARPITIUM. Pentandria Digynia.					
simplex. (wh.) simple-stalked.	Switzerland.	1824.	6. 8.	H. ♀.	Jacq. misc. 2. t. 2.
<i>Laserpitium simplex</i> . L. <i>Gaya simplex</i> . Gaud. fl. helv. 2. t. 6. non <i>Gaya</i> . Kth.					

ARALIACEÆ. p. 256.

ADAMIA. W.I. ADAMIA. Didynamia Angiospermia.

cyanea. w.i. (bl.) blue-flowered.	E. Indies.	1829.	S. ♀.	Wall. ind. t. 26.
-----------------------------------	------------	-------	-------	-------	-------------------

CAPRIFOLIACEÆ. p. 257.

- SYMPH'ORIA. p. 258. ST. PETER'S-WORT.
 3 montàna. K.S. (li.) mountain. Mexico. 1829. 7. 10. H. ½. H. et B. nov. gen. 3. t. 200

LORANTHEÆ. p. 259.

- A'UCUBA. W. A'UCUBA. Dicoecia Tetrandria.
 japónica. (pu.) blotch-leaved. Japan. 1783. 5. 7. H. ¾. Bot. mag. t. 1197.
 LORA'NTHUS. p. 259. LORA'NTHUS.
 2 terréstris. terrestrial. N. Holland. 1830. . . . G. ½.

RUBIACEÆ. p. 260.

- ASPE'RULA. p. 266. WOODRUFF.
 25 nítida. F.G. (br.) glossy. Greece. 1829. 7. 9. H. ¼. Flor. græc. t. 124.

DIPSACEÆ. p. 269.

- ASTEROCEPHALUS. p. 270. STARHEAD.
 paucisètus. Jac. (st.) few-bristled. S. Europe. 1827. 7. 9. H. ¼.

COMPOSITÆ. p. 271.

- CR'EPIS. p. 273. CR'EPIS.
 33 macrorhiza. B.M. (ye.) large-rooted. Madeira. 1829. 7. 9. H. ¼. Bot. mag. t. 2988.
 CHUQUIR'AGA. p. 280. CHUQUIR'AGA.
 2 spinòsa. L.T. (ye.) spiny. Peru. 1825. 4. 5. F. ¾.
Bacàzia spinòsa. p. 286.
 JU'NGIA. L. JU'NGIA. LABIATIFLORÆ. Syngenesia Æqualis.
 paniculàta. D.D. (ye.) panieled. Chile. 1825. 7. 9. H. ¼. DC. an. mus. 19. t. 7.
Dumerília paniculàta. p. 260.
 CENTA'UREA. p. 285. CENTAURY.
 141 argùta. s.s. (st.) sharp notched. Canaries. 1829. — F. ¾.
 142 decípiens. Thu. (pu.) deceiving. France. — — H. ¼.
 VERN'ONIA. p. 289. VERN'ONIA.
 14 tomentòsa. Ot. (pu.) tomentose. Brazil. 1827. 9. 11. S. ¾.
 DELI'SLIA. S.S. DELI'SLIA. Syngenesia Necessaria.
 Bertèrii. s.s. (ye.) Bertero's. Isl. Magdalen. 1829. 6. 8. G. ⊙. Mart. dec. 47. f. 1.
Millèria biflòra. p. 313.
 CALE'NDULA. p. 313. MARYGOLD.
 22 tomentòsa. s.s. (ye.) tomentose. C. B. S. 1828. — H. ⊙.
 CLADA'NTHUS. p. 319. CLADA'NTHUS.
 2 canéscens. S.F.G. (ye.) canescent. Canaries. 1829. 3. 8. F. ¾. Swt. br. fl. gar. ser. 2.

LOBELIACEÆ. p. 322.

- LOB'ELIA. p. 322. LOB'ELIA.
 84 purpùrea. B.R. (pu.) purple. Chile. 1825. 8. 9. G. ¾. Bot. reg. t. 1325.

CAMPANULACEÆ. p. 325.

- LIGHTFO'OTIA. p. 325. LIGHTFO'OTIA.
 Loddigésii. A.DC. (pa.) Loddiges'. C. B. S. 1824. 6. 8. G. ¾. Lodd. bot. cab. t. 1038.
tenélla. B.C.
 PLATYC'ODON. A.DC. PLATYC'ODON. Pentandria Monogynia.
 grandiflòrum. DC. (bl.) great-flowered. Siberia. 1782. 6. 8. H. ¼. Bot. mag. t. 252.
Campánula grandiflòra. B.M. *Wahlenbèrgia grandiflòra*. p. 325.

WAHLENBERGIA. A.DC. WAHLENBERGIA.

3	Kitaibèlii. A.DC. (ri.) Kitaibel's.	Hungary.	1823.	6. 8.	H. 4.	W. et K. hung. 2. t.154.
	<i>Campánula graminifolia</i> . p. 327.					Flor. græc.
4	tenuifolia. A.DC. (ri.) slender-leaved.	Hungary.	1820.	5. 9.	H. 4.	W. et K. hung. 2. t.155.
5	capensis. A.DC. (ri.) Cape.	C. B. S.	1803.	7. 10.	H. ⊙.	Bot. mag. t. 782.
	<i>Campánula capensis</i> . B.M. <i>Roëlla decurrens</i> . Andr. rep. t. 238.					
6	cérnuæ. A.DC. (wh.) nodding-flowered.	C. B. S.	1804.	7. 9.	G. ♂.	
7	lineàris. A.DC. (wh.) linear-leaved.	————	1822.	7. 10.	H. ⊙.	
8	procumbens. A.DC. (bl.) procumbent.	————	1824.	—	H. ⊙.	Alph. DC. camp. t. 15.
9	hederacea. A.DC. (pa.bl.) Ivy-leaved.	England.	5. 6.	H. 4.	Eng. bot. v. 2. t. 73.
	<i>Campánula hederacea</i> . p. 328. <i>Aikinia hederacea</i> . Salisb.					
10	arvática. (bl.) Spanish.	Spain.	1825.	5. 7.	H. 4.	Pluk. phyt. t. 23. f. 1.
	<i>Campánula arvática</i> . LG.					
11	grácilis. A.DC. (bl.) slender.	N. S. W.	1794.	4. 8.	G. ♂.	Bot. mag. t. 691.
	<i>Campánula grácilis</i> . B.M.					
12	stricta. (bl.) upright.	————	————	————	G. ♂.	Sm. exot. bot. t. 45.
	<i>Campánula stricta</i> . Exot. bot. non Linn. <i>erecta</i> . p. 326.					
13	capillàris. B.C. (bl.) capillary.	N. Holland.	1824.	—	G. ♂.	Lodd. bot. cab. t. 1406.
14	littoralis. Lab. (bl.) sea side.	V. Diem. Isl.	1820.	—	G. ♂.	Lab. nov. holl. 1. t. 70.
15	quadrífida. A.DC. (bl.) four-cleft.	N. S. W.	1822.	—	G. ♂.	
16	saxícola. A.DC. (bl.) small rock.	V. Diem. Isl.	1825.	5. 10.	G. ♂.	
17	Siebèri. A.DC. (bl.) Sieber's.	N. S. W.	1826.	—	G. ♂.	
18	undulàta. A.DC. (bl.) waved.	C. B. S.	1822.	5. 7.	G. 4.	
	<i>Campánula undulata</i> . p. 326.					
19	hispidula. A.DC. (bl.wh.) hispid-calyxed.	————	1816.	6. 9.	H. ⊙.	Comm. hort. 2. t. 37.
	<i>Campánula hispidula</i> . p. 326.					
20	capillacea. A.DC. (wh.) capillary.	C. B. S.	1822.	5. 7.	H. 4.	
	lobelioides. A.DC. (bh.) Lobelia-like.	Canaries.	1777.	7. 8.	H. ⊙.	Alph. DC. camp. t. 17.
	<i>pendula</i> . p. 323.					

SYMPHIA'NDRA. A.DC. SYMPHIA'NDRA. Monadelphia Pentandria.

	<i>pendula</i> . A.DC. (st.) pendulous.	Caucasus.	1824.	6. 8.	H. 4.	Swt. br. fl. gar. s.2.t.66.
	<i>Campánula pendula</i> . p. 327. n. 102.					

SPECULARIA. A.DC. VENUS-LOOKING-GLASS. Pentandria Monogynia.

1	Spéculum. A.DC. (bl.) common.	S. Europe.	1596.	5. 8.	H. ⊙.	Bot. mag. t. 102.
	<i>Campánula Spéculum</i> . B.M. <i>Primatocárpus Spéculum</i> . L'H. <i>Lagousia arvensis</i> . Dur.					
	β álba. (wh.) white-flowered.	————	————	————	H. ⊙.	
2	hirsùta. A.DC. (bl.) hairy.	Italy.	1822.	5. 8.	H. ⊙.	Ten. fl. nap. t. 19.
3	hy'brida. A.DC. (bl.) corn.	England.	—	H. ⊙.	Eng. bot. v. 6. t. 375.
	<i>Campánula hy'brida</i> . E.B. <i>Primatocárpus hy'bridus</i> . L'H.					
4	falcàta. A.DC. (bl.) falcate.	Italy.	1822.	—	H. ⊙.	Ten. fl. nap. t. 20.
5	pentagònia. A.DC. (bl.) large-flowered.	Turkey.	1686.	—	H. ⊙.	Bot. reg. t. 56.
	<i>Campánula pentagònia</i> . B.R.					
6	perfoliàta. A.DC. (bl.) perfoliate.	N. America.	1680.	—	H. ⊙.	Moris. s. 5. t. 2. f. 23.

MU'SSCHIA. A.DC. MU'SSCHIA. Pentandria Monogynia.

	<i>aurea</i> . A.DC. (ye.) golden-flowered.	Madeira.	1777.	7. 9.	G. h.	Bot. reg. t. 57.
	<i>Campánula aurea</i> . p. 326. n. 38.					
	α latifolia. A.DC. (ye.) broad-leaved.	————	————	————	G. h.	Duham. ed. nov. t. 41.
	β angustifolia. A.DC. (ye.) narrow-leaved.	————	————	————	G. h.	Jacq. schœn. 4. t. 472.

PETROMAR'ULA. A.DC. PETROMAR'ULA. Pentandria Monogynia.

	<i>pinnata</i> . A.DC. (bl.) winged-leaved.	Candia.	1640.	6. 8.	F. 4.	Flor. græc. t. 220.
	<i>Phyteuma pinnatum</i> . p. 328.					

JAS'IONE. p. 828. JAS'IONE. Monadelphia Pentandria.

4	hùmilis. A.DC. (bl.) dwarf.	S. France.	1824.	6. 7.	H. 4.	
---	-----------------------------	------------	-------	-------	-------	--

ERICEÆ. p. 330.

ANDROMEDA. p. 331. ANDROMEDA.

23	tetragòna. s.s. (bh.) four-sided.	N. America.	1827.	H. h.	Pall. ross. 2. t. 73. f. 4.
----	-----------------------------------	-------------	-------	------	-------	-----------------------------

EBENACEÆ. p. 349.

DIO'SPYROS. p. 349. DATE PLUM.

19	Mabòla. B.R. (st.) Mabola-tree.	Philippines.	1822.	4. 5.	S. h.	Bot. reg. t. 1139.
----	---------------------------------	--------------	-------	-------	-------	--------------------

APOCINEÆ. p. 353.

- PACHYPODIUM. B.R. PACHYPODIUM. Pentandria Monogynia.
 succulentum. (*wh.re.*) succulent. C. B. S. 1820. 4. 6. D.G. ♀. Bot. reg. t. 1321.
 tuberosum. B.R. *Echites succulenta*. Jacq. fragm. t. 117. see p. 355.

ASCLEPIADEÆ. p. 356.

- ASCLEPIAS. p. 360. SWALLOW-WORT.
 33 Greeniana. N. Green's. N. America. 1828. 6. 8. H. ♀.

POLEMONIACEÆ. p. 367.

- POLEMONIUM. p. 367. GREEK VALERIAN.
 9 pulcherrimum. B.M. (*bl.*) bright blue. N. America. 1827. 7. 8. H. ♀. Bot. mag. t. 2979.
 10 moschatum. Gr. (*bl.*) musk-scented. ———— ———— ———— H. ♀.
 GILIA. p. 368. GILIA.
 3 pungens. B.M. (*bl.*) pungent-leaved. N. America. 1827. 6. 8. H. ⊙. Bot. mag. t. 2977.
 BONPLANDIA. Cav. BONPLANDIA. Pentandria Monogynia.
 geminiflora. Cav. (*bl.*) twin-flowered. New Spain. 1813. 5. 12. S. ⊙. Bot. reg. t. 92.
Caldasia heterophylla. w. non *Caldasia*. DC.

BORAGINEÆ. p. 374.

- ONOSMA. p. 375. ONOSMA.
 16 Gmelini. L.A. (*st.*) Gmelin's. Altay. 1829. 4. 8. H. ♀. Ledeb. ic. alt. t. 280.
 17 polyphyllum. L.A. (*st.*) crowded-leav'd. Tauria. ———— 7. 8. H. ♀. ———— t. 24.
 18 rigidum. L.A. (*pa.ye.*) rigid. ———— 1826. ———— H. ♀. ———— t. 238.

HYDROPHYLLEÆ. p. 380.

- EUTOCA. p. 380. EUTOCA.
 3 sericea. B.M. (*bl.*) silky. N. America. 1827. 5. 7. H. ♀. Bot. mag. t. 3003.
 To Franklinii, p. 380, add Bot. mag. t. 2985.

SOLANEÆ. p. 380.

- CELSIA. p. 380. CELSIA.
 9 heterophylla. P.S. (*ye.*) various-leaved. 1829. 7. 9. F. ♂.
 SALPIGLO'SSIS. p. 383. SALPIGLO'SSIS.
 5 intermedia. S.F.G. (*br.ye.*) intermediate. Chile. 1829. 6. 9. F. ♀. Swt. br. fl. gar. s. 2.

SCROPHULARINÆ. p. 389.

- SCROPHULARIA. p. 391. FIGWORT.
 51 lanata. F. (*br.*) woolly. Siberia. 1828. 7. 11. H. ♀.
 MIMULUS. p. 394. MONKEY-FLOWER.
 9 propinquus. B.R. (*ye.*) related. N. America. 1827. 4. 10. H. ♀. Bot. reg. t. 1330.
 CALCEOLARIA. p. 396. SLIPPERWORT.
 15 Herbertiana. B.R. (*ye.*) Mr. Herbert's. Chile. 1828. 5. 10. G. ♀. Bot. reg. t. 1313.

LABIATÆ. p. 399.

- STACHYS. p. 406. HEDGE-NETTLE.
 49 sericea. (*li.*) silky. Nepaul. 1830. 7. 9. H. ♀.
 O'CYMUM. p. 413. BASIL.
 21 montanum. B.M. (*wh.*) mountain. W. Indies. 1825. 5. 8. S. ⊙. Bot. mag. t. 2996.
 HYPTIS. p. 414. HYPTIS.
 14 madagascariensis. (*bl.*) Madagascar. Madagascar. 1828. 6. 8. S. ♂.

VERBENACEÆ. p. 415.

LANTANA. p. 417. LANTANA.
25 mollis. Gr. (ro.) soft. Mexico. 1826. 4. 8. G. h.

ACANTHACEÆ. p. 419.

RUELLIA. p. 420. RUELLIA.
28 picta. B.R. (bl.) painted. St. Domingo. 1826. 4. 8. S. h. Lodd. bot. cab. t. 1418.
JUSTICIA. p. 421. JUSTICIA.
60 guttata. B.R. (ye.sp.) spotted. E. Indies. 1828. 4. 8. S. y. Bot. reg. t. 1334.

PRIMULACEÆ. p. 423.

DODECATHEON. p. 423. AMERICAN COWSLIP.
1 Meadia. p. 423. Mead's. Virginia. 1744. 4. 6. H. y. Bot. mag. t. 12.
a lilacinum. (li.) common lilac. ———— ———— H. y. Trew Euret. t. 12.
β albiflorum. (wh.) white-flowered. 1824. ———— H. y. Lodd. bot. cab. t. 1489.
γ elegans. S.F.G. (ro.) rose-coloured. 1827. 4. 7. H. y. Swt. br. fl. gar. s. 2. t. 60.
δ giganteum. (li.) gigantic. ———— H. y.
2 integrifolium. (ri.) entire-leaved. N. America. 1829. ———— H. y. Pluk. alm. t. 79. f. 6.
ANDROSACE. p. 425. ANDROSACE.
17 carinata. Tor. (st.) keeled. N. America. 1827. 4. 7. H. y.
18 linearis. Gr. (bh.) linear-leaved. ———— ———— H. y.

BEGONIACEÆ. p. 437.

BEGONIA. p. 437. BEGONIA.
40 longipes. B.M. (wh.) long-stalked. Mexico. 1828. 3. 8. S. h. Bot. mag. t. 3001.

POLYGONEÆ. p. 438.

POLYGONUM. p. 438. PERSICARIA.
61 injucundum. B.R. (st.) unattractive. 1825. 5. 6. G. h. Bot. reg. t. 1250.
RHEUM. p. 440. RHUBARB.
15 leucorrhizum. F. (st.) white-rooted. Siberia. 1827. 5. 6. H. y.

AROIDEÆ. p. 479.

POTHOS. p. 479. POTHOS.
29 longifolia. R.S. (br.) long-leaved. Brazil. 1828. 9. 10. S. y.
30 reflexa. Ot. (br.) reflexed. ———— ———— S. y.
31 reptans. Ot. (br.) creeping. ———— ———— S. h.
32 rubescens. Ot. (br.) reddish. ———— ———— S. y.

ORCHIDEÆ. p. 483.

APLECTRUM. N. APLECTRUM. Gynandria Monandria.
hyemale. N. (br.) winter. N. America. 1827. H. y.
RODRIGUEZIA. p. 487. RODRIGUEZIA.
2 planifolia. H.C. (re.) flat-leaved. S. America. 1826. 6. 12. S. y.

CANNEÆ. p. 494.

PHRYNIUM. p. 494. PHRYNIUM.
28 coloratum. B.M. (or.) orange-coloured. Brazil. 1828. 4. 5. S. y. Bot. mag. t. 3010.
2 Q 2

MUSACEÆ. p. 495.

MUSA. p. 495.	PLANTAIN-TREE.				
chinensis.	(sc.) dwarf Chinese.	China.	1829.	S. 4.

IRIDEÆ. p. 495.

TRICHON'EMA. p. 503.	TRICHON'EMA.				
ramiflora.	(pu.) branching-flower'd.	Naples.	1830.	5. 6.	H. b.
<i>Ixia ramiflora.</i>	T. N.				
CR'OCUS. p. 503.	CR'OCUS.				
24 Thomàsii. T. N.	(bl.) Thomas's.	Naples.	1830.	H. b.
25 odorus. T. N. sweet-scented.	—————	—————	H. b.
26 suavèolens. T. N. fragrant.	—————	—————	H. b.
27 Imperàti. s. s.	(vi.) Imperati's.	—————	—————	2. 4.	H. b.

Ten. mem. croc. t. 1.

AMARYLLIDEÆ. p. 505.

ZEPHYRA'NTHESES. p. 505.	ZEPHYRA'NTHESES.				
10 mesochlòa. W. H.	(bh.) green-centred.	S. America.	1828.	6. 9.	F. b.
BRUNSVI'GIA. p. 510.	BRUNSWICK-LILY.				
7 grandiflora. B. R.	(pi.) large-flowered.	C. B. S.	1827.	8. 9.	F. b.
PHYCE'LLA. p. 510.	PHYCE'LLA.				
3 Herbertiana. B. R.	(re. y.) Mr. Herbert's.	Chile.	1825.	5. 7.	F. b.
4 corúsca. Gr.	(sc. or.) glossy.	—————	—————	—————	F. b.
NARCI'SSUS. p. 514.	NARCI'SSUS.				
82 negléctus. Ten.	(wh. y.) neglected.	Naples.	1830.	4. 5.	H. b.

Bot. reg. t. 1335.

Bot. reg. t. 1341.

ASPHODELEÆ. p. 524.

SCI'LLA. p. 527.	SQUILL.				
30 odoràta. R. S.	(bl.) sweet-scented.	Portugal.	1818.	5. 6.	H. b.
31 pratensis. R. S.	(bl.) meadow.	Hungary.	1827.	—————	H. b.
32 ròsea. Leh.	(ro.) rose-coloured.	Numidia.	—————	—————	H. b.
33 mauritànica. R. S.	(bl.) Mauritanian.	Africa.	1819.	—————	H. b.
DRÍ'MIA. p. 513.	DRÍ'MIA.				
14 villòsa. B. R.	(g. st.) villous.	C. B. S.	1826.	5. 6.	F. b.
A'LLIUM. p. 530.	GARLICK.				
118 enòsmon. Ot.	(br.) good-scented.	S. America.	1829.	5. 6.	F. b.
119 glandulòsum. Ot.	(br.) glandular.	—————	—————	—————	F. b.
120 nudicaule. Leh. naked-stalked.	Altay.	—————	H. b.
121 guttatum. G. D.	(wh.) spotted.	Odessa.	1819.	7. 8.	H. b.
122 Fischèri. Fischer's.	Siberia.	1829.	H. b.
123 acutum. s. s.	(li.) acute.	1819.	7. 8.	H. b.
124 intermèdium. G. D.	(w.) intermediate.	S. Europe.	1827.	—————	H. b.
125 fúscum. W. K.	(br.) brown-flowered.	Hungary.	1820.	—————	H. b.
126 juncifolium. G. D.	(wh.) Rush-leaved.	Chile.	1826.	—————	H. b.
127 striatèllum. G. D.	(st.) striped.	—————	1823.	—————	H. b.
128 cinèreum. Lehm.	(st.) grey.	Siberia.	1829.	—————	H. b.
MÍ'LLA. C. I.	MÍ'LLA. Hexandria Monogynia.				
biflora. C. I.	(wh.) two-flowered.	Mexico.	1826.	5. 6.	F. 4.

W. et K. hung. t. 1335.

Bot. reg. t. 1346.

W. et K. hung. t. 24.

Bot. mag. t. 2419.

Cavan. icon. 2. t. 190.

BROMELIACEÆ. p. 534.

POURR'ETIA. p. 535.	POURR'ETIA.				
4 cœrùlea. Miers.	(bl.) blue.	Chile.	1827.	4. 8.	S. 4.
5 rubricaùlis. Mier.	(bl. re.) red-stemmed.	—————	—————	—————	S. 4.
6 magnispátha. Col.	(g. w.) large-spathed.	S. America.	1829.	—————	S. 4.
CARAGU'ATA. Plum.	CARAGU'ATA. Hexandria Monogynia.				
lingulàta. Ly.	(ye.) tongue-leaved.	Jamaica.	1776.	6. 7.	S. 4.
<i>Tillandsia lingulàta.</i>	p. 535.				

Coll. h. rip. t. 19.

Jacq. amer. t. 62.

BUONAPA'RTEA. p. 536. BUONAPA'RTEA.
2 grácilis. slender. Mexico. 1828. G. 4.

TULIPACEÆ. p. 536.

YU'CCA. p. 536. ADAM'S-NEEDLE.
23 grácilis. Lk. (wh.) slender. Mexico. 1829. G. 4.
ERYTHR'ONIUM. p. 539. DOG'S-TOOTH VIOLET.
Déns cànis. L. (pu.) common. Europe. 1596. 3. 4. H. b. Swt. br. fl. gar. s. 2.
Déns cànis. Redoute liliac. t. 193. non Bot. mag.
4 bifida. S.F.G. (ro.) cleft-stigma'd. Switzerland. — H. b. Swt. br. fl. gar. s. 2.
β albiflòra. (wh.) white-flowered. ———— — H. b. ———— s. 2.

MELANTHACEÆ. p. 539.

ZIGAD'ENUS. p. 540. ZIGAD'ENUS. Hexandria Trigynia.
3 élégans. Ph. (wh.) elegant. N. America. 1828. 5. 6. H. 4.

COMMELINEÆ. p. 541.

TRADESCA'NTIA. p. 541. SPIDERWORT.
23 crássipes. (bl.) thick-stalked. Mexico. 1827. 5. 10. H. 4.
24 diurética. M.P. (bl.) diuretic. Brazil. 1825. 6. 8. S. 4.
COMMEL'INA. p. 542. COMMEL'INA.
24 cucullàta. H.C. (bl.) hooded. Brazil. 1825. 6. 9. G. ⊙.
25 caripénsis. H.S. (bl.) rough-leaved. Trinidad. 1826. 6. 8. S. 4.

RESTIACEÆ. p. 546.

ERIOCA'ULON. p. 546. PIPEWORT.
3 decangulàre. Ph. (wh.) ten-angled. N. America. 1826. 8. 10. H. w. 4. Lodd. bot. cab. t. 1310.
4 fasciculàtum. R.S. (wh.) fascicled. Guiana. 1825. — S. w. 4. Lam. enc. 3. t. 50. f. 3.

CYPERACEÆ. p. 547.

CA'REX. p. 547. SEDGE.
123 rupéstris. s.s. (br.) rock. Switzerland. 1819. 6. 7. H. 4. All. ped. t. 92. f. 1.
124 cúrvula. s.s. (br.) curved. S. Europe. 1824. — H. 4. Schk. caric. t. D. f. 17.
125 lobàta. w. (br.) lobed. Switzerland. 1819. 5. 7. H. 4. ———— t. D. f. 18.
126 rèpens. s.s. (br.) creeping. ———— 1823. 6. 7. H. 4. ———— t. I. f. 11.
127 leporina. w. (br.) hare. ———— 1819. — H. 4. ———— t. Fff. f. 1. 29.
128 lóngipes. D.P. (br.) long-stalked. Nepaul. 1823. — H. 4.
129 microstàchya. s.s. (br.) small-spiked. N. Europe. 1822. 5. 6. H. 4. Schk. caric. t. 6. f. 11.
130 mucronàta. s.s. (br.) bristle-pointed. S. Europe. 1819. 6. 7. H. 4. ———— t. K. f. 44.
131 phæostàchys. E.F. (br.) brown-spiked. Scotland. 6. H. 4.
132 stictocárpa. E.F. (br.) dotted-fruited. ———— 6. 7. H. 4.
133 angustifòlia. E.F. (br.) narrow-leaved. ———— — H. 4.
134 podocárpa. s.s. (br.) foot-podded. N. America. 1827. — H. 4.
135 brachystàchys. s.s. (br.) short-spiked. S. Europe. 1819. — H. 4. Schk. car. t. P. f. 58.
SCH'ÆNUS. p. 549. BOG-RUSH.
6 ferrugineus. R.S. (br.) rusty. Europe. 1829. 7. 8. H. w. 4. Host. gram. 4. t. 71.
DICHROM'ENA. R.S. DICHRON'ENA. Triandria Monogynia.
leucocéphala. R.S. (wh.) white-spiked. W. Indies. 1822. 9. 12. S. w. 4.
Sch'ænus stellàtus. w.
FIMBRI'STYLIS. p. 550. FIMBRI'STYLIS.
6 diphy'lla. R.S. (br.) two-leaved. E. Indies. 1822. 6. 8. S. w. 4.
ABILDGAA'RDIA. R.S. ABILDGAA'RDIA.
2 tristàchya. R.S. (wh.) three-spiked. E. Indies. 1824. 6. 8. S. 4.
ISO'LEPIS. p. 550. ISO'LEPIS.
13 supìna. R.S. (br.) trailing. Europe. 1826. 7. 8. H. w. 4. Host. gram. 3. t. 64.
2 Q 3

SCI'RPUS. p. 550.	CLUB-RUSH.					
19 elongatus. D.P. (br.)	elongated.	Nepaul.	1825.	7. 9.	H.w. 4.	
20 articulatus. R.S. (br.)	jointed.	E. Indies.	1826.	8. 10.	S.w. 4.	Rheed. mal. 12. t. 71.
CYP'ERUS. p. 551.	CYP'ERUS.					
71 niloticus. R.S. (br.)	Nile.	Egypt.	1810.	8. 10.	H. 4.	
72 compactus. R.S. (br. pu.)	compact.	China.	1819.	7. 8.	H. 4.	
73 kyllingæoides. R.S. (br.)	Kyllinga-like.	N. America.	1828.	—	H. 4.	
74 dubius. W. (br.)	doubtful.	E. Indies.	1802.	7. 9.	S. 4.	Rottb. gram. t. 4. f. 5.
75 leucocéphalus. R.S. (wh.)	white-headed.	—	1819.	—	S. 4.	
76 trisúlcus. D.P. (br.)	three-furrowed.	Nepaul.	1830.	—	H. 4.	
77 caricinus. D.P. (br.)	Carex-like.	—	1826.	—	H. 4.	
78 rigidus. R.S. (re. wh.)	rigid.	Madagascar.	—	—	S. 4.	
HYP'OELYTRUM. R.	HYP'OELYTRUM. Triandria Monogynia.					
argenteum. R.S. (wh. pu.)	silvery.	E. Indies.	1824.	7. 8.	S. 4.	
MARI'SCUS. p. 552.	MARI'SCUS.					
9 paniceus. R.S. (br. st.)	Panic-like.	E. Indies.	1820.	6. 7.	S.w. 4.	Rottb. gram. t. 4. f. 1.
KYLLI'NGA. p. 552.	KYLLI'NGA.					
8 brevifolia. R.S. (gr.)	short-leaved.	E. Indies.	1817.	5. 6.	S.w. 4.	Rottb. gram. t. 4. f. 3.

FILICES. p. 576.

LYG'ODIUM. p. 577.	SNAKE'S-TONGUE.					
7 volubile. S.S. (br.)	twining.	W. Indies.	1819.	5. 9.	S. 4. ~.	Sloan. jam. 1. t. 46. f. 1.
8 hastatum. W. (br.)	halberd-leaved.	Maranham.	1820.	—	S. 4. ~.	
ANEI'MIA. p. 577.	ANEI'MIA.					
8 Phyllitidis. S.S. (br.)	flat-leaved.	Trinidad.	1824.	5. 8.	S. 4. ~.	Plum. fil. t. 156.
SCHIZ'ÆA. p. 577.	SCHIZ'ÆA.					
5 elegans. S.S. (br.)	elegant.	Trinidad.	1825.	5. 8.	S. 4.	Vahl. symb. 2. t. 50.
GLEICH'ENIA. p. 577.	GLEICH'ENIA.					
6 pectinata. S.S. (br.)	pectinated.	S. America.	1824.	6. 8.	S. 4.	
DAN'ÆA. S.S.	DAN'ÆA. Cryptogamia Poropterides.					
alata. S.S. (br.)	winged.	W. Indies.	1823.	6. 8.	S. 4.	Plum. fil. t. 109.
ACRO'STICHUM. p. 577.	ACRO'STICHUM.					
9 longifolium. S.S. (br.)	long-leaved.	W. Indies.	1827.	5. 10.	S. 4.	
10 glandulosum. H.F. (br.)	glandular.	Jamaica.	1825.	—	S. 4.	H. et G. ic. fil. t. 3.
11 fimbriatum. S.S. (br.)	fringed.	S. America.	1824.	—	S. 4.	
NOTHOL'ÆNA. p. 578.	NOTHOL'ÆNA.					
4 piloselloides. S.S. (br. ye.)	simple-leaved.	E. Indies.	1822.	6. 8.	S. 4.	Houtt. pflanz. t. 96. f. 2.
MENISCIUM. p. 578.	MENISCIUM.					
4 proliferum. S.S. (br.)	proliferous.	E. Indies.	1820.	5. 6.	S. 4.	
NIPHO'BOLUS. p. 578.	NIPHO'BOLUS.					
5 adnascens. S.S. (br.)	woolly-leaved.	E. Indies.	1824.	4. 8.	S. 4.	
ASPL'ENIUM. p. 580.	SPLEENWORT.					
49 viviparum. H.K. (br.)	viviparous.	Mauritius.	1820.	6. 9.	S. 4.	
50 bulbiferum. S.S. (br.)	bulb-bearing.	N. Zealand.	—	—	G. 4.	Schk. crypt. t. 79.
51 difforme. B.P. (br.)	two-formed.	N. Holland.	1823.	—	G. 4.	
52 Petrarchæ. DC. (br.)	Petrarch's.	France.	1819.	—	H. 4.	H. et G. ic. fil. t. 152.
53 obtusatum. S.S. (br.)	obtuse.	N. Zealand.	1824.	—	F. 4.	Lab. nov. hol. 2. t. 242.
54 cultrifolium. S.S. (br.)	keen-leaved.	W. Indies.	1820.	—	S. 4.	Plum. fil. t. 3. f. 1.
55 brasiliense. S.S. (br.)	Brazilian.	Brazil.	1822.	—	S. 4.	
DOO'DIA. p. 581.	DOO'DIA.					
3 media. B.P. (br.)	middle-sized.	N. Holland.	1823.	3. 9.	G. 4.	
BLE'CHNUM. p. 581.	BLE'CHNUM.					
12 pectinatum. S.S. (br.)	pectinate.	S. America.	1827.	5. 8.	S. 4.	
13 serrulatum. S.S. (br.)	saw-leaved.	N. America.	1818.	—	H. 4.	
14 striatum. S.S. (br.)	striated.	N. Holland.	1824.	—	F. 4.	
LOM'ARIA. p. 581.	LOM'ARIA.					
7 falcata. S.S. (br.)	falcate.	—	1823.	5. 8.	F. 4.	Lab. nov. hol. 2. t. 245.
DIPL'AZIUM. p. 582.	DIPL'AZIUM.					
10 castaneæfolium. S.S. (br.)	Chestnut-leaved.	Guinea.	1824.	8.	S. 4.	
PTERIS. p. 582.	BRAKE.					
28 sagittæfolia. S.S. (br.)	arrow-leaved.	Brazil.	1825.	6. 8.	S. 4.	
29 rotundifolia. S.S. (br.)	round-leaved.	N. Zealand.	1824.	7. 8.	F. 4.	
30 elegans. S.S. (br.)	elegant.	E. Indies.	—	8. 10.	S. 4.	
31 discolor. S.S. (br.)	discoloured.	Brazil.	1825.	—	S. 4.	
32 heterophylla. S.S. (br.)	various-leaved.	W. Indies.	—	—	S. 4.	Plum. fil. t. 37.
33 leptophylla. S.S. (br.)	slender-leaved.	Brazil.	—	—	S. 4.	
34 chinensis. L.C. (br.)	Chinese.	China.	—	—	G. 4.	

35 crenulata. L.C. (br.) crenulated.	1827.	7. 8.	S. 4.	
36 Cervantesii. H.L. (br.) Cervantes'. Mexico.	1824.	—	G. 4.	
ADIAN'TUM. p. 582. MAIDENHAIR.				
22 varium. s.s. (br.) variable. S. America.	1820.	7. 9.	S. 4.	
23 ternatum. s.s. (br.) ternate. ———	—	—	S. 4.	
24 patens. w. (br.) spreading. Brazil.	1824.	8. 10.	S. 4.	
25 rhomboideum. s.s. (br.) rhomboid. S. America.	1820.	6. 9.	S. 4.	
CHEILANTHES. p. 583. CHEILANTHES.				
11 caudata. B.P. (br.) tailed. N. Holland.	1824.	6. 8.	F. 4.	
LINDSÆA. p. 583. LINDSÆA.				
6 media. B.P. (br.) intermediate. N. Holland.	1823.	4. 6.	F. 4.	
DAVALLIA. p. 583. DAVALLIA.				
6 elegans. s.s. (br.) elegant. N. Holland.	1824.	4. 9.	G. 4.	Schk. crypt. t. 127.
7 dubia. B.P. (br.) doubtful. ———	1826.	—	G. 4.	
8 concavadenensis. L.C. (br.) Concavado. Brazil.	1823.	—	S. 4.	
CIBOTIUM. S.S. CIBOTIUM. Cryptogamia Filices.				
Billardiæri. s.s. (br.) Labillardiere's. N. Holland.	1824.	G. 4.	

VIOLARIEÆ. p. 43.

ANCHIETIA. Hil. ANCHIE'TIA. Pentandria Monogynia.				
pyrifolia. Hil. (wh.) Pear-leaved. Brazil.	1822.	S. 4.	Mart. bras. t. 16., Noisettia pyrifolia. Martius. see our p. 43.

TILIACEÆ. p. 70

LUHEA. W. LUH'EA. Polyadelphia Polyandria.				
paniculata. M.P. (ro.) paniced. Brazil.	1828.	S. 4.	Mart. bras. t. 62.

RUBIACEÆ. p. 260.

LIPOSTOMA. D.D. LIPO'STOMA. Tetrandria Monogynia.				
campanuliflora. D.D. (bl) bell-flowered. Brazil.	1825.	2. 10.	S. 4.	Bot. mag. t. 2840.
Hedyotis campanuliflora. p. 263. Æginetia capitata. Gr.				

PROTEACEÆ. p. 443.

SIMSIA. B.P. SIMSIA. Tetrandria Monogynia.				
anethifolia. B.P. (ye.) Dill-leaved. N. Holland.	1825.	G. 4.	
ANADENIA. B.P. ANAD'ENIA. Tetrandria Monogynia.				
pulchella. B.P. (ro.) pretty. N. Holland.	1824.	G. 4.	
GUEVINA. Mol. GUEV'INA. Tetrandria Monogynia.				
Avellana. L.T. (st.) variable-leaved. Chile.	1826.	G. 4.	Feuil. per. 3. t. 33.
Quãdria heterophylla. Flor. per. 1. t. 99. f. b.				

NATURAL ORDER NOT DETERMINED.

BREXIA. B.R. BRE'XIA. Pentandria Monogynia.				
1 spinosa. B.R. (wh.) spiny-leaved. Madagascar.	1815.	7. 8.	S. 4.	Bot. reg. t. 872.
2 madagascariensis. (wh.) Madagascar. ———	—	—	S. 4.	— t. 730.
Venana madagascariensis. Lamarck.				
3 chrysophylla. (wh.) golden-leaved. ———	1820.	S. 4.	
LAUROPHYLLUS. Th. LAUROPHY'LLUS. Polygamia Dicecia.				
capensis. w. (gr.) Cape. C. B. S.	1801.	G. 4.	
PORANTHERA. L.T. PORANTH'ERA. Pentandria Trigynia.				
ericifolia. L.T. (st.) Heath-leaved. N. S. W.	1825.	5. 8.	G. 4.	Linn. trans. 10. t. 22. f. 2

- PHLO'X. p. 368. LYCHNIDEA.
 36 speciòsa. B.R. (ro.) showy. N. America. 1827. 5. 7. H. 2. Bot. reg. t. 1351.
- STERC'ULIA. p. 66. STERC'ULIA.
 Tragacantha. B.R. (st.) Tragacanth-tree. Sierra Leone. 1822. 5. 6. S. 1/2. Bot. reg. t. 1353.
- SCI'LLA. p. 527. SQUILL.
 34 plúmbea. B.R. (bl.) lead-coloured. C. B. S.? 1812. 4. 6. F. b. Bot. reg. t. 1355.
- LOB'ELIA. p. 322. LOB'ELIA.
 85 Kraúsii. B.M. (sc.) Krauss's. St. Domingo. 1828. 1. 3. S. 2. Bot. mag. t. 3012.
- VANGU'ERIA. p. 260. VANGU'ERIA.
 3 velutina. B.M. (gr.) velvety. Madagascar. 1828. 5. 6. S. 1/2. Bot. mag. t. 3014.
- BRACHYSTE'LMA. p. 359. BRACHYSTE'LMA.
 2 spathulatum. B.R. (br.) spatulate-leaved. C. B. S. 1824. 8. 10. D. G. 2. Bot. reg. t. 1113.
 3 crispum. B.M. (br. y.) wave-leaved. ——— 1829. ——— D. G. 2. Bot. mag. t. 3016.
- CEROP'EGIA. p. 359. CEROP'EGIA.
 9 élegans. B.M. (pu.) elegant. E. Indies. 1828. 8. 10. S. 1/2. Bot. mag. t. 3015.
- ENCY'CLIA. p. 490. ENCY'CLIA.
 2 pápens. B.M. (br.) spreading-flowered. Brazil. 1829. 4. 8. S. 2. Bot. mag. t. 3013.
- Omitted at page 378.
- COLD'ENIA. L. COLD'ENIA. Tetrandria Tetragynia.
 procumbens. L. (wh.) procumbent. E. Indies. 1699. 7. 8. S. ⊙. Lamarck. illus. t. 89.
- Page 75.
- G'ELA. Lour. G'ELA. Octandria Monogynia
 lanceolata. B.C. (st.) spear-leaved. China. 1820. 4. 8. G. 1/2. Lodd. bot. cab. t. 938.
Ximènia? lanceolata. DC. *Sèlas lanceolata*. s.s.
- Page 364.
- OPHIORRH'IZA. L. SNAKE-ROOT.
 Múngos. L. (wh.) petiolate. E. Indies. 1820. 5. 8. S. 2.

INDEX GENERUM.

	Page.		Page.		Page.		Page.
' <i>Abies</i>	475	<i>Adámsia</i>	525	<i>Agrimònia</i>	192	<i>Alternanthera</i> ..	432
ABIE'TINÆ ..	474	<i>Adansònia</i>	65	<i>Agrop'yrum</i>	565	<i>Alternanthera</i> ..	432
<i>Abildgaárdia</i> ..	550, 597	<i>Adèlia</i>	459	<i>Agrostemma</i>	54	<i>Alth'æa</i>	60
<i>Abròma</i>	67	<i>Adèlia</i>	460	<i>Agrostemma</i>	54	<i>Alysicárpus</i>	152
<i>Abrònia</i>	430	<i>Adenándra</i>	105	<i>Agróstis</i>	556	ALYSS'INÆ ..	24
<i>A'brus</i>	156	<i>Adenándra</i>	106	<i>Agróstis</i> 554, 555, 556,		<i>Aly'ssum</i>	25
<i>Abùta</i>	16	<i>Adenanthèra</i>	164	<i>Agróstis</i> 557, 559, 571		<i>Aly'ssum</i> ..	24, 25, 31
<i>Abùtilon</i>	64	<i>Adenánthos</i>	446	<i>Agynèja</i>	458	<i>Aly'xia</i>	353
<i>Acàcia</i> ..	164, 589	<i>Adenàrium</i>	57	<i>Ailánthus</i>	121	AMARANTH'ACÆ ..	430
<i>Acàcia</i> ..	162, 163	<i>Adenocárpus</i>	131	<i>Aíra</i>	559	<i>Amaránthus</i>	430
<i>Ac'æna</i>	192	<i>Adenóphora</i>	325	<i>Aíra</i> 559, 560, 567, 568,		<i>Amaránthus</i>	431
<i>Acálypha</i>	456	<i>Adenóstyles</i>	302 569, 571		AMARYLLI'DEÆ ..	505
ACANTH'ACEÆ ..	419	<i>Adenotrícha</i>	304	<i>Airópsis</i>	560	<i>Amary'llis</i>	506
<i>Acánthus</i>	419	<i>Adésmia</i>	149	<i>Airópsis</i>	560	<i>Amary'llis</i> 505, 506, 509,	
<i>Acárna</i>	285	<i>Adiántum</i> ..	582, 599	<i>Aitònia</i>	85	510, 511, 512, 532	
' <i>Acer</i>	82	<i>Adína</i>	263	<i>Aizòon</i>	234	<i>Amasònia</i>	417
' <i>Acer</i>	82	<i>Adlùmia</i>	20	<i>Aizòon</i>	234	<i>Amblírión</i>	538
<i>A'ceras</i>	483	<i>Adònis</i>	4	<i>A'jax</i>	514	AMBROSI'ACEÆ ..	314
<i>Acérates</i>	361	<i>Adóxa</i>	242	<i>Ajúga</i>	402	<i>Ambròsia</i>	314
<i>Acerátium</i>	71	<i>Adysèton</i>	25	<i>Ajúga</i>	407	<i>Ambrosínia</i>	481
ACERINEÆ ..	82	<i>Ægicèras</i>	348	AJUGOI'DEÆ ..	402	<i>Amelánchier</i>	177
<i>Achània</i>	61	<i>Ægilops</i>	566	ALANGI'EÆ ..	206	<i>Améllus</i>	298
<i>Achillèa</i>	319	<i>Æginètia</i>	599	<i>Alángium</i>	206	<i>Améllus</i>	298
<i>Achillèa</i>	316	<i>Ægíphila</i>	416	<i>Albùca</i>	525	<i>Amerímnum</i>	162
<i>Achímenes</i>	390	' <i>Ægle</i>	75	<i>Alchimílla</i>	192	<i>Amerímnum</i> 143, 161	
<i>A'chlys</i>	584	<i>Ægopòdium</i>	245	<i>Alcína</i>	313	<i>Amethy'stea</i>	403
<i>Achnodónton</i>	554	<i>Ægopògon</i>	558	<i>Aldèa</i>	380	<i>Ammánia</i>	201
' <i>Achras</i>	349	<i>Æollánthus</i>	414	<i>Aldrovánda</i>	46	<i>A'mmi</i>	245
<i>Achyránthes</i>	432	<i>Æránthes</i>	491	<i>Alètris</i>	517	<i>A'mmi</i> 245, 246, 248, 591	
<i>Achyránthes</i> 431, 432,		<i>Ærèides</i>	491	<i>Alètris</i>	517	AMM'INÆ ..	244
..... 433		<i>Æ'rua</i>	432	<i>Aleurites</i>	458	<i>Ammòbium</i>	291
<i>Achyrònia</i>	127	<i>Æschynómene</i> ..	149	<i>Aleurites</i>	457	<i>Ammócharis</i>	510
<i>Achyróphorus</i>	276	<i>Æschynómene</i> 143, 148,		ALH'AGEÆ ..	15	<i>Ammyrsine</i>	344
<i>Aciánthus</i>	486 150		<i>Alhàgi</i>	152	<i>Amòmum</i>	492
<i>Acicárpha</i>	271	<i>Æ'sculus</i>	83	<i>Alísma</i>	477	<i>Amòmum</i> ..	492, 493
<i>Acidòton</i>	456	<i>Æ'sculus</i>	83	<i>Alísma</i>	477	<i>Amòora</i>	86
<i>Acilèpis</i>	284	<i>Ætheilèma</i>	420	ALISM'ACEÆ ..	477	<i>Amórpha</i>	142
<i>Acìotís</i>	204	<i>Æthionèma</i> ..	32, 585	<i>Allamánda</i>	354	AMPELI'DEÆ ..	86
' <i>Acis</i>	516	<i>Æthònia</i>	275	<i>Allantòdia</i>	580	<i>Ampelópsis</i>	87
<i>Acisanthèra</i>	202	<i>Æthùsa</i>	247	<i>Alliària</i>	30	<i>Ampherèphis</i>	288
<i>Acmadènia</i>	106	<i>Æthùsa</i>	245	<i>Alliònia</i>	430	<i>Amphicárpæa</i> ..	156
<i>Acmélla</i>	307	<i>Afzèlia</i>	171	<i>Alliònia</i>	429	<i>Amphilòphium</i> ..	366
<i>Acmèna</i>	212	<i>Afzèlia</i>	86, 396	<i>A'llium</i> ..	530, 596	<i>Amphipògon</i> ..	555
<i>Acnida</i>	436	<i>Agapánthus</i>	517	<i>Allosòrus</i>	582	<i>A'mphodus</i>	157
<i>Aconítum</i>	9, 584	<i>Agapánthus</i>	530	<i>A'lnus</i>	468	<i>Amsònia</i>	355
<i>A'corus</i>	480	<i>Agástachys</i>	446	<i>A'loe</i>	518	AMYDAL'INÆ ..	173
<i>Acrocéphalus</i>	414	<i>Agasy'llis</i>	252	<i>A'loe</i> 517, 519, 520, 521		<i>Amy'dalus</i>	173
<i>Acrocòmia</i>	543	<i>Agath'æa</i>	305	<i>Alòmia</i>	301	AMYRI'DEÆ ..	119
<i>Acroglóchin</i>	434	<i>A'gathis</i>	474	<i>Alonsòa</i>	394	<i>Am'yris</i>	119
<i>Acróstichum</i> 577, 598		<i>Agathélpis</i>	415	<i>Alopecùrus</i>	554	<i>Am'yris</i>	119
<i>Acróstichum</i> 578, 581		<i>Agathósma</i>	106	<i>Alopecùrus</i> ..	553, 557	<i>Anábasis</i>	434
<i>Acrótriche</i>	346	<i>Agathy'rsus</i>	277	<i>Aloy'sia</i>	418	<i>Anacámpseros</i> ..	219
<i>Act'æa</i>	11	<i>Agàti</i>	143	<i>Alpínia</i>	493	<i>Anacámpseros</i> ..	225
<i>Act'æa</i>	11	<i>Agàve</i>	534	<i>Alpínia</i>	493	<i>Anacámpsis</i>	483
<i>Actinèlla</i>	322	<i>Agàte</i>	534	<i>Alsine</i>	55, 56	<i>Anacárdium</i>	117
<i>Actinocárpus</i>	477	<i>Agenòra</i>	276	ALSI'NÆ ..	54	<i>Anac'yclus</i>	318
<i>Actinóchloa</i>	571	<i>Agerátum</i>	301	<i>Alsodèia</i>	45	<i>Anadènia</i>	599
<i>Actinómeris</i>	309	<i>Agerátum</i>	301	ALSOD'INÆ ..	45	<i>Anagállis</i>	425
<i>Actinophy'llum</i> ..	256	<i>Agláia</i>	75	<i>Alsóphila</i>	583	<i>Anag'yris</i>	122
<i>Actinòtus</i>	243	<i>Agònís</i>	209	<i>Alsóphila</i>	579	<i>Ananássa</i>	534
<i>Ac'ynos</i>	409	<i>Agraùlus</i>	556	<i>Alstònia</i>	355		
<i>Adámia</i>	591	<i>Agrimònia</i>	192	<i>Alstroemèria</i>	516		

	Page.		Page.		Page.		Page.
Anántherix	361	Anthéricum	524	Arduina	353	Astartèa	207
Anarrhìnum	390	Anthéricum	524, 525,	Arèca	543	Astélma	292
Anastática	28		526	Arèca	543	Astélma	292
Anastática	28	Anthistíria	561	Aremònia	192	Astéphanus	362
ANASTATI'CEÆ	28	Anthistíria	561	Arenària	56, 856	A'ster	295
Anathèrum	561	Anthocércis	380	Arenària	56, 57	A'ster	294, 295, 297
Anchiétia	599	A'nthodon	79	Arethùsa	486	AST'EREÆ	288
ANCHON'IEÆ	32	Antholòma	79	Arètia	425	Asterocéphalus	270
Anchùsa	377	Anthol'yza	500	Argània	349	Asterolìnon	425
Anchùsa	376, 377, 378	Anthol'yza	500	Argemòne	19	Astilbe	242
Ancistrocàrpus	433	Anthospérmum	265	Argemòne	19	ASTR'AGALEÆ	145
Andersonia	345	Anthoxánthum	553	Argyreia	373	Astrágalus	145, 589
Andíra	168	Anthriscus	254, 591	Argyroch'æta	314	Astrágalus	122, 145, 151
Andráchne	459	Anthriscus	254	Aristea	499	Astránthus	117
Andreóskia	29	Anthyllis	132, 589	Aristida	558	Astrántia	244
Androcýmbium	539	Anthyllis	128, 147, 152	Aristida	557, 558	Astrántia	244
Andromáchia	298	Antidésma	460	Aristolòchia	451	Astrap'æa	69
Andrómeda	331, 593	ANTIDE'SMEÆ	460	Aristotèlia	117	Astrocàryum	541
Andrómeda	331, 332	Antiphy'lla	241	Armeniaca	174	Astrolòbium	148
Andropògon	561	Antirrhìnum	390	Armèria	426, 427	Astrolòma	346
Andropògon	560, 561	Antirrhìnum	390	Armoràcia	26	Astròmium	119
Androsàce	425	Antròphyum	582	A'rnica	299	Astrótricha	243
Androsàce	425	Aòtus	124	A'rnica	299	Astydamia	251
Andros'æmum	76	Apalatòa	172	Arnopògon	279	Atalánthus	277
Andr'yala	274	Apàrgia	274	Arnóseris	275	Atalántia	75
Andr'yala	274	Apàrgia	275	AROIDEÆ	475	Athamánta	248
Aneilèma	542	Apèiba	71	Arònia	177	Athamánta	248, 250, 255
Aneimia	577, 598	Aphànes	192	Arpítium	591	Athanàsia	315
Anemòne	3	Aphanochilus	400	Arracàcia	255	Atheropògon	571
Anemòne	3	Aphelándra	420	Arrhenathèrum	562	Athrixia	307
Anesorhiza	247	Apheléxis	293	Artabòtrys	15	Atráctylis	285
Anèthum	251	Aphyllánthes	532	Artèdia	253	Atráctylis	280, 285
Anèthum	247	Àpicra	521	Artemisia	316	Atragène	2
Angélica	249	'Apios	157	Arthropòdium	525	Atragène	3
Angélica	248, 249, 251	'Apios	157	Arthrostémma	204	Atrapháxis	438
ANG'ELICEÆ	249	'Apium	245	Arthrostémma	203	Atrèma	256
Angelònia	394	Apléctrum	595	Artocàrpus	462	A'triplex	435
Angiánthus	288	Aplophy'llum	105, 588	'Arum	480	A'tropa	383
Angóphora	209	Aplùda	561	'Arum	481	A'tropa	383, 384, 388
Angr'æcum	490	Aplùda	561	Arundinària	574	Attàlea	544
Anguillària	539	APOCINEÆ	353	Arúndo	574	Aublètia	71
Angulòa	488	Apócynum	356	Arúndo	555, 556, 559,	Aubriètia	24
Angùria	216	Apócynum	361		567, 569, 574	Aucuba	399
Anigozánthus	504	Aponogèton	478	Arungàna	76	Audibértia	116
Anisánthus	500	AQUIFOLI'ACEÆ	110	ASA'RINEÆ	451	Audouínia	412
Anisochilus	414	Aquilària	117	A'sarum	451	Aúlax	240
Anisòdus	383	AQUILARINEÆ	117	Ascaricida	289	Auláxis	75
Anisómeles	403	Aquilègia	8	ASCLEPTADEÆ	355	AURANTI'ACEÆ	567
Anisómeles	407	A'rabis	22, 485	Asclèpias	360, 391	Avèna	567, 568
Anisopétalum	488	ARABI'DEÆ	21	Asclèpias	360, 361	Arèna	557, 562, 567, 568
Anìsum	246, 247	A'rachis	167	A'scyrum	77	Averrhòa	102
Anneslèa	17	A'rachis	149	Asímima	14	Avicènnia	419
Anneslèia	163	Aràlia	256	Aspálathus	129	Axonopus	564
Annòna	14, 15	Aràlia	256, 257	Aspàragus	533	A'xyris	437
Anòda	63	ARALI'ACEÆ	256	Asperùgo	377	A'xyris	437
Anòda	63	Araucària	474	Asperùgo	377	Ayènia	67
Anodóntea	25	A'rbutus	331	Aspérula	266, 592	Azàlea	344
Anomathèca	499	A'rbutus	330	Aspérula	264	Azàlea	343, 344
Anòna	14	Archangélica	249	ASPHOD'ELEÆ	524	Azima	261
ANON'ACEÆ	14	Archemòra	251	Asphòdelus	524	Azorèlla	243
Anópterus	239	A'rtium	280	Asphòdelus	524	Babiàna	498
Anredèra	434	A'rtium	284	Aspidistra	480	Bacàzia	280, 592
Antennària	291	Arctòpus	255	Aspidium	579	Baccharis	289
ANTHEMI'DEÆ	315	Arctostáphylos	330	Aspidium	579, 580	Baccharis	289, 290
A'nthemis	318	Arctothèca	312	Asplèmium	580, 598	Báctris	541
A'nthemis	317, 318, 319,	Arctòtis	312	Asplèmium	581, 582	Bæ'ckia	210
	321	Arctòtis	312, 313	Asprèlla	567	Balanites	104
Anthéphora	563	Ardisia	318	Assònia	69	Balántium	583

	Page.		Page.		Page.		Page.
Balbisia	308	Besleria	329	Botry'ceras	447	Buchnera	394
Ballota	405	Beta	436	Botry'chium	576	Buchnera	394
Ballota	405, 414	Betonica	406	Bouteloua	571	Bucholzia	432
Balsamina	101	BETULINEÆ	467	Bouvardia	263	Bucida	195
BALSAMINEÆ	101	Betula	467	Bowiea	520	Buddlea	389
Balsamita	315	Beurreria	379	Bowlèsia	243	Buffonia	54
Balsamodendron	120	Bidens	311	Brachyum	446	Bulbine	525
Baltimora	314	Bidens	306	Brachyach'yris	298	Bulbocodium	539
Bambusa	574	Biforis	256	Brachyelytrum	559	Bulbocodium	539
Bambusa	574	Bigelovia	265	Brachyl'ena	289	Bulliarda	222
Banisteria	81	Bignonia	365	Brachypodium	573	Bumalda	109
BANISTERIÆ	81	Bignonia	353, 365, 366	Brachypodium	572	Bumelia	348
Banksia	447	BIGNONIACEÆ		Brach'yris	298	Bunchosia	81
Baphia	162		365	Brachysema	123	BUNIADEÆ	36
Baptisia	123, 589	Billardiara	48	Brachystelma	359, 600	Bunias	36
Baptisia	122	Billbergia	534	Bradleja	458	Bunias	28, 35
Barbacenia	505	Billottia	210	Brandesia	433	Bunium	246
Barbarea	22	Biophytum	102	Brasenia	17	Bunium	245, 246, 247, 249
Barkhausia	278	Biscutella	27	Brassavola	490	Buonapartea	536, 597
Barleria	420	Biscutella	28	Brassia	488	Buonapartea	534
Barnardia	527	Biserrula	148	Brassica	33	Buphone	510
Barosma	105	Bivon'aea	32	Brassica	31, 34, 35	Bupthalmum	309
Barringtonia	213	Bixa	40	BRASSICEÆ	33	Bupthalmum	309
Barringtonia	213	BIXINEÆ	40	Braya	22, 485	Bupleurum	246
BARRINGTONIÆ	213	Blackwellia	116, 588	Braxia	599	Bupleurum	247, 251
Bartholina	484	Bl'aria	332	Bridelia	459	Burchardia	539
Bartonia	218	Bl'aria	332	Brignolia	247	Burchellia	262
Bartsia	395	Blakea	206	Briza	570	Burglaria	111
Bartsia	395	Blandfordia	517	Briza	570	Burmanna	546
Baryosma	168	Bléchnum	581, 598	Brodiaea	517	Bursaria	48
Basella	443	Bléchnum	581	Brodiaea	532	Bursera	120
Basella	434	Bléchnum	420	Brogniartia	168	BURSERACEÆ	120
Bassia	349	Blépharis	419	Bromelia	535	Burtonia	124
Bastardia	64	Blephilia	404	Bromelia	535	Butea	161
Batschia	374	Blétia	487	BROMELIACEÆ		BUTOMEÆ	477
Bauera	243	Blighia	84		534	Butomus	477
Bauhinia	172	Blitum	436	Bròmus	573	Butneria	67
Beaufortia	207	Blumenbachia	218	Bròmus	573	BUTTNERIACEÆ	66
Beaumontia	356	Bobartia	497	Bròsimum	462		66
Beckmannia	564	Bocconia	19	Bross'aea	332	BUTNERIÆ	67
Befaria	345	Bocconia	19	Brotera	288	Buxus	456
Begonia	437, 595	Bœbœra	305	Bròtera	69, 287, 414	Buxus	472
BEGONTACEÆ	437	Bœhmèria	462	Broughtonia	490	Byblis	46
Behrnia	274	Bœobotrys	347	Broussonètia	462	Byrsónima	80
Bejaria	345	Boerhaavia	430	Broussonètia	122, 462	Bystropogon	401
Belis	475	Boerhaavia	430	Browallia	394	Cabomba	17
Belladonna	506	Boldoa	430	Bròwnia	168	Cabrera	568
Bellevàlia	528	Boltonia	298	Brownlowia	71	Cacalia	302
Bellidiástrum	299	BOMBACEÆ	65	Brùcea	121	Cacalia	302, 303
Bellinia	383	Bombax	66	Brùcea	121	Cachrys	255
Bellis	299	Bombax	66, 73	Brugmansia	383	Cachrys	244, 249, 252, 255
Bellium	299	Bonatea	484	Brunellia	121	CACTEÆ	235
Benincasa	214	Bonnaya	396	Brunellia	389	Cactus	235, 236, 237, 238
Berardia	116	Bonplandia	594	Brùnia	115	Cacoucia	196
Berardia	284	Bontia	419	Brùnia	115	Cadia	169
BERBERIDEÆ	16	BORAGINEÆ	375	BRUNTIACEÆ	115	Cælestina	301
Berberis	16, 584	Borago	378	Brunnichia	438	Cænópteris	581
Berchemia	112	Borago	378	Brunsvigia	510, 596	Cæsalpina	168
Berckheya	312	Borassus	544	Brunsvigia	510	Cæsalpina	168, 169
Bergenia	239	Borbònia	126	Br'ya	162	CÆSALPINEÆ	167
Bergera	75	Borbònia	126, 127	Bryonia	214	Cæsia	525
Bergia	55	Borkhousènia	389	Bryonia	214	Cæsulia	288
Beringeria	405	Boronia	107	Bryophyllum	224	Cajanus	159
Bernhardia	576	Borya	460	Bubon	251	Cakile	28
Berrya	71	Bòscia	38	Bubon	247, 248, 250	Cakile	36
Berteroa	24	Bòsea	436	Bubròma	67	CAKILINEÆ	28
Berthollètia	213	Bossi'aea	126	Bucco	106		
Berzèlia	115	Boswellia	120	Buchanania	117		

	Page.		Page.		Page.		Page.
Caladènia	486	CAMELLI'Æ	73	Carrichtèra	35	Centunculus	426
Caladium	481	Camerària	355	Cárthamus	284	Cephaelis	264
Calamagróstis	555	<i>Camerària</i>	354, 355	<i>Cárthamus</i>	284	CEPHALA'NTHEÆ	263
Calamina	561	Campánula	324	Cartonèma	542	Cephalánthus	263
Calamíntha	409	<i>Campánula</i>	324, 328, 593	Càrum	245	<i>Cephalària</i>	270
Calámpelis	366	CAMPANULACEÆ		<i>Càrum</i>	248	Cephalòphora	315
Cálamus	544	324, 592	Carunculària	358	Cephalòtus	192
Calandrínia	219	Campèlia	541	Càrya	465	Ceranthèra	45
Calánthe	490	Camphorósma	437	Caryòcar	83	Cerástium	57
Calàthea	494	Campomanèsia	210	CARYOPHY'LLÆ		<i>Cerástium</i>	54, 55
Calceolària	396, 494	CAMPYLOSPE'RMEÆ		48	Cérasus	174
<i>Caldàsia</i>	369, 594	253	Caryophy'llus	212	Ceratiola	460
Càlea	307	Campy'lia	90	Caryòta	544	Ceratocàrpus	436
<i>Càlea</i>	289, 306, 307	Canarina	324	Caseària	116	Ceratocéphalus	4
Caleácte	307	Canàrium	120	Cássia	169, 589	Ceratochilus	490
Caléndula	313, 592	Canavàlia	159	CASSI'Æ	168	Ceratóchloa	571
Calepina	35	Candóllea	13	Cassine	110	Ceratònia	169
<i>Caleàna</i>	487	Canèlla	79	<i>Cassine</i>	110	Ceratopétalum	243
Calèya	487	Cànna	494	Cassinia	291	CERATOPHY'L-	
Càlla	480	Cànnabis	463	<i>Cassinia</i>	288	LEÆ	201
<i>Càlla</i>	480	CA'NNEÆ	494	CASSUVI'Æ	117	Ceratophy'llum	201
Callicàrpa	416	Cánthium	261	<i>Cassuvium</i>	117	Ceratòpteris	577
Callicoma	243	<i>Cántua</i>	368	Cass'ytha	441	<i>Ceratosánthes</i>	215
Calligonum	440	Caperònia	456	<i>Castàlia</i>	18	<i>Ceratospèrmum</i>	437
Calliopèa	275	Capnophy'llum	251	Castànea	467	Cérbera	354
Calliópsis	311	CAPPARI'DEÆ	37	Castanocàrpus	589	<i>Cérbera</i>	354
Callisàce	251	CAPPAR'Æ	38	Castillèja	395	Cércis	271
Callisia	542	Cápparis	38, 585	Casuarina	472	Cercocàrpus	193
Callistàchys	123	<i>Cápparis</i>	38, 39	Catabròsa	559	Cercòdia	201
Callistèma	297	Caprària	389	Catálpa	365	CERCODI'ANEÆ	200
Callistèmon	209	<i>Caprària</i>	389	Catanánche	280	Cerèsia	554
Callitriche	201	CAPRIFOLI'ACEÆ		<i>Catappa</i>	195	Cèrens	236, 590
CALLITRICHI'NEÆ	201	257	Catasètum	488	<i>Cèrens</i>	591
Cállitris	473	Caprifòlium	258	Catesb'ara	262	Cerínthe	375
Callùna	332	Capsèlla	27	<i>Cathartocàrpus</i>	169	Ceropègia	359, 600
Calochilus	485	Cápsicum	384	Cattlèya	490	Cestrinus	284
Calochórtus	538	Caragàna	144	<i>Catùrus</i>	462	Céstrum	388
Calodéndron	105	Caraguàta	596	CAUCALI'NEÆ	253	Céterach	578
Calóphaca	144	Caràlia	197	Cáucalis	253	Chærophy'llum	254
CALOPHY'LLÆ	78	Carallùma	359	<i>Cáucalis</i>	253, 254	<i>Chærophy'llum</i>	254, 255, 591
Calophy'llum	78	Caràpa	86	<i>Caulophy'llum</i>	16	591
Calopògon	487	<i>Carapichea</i>	264	Ceanòthus	113	Chætanthèra	280
<i>Calórophus</i>	547	Cardámine	23	<i>Ceanòthus</i>	113, 114	Chætària	557
Calostemma	513	<i>Cardámine</i>	23, 24	Cecròpia	464	Chætocalyx	141
Calothámnus	207	Cardiospèrmum	83	Cedrela	86	Chætogàstra	204
Calòtis	294	Cardópatum	287	CEDR'ELEÆ	86	Chætouy'chia	221
Calótropis	361	Carduncèllus	284	<i>Cèdrus</i>	475	Chætóspara	549
Cáltha	7, 584	Càrduus	281	CELASTR'INEÆ	109	Chætùrus	555
CALYCA'NTHEÆ		<i>Càrduus</i>	282, 283	Celàstrus	110	Chaillètia	117
.....	194	CARDU'ACEÆ	280	<i>Celàstrus</i>	110	CHAILLETT'ACEÆ	
Calycánthus	194	Càrex	547, 597	Celòsia	431	117
<i>Calycánthus</i>	195	<i>Càrex</i>	552	<i>Celòsia</i>	431, 433	Chaitùrus	407
CALYC'EREÆ	271	Carèya	213	Célsia	380, 594	Chamædòrea	542
CALYCIFL'ORÆ	109	Cargíllia	349	<i>Célsia</i>	394	CHAMÆLA'UCIÆ	28
<i>Calycótome</i>	131	Càrica	216	Céltis	464	Chamælaucium	207
Calymènia	429	Caríssa	353	<i>Céltis</i>	464	<i>Chamælaucium</i>	207
Caly'pso	487	<i>Caríssa</i>	353	Cénchrus	552	Chamælírium	540
Calyptránthes	211	Carlina	284	<i>Cénchrus</i>	553, 557, 563, 567, 568	Chamænèrion	197
<i>Calyptránthes</i>	211, 212	<i>Carlina</i>	281	Cènia	318	Chamærepes	483
Caly'ptrion	43	Carlowízia	284	Cenolòphium	248	Cham'ærops	542
Calystègia	370	Carludóvica	480	Centaurèa	285, 592	<i>Cham'ærops</i>	542
Cálythrix	206	Carmich'ælia	139	<i>Centaurèa</i>	281, 285, 287	<i>Chamagróstis</i>	557
Camarídium	489	Carolínia	66	Centothèca	568	Chamissòa	432
<i>Cambessèdia</i>	117	Carpèsium	290	Centránthus	268	<i>Chamissòa</i>	432
Camelina	31	Càrpinus	467	Centrocàrpha	310	Chamórchis	483
CAMELI'NEÆ	31	Carpodinus	256	<i>Centrolèpis</i>	547	Chaptàlia	280
Camèllia	73	Carpodóntus	77	Centrospèrmum	321	<i>Chaptàlia</i>	280
<i>Camèllia</i>	73	<i>Carpopògon</i>	159			Chàra	573

	Page.		Page.		Page.		Page.
<i>Chàra</i>	575	<i>Cibòtium</i>	599	COBÆACEÆ ..	367	<i>Cònium</i> 247, 251, 255	Page.
CHAR'ACEÆ ..	575	<i>Cicca</i>	456	<i>Cobúrgia</i>	513	CONNAR'ACEÆ	
<i>Chardínia</i>	291	<i>Cicéndia</i>	364	<i>Coccoey'pselum</i> ..	262	121
<i>Charlwoódia</i>	533	<i>Cicer</i>	153	<i>Coccoey'pselum</i> ..	262	<i>Connàrus</i>	121
<i>Chasmònia</i>	405	<i>Cicer</i>	154	<i>Coccoloba</i>	438	<i>Conocárpus</i>	196
<i>Cheilánthes</i> ..	583, 599	CICHOR'ACEÆ ..	271	<i>Cócculus</i>	15	<i>Conocéphalus</i>	462
<i>Cheiránthus</i>	21	<i>Cichòrium</i>	279	<i>Cócculus</i>	15	<i>Conospérmum</i> ..	446
<i>Cheiránthus</i> 22, 29, 30		<i>Cicòonium</i>	100	<i>Cochleària</i>	26	<i>Conostégia</i>	205
.....	31, 32, 37	<i>Cicùta</i>	244	<i>Cochleària</i> ..	26, 31	<i>Conóstylis</i>	504
<i>Cheirínia</i> ..	29, 30, 31	<i>Ciliària</i>	240	<i>Cochlospérmum</i> ..	73	<i>Conringia</i>	31
<i>Cheirostèmon</i>	66	<i>Cimicifùga</i>	11	<i>Còcos</i>	544	<i>Convallària</i>	523
<i>Chelidòonium</i>	19	CINCH'ONEÆ ..	262	<i>Còcos</i>	543, 544	<i>Convallària</i>	523
<i>Chelidòonium</i>	19	<i>Cinchòna</i> ..	260, 262	<i>Codàrium</i>	172	CONVOLVUL'A-	
<i>Chelòne</i>	393	<i>Cinerària</i>	304	<i>Còdon</i>	383	CEÆ	369
<i>Chenòlea</i>	434	<i>Cinerària</i> ..	304, 305	<i>Codonóphora</i>	329	<i>Convólulus</i>	369
CHENOP'ODEÆ 433		<i>Cína</i>	557	<i>Cólgyne</i>	488	<i>Contólulus</i> 370, 371,	
<i>Chenopòdium</i> ..	434	<i>Cinnamòmum</i> ..	411	CÆLOSPE'RMEÆ 256		372, 373
<i>Chenopòdium</i> 431, 434		<i>Circ'æa</i>	200	<i>Coffèa</i>	261	<i>Con'yza</i>	289
<i>Cherlèria</i>	57	CIRC'Æ'Æ	200	<i>Coffèa</i>	264	<i>Con'yza</i>	289, 294
<i>Chilóchloa</i>	554	<i>Cirrh'æa</i>	488	COFFE'ACEÆ	263	<i>Cóckia</i>	75
<i>Chilóchloa</i>	554	<i>Círsium</i>	282	<i>Còix</i>	574	<i>Copáifera</i>	171
<i>Chiloglóttis</i>	486	<i>Cissámpelos</i>	15	<i>Colbértia</i>	13	<i>Cóptis</i>	7, 584
<i>Chilópsis</i>	365	<i>Cissámpelos</i>	16	<i>Cólchicum</i>	539	<i>Corallorrhíza</i> ..	487
<i>Chimáphila</i>	341	<i>Cissus</i>	86	<i>Cólchicum</i>	539	<i>Corbulària</i>	514
<i>Chimonánthus</i> ..	195	<i>Cissus</i>	87	<i>Coldènia</i>	600	<i>Córchorus</i>	70
<i>Chiocócca</i>	264	CISTI'NEÆ ..	40	<i>Coleánthus</i>	554	<i>Córchorus</i>	194
<i>Chionánthus</i>	351	<i>Cístus</i>	40	<i>Colebroókia</i>	400	<i>Córdia</i>	379
<i>Chiranthodéndron</i>	66	<i>Cístus</i>	41, 42	<i>Coleonèma</i>	106	<i>Córdia</i>	380
<i>Chirònia</i>	363	<i>Citharéxylum</i> ..	417	<i>Còleus</i>	413	<i>Cordylíne</i>	534
<i>Chlamy'sporum</i> ..	532	<i>Cítrus</i>	75	<i>Coll'æa</i>	140	<i>Cordylocárpus</i> ..	36
CHLEN'ACEÆ 72		<i>Cladánthus</i> 319, 592		<i>Collètia</i>	113	<i>Corèma</i>	460
<i>Chlidánthus</i>	513	<i>Cládium</i>	550	<i>Collètia</i>	113	<i>Coreópsis</i>	311
<i>Chloánthes</i>	417	<i>Cladóstachys</i>	91	<i>Collínsia</i>	390	<i>Coreópsis</i> 307, 309, 311	
<i>Chlòra</i>	363	<i>Clárkia</i>	199	<i>Collínsònia</i>	412	CORIA'NDREÆ ..	256
CHLORA'NTHEÆ		<i>Clausènia</i>	75	<i>Collòmia</i>	368	<i>Coriándrum</i>	256
.....	259	<i>Clavíja</i>	353	<i>Colobáchne</i>	557	<i>Coriándrum</i>	256
<i>Chloránthus</i>	259	<i>Claytònia</i>	220	<i>Cologània</i>	140	CORIARI'Æ ..	109
<i>Chloráster</i>	516	CLEMATI'DEÆ ..	1	<i>Colophònia</i>	120	<i>Coriària</i>	109
<i>Chlòris</i>	562	<i>Clématis</i>	1, 584	<i>Colpòdium</i>	557	<i>Còrion</i>	256
<i>Chlòris</i> ..	562, 571	<i>Clématis</i>	2	<i>Colubrína</i>	113	<i>Còris</i>	425
<i>Chloróphytum</i> ..	525	<i>Cleòme</i>	37, 585	<i>Columéllia</i>	308	<i>Corispérmum</i> ..	436
<i>Chloroxylon</i> ..	86	<i>Cleòme</i> ..	31, 37, 38	<i>Colúmnea</i>	390	<i>Cornucòpiæ</i>	552
<i>Chomèlia</i>	264	CLE'OMEÆ	37	<i>Colúria</i>	189	<i>Córnus</i>	257
<i>Chondrilla</i>	277	<i>Cleònia</i>	410	<i>Colútea</i>	144	<i>Cornùtia</i>	417
<i>Chondròsea</i>	240	<i>Clerodéndrum</i> ..	415	<i>Colútea</i>	144	<i>Cornùtia</i>	417
<i>Chondròsium</i> ..	571	<i>Clèthra</i>	332	<i>Comándra</i>	450	COROLLIFL'OREÆ	
<i>Chorísma</i>	274	<i>Cleyèra</i>	72	<i>Comarópsis</i>	189	347
<i>Choríspera</i>	28	<i>Clidèmia</i>	205	<i>Cómarum</i>	192	<i>Coronílla</i>	148
<i>Chorizèma</i>	123	<i>Cliffórtia</i>	193	COMBRET'ACEÆ		<i>Coronílla</i>	143
<i>Chorozèma</i>	123	<i>Cliftònia</i>	332	195	CORONILLEÆ ..	148
<i>Christia</i>	149	<i>Clinopòdium</i>	409	<i>Combretum</i>	196	<i>Corónopus</i>	31
<i>Chrysanthéllum</i> ..	308	<i>Clintònia</i>	324	<i>Combretum</i> 196, 590		<i>Corrèa</i>	107
<i>Chrysánthemum</i>	320	<i>Clitòria</i>	140	<i>Comespérma</i>	47	<i>Corrigiòla</i>	220
<i>Chrysánthemum</i> 321,		<i>Clitòria</i>	140	<i>Commelina</i> ..	542, 597	<i>Cortùsa</i>	423
.....	322	CLIT'ORIEÆ	138	<i>Commelina</i> ..	541, 542	<i>Córybas</i>	487
<i>Chrysiphàla</i>	513	<i>Clivia</i>	516	COMMELINEÆ 541		<i>Corycárpus</i>	571
CHRYSOBAL'A-		<i>Clúsia</i>	78	<i>Commersònia</i>	67	<i>Cory'cium</i>	485
NEÆ	173	CLUSI'Æ	78	<i>Commersònia</i>	67	<i>Corydàlis</i>	20
<i>Chrysobálanus</i> ..	173	<i>Cluy'tia</i>	459	<i>Comoclàdia</i>	119	<i>Córylus</i>	467
<i>Chrysócoma</i>	298	<i>Clypèola</i>	25	COMPO'SITÆ ..	271	<i>Corynéllia</i>	144
<i>Chrysócoma</i> 291, 298		<i>Cnemidóstachys</i> ..	460	<i>Comptònia</i>	472	<i>Corynéphorus</i> ..	560
<i>Chrysophyllum</i> ..	349	<i>Cneòrum</i>	121	<i>Conanthèra</i>	532	<i>Córypha</i>	543
<i>Chrysopògon</i>	561	<i>Cnéstis</i>	121	<i>Cónchium</i>	447	<i>Córypha</i>	542, 543
<i>Chrysópsis</i>	291	<i>Cnicus</i> ..	282, 283, 287	<i>Condàlia</i>	112	<i>Corysánthes</i> ..	487
<i>Chrysópsis</i>	295	<i>Cnídium</i>	248	<i>Condylocárpus</i> ..	252	<i>Coscínium</i>	15
<i>Chrysosplèmium</i> ..	242	<i>Cnídium</i>	248, 249	CONIFERÆ ..	473	<i>Cósmos</i>	310
<i>Chrysùrus</i>	562	<i>Cnidóscolus</i>	457	<i>Conioselinum</i>	249	<i>Cósmea</i>	311
<i>Chuquíraga</i> 280, 592		<i>Cob'æa</i>	367	<i>Cònium</i>	255	<i>Cosmèlia</i>	345

	Page.		Page.		Page.		Page.
Cossígnia	84	CUCURBITACEÆ	213	Cy'phia	324	Deschámpsia	559
Cóstus	492	213	Cypripèdium	491	Desmánthus	163
Cotoneáster	176	Cullùmia	312	Cyrilla	332	Desmoch'æta	432
Cótula	318	CUMINEÆ	252	Cyrilla	390	Desmoch'æta	432
Cótula	318	Cuminum	252	Cyrtánthus	512	Desmòdium	149
Cotylèdon	224	Cumíngia	352	Cyrtánthus	512	Desmòdium	149
Cotylèdon	225	Cùnila	404	Cyrtopòdium	488	Desmòncus	544
Coultèria	168	Cùnila	404	Cyrtòstylis	486	DETARIEÆ	173
Coumaróina	168	Cunninghámia	475	Cysticápnos	20	Detàrium	173
Couroúpita	213	Cunònia	243	CYTI'NEÆ	452	Devaúxia	547
Coursétia	143	CUNONIACEÆ	242	Cy'tisus	130	Devèrra	247
Coutària	262	Cupània	84	Cy'tisus	123, 126, 131,	Diàlium	172
Coutoúbea	364	Cùphea	202	143, 144, 159	Dianélla	532
Crámbe	35	CUPRE'SSINEÆ	473	Czáckia	524	Diánthus	49, 586
Craniolària	367	Cuprèssus	474	Dacry'dium	473	Diapénsia	342
Craniótome	407	Cuprèssus	474	Dactylánthes	453	Diapénsia	342
Crássula	222	CUPULI'FERÆ	465	Dáctylis	570	Diarrhèna	571
.....	226	Curatèlla	13	Dáctylis	553, 574	Diàscia	394
CRASSULACEÆ	222	Curcùligo	505	Dactyloctènium	571	Diàsia	502
.....	222	Curcùma	491	Dáhlia	310	Diastèlla	444
Crat'ægus	175, 176, 177	Curtisia	111	D'æmia	361	Dicèra	72
Crat'æva	38	Curtógyne	223	Dàis	449	Dicérma	151
Creòdus	259	Curtopògon	558	Dalbèrgia	161	Dichilus	128
Crepidària	452	Cuscùta	373	Dalbèrgia	142	Dichóndra	373
Crèpis	273, 592	CUSP'ARIEÆ	108	Dàlea	141	Dichorisándra	126
Crèpis	273, 274, 275,	Cussònia	256	Dàlea	141	Dichromèna	597
.....	276, 278, 279	Cyámus	17	Dàlea	141	Dicksònia	583
Crescéntia	389	Cyanélla	532	Dalechámptia	456	Dicksònia	583
Crescéntia	389	Cyanòtis	542	Dalibárda	189	Diclíptera	422
Créssa	373	Cyànus	286	Dalibárda	189	Diclytra	20
Crinum	511	Cyathèa	583	Dalry'mplea	109	DICOTYLED'ON-	
Crinum	513, 532	Cyathèa	579	Dalry'mplea	109	NEÆ	1
Cristària	63	Cyathòdes	346	Damasòonium	476	Dictámnus	105, 588
Críthmum	249	CYCADEÆ	476	Damasòonium	477	Didèlta	312
Críthmum	251	C'yecas	476	Dámmara	474	Didiscus	243
Critònia	299	Cy'clamen	423	Dampièra	325	DIDYMOCA'RPEÆ	367
Cròcus	503, 596	Cyclánthus	400	Dan'æa	598	367
Crossándra	420	Cyclobóthra	538	Danthònia	567	Didymocárpus	367
Crotalària	127	Cyclòpia	123	Danthònia	567	Diervílla	258
Crotalària	123, 126, 128	Cydònia	178	Dáphne	448	Diètes	497
Cròton	457	Cylipògon	141	Darèa	581	Digitális	392
Cròton	456, 457, 458	Cylista	160	Darlingtonia	163	Digitària	558
Crówea	107	Cymàtion	540	Darwínia	207	Digitària	559
Crozóphora	457	Cymbáchne	561	Dasystèmon	222	Digráphis	559
Crucianélla	265	Cymbària	390	Datisca	39	Dilàtris	504
CRUCIFERÆ	21	Cymbídiun	488	DATI'SCEÆ	39	Dilàtris	504
Crùdya	172	Cymbídiun	487, 488, 489	Datùra	383	Dilep'yrum	559
Crupina	285	Cymbopògon	561	Datùra	383	Dillènia	13
Cry'psis	557	Cymbùrus	418	Daubentònia	144	Dillènia	13
Cryptándra	114	Cyminósma	107	Daucus	253	DILLENTACEÆ	12
Cryptarrhèna	490	Cymópterus	252	DAUCINEÆ	253	Dillwy'nia	124
Cryptocàrya	441	Cynánchum	361	Davállia	583, 599	Dillwy'nia	124
CRYPTOG'AMEÆ	575	Cynánchum	360, 361,	Davièsia	125	Dimàcria	91
Cryptográmma	582	362	Davièsia	124	Dimocárpus	84
Cryptólepis	355	Cy'nara	284	Décodon	202	Dimórpha	171
Cryptospèrmum	268	Cy'nara	284	Decumària	206	Dinèba	560
Cryptostègia	356	Cy'nodon	558	Deeringia	432	Dinèba	560
Cryptostémma	312	Cynoglóssum	378	Delima	13	Dinètus	373
Cryptóstylis	485	Cynoglóssum	378	DELIM'ACEÆ	12	Diòclea	159
Cryptot'ænia	246	Cynomètra	171	Delislia	592	Diòdia	265
Cucífera	543	Cynosùrus	571	Delphinium	8	Diomèdea	309
Cucùbalus	51	Cynosùrus	560, 562, 569,	Dendrobium	489	Diomèdes	514
Cucùbalus	51, 53	571	Dendrobium	489	Dion'æa	46
Cuculària	197	Cy'nthia	276	Dentària	24	Dioscòrea	521
Cùcumis	214	Cypèlla	497	Dentèlla	263	Dioscor'Æ	521
Cùcumis	214	CYPER'ACEÆ	547	Dermàsea	240	Diósma	106
Cucúrbita	215	Cypèrus	551, 598	Dérris	161	Diósma	105, 106, 116
		Cypèrus	552	Deschámpsia	559	DIO'SMEÆ	105

	Page.		Page.		Page.		Page.
Diosp'yros ..	349, 593	Dryandra	448	Embóthrium	447	Eriosynáphe	250
Diótis	437	Dr'yas	190, 589	Embóthrium	447	Erísma	590
Diphyllèia	16	Dr'yas	189	Embryópteris	350	Erithalis	260
Diplachne	571	Drymària	55	Emericia	356	Ernòdea	264
Diplàzium	582, 598	Dr'ypis	54	'Emex	440	Erodéndrum 443, 444	
DIPLECOLOBEÆ	36	Duchésnia	189	Emilèa	302	Eròdium	89
Diplochìta	205	Dulichium	549	EMPE'TREÆ	460	Eróphila	26
Diplócoma	299	Dumàsia	140	Empètrum	460	Erpetion	45
Diplólepis	361	Dumerilia	280	Empètrum	460	Erúca	35
Diplopáppus	294	Dumerilia	592	Empleùrum	107	Erucària	36
Diplophy'llum	399	Dupóntia	559	Enarthrocárpus	36	ERUCARIEÆ	36
Diplostégium	204	Duranta	417	Encèlia	308	Erríia	154
Diplostèphium	295	Duroia	261	Enchyl'æna	434	E'rvum	154
Diplot'ixis	34	Duvallia	356	Ency'elia	490	Ery'ngium	244, 591
Diplothèmium	544	Duvaúa	119	ENDO'GENÆ	476	Ery'simum	30, 585
Dipòdium	489	Dyssòdia	305	Enkiánthus	331	Ery'simum 22, 29, 30, 31	
DIPS'ACEÆ	269	EBEN'ACEÆ	349	Enneapògon	567	Erythr'æa	363
Dípsacus	269	E'benus	152	Enòdium	560	Erythrina	160
Díptera	240	Ecastaphy'llum	162	Enslènia	360	Erythrina	161
Dipterix	168	Eccremocárpus	566	Entàda	162	Erythro'ana	283
Dírca	448	Eccremocárpus	566	Entelèa	70	Erythrònium 539, 597	
Dísa	484	Echevèria	225	EPACRI'DEÆ	345	Erythroplèum	163
Disandra	394	Echinàcea	310	E'pacris	345	ERYTHROXYLEÆ	80
Dischídia	360	Echinària	567	E'pacris	345, 346	Erythroxyllum	80
Dischísma	414	Echinocactus 235, 590		Epáltes	315	Erythroxyllum	80
Discopleùra 245, 591		Echinóchloa	563	Ephèdra	474	ERYTHROXYLON	80
Disémma	217	Echinóphora	255	Ephielis	84	ESCALLONEÆ	239
Disophy'lla	400	Echinopògon	559	Epidéndrum	490	Escallònia	239, 591
Dispèris	485	Echinops	287	Epidéndrum 488, 489,		Eschschóltzia	19
Dísorum	539	ECHINOPSI'DEÆ	287	490	E'sula	454, 455
Dissolèna	354	Echinospérmum	377	Epig'æa	342	Ethùlia	315
Diùrus	485	Echites	355	Epilòbium	198	Ethùlia	315
Dodártia	390	Echites	356	Epilòbium	197, 198	Eucaly'ptus	208
Dodecàtheon 423, 595		Echium	375	Epimèdium	16, 584	Euchètes	106
Dodon'æa	85	Eclipta	308	Epipáctis	486	Euchilus	124
DODONÆ'ACEÆ	85	Edwárdsia	122	Epipáctis	486	Euchròma	395
Dólichos	158	Ehrètia	379	Epiphy'llum	237	Euclèa	457
Dólichos	158, 159	Ehrhártia	574	EQUISET'ACEÆ	575	EUCLIDÆ	28
Dollocárpus	12	Ehrhártia	574	Equisètum	575	Euclidium	28
Dombèya	69, 586	Ekebérgia	86	Eragróstis	570	Eùcomis	530
Dombèya	367, 475	ELÆA'GNEÆ	451	Eragróstis	570	Eucrosia	513
DOMBEY'ACEÆ	69	Elæágnus	451	Eránthemum	422	Eudésmia	208
Dóndia	244	ELÆOCA'RPEÆ	71	Eránthemum 415, 420		Eugènia	212
Dónia	298, 299	Elæocárpus	71	Eránthus	7	Eugènia 211, 212, 213	
Doódia	581, 598	Elæodéndron	110	Eremùrus	524	EUHEDYS'AREÆ	148
Doódia	149	Elæodéndron 111, 349		'Eria	489	EULEPTOSPE'RMEÆ	208
Dorónicum	299	Elàis	543	Erica	332	208
Dorónicum	298, 299	Eláphrium	120	Erica	332, 341	Eulòphia	490
Dorstènia	464	Elàte	543	ER'ICEÆ	330	EUONY'MEÆ	109
Doryánthes	516	Elatèrium	215	Erigènia	243	Euónymus	109, 588
Dory'cnium	137	Elátine	55	Erigeron	294	Euósma	364
Dràba	25, 585	Elègia	547	Erigeron	290	EUPAT'OREÆ	299
Dràba	25, 26	Eleiòtis	152	Erinus	394	Eupatòrium	300
Drac'æna	533	Eleócharis	550	Eriobòtrya	176	Eupatòrium	291, 301
Drac'æna 517, 532, 533		Elephántopus	288	Eriocàlia	243	Euphórbia	453
Dracocéphalum	408	Elettària	492	Eriocáulon	546, 597	Euphórbia	452
Dracocéphalum	406	Eleusine	571	Eriocéphalus	317	EUPHORBIACEÆ	452
Dracóntium	479	Eleusine	571	Eriochilus	486	452
Dracóntium 479, 480		Elichr'ysum 292, 293		Eriócoma	314	Euphòria	84
Dracophy'llum	345	Ellísia	380	Eriodéndron	66	Euphràsia	394
Drepània	275	Ellobocárpus	577	Eriógonium	440	Eùrya	72
Drepanocárpus	161	Elòdea	76	Eriol'æna	69	Eur'yale	17
Drepanophy'llum	245	Elshóltzia	400	Erióphorum	552	Eùrycles	513
Drimia	529	E'lymus	566	Erióphorum	552	Euryspérmum	443
Drimys	13	El'yna	552	Eriophy'llum	322	Eury'coma	121
Drósera	45	Elytrària	420	Eriospérmum	529	Eùstachys	562
DROSER'ACEÆ	45	Embèlia	348	Eriostèmon	107	Eustègia	361
Drummóndia	591	E'mblica	459	Eriostèmon	407	Eùstoma	364

	Page.		Page.		Page.		Page.
Eùstrephus	533	Fragària	189	Gaúra	198	Glossòdia	497
Eutàxia	124	<i>Fragària</i>	192	Gay'a	64	Glóssula	485
Eutérpe	543	<i>Franciscea</i>	389	<i>Gay'a</i>	591	Glottídium	143
Eùthales	321	Frankènia	48, 586	Gazània	312	Gloxínia	329
Euthàmia	298	FRANKENI'ACÆ	48	Geissomèria	420	Glycèria	570
Eùtoca	380, 594	Fransèria	315	Geissorhiza	503	<i>Glycèria</i>	569, 570
<i>Euxènia</i>	315	Frasèra	363	Gèla	600	Gly'cine	140
Euzòmum	35	Fráxinus	350	Gelòonium	457	<i>Gly'cine</i>	127, 141, 149,
<i>Evax</i>	294	<i>Fráxinus</i>	351	Gelsèmium	353	156, 157, 168
Evòdia	107	Frezièra	72	Genety'llis	207	Glycòsmis	75
Evólvulus	373	FREZI'EREÆ	72	Geniòsporum	414	Glycirrhiza	141
E'xacum	364	Frièsia	72	Genipa	261	Gmelina	417
<i>E'xacum</i>	364	Fritillària	537	Genísta	129	Gnaphàlium	291
Excæcària	459	<i>Fritillària</i>	538	<i>Genísta</i>	131	<i>Gnaphàlium</i>	291, 292,
Exocàrpus	450	Fúchsia	197, 590	GENI'STEÆ	125	293, 308
EXOGENÆ	1	FUCHSI'EÆ	197	Gentiàna	362	Gnètum	464
Exostemma	262	Fuirèna	552	<i>Gentiàna</i>	364	Gnídia	449
Fàba	153	Fumària	20	GENTI'ANEÆ	362	Godóya	78
Fabrícia	210	<i>Fumària</i>	20	Geodòrum	487	Goldbáchia	32
<i>Fabrícia</i>	209	FUMARI'ACEÆ	20	GEO'FFREÆ	167	Gomèza	487
<i>Fagàra</i>	107, 120	Fúncia	517	Geoffròya	168	<i>Gomèza</i>	487
Fagèlia	157	Furcr'æa	534	Geónoma	544	Gómphia	109
Fagònia	104	Fusànus	450	Geóphila	264	Gomphocàrpus	361
Fagr'æa	353	<i>Gærtnera</i>	81	Georgina	310	<i>Gomphocàrpus</i>	361
Fàgus	467	Gàgea	527	GERANI'ACEÆ	88	Gompholòbium	124
Falcària	245	<i>Gàgea</i>	527	GERANI'EÆ	88	<i>Gompholòbium</i>	123
Fálfia	373	Gagnebina	163	Geranium	88	Gomphrèna	432
Farsètia	24	Gaillardia	310	<i>Geranium</i>	88, 90, 91,	<i>Gomphrèna</i>	432
<i>Farsètia</i>	24	GALACI'NEÆ	345	92, 93, 94, 97, 98, 99,	Gomùtus	544
Fèdia	268	Galàctia	140	100, 101	Gongòra	489
<i>Fèdia</i>	269	Galactites	285	Geràrdia	395	Gonicàrpus	200
Ferdinándia	318	<i>Galactodéndron</i>	462	<i>Geràrdia</i>	396	Gonolobus	360
Fernandèsia	490	Galánthus	516	Gerbèria	299	Gonostèmon	358
Fernèlia	262	<i>Galarh'æus</i>	455	Geropògon	279	<i>Gonostèmon</i>	357
Ferònia	75	Gálex	345	Gesnèria	329	Goodènia	324
Ferrària	499	Galàxia	499	<i>Gesnèria</i>	329	<i>Goodènia</i>	324, 325
<i>Ferrària</i>	497, 499	GALAXIA	499	GESNER'EÆ	329	GOODENOVIÆ	324
<i>Ferreòla</i>	319	G'ALEÆ	265	Gethy'llis	516	Goódia	126
Férula	250, 591	<i>Galedùpa</i>	161	Getònia	196	<i>Goódia</i>	126
<i>Férula</i>	249, 250, 253	Galèga	141	Gèum	190	Goodyèra	485
Festùca	572	<i>Galèga</i>	142, 144, 156	<i>Gèum</i>	189, 190	Gordònia	73
<i>Festùca</i>	559, 567, 570,	Galènia	437	<i>Ghìnia</i>	418	GORDONI'EÆ	73
.....	571, 572, 573, 574	Galeóbdolon	405	Gília	368, 594	Gortèria	312
<i>Fewillæa</i>	215	Galeópsis	405	<i>Gília</i>	368	Gossy'pium	63
Fibígia	24	Galinsògea	308	Gillènia	194	Gouània	114
Ficària	7	<i>Galinsògea</i>	308	Gillièsia	546	<i>Gr'æmia</i>	315
FICOI'DEÆ	227	Galipèa	108	Gingínsia	220	GRAMI'NEÆ	552
Ficus	460	Galium	266	<i>Gínkgo</i>	473	Grammànthes	223
Fièldia	366	<i>Galium</i>	266	Ginòria	202	Grammitis	578
Filàgo	294	Galphímia	81	Gisèkia	433	<i>Grammitis</i>	578
FI'LICES	576	Garcinia	78, 587	Githàgo	54	GRAN'ATEÆ	195
Fimbristylis	550, 597	GARCI'NIÆ	78	Gladiolus	500	Gràngea	318
Fischèria	358	Gardènia	261	<i>Gladiolus</i>	499, 500, 501,	Grangèria	173
Flacóurtia	40	<i>Gardènia</i>	260, 261	502	Graphéporum	571
FLACOURTI'ANEÆ	40	GARD'ENIÆ	260	Glaúcium	19, 585	Gratiola	396
.....	40	Gardòquia	409	Glaúx	428	<i>Gratiola</i>	396
Flagellària	546	Garidèlla	8	Glechòma	408	Grenvìllea	96
Flavèria	313	Garùga	120	Gledítschia	168	Grevìllea	416
Flemíngia	152	Gastèria	519	Gleichènia	577, 598	Grèwia	70
Flindèrsia	86	Gastònia	256	GLEICHEN'EÆ	577	<i>Grèwia</i>	206
<i>Florestina</i>	306	Gastrídium	555	Glinus	234	Griàs	213
FLUVI'ALES	478	Gastrocàrpha	280	Glóbbba	491	GRI'ELEÆ	89
Fœniculum	247	Gastrolòbium	124	<i>Glóbbba</i>	491	Grielum	89
<i>Fœniculum</i>	245	Gastronèma	512	Globulària	426	Griffínia	510
Fontanèsia	351	Gaudichaúdia	81	GLOBUL'ARIE E	426	Grindèlia	298
Forskòhlea	463	Gaudínia	568	426	Gríslea	202
Fothergílla	473	Gaulthèria	331	Globùlea	223	Gronòvia	216
<i>Fothergílla</i>	205	<i>Gaulthèria</i>	330	Gloriosa	539	GROSSULARI'EÆ	238
						238

	Page.		Page.		Page.		Page.
Guaiacum	101	Hebenstreitia	414, 415	Hesperantha	503	Houstonia	364
Guarea	86	Hedeoma	404	Hesperis	29	Houttuy'nia	479
Guatteria	15	Hedera	256	Hesperis	22, 29, 30	Hovea	125
Guazuma	67	Hedera	87	Hesperoscordum	532	Hovènia	113
Guepinia	27	Hedy'chium	493	Heteranthemis	321	Hóya	359
Guettarda	260	HEDYOTI'DEÆ	262	Heteranthera	541	Hudsònia	43
GUETTA'RDEÆ	260	Hedyotis	262	Heteromórpha	247	Huèrnia	359
Guevina	599	Hedyotis	599	Heteropògon	561	Hugònia	72
Guilandina	168	Hedy'pnois	275	Heterópteris	82	Hùmea	291
Guilandina	168	Hedy'pnois	275	Heterospèrmum	306	Hùmulus	463
Gundèlia	288	HEDYS'AREÆ	148	Heterotaxis	489	Hunnemànnia	19
Gunnèra	12	Hedy'sarum	151	Heterótrichum	205	Hùra	458
Gustàvia	213	Hedy'sarum	127, 140, 149, 150, 151, 152, 153	Heterótrichum	281	Hutchínsia	27
GUTTI'FERÆ	78	Heimia	202	Heuchera	242	Hutchínsia	27
Guzmànnia	533	Helènia	307	Heylándia	127	Hyacinthus	523
Gymnadènia	483	Heleóchloa	557	Hey'nea	86	Hyacinthus	527, 528, 529, 530
Gymnema	360	Heliánthemum	41	Hexaglòttis	498	Hyàlis	502
Gymnocladus	168	HELIA'NTHEÆ	306	Hexaglòttis	502	Hyænánche	457
Gymnogramma	578	Heliánthus	309	Hibbertia	13	Hydránga	242
Gymnoloma	309	Heliánthus	312	Hibiscus	61, 586	Hydrástis	4
Gymnóstachys	479	Helichr'ysum	292	Hicòrius	465	HYDROCHARI'-	
Gymnóstylis	317	Helichr'ysum	294	HIER'ACIEÆ	271	DE E	476
Gynandropsis	37	Helicònia	495	Hieracium	271	HYDROC'ARVEÆ	200
Gypsóphila	48	Helicteres	65	Hieracium	273, 275	Hydrocharis	476
Gypsóphila	51	Heliocárpus	70	Hieróchloe	559	Hydróchloa	570
Gyrocarpus	442	Helióphila	36	Hillia	262	Hydrocótyle	243
Gyrdmia	523	HELIOPHI'LEÆ	36	Hippeastrum	508	Hydrocótyle	243
Gyrostemon	71	Heliópsis	309	Hippia	317	HYDROCOTYL'INEÆ	
Habenària	484	Heliotròpium	374	Hippia	317		243
Habenària	483	Heliotròpium	374, 379	Hippion	364	Hydroglóssum	577
Hablitzia	434	Helleborine	485	HIPPOCAST'A-		Hydròlea	369
Habránthus	506	HELLEB'OREÆ	7	NEÆ	83	HYDROLE'ACEÆ	
Haequetia	244	Helléborus	7	Hippocratea	79		369
Hæmadictyon	356	Hellènia	493	HIPPOCRATE'A-		HYDROPELTI'DEÆ	17
Hæmánthus	510	Hellènia	493	CEÆ	79	Hydropeltis	17
Hæmatóxylon	169	Hellènia	493	Hippocrèpis	148	HYDROPHY'LLÆ	
HÆMODOR'ACEÆ	504	Helmínthia	276	Hippomane	458		380
	504	Helónias	540	Hippomaráthrum	255	Hydrophy'llum	380
Hæmodòrum	504	Helónias	540	Hippóphæ	451	Hydrophy'llum	380
Hægea	221	Helosciádium	245	Hippóphæ	451	Hygróphila	420
Hækea	446	Hemárthria	562	HIPPURI'DEÆ	201	Hymen'æa	172
Hækea	446	HEMEROCALLI-		Hippuris	201	Hymenanthèra	586
Halèsia	347	DEÆ	516	Hiptage	81	Hymenocállis	513
Halimodéndron	144	Hemerocállis	516	HIPT'AGEÆ	81	Hymenocárpus	132
Hallèria	389	Hemerocállis	517	Hir'æa	81	Hymenodictyon	262
Hállia	127	Hemidésmus	356	Hirculus	240	Hymenógyne	234
Halochàris	282	Hemigènia	408	Hirtella	173	Hymenopáppus	306
Halocnèmum	437	Hemímeris	399	Hòarea	90	Hymenophy'llum	583
HALOR'AGEÆ	200	Hemímeris	394	Hoffmanséggia	169	Hymenophy'llum	583
Haloràgis	200	Hemionitis	578	Hoitzia	368	Hyosc'yamus	382
Haloràgis	201	Hemionitis	578, 582	Hólcus	562	Hyosc'yamus	382
HAMAMELI'DEÆ	473	Hemitèlia	583	Hólcus	559, 561, 562	Hyóseris	276
	473	Hepática	4	Holigárna	588	Hyóseris	275, 276
Hamamèlis	473	Heracántha	284	Holmskiöldia	417	Hypécoum	19
Hamèlia	260	Herácleum	251	Holósteum	55	Hyperanthèra	168
HAMELI'ACEÆ	260	Herácleum	252	Holósteum	55	HYPERICI'NEÆ	76
Hamiltònia	451	Herbèrtia	497	HOMALI'NEÆ	116	Hypèricum	76
Hamiltònia	263	Heritièra	66	Homàlium	116	Hyph'æne	543
Hapalostèphium	273	Heritièra	504	Homèria	498	Hypocaly'ptus	128
Hardwíckia	169	Hermànnia	68	Hòdia	359	HYPOCHÆRI'DEÆ	276
Haróngà	76	Hermànnia	69	Hookèra	517	Hypoch'æris	276
Harpályce	274	HERMANNI'EÆ	67	Hòpea	347	Hypoch'æris	276
Harráchia	420	Hérmás	255	Hórdeum	558	Hypòelytrum	598
Harrisònia	361	Hermínium	483	Horkèlia	189	Hypoèstes	422
Hartògia	111	Hermíone	515	Hornemànnia	393, 394	Hypol'æna	547
Hasselquístia	252	Hernándia	442	Hosáckia	589	Hypopíthys	342
Hástingia	417	Herniària	220	Hósta	417	HYPOXI'DEÆ	505
Havètia	78	Herpéstis	393	Hottònia	425	Hypóxis	505
Hawóρθia	520	Herrèria	533				
Hebenstreitia	414						

	Page.		Page.		Page.		Page.
Hy'ptis	414, 594	Jacarànda	366	Kundmánnla	247	Lawsònia	202
Hyssòpus	402	Jacksònia	124	Kùhnia	299	Laxmánnia	532
<i>Hyssòpus</i>	402	Jacquínia	348	<i>Kuhnistèria</i>	141	Lebéckia	129
<i>Iántha</i>	490	JACOB'Æ	301	Ky'dia	69	<i>Lebéckia</i>	139
Ibèris	27	<i>Jambolifera</i>	107	Kyllínga	552, 598	Lebretònia	61
<i>Ibèris</i>	27	Jambòsa	212	LABIAT'Æ	399	Lecanocárpus	431
<i>Ibbetsònia</i>	123	<i>Janìpha</i>	458	LABIATIFL'ORÆ	280	Lechèa	43
Ichnocárpus	356	Jasione	328, 593	Láblab	159	Lechenaúltia	324
I'cica	589	JASMI'NEÆ	352	Lachenàlia	529	LECYTHI'DEÆ	213
'Ilex	111	Jasminum	352	Lachn'æa	449	Lécythis	213
<i>'Ilex</i>	110, 111	Jasònia	294	<i>Lachnánthes</i>	504	<i>Lécythis</i>	213
ILLECEBREÆ	220	Játropha	457	Lactùca	277	<i>Ledebùria</i>	246
Illécebrum	220	<i>Játropha</i>	457, 458	<i>Lactuca</i>	277	Lèdum	344
<i>Illécebrum</i>	220, 221, 431, 432	Jeffersònia	17	LACT'UCEÆ	277	<i>Lèdum</i>	344
Ilícium	13	Jenkinsònia	100	L'ætia	40	Leèa	87
Imatophy'llum	516	<i>Johannia</i>	280	Lagásca	288	LEE'ACEÆ	87
Imbricària	349	Jóhnia	80	<i>Lagáscea</i>	288	Leérsia	554
Imhòfia	510	Jolíffia	215	Lagenària	213	LEGUMIN'OSÆ	122
Impàtiens	102, 588	Jonèsia	169	Lagerstr'œmia	202	Leimánthium	540
<i>Impàtiens</i>	101	Jonídium	45	LAGERSTR'œMIEÆ	202	<i>Leiophy'llum</i>	344
Imperàta	560	<i>Jonídium</i>	43, 45	Lagétta	448	Lémna	478
Imperatòria	251	Jossínia	211	Lag'œcia	255	<i>Léns</i>	154
<i>Imperatòria</i>	249, 250, 251	JUGLA'NDEÆ	465	Lagony'chium	164	LENTIBULARIEÆ	422
Indigófera	139	Júglans	465	Lagosèris	273	Leonòtis	404
I'nga	163	<i>Júglans</i>	465	<i>Lagosèris</i>	278	Leóntice	16
<i>I'nga</i>	163	JUNCAGI'NEÆ	477	Lagunculària	196	Leóntodon	274
Inocárpus	348	JUN'CEÆ	545	Lagunèa	65	<i>Leóntodon</i>	275
Inùla	290	Júncus	545	<i>Lagun'æa</i>	62	Leóntodon	291
<i>Inùla</i>	291	<i>Júncus</i>	545	Lagùrus	559	Leontopòdium	405
Ionópsis	490	Júngia	592	Laháya	221	Leonùrus	405
Ipom'œa	370	Juníperus	474	<i>Lamarckia</i>	110, 562	<i>Leonùrus</i>	407
<i>Ipom'œa</i>	373	Jussi'æa	199	Lambértia	447	Lepechinia	409
Ipomópsis	368	JUSSI'ÆÆ	199	Làmium	406	Lepeocércis	561
<i>Ipomópsis</i>	368	Justícia	421, 595	<i>Làmium</i>	406	Lepidagáthis	420
Iresíne	433	<i>Justícia</i>	420, 422	Lanària	504	LEPIDI'NEÆ	31
<i>Iresíne</i>	433	Kæmpfèria	492	<i>Lancisia</i>	318	Lepídium	31
IRI'DEÆ	495	Kalanchòe	224	Lantàna	417, 595	<i>Lepídium</i>	27
'Iris	495	Kálmia	312	Lapeyroúsia	499	Lepidospérma	549
<i>'Iris</i>	497, 498	Kalosánthes	224	LAPL'ACEÆ	73	Leptándra	396
Isáchne	564	Kaulfússia	305	<i>Láppa</i>	281	Leptánthus	541
Isánthus	399	Kennèdya	156, 589	Lappàgo	557	<i>Leptàsea</i>	240
ISATI'DEÆ	32	Kernèra	26	Lapsàna	274	Leptocarp'æa	22
Isàtis	32	Kérria	194	<i>Lapsàna</i>	275, 276	Leptocárpus	547
Isch'æmum	562	Kiggelària	40	Larbrèa	55	Leptocáulis	245
<i>Isch'æmum</i>	562	KIGGEL'ARIEÆ	40	<i>Làrix</i>	475	Leptóchloa	571
Isértia	260	Kíngia	545	Lárrea	104, 588	Leptomèria	450
Ismène	513	Kirganèlia	459	Laserpítium	252	LEPTOSPE'RMEÆ	207
Isnárda	200	Kitaibèlia	60	<i>Laserpítium</i>	249, 252, 355, 591	Leptospérmum	210
Isocárpha	307	Kleinhòvia	67	Lasiándra	204	<i>Leptospérmum</i>	209
Isochilus	489	Kleínia	301	Lasiòspérmum	279	Leptostélma	299
Isoètes	575	Knáppia	557	<i>Lasiòspérmum</i>	308	Leptùrus	563
Isólepis	550, 597	Knaútia	271	Lasiopétalum	67	Lepyròdia	547
Isopétalum	101	<i>Knaútia</i>	271	<i>Lasiopétalum</i>	67	Lèria	280
Isopògon	442	Knowltònia	4	Latània	543	Lespedèza	152
Isop'yrum	7	Knóxia	265	Lathr'æa	422	<i>Lespedèza</i>	149
<i>Isótoma</i>	324	Kobrèsia	549	Láthyrus	155	Lessértia	144
I'tea	345	Kòchia	434	<i>Láthyrus</i>	143, 154	Lestibudèsia	431
<i>I'tea</i>	48, 332	<i>Kòchia</i>	434, 435	<i>Laugèria</i>	260	Lettsòmia	72
'Iva	314	Kælèria	567	LAURI'NÆ	441	<i>Lettsòmia</i>	373
I'xia	502	<i>Kælèria</i>	559	Laurophy'llus	599	Leucadéndron	442
<i>I'xia</i>	498, 499, 500, 501, 502	Kælpìnia	275	Laúrus	141	<i>Leucadéndron</i>	441
Ixiolirion	510	Kælreutèria	85	<i>Laúrus</i>	141	Leucas	404
Ixòdia	291	Kœnígia	440	Lavándula	408	Leucàs	280
Ixòra	263	Kólbea	540	<i>Lavándula</i>	414	Leucèria	532
<i>Ixòra</i>	263	Kòniga	25	Lavatèra	60	Leucocóryne	516
Ixòra	263	Krígia	276	Lavènia	308	Leucòjum	346
		<i>Krígia</i>	276	LAVOISI'EREÆ	203	Leucopògon	402
		Krùbera	252			Leucoscéptrum	441
						Leucospérmum	441

	Page.		Page.		Page.		Page.
Leucostemma	293	Loddigèsla	128	Lyónsla	356	Mariálva	78
Leùzea	285	Lodiculària	562	Lyperánthus	486	Márica	497
Leùzea	282	Lodoicea	543	Lysimàchia	425	Márica	498
Levísticum	249	Lœflíngia	222	Lysimáchia	425	Máрила	78
Lewisia	227	Logània	364	Lysinèma	345	Maríscus	552, 598
Leysèra	301	Loiseleùria	344	LYTHRARI'Æ	201	Márlea	213
Leysèra	281, 307, 308	Lòlium	566	Lythrum	202	Marrùbium	408
Liàtris	289	Lomándra	545	Lythrum	202	Marrùbium	405
Libanòtis	248	Lomària	581, 598	Màba	349	Marsdènia	360
Libértia	498	Lomàtia	447	Macbrìdea	409	Marshállia	306
Lichtensteínia	247	Lomatophy'llum	517	Macleàya	19	Marsilea	576
Lichtensteínia	540	Lonchitis	583	Maclùra	462	MARSILE'ACE'Æ	576
Lienàla	544	Lonchocárpus	143	Macradènia	488	Marty'nia	367
Lidbéckia	318	Longchámpsia	308	Macránthus	156	Massònia	530
Lidbéckia	318	Lonícera	258	Macrocnèmum	262	Massònia	527
Lightfóbtia	325, 592	Lonícera	258, 259	Macrocnèmum	261	Matáxa	308
Ligulària	240	Lopèzia	200	Macrolòbium	172	Matáyba	84
Ligústicum	248	Lophánthus	402	Macropòdium	23, 585	Mathiòla	21
Ligústicum	245, 248, 249, 250, 255	Lophiòla	504	Macróstylis	106	Matricària	319
Ligústrum	352	Lophira	259	Macrótropis	122	Matthiòla	260
Lilium	538	LOPH'IRE'Æ	259	Maeròtys	11	Máttia	378
Lilium	538	Lophosciàdium	253	Màdia	306	Maurándia	390
Límeum	220	Lophospérmum	390	M'æsa	347	Maúria	119
Limnètis	553	Lopímia	63	Magnòlia	14	Maurítia	544
Limnócharis	477	LORA'NTHE'Æ	259	Magnòlia	484	Maxillària	489
Limodòrum	487, 490	Loránthus	259, 592	MAGNOLI'ACE'Æ	13	Maxillària	489
Limònia	75	Lorèya	205	Magydàris	255	Maximiliàna	544
Limònia	75	L'OTE'Æ	125	Mahèrnia	68	Máytenus	110
Limosélla	394	Lòtus	137	Mahònia	16	Mázus	393
Linària	390	Lòtus	132, 137, 138, 139	Mahùrea	78	Meconópsis	19
Lincònia	116	Lourea	149	Maièta	205	Medèola	523
Lindèrnia	394	Loureira	460	Mairània	330	Medèola	533
Lindèrnia	394	Lówea	178	Majánthemum	523	Medicàgo	132
Linds'æa	583, 599	Lubínia	425	Malabuíla	251	Medùsea	453
L'INE'Æ	58	Lucùlia	260	Malachodéndron	73	Megacarp'æa	28
Linn'æa	259	Lucùma	349	Málachra	60	Megaclínium	488
Linocièra	351	Lùdia	40	Maláxis	487	Megàsea	239
Linum	58, 586	Lùdia	40	Maláxis	485, 486	Megastàchya	570
Linum	58	Ludólfia	574	Malcòmia	28	Melaleùca	207
Lipària	127	Ludòvia	480	Mallocócça	70	Melaleùca	207, 210
Lipària	127	Ludwígia	200	Malócchia	159	MELALE'UCE'Æ	207
Líparis	486	Ludwígia	200	Málope	58	Melamp'yrum	395
Lipóstoma	599	Lúffa	214	Malpíghia	80	Melampòdium	313
Líppia	419	Luhèa	599	Malpíghia	80, 81	Melananthèra	306
Líppia	418	Lumnitzèra	413, 414	MALPIGHI'ACE'Æ	80	Melanorrh'æa	588
Liquidámbar	472	Lunària	24	Málva	59, 586	Melanoselinum	253
Liriodéndron	14	Lunària	24	MALV'ACE'Æ	58	Melanostícta	169
Lisiánthus	364	Lupinàster	137	Malvavíscus	61	MELANTH'ACE'Æ	539
Lisiánthus	364	Lupínus	159, 589	Mammèa	78	Melánthium	539
Lissánthe	346	Lúzula	545	Mammillària	235, 590	Melánthium	539, 540
Lissochilus	488	Luzuriàga	532	Mandràgora	383	Melasph'ærulea	502
Listèra	486	Ly'chnis	54	Manéttia	263	Melástoma	204
Líta	363	Ly'chnis	52, 53, 54	Mangífera	117	Melástoma	203, 204, 205, 206
Lithospérmum	374	Ly'cium	389	Mangífera	117	MELASTOM'ACE'Æ	203
Litt'æa	534	Lycopérsicum	385	Manglilla	348	Melhània	69
Littorélla	429	LYCOPODI'ACE'Æ	576	Manicària	544	Mèlia	85
Livistòna	543	Lycopòdium	576	Manisùris	563	MELI'ACE'Æ	85
Llóydia	527	Lycopòdium	576	Mantísia	491	Meliánthus	104
Loàsa	218	Lycopòdium	576	Manùlea	394	Mélica	560
Loàsa	218	Lycópsis	377	Máppa	458	Mélica	560
LO'ASE'Æ	218	Lycópsis	376, 377	Maránta	495	Mélichrus	346
Lobàdium	119	Lycopus	399	Maránta	494	Melicócça	84
Lobària	240	Lycòris	509	Maráttia	577	Melícópe	107
Lobèlia	322, 592	Lygèum	552	Maregràvia	79	Melicytus	40
Lobèlia	324, 325	Lygodésmia	277	MARCGRAVIA'CE'Æ	79	Melilòtus	134
LOBEL'ACE'Æ	322	Lygòdium	577, 598	Margyricárpus	192		
Lockhártia	490	Lyònia	331				

	Page.		Page.		Page.		Page.
<i>Melilòtus</i>	134	<i>Millum</i>	555	<i>Moronòbea</i>	79	<i>Narthècium</i>	545
<i>Melinis</i>	558	<i>Milium</i>	555, 564	<i>Morphíxia</i>	502	<i>Nastúrtium</i>	21, 585
<i>Melissa</i>	409	<i>Milla</i>	596	<i>Mòrus</i>	462	<i>Nauclea</i>	263
<i>Melissa</i>	409	<i>Millèria</i>	313	<i>Mòrus</i>	462	<i>Nauenbúrgia</i>	288
<i>Melittis</i>	409	<i>Millingtònia</i>	366	<i>Moschòsma</i>	413	<i>Nebèlia</i>	116
<i>Melocactus</i>	235	<i>Mimètes</i>	444	<i>Mougeòtia</i>	68	<i>Negúndo</i>	82
<i>Melocánna</i>	574	<i>Mimòsa</i>	163	<i>Mouríria</i>	195	<i>Nèja</i>	299
<i>Melòchia</i>	67	<i>Mimòsa</i>	163, 164, 165,	<i>Mozinna</i>	460	<i>Nélitris</i>	210
<i>Melodinus</i>	356		166, 167	<i>Mucùna</i>	159	<i>Nelsonia</i>	422
<i>Melóthria</i>	215	<i>MIMÒSEÆ</i>	163	<i>Muhlenbèrgia</i>	557	<i>Nelumbium</i>	17
MEMECY'LEÆ	195	<i>Mimulus</i>	394, 594	<i>Muhlenbèrgia</i>	559	NELUMB'ONÆ	17
<i>Memècydon</i>	195	<i>Mimùsops</i>	349	MUL'INEÆ	243	<i>Nectouxia</i>	383
<i>Meniòcus</i>	25	<i>Minuártia</i>	221	<i>Mullèra</i>	142	<i>Néctris</i>	17
<i>Meniscium</i>	578, 598	MINUA'RTIÆ	221	<i>Múndia</i>	47	<i>Negrètia</i>	159
MENISPERM'A-		<i>Mirábilis</i>	429	<i>Muntingia</i>	71	<i>Nemèsia</i>	390
CEÆ	15	<i>Mirbèlia</i>	125	<i>Muráltia</i>	47	<i>Nemopánthes</i>	111
<i>Menispèrmum</i>	15	<i>Miscopétalum</i>	240	<i>Murràya</i>	75	<i>Nemóphila</i>	380
<i>Menispèrmum</i>	15	<i>Mitchèlla</i>	263	<i>Murucùia</i>	218	<i>Neóttia</i>	485
<i>Méntha</i>	399	<i>Mitèlla</i>	242	<i>Mùsa</i>	495, 596	<i>Neóttia</i>	485, 486
<i>Méntha</i>	400	<i>Mitèlla</i>	242, 591	MUS'ACEÆ	495	<i>Nepéñthes</i>	452
MENTHOI'DEÆ	399	<i>Mitrasácme</i>	364	<i>Muscària</i>	241	<i>Nepèta</i>	407
<i>Mentzèlia</i>	218	<i>Mniàrum</i>	221	<i>Muscàri</i>	528	<i>Nepèta</i>	402, 409
<i>Menyánthes</i>	364	<i>Modécca</i>	218	<i>Mussæ'nda</i>	260	NEP'ETEÆ	404
<i>Menyánthes</i>	364	<i>Mœhringia</i>	55	<i>Mussæ'nda</i>	260, 261, 262	<i>Nephèlium</i>	84
<i>Menzièsia</i>	341	<i>Mœ'nychia</i>	55	<i>Músschia</i>	593	<i>Nephròdium</i>	579
<i>Meóschium</i>	562	<i>Mogiphànes</i>	432	<i>Mutisia</i>	280	<i>Nephròdium</i>	580
<i>Mercuriàlis</i>	452	<i>Moldenháweria</i>	169	<i>M'yagrurn</i>	32	<i>Nerine</i>	509
<i>Meriània</i>	203	<i>Molin'æa</i>	84	<i>M'yagrurn</i>	31, 36	<i>Nèrium</i>	354
<i>Meriània</i>	204	<i>Molínia</i>	560	<i>Mygalùrus</i>	572	<i>Nèrium</i>	354, 355
<i>Merténsia</i>	464	<i>Móllia</i>	221	<i>Mygínda</i>	111	<i>Nes'æa</i>	202
<i>Merténsia</i>	577	<i>Mollùgo</i>	55	<i>Mylocàrium</i>	332	<i>Nes'æa</i>	202
<i>Mesembryánthemum</i>		<i>Mollùgo</i>	55	MYOPO'RINÆ	419	<i>Néslia</i>	31
	227	<i>Molospèrmum</i>	255	<i>Myóporum</i>	419	<i>Nestlèra</i>	308
<i>Mesembryánthemum</i>		<i>Móltkia</i>	375	<i>Myóseris</i>	278	<i>Neurocàrpum</i>	140
	234	<i>Moluccèlla</i>	405	<i>Myosòtis</i>	377	<i>Neuro'æna</i>	307
MESEMBRYANTH'E-		<i>Moluccèlla</i>	405	<i>Myosòtis</i>	377	<i>Neuro'òma</i>	24
MEÆ	227	<i>Momórdica</i>	215	<i>Myosùrus</i>	4	<i>Nicàndra</i>	383
<i>Méspilus</i>	175	<i>Momórdica</i>	214	<i>My'reia</i>	210	<i>Nicolsònia</i>	149
<i>Méspilus</i>	176, 177	<i>Monáchne</i>	564	<i>Myrica</i>	472	<i>Nicotiana</i>	382
<i>Messerschmídia</i>	378	<i>Monánthes</i>	226	<i>Myrica</i>	472	<i>Niebùhria</i>	39
<i>Messerschmídia</i>	378	<i>Monárda</i>	403	<i>Myricària</i>	203	<i>Nigèlla</i>	8
<i>Metalàsia</i>	292	<i>Monárda</i>	404	MYRI'CEÆ	472	<i>Nigritèlla</i>	483
<i>Metastélma</i>	362	MONA'RDEÆ	403	<i>Myriophyllum</i>	201	<i>Nintoàa</i>	258
<i>Methónica</i>	539	<i>Monérma</i>	563	<i>Myristica</i>	442	<i>Nipa</i>	544
<i>Metrosidèros</i>	209	<i>Monérma</i>	563	MYRISTI'CEÆ	442	<i>Niphóbolus</i>	578
<i>Metrosidèros</i>	207, 209	<i>Monètia</i>	261	<i>Myròdia</i>	65	<i>Nissòlia</i>	142
<i>Mèum</i>	249	<i>Monnièra</i>	108	<i>Myrospèrmum</i>	122	<i>Nitèlla</i>	575
<i>Mèum</i>	245, 247	MONOCHLAMY'-		<i>Myróxylum</i>	122	<i>Nitrària</i>	235
<i>Meyèra</i>	308	DEÆ	426	<i>My'rrhis</i>	255	<i>Nivènia</i>	445
<i>Michaúxia</i>	325	MONOCOTYLE-		<i>My'rrhis</i>	246, 254, 255	<i>Nócca</i>	288
<i>Michèlia</i>	13	D'ONEÆ	476	<i>My'rsine</i>	348	<i>Noisettia</i>	43
<i>Micònia</i>	205	<i>Monodòra</i>	14	<i>My'rsine</i>	348	<i>Nolàna</i>	383
MICÒNIEÆ	205	<i>Monópsis</i>	324	MYRSI'NEÆ	347	<i>Nolina</i>	549
<i>Micranthèra</i>	78	<i>Monótoca</i>	346	<i>Myrsiphyllum</i>	533	<i>Nonatèlia</i>	260
<i>Micránthes</i>	240	<i>Monótropa</i>	342	MYRT'ACEÆ	206	<i>Nònea</i>	276
<i>Microcèle</i>	364	MONOTRÒPEÆ	342	MYRT'ÆÆ	210	<i>Noránteia</i>	79
<i>Micròchloa</i>	558	<i>Monsònia</i>	88	<i>My'rtus</i>	210	NORA'NTEÆ	79
<i>Micròcos</i>	70	<i>Monsònia</i>	88	<i>My'rtus</i>	211, 212	<i>Notel'æa</i>	351
<i>Micròdon</i>	415	<i>Móntia</i>	220	<i>Nagèia</i>	472	<i>Notel'æa</i>	578, 598
<i>Microl'æna</i>	574	<i>Moutinia</i>	197	<i>Nàjas</i>	472	<i>Notóceras</i>	22
<i>Microlícia</i>	203	MONTI'NIEÆ	197	<i>Nàma</i>	369	<i>Nóthria</i>	48
<i>Microlòma</i>	362	<i>Mor'æa</i>	497	<i>Nandina</i>	16	NOTORH'IZEÆ	28
<i>Micropus</i>	294	<i>Mor'æa</i>	497, 498	<i>Nap'æa</i>	64	<i>Noty'lia</i>	487
<i>Microstàchys</i>	460	<i>Moricándia</i>	34	<i>Naravèlia</i>	2	<i>Nùphar</i>	18, 585
<i>Micróstylis</i>	487	<i>Morína</i>	269	<i>Narcíssus</i>	514, 596		63
<i>Microtèa</i>	433	<i>Morínda</i>	263	<i>Narcíssus</i>	515	<i>Nuttállia</i>	429
<i>Micròtis</i>	486	<i>Morínga</i>	168	<i>Nárdus</i>	552	NYCTAGI'NEÆ	429
<i>Mikània</i>	300	<i>Morisònia</i>	39	<i>Nárdus</i>	563	<i>Nyctánthes</i>	352
						<i>Nycterisítion</i>	349

	Page.		Page.		Page.		Page.
Nyctèrium ..	387	Oplothèca	432	Oxystélma	361	Patrìsia	40
Nymph'asa ..	17, 585	Opópanax	249	Oxy'tropis	145	PATRI'SIEÆ ..	40
Nymph'aea	18	Oporínia	275	Oxy'tropis	146	Paullínia	84
NYMPHÆACEÆ	17	Opúntia .. 237,	591	Ozothámnus ..	291	Paullínia	84
Nýssa	451	OPUNTI'ACEÆ ..	235	Pachidéndron ..	517	PAULLI'NIEÆ ..	83
Obèsia	358	O'rbea	357	Pachìra	66	Pavétta	263
O'chna	108	ORCHI DEÆ ..	483	Pachypòdium ..	594	Pàvia	83
O'chna	109	O'rchis	483	Pachyrhìzus ..	159	Pavònia	61
OCHIN'ACEÆ ..	108	O'rchis .. 483,	484	Pachysándra ..	456	Pectinària	357
Oehròma	66	Oreoselinum ..	250	Pachysándra ..	456	Péctis	306
Oehròsia	354	Origanum ..	402	Pæderia	265	Péctis	308
O'chrus	155	Orláya	253	Pæderòta	396	PEDALI'NEÆ ..	367
Oelhthòdium ..	28	Ormocárpum ..	149	Palímbia	250	Pedàlium	367
Ocòtea	441	Ormòsia	122	Pæònia	12	Pediculàris	395
Oetomèria ..	488	Ornithídium ..	489	PÆONI'ACEÆ ..	11	Pedilánthus	452
O'cymum .. 413,	594	Ornithocéphalus	488	Palafóxia	301	Péganum	105
O'cymum .. 413,	414	Ornithógalum ..	526	Palàvia	63	Péganum	105
OCYMOI'DEÆ ..	413	Ornithógalum	527, 532	Paliùrus	112	Pèkea	213
Odontites ..	247	Ornithoglóssum	539	Pallàsia	308	PELARGONI'Æ ..	89
Edèra	288	Ornithopus ..	148	PA'LMÆ	542	Pelargòmium	92, 587
Edmánnia ..	126	Ornithopus	148	Pàntax	256	Pelargòmium	89, 90, 91,
Enánthe	247	Ornítrophe	84	Pancràtium	513 92, 100, 101	
Enánthe .. 247,	251	O'rnus	351	Pancràtium	513	Peléxia	485
Enocárpum ..	543	Orobánche	422	PAND'ANEÆ ..	478	Peliosánthes ..	540
Enóplia	112	OROBANCH'Æ	422	Pandànus	478	Peltària	25
Enothèra ..	198	O'robus	156	Pánicum	563	Pen'æa	346
Enothèra	200	O'robus 143, 155,	156	Pánicum 553, 558,	563,	PENÆ'ACEÆ ..	346
OLACI'NEÆ ..	74	ORONTI'ACEÆ ..	479 564		Penicillària ..	553
'O lax	74	Oróntium	480	Papàver	18	Pennisètum ..	553
Oldenlándia ..	262	Oróntium	480	PAPAVER'ACEÆ		Pennisètum ..	553
'Olea	351	Oróstachys	225 18		Pentadésma ..	78
'Olea	110, 351	Ortègia	221	PAPILION'ACEÆ	122	Pentápetes	69
OLEIN'Æ ..	350	Orthóceras	485	Pappóphorum ..	567	Pentaphýllon ..	137
Olinia	115	Orthopògon	563	Pappóphorum ..	567	Pentaptera	196
Olisbea	197	Orthosánthus ..	498	Pap'yrus	552	Pentatáxis	292
Olivèria	255	Orthosiphon ..	413	Pardánthus ..	498	PENTH'OREÆ ..	227
Olyra	574	ORTHOSPE'RMEÆ	243	Pariàna	575	Penthòrum	227
Omalánthus ..	456	Orvàla	406	Parietària ..	463	Pentstèmon	383
Omphàlea ..	458	Or'yza	575	Parinàrium	173	Péntzia	316
Omphalòbium ..	121	Oryzópsis	552	Pàris	524	Peperòmia ..	482
Omphalòdes ..	378	Osbéckia	204	Parivòa	171	Péplis	201
ONAGR'ARIEÆ	197	OSBE'CKIÆ	204	Parkèria	577	Peráltea	168
Oncídium ..	488	Osmìtes	311	PARKERI'ACEÆ	577	Perdícium	280
Onobròma	284	Osmorhìza	255	Párkia	163	Perdícium	280
Onobròma ..	284	Osmúnda	577	Parkinsònia	169	Peréskia	238
Onobr'ychis ..	151	Osmúnda 577, 581,	582	Parnássia	46	Pergulària	359
Onocleà	581	OSMUND'ACEÆ ..	577	Paróchetus ..	159	Pergulària	356
Onocleà .. 581,	582	Oss'æa	205	Parony'chia ..	220	Peribállia	560
Onònis	131	Osteospérmum ..	314	PARONYCH'Æ		Perílla	400
Onopórdum ..	283	Ostéricum	249 220		Periplòca	356
Onopórdum ..	284	O'strya	467	PAROPSI'Æ	216	Periplòca	356
Onosèris	278	OSYRI'DEÆ ..	450	Párrya	24, 485	Períptera	63
Onósma .. 375,	594	Os'yris	450	Parsónsia	356	Perítoma	37
Onosmòdium ..	375	Otánthus	315	Parthèmium	314	Perlèbia	255
Operculària ..	268	Othónna	305	Pascàlia	308	Perojòa	346
Operculària ..	268	Otidia	90	Páspalum	555	Peròtis	554
OPERCULARI'Æ		Otóptera	140	Páspalum .. 554,	558	Pérsea	441
..... 268		Oútea	172	Passerìna	449	Pérsea	441
OPHIOGLO'SSEÆ	576	Orièdia	499	Passerìna	449	Persoónia	446
Ophioglóssum ..	576	OXALI'DEÆ ..	102	Passiflòra ..	216, 590	Persoónia	306
Ophiopògon ..	523	O'xalis	102, 588	Passiflòra ..	217, 218	Petalácte	292
Ophiorhìza ..	600	Oxyánthus ..	261	PASSIFLOREÆ	216	Petalòma	195
Ophiostàchys ..	540	Oxybáphus ..	429	Pastinàca	251	Petalostèmium ..	141
Ophióxylon ..	354	Oxycóccus	330	Pastinàca .. 249,	251	Petámenes	500
Ophiùrus	563	Oxylòbium ..	123	Patagòmium ..	149	Petivèria	433
'Ophrys	484	Oxypétalum	361	Patagónula	380	Petr'æa	417
'Ophrys .. 483,	485	Oxy'ria	439	Patersònia ..	499	Petròbium	306
Oplismènus	563	Oxy'spora	203	Patrìnia	268	Petrocállis	25

	Page.		Page.		Page.		Page.
Petromarùla	.. 593	PHYTOL'ACEÆ	433	Podaly'ria 123	Portuláca 219
Petróphila 443	Piaránthus 359	<i>Podaly'ria</i> 123	<i>Portuláca</i> 219
Petroselinum	.. 245	<i>Picòtia</i> 378	Podánthes	.. 358	Portulacària	.. 220
Petùnia 383	Picránnia 119	Podánthus 315	PORTUL'ACEÆ	219
<i>Peuce</i> 475	Picridium 279	Podocárpus	.. 473	Posoquèria	.. 261
PEUCED'ANEÆ	.. 249	Pieris 276	<i>Podocárpus</i> 473	<i>Póssira</i> 162
Peucedanum	.. 250	<i>Picris</i>	273, 275	Podólepis 299	Potamogèton	.. 475
<i>Peucedanum</i>	249, 252	Pictètia 148	Podolòbium	.. 123	Potamóphila 575
Peyrouisia 499	Pilea 463	PODOPHY'LLÆ		Potentilla	190, 599
Pfáffia 433	Pileáanthus 207	17	POTENTÍ'LLÆ	.. 187
Phàca 145	Pilulària 575	Podophy'llum	.. 17	Potèrium 193
<i>Phàca</i>	143, 144, 145, 147	Pimelèa 450	<i>Podophy'llum</i>	.. 17	Pòthos 479, 595
Phacèlia 380	Pimpinèlla 246	Podópterus 440	<i>Pòthos</i> 479
Phalángium	.. 524	<i>Pimpinèlla</i>	.. 245	Podospèrmum 279	Poupártia 120
<i>Phalángium</i>	525, 527,	Pincknèya 262	<i>Podostigma</i>	.. 361	Pourrètia	535, 596
.....	528	Pinguícula	.. 422	Pogònia 486	Pozòa 243
Phálaris 559	Pìnus 475	<i>Pogònia</i> 419	PRASI'Æ	.. 413
<i>Phálaris</i>	554, 559, 567	<i>Pìnus</i> 474, 475	Pogostèmon	.. 400	Pràsium 413
PHANEROG'ANEÆ	476	Pìper 481	Poinciàna 169	Prasophy'llum	.. 485
Pharnàceum	.. 55	<i>Pìper</i> 482	Poirètia 149	Prémna 417
<i>Pharnàceum</i> 220	PIPER'ACEÆ	481	Poit'æa 143	Prenánthes	.. 274
Phàrus 574	Piptánthus	.. 122	Poivrea	196, 590	<i>Prenánthes</i>	274, 277
PHASE'OLEÆ	.. 156	Piptàtherum	.. 555	Polanisia 38	Prescòtia 486
Phasèolus 157	Piquèria 301	POLEMONI'ACEÆ		Prestònia 355
Phaylópsis	.. 420	Piriquèta 218	367	Priestlèya 127
Phebàlium 107	Piscidia 143	Polemòmium	367, 594	Prímula 423
<i>Phellándrium</i>	247, 249	Pisònia 430	Poliánthes 517	<i>Prímula</i> 425
PHILADE'LPHEÆ		Pistàcia 119	Pollíchia 221	PRIMUL'ACEÆ	.. 423
.....	206	Pistorinia 225	POLLICHI'Æ 221	Prìnos 111
Philadélphus	.. 206	Pisum 154	POLLINIA 561	Prismatocárpus	.. 328
Philly'rea	351, 352	<i>Pisum</i> 155	Polybótrya 578	Priva 419
Philothèca 107	Pitcairnia 535	Polycarp'æa 221	<i>Priva</i> 418
Philóxerus	.. 432	PITTOSP'OREÆ	48	POLYCARP'Æ	.. 221	Próckia 40
<i>Philóxerus</i> 432	Pittósporum	.. 48	Polycárpon 221	<i>Pròcris</i> 462
Philydrum	.. 546	Plagiánthus 65	Polycènia 414	<i>Proiphys</i> 513
Phlèum 554	Plagiolòbium	.. 126	Polycnèmum	.. 437	Proserpinàca	.. 201
<i>Phlèum</i> 554	Planèra 464	Poly'gala	46, 586	Prósopis 164
Phlòmis 405	PLANTAGI'NEÆ	428	<i>Poly'gala</i> 47	Prostánthera	.. 414
<i>Phlòmis</i>	.. 404, 405	Plantàgo 428	POLYG'ALEÆ	46	Pròtea 443
Phlòx 368, 599	Platanthèra	.. 483	Polygonatum	.. 523	<i>Pròtea</i>	442, 443, 444, 445
Ph'œnix 543	PLAT'ANEÆ	472	POLYGO'NEÆ	438	PROTE'ACEÆ	442
Phœnócoma	.. 293	Plátamus 472	Poly'gonum	438, 595	Prunèlla 410
Pholidòta 489	Platycòdon	.. 592	<i>Poly'gonum</i>	434, 439	Prùnus 174
Pholiùrus	.. 563	Platylòbium 126	Poly'mnia 313	<i>Prùnus</i>	.. 173, 174
Phórmium 534	<i>Platylòbium</i>	.. 126	POLYPODIA'CEÆ		Psámma 574
Photinia 176	Platypétalum	.. 21	577	Pseudosophòra	.. 122
Phragmites	.. 574	Platy'pteris 306	Polypòdium	.. 578	Psiàdia 209
Phr'yma 413	Platy'stylis	.. 155	<i>Polypòdium</i>	578, 580	Psídium 210
Phry'nium	494, 595	Plectránthus	.. 413	Polypògon 554	Psilòtum 576
Phycèlla	.. 510, 596	<i>Plectránthus</i>	.. 413	Poly'spora	.. 72	<i>Psilùrus</i> 563
Phy'lica 114	Plectrònia 110	Polystàchya 489	Psophocárpus	.. 150
<i>Phy'lica</i>	.. 114, 115	Plèea 545	POM'ACEÆ 175	Psoràlea 138
Phyllánthus	.. 458	Pleopéltis 578	Pomadèrris	.. 113	<i>Psoràlea</i> 141
<i>Phyllánthus</i>	.. 459	Pleròma	.. 204, 590	Pomària 169	Psychine 35
Phy'llis 265	Pleuràndra	.. 13	Pombàlia 45	PSYCHI'NEÆ	.. 35
Phylloclàdus	.. 473	PLEURORH'IZEÆ	21	Poncelètia 345	Psychòtria 264
<i>Phyllòdium</i> 151	Pleurospèrmum	.. 255	Pongàmia 161	<i>Psychòtria</i>	260, 264
Phyllolòbium	.. 159	Pleurothállis	.. 488	PONTED'EREÆ	541	Ptèlea 121
Phyllòma 517	<i>Pleurothállis</i>	.. 487	Pontedèria 541	PTELE'ACEÆ	121
<i>Phylógyne</i>	.. 515	Plócama 265	Ponthièva 485	Ptelidium 110
Phymatánthus	89, 587	Plukenètia	.. 56	Pópulus 471	Ptèris 582, 598
Physàlis 383	PLUMBAGI'NEÆ		Poràna 373	<i>Ptèris</i> 582, 583
Physospèrmum	.. 255	426	<i>Poràna</i> 373	Pterocárpus	.. 161
Physostègia	.. 406	Plumbàgo 427	Poranthèra 599	<i>Pterocárpus</i>	161, 162
Phyteléphas	.. 478	Plumèria 355	Porlièra 104	Pterocéphalus 271
Phyteùma 328	Pòa 568	<i>Portenschlàgia</i>	.. 110	Pteroneùrum	.. 24
<i>Phyteùma</i> 593	<i>Pòa</i>	567, 569, 570	Portlàndia 262	Pterònia 285
Phytolácca	.. 433	Pocóckia 134	<i>Portlàndia</i> 262	Pterospèrmum 69

	Page.		Page.		Page.		Page.
<i>Pterostylis</i>	487	<i>Retanilla</i>	113	<i>Róthia</i>	274	SANTAL'ACEÆ	450
<i>Pterygodium</i>	484	<i>Rétzia</i>	369	<i>Róthia</i>	156	<i>Santalum</i>	450
<i>Ptilostephium</i>	308	<i>Rhabdochloa</i>	571	<i>Rottboëllia</i>	562	<i>Santolina</i>	315
<i>Ptychotis</i>	245	<i>Rhagadiolus</i>	275	<i>Rottboëllia</i>	562, 563	<i>Santolina</i>	315
<i>Pueraria</i>	140	<i>Rhagadiolus</i>	275	<i>Rottlera</i>	457	<i>Sanvitalia</i>	308
<i>Pulicaria</i>	291	<i>Rhagodia</i>	434	<i>Rourea</i>	121	SAPIND'ACEÆ	83
<i>Pulmonaria</i>	375	RHAMNEÆ	112	<i>Roxburghia</i>	534	<i>Sapindus</i>	84
<i>Pulmonaria</i>	374	<i>Rhâmnus</i>	112	<i>Royena</i>	350	<i>Sâpium</i>	458
<i>Pulsatilla</i>	3	<i>Rhâmnus</i>	112, 113, 464	<i>Rûbia</i>	266	<i>Sâpium</i>	458
<i>Pultenaea</i>	124	<i>Rhâpis</i>	542	RUBI'ACEÆ	260	<i>Saponaria</i>	51
<i>Pultenaea</i>	123	<i>Rhapontica</i>	287	<i>Rûbus</i>	187, 589	<i>Saponaria</i>	51
<i>Punica</i>	195	<i>Rheum</i>	440	<i>Rûbus</i>	189	SAP'OTEÆ	348
<i>Pupalia</i>	432	<i>Rhexia</i>	203	<i>Rudbeckia</i>	310	<i>Saraca</i>	169
<i>Purgœsea</i>	223	<i>Rhexia</i>	203, 204	<i>Rudbeckia</i>	307, 310	<i>Saracha</i>	383
<i>Purshia</i>	193	RHEXI'Æ	203	<i>Rudolphia</i>	161	<i>Sarcanthus</i>	491
<i>Puschkinia</i>	525	<i>Rhinanthus</i>	395	<i>Ruëllia</i>	420, 595	<i>Sarcocarpus</i>	20
<i>Pyenanthemum</i>	401	<i>Rhipidodendron</i>	519	<i>Ruëllia</i>	420	<i>Sarcocaulon</i>	88
<i>Pyenostachys</i>	414	RHIPSALI'DEÆ	238	<i>Ruizia</i>	69	<i>Sarcocephalus</i>	263
<i>Pyrethrum</i>	321	<i>Rhípsalis</i>	238, 591	<i>Ruizia</i>	84	<i>Sarcochilus</i>	489
<i>Pyrola</i>	341	RHIZOB'OLEÆ	83	<i>Rulingia</i>	67	<i>Sarcococca</i>	456
<i>Pyrolaria</i>	451	<i>Rhizophora</i>	197	<i>Rulingia</i>	219	<i>Sarcobolus</i>	360
<i>Pyrus</i>	177	RHIZOPHOREÆ		<i>Rumex</i>	439	<i>Sarcophyllum</i>	129
<i>Pyrus</i>	176, 177, 178		197	<i>Rumex</i>	439, 440	<i>Sarcostemma</i>	361
<i>Pyxidanthera</i>	342	<i>Rhodiola</i>	225	<i>Rumia</i>	244	<i>Sarothra</i>	77
<i>Quadria</i>	599	<i>Rhododendron</i>	342	<i>Rumia</i>	251	<i>Sarracenia</i>	18, 585
<i>Qualea</i>	590	<i>Rhodora</i>	343	<i>Rúppia</i>	478	SARRACENT'Æ	18
<i>Quassia</i>	108	RHODOR'ACEÆ	342	<i>Rúscus</i>	523	SATUREI'NÆ	401
<i>Queltia</i>	514	<i>Rhopala</i>	447	<i>Russelia</i>	390	<i>Satureja</i>	401
<i>Quercus</i>	465	<i>Rhús</i>	117	<i>Ruta</i>	105	<i>Satyrium</i>	484
<i>Queria</i>	221	<i>Rhús</i>	84, 118, 119, 465	<i>Ruta</i>	105	<i>Satyrium</i>	483, 485
<i>Queria</i>	220	<i>Rhynchòsia</i>	157	RUT'ACEÆ	105	<i>Saurauja</i>	72
QUERI'ACEÆ	221	<i>Rhynchòspora</i>	549	<i>Rûyschia</i>	79	SAURAU'JÆ	72
<i>Quisqualis</i>	196	<i>Ribes</i>	238, 591	<i>Ryanea</i>	40	<i>Saururus</i>	481
<i>Quivisia</i>	85	<i>Richardia</i>	480	<i>Sabal</i>	542	<i>Saussurea</i>	281
<i>Radiola</i>	58	<i>Richardsonia</i>	265	<i>Sabbatia</i>	363	<i>Sauvagesia</i>	45
<i>Rafnia</i>	126	<i>Rícinus</i>	458	<i>Sabicea</i>	260	<i>Saxifraga</i>	239, 591
<i>Rafnia</i>	123, 126	<i>Rícinus</i>	458	<i>Saccharum</i>	560	SAXIFR'AGEÆ	239
<i>Rajania</i>	521	<i>Ricòtia</i>	24	<i>Saccharum</i>	560	<i>Scabiòsa</i>	269
<i>Ramonda</i>	382	<i>Riedlèia</i>	68	<i>Sageretia</i>	112	<i>Scabiòsa</i>	269, 270, 271
<i>Randia</i>	260	<i>Rindera</i>	578	<i>Sagina</i>	54	<i>Scævola</i>	324
RANUNCUL'ACEÆ		<i>Ripidium</i>	560	<i>Sagittaria</i>	477	<i>Scàlia</i>	299
	1	<i>Ripogonum</i>	523	<i>Sagræa</i>	205	SCANDICI'NEÆ	254
RANUNCUL'Æ	4	<i>Ritchiæa</i>	48	<i>Sâgus</i>	543	<i>Scândix</i>	254
<i>Ranunculus</i>	4	<i>Rittera</i>	162	SALIC'ARIEÆ	201	<i>Scândix</i>	254
<i>Ranunculus</i>	7	<i>Rivina</i>	433	SALI'CEÆ	468	<i>Schæffèria</i>	115
RAPH'ANEÆ	35	<i>Robèrtia</i>	276	<i>Salicòrnia</i>	436	<i>Schedonorus</i>	571
<i>Raphanus</i>	36	<i>Robertsònia</i>	239, 240	<i>Salisburya</i>	473	<i>Schelhammèra</i>	539
<i>Raphiòlepis</i>	176	<i>Robinia</i>	143	<i>Sâlix</i>	468	<i>Scheuchzèria</i>	477
<i>Rapistrum</i>	36	<i>Robinia</i>	141, 142, 143, 144, 168	<i>Sâlmea</i>	307	<i>Schinus</i>	119
<i>Rapistrum</i>	31	<i>Ròchea</i>	223	<i>Sâlmia</i>	480	<i>Schinus</i>	119
<i>Raspalia</i>	115	<i>Rodigia</i>	276	<i>Salomònia</i>	47	<i>Schismus</i>	559
<i>Rauwolfia</i>	353	<i>Rodigia</i>	276	<i>Salpianthus</i>	430	<i>Schiverèckia</i>	25
<i>Rauwolfia</i>	353	<i>Rodriguezia</i>	487	<i>Salpiglossis</i>	383, 594	<i>Schizæa</i>	577, 598
<i>Ravenalia</i>	495	<i>Roëlla</i>	328	<i>Salsòla</i>	434	<i>Schizandra</i>	16
<i>Reaumûria</i>	235	<i>Roëlla</i>	327	<i>Salsòla</i>	434, 435	SCHIZA'NDREÆ	16
REAUM'URIEÆ	235	<i>Rœmèria</i>	19, 585	<i>Sâlvia</i>	410	<i>Schizanthus</i>	396
<i>Redoutèa</i>	63	<i>Rœmèria</i>	571	<i>Salvinia</i>	576	SCHIZOPE'TALEÆ	37
<i>Reevèsia</i>	586	<i>Roepèria</i>	104	<i>Sâmara</i>	348	<i>Schizopetalum</i>	37
<i>Relhània</i>	307	<i>Ròhdea</i>	480	<i>Sambucus</i>	257	<i>Schkuhria</i>	306
<i>Remirea</i>	552	<i>Rolàndra</i>	287	<i>Samòlus</i>	426	<i>Schmáltzia</i>	119
<i>Renanthèra</i>	491	<i>Rondelètia</i>	262	<i>Sam'ya</i>	116	<i>Schmidèlia</i>	84
<i>Reneálmia</i>	493	<i>Ròsa</i>	178	SAMY'DEÆ	116	<i>Schmidtia</i>	554
<i>Reneálmia</i>	493, 498	ROS'ACEÆ	178	<i>Sandòricum</i>	85	<i>Schœnddum</i>	547
<i>Requiènia</i>	132	<i>Roscòea</i>	492	<i>Sanguinaria</i>	19, 585	<i>Schœnus</i>	549, 597
<i>Resèda</i>	39	<i>Rosèa</i>	433	<i>Sanguisorba</i>	193	<i>Schœnus</i>	549, 550
RESED'ACEÆ	39	<i>Rosmarinus</i>	404	SANGUISO'RBEÆ	192	<i>Schœpfia</i>	347
RESTI'ACEÆ	546	<i>Rostraria</i>	574	<i>Sanicula</i>	244	<i>Schöllera</i>	330, 541
<i>Réstio</i>	547			SANIC'ULEÆ	243	<i>Schòtia</i>	172
				<i>Sansevièra</i>	517	<i>Schòtisb'œa</i>	196

	Page.		Page.		Page.		Page.
<i>Schránkia</i>	163	<i>Seriola</i>	276	SMILA'CEÆ	522	<i>Spínàcia</i>	436
<i>Schrebèra</i>	111	<i>Seriola</i>	276	<i>Smilacina</i>	523	<i>Spir'æa</i>	194
<i>Schubértia</i>	474	<i>Seriphium</i>	288	<i>Smilax</i>	522	<i>Spir'æa</i>	194
<i>Schúltzia</i>	245	<i>Serissa</i>	264	<i>Smíthia</i>	149	SPIRÆ'ACEÆ	193
<i>Schwénckia</i>	396	<i>Serpícula</i>	200	SMY'RNEÆ	255	<i>Spirálepis</i>	292
<i>Scílla</i>	527, 596, 599	<i>Serrátula</i>	281	<i>Smy'rnium</i>	255	<i>Spiranthèra</i>	108
<i>Scílla</i>	527, 528	<i>Serrátula</i>	281, 282, 283	<i>Smy'rnium</i>	245, 251	<i>Spirànthes</i>	485
<i>Sciodaphyllum</i>	256	<i>Serrùria</i>	445	<i>Soboléwskia</i>	32	SPIROL'OBÆÆ	36
<i>Scírpus</i>	550, 598	<i>Sersalísia</i>	349	<i>Sòja</i>	158	SPONDI'ACEÆ	120
<i>Scírpus</i>	550	SES'AMÆÆ	367	<i>Solándra</i>	388	<i>Spóndias</i>	120
SCITAMI'NEÆ	491	<i>Sésamum</i>	367	SOL'ANEÆ	380	<i>Sporóbolus</i>	557
SCLERA'NTHEÆ	221	<i>Sesbània</i>	143	<i>Solànum</i>	385	<i>Spreikèlia</i>	509
<i>Scleránthus</i>	221	<i>Sesbània</i>	143	<i>Solànum</i>	385, 387	<i>Sprengèlia</i>	345
<i>Sclèria</i>	549	<i>Séseli</i>	248	<i>Soldanèlla</i>	423	<i>Staàvia</i>	115
<i>Sclerocárpus</i>	312	<i>Séseli</i>	245, 248	<i>Soldevílla</i>	276	<i>Stàchys</i>	406, 594
<i>Scleróchloa</i>	569	SESELI'NEÆ	247	<i>Sòlea</i>	45	<i>Stàchys</i>	406, 407
<i>Sclerosciádium</i>	247	<i>Seslèria</i>	567	<i>Solidàgo</i>	297	<i>Stachytárfheta</i>	418
<i>Sclerothámnus</i>	124	<i>Seslèria</i>	567	<i>Solidàgo</i>	298, 307	STACKHOU'SEÆ	
<i>Scolopéndrium</i>	581	<i>Sesùvium</i>	234	<i>Soliva</i>	317		452
<i>Scolopéndrium</i>	578	<i>Setària</i>	553	<i>Sónchus</i>	278	<i>Stackhousia</i>	452
<i>Scólymus</i>	280	<i>Sèthia</i>	80	<i>Sónchus</i>	277, 279	<i>Stæhelina</i>	285
<i>Scopària</i>	389	<i>Seymèria</i>	396	<i>Sonneràtia</i>	210	<i>Stæhelina</i>	281
<i>Scopòlia</i>	382	<i>Seymóuria</i>	92	<i>Sophòra</i>	122, 589	<i>Stanhòpea</i>	490
<i>Scopòlia</i>	121	<i>Shephèrdia</i>	451	<i>Sophòra</i>	122, 123	<i>Stanlèya</i>	31
<i>Scorpiùrus</i>	148	<i>Sherárdia</i>	266	SOPH'OREÆ	122	<i>Stapèlia</i>	357
<i>Scorzonèra</i>	278	<i>Sherárdia</i>	267	<i>Sophonitis</i>	489	<i>Stapèlia</i>	356, 357, 358,
<i>Scorzonèra</i>	279	<i>Sibbáldia</i>	192	<i>Sórbus</i>	177		359
SCORZON'EREÆ	278	<i>Sibthórpia</i>	394	<i>Sórghum</i>	561	<i>Staphylèa</i>	109
<i>Scóttia</i>	126	<i>Sícycos</i>	215	<i>Sorocéphalus</i>	445	STAPHYLE'ACEÆ	109
<i>Scrophulària</i>	391, 594	<i>Sida</i>	63, 586	<i>Soulángia</i>	114	<i>Stárkea</i>	298
SCROPHULA'RI-		<i>Sida</i>	63, 64, 65	<i>Southwèllia</i>	66	<i>Státice</i>	426
NÆ	389	<i>Sideránthus</i>	298	<i>Sowerb'æa</i>	532	<i>Stauracánthus</i>	129
<i>Scutellària</i>	410	<i>Sideritis</i>	407	<i>Spallanzània</i>	192	<i>Stegània</i>	581
<i>Scùtia</i>	113	<i>Siderodéndron</i>	264	<i>Spanánthe</i>	243	<i>Stèlis</i>	487
<i>Scyphánthus</i>	218	<i>Sideróxylon</i>	349	<i>Sparáxis</i>	501	<i>Stellària</i>	55
<i>Scytàlia</i>	84	<i>Sideróxylon</i>	115, 348, 349	<i>Sparáxis</i>	501	<i>Stellària</i>	55
<i>Seafórthia</i>	544	<i>Siegesbéckia</i>	308	<i>Spargànium</i>	479	<i>Stellèra</i>	440
<i>Seb'æa</i>	364	<i>Sievèrsia</i>	190	<i>Sparganóphorus</i>	315	<i>Stemòdia</i>	389
<i>Secàle</i>	564	<i>Sievèrsia</i>	189	<i>Sparrmánnia</i>	70	<i>Stenanthèra</i>	346
<i>Secàle</i>	566	<i>Silàus</i>	249	<i>Spartina</i>	553	<i>Stenocárpus</i>	447
<i>Secamòne</i>	356	<i>Silène</i>	51	<i>Spartiánthus</i>	129	<i>Stenochilus</i>	419
<i>Sèchium</i>	215	SIL'ENEÆ	48	<i>Spártium</i>	129	<i>Stenomésson</i>	513
<i>Securidàca</i>	47	<i>Siler</i>	252	<i>Spártium</i>	129, 130, 131	<i>Stenorhy'nchus</i>	485
<i>Securígera</i>	148	<i>Siler</i>	252	<i>Spatalánthus</i>	503	<i>Stenospèrmum</i>	209
<i>Securinèga</i>	460	SILER'INEÆ	252	<i>Spatálla</i>	445	<i>Stenotáphrum</i>	563
<i>Sèdum</i>	225	<i>Silphium</i>	314	<i>Spathèlia</i>	121	<i>Stephània</i>	39
<i>Sèdum</i>	225	<i>Silybum</i>	282	<i>Spathòdea</i>	366	<i>Stercùlia</i>	66, 599
SELAGI'NEÆ	414	<i>Simàba</i>	108	<i>Spatulària</i>	240	STERCULI'ÆÆ	66
<i>Selàgo</i>	415	<i>Simarùba</i>	108	<i>Speculària</i>	593	<i>Stereóxylon</i>	239
<i>Selàgo</i>	415	SIMAR'UBEÆ	108	<i>Spennèra</i>	203		32
<i>Selinum</i>	249	<i>Símsia</i>	599	<i>Spergùla</i>	55, 586	<i>Sterigma</i>	33
<i>Selinum</i>	248, 249, 250,	<i>Símsia</i>	307, 311	<i>Spermacòce</i>	265	<i>Steriphoma</i>	79
	251	<i>Sinàpis</i>	34, 585	<i>Spermacòce</i>	265	<i>Sternbéckia</i>	505
<i>Sellòa</i>	301	<i>Sinàpis</i>	35	SPERMAC'OCÆÆ	265	<i>Sternbérgia</i>	22
<i>Semecárpus</i>	117	<i>Singàna</i>	79	<i>Spermadictyon</i>	263	<i>Stevènia</i>	300
<i>Sempervivum</i>	226	<i>Sinníngia</i>	329	<i>Spermáxyrum</i>	75	<i>Stèvia</i>	301, 306
<i>Sempervivum</i>	226	<i>Siphonánthus</i>	414	<i>Sphácele</i>	406	<i>Stèvia</i>	460
<i>Senàcia</i>	48	<i>Siphònia</i>	458	<i>Sphæcele</i>	406	<i>Stilàgo</i>	453
<i>Senàcia</i>	110	<i>Sison</i>	245	<i>Sphæranthus</i>	288	<i>Stillíngia</i>	556
<i>Senebièra</i>	31	<i>Sison</i>	245, 246, 247, 252	<i>Sphærolòbium</i>	124	<i>Stipa</i>	159
<i>Senecúlis</i>	304	SISY'MBREÆ	28	<i>Sphæroph'ysa</i>	144	<i>Stizolòbium</i>	281
<i>Senècio</i>	302	<i>Sisy'mbrium</i>	29	<i>Sphæróspora</i>	501	<i>Stob'æa</i>	288
<i>Senècio</i>	305	<i>Sisy'mbrium</i>	22, 29, 35	<i>Sphallerocárpus</i>	255	<i>St'æbe</i>	285
<i>Séptas</i>	222	<i>Sisy'rinchium</i>	498	<i>Sphenógyne</i>	312	<i>Stokèsia</i>	476
<i>Seràpias</i>	484	<i>Sium</i>	246	<i>Sphenótoma</i>	345	<i>Stratiòtes</i>	213
<i>Seràpias</i>	486	<i>Sium</i>	245, 246, 247, 251	<i>Spielmánnia</i>	418	<i>Stravádium</i>	495
<i>Seriana</i>	83	<i>Sloànea</i>	71	<i>Spigèlia</i>	364	<i>Strelítzia</i>	501
<i>Seríngia</i>	67	<i>Smeathmánnia</i>	216	<i>Spilánthes</i>	306	<i>Streptanthèra</i>	418
				<i>Spilánthes</i>	306, 307	<i>Stréptium</i>	418

	Page.		Page.		Page.		Page.
Streptocárpus	397	Támarix	203	Thely'mitra	486	Tradescántia	541, 542
Stréptopus	523	Támarix	203	Thenárdia	355	Tragacántha	147
Stròbus	475	TAMEÆ	522	Theobròma	67	Tràgia	460
Strophánthus	354	Tamònia	418	Theophrásta	353	Tràgia	460
Strumària	510	Tàmus	522	Thermópsis	123	Tràgium	246
Struthiòla	449	Tanacètum	316	Thesium	450	Tragopògon	279
Struthiòpteris	582	Tanacètum	316	Thesium	450	Tragop'yrum	439
Stry'chnos	353	Tan'æcium	389	Thespèsia	63	Tràgus	557
Stuártia	73	TARAX'ACEÆ	274	Thláspi	27	Tràpa	200
Stuártia	73	Tarchonánthus	315	Thláspi	27, 31, 32	Tratteníckia	306
Stúrmia	557	Tasmánia	13	THLASPI'DEÆ	27	Travòla	588
Stylándra	361	Tauschèria	32	Thomàsia	67	Trèisia	453
STYLI'DEÆ	324	Taxánthema	427	Thrinax	544	TREMA'NDREÆ	47
Stylídium	324	Taxòdium	474	Thríncia	275	Trevirània	390
Stylosánthes	149	TAXI'NEÆ	473	Thryállis	81	Tréwia	557
St'pándra	525	Táxus	473	Thùja	474	Triánthema	219
Styphèlia	346	Táxus	473	Thùja	473	Tribráchia	489
Styphèlia	346	Tecòma	366	Thunbérgia	419	Tríbulus	104
STYPH'ELIÆ	346	Tectòna	418	Thy'mbra	409	Trich'æta	573
STYRACI'NEÆ	347	Teèdia	389	Thy'mbra	409	Trichèra	269
St'yrax	347	Teesdàlia	27	THYMEL'ÆÆ	448	Trichília	85
Suaèda	435	TELEPHI'ÆÆ	220	Th'ymus	401	TRICHI'LIEÆ	85
Suárdia	558	Telèphium	220	Th'ymus	399, 409	Trichocéphalus	114
Subulària	37	Telfairia	215	Thysanòtus	532	Trichóchloa	557
SUBUL'ARIEÆ	37	Tellìma	242	Thysselinum	250, 251	Trichodésma	378
Succisa	269	Telopèa	417	Tiarèlla	242	Trichòdium	556
Succòwia	35	Templetònia	126	Tiarèlla	242	Trichòdium	556
Sutherlándia	144	Tendria	247, 251	Tiarídium	374	Trichol'æna	560
Swainsòna	144	Tephrosia	141, 589	Tibouchina	204	Trichómanes	583
Swartzia	162	Tephrosia	156	Ticorèa	108	Trichonèma	503, 596
SWARTZI'EÆ	162	Tephrothámnus	126	Tigàrea	193	Trichóphorum	552
Sweètia	156	Terámnus	156	Tigrídia	499	Trichophy'llum	322
Swértia	363	TEREBINTH'ACEÆ	119	Tigrídia	497	Trichorhiza	491
Swietènia	86	Terminàlia	195	Tilia	71	Trichosánthes	215
Swietènia	86	TERMIN'ALIEÆ	195	TILI'ACEÆ	70	Trichosánthes	215
S'yagrus	543	Ternstrømia	72	Tiliacòra	15	Trichostèma	403
Symphíandra	593	TERNSTRØMIA-	72	Till'æa	222	Trichostèma	399
Symphònia	79	CEÆ	72	Tillándsia	535	Tricóryne	525
SYMPH'ONIEÆ	79	Terpnánthus	108	Tithònia	312	Tridactylites	241
Symphòria	258, 592	Testudinària	522	Tithy'malus	453, 454	Tridax	308
Sýmphytum	375	Tetràcera	12	Tittmánnia	116	Tridens	567
Sympièza	332	Tetràdium	121	Tittmánnia	393, 394	Tridèntea	358
Symplocárpus	479	Tetràgònia	234	Tocòca	205	Trientalis	425
SYMPLOCI'NEÆ	347	Tetràgònia	201	Toddàlia	121	TRIFOLI'EÆ	132
Sýmplocos	347	Tetràgonólobus	138	Tòdea	577	Trifòlium	135
Synándra	404	Tetràgonothèca	307	Tofièldia	540	Trifòlium	134, 137
Syncárpha	281	Tetramèrium	264	Tólpis	275	Triglóchin	477
Synedrèlla	308	Tetranèma	149	Tonsèlla	79	Trigonèlla	134
Synnòtia	501	Tetranthèra	441	Tontèlea	79	Trigònia	80
Syntherisma	558	Tetrapògon	564	TORDYLI'NEÆ	252	Trigònis	84
Syrènia	30	Tetrápteris	81	Tordy'lium	252	Tríllium	523
Syrínga	352	Tetrathèca	47	Tordy'lium	251, 252	Trìnia	245
Syzy'gium	211	Tetrazy'gia	205	Torènia	393	Triòdia	567
Tabernæmontàna	354	Teüerium	402	Torilis	254	Triòdia	567
Tácca	481	Thalàmia	473	Torilis	253	Triópteris	81
TACC'ACEÆ	481	THALAMIFL'ORÆI	494	Tormentilla	190	Triósteum	259
Tachigàlia	169	Thàlia	494	Tórtula	418	Triphàsia	75
Tacsònia	218	Thalicttrum	2	Tournefórtia	378	Triphora	486
Tænitis	582	Thamnèa	116	Tournefórtia	374, 379	Tripinnària	389
Tagètes	305	Thamnochórtus	547	Tourettia	367	Triplaris	440
Talièra	543	Thápsia	252	Touchiròla	172	Trípsacum	563
Talaúma	584	Thápsia	248	Trachèlium	328	Trípsacum	563
Talinum	219	THAPSI'EÆ	252	Trachymène	243	Triptílion	280
Talinum	219	Tháspium	248	Trachymène	243	Trisètum	518
Tamaríndus	169	Tháspium	245	Trachynòtia	553	Trisètum	567, 573
TAMARISCI'NEÆ	203	Thèa	73	Trachyspèrmum	245	Tristània	207
		Thely'gonum	463	Trachytèlla	584	Trístegis	558
				Tradescántia	541, 597	Triteleia	532

	Page.		Page.		Page.		Page.
<i>Tríticum</i>	564	VACCINIEÆ	329	<i>Viola</i>	43, 45	<i>Wulfènia</i>	396
<i>Tríticum</i> 564, 565, 566,		<i>Vaccínium</i>	329	VIOLARIEÆ ..	43	<i>Wurmbèa</i>	540
.....	573	<i>Vaccínium</i>	330	<i>Virgílià</i>	122	<i>W'ylià</i>	254
<i>Tritòma</i>	517	<i>Valántia</i>	266	<i>Virgílià</i>	122	<i>Xánthium</i> ..	314
<i>Tritònia</i>	502	<i>Valántia</i> 266, 267		<i>Viscària</i>	53	<i>Xanthóchymus</i> ..	78
<i>Triumfètta</i>	70	<i>Valeriàna</i>	268	<i>Viscum</i>	259	<i>Xanthorrh'æa</i> ..	534
<i>Trixàgo</i>	395	<i>Valeriàna</i> 268, 269		<i>Vísmia</i>	76	<i>Xanthòsia</i>	243
<i>Tríxis</i>	280	VALERIANEÆ 268		<i>Vismí'eæ</i>	76	<i>Xenopòma</i>	419
<i>Tríxis</i>	280	<i>Valerianèlla</i>	269	<i>Visnàga</i>	245	<i>Xeránthemum</i> ..	294
<i>Trizeùxis</i>	488	<i>Vallàris</i>	356	<i>Vísnea</i>	350	<i>Xeránthemum</i> 292, 293,	
<i>Trochiscánthes</i> ..	248	<i>Vallèsia</i>	353	<i>Vítex</i> ..	416	294
<i>Trochocárpa</i> ..	346	<i>Vallisnèria</i>	476	<i>Vítex</i>	417	<i>Xerophyllum</i> ..	540
<i>Tróllius</i>	7	<i>Vallòta</i>	512	<i>Vítis</i>	87	<i>Xeròtes</i> ..	545
<i>Tromótriche</i> ..	358	<i>Vánda</i>	491	<i>Vítis</i>	87	<i>Ximenèsia</i> ..	307
TROPÆOLEÆ 101		<i>Vánda</i>	491	<i>Vittària</i>	582	<i>Ximènia</i>	75
<i>Trop'æolum</i> ..	101	<i>Vandèllia</i>	394	<i>Voandzèia</i>	168	<i>Ximènia</i>	104
<i>Tròphis</i>	450	<i>Vanguèria</i> 260, 600		<i>Vochy'sia</i>	197	<i>Xiphídium</i> ..	504
<i>Tróximón</i>	276	<i>Vanílla</i>	491	VOCHYSIEÆ ..	197	<i>Xiphópteris</i>	578
<i>Tróximón</i>	276	<i>Varrònia</i> 379, 380		<i>Vohíria</i>	363	<i>Xylòbium</i>	489
<i>Tulbàgia</i>	517	<i>Vascòa</i>	126	<i>Volkamèria</i>	416	<i>Xylomèlum</i> ..	447
<i>Tùlipa</i>	536	<i>Vauánthes</i>	223	<i>Volkamèria</i> ..	415, 416	<i>Xylophylla</i> ..	459
TULIP'ACEÆ 536		<i>Velèzia</i>	54	<i>Vouàpa</i> ..	172	<i>Xylòpia</i> ..	15
<i>Tupístra</i>	480	<i>Vélla</i>	35	<i>Wachendórfia</i> ..	504	<i>Xylòsteum</i> ..	258
<i>Turgènia</i>	254	<i>Vélla</i>	35	<i>Wahlenbèrgia</i> 325, 593		<i>Xyris</i>	546
<i>Turnèra</i>	218	VELLEÆ	35	<i>Waldsteìnia</i>	189	<i>Xysmalòbium</i> ..	361
TURNER'ACEÆ 218		<i>Vellèia</i>	324	<i>Waldsteìnia</i>	189	<i>Yúcca</i>	536, 597
<i>Turpínia</i>	109	<i>Vellèia</i>	324	<i>Walkèra</i>	109	<i>Zacíntha</i>	276
<i>Turpínia</i> ..	109, 149	<i>Vellòsia</i>	505	<i>Wallíchia</i>	543	<i>Zaluzània</i> ..	318
<i>Turr'æa</i>	85	<i>Veltheìmia</i>	517	WALLICH'IEÆ ..	69	<i>Zàmia</i> ..	476
<i>Turrítis</i>	22	<i>Venàna</i>	599	<i>Wallróthia</i>	249	<i>Zannichèllia</i>	478
<i>Turrítis</i> 22, 23, 34, 585		<i>Ventenàtia</i> ..	324, 346	<i>Wallróthia</i>	417	<i>Zanònia</i>	540
<i>Tussilàgo</i>	302	<i>Ventilàgo</i>	114	<i>Walthèria</i>	68	<i>Zapània</i> ..	418
<i>Tussilàgo</i>	280	<i>Veràtrum</i>	540	<i>Wangenheimia</i> ..	560	<i>Zanthorhiza</i> ..	12
<i>Tylóphora</i>	589	<i>Verbáscum</i>	380	<i>Watsònia</i>	500	<i>Zanthoxylum</i> ..	107
<i>Typha</i>	479	<i>Verbáscum</i>	382	<i>Webèra</i>	261	<i>Zèa</i>	574
TY'PHINEÆ ..	479	<i>Verbèna</i>	418	<i>Webèra</i>	261	<i>Zephyránthes</i> ..	505
<i>Ugèna</i>	577	<i>Verbèna</i>	418	<i>Wedèlia</i>	309	<i>Zexmènia</i>	309
<i>'Ulex</i>	129	VERBEN'ACEÆ 415		<i>Wedèlia</i>	313	<i>Zièria</i> ..	107
<i>Ulmus</i>	464	<i>Verbesìna</i>	308	<i>Weinmànnia</i>	242	<i>Zietènia</i> ..	407
<i>Ulmus</i>	464	<i>Verbesìna</i>	308	<i>Wendlàndia</i> ..	15	<i>Zigadènus</i> ..	549
UMBELLI'FERÆ		<i>Vernònia</i> ..	289, 592	<i>Westònia</i>	156	<i>Zilla</i>	35
.....	243	<i>Vernònia</i>	289	<i>Westríngia</i> ..	402	<i>ZILL'EÆ</i> ..	35
<i>Umbilicus</i>	225	VERNONI'ACEÆ 288		<i>Whitlèya</i>	383	<i>Zíngiber</i> ..	492
<i>Uncària</i>	263	<i>Verónica</i>	396	<i>Wibèlia</i>	274	<i>Zínnia</i>	307
<i>Unióla</i>	571	<i>Verónica</i> ..	396, 399	<i>Wibórgia</i>	308	<i>Zínnia</i>	575
<i>Unòna</i>	15	<i>Verticórdia</i>	207	<i>Wigándia</i> ..	369	<i>Zizània</i>	245
<i>Uráchne</i>	555	<i>Vesicària</i> ..	24	<i>Willdenòvia</i> ..	547	<i>Zizia</i>	245
<i>Urània</i>	495	<i>Véstia</i>	383	<i>Willdenòvia</i> ..	547	<i>Zizíphora</i>	401
<i>Urària</i>	149	<i>Vibórgia</i>	128	<i>Willemètia</i>	113	<i>Zizyphus</i>	112
<i>Uraspèrmum</i> ..	255	<i>Vibúrnium</i>	257	<i>Willughbèia</i> ..	356	<i>Zizyphus</i> ..	112, 464
<i>Urèna</i>	60	<i>Vícia</i>	153	<i>Windsòria</i>	567	<i>Z'ægea</i> ..	285
<i>Uropétalon</i> ..	528	<i>Vícia</i> ..	143, 154, 156	<i>Wintèra</i> ..	13	<i>Zòrnia</i>	149
<i>Urtica</i>	462	VICI'EÆ	153	<i>Wintèra</i> ..	13	<i>Zòrnia</i>	150
<i>Urtica</i>	462	<i>Vieusseùxia</i>	498	WINTEREÆ ..	13	<i>Zosímia</i> ..	252
URTI'CEÆ	460	<i>Vígna</i>	159	<i>Wistèria</i>	157	<i>Zostèra</i> ..	478
<i>Urvill'æa</i>	83	<i>Viguièra</i>	310	<i>Witheríngia</i> ..	388	<i>Zóysia</i> ..	554
<i>Utriculària</i>	423	<i>Villàrsia</i>	364	<i>Witsènia</i>	499	<i>Zuccagnia</i> ..	528
<i>Uvària</i>	15	<i>Vilmorínia</i>	140	<i>Wittlesbäckia</i> ..	73	<i>Zuringèra</i> ..	108
<i>Uvària</i>	15	<i>Viminària</i>	124	<i>Woodfórdia</i> ..	202	<i>Zygopetalum</i> ..	496
<i>Uvulària</i>	539	<i>Vínca</i>	354	<i>Woodsia</i>	579	ZYGOPHYLLEÆ	
<i>Uvulària</i> 523, 539		VINI'FERÆ ..	86	<i>Woodwàrdia</i> ..	581	104
<i>Vaccària</i>	51	<i>Viola</i>	43, 586	<i>Wórmia</i>	13	<i>Zygophyllum</i> ..	104
				<i>Wrightia</i>	354	<i>Zygophyllum</i> ..	104

ENGLISH INDEX.

	Page.		Page.		Page.		Page.
Abele-tree	471	Balsam-herb	421	Birch-tree	467	Burnet	193
Achania	61	Balsam of Capevi	171	Bird Cherry	175	Burnet Saxifrage	246
Adam's needle	536	Balsam of Peru	122	Bird's-eye Primrose	424	Bur Parsley	253
Adder's-tongue	576	Balsam of Tolu	122	Bird's-foot	148	Bur-reed	479
African Almond	446	Balsam-seed	122	Bird's-foot Trefoil	134,	Butcher's Broom	523
African fleabane	315	Balsam-tree	78, 220		137	Butter and eggs	514
African Lily	517	Balsam-wood	122	Bird's-head	488	Butter-bur	302
African Marygold	305	Bamboo-cane	574	Bird's-nest	486	Butterfly-plant	483, 488
Agrimony	192	Bane-berries	11	Bird Pepper	384	Butter-nut	83
Akee-tree	84	Banana tree	495	Bird's-tongue	304, 539	Butter-tree	78, 349
Alaternus	112	Barbadoes Gooseberry		Birthwort	451	Butterwort	422
Alder	468		238	Bishop's-weed	245	Button-tree	196
Alexander's	255	Barberry	16, 584	Bitter-sweet	385	Button-weed	265
Alkekengi	384	Barley	558	Bitter Vetch	156	Button-wood	263
Alligator Pear	441	Barren-wort	16, 584	Bitter-wood	15	Cabbage	33
All-seed	58, 221, 435	Base Rocket	39	Blackberry	188	Cabbage-tree	543
Allspice	212	Basil	413	Black Bryony	522	Cajuputi-tree	207
Allspice-tree	194	Bastard Balm	409	Black Knapweed	285	Calabash-tree	389
Allum-root	242	Bastard Cabbage-tree		Black Parsley	253	Calaba-tree	78
Almond	173		168	Black Saltwort	428	Calamint	409
Almond Peach	173	Bastard Cardamon	492	Bladder Ketmia	62	Calathian Violet	362
Aloe-wood	117	Bastard Cedar	67, 86	Bladder-nut	109	Calf's-snout	390
Althæa-frutex	61	Bastard Cress	27	Bladder Senna	144	Caltrops	104
Amaranth	430	Bastard Cypress	549	Bleaberry	329	Cammock	132
Amber-tree	265	Bastard Flower-fence		Blessed Thistle	287	Campion	51
Amboynapitch tree	474		164	Bloodwort	19	Camphire-tree	441
American birds-eye	424	Bastard Hare's-ear	265	Blue-bottle	286	Canada Rice	575
American Cowslip	423	Bastard Indigo	142	Bog-rush	549	Canary Tea	63
Anchovy Pear	213	Bastard Mangeneel	355	Bonace-bark	449	Candleberry Myrtle	472
Andaman red wood	161	Bastard Orpine	459	Borage	378	Candy-tuft	27
Angelica	249	Bastard Pimpernell	426	Borecole	33	Cane-brake	574
Angelica-tree	256	Bastard Quince	177	Box-thorn	388	Canterbury bells	327
Anise	246	Bastard Saffron	284	Box-tree	456	Cape Aster	305
Aniseed-tree	13	Bastard Vervain	418	Brake	582	Cape Holly	110
Anotta	40	Bastard Vetch	145	Bramble	178	Cape Jasmine	261
Ape Orchis	483	Bawd-money	249	Brasiletto	168	Cape Phillyrea	110
Apple	177	Bay-tree	441	Bread-fruit	462	Caper-bush	38, 585
Apple-berry	48	Bead-tree	85	Bread-nut	462	Caper Sponge	454
Apricot	174	Bean	153	Bread-root	138	Carambola-tree	102
Arbor-vitæ	474	Bean-caper	104	Broccoli	33	Caraway	245
Archangel	406	Bean-trefoil	122	Brome-grass	573	Cardamon	493
Arracacha	255	Bear-berry	330	Brook-lime	398	Cardinal-flower	323
Arrow-grass	477	Bearbind	370	Brookweed	426	Cardoon	284
Arrow-head	477	Bear's-breech	419	Broom	131	Carline thistle	284
Arrow-root	495	Bear's-ear Sanicle	423	Broom-rape	422	Carnation	50
Artichoke	284	Bedstraw	266	Brown Knapweed	286	Carob-tree	169
Asarabacca	451	Beech-tree	467	Brussels sprouts	33	Carrion-flower	357
Ash-tree	350	Bee Ophrys	484	Bryony	214	Carrot	253
Asparagus	533	Beet	436	Buck-bean	364	Cascarilla	457
Aspen	472	Belladonna Lily	506	Buckler Mustard	27	Cashew-nut	117
Asphodel	524	Bell-flower	325	Buck's-eye tree	83	Cassava	458
Atamasco Lily	505	Bengal Quince	75	Buckthorn	112	Cassia	441
Auricula	425	Benjamin-tree	441	Buck-wheat	438	Cassioberry-bush	258
Avens	190	Bent-grass	556	Buck-wheat tree	332	Castor-oil nut	458
Awl-wort	37	Berry-bearing Alder		Buffalo-clover	136	Catalpa-tree	365
Azarole	176		113	Bugle	403	Catchfly	51
Bahama red-wood	113	Betle	482	Bugloss	377	Cat-chop	228
Balm	409	Betony	406	Bugwort	11	Catmint	407
Balm of Gilead	409	Bilimbi-tree	102	Bullace-tree	174	Cat's-ear	276
Balsam	101	Billberry	329	Bullet-grape	87	Cat's-tail	479
Balsam Apple	215	Bindweed	369	Burdock	280	Cat's-tail grass	554

	Page.		Page.		Page.		Page.
Cat Thyme . . .	403	Cornellian Cherry	257	Dragon's-head . . .	408	Fox-chop . . .	227
Cauliflower . . .	33	Corn Cockle . . .	54	Dragon-tree . . .	533	Foxglove . . .	392
Cedar . . .	474, 475	Corn-flag . . .	500	Dropwort . . .	194	Fox-Grape . . .	87
Cedar of Goa . . .	474	Cornish Moneywort	394	Drumstick-tree . . .	169	Foxtail-grass . . .	554
Cedar of Lebanon	475	Costmary . . .	315	Duck-weed . . .	478	Fraxinella . . .	105, 588
Celandine . . .	19	Cotton-grass . . .	552	Duck's-foot . . .	17	French Honeysuckle	
Celery . . .	245	Cotton-Rose . . .	294	Dumb Cane . . .	481	156
Centaury . . .	285, 592	Cotton-Thistle . . .	283	Dwarf fan palm . . .	542	French Marygold	305
Chamomile . . .	318	Cotton-tree . . .	63	Dyer's green-weed	130	French Sorrel . . .	410
Charlock . . .	34	Couch-grass . . .	565	Dyer's-weed . . .	39	Friar's-cowl . . .	480
Chaste-tree . . .	416	Cowbane . . .	244	Earth-nut . . .	167, 246	Fringe-tree . . .	351
Chaw-stick . . .	114	Cow-berry . . .	330	Earth Pea . . .	155	Fritillary . . .	537
Cheese-rennet . . .	267	Cow-grass . . .	135	Egg-plant . . .	387	Frog-bit . . .	476
Cherimolli . . .	14	Cowitch . . .	159	Egyptian-thorn . . .	166	Frog Orchis . . .	483
Cherry-tree . . .	174	Cow Parsnep . . .	251	Elastic gum tree . . .	458	Fumitory . . .	20
Chervil . . .	254	Cowrie Pine . . .	471	Elder . . .	257	Furze . . .	129
Chestnut . . .	467	Cowslip . . .	423	Elecampane . . .	290	Fustick-wood . . .	463
Chestnut Oak . . .	466	Cow-tree . . .	462	Elephant Apple . . .	75	Gambier-tree . . .	263
Chicasaw . . .	174	Cow-wheat . . .	395	Elephant-foot . . .	288	Garden Balsam . . .	421
Chickling Vetch . . .	155	Crab . . .	177	Elephant's-foot . . .	522	Garland flower . . .	493
Chick Pea . . .	153	Cranberry . . .	330	Elm-tree . . .	464	Garlic . . .	530
Chickweed . . .	55	Crane's-bill . . .	88	Enchanter's Nightshade		Garlic-Pear . . .	38
Chile Pine . . .	474	Creeping Cereus . . .	236	200	Genip-tree . . .	261
China Aster . . .	297	Cress Rocket . . .	35	Endive . . .	280	Gentian . . .	362
Chinese varnish . . .	118	Crosswort . . .	265	English Mercury . . .	434	Germander . . .	402
Chives . . .	530	Crown Imperial . . .	538	Ermine-chop . . .	228	German madwort	377
Chocho . . .	215	Crow-foot . . .	4, 584	Eryngo . . .	244, 591	Giant Fennel	250, 591
Chocolate-nut . . .	67	Crow-garlic . . .	530	Evening-flower . . .	503	Ginger . . .	462
Christmas Rose . . .	7	Crow's-foot-grass	563	Evening Primrose	198	Gingerbread Plum	173
Christ's thorn . . .	112	Cuckold-tree . . .	166	Evergreen Thorn . . .	175	Ginseng . . .	256
Cicely . . .	254	Cuckoo-flower . . .	23	Everlasting . . .	291	Gladwyn . . .	496
Cinnamon . . .	441	Cucumber . . .	214	Everlasting Pea . . .	155	Glasswort . . .	435
Cinquefoil . . .	190, 589	Cumin . . .	252	Eye-bright . . .	394	Glastonbury-thorn	176
Citron . . .	75	Cup-flower . . .	218	Fan Palm . . .	543	Globe Amaranth . . .	432
Clary . . .	412	Currant . . .	238, 591	Feather-grass . . .	556	Globe-flower . . .	7
Clearing-nut . . .	353	Custard Apple . . .	14	Felwort . . .	363	Globe Thistle . . .	287
Cleavers . . .	267	Cypress . . .	474	Female Fern . . .	580	Goat's-beard	194, 279
Cloth of Gold . . .	504	Daffodil . . .	514	Fennel . . .	247	Goat's Rue . . .	141
Clove . . .	49	Dahlia . . .	310	Fenugreek . . .	134	Goat's Thorn . . .	147
Clover . . .	136	Dahoon Holly . . .	111	Fescue-grass . . .	572	Gold of pleasure	31
Clove-tree . . .	212	Daisy . . .	299	Feverfew . . .	321	Golden-pert . . .	396
Clown's all heal . . .	407	Dammar Pine . . .	474	Feverwort . . .	259	Golden Poley . . .	403
Club-moss . . .	576	Dandelion . . .	274	Fiddle-wood . . .	417	Golden-rod . . .	297
Club-rush . . .	550	Darnel . . .	567	Fig Marygold . . .	227	Golden-rod tree	435
Cochineal-fig . . .	237	Date Palm . . .	543	Fig-tree . . .	460	Golden Saxifrage	242
Cockscomb . . .	431	Date Plum . . .	349	Figwort . . .	391	Golden Thistle . . .	280
Cocksfoot-grass . . .	570	Day Lily . . .	516	Filbert . . .	467	Goldy-locks . . .	298
Cockshead . . .	152	Deadly Carrot . . .	215	Filmy-leaf . . .	583	Gooseberry . . .	238
Cockspur-thorn . . .	175	Deadly Nightshade	383	Fiorin-grass . . .	556	Goosefoot . . .	434
Cocoa-nut-tree . . .	544	Dead Nettle . . .	405	Fir-tree . . .	475	Gourd . . .	213
Cocoa-Plum . . .	173	Deodar . . .	475	Fishbone Thistle . . .	283	Gout-weed . . .	235
Codlins and cream	198	Deptford Pink . . .	49	Fish-poison . . .	142	Grains of Paradise	492
Coffee-tree . . .	264	Devil's-bit . . .	269	Flat Pea . . .	126	Grape . . .	87
Cogwood-tree . . .	441	Dewberry . . .	188	Flax . . .	58, 586	Grape Hyacinth . . .	528
Coleseed . . .	33	Dill . . .	251	Flax Lily . . .	531	Grass-tree . . .	545
Colewort . . .	35	Dittany of Crete . . .	402	Fleabane . . .	289	Great Burnet . . .	193
Colic-root . . .	517	Dock . . .	439	Fleawort . . .	291	Greater Knapweed	286
Colpoon-tree . . .	110	Dodder . . .	373	Flixweed . . .	29	Greek Valerian . . .	367
Coltsfoot . . .	302	Dog-chop . . .	227	Flower de luce . . .	495	Green Dragon . . .	480
Columbine . . .	8	Dog's-bane . . .	356	Flower-fence . . .	169	Green-man . . .	453
Comfrey . . .	375	Dog's Cabbage . . .	463	Flowering Ash . . .	351	Green Quinoa . . .	435
Common Cress . . .	31	Dog's-tail grass . . .	553	Flowering Fern . . .	577	Gromwell . . .	374
Common Dragon . . .	480	Dog's-tooth Violet	539, 597	Flowering Raspberry		Ground Ivy . . .	408
Common Orpine . . .	225	597	188	Ground Pine . . .	403
Contrajerva-root . . .	464	Dogwood . . .	257	Flowering Rush . . .	477	Groundsel . . .	302
Coral-tree . . .	160	Doob-grass . . .	558	Fly Honeysuckle . . .	258	Groundsel-tree . . .	280
Coriander . . .	256	Double Cocoa-nut	543	Fly Ophrys . . .	481	Guaco . . .	309
Cork-tree . . .	466	Dragon . . .	479	Fool's Parsley . . .	247	Guava . . .	210

	Page.		Page.		Page.		Page.
Guernsey Lily . . .	509	Indian-corn . . .	574	Lettuce	277	Meadow Rue	2
Gum Arabic	166	Indian Cress . . .	101	Licca-tree	108	Meadow Saffron . .	539
Gum Cistus	41	Indian Cucumber .	523	Lignum vitæ	104	Meadow Saxifrage .	248
Gum Succory	277	Indian Fig	237, 591	Lilac	352	Meadow-sweet . . .	194
Gum-tree	534	Indian Lotus . . .	17	Lily	538	Medick	132
Hair-grass	559	Indian Madder . .	262	Lily of the valley .	523	Medlar	175
Hairy green-weed .	130	Indian Millet . . .	561	Lily Pink	532	Medusa's-head . . .	453
Hard-grass	563, 567	Indian Shot . . .	494	Lily-thorn	262	Melic-grass	560
Hare's-ear	246	Indigo	139	Lime	75	Melilot	134
Hare's-foot Fern . .	583	Ipecacuanha . . .	454	Lime-tree	71	Melon	214
Hare's-foot Trefoil .	135	Irish Heath	341	Lion's-ear	404	Melon Thistle . . .	235
Hare's-tail Grass . .	559	Iron-tree	264	Lion's-foot	274, 291	Mercury	452
Hart's-tongue	581	Iron-wood	209, 349	Lion's-leaf	16	Mexican Lily	507
Hartwort	252	Ironwort	408	Liquorice	141	Mezereum	448
Hassagay-tree	111	Ivy	256	Lizard Orchis	483	Michaelmas daisy . .	296
Hatchet Vetch	148	Jaca-tree	464	Lizard's-tail	481	Mignonette	39
Hawkweed	271	Jack in a box . . .	442	Lobel's Catchfly . . .	53	Milfoil	319
Hawthorn	176	Jacobea Lily	509	Locust-tree	143, 172	Milk Parsley	249
Heart's-ease	45	Jalap	371	Logwood	169	Milk Thistle	282
Heart-seed	83	Jamaica Birch . . .	120	London-pride	240	Milk Vetch	145, 589
Heath	332	Jamaica Dogwood .	143	London Rocket	29	Milkwort	46, 586
Hedgehog	134	Jamaica Ebony . . .	162	Looking-glass plant .	66	Milk-wood	462
Hedge Hyssop	396	Jambolana-tree . .	211	Loose-strife	425	Mint	399
Hedge Mustard	29	Japan Allspice . . .	195	Loquat	176	Misseltoe	259
Hedge Nettle	406	Jasmine	352	Lord Anson's Pea . . .	155	Mocker-nut	465
Hellebore	7	Jerusalem Artichoke		Lousewort	395	Moldavian balm . . .	409
Hemlock	255	309	Lovage	249	Molucca balm	405
Hemp	463	Jerusalem Sage . .	405	Love Apple	385	Moly	530
Hemp Agrimony	300	Job's-tears	574	Love-grass	570	Monkey-flower	394
Hen and chicken . . .	299	Jonquill	515	Love lies bleeding . .	431	Monk's Basil	413
Henbane	382	Judas-tree	172	Lucerne	133	Monkshood	9, 584
Henbit	406	Juniper	474	Lungwort	375	Moon-seed	15
Herb Paris	524	Jupiter's-beard . .	132	Lupine	159, 589	Moonwort	576
Herb Robert	89	Kanguru Vine	86	Lychnidea	368	Moreton bay Chestnut	
Heron's-bill	89	Kentucky Coffee-tree		Lyme-grass	566	589
Hickory-nut	465	168	Madder	266	Morning-flower	498
Hog Plum	120	Kidney-bean	157	Madwort	25	Moschatel	242
Hogweed	430	Kidney Vetch	132, 589	Maidenhair	582	Motherwort	405
Holly	111	Knawel	221	Maidenhair-tree	473	Mountain Ash	177
Hollyhock	60	Knotted Marjoram .	402	Maiden Plum	119	Mountain Rose	168, 203
Honesty	24	Knot-grass	220, 438	Mahogany-tree	86	Mountail Sorrel . . .	439
Honey-berry	84	Laburnum	130	Malabar nightshade .	433	Mouse-chop	228
Honey-flower	104	Lace-bark	448	Malabar-nut	420	Mouse-ear	271
Honeysuckle	258	Lady Fern	580	Malay Apple	212	Mouse-ear Chickweed	
Honeywort	375	Ladies-mantle	192	Male Fern	580	57
Hooded Milfoil	423	Ladies-slipper	491	Mallow	59, 586	Mouse-tail	4
Hop	463	Ladies-smock	23	Mammee-tree	78	Mouse-tail grass . . .	572
Hop Hornbeam	467	Ladies-traces	485	Manchineel-tree	458	Moving-plant	150
Horehound	408	Lamb's-chop	228	Mandrake	383	Moxa	317
Hornbeam	467	Lamb's Lettuce	269	Mango-ginger	492	Mudwort	394
Horn Gourd	215	Lamp-wick	405	Mango-tree	117	Mugwort	317
Horn Poppy	19, 585	Lancashire Asphodel .	545	Mangosteen	78	Mulberry	462
Hornwort	201	Lance-wood	15	Manna Ash	351	Mule Fern	581
Horse Chestnut	83	Larch	475	Maple	82	Mullein	380
Horse Radish	26	Larkspur	8	Mare's-tail	201	Musk Melon	215
Horse-radish tree . . .	168	Laserwort	252	Marjoram	402	Musk Okro	62
Horse-shoe Vetch . . .	148	Laurel	175	Marrowfat Pea	154	Musk Thistle	281
Horse-thistle	282	Laurestine	258	Marsh Mallow	60	Mustard	34, 585
Hottentot Cherry . . .	110	Lavender	408	Marsh Marygold	7, 584	Myrobalan	174
Hottentot Fig	230	Lavender-cotton . . .	315	Marsh Pennywort	243	Myrrh	255
Hound's-tongue	378	Leadwort	427	Marsh Thistle	282	Myrtle	211
Houseleek	226	Leather-wood	448	Martagon	538	Mysore-thorn	169
Humble plant	162	Lee Chee	84	Marygold	313, 592	Naseberry-tree	349
Hyacinth	528	Leek	530	Marvel of Peru	429	Navelwort	224
Hyæna-poison	457	Lemon	75	Masterwort	250, 251	Navew	33
Hyssop	402	Lemon-grass	561	Mastick-tree	119	Nectarine	173
Ice-plant	232	Lentil	154	May Apple	17	Nettle	462
Indian buckwheat . . .	438	Leopard's-bane . . .	299	Meadow-grass	568	Nettle-tree	464

New Jersey Tea	Page. 113	Pepper	Page. 481	Redtop-grass	Page. 567	Screw-tree	Page. 65
New Zealand cork-tree	70	Peppermint	399	Red-water tree	163	Scrubby Oak	259
New Zealand Spruce	473	Peppermint-tree	208	Reed	574	Scurvy-grass	26
New Zealand Tea	210	Pepper Vine	87	Reed-grass	574	Sea-buckthorn	451
Nicker-tree	198	Perriwinkle	354	Rest-harrow	131	Sea Chickweed	57
Nightshade	385	Petty whin	130	Rhubarb	440	Sea Daffodil	513
Nipplewort	274	Pheasant's eye	4	Ribbon-flower	503	Sea-egg	134
Norfolk Island Pine	475	Phillyrea	351, 352	Rib-grass	428	Sea Heath	48, 586
Nutmeg	442	Physic-nut	457	Rice	575	Sea Holly	244
Nut-tree	467	Picotee	49, 50	Rocamboles	530	Sea Kale	35
Oak	465	Pigeon Pea	159	Rocket	29	Sea Lavender	427
Oat-grass	567	Pigeon Plum	173	Rock-Rose	40	Sea Matweed	478, 574
Oats	568	Pig-nut	465	Rope-grass	547	Sea Parsnep	255
Ogechee-Lime	451	Pilewort	7	Rose	178	Sea Rocket	28
Oil-nut	451	Pillwort	575	Rose Acacia	143	Seaside Balsam	457
Oil-seed	308	Pimpernell	425	Rose Campion	54	Seaside grape	438
Oily-grain	367	Pine Apple	534	Rosemary	404	Seaside Laurel	458
Oily-Palm	543	Pine-tree	475	Rose of Jericho	28	Seaside Oat	571
Old man's beard	279	Pink	49, 50, 586	Rose-root	225	Sedge	547
Oleander	354	Pin-pillow	237	Rough Chervil	254, 591	Self-heal	410
Oleaster	451	Pipewort	546	Rough Plum	173	Sengreen	25
Olibanum-tree	120	Pishamin	355	Rue	105	Senna	170
Olive	351	Pistachia-tree	118	Rupture-wort	220	Sensitive Fern	581
Olive-bark tree	195	Pitcher-leaf	192	Rush	545	Sensitive-plant	162
Olive-wood	110	Pitcher-plant	452	Rush-nut	551	Septfoil	190
Omime-root	414	Plane-tree	472	Rye	564	Serpent-wood	353
Onion	513	Plantain	428	Rye-grass	566	Service-tree	177
Opera girls	491	Plantain-tree	495	Sacred Bean	17	Shaddock	75
Orache	435	Plank-plant	126	Sage	410	Shallon	331
Orange-Gourd	216	Plowman's spikenard	289	Sago-Palm	543	Shallot	530
Orange-tree	75	Plum-tree	174	Saintfoin	151	Sheep's-beard	279
Orpine	220	Poet's Cassia	450	St. Andrew's cross	77	Sheep's Scabious	328
Osage Apple	462	Poison bulb	510, 511	St. Barnaby's thistle	287	Sheep's Sorrel	440
Oswego Tea	404	Poison-nut	353, 354	St. Brunos's Lily	524	Shepherd's club	380
Otaheite Apple	120	Poison Oak	118	St. John's bread	169	Shepherd's Cress	27
Otaheite Chestnut	348	Poley	403	St. John's wort	76, 587	Shepherd's purse	27
Otaheite Myrtle	460	Polypody	578	St. Martin's flower	516	Shield Fern	579
Ox-eye	309	Pomegranate	195	St. Peter's-wort	258, 592	Shore-weed	429
Ox-eye Daisy	320	Pond-weed	478	Salep	481	Shrubby-horsetail	472
Ox-lip	424	Poplar	478	Salt-tree	144	Shrubby Trefoil	121
Ox-tongue	276	Poppy	18	Saltwort	434	Shumee-tree	166
Pæony	12	Portugal Laurel	175	Samphire	249	Siberian bird's-eye	424
Palma Christi	458	Potatoe	385	Sandal-wood	450	Siberian Crab	177
Palms	542, 545	Primrose	423	Sandbox-tree	457	Side-saddle flower	18, 585
Palo de vacca	462	Prince's feather	431	Sand Myrtle	344	Silk cotton tree	66
Panic-grass	563	Privet	352	Sandwort	56, 586	Silver Fir	475
Papaw-tree	216	Puccoon	98, 585	Sanicle	244	Silver-tree	442
Paper Mulberry	462	Pumpkin	215	Sapota	349	Single-seeded Cucum-	
Paper Rush	552	Purslane	219	Sappan fruit	163	ber	215
Paraguay Tea	111	Purslane-tree	220	Sarsaparilla	522	Skirret	246
Parsley	245	Pyracantha	175	Satin-wood	86	Skull-cap	410
Parsley-piert	192	Quaking-grass	570	Savanna-flower	355	Slipper Spurge	452
Parsnep	251	Quamash	528	Savin	474	Slipperwort	396
Pasque-flower	3	Quillwort	575	Savory	401	Sloe-tree	174
Passion-flower	216, 590	Quince	178	Savoy	33	Sloe-tree	314
Patience Dock	439	Radish	36	Savoy Spiderwort	524	Small Burdock	157
Pea	154	Ragged Robin	54	Sawfly Ophrys	484	Snail-flower	214
Peach	173	Ragwort	303, 305	Sawwort	281	Snake Cucumber	215
Pear	177	Rambootan	84	Saxifrage	239, 591	Snake Gourd	215
Pearlwort	54	Ramoon-tree	450	Scabious	269	Snakeroot	11, 452
Pecan-nut	465	Rampion	326	Scallion	530	Snake's-beard	523
Pellitory	463	Ramson	532	Scammony	369	Snake's-tongue	577
Pellitory of Spain	318	Rape	34	Scarlet-runner	157	Snake's-weed	438
Penny-cress	27	Raspberry	188	Scorpion-grass	377	Snakewood	464
Pennyroyal	400	Red Cedar	474	Scorpion Senna	148	Snakewort	300
Pennyroyal-tree	401	Red Quinoa	435	Scotch bird's-eye	424	Snap-dragon	390
Pennywort	225	Red Sandal-wood	161	Scotch Laburnum	130	Sneezewort	319
				Screw-Pine	478	Snowball-tree	257

	Page.		Page.		Page.		Page.
Snowberry . . .	258	Stork's-bill . . .	92, 587	Tree Mallow . . .	60	Water-soldier . . .	476
Snowberry-bush . . .	264	Stramonium . . .	383	Tree Onion . . .	530	Water Starwort . . .	201
Snowdrop . . .	516	Strapwort . . .	220	Trefoil . . .	135	Water Violet . . .	425
Snowdrop-tree . . .	347	Strawberry . . .	89	Tricolor . . .	430	Water-weed . . .	478
Snowflake . . .	516	Strawberry-blite . . .	436	Trompet Marin . . .	514	Waterwort . . .	55
Soap-berry . . .	84	Strawberry-tree . . .	331	True Chervil . . .	254	Wax Dammar . . .	473
Soapwort . . .	51	Succory . . .	279	Trumpet-flower . . .	365	Wayfaring-tree . . .	257
Soft-grass . . .	562	Sugar-cane . . .	560	Trumpet Honeysuckle . . .	259	Weasel-chop . . .	228
Soldier-wood . . .	163	Sulphurwort . . .	250	Tuberose . . .	517	Weymouth Pine . . .	475
Solomon's seal . . .	523	Sumach . . .	117	Tulip . . .	536	Wheat . . .	564
Sorrel . . .	440	Summer Cypress . . .	434	Tulip-tree . . .	14	Whipcord . . .	222
Sorrel-tree . . .	331	Sundew . . .	45	Tupelo . . .	451	Whiplash . . .	227
Sour-gourd . . .	65	Sunflower . . .	309	Turk's-cap . . .	235	Whitebeam . . .	177
Soursop . . .	14	Sun-Rose . . .	41	Turmeric . . .	491	White Cedar . . .	474
Southernwood . . .	316	Supple Jack . . .	84	Turnep . . .	33	White Hellebore . . .	540
South-sea Myrtle . . .	210	Swallow-wort . . .	360	Turnep Cabbage . . .	33	White Ipecacuanha . . .	35
South-sea Tea . . .	111	Sweet Bay . . .	441	Turnsole . . .	374	Whitlow-grass . . .	25, 585
Sow-thistle . . .	278	Sweet Briar . . .	179	Turpentine-tree . . .	119	Whortle-berry . . .	329
Soy . . .	158	Sweet-flag . . .	480	Twayblade . . .	486	Widow wail . . .	121
Spanish Broom . . .	129	Sweet Gale . . .	472	Umbrella-wort . . .	429	Wild Basil . . .	409
Spanish Cress . . .	31	Sweet-grass . . .	570	Valerian . . .	268	Wild Bugloss . . .	377
Spanish Elm . . .	379	Sweet-gum tree . . .	472	Velvet-leaf . . .	15	Wild Chamomile . . .	319
Spanish-nut . . .	497	Sweet Maudlin . . .	319	Velvet Tamarind . . .	172	Wild Cumin . . .	255
Sparrow-wort . . .	449	Sweet Pea . . .	155	Venus Flytrap . . .	46	Wild Liquorice . . .	156
Spear-mint . . .	399	Sweet Potatoe . . .	371	Venus looking-glass . . .	593	Wild Rosemary . . .	331
Speedwell . . .	396	Sweet Scabious . . .	270	Venus Navelwort . . .	378	Wild Service . . .	177
Spider Ophrys . . .	484	Sweet-sop . . .	14	Venus's comb . . .	254	Wild Tansey . . .	191
Spiderwort . . .	541	Sweet Sultan . . .	285	Vervain . . .	418	Willow . . .	468
Spignel . . .	248	Sweet William . . .	49	Vetch . . .	153	Willow-herb . . .	198
Spinage . . .	436	Sword Fern . . .	578	Vine . . .	87	Winged Pea . . .	138
Spindle-tree . . .	109, 588	Syrian Rue . . .	105	Violet . . .	43, 586	Winter Aconite . . .	7
Spleenwort . . .	580	Syringa . . .	206	Viper's Bugloss . . .	375	Winter-bark . . .	13
Sponge-tree . . .	166	Tacamahac . . .	472	Viper's-grass . . .	278	Winter-berry . . .	111
Spread-eagle . . .	488	Tallow-tree . . .	458	Virginian creeper . . .	87	Winter Cherry . . .	383
Spring-grass . . .	553	Tamarind . . .	169	Virginian Hemp . . .	436	Winter Cress . . .	22
Spruce Fir . . .	475	Tamarisk . . .	203	Virginian Silk . . .	356	Winter Grape . . .	77
Spurge . . .	453	Tangier Pea . . .	155	Virgin's Bower . . .	1	Winter-green . . .	341, 425
Spurge Laurel . . .	449	Tansy . . .	316	Wall-cress . . .	22, 585	Winter-green grass . . .	556
Spurless Violet . . .	45	Tare . . .	154	Wallflower . . .	21	Witch-Hazel . . .	473
Spurrey . . .	55, 586	Tarragon . . .	317	Wall Rocket . . .	34	Woad . . .	32
Squash . . .	215	Teak-wood . . .	418	Wall Rue . . .	580	Wolfbane . . .	11
Squill . . .	527	Teasel . . .	269	Walnut-tree . . .	465	Wolf-chop . . .	228
Squirting Cucumber . . .	215	Tea-tree . . .	73	Wampee-tree . . .	75	Woodbine . . .	259
Staff tree . . .	110	Thistle . . .	281	Waratah . . .	447	Wooden-pear-tree . . .	447
Star Apple . . .	345	Thorn Apple . . .	383	Wart-flower . . .	89, 587	Woodruff . . .	266, 592
Starch Hyacinth . . .	528	Thrift . . .	426	Wartwort . . .	455	Wood-rush . . .	545
Starfish . . .	357	Throatwort . . .	328	Water-caltrops . . .	200	Wood-sage . . .	403
Star-flower . . .	117	Tick-seed . . .	436	Water Chickweed . . .	220	Wood Sorrel . . .	102, 588
Starhead . . .	270, 592	Tiger-chop . . .	228	Water Cress . . .	22	Woolhead . . .	307
Star of Bethlehem . . .	526	Tiger-flower . . .	499	Water Dropwort . . .	247	Worm-grass . . .	364
Star of the earth . . .	429	Tile-root . . .	503	Water Hemlock . . .	247	Wormwood . . .	316
Starry Scabious . . .	285	Toad-flax . . .	390	Water Horehound . . .	398	Yam . . .	521
Star-thistle . . .	287	Tobacco . . .	382	Water-leaf . . .	380	Yarrow . . .	320
Starwort . . .	295	Tonquin Bean . . .	168	Water Lily . . .	17, 585	Yellow bird's-nest . . .	342
Sterile Strawberry . . .	192	Toothpick . . .	245	Water Melon . . .	214	Yellow Poley . . .	403
Stichwort . . .	55	Toothwort . . .	24, 422	Water Milfoil . . .	201	Yellow rattle . . .	395
Stinking Horehound . . .	405	Touch me not . . .	102, 588	Water Parsnep . . .	246	Yellow-root . . .	4, 12
Stock . . .	21	Tower Mustard . . .	22	Water Pepper . . .	439	Yellow Sultan . . .	285
Stonecrop . . .	225	Traveller's joy . . .	1	Water Plantain . . .	477	Yellow-wort . . .	363
Storax . . .	347	Treacle Mustard . . .	25	Water Purslane . . .	201	Yew-tree . . .	473
		Tree Celadine . . .	19			Zebra-plant . . .	494

